



10.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	20.82	30	9.18	Pass	401
2570	2571	0.051	RMS	2570.003	-18.16	-10	8.16	Pass	401
2571	2575	1	RMS	2574	-23.89	-10	13.89	Pass	5
2575	2576	1	RMS	2575	-35.51	-13	22.51	Pass	401
2576	2595	1	RMS	2578.233	-39.16	-25	14.16	Pass	401




10.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.863	6.45	30	23.55	Pass	401
2570	2571	0.1	RMS	2570	-23.38	-10	13.38	Pass	401
2571	2575	1	RMS	2571	-19.9	-10	9.9	Pass	5
2575	2576	1	RMS	2575.005	-31.98	-13	18.98	Pass	401
2576	2595	1	RMS	2576	-34.95	-25	9.95	Pass	401




10.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	20.02	30	9.98	Pass	401
2570	2571	0.1	RMS	2570	-14.88	-10	4.88	Pass*	11
2571	2575	1	RMS	2574	-24.99	-10	14.99	Pass	5
2575	2576	1	RMS	2575	-36.57	-13	23.57	Pass	401
2576	2595	1	RMS	2578.233	-38.79	-25	13.79	Pass	401




10.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.525	5.49	30	24.51	Pass	401
2570	2571	0.1	RMS	2570	-24.33	-10	14.33	Pass	401
2571	2575	1	RMS	2571	-20.16	-10	10.16	Pass	5
2575	2576	1	RMS	2575.003	-32.61	-13	19.61	Pass	401
2576	2595	1	RMS	2576	-35.65	-25	10.65	Pass	401




**10.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20800,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2482.98 8	-41.54	-25	16.54	Pass	401
2490	2496	1	RMS	2491.77	-26.4	-13	13.4	Pass	401
2496	2499	1	RMS	2496	-31.6	-10	21.6	Pass	4
2499	2500	0.2	RMS	2500	-17.56	-10	7.56	Pass	401
2500	2510	0.1	RMS	2500.57 5	21.12	30	8.88	Pass	401




**10.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20800,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.86	-25	10.86	Pass	401
2490	2496	1	RMS	2496	-23.28	-13	10.28	Pass	401
2496	2499	1	RMS	2499	-20.36	-10	10.36	Pass	4
2499	2500	0.2	RMS	2499.998	-24.96	-10	14.96	Pass	401
2500	2510	0.1	RMS	2507.975	3.62	30	26.38	Pass	401




**10.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20800,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2482.875	-43.53	-25	18.53	Pass	401
2490	2496	1	RMS	2491.755	-27.45	-13	14.45	Pass	401
2496	2499	1	RMS	2499	-33.24	-10	23.24	Pass	4
2499	2500	0.2	RMS	2500	-18.57	-10	8.57	Pass	401
2500	2510	0.1	RMS	2500.6	20.19	30	9.81	Pass	401




10.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2484.788	-43.64	-25	18.64	Pass	401
2490	2496	1	RMS	2492.85	-28.29	-13	15.29	Pass	401
2496	2499	1	RMS	2497	-35.98	-10	25.98	Pass	4
2499	2500	0.2	RMS	2499.998	-37.67	-10	27.67	Pass	401
2500	2510	0.1	RMS	2500.975	17.62	30	12.38	Pass	401



**10.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.82	30	9.18	Pass	401
2570	2571	0.2	RMS	2570	-17.86	-10	7.86	Pass	401
2571	2575	1	RMS	2571	-32.65	-10	22.65	Pass	5
2575	2580	1	RMS	2578.21 3	-31.42	-13	18.42	Pass	401
2580	2595	1	RMS	2587.08 8	-41.2	-25	16.2	Pass	401




10.49 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2565.35	3.55	30	26.45	Pass	401
2570	2571	0.2	RMS	2570	-26.97	-10	16.97	Pass	401
2571	2575	1	RMS	2571	-22.21	-10	12.21	Pass	5
2575	2580	1	RMS	2575	-25.49	-13	12.49	Pass	401
2580	2595	1	RMS	2580	-37.41	-25	12.41	Pass	401




**10.50 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	19.87	30	10.13	Pass	401
2570	2571	0.2	RMS	2570	-18.86	-10	8.86	Pass	401
2571	2575	1	RMS	2571	-33.55	-10	23.55	Pass	5
2575	2580	1	RMS	2578.26 3	-32.68	-13	19.68	Pass	401
2580	2595	1	RMS	2587.01 3	-41.05	-25	16.05	Pass	401




10.51 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2560.95	17.67	30	12.33	Pass	401
2570	2571	0.2	RMS	2570	-33.36	-10	23.36	Pass	401
2571	2575	1	RMS	2571	-34.19	-10	24.19	Pass	5
2575	2580	1	RMS	2577.113	-29.14	-13	16.14	Pass	401
2580	2595	1	RMS	2585.288	-43.89	-25	18.89	Pass	401




10.52 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.525	-29.25	-25	4.25	Pass*	401
2490	2496	1	RMS	2494.215	-35.87	-13	22.87	Pass	401
2496	2499	1	RMS	2499	-32.69	-10	22.69	Pass	4
2499	2500	0.3	RMS	2500	-20.78	-10	10.78	Pass	401
2500	2515	0.1	RMS	2500.825	21.01	30	8.99	Pass	401




10.53 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.54	-25	3.54	Pass*	401
2490	2496	1	RMS	2496	-22.32	-13	9.32	Pass	401
2496	2499	1	RMS	2499	-20.29	-10	10.29	Pass	4
2499	2500	0.3	RMS	2499.645	-24.41	-10	14.41	Pass	401
2500	2515	0.1	RMS	2513.388	1.95	30	28.05	Pass	401




10.54 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.488	-32.09	-25	7.09	Pass	401
2490	2496	1	RMS	2494.32	-38.65	-13	25.65	Pass	401
2496	2499	1	RMS	2499	-33.58	-10	23.58	Pass	4
2499	2500	0.3	RMS	2500	-21.66	-10	11.66	Pass	401
2500	2515	0.1	RMS	2500.825	19.95	30	10.05	Pass	401




10.55 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.175	-30.74	-25	5.74	Pass*	401
2490	2496	1	RMS	2495.325	-36.64	-13	23.64	Pass	401
2496	2499	1	RMS	2499	-38.27	-10	28.27	Pass	4
2499	2500	0.3	RMS	2499.975	-39.43	-10	29.43	Pass	401




10.56 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2568.65	17.1	30	12.9	Pass	401
2570	2571	0.3	RMS	2570.01	-37.47	-10	27.47	Pass	401
2571	2575	1	RMS	2571	-37.73	-10	27.73	Pass	5
2575	2585	1	RMS	2581.925	-51.53	-13	38.53	Pass	401
2585	2595	1	RMS	2594.325	-51.53	-25	26.53	Pass	401




10.57 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.288	-35.78	-25	10.78	Pass	401
2490	2496	1	RMS	2492.175	-36.19	-13	23.19	Pass	401
2496	2499	1	RMS	2499	-33.81	-10	23.81	Pass	4
2499	2500	0.51	RMS	2500	-24.15	-10	14.15	Pass	401
2500	2520	0.1	RMS	2501.1	20.77	30	9.23	Pass	401




10.58 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.08	-25	5.08	Pass*	16
2490	2496	1	RMS	2495.955	-26.76	-13	13.76	Pass	401
2496	2499	1	RMS	2499	-24.71	-10	14.71	Pass	4
2499	2500	0.51	RMS	2499.985	-26.49	-10	16.49	Pass	401
2500	2520	0.1	RMS	2515.85	0.68	30	29.32	Pass	401




10.59 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.25	-37.43	-25	12.43	Pass	401
2490	2496	1	RMS	2492.055	-38.55	-13	25.55	Pass	401
2496	2499	1	RMS	2499	-34.28	-10	24.28	Pass	4
2499	2500	0.51	RMS	2500	-24.24	-10	14.24	Pass	401
2500	2520	0.1	RMS	2501.1	19.91	30	10.09	Pass	401




10.60 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2485.5	-32.93	-25	7.93	Pass	401
2490	2496	1	RMS	2493.66	-37.42	-13	24.42	Pass	401
2496	2499	1	RMS	2499	-40.21	-10	30.21	Pass	4
2499	2500	0.51	RMS	2499.995	-37.15	-10	27.15	Pass	401
2500	2520	0.1	RMS	2518.2	16.88	30	13.12	Pass	401




**10.61 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.57	30	9.43	Pass	401
2570	2571	0.51	RMS	2570.005	-24.74	-10	14.74	Pass	401
2571	2575	1	RMS	2571	-34.23	-10	24.23	Pass	5
2575	2590	1	RMS	2577.85	-36.39	-13	23.39	Pass	401
2590	2595	1	RMS	2594.975	-50.86	-25	25.86	Pass	401




10.62 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2561.7	0.6	30	29.4	Pass	401
2570	2571	0.51	RMS	2570	-25.65	-10	15.65	Pass	401
2571	2575	1	RMS	2571	-23.7	-10	13.7	Pass	5
2575	2590	1	RMS	2575.038	-25.8	-13	12.8	Pass	401
2590	2595	1	RMS	2590	-40.75	-25	15.75	Pass	401




**10.63 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.99	30	10.01	Pass	401
2570	2571	0.51	RMS	2570	-24.67	-10	14.67	Pass	401
2571	2575	1	RMS	2571	-34.61	-10	24.61	Pass	5
2575	2590	1	RMS	2577.81 3	-37.05	-13	24.05	Pass	401
2590	2595	1	RMS	2594.95	-51.06	-25	26.06	Pass	401



10.64 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.2	16.54	30	13.46	Pass	401
2570	2571	0.51	RMS	2570.005	-34.69	-10	24.69	Pass	401
2571	2575	1	RMS	2571	-36.03	-10	26.03	Pass	5
2575	2590	1	RMS	2584.638	-33.06	-13	20.06	Pass	401
2590	2595	1	RMS	2592.738	-51.12	-25	26.12	Pass	401



11. LTE_Band66


11.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.86	-13	22.86	Pass	401
1708	1709	1	RMS	1709	-34.49	-13	21.49	Pass	2
1709	1710	0.02	RMS	1710	-22.38	-13	9.38	Pass	401
1710	1712	0.1	RMS	1710.25	20.75	30	9.25	Pass	401




11.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.69	-13	21.69	Pass	401
1708	1709	1	RMS	1709	-23.33	-13	10.33	Pass	2
1709	1710	0.02	RMS	1710	-29.37	-13	16.37	Pass	401
1710	1712	0.1	RMS	1711.02	12.32	30	17.68	Pass	401




11.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-37.57	-13	24.57	Pass	401
1708	1709	1	RMS	1709	-35.31	-13	22.31	Pass	2
1709	1710	0.02	RMS	1710	-24.19	-13	11.19	Pass	401
1710	1712	0.1	RMS	1710.255	19.91	30	10.09	Pass	401



**11.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.17	-13	24.17	Pass	401
1708	1709	1	RMS	1709	-26.13	-13	13.13	Pass	2
1709	1710	0.02	RMS	1710	-29.77	-13	16.77	Pass	401
1710	1712	0.1	RMS	1710.595	11.18	30	18.82	Pass	401




**11.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74 5	20.71	30	9.29	Pass	401
1780	1781	0.02	RMS	1780	-21	-13	8	Pass	401
1781	1782	1	RMS	1781	-33.46	-13	20.46	Pass	2
1782	1790	1	RMS	1782	-34.76	-13	21.76	Pass	401




11.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.89	12.15	30	17.85	Pass	401
1780	1781	0.02	RMS	1780.003	-27.42	-13	14.42	Pass	401
1781	1782	1	RMS	1781	-23.4	-13	10.4	Pass	2
1782	1790	1	RMS	1782	-35.84	-13	22.84	Pass	401




**11.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75 5	19.56	30	10.44	Pass	401
1780	1781	0.02	RMS	1780.00 3	-22.21	-13	9.21	Pass	401
1781	1782	1	RMS	1781	-34.5	-13	21.5	Pass	2
1782	1790	1	RMS	1782	-36.44	-13	23.44	Pass	401




**11.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.715	11.33	30	18.67	Pass	401
1780	1781	0.02	RMS	1780	-29.53	-13	16.53	Pass	401
1781	1782	1	RMS	1781	-26.09	-13	13.09	Pass	2
1782	1790	1	RMS	1782	-37.78	-13	24.78	Pass	401




11.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-38.33	-13	25.33	Pass	401
1708	1709	1	RMS	1709	-37.34	-13	24.34	Pass	2
1709	1710	0.002	RMS	1709.998	-29.62	-13	16.62	Pass	501
1710	1713	0.1	RMS	1710.233	20.66	30	9.34	Pass	401




11.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-25.02	-13	12.02	Pass	401
1708	1709	1	RMS	1709	-22.55	-13	9.55	Pass	2
1709	1710	0.03	RMS	1710	-29.4	-13	16.4	Pass	401
1710	1713	0.1	RMS	1712.708	8.61	30	21.39	Pass	401




11.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-38.25	-13	25.25	Pass	401
1708	1709	1	RMS	1709	-38.08	-13	25.08	Pass	2
1709	1710	0.002	RMS	1710	-30.47	-13	17.47	Pass	501
1710	1713	0.1	RMS	1710.248	19.78	30	10.22	Pass	401




11.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.79	-13	13.79	Pass	401
1708	1709	1	RMS	1709	-22.92	-13	9.92	Pass	2
1709	1710	0.03	RMS	1710	-30.66	-13	17.66	Pass	401
1710	1713	0.1	RMS	1712.408	7.55	30	22.45	Pass	401



11.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	20.62	30	9.38	Pass	401
1780	1781	0.002	RMS	1780.002	-28.18	-13	15.18	Pass	501
1781	1782	1	RMS	1781	-36.29	-13	23.29	Pass	2
1782	1790	1	RMS	1782.1	-37.43	-13	24.43	Pass	401




11.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.08	8.41	30	21.59	Pass	401
1780	1781	0.03	RMS	1780	-30.5	-13	17.5	Pass	35
1781	1782	1	RMS	1781	-20.65	-13	7.65	Pass	2
1782	1790	1	RMS	1782	-24.59	-13	11.59	Pass	401



11.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	19.57	30	10.43	Pass	401
1780	1781	0.002	RMS	1780.002	-29.02	-13	16.02	Pass	501
1781	1782	1	RMS	1782	-37.76	-13	24.76	Pass	2
1782	1790	1	RMS	1782.08	-37.73	-13	24.73	Pass	401




11.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.465	7.25	30	22.75	Pass	401
1780	1781	0.03	RMS	1780	-29.99	-13	16.99	Pass	401
1781	1782	1	RMS	1781	-21.9	-13	8.9	Pass	2
1782	1790	1	RMS	1782	-26.41	-13	13.41	Pass	401




11.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.97	-13	26.97	Pass	401
1708	1709	1	RMS	1709	-38.84	-13	25.84	Pass	2
1709	1710	0.01	RMS	1710	-24.69	-13	11.69	Pass	401
1710	1715	0.1	RMS	1710.338	20.63	30	9.37	Pass	401




11.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.62	-13	12.62	Pass	401
1708	1709	1	RMS	1709	-23.94	-13	10.94	Pass	2
1709	1710	0.051	RMS	1710	-30.07	-13	17.07	Pass	401
1710	1715	0.1	RMS	1713.338	6.36	30	23.64	Pass	401




11.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.55	-13	27.55	Pass	401
1708	1709	1	RMS	1709	-39.95	-13	26.95	Pass	2
1709	1710	0.01	RMS	1710	-25.05	-13	12.05	Pass	401
1710	1715	0.1	RMS	1710.35	19.85	30	10.15	Pass	401




11.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.32	-13	13.32	Pass	401
1708	1709	1	RMS	1709	-24.47	-13	11.47	Pass	2
1709	1710	0.051	RMS	1709.998	-31.49	-13	18.49	Pass	401
1710	1715	0.1	RMS	1713.338	5.32	30	24.68	Pass	401



11.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	20.63	30	9.37	Pass	401
1780	1781	0.01	RMS	1780	-24.45	-13	11.45	Pass	401
1781	1782	1	RMS	1782	-38.2	-13	25.2	Pass	2
1782	1790	1	RMS	1782	-38.21	-13	25.21	Pass	401




11.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.875	6.19	30	23.81	Pass	401
1780	1781	0.051	RMS	1780	-29.42	-13	16.42	Pass	401
1781	1782	1	RMS	1781	-21.84	-13	8.84	Pass	2
1782	1790	1	RMS	1782.02	-23.43	-13	10.43	Pass	401



11.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	19.77	30	10.23	Pass	401
1780	1781	0.01	RMS	1780	-24.07	-13	11.07	Pass	401
1781	1782	1	RMS	1781	-39.48	-13	26.48	Pass	2
1782	1790	1	RMS	1782	-40.18	-13	27.18	Pass	401




11.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.25	5.2	30	24.8	Pass	401
1780	1781	0.051	RMS	1780	-30.18	-13	17.18	Pass	401
1781	1782	1	RMS	1781	-23.22	-13	10.22	Pass	2
1782	1790	1	RMS	1782	-24.94	-13	11.94	Pass	401




**11.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.28	-40.28	-13	27.28	Pass	401
1708	1709	1	RMS	1709	-37.37	-13	24.37	Pass	2
1709	1710	0.1	RMS	1710	-22.67	-13	9.67	Pass	401
1710	1720	0.1	RMS	1710.6	20.78	30	9.22	Pass	401




11.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.98	-13	14.98	Pass	401
1708	1709	1	RMS	1709	-26.46	-13	13.46	Pass	2
1709	1710	0.1	RMS	1709.995	-33.13	-13	20.13	Pass	401
1710	1720	0.1	RMS	1718	3.37	30	26.63	Pass	401




**11.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.2	-41.1	-13	28.1	Pass	401
1708	1709	1	RMS	1709	-38.12	-13	25.12	Pass	2
1709	1710	0.1	RMS	1710	-23.44	-13	10.44	Pass	401
1710	1720	0.1	RMS	1710.6	19.9	30	10.1	Pass	401




11.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.86	-37.08	-13	24.08	Pass	401
1708	1709	1	RMS	1709	-42.5	-13	29.5	Pass	2
1709	1710	0.1	RMS	1709.978	-43.68	-13	30.68	Pass	401
1710	1720	0.1	RMS	1719.05	17.72	30	12.28	Pass	401




**11.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.67	30	9.33	Pass	401
1780	1781	0.1	RMS	1780	-23.11	-13	10.11	Pass	11
1781	1782	1	RMS	1781	-37.52	-13	24.52	Pass	2
1782	1790	1	RMS	1782.02	-41.3	-13	28.3	Pass	401




11.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1775.325	3.19	30	26.81	Pass	401
1780	1781	0.1	RMS	1780	-33.11	-13	20.11	Pass	401
1781	1782	1	RMS	1781	-24.88	-13	11.88	Pass	2
1782	1790	1	RMS	1782	-25.88	-13	12.88	Pass	401




11.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.59	30	10.41	Pass	401
1780	1781	0.1	RMS	1780	-23.05	-13	10.05	Pass	401
1781	1782	1	RMS	1781	-38.72	-13	25.72	Pass	2
1782	1790	1	RMS	1782	-42.31	-13	29.31	Pass	401




11.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1770.975	17.49	30	12.51	Pass	401
1780	1781	0.1	RMS	1780	-37.65	-13	24.65	Pass	401
1781	1782	1	RMS	1781	-35.97	-13	22.97	Pass	2
1782	1790	1	RMS	1787.16	-32.7	-13	19.7	Pass	401




11.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.04	-37.77	-13	24.77	Pass	401
1708	1709	1	RMS	1709	-36.88	-13	23.88	Pass	2
1709	1710	0.15	RMS	1710	-27.52	-13	14.52	Pass	401
1710	1725	0.1	RMS	1710.825	20.68	30	9.32	Pass	401




11.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-26.96	-13	13.96	Pass	401
1708	1709	1	RMS	1708	-26.92	-13	13.92	Pass	2
1709	1710	0.15	RMS	1710	-34.46	-13	21.46	Pass	401
1710	1725	0.1	RMS	1720.725	1.58	30	28.42	Pass	401




11.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707	-39.18	-13	26.18	Pass	401
1708	1709	1	RMS	1709	-37.54	-13	24.54	Pass	2
1709	1710	0.15	RMS	1709.998	-27.99	-13	14.99	Pass	401
1710	1725	0.1	RMS	1710.863	19.78	30	10.22	Pass	401




11.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1705.28	-36.64	-13	23.64	Pass	401
1708	1709	1	RMS	1708	-40.69	-13	27.69	Pass	2
1709	1710	0.15	RMS	1709.995	-44.26	-13	31.26	Pass	401
1710	1725	0.1	RMS	1723.613	17.63	30	12.37	Pass	401




11.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.58	30	9.42	Pass	401
1780	1781	0.15	RMS	1780	-27.53	-13	14.53	Pass	401
1781	1782	1	RMS	1781	-36.47	-13	23.47	Pass	2
1782	1790	1	RMS	1785.82	-38.02	-13	25.02	Pass	401




11.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1773.55	1.38	30	28.62	Pass	401
1780	1781	0.15	RMS	1780	-32.29	-13	19.29	Pass	401
1781	1782	1	RMS	1782	-24.87	-13	11.87	Pass	2
1782	1790	1	RMS	1782.02	-24.87	-13	11.87	Pass	401




11.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.58	30	10.42	Pass	401
1780	1781	0.15	RMS	1780	-28.02	-13	15.02	Pass	401
1781	1782	1	RMS	1781	-37.14	-13	24.14	Pass	2
1782	1790	1	RMS	1785.78	-39.57	-13	26.57	Pass	401




**11.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597,
Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1778.65	17.27	30	12.73	Pass	401
1780	1781	0.15	RMS	1780	-43.63	-13	30.63	Pass	401
1781	1782	1	RMS	1781	-41.31	-13	28.31	Pass	2
1782	1790	1	RMS	1784.66	-38.87	-13	25.87	Pass	401




11.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-39.69	-13	26.69	Pass	401
1708	1709	1	RMS	1709	-37.64	-13	24.64	Pass	2
1709	1710	0.2	RMS	1709.998	-38.49	-13	25.49	Pass	401
1710	1730	0.1	RMS	1711.1	20.55	30	9.45	Pass	401




11.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.64	-13	16.64	Pass	401
1708	1709	1	RMS	1709	-28.76	-13	15.76	Pass	2
1709	1710	0.2	RMS	1709.918	-34.4	-13	21.4	Pass	401
1710	1730	0.1	RMS	1724.3	0.14	30	29.86	Pass	401




11.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.2	-40.16	-13	27.16	Pass	401
1708	1709	1	RMS	1709	-38.05	-13	25.05	Pass	2
1709	1710	0.2	RMS	1710	-38.93	-13	25.93	Pass	401
1710	1730	0.1	RMS	1711.1	19.78	30	10.22	Pass	401




11.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1703.7	-38.44	-13	25.44	Pass	401
1708	1709	1	RMS	1709	-42.57	-13	29.57	Pass	2
1709	1710	0.2	RMS	1709.905	-46.7	-13	33.7	Pass	401
1710	1730	0.1	RMS	1728.2	16.7	30	13.3	Pass	401




11.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.45	30	9.55	Pass	401
1780	1781	0.2	RMS	1780	-38.51	-13	25.51	Pass	401
1781	1782	1	RMS	1781	-38.81	-13	25.81	Pass	2
1782	1790	1	RMS	1787.92	-37.56	-13	24.56	Pass	401




11.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1771.45	0.13	30	29.87	Pass	401
1780	1781	0.2	RMS	1780.02	-32.93	-13	19.93	Pass	401
1781	1782	1	RMS	1781	-27.36	-13	14.36	Pass	2
1782	1790	1	RMS	1782	-27.98	-13	14.98	Pass	401



11.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.4	30	10.6	Pass	401
1780	1781	0.2	RMS	1780.003	-39.58	-13	26.58	Pass	401
1781	1782	1	RMS	1781	-39.59	-13	26.59	Pass	2
1782	1790	1	RMS	1787.76	-38.49	-13	25.49	Pass	401



11.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.2	17.05	30	12.95	Pass	401
1780	1781	0.2	RMS	1780.995	-45.54	-13	32.54	Pass	401
1781	1782	1	RMS	1781	-41.06	-13	28.06	Pass	2
1782	1790	1	RMS	1786.32	-40.5	-13	27.5	Pass	401

