

Appendix: 5G WIFI

Contents

Appendix A: Emission Bandwidth..... 3

 Test Result.....3

 Test Graphs.....5

Appendix B: Occupied channel bandwidth.....33

 Test Result.....33

 Test Graphs.....35

Appendix C: Min emission bandwidth..... 63

 Test Result B4.....63

 Test Graphs B4.....64

Appendix D: Duty Cycle..... 78

 Test Result.....78

 Test Graphs.....80

Appendix E: Maximum conducted output power..... 108

 Test Result Channel Power..... 108

Appendix F: Maximum power spectral density..... 112

 Test Result.....112

 Test Graphs.....116

Appendix G: Band edge measurements..... 166

 Test Result B1/2/3..... 166

 Test Result B4.....166

 Test Graphs B1/2/3..... 170

 Test Graphs B4.....182

Appendix H: Conducted Spurious Emission..... 194

 Test Result.....194

 Test Graphs.....197

Appendix I: Frequency Stability..... 253


 Test Result.....253


Appendix A: Emission Bandwidth


Test Result


Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	18.80	5170.56	5189.36	---	---
	Ant2	5180	18.96	5170.56	5189.52	---	---
	Ant1	5220	18.88	5210.44	5229.32	---	---
	Ant2	5220	18.96	5210.48	5229.44	---	---
	Ant1	5240	18.92	5230.52	5249.44	---	---
	Ant2	5240	19.08	5230.40	5249.48	---	---
	Ant1	5745	19.00	5735.56	5754.56	---	---
	Ant2	5745	20.52	5735.40	5755.92	---	---
	Ant1	5785	18.92	5775.48	5794.40	---	---
	Ant2	5785	19.04	5775.44	5794.48	---	---
	Ant1	5825	18.88	5815.48	5834.36	---	---
	Ant2	5825	19.00	5815.40	5834.40	---	---
11N20SI SO	Ant1	5180	19.80	5170.08	5189.88	---	---
	Ant2	5180	19.92	5170.00	5189.92	---	---
	Ant1	5220	19.84	5209.96	5229.80	---	---
	Ant2	5220	19.68	5210.08	5229.76	---	---
	Ant1	5240	19.76	5230.16	5249.92	---	---
	Ant2	5240	19.92	5230.00	5249.92	---	---
	Ant1	5745	19.84	5735.04	5754.88	---	---
	Ant2	5745	21.96	5732.88	5754.84	---	---
	Ant1	5785	19.76	5775.08	5794.84	---	---
	Ant2	5785	19.80	5775.08	5794.88	---	---
	Ant1	5825	19.88	5815.00	5834.88	---	---
	Ant2	5825	19.80	5815.04	5834.84	---	---
11N40SI SO	Ant1	5190	41.20	5169.44	5210.64	---	---
	Ant2	5190	41.20	5169.44	5210.64	---	---
	Ant1	5230	41.60	5208.88	5250.48	---	---
	Ant2	5230	41.12	5209.28	5250.40	---	---
	Ant1	5755	40.08	5734.84	5774.92	---	---
	Ant2	5755	40.88	5734.36	5775.24	---	---
	Ant1	5795	40.96	5774.60	5815.56	---	---
	Ant2	5795	41.20	5774.44	5815.64	---	---
11AC20S ISO	Ant1	5180	19.72	5170.08	5189.80	---	---
	Ant2	5180	19.84	5169.96	5189.80	---	---


	Ant1	5220	19.84	5210.04	5229.88	---	---
	Ant2	5220	19.68	5210.08	5229.76	---	---
	Ant1	5240	19.80	5230.08	5249.88	---	---
	Ant2	5240	19.88	5230.00	5249.88	---	---
	Ant1	5745	19.72	5735.12	5754.84	---	---
	Ant2	5745	19.76	5735.12	5754.88	---	---
	Ant1	5785	19.84	5775.08	5794.92	---	---
	Ant2	5785	19.80	5775.08	5794.88	---	---
	Ant1	5825	19.80	5815.08	5834.88	---	---
	Ant2	5825	19.92	5814.96	5834.88	---	---
11AC40S ISO	Ant1	5190	40.88	5169.52	5210.40	---	---
	Ant2	5190	41.04	5169.28	5210.32	---	---
	Ant1	5230	41.44	5209.28	5250.72	---	---
	Ant2	5230	41.20	5209.20	5250.40	---	---
	Ant1	5755	40.80	5734.68	5775.48	---	---
	Ant2	5755	41.12	5734.36	5775.48	---	---
	Ant1	5795	41.52	5774.20	5815.72	---	---
	Ant2	5795	41.12	5774.36	5815.48	---	---
11AC80S ISO	Ant1	5210	82.08	5169.20	5251.28	---	---
	Ant2	5210	81.60	5169.36	5250.96	---	---
	Ant1	5775	82.24	5733.72	5815.96	---	---
	Ant2	5775	82.56	5733.72	5816.28	---	---












































































Appendix B: Occupied channel bandwidth


Test Result


Test Mode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	16.48	0.000	0.000	---	---
	Ant2	5180	16.44	0.000	0.000	---	---
	Ant1	5220	16.48	0.000	0.000	---	---
	Ant2	5220	16.4	0.000	0.000	---	---
	Ant1	5240	16.44	0.000	0.000	---	---
	Ant2	5240	16.52	0.000	0.000	---	---
	Ant1	5745	16.48	0.000	0.000	---	---
	Ant2	5745	16.48	0.000	0.000	---	---
	Ant1	5785	16.48	0.000	0.000	---	---
	Ant2	5785	16.48	0.000	0.000	---	---
	Ant1	5825	16.44	0.000	0.000	---	---
	Ant2	5825	16.48	0.000	0.000	---	---
11N20SIS O	Ant1	5180	17.6	0.000	0.000	---	---
	Ant2	5180	17.6	0.000	0.000	---	---
	Ant1	5220	17.64	0.000	0.000	---	---
	Ant2	5220	17.56	0.000	0.000	---	---
	Ant1	5240	17.6	0.000	0.000	---	---
	Ant2	5240	17.64	0.000	0.000	---	---
	Ant1	5745	17.6	0.000	0.000	---	---
	Ant2	5745	17.6	0.000	0.000	---	---
	Ant1	5785	17.6	0.000	0.000	---	---
	Ant2	5785	17.64	0.000	0.000	---	---
	Ant1	5825	17.6	0.000	0.000	---	---
	Ant2	5825	17.64	0.000	0.000	---	---
11N40SIS O	Ant1	5190	36.56	0.000	0.000	---	---
	Ant2	5190	36.64	0.000	0.000	---	---
	Ant1	5230	36.8	0.000	0.000	---	---
	Ant2	5230	36.56	0.000	0.000	---	---
	Ant1	5755	36.48	0.000	0.000	---	---
	Ant2	5755	36.4	0.000	0.000	---	---
	Ant1	5795	36.72	0.000	0.000	---	---
	Ant2	5795	36.64	0.000	0.000	---	---
11AC20SI SO	Ant1	5180	17.6	0.000	0.000	---	---
	Ant2	5180	17.6	0.000	0.000	---	---
	Ant1	5220	17.64	0.000	0.000	---	---


	Ant2	5220	17.6	0.000	0.000	---	---
	Ant1	5240	17.6	0.000	0.000	---	---
	Ant2	5240	17.6	0.000	0.000	---	---
	Ant1	5745	17.64	0.000	0.000	---	---
	Ant2	5745	17.6	0.000	0.000	---	---
	Ant1	5785	17.6	0.000	0.000	---	---
	Ant2	5785	17.6	0.000	0.000	---	---
	Ant1	5825	17.6	0.000	0.000	---	---
	Ant2	5825	17.64	0.000	0.000	---	---
11AC40SI SO	Ant1	5190	36.48	0.000	0.000	---	---
	Ant2	5190	36.4	0.000	0.000	---	---
	Ant1	5230	36.72	0.000	0.000	---	---
	Ant2	5230	36.64	0.000	0.000	---	---
	Ant1	5755	36.56	0.000	0.000	---	---
	Ant2	5755	36.48	0.000	0.000	---	---
	Ant1	5795	36.72	0.000	0.000	---	---
	Ant2	5795	36.56	0.000	0.000	---	---
11AC80SI SO	Ant1	5210	75.36	0.000	0.000	---	---
	Ant2	5210	75.2	0.000	0.000	---	---
	Ant1	5775	75.2	0.000	0.000	---	---
	Ant2	5775	75.52	0.000	0.000	---	---


























































Appendix C: Min emission bandwidth


Test Result B4


TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.32	5736.80	5753.12	0.5	PASS
	Ant2	5745	16.32	5736.80	5753.12	0.5	PASS
	Ant1	5785	16.32	5776.80	5793.12	0.5	PASS
	Ant2	5785	16.32	5776.80	5793.12	0.5	PASS
	Ant1	5825	16.32	5816.80	5833.12	0.5	PASS
	Ant2	5825	16.32	5816.80	5833.12	0.5	PASS
11N20SI SO	Ant1	5745	17.56	5736.20	5753.76	0.5	PASS
	Ant2	5745	17.56	5736.20	5753.76	0.5	PASS
	Ant1	5785	17.56	5776.20	5793.76	0.5	PASS
	Ant2	5785	17.56	5776.20	5793.76	0.5	PASS
	Ant1	5825	17.56	5816.20	5833.76	0.5	PASS
	Ant2	5825	17.56	5816.20	5833.76	0.5	PASS
11N40SI SO	Ant1	5755	35.04	5737.48	5772.52	0.5	PASS
	Ant2	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant1	5795	33.84	5778.68	5812.52	0.5	PASS
	Ant2	5795	35.44	5777.08	5812.52	0.5	PASS
11AC20S ISO	Ant1	5745	17.56	5736.20	5753.76	0.5	PASS
	Ant2	5745	17.56	5736.20	5753.76	0.5	PASS
	Ant1	5785	17.56	5776.20	5793.76	0.5	PASS
	Ant2	5785	17.56	5776.20	5793.76	0.5	PASS
	Ant1	5825	17.56	5816.20	5833.76	0.5	PASS
	Ant2	5825	17.56	5816.20	5833.76	0.5	PASS
11AC40S ISO	Ant1	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant2	5755	35.04	5737.40	5772.44	0.5	PASS
	Ant1	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant2	5795	35.12	5777.40	5812.52	0.5	PASS
11AC80S ISO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant2	5775	71.36	5738.68	5810.04	0.5	PASS


Test Graphs B4








































Appendix D: Duty Cycle


Test Result


Test Mode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	Ant1	5180	2.06	2.26	91.15
	Ant2	5180	2.06	2.28	90.35
	Ant1	5220	2.08	2.26	92.04
	Ant2	5220	2.08	2.28	91.23
	Ant1	5240	2.06	2.24	91.96
	Ant2	5240	2.08	2.22	93.69
	Ant1	5745	2.06	2.26	91.15
	Ant2	5745	2.06	2.24	91.96
	Ant1	5785	2.06	2.30	89.57
	Ant2	5785	2.06	2.24	91.96
	Ant1	5825	2.08	2.28	91.23
	Ant2	5825	2.08	2.26	92.04
11N20SISO	Ant1	5180	1.92	2.16	88.89
	Ant2	5180	1.92	2.16	88.89
	Ant1	5220	1.92	2.16	88.89
	Ant2	5220	1.92	2.14	89.72
	Ant1	5240	1.94	2.14	90.65
	Ant2	5240	1.92	2.12	90.57
	Ant1	5745	1.94	2.16	89.81
	Ant2	5745	1.92	2.16	88.89
	Ant1	5785	1.92	2.14	89.72
	Ant2	5785	1.92	2.14	89.72
	Ant1	5825	1.92	2.12	90.57
	Ant2	5825	1.94	2.14	90.65
11N40SISO	Ant1	5190	0.96	1.16	82.76
	Ant2	5190	0.96	1.18	81.36
	Ant1	5230	0.96	1.18	81.36
	Ant2	5230	0.94	1.16	81.03
	Ant1	5755	0.94	1.16	81.03
	Ant2	5755	0.94	1.18	79.66
	Ant1	5795	0.96	1.18	81.36
	Ant2	5795	0.94	1.18	79.66
11AC20SISO	Ant1	5180	1.94	2.20	88.18
	Ant2	5180	1.94	2.10	92.38


	Ant1	5220	1.94	2.18	88.99
	Ant2	5220	1.92	2.16	88.89
	Ant1	5240	1.94	2.12	91.51
	Ant2	5240	1.94	2.20	88.18
	Ant1	5745	1.92	2.10	91.43
	Ant2	5745	1.94	2.18	88.99
	Ant1	5785	1.94	2.10	92.38
	Ant2	5785	1.94	2.14	90.65
	Ant1	5825	1.94	2.18	88.99
	Ant2	5825	1.94	2.14	90.65
11AC40SI SO	Ant1	5190	0.96	1.22	78.69
	Ant2	5190	0.96	1.22	78.69
	Ant1	5230	0.94	1.20	78.33
	Ant2	5230	0.94	1.20	78.33
	Ant1	5755	0.94	1.18	79.66
	Ant2	5755	0.96	1.16	82.76
	Ant1	5795	0.96	1.20	80.00
	Ant2	5795	0.94	1.20	78.33
11AC80SI SO	Ant1	5210	0.46	0.70	65.71
	Ant2	5210	0.46	0.66	69.70
	Ant1	5775	0.46	0.70	65.71
	Ant2	5775	0.46	0.72	63.89














































Date: 16.AUG.2022 21:01:32


11AC20SISO_Ant1_5745




Date: 17.AUG.2022 13:42:35


11AC20SISO_Ant2_5745

















Appendix E: Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Frequency [MHz]	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	---	12.43	91.15	0.40	12.83	≤23.98	3.00	15.83	---	PASS
	Ant2	5180	---	11.87	90.35	0.44	12.31	≤23.98	3.00	15.31	---	PASS
	Ant1	5220	---	11.87	92.04	0.36	12.23	≤23.98	3.00	15.23	---	PASS
	Ant2	5220	---	12.64	91.23	0.40	13.04	≤23.98	3.00	16.04	---	PASS
	Ant1	5240	---	12.06	91.96	0.36	12.42	≤23.98	3.00	15.42	---	PASS
	Ant2	5240	---	11.83	93.69	0.28	12.11	≤23.98	3.00	15.11	---	PASS
	Ant1	5745	---	13.63	91.15	0.40	14.03	≤30.00	3.00	17.03	---	PASS
	Ant2	5745	---	14.20	91.96	0.36	14.56	≤30.00	3.00	17.56	---	PASS
	Ant1	5785	---	14.00	89.57	0.48	14.48	≤30.00	3.00	17.48	---	PASS
	Ant2	5785	---	14.49	91.96	0.36	14.85	≤30.00	3.00	17.85	---	PASS
	Ant1	5825	---	14.21	91.23	0.40	14.61	≤30.00	3.00	17.61	---	PASS
	Ant2	5825	---	14.30	92.04	0.36	14.66	≤30.00	3.00	17.66	---	PASS
11N20SI SO	Ant1	5180	---	11.81	88.89	0.51	12.32	≤23.98	3.00	15.32	---	PASS
	Ant2	5180	---	11.95	88.89	0.51	12.46	≤23.98	3.00	15.46	---	PASS
	Ant1	5220	---	11.13	88.89	0.51	11.64	≤23.98	3.00	14.64	---	PASS
	Ant2	5220	---	12.00	89.72	0.47	12.47	≤23.98	3.00	15.47	---	PASS
	Ant1	5240	---	11.85	90.65	0.43	12.28	≤23.98	3.00	15.28	---	PASS
	Ant2	5240	---	12.56	90.57	0.43	12.99	≤23.98	3.00	15.99	---	PASS
	Ant1	5745	---	13.62	89.81	0.47	14.09	≤30.00	3.00	17.09	---	PASS
	Ant2	5745	---	14.45	88.89	0.51	14.96	≤30.00	3.00	17.96	---	PASS
	Ant1	5785	---	14.00	89.72	0.47	14.47	≤30.00	3.00	17.47	---	PASS
	Ant2	5785	---	14.14	89.72	0.47	14.61	≤30.00	3.00	17.61	---	PASS
	Ant1	5825	---	14.18	90.57	0.43	14.61	≤30.00	3.00	17.61	---	PASS
	Ant2	5825	---	14.03	90.65	0.43	14.46	≤30.00	3.00	17.46	---	PASS
11N40SI SO	Ant1	5190	---	11.23	82.76	0.82	12.05	≤23.98	3.00	15.05	---	PASS
	Ant2	5190	---	11.50	81.36	0.90	12.40	≤23.98	3.00	15.40	---	PASS
	Ant1	5230	---	11.52	81.36	0.90	12.42	≤23.98	3.00	15.42	---	PASS
	Ant2	5230	---	11.91	81.03	0.91	12.82	≤23.98	3.00	15.82	---	PASS
	Ant1	5755	---	13.58	81.03	0.91	14.49	≤30.00	3.00	17.49	---	PASS
	Ant2	5755	---	13.89	79.66	0.99	14.88	≤30.00	3.00	17.88	---	PASS
	Ant1	5795	---	13.53	81.36	0.90	14.43	≤30.00	3.00	17.43	---	PASS
	Ant2	5795	---	13.73	79.66	0.99	14.72	≤30.00	3.00	17.72	---	PASS
11AC20S	Ant1	5180	---	11.85	88.18	0.55	12.40	≤23.98	3.00	15.40	---	PASS

ISO	Ant2	5180	---	12.19	92.38	0.34	12.53	≤23.98	3.00	15.53	---	PASS
	Ant1	5220	---	11.69	88.99	0.51	12.20	≤23.98	3.00	15.20	---	PASS
	Ant2	5220	---	12.09	88.89	0.51	12.60	≤23.98	3.00	15.60	---	PASS
	Ant1	5240	---	11.82	91.51	0.39	12.21	≤23.98	3.00	15.21	---	PASS
	Ant2	5240	---	12.16	88.18	0.55	12.71	≤23.98	3.00	15.71	---	PASS
	Ant1	5745	---	13.89	91.43	0.39	14.28	≤30.00	3.00	17.28	---	PASS
	Ant2	5745	---	13.91	88.99	0.51	14.42	≤30.00	3.00	17.42	---	PASS
	Ant1	5785	---	14.30	92.38	0.34	14.64	≤30.00	3.00	17.64	---	PASS
	Ant2	5785	---	14.01	90.65	0.43	14.44	≤30.00	3.00	17.44	---	PASS
	Ant1	5825	---	14.43	88.99	0.51	14.94	≤30.00	3.00	17.94	---	PASS
	Ant2	5825	---	14.25	90.65	0.43	14.68	≤30.00	3.00	17.68	---	PASS
11AC40S ISO	Ant1	5190	---	11.34	78.69	1.04	12.38	≤23.98	3.00	15.38	---	PASS
	Ant2	5190	---	11.49	78.69	1.04	12.53	≤23.98	3.00	15.53	---	PASS
	Ant1	5230	---	11.16	78.33	1.06	12.22	≤23.98	3.00	15.22	---	PASS
	Ant2	5230	---	11.13	78.33	1.06	12.19	≤23.98	3.00	15.19	---	PASS
	Ant1	5755	---	13.49	79.66	0.99	14.48	≤30.00	3.00	17.48	---	PASS
	Ant2	5755	---	13.62	82.76	0.82	14.44	≤30.00	3.00	17.44	---	PASS
	Ant1	5795	---	13.62	80.00	0.97	14.59	≤30.00	3.00	17.59	---	PASS
	Ant2	5795	---	13.88	78.33	1.06	14.94	≤30.00	3.00	17.94	---	PASS
11AC80S ISO	Ant1	5210	---	11.06	65.71	1.82	12.88	≤23.98	3.00	15.88	---	PASS
	Ant2	5210	---	10.95	69.70	1.57	12.52	≤23.98	3.00	15.52	---	PASS
	Ant1	5775	---	12.35	65.71	1.82	14.17	≤30.00	3.00	17.17	---	PASS
	Ant2	5775	---	12.56	63.89	1.95	14.51	≤30.00	3.00	17.51	---	PASS
11N20MI MO	Ant1	5180	---	11.77	91.43	0.39	12.16	≤23.98	3.00	15.16	---	PASS
	Ant2	5180	---	12.09	89.81	0.47	12.56	≤23.98	3.00	15.56	---	PASS
	total	5180	---	---	---	---	15.37	≤23.98	---	18.37	---	PASS
	Ant1	5220	---	11.84	90.57	0.43	12.27	≤23.98	3.00	15.27	---	PASS
	Ant2	5220	---	12.42	90.57	0.43	12.85	≤23.98	3.00	15.85	---	PASS
	total	5220	---	---	---	---	15.58	≤23.98	---	18.58	---	PASS
	Ant1	5240	---	11.88	92.31	0.35	12.23	≤23.98	3.00	15.23	---	PASS
	Ant2	5240	---	11.81	88.89	0.51	12.32	≤23.98	3.00	15.32	---	PASS
	total	5240	---	---	---	---	15.29	≤23.98	---	18.29	---	PASS
	Ant1	5745	---	14.21	89.72	0.47	14.68	≤30.00	3.00	17.68	---	PASS
	Ant2	5745	---	13.92	90.57	0.43	14.35	≤30.00	3.00	17.35	---	PASS
	total	5745	---	---	---	---	17.53	≤30.00	---	20.53	---	PASS
	Ant1	5785	---	14.28	89.72	0.47	14.75	≤30.00	3.00	17.75	---	PASS
	Ant2	5785	---	13.81	89.81	0.47	14.28	≤30.00	3.00	17.28	---	PASS
	total	5785	---	---	---	---	17.53	≤30.00	---	20.53	---	PASS
	Ant1	5825	---	13.85	91.51	0.39	14.24	≤30.00	3.00	17.24	---	PASS
	Ant2	5825	---	13.63	90.57	0.43	14.06	≤30.00	3.00	17.06	---	PASS

	total	5825	---	---	---	---	17.16	≤30.00	---	20.16	---	PASS
11N40MI MO	Ant1	5190	---	11.27	81.03	0.91	12.18	≤23.98	3.00	15.18	---	PASS
	Ant2	5190	---	11.87	82.46	0.84	12.71	≤23.98	3.00	15.71	---	PASS
	total	5190	---	---	---	---	15.46	≤23.98	---	18.46	---	PASS
	Ant1	5230	---	11.93	81.36	0.90	12.83	≤23.98	3.00	15.83	---	PASS
	Ant2	5230	---	11.67	82.76	0.82	12.49	≤23.98	3.00	15.49	---	PASS
	total	5230	---	---	---	---	15.67	≤23.98	---	18.67	---	PASS
	Ant1	5755	---	13.18	81.03	0.91	14.09	≤30.00	3.00	17.09	---	PASS
	Ant2	5755	---	13.94	82.46	0.84	14.78	≤30.00	3.00	17.78	---	PASS
	total	5755	---	---	---	---	17.46	≤30.00	---	20.46	---	PASS
	Ant1	5795	---	13.58	81.03	0.91	14.49	≤30.00	3.00	17.49	---	PASS
	Ant2	5795	---	13.57	79.66	0.99	14.56	≤30.00	3.00	17.56	---	PASS
	total	5795	---	---	---	---	17.54	≤30.00	---	20.54	---	PASS
11AC20M IMO	Ant1	5180	---	12.19	88.99	0.51	12.70	≤23.98	3.00	15.70	---	PASS
	Ant2	5180	---	12.38	88.18	0.55	12.93	≤23.98	3.00	15.93	---	PASS
	total	5180	---	---	---	---	15.83	≤23.98	---	18.83	---	PASS
	Ant1	5220	---	12.38	88.99	0.51	12.89	≤23.98	3.00	15.89	---	PASS
	Ant2	5220	---	11.85	90.65	0.43	12.28	≤23.98	3.00	15.28	---	PASS
	total	5220	---	---	---	---	15.61	≤23.98	---	18.61	---	PASS
	Ant1	5240	---	11.88	88.18	0.55	12.43	≤23.98	3.00	15.43	---	PASS
	Ant2	5240	---	12.22	88.18	0.55	12.77	≤23.98	3.00	15.77	---	PASS
	total	5240	---	---	---	---	15.61	≤23.98	---	18.61	---	PASS
	Ant1	5745	---	13.98	88.99	0.51	14.49	≤30.00	3.00	17.49	---	PASS
	Ant2	5745	---	14.23	86.61	0.62	14.85	≤30.00	3.00	17.85	---	PASS
	total	5745	---	---	---	---	17.68	≤30.00	---	20.68	---	PASS
	Ant1	5785	---	14.20	88.89	0.51	14.71	≤30.00	3.00	17.71	---	PASS
	Ant2	5785	---	13.95	88.99	0.51	14.46	≤30.00	3.00	17.46	---	PASS
	total	5785	---	---	---	---	17.60	≤30.00	---	20.60	---	PASS
	Ant1	5825	---	14.43	91.51	0.39	14.82	≤30.00	3.00	17.82	---	PASS
	Ant2	5825	---	14.37	89.72	0.47	14.84	≤30.00	3.00	17.84	---	PASS
	total	5825	---	---	---	---	17.84	≤30.00	---	20.84	---	PASS
11AC40M IMO	Ant1	5190	---	11.26	78.69	1.04	12.30	≤23.98	3.00	15.30	---	PASS
	Ant2	5190	---	11.50	78.69	1.04	12.54	≤23.98	3.00	15.54	---	PASS
	total	5190	---	---	---	---	15.43	≤23.98	---	18.43	---	PASS
	Ant1	5230	---	11.39	78.69	1.04	12.43	≤23.98	3.00	15.43	---	PASS
	Ant2	5230	---	11.14	80.00	0.97	12.11	≤23.98	3.00	15.11	---	PASS
	total	5230	---	---	---	---	15.28	≤23.98	---	18.28	---	PASS
	Ant1	5755	---	13.50	78.33	1.06	14.56	≤30.00	3.00	17.56	---	PASS
	Ant2	5755	---	13.64	81.36	0.90	14.54	≤30.00	3.00	17.54	---	PASS
	total	5755	---	---	---	---	17.56	≤30.00	---	20.56	---	PASS

	Ant1	5795	---	13.82	78.69	1.04	14.86	≤30.00	3.00	17.86	---	PASS
	Ant2	5795	---	13.14	78.33	1.06	14.20	≤30.00	3.00	17.20	---	PASS
	total	5795	---	---	---	---	17.55	≤30.00	---	20.55	---	PASS
11AC80M IMO	Ant1	5210	---	10.47	66.67	1.76	12.23	≤23.98	3.00	15.23	---	PASS
	Ant2	5210	---	10.57	63.89	1.95	12.52	≤23.98	3.00	15.52	---	PASS
	total	5210	---	---	---	---	15.39	≤23.98	---	18.39	---	PASS
	Ant1	5775	---	12.66	63.89	1.95	14.61	≤30.00	3.00	17.61	---	PASS
	Ant2	5775	---	12.49	63.89	1.95	14.44	≤30.00	3.00	17.44	---	PASS
	total	5775	---	---	---	---	17.54	≤30.00	---	20.54	---	PASS

Note: The Duty Cycle Factor is compensated in the graph.

Appendix F: Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	1.35	≤11.00	PASS
	Ant2	5180	0.93	≤11.00	PASS
	Ant1	5220	0.87	≤11.00	PASS
	Ant2	5220	1.61	≤11.00	PASS
	Ant1	5240	1.01	≤11.00	PASS
	Ant2	5240	0.51	≤11.00	PASS
	Ant1	5745	2.2	≤30.00	PASS
	Ant2	5745	2.77	≤30.00	PASS
	Ant1	5785	2.79	≤30.00	PASS
	Ant2	5785	3.02	≤30.00	PASS
	Ant1	5825	2.84	≤30.00	PASS
	Ant2	5825	2.99	≤30.00	PASS
11N20SISO	Ant1	5180	0.57	≤11.00	PASS
	Ant2	5180	0.81	≤11.00	PASS
	Ant1	5220	0.1	≤11.00	PASS
	Ant2	5220	0.84	≤11.00	PASS
	Ant1	5240	0.62	≤11.00	PASS
	Ant2	5240	1.22	≤11.00	PASS
	Ant1	5745	1.93	≤30.00	PASS
	Ant2	5745	2.94	≤30.00	PASS
	Ant1	5785	2.38	≤30.00	PASS
	Ant2	5785	2.56	≤30.00	PASS
	Ant1	5825	2.6	≤30.00	PASS
	Ant2	5825	2.49	≤30.00	PASS
11N40SISO	Ant1	5190	-2.43	≤11.00	PASS
	Ant2	5190	-2.01	≤11.00	PASS
	Ant1	5230	-2.1	≤11.00	PASS
	Ant2	5230	-1.26	≤11.00	PASS
	Ant1	5755	-0.05	≤30.00	PASS
	Ant2	5755	0.3	≤30.00	PASS
	Ant1	5795	-0.09	≤30.00	PASS
	Ant2	5795	0.14	≤30.00	PASS
11AC20SISO	Ant1	5180	0.77	≤11.00	PASS
	Ant2	5180	1.07	≤11.00	PASS
	Ant1	5220	0.61	≤11.00	PASS

	Ant2	5220	1.04	≤ 11.00	PASS
	Ant1	5240	0.63	≤ 11.00	PASS
	Ant2	5240	0.77	≤ 11.00	PASS
	Ant1	5745	2.29	≤ 30.00	PASS
	Ant2	5745	2.45	≤ 30.00	PASS
	Ant1	5785	2.68	≤ 30.00	PASS
	Ant2	5785	2.32	≤ 30.00	PASS
	Ant1	5825	3	≤ 30.00	PASS
	Ant2	5825	2.6	≤ 30.00	PASS
11AC40SISO	Ant1	5190	-1.97	≤ 11.00	PASS
	Ant2	5190	-1.5	≤ 11.00	PASS
	Ant1	5230	-2.41	≤ 11.00	PASS
	Ant2	5230	-1.9	≤ 11.00	PASS
	Ant1	5755	0.15	≤ 30.00	PASS
	Ant2	5755	-0.32	≤ 30.00	PASS
	Ant1	5795	-0.01	≤ 30.00	PASS
	Ant2	5795	0.37	≤ 30.00	PASS
11AC80SISO	Ant1	5210	-4.09	≤ 11.00	PASS
	Ant2	5210	-3.87	≤ 11.00	PASS
	Ant1	5775	-3.08	≤ 30.00	PASS
	Ant2	5775	-3.12	≤ 30.00	PASS
11N20MIMO	Ant1	5180	0.47	≤ 11.00	PASS
	Ant2	5180	0.84	≤ 11.00	PASS
	total	5180	3.67	≤ 11.00	PASS
	Ant1	5220	0.67	≤ 11.00	PASS
	Ant2	5220	1.14	≤ 11.00	PASS
	total	5220	3.92	≤ 11.00	PASS
	Ant1	5240	0.57	≤ 11.00	PASS
	Ant2	5240	0.46	≤ 11.00	PASS
	total	5240	3.53	≤ 11.00	PASS
	Ant1	5745	2.65	≤ 30.00	PASS
	Ant2	5745	2.37	≤ 30.00	PASS
	total	5745	5.52	≤ 30.00	PASS
	Ant1	5785	2.72	≤ 30.00	PASS
	Ant2	5785	2.3	≤ 30.00	PASS
	total	5785	5.53	≤ 30.00	PASS
	Ant1	5825	2.26	≤ 30.00	PASS
	Ant2	5825	1.92	≤ 30.00	PASS
	total	5825	5.10	≤ 30.00	PASS
11N40MIMO	Ant1	5190	-2.25	≤ 11.00	PASS

	Ant2	5190	-1.36	≤11.00	PASS
	total	5190	1.23	≤11.00	PASS
	Ant1	5230	-1.63	≤11.00	PASS
	Ant2	5230	-1.32	≤11.00	PASS
	total	5230	1.54	≤11.00	PASS
	Ant1	5755	-0.49	≤30.00	PASS
	Ant2	5755	0.12	≤30.00	PASS
	total	5755	2.84	≤30.00	PASS
	Ant1	5795	-0.12	≤30.00	PASS
	Ant2	5795	-0.07	≤30.00	PASS
	total	5795	2.92	≤30.00	PASS
11AC20MIMO	Ant1	5180	1.03	≤11.00	PASS
	Ant2	5180	1.33	≤11.00	PASS
	total	5180	4.19	≤11.00	PASS
	Ant1	5220	1.27	≤11.00	PASS
	Ant2	5220	0.71	≤11.00	PASS
	total	5220	4.01	≤11.00	PASS
	Ant1	5240	0.82	≤11.00	PASS
	Ant2	5240	0.89	≤11.00	PASS
	total	5240	3.87	≤11.00	PASS
	Ant1	5745	2.59	≤30.00	PASS
	Ant2	5745	3.13	≤30.00	PASS
	total	5745	5.88	≤30.00	PASS
	Ant1	5785	2.58	≤30.00	PASS
	Ant2	5785	2.42	≤30.00	PASS
	total	5785	5.51	≤30.00	PASS
	Ant1	5825	2.83	≤30.00	PASS
	Ant2	5825	2.82	≤30.00	PASS
	total	5825	5.84	≤30.00	PASS
11AC40MIMO	Ant1	5190	-2.08	≤11.00	PASS
	Ant2	5190	-1.62	≤11.00	PASS
	total	5190	1.17	≤11.00	PASS
	Ant1	5230	-2.24	≤11.00	PASS
	Ant2	5230	-2.09	≤11.00	PASS
	total	5230	0.85	≤11.00	PASS
	Ant1	5755	-0.1	≤30.00	PASS
	Ant2	5755	0.02	≤30.00	PASS
	total	5755	2.97	≤30.00	PASS
	Ant1	5795	0.34	≤30.00	PASS
	Ant2	5795	-0.69	≤30.00	PASS

	total	5795	2.87	≤30.00	PASS
11AC80MIMO	Ant1	5210	-4.45	≤11.00	PASS
	Ant2	5210	-4.3	≤11.00	PASS
	total	5210	-1.36	≤11.00	PASS
	Ant1	5775	-2.31	≤30.00	PASS
	Ant2	5775	-2.91	≤30.00	PASS
	total	5775	0.41	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

