




NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_5755




NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_5795



NVNT_MIMO_TX_802_11ac(VHT80)_Power_Spectral_Density_5775



NVNT_MIMO_TX_802_11ax(HE80)_Power_Spectral_Density_5775




6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5632.230	-48.21	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5696.130	-46.54	6.82	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5717.560	-37.58	14.92	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5722.745	-32.95	21.86	Pass
NVNT	ANT2	802.11a	LCH	5565-5655	5648.070	-46.01	-27.00	Pass
NVNT	ANT2	802.11a	LCH	5655-5700	5693.430	-43.35	4.60	Pass
NVNT	ANT2	802.11a	LCH	5700-5720	5719.740	-34.11	15.53	Pass
NVNT	ANT2	802.11a	LCH	5720-5725	5723.910	-29.40	24.51	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5852.065	-38.50	22.29	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5857.240	-41.83	14.97	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5902.000	-48.14	-12.20	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5954.850	-43.42	-27.00	Pass
NVNT	ANT2	802.11a	HCH	5850-5855	5851.770	-35.16	22.96	Pass
NVNT	ANT2	802.11a	HCH	5855-5875	5857.340	-38.02	14.94	Pass
NVNT	ANT2	802.11a	HCH	5875-5920	5916.355	-45.23	-24.00	Pass
NVNT	ANT2	802.11a	HCH	5920-6005	5952.470	-40.62	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5651.670	-48.34	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5695.455	-44.73	6.26	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5715.900	-36.77	14.45	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5724.185	-27.31	25.14	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5565-5655	5654.370	-45.37	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5655-5700	5693.880	-43.01	4.97	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5700-5720	5717.780	-35.39	14.98	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5720-5725	5722.780	-31.14	21.94	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5851.640	-42.77	23.26	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5861.800	-47.28	13.70	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5919.370	-48.40	-26.48	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5921.700	-44.56	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5850-5855	5853.730	-40.13	18.50	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5855-5875	5856.560	-41.78	15.16	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5875-5920	5917.165	-44.99	-24.67	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5920-6005	5965.815	-40.35	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5641.410	-48.15	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5669.400	-48.35	-15.16	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5716.760	-43.84	14.69	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5722.395	-40.45	21.06	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5565-5655	5645.100	-45.83	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5655-5700	5656.980	-45.83	-25.37	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5700-5720	5719.600	-42.85	15.49	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5720-5725	5721.035	-41.17	17.96	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5853.585	-47.20	18.83	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5866.740	-47.73	12.31	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5919.685	-48.11	-26.74	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5963.520	-43.37	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5850-5855	5853.830	-43.87	18.27	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5855-5875	5866.340	-44.76	12.42	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5875-5920	5913.565	-45.27	-21.71	Pass


NVNT	ANT2	802.11ac(VHT20)	HCH	5920-6005	5927.820	-40.45	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5652.030	-48.28	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5668.860	-48.84	-15.60	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5711.700	-48.22	13.28	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5721.215	-46.23	18.37	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5565-5655	5606.400	-46.10	-27.00	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5655-5700	5658.240	-45.80	-24.34	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5700-5720	5707.940	-45.45	12.22	Pass
NVNT	ANT2	802.11ax(HE20)	LCH	5720-5725	5720.935	-44.51	17.73	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5853.365	-47.73	19.33	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5873.280	-47.84	10.48	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5918.425	-48.20	-25.71	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5984.430	-43.96	-27.00	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5850-5855	5854.230	-44.82	17.36	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5855-5875	5873.060	-44.83	10.54	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5875-5920	5917.930	-45.17	-25.30	Pass
NVNT	ANT2	802.11ax(HE20)	HCH	5920-6005	5939.210	-41.15	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5644.380	-48.76	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5658.870	-49.11	-23.82	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5717.900	-46.30	15.01	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.580	-45.62	16.92	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5595-5655	5643.240	-45.72	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5655-5700	5656.800	-45.63	-25.52	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5700-5720	5704.140	-45.52	11.16	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5720-5725	5720.365	-45.10	16.43	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5852.675	-44.52	20.90	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5868.440	-46.99	11.84	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5910.820	-48.33	-19.45	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5948.770	-44.10	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5850-5855	5851.425	-40.04	23.75	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5855-5875	5870.400	-41.91	11.29	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5875-5920	5907.985	-44.51	-17.12	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5920-5955	5940.965	-39.91	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5653.920	-48.26	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5689.785	-47.78	1.60	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5706.300	-45.32	11.76	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5720.340	-44.67	16.38	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5595-5655	5654.100	-45.97	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5655-5700	5662.920	-45.29	-20.49	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5700-5720	5705.840	-43.03	11.64	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5720-5725	5720.670	-44.20	17.13	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5852.600	-46.45	21.07	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5873.800	-47.89	10.34	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5916.490	-47.60	-24.11	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5935.470	-43.05	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5850-5855	5852.670	-42.66	20.91	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5855-5875	5869.200	-44.65	11.62	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5875-5920	5910.415	-45.23	-19.12	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5920-5955	5950.765	-40.50	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5653.140	-48.47	-27.00	Pass

NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5674.395	-48.19	-11.05	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5710.000	-45.83	12.80	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5721.860	-44.40	19.84	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5595-5655	5651.580	-45.91	-27.00	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5655-5700	5664.180	-45.49	-19.45	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5700-5720	5710.980	-44.52	13.07	Pass
NVNT	ANT2	802.11ax(HE40)	LCH	5720-5725	5720.220	-44.17	16.10	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5854.435	-46.92	16.89	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5873.740	-47.82	10.35	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5918.515	-48.06	-25.78	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5944.815	-43.32	-27.00	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5850-5855	5853.980	-44.88	17.93	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5855-5875	5870.920	-44.84	11.14	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5875-5920	5913.430	-44.63	-21.60	Pass
NVNT	ANT2	802.11ax(HE40)	HCH	5920-5955	5934.070	-40.48	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5650.785	-47.87	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5678.625	-47.01	-7.57	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5701.920	-46.75	10.54	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5720.860	-47.09	17.56	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5854.685	-47.58	16.32	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5864.360	-47.54	12.98	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5905.825	-47.40	-15.34	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5921.250	-43.41	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5650-5655	5650.035	-45.01	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5655-5700	5659.050	-45.60	-23.67	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5700-5720	5702.560	-45.16	10.72	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5720-5725	5720.665	-45.01	17.12	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5850-5855	5854.890	-44.37	15.85	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5855-5875	5866.160	-43.93	12.48	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5875-5920	5911.945	-45.08	-20.38	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5920-5925	5921.380	-40.43	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5650-5655	5651.125	-47.59	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5655-5700	5676.420	-43.53	-9.39	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5700-5720	5701.320	-45.22	10.37	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5720-5725	5720.775	-43.19	17.37	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5850-5855	5854.960	-46.83	15.69	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5855-5875	5870.460	-46.58	11.27	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5875-5920	5919.955	-48.13	-26.96	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5920-5925	5922.785	-44.36	-27.00	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5650-5655	5652.830	-45.01	-27.00	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5655-5700	5668.770	-43.71	-15.68	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5700-5720	5703.260	-44.24	10.91	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5720-5725	5720.720	-44.00	17.24	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5850-5855	5854.900	-42.30	15.83	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5855-5875	5874.560	-41.59	10.12	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5875-5920	5893.045	-44.24	-4.84	Pass
NVNT	ANT2	802.11ax(HE80)	MCH	5920-5925	5922.225	-41.32	-27.00	Pass


Bandedge_NVNT_ANT1_802_11a_5745




Bandedge_NVNT_ANT2_802_11a_5745




Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT2_802_11a_5825



Bandedge_NVNT_ANT1_802_11n(HT20)_5745




Bandedge_NVNT_ANT2_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT2_802_11n(HT20)_5825



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745




Bandedge_NVNT_ANT2_802_11ac(VHT20)_5745




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT2_802_11ac(VHT20)_5825



Bandedge_NVNT_ANT1_802_11ax(HE20)_5745




Bandedge_NVNT_ANT2_802_11ax(HE20)_5745




Bandedge_NVNT_ANT1_802_11ax(HE20)_5825




Bandedge_NVNT_ANT2_802_11ax(HE20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755




Bandedge_NVNT_ANT2_802_11n(HT40)_5755




Bandedge_NVNT_ANT1_802_11n(HT40)_5795




Bandedge_NVNT_ANT2_802_11n(HT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT2_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795




Bandedge_NVNT_ANT2_802_11ac(VHT40)_5795




Bandedge_NVNT_ANT1_802_11ax(HE40)_5755




Bandedge_NVNT_ANT2_802_11ax(HE40)_5755




Bandedge_NVNT_ANT1_802_11ax(HE40)_5795




Bandedge_NVNT_ANT2_802_11ax(HE40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up




Bandedge_NVNT_ANT2_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT2_802_11ac(VHT80)_5775_up




Bandedge_NVNT_ANT1_802_11ax(HE80)_5775_low




Bandedge_NVNT_ANT1_802_11ax(HE80)_5775_up



Bandedge_NVNT_ANT2_802_11ax(HE80)_5775_low




Bandedge_NVNT_ANT2_802_11ax(HE80)_5775_up




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25038.86	-38.63	-27	Pass
NVNT	ANT2	802.11a	5745.00	25510.02	-35.91	-27	Pass
NVNT	ANT1	802.11a	5785.00	24538.57	-37.67	-27	Pass
NVNT	ANT2	802.11a	5785.00	25036.21	-34.58	-27	Pass
NVNT	ANT1	802.11a	5825.00	24927.68	-38.71	-27	Pass
NVNT	ANT2	802.11a	5825.00	1750.55	-29.41	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25015.03	-39.03	-27	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	25052.09	-35.73	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	25017.68	-38.49	-27	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	2438.77	-31.82	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	24983.27	-38.30	-27	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	2436.12	-29.49	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	25033.56	-38.44	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	24991.21	-35.26	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	24517.40	-38.18	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	25046.80	-35.86	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	24938.27	-39.00	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	2438.77	-31.21	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	25057.38	-38.14	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5745.00	25097.09	-35.00	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	25052.09	-38.80	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5785.00	2441.42	-31.93	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	24551.81	-39.24	-27	Pass
NVNT	ANT2	802.11ax(HE20)	5825.00	2436.12	-27.15	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	24988.56	-39.11	-27	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	2433.48	-30.43	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	24549.16	-38.56	-27	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	2441.42	-30.70	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	25054.74	-38.03	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	2436.12	-28.32	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	25020.33	-37.64	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	2433.48	-31.52	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	25560.31	-38.40	-27	Pass
NVNT	ANT2	802.11ax(HE40)	5755.00	25009.74	-35.11	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	25009.74	-38.55	-27	Pass
NVNT	ANT2	802.11ax(HE40)	5795.00	24570.34	-35.54	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	24964.74	-38.60	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	2441.42	-33.84	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	24993.86	-39.12	-27	Pass
NVNT	ANT2	802.11ax(HE80)	5775.00	2436.12	-28.33	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT2_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT2_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT2_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5745




Spurious_Emission_NVNT_ANT2_802_11ax(HE20)_5745




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5785




Spurious_Emission_NVNT_ANT2_802_11ax(HE20)_5785




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5825




Spurious_Emission_NVNT_ANT2_802_11ax(HE20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT2_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT2_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT2_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795




Spurious_Emission_NVNT_ANT2_802_11ac(VHT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5755




Spurious_Emission_NVNT_ANT2_802_11ax(HE40)_5755




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5795




Spurious_Emission_NVNT_ANT2_802_11ax(HE40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775




Spurious_Emission_NVNT_ANT2_802_11ac(VHT80)_5775



Spurious_Emission_NVNT_ANT1_802_11ax(HE80)_5775



Spurious_Emission_NVNT_ANT2_802_11ax(HE80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	5747.104	5736.016	5758.192	5725~5850	Pass
NVNT	ANT2	802.11a	5745.00	5746.920	5735.492	5758.348	5725~5850	Pass
NVNT	ANT1	802.11a	5785.00	5786.828	5775.776	5797.880	5725~5850	Pass
NVNT	ANT2	802.11a	5785.00	5786.728	5776.432	5797.024	5725~5850	Pass
NVNT	ANT1	802.11a	5825.00	5825.270	5816.860	5833.680	5725~5850	Pass
NVNT	ANT2	802.11a	5825.00	5825.222	5816.800	5833.644	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	5745.486	5736.308	5754.664	5725~5850	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	5746.328	5736.312	5756.344	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	5785.220	5776.324	5794.116	5725~5850	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	5785.220	5776.324	5794.116	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	5825.212	5816.308	5834.116	5725~5850	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	5825.224	5816.324	5834.124	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	5745.216	5736.292	5754.140	5725~5850	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	5745.230	5736.304	5754.156	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	5785.168	5776.252	5794.084	5725~5850	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	5785.182	5776.256	5794.108	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	5825.178	5816.248	5834.108	5725~5850	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	5825.194	5816.264	5834.124	5725~5850	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	5745.188	5735.616	5754.760	5725~5850	Pass
NVNT	ANT2	802.11ax(HE20)	5745.00	5745.200	5735.616	5754.784	5725~5850	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	5785.156	5775.592	5794.720	5725~5850	Pass
NVNT	ANT2	802.11ax(HE20)	5785.00	5785.166	5775.596	5794.736	5725~5850	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	5825.158	5815.580	5834.736	5725~5850	Pass
NVNT	ANT2	802.11ax(HE20)	5825.00	5825.162	5815.584	5834.740	5725~5850	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	5755.140	5736.960	5773.320	5725~5850	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	5755.128	5736.936	5773.320	5725~5850	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	5795.180	5776.968	5813.392	5725~5850	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	5795.200	5776.976	5813.424	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	5755.156	5736.968	5773.344	5725~5850	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	5755.156	5736.952	5773.360	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	5795.116	5776.920	5813.312	5725~5850	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	5795.160	5776.944	5813.376	5725~5850	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	5755.172	5736.184	5774.160	5725~5850	Pass
NVNT	ANT2	802.11ax(HE40)	5755.00	5755.164	5736.160	5774.168	5725~5850	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	5795.124	5776.128	5814.120	5725~5850	Pass
NVNT	ANT2	802.11ax(HE40)	5795.00	5795.140	5776.128	5814.152	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	5775.018	5736.804	5813.232	5725~5850	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	5775.054	5736.840	5813.268	5725~5850	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	5775.156	5736.360	5813.952	5725~5850	Pass
NVNT	ANT2	802.11ax(HE80)	5775.00	5775.198	5736.372	5814.024	5725~5850	Pass

***** End of Report *****