





N26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH



N26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH




**Conducted Band Edge**


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	15	166300	831.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	15	166300	831.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	15	166300	831.5	DFT-s-OFDM BPSK	75@0	see graph	PASS
26	15	15	166300	831.5	DFT-s-OFDM QPSK	75@0	see graph	PASS
26	15	15	168300	841.5	DFT-s-OFDM BPSK	1@78	see graph	PASS
26	15	15	168300	841.5	DFT-s-OFDM QPSK	1@78	see graph	PASS
26	15	15	168300	841.5	DFT-s-OFDM BPSK	75@0	see graph	PASS
26	15	15	168300	841.5	DFT-s-OFDM QPSK	75@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	100@0	see graph	PASS




N26(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N26(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N26(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH







N26(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



N26(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N26(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N26(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH







N26(15M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH



N26(15M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N26(15M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N26(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH







N26(15M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N26(15M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N26(15M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N26(15M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH







N26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N26(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH







N26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N26(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH



N26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH





Software Version: 23.06.1602

FR1 N66 ANT1

Transmitter Conducted Output Power And EIRP, ($G_T - L_c$)=0dB

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
66	15	5	342500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	24.89	24.89	0.3083
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	24.87	24.87	0.3069
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	23.89	23.89	0.2449
66	15	5	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.56	24.56	0.2858
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@1	24.61	24.61	0.2891
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.55	23.55	0.2265
66	15	5	355500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	24.69	24.69	0.2944
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@1	24.79	24.79	0.3013
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@1	23.65	23.65	0.2317
66	15	10	343000	1715	DFT-s-OFDM PI/2 BPSK	1@1	24.95	24.95	0.3126
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	24.93	24.93	0.3112
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	23.93	23.93	0.2472
66	15	10	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.59	24.59	0.2877
66	15	10	349000	1745	DFT-s-OFDM QPSK	1@1	24.69	24.69	0.2944
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.61	23.61	0.2296
66	15	10	355000	1775	DFT-s-OFDM PI/2 BPSK	1@1	24.56	24.56	0.2858
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@1	24.64	24.64	0.2911
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	23.58	23.58	0.2280
66	15	15	343500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	24.98	24.98	0.3148
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	24.96	24.96	0.3133
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	23.95	23.95	0.2483
66	15	15	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.61	24.61	0.2891
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@1	24.67	24.67	0.2931
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.65	23.65	0.2317
66	15	15	354500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	24.65	24.65	0.2917
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	24.59	24.59	0.2877
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	23.62	23.62	0.2301
66	15	20	344000	1720	DFT-s-OFDM PI/2 BPSK	1@1	24.95	24.95	0.3126
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	24.94	24.94	0.3119
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	23.92	23.92	0.2466
66	15	20	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.73	24.73	0.2972
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	24.70	24.70	0.2951



NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.63	23.63	0.2307
66	15	20	354000	1770	DFT-s-OFDM PI/2 BPSK	1@1	24.54	24.54	0.2844
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@1	24.59	24.59	0.2877
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	23.56	23.56	0.2270
66	15	30	345000	1725	DFT-s-OFDM PI/2 BPSK	1@1	24.93	24.93	0.3112
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	24.90	24.90	0.3090
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	23.89	23.89	0.2449
66	15	30	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.67	24.67	0.2931
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@1	24.62	24.62	0.2897
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.60	23.60	0.2291
66	15	30	353000	1765	DFT-s-OFDM PI/2 BPSK	1@1	24.54	24.54	0.2844
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@1	24.59	24.59	0.2877
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	23.62	23.62	0.2301
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	108@54	22.93	22.93	0.1963
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@1	24.76	24.76	0.2992
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@214	24.52	24.52	0.2831
66	15	40	346000	1730	DFT-s-OFDM QPSK	108@54	24.88	24.88	0.3076
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	24.79	24.79	0.3013
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@214	24.52	24.52	0.2831
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	108@54	24.09	24.09	0.2564
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	23.77	23.77	0.2382
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@214	23.56	23.56	0.2270
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	108@54	22.50	22.50	0.1778
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@1	22.44	22.44	0.1754
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@214	22.28	22.28	0.1690
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	108@54	20.49	20.49	0.1119
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@1	19.87	19.87	0.0971
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@214	19.62	19.62	0.0916
66	15	40	346000	1730	CP-OFDM QPSK	108@54	22.23	22.23	0.1671
66	15	40	346000	1730	CP-OFDM QPSK	1@1	23.44	23.44	0.2208
66	15	40	346000	1730	CP-OFDM QPSK	1@214	23.08	23.08	0.2032
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	108@54	24.55	24.55	0.2851
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.66	24.66	0.2924
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@214	24.55	24.55	0.2851
66	15	40	349000	1745	DFT-s-OFDM QPSK	108@54	24.65	24.65	0.2917
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@1	24.69	24.69	0.2944
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@214	24.62	24.62	0.2897
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	108@54	23.63	23.63	0.2307



NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.64	23.64	0.2312
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@214	23.54	23.54	0.2259
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	108@54	22.12	22.12	0.1629
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@1	22.33	22.33	0.1710
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@214	22.19	22.19	0.1656
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	108@54	19.82	19.82	0.0959
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@1	19.76	19.76	0.0946
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@214	19.52	19.52	0.0895
66	15	40	349000	1745	CP-OFDM QPSK	108@54	23.03	23.03	0.2009
66	15	40	349000	1745	CP-OFDM QPSK	1@1	23.07	23.07	0.2028
66	15	40	349000	1745	CP-OFDM QPSK	1@214	22.96	22.96	0.1977
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	108@54	24.57	24.57	0.2864
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@1	24.46	24.46	0.2793
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@214	24.63	24.63	0.2904
66	15	40	352000	1760	DFT-s-OFDM QPSK	108@54	24.60	24.60	0.2884
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@1	24.49	24.49	0.2812
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@214	24.62	24.62	0.2897
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	108@54	23.64	23.64	0.2312
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	23.51	23.51	0.2244
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@214	23.61	23.61	0.2296
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	108@54	22.10	22.10	0.1622
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@1	22.16	22.16	0.1644
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@214	22.33	22.33	0.1710
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	108@54	20.14	20.14	0.1033
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@1	19.64	19.64	0.0920
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@214	19.73	19.73	0.0940
66	15	40	352000	1760	CP-OFDM QPSK	108@54	23.12	23.12	0.2051
66	15	40	352000	1760	CP-OFDM QPSK	1@1	23.01	23.01	0.2000
66	15	40	352000	1760	CP-OFDM QPSK	1@214	23.15	23.15	0.2065



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00050	PASS	NV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00436	PASS	LV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00105	PASS	HV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00228	PASS	-30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00216	PASS	-20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00153	PASS	-10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00311	PASS	0°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00462	PASS	10°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00526	PASS	20°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00374	PASS	30°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00416	PASS	40°C
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.00389	PASS	50°C

**Peak to Average Ratio**


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	349000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	4.44	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.65	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	5.59	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	5.32	13	PASS



N66(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-
BPSK_Edge_1RB_Left_Mid_CH



N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH



**Occupied Bandwidth**


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
66	15	5	349000	1745.0	CP-OFDM QPSK	25@0	4.4832	5.08
66	15	5	349000	1745.0	CP-OFDM 16 QAM	25@0	4.4807	5.621
66	15	5	349000	1745.0	CP-OFDM 64 QAM	25@0	4.4788	5.133
66	15	5	349000	1745.0	CP-OFDM 256 QAM	25@0	4.4828	5.196
66	15	10	349000	1745.0	CP-OFDM QPSK	52@0	9.2991	9.981
66	15	10	349000	1745.0	CP-OFDM 16 QAM	52@0	9.2804	9.962
66	15	10	349000	1745.0	CP-OFDM 64 QAM	52@0	9.2828	10.21
66	15	10	349000	1745.0	CP-OFDM 256 QAM	52@0	9.3197	10.57
66	15	15	349000	1745.0	CP-OFDM QPSK	79@0	14.115	14.96
66	15	15	349000	1745.0	CP-OFDM 16 QAM	79@0	14.102	14.95
66	15	15	349000	1745.0	CP-OFDM 64 QAM	79@0	14.12	14.87
66	15	15	349000	1745.0	CP-OFDM 256 QAM	79@0	14.102	14.97
66	15	20	349000	1745.0	CP-OFDM QPSK	106@0	18.948	19.91
66	15	20	349000	1745.0	CP-OFDM 16 QAM	106@0	18.99	20.03
66	15	20	349000	1745.0	CP-OFDM 64 QAM	106@0	18.936	19.79
66	15	20	349000	1745.0	CP-OFDM 256 QAM	106@0	18.99	20.00
66	15	30	349000	1745.0	CP-OFDM QPSK	160@0	28.589	30.21
66	15	30	349000	1745.0	CP-OFDM 16 QAM	160@0	28.727	30.23
66	15	30	349000	1745.0	CP-OFDM 64 QAM	160@0	28.578	29.71
66	15	30	349000	1745.0	CP-OFDM 256 QAM	160@0	28.615	29.8
66	15	40	349000	1745.0	CP-OFDM QPSK	216@0	38.646	39.88
66	15	40	349000	1745.0	CP-OFDM 16 QAM	216@0	38.592	39.88
66	15	40	349000	1745.0	CP-OFDM 64 QAM	216@0	38.575	39.89
66	15	40	349000	1745.0	CP-OFDM 256 QAM	216@0	38.661	39.98




N66(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N66(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N66(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH







N66(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N66(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH







N66(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N66(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH







N66(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N66(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH







N66(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N66(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH







N66(40M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N66(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N66(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



**Conducted Spurious Emissions**


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---




66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS




N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH







N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH




N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH



N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH







N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH



N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH




N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH







N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH






N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH







N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH




**Conducted Band Edge**

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS


N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH







N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH







N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N66(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH







N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH



N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(40M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH



N66(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH

