


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_PCS


1.4. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.81	-13	Pass	2986
30	1000	0.1	Peak	863	-46.37	-13	Pass	9701
1000	3000	1	Peak	1850	27.66	-13	N/A	2001
3000	20000	1	Peak	19788	-33.79	-13	Pass	17001




1.5. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.76	-13	Pass	2986
30	1000	0.1	Peak	971	-47.21	-13	Pass	9701
1000	3000	1	Peak	1880	28.95	-13	N/A	2001
3000	20000	1	Peak	19979	-34.36	-13	Pass	17001



1.6. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.72	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.96	-13	Pass	2986
30	1000	0.1	Peak	880.2	-47.14	-13	Pass	9701
1000	3000	1	Peak	1910	25.78	-13	N/A	2001
3000	20000	1	Peak	19985	-33.83	-13	Pass	17001



2. GSM_GSM850


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.26	-13	Pass	2986
30	500	0.1	Peak	410.8	-41.75	-13	Pass	4701
500	1000	0.1	Peak	824.1	31.64	-13	N/A	5001
1000	10000	1	Peak	9409	-38.6	-13	Pass	9001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.5	-13	Pass	401
0.15	30	0.01	Peak	0.16	-39.72	-13	Pass	2986
30	500	0.1	Peak	420.8	-41.99	-13	Pass	4701
500	1000	0.1	Peak	836.5	31.6	-13	N/A	5001
1000	10000	1	Peak	9969	-38.09	-13	Pass	9001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.3	-13	Pass	401
0.15	30	0.01	Peak	0.17	-40.84	-13	Pass	2986
30	500	0.1	Peak	480.3	-43.16	-13	Pass	4701
500	1000	0.1	Peak	848.8	31.46	-13	N/A	5001
1000	10000	1	Peak	9746	-38.68	-13	Pass	9001



1. EGPRS_PCS


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.38	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.71	-13	Pass	2986
30	1000	0.1	Peak	926.6	-47.32	-13	Pass	9701
1000	3000	1	Peak	1850	27.53	-13	N/A	2001
3000	20000	1	Peak	19984	-33.56	-13	Pass	17001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-44.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.73	-13	Pass	2986
30	1000	0.1	Peak	992.1	-46.97	-13	Pass	9701
1000	3000	1	Peak	1879	24.84	-13	N/A	2001
3000	20000	1	Peak	19933	-34.23	-13	Pass	17001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.51	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.92	-13	Pass	2986
30	1000	0.1	Peak	824.6	-46.75	-13	Pass	9701
1000	3000	1	Peak	1910	27.87	-13	N/A	2001
3000	20000	1	Peak	19983	-33.78	-13	Pass	17001



2. EGPRS_GSM850


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.76	-13	Pass	2986
30	500	0.1	Peak	358.6	-43.16	-13	Pass	4701
500	1000	0.1	Peak	824.1	28.15	-13	N/A	5001
1000	10000	1	Peak	9498	-37.31	-13	Pass	9001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.72	-13	Pass	2986
30	500	0.1	Peak	448.4	-42.98	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.2	-13	N/A	5001
1000	10000	1	Peak	9507	-38.23	-13	Pass	9001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.93	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39	-13	Pass	2986
30	500	0.1	Peak	378.7	-42.26	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.94	-13	N/A	5001
1000	10000	1	Peak	9926	-38.64	-13	Pass	9001



1. LTE_Band2


1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.26	-13	Pass	2986
30	1000	0.1	RMS	846.2	-63.72	-13	Pass	9701
1000	1840	1	RMS	1840	-49.74	-13	Pass	841
1840	1920	1	RMS	1850.2	21.69	60	Pass	401
1920	3000	1	RMS	2955	-48.69	-13	Pass	1081
3000	12000	1	RMS	3700	-31.97	-13	Pass	9002
12000	20000	1	RMS	19398	-31	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	Pass	2986
30	1000	0.1	RMS	839.4	-63.69	-13	Pass	9701
1000	1840	1	RMS	1840	-50.3	-13	Pass	841
1840	1920	1	RMS	1850.2	20.65	60	Pass	401
1920	3000	1	RMS	2936	-48.71	-13	Pass	1081
3000	12000	1	RMS	3701	-33.93	-13	Pass	9002
12000	20000	1	RMS	19401	-31.03	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2986
30	1000	0.1	RMS	854.003	-63.68	-13	Pass	9701
1000	1840	1	RMS	1839	-52.15	-13	Pass	841
1840	1920	1	RMS	1879.4	21.15	60	Pass	401
1920	3000	1	RMS	2958	-48.76	-13	Pass	1081
3000	12000	1	RMS	3759	-38.69	-13	Pass	9002
12000	20000	1	RMS	19402	-31.07	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.32	-72.4	-13	Pass	2986
30	1000	0.1	RMS	853.903	-63.67	-13	Pass	9701
1000	1840	1	RMS	1838	-52.21	-13	Pass	841
1840	1920	1	RMS	1879.4	20.25	60	Pass	401
1920	3000	1	RMS	2950	-48.74	-13	Pass	1081
3000	12000	1	RMS	3759	-39.68	-13	Pass	9002
12000	20000	1	RMS	19398	-31.02	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.21	-13	Pass	2986
30	1000	0.1	RMS	842.7	-63.68	-13	Pass	9701
1000	1840	1	RMS	1837	-52.21	-13	Pass	841
1840	1920	1	RMS	1908.8	20.6	60	Pass	401
1920	3000	1	RMS	2958	-48.71	-13	Pass	1081
3000	12000	1	RMS	3818	-31.13	-13	Pass	9002
12000	20000	1	RMS	19402	-30.98	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.53	-13	Pass	2986
30	1000	0.1	RMS	850.301	-63.67	-13	Pass	9701
1000	1840	1	RMS	1806	-52.23	-13	Pass	841
1840	1920	1	RMS	1908.8	19.77	60	Pass	401
1920	3000	1	RMS	2964	-48.77	-13	Pass	1081
3000	12000	1	RMS	3818	-32.22	-13	Pass	9002
12000	20000	1	RMS	19399	-31.04	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.23	-13	Pass	2986
30	1000	0.1	RMS	851.101	-63.76	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1850.2	21.15	60	Pass	401
1920	3000	1	RMS	2960	-48.74	-13	Pass	1081
3000	12000	1	RMS	3700	-33.63	-13	Pass	9002
12000	20000	1	RMS	19418	-31.07	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	845.1	-63.73	-13	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	Pass	841
1840	1920	1	RMS	1850.2	20.38	60	Pass	401
1920	3000	1	RMS	2945	-48.75	-13	Pass	1081
3000	12000	1	RMS	3700	-34.43	-13	Pass	9002
12000	20000	1	RMS	19400	-31.11	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	Pass	2986
30	1000	0.1	RMS	842.8	-63.68	-13	Pass	9701
1000	1840	1	RMS	1805	-52.24	-13	Pass	841
1840	1920	1	RMS	1878.6	21.04	60	Pass	401
1920	3000	1	RMS	2955	-48.77	-13	Pass	1081
3000	12000	1	RMS	3757	-35.84	-13	Pass	9002
12000	20000	1	RMS	19400	-31.06	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	Pass	2986
30	1000	0.1	RMS	851.702	-63.51	-13	Pass	9701
1000	1840	1	RMS	1812	-52.22	-13	Pass	841
1840	1920	1	RMS	1878.6	20.19	60	Pass	401
1920	3000	1	RMS	2952	-48.72	-13	Pass	1081
3000	12000	1	RMS	3757	-36.7	-13	Pass	9002
12000	20000	1	RMS	19398	-31.09	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.68	-13	Pass	9701
1000	1840	1	RMS	1791	-52.21	-13	Pass	841
1840	1920	1	RMS	1907.2	20.51	60	Pass	401
1920	3000	1	RMS	2948	-48.74	-13	Pass	1081
3000	12000	1	RMS	3814	-33.18	-13	Pass	9002
12000	20000	1	RMS	19405	-31.04	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2986
30	1000	0.1	RMS	857.506	-63.67	-13	Pass	9701
1000	1840	1	RMS	1808	-52.24	-13	Pass	841
1840	1920	1	RMS	1907.2	19.77	60	Pass	401
1920	3000	1	RMS	2957	-48.74	-13	Pass	1081
3000	12000	1	RMS	3814	-34	-13	Pass	9002
12000	20000	1	RMS	19401	-31.06	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	Pass	2986
30	1000	0.1	RMS	833.7	-63.7	-13	Pass	9701
1000	1840	1	RMS	1840	-50.79	-13	Pass	841
1840	1920	1	RMS	1850.2	21.17	60	Pass	401
1920	3000	1	RMS	2958	-48.73	-13	Pass	1081
3000	12000	1	RMS	3701	-32.07	-13	Pass	9002
12000	20000	1	RMS	19408	-30.99	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.7	-13	Pass	9701
1000	1840	1	RMS	1840	-51.07	-13	Pass	841
1840	1920	1	RMS	1850.2	20.43	60	Pass	401
1920	3000	1	RMS	2960	-48.74	-13	Pass	1081
3000	12000	1	RMS	3701	-33.14	-13	Pass	9002
12000	20000	1	RMS	19400	-31.07	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	861.408	-63.7	-13	Pass	9701
1000	1840	1	RMS	1808	-52.21	-13	Pass	841
1840	1920	1	RMS	1877.8	21.18	60	Pass	401
1920	3000	1	RMS	2958	-48.7	-13	Pass	1081
3000	12000	1	RMS	3756	-36.63	-13	Pass	9002
12000	20000	1	RMS	19414	-31.06	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-52.21	-13	Pass	841
1840	1920	1	RMS	1877.8	20.46	60	Pass	401
1920	3000	1	RMS	2949	-48.71	-13	Pass	1081
3000	12000	1	RMS	3756	-37.3	-13	Pass	9002
12000	20000	1	RMS	19406	-31.08	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	847.7	-63.72	-13	Pass	9701
1000	1840	1	RMS	1839	-52.18	-13	Pass	841
1840	1920	1	RMS	1905.2	20.74	60	Pass	401
1920	3000	1	RMS	2958	-48.71	-13	Pass	1081
3000	12000	1	RMS	3811	-33.57	-13	Pass	9002
12000	20000	1	RMS	19402	-31.03	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.33	-72.09	-13	Pass	2986
30	1000	0.1	RMS	842.7	-63.56	-13	Pass	9701
1000	1840	1	RMS	1814	-52.18	-13	Pass	841
1840	1920	1	RMS	1905.2	20.19	60	Pass	401
1920	3000	1	RMS	2955	-48.76	-13	Pass	1081
3000	12000	1	RMS	3811	-34.42	-13	Pass	9002
12000	20000	1	RMS	19399	-31.06	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.54	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.64	-13	Pass	9701
1000	1840	1	RMS	1833	-48.26	-13	Pass	841
1840	1920	1	RMS	1850.4	21.04	60	Pass	401
1920	3000	1	RMS	2952	-48.76	-13	Pass	1081
3000	12000	1	RMS	3701	-31.72	-13	Pass	9002
12000	20000	1	RMS	19416	-31.07	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.97	-13	Pass	2986
30	1000	0.1	RMS	843.7	-63.73	-13	Pass	9701
1000	1840	1	RMS	1833	-49.44	-13	Pass	841
1840	1920	1	RMS	1850.4	20.41	60	Pass	401
1920	3000	1	RMS	2946	-48.71	-13	Pass	1081
3000	12000	1	RMS	3701	-32.64	-13	Pass	9002
12000	20000	1	RMS	19400	-31.08	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2986
30	1000	0.1	RMS	842.8	-63.52	-13	Pass	9701
1000	1840	1	RMS	1839	-52.15	-13	Pass	841
1840	1920	1	RMS	1875.4	21.04	60	Pass	401
1920	3000	1	RMS	2957	-48.76	-13	Pass	1081
3000	12000	1	RMS	3751	-36.48	-13	Pass	9002
12000	20000	1	RMS	19400	-31.05	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.56	-13	Pass	9701
1000	1840	1	RMS	1811	-52.19	-13	Pass	841
1840	1920	1	RMS	1875.4	20.19	60	Pass	401
1920	3000	1	RMS	2958	-48.73	-13	Pass	1081
3000	12000	1	RMS	3751	-37.69	-13	Pass	9002
12000	20000	1	RMS	19402	-31.09	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.52	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.67	-13	Pass	9701
1000	1840	1	RMS	1813	-52.23	-13	Pass	841
1840	1920	1	RMS	1900.4	20.71	60	Pass	401
1920	3000	1	RMS	2959	-48.75	-13	Pass	1081
3000	12000	1	RMS	3801	-37.86	-13	Pass	9002
12000	20000	1	RMS	19401	-31.02	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.77	-13	Pass	9701
1000	1840	1	RMS	1807	-52.24	-13	Pass	841
1840	1920	1	RMS	1900.4	20.04	60	Pass	401
1920	3000	1	RMS	2951	-48.74	-13	Pass	1081
3000	12000	1	RMS	3801	-38.96	-13	Pass	9002
12000	20000	1	RMS	19700	-31.07	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2986
30	1000	0.1	RMS	855.504	-63.72	-13	Pass	9701
1000	1840	1	RMS	1838	-47.5	-13	Pass	841
1840	1920	1	RMS	1850.8	21.15	60	Pass	401
1920	3000	1	RMS	2958	-48.72	-13	Pass	1081
3000	12000	1	RMS	3702	-31.51	-13	Pass	9002
12000	20000	1	RMS	19398	-31.1	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2986
30	1000	0.1	RMS	854.604	-63.67	-13	Pass	9701
1000	1840	1	RMS	1838	-47.02	-13	Pass	841
1840	1920	1	RMS	1850.8	20.59	60	Pass	401
1920	3000	1	RMS	2960	-48.7	-13	Pass	1081
3000	12000	1	RMS	3702	-32.51	-13	Pass	9002
12000	20000	1	RMS	19396	-31.09	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.48	-13	Pass	2986
30	1000	0.1	RMS	857.005	-63.66	-13	Pass	9701
1000	1840	1	RMS	1838	-52.13	-13	Pass	841
1840	1920	1	RMS	1873.2	21.31	60	Pass	401
1920	3000	1	RMS	2956	-48.71	-13	Pass	1081
3000	12000	1	RMS	3747	-37.4	-13	Pass	9002
12000	20000	1	RMS	19399	-31.08	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.02	-13	Pass	2986
30	1000	0.1	RMS	831.5	-63.61	-13	Pass	9701
1000	1840	1	RMS	1810	-52.12	-13	Pass	841
1840	1920	1	RMS	1873.2	20.41	60	Pass	401
1920	3000	1	RMS	2951	-48.7	-13	Pass	1081
3000	12000	1	RMS	3747	-38.76	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001



1.37. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	844.7	-63.66	-13	Pass	9701
1000	1840	1	RMS	1840	-52.2	-13	Pass	841
1840	1920	1	RMS	1895.8	20.96	60	Pass	401
1920	3000	1	RMS	2955	-48.74	-13	Pass	1081
3000	12000	1	RMS	3792	-38.42	-13	Pass	9002
12000	20000	1	RMS	19404	-31.11	-13	Pass	8001



1.38. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.74	-13	Pass	9701
1000	1840	1	RMS	1840	-52.21	-13	Pass	841
1840	1920	1	RMS	1895.8	20.3	60	Pass	401
1920	3000	1	RMS	2952	-48.74	-13	Pass	1081
3000	12000	1	RMS	3792	-39.13	-13	Pass	9002
12000	20000	1	RMS	19397	-31.08	-13	Pass	8001



1.39. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2986
30	1000	0.1	RMS	851.702	-63.59	-13	Pass	9701
1000	1840	1	RMS	1833	-47.29	-13	Pass	841
1840	1920	1	RMS	1851	21.17	60	Pass	401
1920	3000	1	RMS	2948	-48.73	-13	Pass	1081
3000	12000	1	RMS	3702	-30.53	-13	Pass	9002
12000	20000	1	RMS	19404	-31.04	-13	Pass	8001



1.40. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.55	-13	Pass	2986
30	1000	0.1	RMS	845.5	-63.68	-13	Pass	9701
1000	1840	1	RMS	1833	-46.76	-13	Pass	841
1840	1920	1	RMS	1851	20.49	60	Pass	401
1920	3000	1	RMS	2949	-48.74	-13	Pass	1081
3000	12000	1	RMS	3702	-31.44	-13	Pass	9002
12000	20000	1	RMS	19399	-31.04	-13	Pass	8001



1.41. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	1000	0.1	RMS	845.2	-63.54	-13	Pass	9701
1000	1840	1	RMS	1835	-47.38	-13	Pass	841
1840	1920	1	RMS	1871	21.18	60	Pass	401
1920	3000	1	RMS	2954	-48.77	-13	Pass	1081
3000	12000	1	RMS	3742	-37.83	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001



1.42. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.68	-13	Pass	9701
1000	1840	1	RMS	1835	-48.93	-13	Pass	841
1840	1920	1	RMS	1871	20.26	60	Pass	401
1920	3000	1	RMS	2949	-48.74	-13	Pass	1081
3000	12000	1	RMS	3742	-38.92	-13	Pass	9002
12000	20000	1	RMS	19407	-31.03	-13	Pass	8001



1.43. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	Pass	2986
30	1000	0.1	RMS	853.003	-63.82	-13	Pass	9701
1000	1840	1	RMS	1839	-52.16	-13	Pass	841
1840	1920	1	RMS	1891	20.94	60	Pass	401
1920	3000	1	RMS	2944	-48.72	-13	Pass	1081
3000	12000	1	RMS	3782	-35.97	-13	Pass	9002
12000	20000	1	RMS	19406	-31.13	-13	Pass	8001



1.44. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.25	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.79	-13	Pass	9701
1000	1840	1	RMS	1838	-52.2	-13	Pass	841
1840	1920	1	RMS	1891	20.14	60	Pass	401
1920	3000	1	RMS	2944	-48.77	-13	Pass	1081
3000	12000	1	RMS	3782	-37.07	-13	Pass	9002
12000	20000	1	RMS	19399	-31.06	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	Pass	2986
30	1000	0.1	RMS	849.6	-63.54	-13	Pass	9701
1000	1700	1	RMS	1700	-50.83	-13	Pass	701
1700	1765	1	RMS	1710.238	21.31	60	Pass	401
1765	3000	1	RMS	2943	-48.79	-13	Pass	1236
3000	12000	1	RMS	11951	-40.2	-13	Pass	9002
12000	20000	1	RMS	19397	-31.07	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-50.88	-13	Pass	701
1700	1765	1	RMS	1710.075	20.62	60	Pass	401
1765	3000	1	RMS	2951	-48.77	-13	Pass	1236
3000	12000	1	RMS	11846	-40.21	-13	Pass	9002
12000	20000	1	RMS	19402	-31.09	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.95	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-13	Pass	2986
30	1000	0.1	RMS	829.3	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-52.48	-13	Pass	701
1700	1765	1	RMS	1732.013	22.31	60	Pass	401
1765	3000	1	RMS	2946	-48.69	-13	Pass	1236
3000	12000	1	RMS	11850	-40.19	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-52.48	-13	Pass	701
1700	1765	1	RMS	1732.013	21.49	60	Pass	401
1765	3000	1	RMS	2944	-48.68	-13	Pass	1236
3000	12000	1	RMS	11948	-40.11	-13	Pass	9002
12000	20000	1	RMS	19407	-31.09	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	Pass	2986
30	1000	0.1	RMS	842.4	-63.75	-13	Pass	9701
1000	1700	1	RMS	1699	-52.45	-13	Pass	701
1700	1765	1	RMS	1753.788	21.39	60	Pass	401
1765	3000	1	RMS	2945	-48.69	-13	Pass	1236
3000	12000	1	RMS	11952	-40.19	-13	Pass	9002
12000	20000	1	RMS	19403	-31.08	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.84	-13	Pass	2986
30	1000	0.1	RMS	836.8	-63.68	-13	Pass	9701
1000	1700	1	RMS	1697	-52.51	-13	Pass	701
1700	1765	1	RMS	1753.788	20.61	60	Pass	401
1765	3000	1	RMS	2952	-48.68	-13	Pass	1236
3000	12000	1	RMS	11847	-40.16	-13	Pass	9002
12000	20000	1	RMS	19406	-31.03	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-13	Pass	2986
30	1000	0.1	RMS	841.9	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1765	1	RMS	1710.075	21.28	60	Pass	401
1765	3000	1	RMS	2952	-48.71	-13	Pass	1236
3000	12000	1	RMS	11945	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-31.08	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	Pass	2986
30	1000	0.1	RMS	857.806	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1710.238	20.65	60	Pass	401
1765	3000	1	RMS	2947	-48.71	-13	Pass	1236
3000	12000	1	RMS	11844	-40.19	-13	Pass	9002
12000	20000	1	RMS	19401	-31.05	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.64	-13	Pass	9701
1000	1700	1	RMS	1700	-52.5	-13	Pass	701
1700	1765	1	RMS	1731.2	22.24	60	Pass	401
1765	3000	1	RMS	2956	-48.73	-13	Pass	1236
3000	12000	1	RMS	11953	-40.19	-13	Pass	9002
12000	20000	1	RMS	19411	-31.11	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	Pass	2986
30	1000	0.1	RMS	851.101	-63.64	-13	Pass	9701
1000	1700	1	RMS	1700	-52.5	-13	Pass	701
1700	1765	1	RMS	1731.2	21.44	60	Pass	401
1765	3000	1	RMS	2947	-48.71	-13	Pass	1236
3000	12000	1	RMS	11835	-40.11	-13	Pass	9002
12000	20000	1	RMS	19403	-31.02	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.44	-13	Pass	2986
30	1000	0.1	RMS	856.505	-63.65	-13	Pass	9701
1000	1700	1	RMS	1697	-52.55	-13	Pass	701
1700	1765	1	RMS	1752.163	21.27	60	Pass	401
1765	3000	1	RMS	2948	-48.72	-13	Pass	1236
3000	12000	1	RMS	11844	-40.14	-13	Pass	9002
12000	20000	1	RMS	19395	-31.14	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2986
30	1000	0.1	RMS	854.504	-63.75	-13	Pass	9701
1000	1700	1	RMS	1699	-52.48	-13	Pass	701
1700	1765	1	RMS	1752.163	20.66	60	Pass	401
1765	3000	1	RMS	2951	-48.72	-13	Pass	1236
3000	12000	1	RMS	11848	-40.17	-13	Pass	9002
12000	20000	1	RMS	19403	-31.07	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.79	-13	Pass	2986
30	1000	0.1	RMS	843.7	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-50.95	-13	Pass	701
1700	1765	1	RMS	1710.238	21.46	60	Pass	401
1765	3000	1	RMS	2949	-48.73	-13	Pass	1236
3000	12000	1	RMS	11952	-40.1	-13	Pass	9002
12000	20000	1	RMS	19402	-31.07	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2986
30	1000	0.1	RMS	831.5	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	Pass	701
1700	1765	1	RMS	1710.238	20.7	60	Pass	401
1765	3000	1	RMS	2957	-48.74	-13	Pass	1236
3000	12000	1	RMS	11855	-40.22	-13	Pass	9002
12000	20000	1	RMS	19401	-31.09	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	841	-63.65	-13	Pass	9701
1000	1700	1	RMS	1699	-52.46	-13	Pass	701
1700	1765	1	RMS	1730.225	22.24	60	Pass	401
1765	3000	1	RMS	2961	-48.74	-13	Pass	1236
3000	12000	1	RMS	11952	-40.13	-13	Pass	9002
12000	20000	1	RMS	19401	-31.09	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.95	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-52.45	-13	Pass	701
1700	1765	1	RMS	1730.225	21.6	60	Pass	401
1765	3000	1	RMS	2961	-48.75	-13	Pass	1236
3000	12000	1	RMS	11950	-40.17	-13	Pass	9002
12000	20000	1	RMS	19402	-31.03	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2986
30	1000	0.1	RMS	833.3	-63.69	-13	Pass	9701
1000	1700	1	RMS	1699	-52.47	-13	Pass	701
1700	1765	1	RMS	1750.213	21.41	60	Pass	401
1765	3000	1	RMS	2952	-48.66	-13	Pass	1236
3000	12000	1	RMS	11855	-40.2	-13	Pass	9002
12000	20000	1	RMS	19409	-31.03	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.9	-13	Pass	2986
30	1000	0.1	RMS	849.6	-63.71	-13	Pass	9701
1000	1700	1	RMS	1698	-52.47	-13	Pass	701
1700	1765	1	RMS	1750.213	20.87	60	Pass	401
1765	3000	1	RMS	2951	-48.72	-13	Pass	1236
3000	12000	1	RMS	11848	-40.18	-13	Pass	9002
12000	20000	1	RMS	19397	-31.08	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2986
30	1000	0.1	RMS	850.801	-63.64	-13	Pass	9701
1000	1700	1	RMS	1693	-45.97	-13	Pass	701
1700	1765	1	RMS	1710.563	21.27	60	Pass	401
1765	3000	1	RMS	2955	-48.72	-13	Pass	1236
3000	12000	1	RMS	11952	-40.15	-13	Pass	9002
12000	20000	1	RMS	19402	-31.03	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.68	-13	Pass	2986
30	1000	0.1	RMS	836.5	-63.58	-13	Pass	9701
1000	1700	1	RMS	1693	-46.64	-13	Pass	701
1700	1765	1	RMS	1710.563	20.63	60	Pass	401
1765	3000	1	RMS	2953	-48.69	-13	Pass	1236
3000	12000	1	RMS	11946	-40.18	-13	Pass	9002
12000	20000	1	RMS	19413	-31.11	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2986
30	1000	0.1	RMS	849.3	-63.67	-13	Pass	9701
1000	1700	1	RMS	1699	-52.41	-13	Pass	701
1700	1765	1	RMS	1727.95	22	60	Pass	401
1765	3000	1	RMS	2946	-48.68	-13	Pass	1236
3000	12000	1	RMS	11951	-40.11	-13	Pass	9002
12000	20000	1	RMS	19402	-31.05	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	1000	0.1	RMS	847.4	-63.69	-13	Pass	9701
1000	1700	1	RMS	1699	-52.46	-13	Pass	701
1700	1765	1	RMS	1727.95	21.15	60	Pass	401
1765	3000	1	RMS	2953	-48.75	-13	Pass	1236
3000	12000	1	RMS	11852	-40.21	-13	Pass	9002
12000	20000	1	RMS	19701	-31.11	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	1000	0.1	RMS	846.4	-63.64	-13	Pass	9701
1000	1700	1	RMS	1698	-52.49	-13	Pass	701
1700	1765	1	RMS	1745.5	21.58	60	Pass	401
1765	3000	1	RMS	2955	-48.77	-13	Pass	1236
3000	12000	1	RMS	11846	-40.19	-13	Pass	9002
12000	20000	1	RMS	19401	-30.98	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.4	-71.92	-13	Pass	2986
30	1000	0.1	RMS	842.4	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-52.5	-13	Pass	701
1700	1765	1	RMS	1745.5	20.87	60	Pass	401
1765	3000	1	RMS	2945	-48.74	-13	Pass	1236
3000	12000	1	RMS	11842	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-31.07	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.1	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.72	-13	Pass	9701
1000	1700	1	RMS	1698	-47.1	-13	Pass	701
1700	1765	1	RMS	1710.725	21.42	60	Pass	401
1765	3000	1	RMS	2953	-48.73	-13	Pass	1236
3000	12000	1	RMS	11852	-40.14	-13	Pass	9002
12000	20000	1	RMS	19406	-31.13	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	Pass	2986
30	1000	0.1	RMS	835.1	-63.76	-13	Pass	9701
1000	1700	1	RMS	1698	-46.85	-13	Pass	701
1700	1765	1	RMS	1710.725	20.79	60	Pass	401
1765	3000	1	RMS	2946	-48.74	-13	Pass	1236
3000	12000	1	RMS	11853	-40.16	-13	Pass	9002
12000	20000	1	RMS	19404	-31.09	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	1000	0.1	RMS	835.1	-63.74	-13	Pass	9701
1000	1700	1	RMS	1699	-43.5	-13	Pass	701
1700	1765	1	RMS	1725.838	21.95	60	Pass	401
1765	3000	1	RMS	2950	-48.75	-13	Pass	1236
3000	12000	1	RMS	11849	-40.17	-13	Pass	9002
12000	20000	1	RMS	19400	-31.09	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2986
30	1000	0.1	RMS	841.3	-63.77	-13	Pass	9701
1000	1700	1	RMS	1699	-44.86	-13	Pass	701
1700	1765	1	RMS	1725.675	21.24	60	Pass	401
1765	3000	1	RMS	2957	-48.75	-13	Pass	1236
3000	12000	1	RMS	11954	-40.21	-13	Pass	9002
12000	20000	1	RMS	19403	-31.09	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.22	-13	Pass	2986
30	1000	0.1	RMS	843.3	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	Pass	701
1700	1765	1	RMS	1740.788	21.77	60	Pass	401
1765	3000	1	RMS	1767	-30.26	-13	Pass	1236
3000	12000	1	RMS	11951	-40.22	-13	Pass	9002
12000	20000	1	RMS	19408	-31.11	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	858.706	-63.74	-13	Pass	9701
1000	1700	1	RMS	1697	-52.47	-13	Pass	701
1700	1765	1	RMS	1740.788	21.19	60	Pass	401
1765	3000	1	RMS	1767	-30.35	-13	Pass	1236
3000	12000	1	RMS	11951	-40.09	-13	Pass	9002
12000	20000	1	RMS	19401	-31.11	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	1000	0.1	RMS	877.919	-63.74	-13	Pass	9701
1000	1700	1	RMS	1693	-48.33	-13	Pass	701
1700	1765	1	RMS	1711.05	21.33	60	Pass	401
1765	3000	1	RMS	2958	-48.78	-13	Pass	1236
3000	12000	1	RMS	11849	-40.15	-13	Pass	9002
12000	20000	1	RMS	19398	-31.16	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2986
30	1000	0.1	RMS	836.5	-63.78	-13	Pass	9701
1000	1700	1	RMS	1693	-48.26	-13	Pass	701
1700	1765	1	RMS	1711.05	20.61	60	Pass	401
1765	3000	1	RMS	2951	-48.72	-13	Pass	1236
3000	12000	1	RMS	11840	-40.19	-13	Pass	9002
12000	20000	1	RMS	19404	-31.08	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2986
30	1000	0.1	RMS	838.9	-63.7	-13	Pass	9701
1000	1700	1	RMS	1688	-51.36	-13	Pass	701
1700	1765	1	RMS	1723.563	21.9	60	Pass	401
1765	3000	1	RMS	2955	-48.66	-13	Pass	1236
3000	12000	1	RMS	11947	-40.16	-13	Pass	9002
12000	20000	1	RMS	19401	-30.94	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	Pass	2986
30	1000	0.1	RMS	846.9	-63.7	-13	Pass	9701
1000	1700	1	RMS	1688	-51.72	-13	Pass	701
1700	1765	1	RMS	1723.563	21.07	60	Pass	401
1765	3000	1	RMS	2955	-48.71	-13	Pass	1236
3000	12000	1	RMS	11954	-40.15	-13	Pass	9002
12000	20000	1	RMS	19405	-31.11	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.23	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.64	-13	Pass	9701
1000	1700	1	RMS	1700	-45.37	-13	Pass	701
1700	1765	1	RMS	1736.075	21.94	60	Pass	401
1765	3000	1	RMS	1772	-28.29	-13	Pass	1236
3000	12000	1	RMS	11833	-40.23	-13	Pass	9002
12000	20000	1	RMS	19399	-31.11	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	Pass	2986
30	1000	0.1	RMS	864.71	-63.68	-13	Pass	9701
1000	1700	1	RMS	1700	-46.84	-13	Pass	701
1700	1765	1	RMS	1736.075	21.17	60	Pass	401
1765	3000	1	RMS	1772	-29.24	-13	Pass	1236
3000	12000	1	RMS	11856	-40.17	-13	Pass	9002
12000	20000	1	RMS	19401	-31.07	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.99	-13	Pass	7841
814	860	0.1	RMS	824.3	18.68	60	Pass	461
860	1000	0.1	RMS	863.1	-63.9	-13	Pass	1401
1000	3000	1	RMS	1648	-48.12	-13	Pass	2001
3000	10000	1	RMS	6959	-41.47	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.94	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.88	-13	Pass	7841
814	860	0.1	RMS	824.3	17.7	60	Pass	461
860	1000	0.1	RMS	978.1	-63.93	-13	Pass	1401
1000	3000	1	RMS	2958	-48.77	-13	Pass	2001
3000	10000	1	RMS	6962	-41.45	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.63	-13	Pass	2986
30	814	0.1	RMS	811.6	-64.04	-13	Pass	7841
814	860	0.1	RMS	836.1	18.65	60	Pass	461
860	1000	0.1	RMS	969.3	-63.86	-13	Pass	1401
1000	3000	1	RMS	2957	-48.75	-13	Pass	2001
3000	10000	1	RMS	6962	-41.45	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.17	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.36	-13	Pass	2986
30	814	0.1	RMS	813.2	-64.16	-13	Pass	7841
814	860	0.1	RMS	836	17.79	60	Pass	461
860	1000	0.1	RMS	861.5	-63.88	-13	Pass	1401
1000	3000	1	RMS	2949	-48.74	-13	Pass	2001
3000	10000	1	RMS	6962	-41.48	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.49	-13	Pass	2986
30	814	0.1	RMS	809.3	-64.05	-13	Pass	7841
814	860	0.1	RMS	847.9	18.37	60	Pass	461
860	1000	0.1	RMS	865.4	-63.77	-13	Pass	1401
1000	3000	1	RMS	2956	-48.72	-13	Pass	2001
3000	10000	1	RMS	6962	-41.4	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	814	0.1	RMS	813.4	-64.2	-13	Pass	7841
814	860	0.1	RMS	847.9	17.37	60	Pass	461
860	1000	0.1	RMS	860.1	-63.74	-13	Pass	1401
1000	3000	1	RMS	2953	-48.7	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.72	-13	Pass	7841
814	860	0.1	RMS	824.2	18.87	60	Pass	461
860	1000	0.1	RMS	867.3	-63.76	-13	Pass	1401
1000	3000	1	RMS	1648	-48.2	-13	Pass	2001
3000	10000	1	RMS	6962	-41.34	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.88	-13	Pass	7841
814	860	0.1	RMS	824.2	17.94	60	Pass	461
860	1000	0.1	RMS	875.2	-63.73	-13	Pass	1401
1000	3000	1	RMS	2957	-48.76	-13	Pass	2001
3000	10000	1	RMS	6963	-41.51	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2986
30	814	0.1	RMS	811.5	-64.06	-13	Pass	7841
814	860	0.1	RMS	835.2	18.91	60	Pass	461
860	1000	0.1	RMS	862.8	-63.88	-13	Pass	1401
1000	3000	1	RMS	2948	-48.77	-13	Pass	2001
3000	10000	1	RMS	6962	-41.47	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	814	0.1	RMS	810.7	-64.1	-13	Pass	7841
814	860	0.1	RMS	835.2	18.03	60	Pass	461
860	1000	0.1	RMS	868.9	-63.9	-13	Pass	1401
1000	3000	1	RMS	2964	-48.75	-13	Pass	2001
3000	10000	1	RMS	6959	-41.41	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.75	-13	Pass	2986
30	814	0.1	RMS	809.3	-64.03	-13	Pass	7841
814	860	0.1	RMS	846.2	18.78	60	Pass	461
860	1000	0.1	RMS	993.2	-63.89	-13	Pass	1401
1000	3000	1	RMS	1692	-47.86	-13	Pass	2001
3000	10000	1	RMS	6962	-41.4	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	814	0.1	RMS	811.3	-63.94	-13	Pass	7841
814	860	0.1	RMS	846.2	17.78	60	Pass	461
860	1000	0.1	RMS	860	-63.76	-13	Pass	1401
1000	3000	1	RMS	1692	-48.65	-13	Pass	2001
3000	10000	1	RMS	6963	-41.41	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.54	-13	Pass	7841
814	860	0.1	RMS	824.3	19.03	60	Pass	461
860	1000	0.1	RMS	873.4	-63.71	-13	Pass	1401
1000	3000	1	RMS	1648	-47.92	-13	Pass	2001
3000	10000	1	RMS	6962	-41.36	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.28	-13	Pass	2986
30	814	0.1	RMS	813.5	-64.05	-13	Pass	7841
814	860	0.1	RMS	824.3	17.98	60	Pass	461
860	1000	0.1	RMS	958.7	-63.89	-13	Pass	1401
1000	3000	1	RMS	2960	-48.72	-13	Pass	2001
3000	10000	1	RMS	6959	-41.37	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2986
30	814	0.1	RMS	804.9	-63.96	-13	Pass	7841
814	860	0.1	RMS	834.3	19.01	60	Pass	461
860	1000	0.1	RMS	860.3	-63.7	-13	Pass	1401
1000	3000	1	RMS	2952	-48.72	-13	Pass	2001
3000	10000	1	RMS	6961	-41.48	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-13	Pass	2986
30	814	0.1	RMS	813.8	-64.05	-13	Pass	7841
814	860	0.1	RMS	834.3	18.34	60	Pass	461
860	1000	0.1	RMS	864.8	-63.8	-13	Pass	1401
1000	3000	1	RMS	2958	-48.76	-13	Pass	2001
3000	10000	1	RMS	6960	-41.43	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	Pass	2986
30	814	0.1	RMS	811	-63.92	-13	Pass	7841
814	860	0.1	RMS	844.3	18.85	60	Pass	461
860	1000	0.1	RMS	860.3	-63.92	-13	Pass	1401
1000	3000	1	RMS	1688	-47.47	-13	Pass	2001
3000	10000	1	RMS	6960	-41.4	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2986
30	814	0.1	RMS	806	-64.1	-13	Pass	7841
814	860	0.1	RMS	844.3	17.88	60	Pass	461
860	1000	0.1	RMS	866.2	-63.87	-13	Pass	1401
1000	3000	1	RMS	1688	-48.21	-13	Pass	2001
3000	10000	1	RMS	6961	-41.43	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.67	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.23	-13	Pass	7841
814	860	0.1	RMS	824.6	19.45	60	Pass	461
860	1000	0.1	RMS	875.5	-63.73	-13	Pass	1401
1000	3000	1	RMS	1649	-48.2	-13	Pass	2001
3000	10000	1	RMS	6964	-41.37	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	814	0.1	RMS	754.6	-63.9	-13	Pass	7841
814	860	0.1	RMS	824.6	18.56	60	Pass	461
860	1000	0.1	RMS	861.1	-63.7	-13	Pass	1401
1000	3000	1	RMS	2956	-48.7	-13	Pass	2001
3000	10000	1	RMS	6960	-41.39	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	814	0.1	RMS	804	-63.99	-13	Pass	7841
814	860	0.1	RMS	832.1	19.6	60	Pass	461
860	1000	0.1	RMS	868.7	-63.86	-13	Pass	1401
1000	3000	1	RMS	2956	-48.74	-13	Pass	2001
3000	10000	1	RMS	6961	-41.46	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	Pass	2986
30	814	0.1	RMS	812.8	-64.15	-13	Pass	7841
814	860	0.1	RMS	832.1	18.65	60	Pass	461
860	1000	0.1	RMS	883.5	-63.77	-13	Pass	1401
1000	3000	1	RMS	2948	-48.75	-13	Pass	2001
3000	10000	1	RMS	6961	-41.37	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	814	0.1	RMS	807.1	-64.14	-13	Pass	7841
814	860	0.1	RMS	839.6	19.22	60	Pass	461
860	1000	0.1	RMS	868.7	-63.84	-13	Pass	1401
1000	3000	1	RMS	2957	-48.72	-13	Pass	2001
3000	10000	1	RMS	6960	-41.34	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	814	0.1	RMS	813.3	-63.89	-13	Pass	7841
814	860	0.1	RMS	839.6	18.28	60	Pass	461
860	1000	0.1	RMS	871.7	-63.91	-13	Pass	1401
1000	3000	1	RMS	2950	-48.73	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-25	Pass	2986
30	1000	0.1	RMS	844.6	-63.51	-25	Pass	9701
1000	2490	1	RMS	2490	-48.96	-25	Pass	1491
2490	2580	1	RMS	2500.125	20.14	60	Pass	401
2580	3000	1	RMS	2948	-48.73	-25	Pass	421
3000	12000	1	RMS	11850	-59.85	-25	Pass	9002
12000	26000	1	RMS	25998	-43.97	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-25	Pass	2986
30	1000	0.1	RMS	856.505	-63.64	-25	Pass	9701
1000	2490	1	RMS	2490	-49.13	-25	Pass	1491
2490	2580	1	RMS	2500.125	19.2	60	Pass	401
2580	3000	1	RMS	2946	-48.76	-25	Pass	421
3000	12000	1	RMS	11852	-59.84	-25	Pass	9002
12000	26000	1	RMS	25990	-43.69	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-25	Pass	2986
30	1000	0.1	RMS	846	-63.75	-25	Pass	9701
1000	2490	1	RMS	2489	-50.47	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.18	60	Pass	401
2580	3000	1	RMS	2952	-48.77	-25	Pass	421
3000	12000	1	RMS	11851	-59.8	-25	Pass	9002
12000	26000	1	RMS	25999	-43.58	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-25	Pass	2986
30	1000	0.1	RMS	847.8	-63.65	-25	Pass	9701
1000	2490	1	RMS	2486	-50.48	-25	Pass	1491
2490	2580	1	RMS	2532.75	19.46	60	Pass	401
2580	3000	1	RMS	2951	-48.78	-25	Pass	421
3000	12000	1	RMS	11847	-59.92	-25	Pass	9002
12000	26000	1	RMS	25998	-43.71	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-25	Pass	2986
30	1000	0.1	RMS	845.7	-63.55	-25	Pass	9701
1000	2490	1	RMS	2490	-50.48	-25	Pass	1491
2490	2580	1	RMS	2565.15	19.86	60	Pass	401
2580	3000	1	RMS	2950	-48.72	-25	Pass	421
3000	12000	1	RMS	11850	-59.92	-25	Pass	9002
12000	26000	1	RMS	25997	-43.68	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-25	Pass	2986
30	1000	0.1	RMS	857.105	-63.51	-25	Pass	9701
1000	2490	1	RMS	2483	-50.43	-25	Pass	1491
2490	2580	1	RMS	2565.15	19.07	60	Pass	401
2580	3000	1	RMS	2958	-48.74	-25	Pass	421
3000	12000	1	RMS	11861	-59.96	-25	Pass	9002
12000	26000	1	RMS	25995	-43.59	-25	Pass	14002




**4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.34	-25	Pass	2986
30	1000	0.1	RMS	845.9	-63.71	-25	Pass	9701
1000	2490	1	RMS	2490	-49.05	-25	Pass	1491
2490	2580	1	RMS	2500.575	20.03	60	Pass	401
2580	3000	1	RMS	2949	-48.74	-25	Pass	421
3000	12000	1	RMS	11852	-59.86	-25	Pass	9002
12000	26000	1	RMS	25993	-43.56	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-25	Pass	2986
30	1000	0.1	RMS	831.8	-63.71	-25	Pass	9701
1000	2490	1	RMS	2490	-49.21	-25	Pass	1491
2490	2580	1	RMS	2500.575	19.21	60	Pass	401
2580	3000	1	RMS	2952	-48.75	-25	Pass	421
3000	12000	1	RMS	11850	-59.9	-25	Pass	9002
12000	26000	1	RMS	25997	-43.75	-25	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-25	Pass	2986
30	1000	0.1	RMS	838.6	-63.73	-25	Pass	9701
1000	2490	1	RMS	2461	-50.19	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.21	60	Pass	401
2580	3000	1	RMS	2954	-48.75	-25	Pass	421
3000	12000	1	RMS	11851	-59.88	-25	Pass	9002
12000	26000	1	RMS	25999	-43.68	-25	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-25	Pass	2986
30	1000	0.1	RMS	857.706	-63.73	-25	Pass	9701
1000	2490	1	RMS	2486	-50.48	-25	Pass	1491
2490	2580	1	RMS	2530.5	19.24	60	Pass	401
2580	3000	1	RMS	2954	-48.73	-25	Pass	421
3000	12000	1	RMS	11855	-59.83	-25	Pass	9002
12000	26000	1	RMS	25987	-43.67	-25	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.56	-25	Pass	2986
30	1000	0.1	RMS	853.303	-63.6	-25	Pass	9701
1000	2490	1	RMS	2490	-50.48	-25	Pass	1491
2490	2580	1	RMS	2560.425	20.27	60	Pass	401
2580	3000	1	RMS	2949	-48.75	-25	Pass	421
3000	12000	1	RMS	5121	-59.55	-25	Pass	9002
12000	26000	1	RMS	25999	-43.67	-25	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.69	-25	Pass	2986
30	1000	0.1	RMS	873.016	-63.68	-25	Pass	9701
1000	2490	1	RMS	2486	-50.52	-25	Pass	1491
2490	2580	1	RMS	2560.425	19.31	60	Pass	401
2580	3000	1	RMS	2957	-48.74	-25	Pass	421
3000	12000	1	RMS	11849	-59.91	-25	Pass	9002
12000	26000	1	RMS	25999	-43.65	-25	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.81	-25	Pass	2986
30	1000	0.1	RMS	840.6	-63.56	-25	Pass	9701
1000	2490	1	RMS	2488	-47.32	-25	Pass	1491
2490	2580	1	RMS	2500.8	20.06	60	Pass	401
2580	3000	1	RMS	2951	-48.76	-25	Pass	421
3000	12000	1	RMS	11846	-59.89	-25	Pass	9002
12000	26000	1	RMS	25997	-43.68	-25	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-25	Pass	2986
30	1000	0.1	RMS	848.2	-63.61	-25	Pass	9701
1000	2490	1	RMS	2488	-47.67	-25	Pass	1491
2490	2580	1	RMS	2500.8	19.25	60	Pass	401
2580	3000	1	RMS	2956	-48.76	-25	Pass	421
3000	12000	1	RMS	11846	-59.87	-25	Pass	9002
12000	26000	1	RMS	25996	-43.63	-25	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-25	Pass	2986
30	1000	0.1	RMS	870.314	-63.72	-25	Pass	9701
1000	2490	1	RMS	2486	-50.49	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.2	60	Pass	401
2580	3000	1	RMS	2957	-48.75	-25	Pass	421
3000	12000	1	RMS	11849	-59.87	-25	Pass	9002
12000	26000	1	RMS	25995	-43.65	-25	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.75	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-25	Pass	2986
30	1000	0.1	RMS	846.8	-63.67	-25	Pass	9701
1000	2490	1	RMS	2489	-50.5	-25	Pass	1491
2490	2580	1	RMS	2528.25	19.36	60	Pass	401
2580	3000	1	RMS	2951	-48.75	-25	Pass	421
3000	12000	1	RMS	11858	-59.91	-25	Pass	9002
12000	26000	1	RMS	25998	-43.74	-25	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-25	Pass	2986
30	1000	0.1	RMS	837.8	-63.65	-25	Pass	9701
1000	2490	1	RMS	2488	-50.45	-25	Pass	1491
2490	2580	1	RMS	2555.7	20.35	60	Pass	401
2580	3000	1	RMS	2582	-35.56	-25	Pass	421
3000	12000	1	RMS	11849	-59.86	-25	Pass	9002
12000	26000	1	RMS	25997	-43.69	-25	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-25	Pass	2986
30	1000	0.1	RMS	836.9	-63.66	-25	Pass	9701
1000	2490	1	RMS	2490	-50.37	-25	Pass	1491
2490	2580	1	RMS	2555.7	19.5	60	Pass	401
2580	3000	1	RMS	2582	-35.67	-25	Pass	421
3000	12000	1	RMS	11859	-59.91	-25	Pass	9002
12000	26000	1	RMS	25997	-43.66	-25	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-25	Pass	2986
30	1000	0.1	RMS	850.001	-63.67	-25	Pass	9701
1000	2490	1	RMS	2483	-47.3	-25	Pass	1491
2490	2580	1	RMS	2501.025	19.98	60	Pass	401
2580	3000	1	RMS	2957	-48.74	-25	Pass	421
3000	12000	1	RMS	5002	-59.66	-25	Pass	9002
12000	26000	1	RMS	25981	-43.73	-25	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.7	-25	Pass	2986
30	1000	0.1	RMS	837.2	-63.67	-25	Pass	9701
1000	2490	1	RMS	2483	-47.53	-25	Pass	1491
2490	2580	1	RMS	2501.025	19.15	60	Pass	401
2580	3000	1	RMS	2948	-48.75	-25	Pass	421
3000	12000	1	RMS	11850	-59.83	-25	Pass	9002
12000	26000	1	RMS	25994	-43.67	-25	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.82	-25	Pass	2986
30	1000	0.1	RMS	863.81	-63.63	-25	Pass	9701
1000	2490	1	RMS	2490	-49.8	-25	Pass	1491
2490	2580	1	RMS	2526	20.24	60	Pass	401
2580	3000	1	RMS	2951	-48.75	-25	Pass	421
3000	12000	1	RMS	11851	-59.86	-25	Pass	9002
12000	26000	1	RMS	25998	-43.62	-25	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.32	-72.2	-25	Pass	2986
30	1000	0.1	RMS	839.9	-63.63	-25	Pass	9701
1000	2490	1	RMS	2490	-49.05	-25	Pass	1491
2490	2580	1	RMS	2526	19.33	60	Pass	401
2580	3000	1	RMS	2952	-48.74	-25	Pass	421
3000	12000	1	RMS	11850	-59.88	-25	Pass	9002
12000	26000	1	RMS	26000	-43.6	-25	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-25	Pass	2986
30	1000	0.1	RMS	848.2	-63.65	-25	Pass	9701
1000	2490	1	RMS	2489	-50.49	-25	Pass	1491
2490	2580	1	RMS	2550.975	20.29	60	Pass	401
2580	3000	1	RMS	2586	-40.36	-25	Pass	421
3000	12000	1	RMS	11847	-59.89	-25	Pass	9002
12000	26000	1	RMS	25995	-43.67	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.79	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.2	-25	Pass	2986
30	1000	0.1	RMS	849.7	-63.62	-25	Pass	9701
1000	2490	1	RMS	2481	-50.47	-25	Pass	1491
2490	2580	1	RMS	2550.975	19.37	60	Pass	401
2580	3000	1	RMS	2586	-40.4	-25	Pass	421
3000	12000	1	RMS	11848	-59.8	-25	Pass	9002
12000	26000	1	RMS	25995	-43.73	-25	Pass	14002



5. LTE_Band66


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.51	-13	Pass	2986
30	1000	0.1	RMS	852.602	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1790	1	RMS	1710.125	20.91	60	Pass	401
1790	3000	1	RMS	2962	-48.67	-13	Pass	1211
3000	12000	1	RMS	11948	-40.08	-13	Pass	9002
12000	20000	1	RMS	19409	-30.98	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	Pass	2986
30	1000	0.1	RMS	861.308	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-50.88	-13	Pass	701
1700	1790	1	RMS	1710.125	20.04	60	Pass	401
1790	3000	1	RMS	2951	-48.63	-13	Pass	1211
3000	12000	1	RMS	11943	-40.1	-13	Pass	9002
12000	20000	1	RMS	19399	-30.97	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.17	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-52.39	-13	Pass	701
1700	1790	1	RMS	1744.325	20.81	60	Pass	401
1790	3000	1	RMS	2948	-48.62	-13	Pass	1211
3000	12000	1	RMS	11848	-40.13	-13	Pass	9002
12000	20000	1	RMS	19400	-30.93	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2986
30	1000	0.1	RMS	851.001	-63.64	-13	Pass	9701
1000	1700	1	RMS	1700	-52.39	-13	Pass	701
1700	1790	1	RMS	1744.325	20.05	60	Pass	401
1790	3000	1	RMS	2945	-48.61	-13	Pass	1211
3000	12000	1	RMS	11954	-40.09	-13	Pass	9002
12000	20000	1	RMS	19403	-31.02	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	853.003	-63.6	-13	Pass	9701
1000	1700	1	RMS	1698	-52.4	-13	Pass	701
1700	1790	1	RMS	1778.75	21.2	60	Pass	401
1790	3000	1	RMS	2953	-48.67	-13	Pass	1211
3000	12000	1	RMS	11954	-40.03	-13	Pass	9002
12000	20000	1	RMS	19399	-31.02	-13	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.57	-13	Pass	9701
1000	1700	1	RMS	1698	-52.39	-13	Pass	701
1700	1790	1	RMS	1778.75	20.45	60	Pass	401
1790	3000	1	RMS	2957	-48.68	-13	Pass	1211
3000	12000	1	RMS	11955	-40.11	-13	Pass	9002
12000	20000	1	RMS	19398	-31.01	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-50.72	-13	Pass	701
1700	1790	1	RMS	1710.125	20.87	60	Pass	401
1790	3000	1	RMS	2956	-48.67	-13	Pass	1211
3000	12000	1	RMS	11942	-40.12	-13	Pass	9002
12000	20000	1	RMS	19400	-31.02	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.49	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1790	1	RMS	1710.125	20.2	60	Pass	401
1790	3000	1	RMS	2951	-48.69	-13	Pass	1211
3000	12000	1	RMS	11951	-40.04	-13	Pass	9002
12000	20000	1	RMS	19403	-30.97	-13	Pass	8001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.49	-13	Pass	9701
1000	1700	1	RMS	1699	-52.37	-13	Pass	701
1700	1790	1	RMS	1743.65	21.05	60	Pass	401
1790	3000	1	RMS	2957	-48.61	-13	Pass	1211
3000	12000	1	RMS	11953	-40.07	-13	Pass	9002
12000	20000	1	RMS	19400	-31.02	-13	Pass	8001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.1	-13	Pass	2986
30	1000	0.1	RMS	858.906	-63.69	-13	Pass	9701
1000	1700	1	RMS	1696	-52.41	-13	Pass	701
1700	1790	1	RMS	1743.65	20.23	60	Pass	401
1790	3000	1	RMS	2951	-48.62	-13	Pass	1211
3000	12000	1	RMS	11951	-40	-13	Pass	9002
12000	20000	1	RMS	19698	-31.03	-13	Pass	8001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.6	-13	Pass	9701
1000	1700	1	RMS	1695	-52.46	-13	Pass	701
1700	1790	1	RMS	1777.175	21.47	60	Pass	401
1790	3000	1	RMS	2959	-48.65	-13	Pass	1211
3000	12000	1	RMS	11949	-40.08	-13	Pass	9002
12000	20000	1	RMS	19407	-31.02	-13	Pass	8001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.25	-73	-13	Pass	2986
30	1000	0.1	RMS	832.7	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-52.38	-13	Pass	701
1700	1790	1	RMS	1777.175	20.66	60	Pass	401
1790	3000	1	RMS	2953	-48.66	-13	Pass	1211
3000	12000	1	RMS	11848	-40.1	-13	Pass	9002
12000	20000	1	RMS	19401	-31.05	-13	Pass	8001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	824.5	-63.6	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1790	1	RMS	1710.125	20.9	60	Pass	401
1790	3000	1	RMS	2955	-48.68	-13	Pass	1211
3000	12000	1	RMS	11950	-40.05	-13	Pass	9002
12000	20000	1	RMS	19399	-31.04	-13	Pass	8001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.44	-13	Pass	2986
30	1000	0.1	RMS	841.7	-63.59	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1790	1	RMS	1710.125	20.05	60	Pass	401
1790	3000	1	RMS	2957	-48.69	-13	Pass	1211
3000	12000	1	RMS	11848	-40.11	-13	Pass	9002
12000	20000	1	RMS	19399	-31.03	-13	Pass	8001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.89	-13	Pass	2986
30	1000	0.1	RMS	836.8	-63.75	-13	Pass	9701
1000	1700	1	RMS	1693	-52.46	-13	Pass	701
1700	1790	1	RMS	1742.75	21.18	60	Pass	401
1790	3000	1	RMS	2953	-48.68	-13	Pass	1211
3000	12000	1	RMS	11947	-40.07	-13	Pass	9002
12000	20000	1	RMS	19405	-31.02	-13	Pass	8001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.25	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-52.44	-13	Pass	701
1700	1790	1	RMS	1742.75	20.44	60	Pass	401
1790	3000	1	RMS	2948	-48.66	-13	Pass	1211
3000	12000	1	RMS	11952	-40.1	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2986
30	1000	0.1	RMS	835.4	-63.57	-13	Pass	9701
1000	1700	1	RMS	1695	-52.44	-13	Pass	701
1700	1790	1	RMS	1775.15	21.55	60	Pass	401
1790	3000	1	RMS	2949	-48.66	-13	Pass	1211
3000	12000	1	RMS	11951	-40.1	-13	Pass	9002
12000	20000	1	RMS	19397	-30.98	-13	Pass	8001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-13	Pass	2986
30	1000	0.1	RMS	847.6	-63.61	-13	Pass	9701
1000	1700	1	RMS	1696	-52.43	-13	Pass	701
1700	1790	1	RMS	1775.15	21.14	60	Pass	401
1790	3000	1	RMS	2951	-48.66	-13	Pass	1211
3000	12000	1	RMS	11839	-40.12	-13	Pass	9002
12000	20000	1	RMS	19400	-30.99	-13	Pass	8001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	Pass	2986
30	1000	0.1	RMS	826.8	-63.6	-13	Pass	9701
1000	1700	1	RMS	1693	-46.77	-13	Pass	701
1700	1790	1	RMS	1710.575	20.75	60	Pass	401
1790	3000	1	RMS	2955	-48.65	-13	Pass	1211
3000	12000	1	RMS	11950	-40.12	-13	Pass	9002
12000	20000	1	RMS	19402	-30.92	-13	Pass	8001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	Pass	2986
30	1000	0.1	RMS	851.301	-63.57	-13	Pass	9701
1000	1700	1	RMS	1693	-47.59	-13	Pass	701
1700	1790	1	RMS	1710.575	19.93	60	Pass	401
1790	3000	1	RMS	2955	-48.65	-13	Pass	1211
3000	12000	1	RMS	11943	-40.16	-13	Pass	9002
12000	20000	1	RMS	19403	-30.97	-13	Pass	8001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.4	-13	Pass	2986
30	1000	0.1	RMS	839.2	-63.55	-13	Pass	9701
1000	1700	1	RMS	1698	-52.39	-13	Pass	701
1700	1790	1	RMS	1740.5	21.2	60	Pass	401
1790	3000	1	RMS	2960	-48.7	-13	Pass	1211
3000	12000	1	RMS	11954	-40.03	-13	Pass	9002
12000	20000	1	RMS	19405	-31.06	-13	Pass	8001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.03	-13	Pass	2986
30	1000	0.1	RMS	866.011	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-52.42	-13	Pass	701
1700	1790	1	RMS	1740.5	20.45	60	Pass	401
1790	3000	1	RMS	2958	-48.66	-13	Pass	1211
3000	12000	1	RMS	11949	-40.08	-13	Pass	9002
12000	20000	1	RMS	19406	-31.02	-13	Pass	8001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.97	-13	Pass	2986
30	1000	0.1	RMS	838.3	-63.38	-13	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	Pass	701
1700	1790	1	RMS	1770.425	21.57	60	Pass	401
1790	3000	1	RMS	2955	-48.7	-13	Pass	1211
3000	12000	1	RMS	11952	-40.12	-13	Pass	9002
12000	20000	1	RMS	19408	-31.03	-13	Pass	8001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	1000	0.1	RMS	852.402	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-52.44	-13	Pass	701
1700	1790	1	RMS	1770.425	20.84	60	Pass	401
1790	3000	1	RMS	2954	-48.67	-13	Pass	1211
3000	12000	1	RMS	11948	-39.99	-13	Pass	9002
12000	20000	1	RMS	19403	-31.05	-13	Pass	8001



5.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2986
30	1000	0.1	RMS	856.105	-63.55	-13	Pass	9701
1000	1700	1	RMS	1698	-47.48	-13	Pass	701
1700	1790	1	RMS	1710.8	20.79	60	Pass	401
1790	3000	1	RMS	2956	-48.68	-13	Pass	1211
3000	12000	1	RMS	11952	-40.12	-13	Pass	9002
12000	20000	1	RMS	19397	-31.01	-13	Pass	8001



5.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	Pass	2986
30	1000	0.1	RMS	859.207	-63.52	-13	Pass	9701
1000	1700	1	RMS	1698	-47.19	-13	Pass	701
1700	1790	1	RMS	1710.8	20.07	60	Pass	401
1790	3000	1	RMS	2959	-48.7	-13	Pass	1211
3000	12000	1	RMS	11953	-40.15	-13	Pass	9002
12000	20000	1	RMS	19399	-30.99	-13	Pass	8001



5.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	1000	0.1	RMS	857.606	-63.73	-13	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	Pass	701
1700	1790	1	RMS	1738.25	21.39	60	Pass	401
1790	3000	1	RMS	2944	-48.68	-13	Pass	1211
3000	12000	1	RMS	11842	-40.14	-13	Pass	9002
12000	20000	1	RMS	19396	-31.03	-13	Pass	8001



5.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	Pass	2986
30	1000	0.1	RMS	868.613	-63.66	-13	Pass	9701
1000	1700	1	RMS	1698	-52.39	-13	Pass	701
1700	1790	1	RMS	1738.25	20.62	60	Pass	401
1790	3000	1	RMS	2957	-48.66	-13	Pass	1211
3000	12000	1	RMS	11948	-40.05	-13	Pass	9002
12000	20000	1	RMS	19405	-31.02	-13	Pass	8001



5.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.36	-73	-13	Pass	2986
30	1000	0.1	RMS	855.204	-63.7	-13	Pass	9701
1000	1700	1	RMS	1699	-52.39	-13	Pass	701
1700	1790	1	RMS	1765.7	21.04	60	Pass	401
1790	3000	1	RMS	1792	-32.57	-13	Pass	1211
3000	12000	1	RMS	11845	-40.14	-13	Pass	9002
12000	20000	1	RMS	19401	-30.97	-13	Pass	8001



5.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.02	-13	Pass	2986
30	1000	0.1	RMS	868.013	-63.68	-13	Pass	9701
1000	1700	1	RMS	1699	-52.42	-13	Pass	701
1700	1790	1	RMS	1765.7	20.35	60	Pass	401
1790	3000	1	RMS	1792	-33.62	-13	Pass	1211
3000	12000	1	RMS	11850	-40.14	-13	Pass	9002
12000	20000	1	RMS	19406	-31	-13	Pass	8001



5.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	1000	0.1	RMS	854.804	-63.43	-13	Pass	9701
1000	1700	1	RMS	1693	-48.16	-13	Pass	701
1700	1790	1	RMS	1711.025	20.69	60	Pass	401
1790	3000	1	RMS	2954	-48.71	-13	Pass	1211
3000	12000	1	RMS	11948	-40.11	-13	Pass	9002
12000	20000	1	RMS	19413	-31.04	-13	Pass	8001



5.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.03	-13	Pass	2986
30	1000	0.1	RMS	853.303	-63.6	-13	Pass	9701
1000	1700	1	RMS	1693	-47.97	-13	Pass	701
1700	1790	1	RMS	1711.025	19.97	60	Pass	401
1790	3000	1	RMS	2957	-48.7	-13	Pass	1211
3000	12000	1	RMS	11956	-40.16	-13	Pass	9002
12000	20000	1	RMS	19397	-31	-13	Pass	8001



5.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	838.8	-63.46	-13	Pass	9701
1000	1700	1	RMS	1700	-46.59	-13	Pass	701
1700	1790	1	RMS	1736	21.27	60	Pass	401
1790	3000	1	RMS	2956	-48.69	-13	Pass	1211
3000	12000	1	RMS	11947	-40.14	-13	Pass	9002
12000	20000	1	RMS	19400	-31.06	-13	Pass	8001



5.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.68	-13	Pass	2986
30	1000	0.1	RMS	840.5	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-47.79	-13	Pass	701
1700	1790	1	RMS	1736	20.63	60	Pass	401
1790	3000	1	RMS	2961	-48.69	-13	Pass	1211
3000	12000	1	RMS	11950	-40.12	-13	Pass	9002
12000	20000	1	RMS	19405	-31.04	-13	Pass	8001



5.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.63	-13	Pass	9701
1000	1700	1	RMS	1699	-52.45	-13	Pass	701
1700	1790	1	RMS	1760.975	20.81	60	Pass	401
1790	3000	1	RMS	1797	-32.28	-13	Pass	1211
3000	12000	1	RMS	11947	-40.12	-13	Pass	9002
12000	20000	1	RMS	19399	-30.93	-13	Pass	8001



5.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	856.805	-63.57	-13	Pass	9701
1000	1700	1	RMS	1693	-52.43	-13	Pass	701
1700	1790	1	RMS	1760.975	20.05	60	Pass	401
1790	3000	1	RMS	1797	-32.8	-13	Pass	1211
3000	12000	1	RMS	11952	-40.12	-13	Pass	9002
12000	20000	1	RMS	19401	-30.96	-13	Pass	8001



--BLANK BELOW--