



9.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1845.22	-35.05	-13	Pass	401
1848	1849	1	RMS	1849	-36.84	-13	Pass	2
1849	1850	0.03	RMS	1850	-22.61	-13	Pass	401
1850	1853	0.1	RMS	1850.24	19.28	30	Pass	401




9.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.69	-13	Pass	401
1848	1849	1	RMS	1849	-29.85	-13	Pass	2
1849	1850	0.03	RMS	1850	-34.16	-13	Pass	401
1850	1853	0.1	RMS	1851.035	7.08	30	Pass	401




9.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1845.2	-38.04	-13	Pass	401
1848	1849	1	RMS	1849	-37.42	-13	Pass	2
1849	1850	0.03	RMS	1850	-23.76	-13	Pass	401
1850	1853	0.1	RMS	1850.255	18.35	30	Pass	401




9.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.06	-13	Pass	401
1848	1849	1	RMS	1849	-30.14	-13	Pass	2
1849	1850	0.03	RMS	1850	-34.37	-13	Pass	401
1850	1853	0.1	RMS	1851.425	6.04	30	Pass	401




9.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	17.76	30	Pass	401
1915	1916	0.03	RMS	1915	-24.45	-13	Pass	401
1916	1917	1	RMS	1916	-38.05	-13	Pass	2
1917	1925	1	RMS	1919.8	-38.39	-13	Pass	401




9.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.293	5.9	30	Pass	401
1915	1916	0.03	RMS	1915	-34.84	-13	Pass	401
1916	1917	1	RMS	1916	-29.05	-13	Pass	2
1917	1925	1	RMS	1917	-33.64	-13	Pass	401




9.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.775	16.6	30	Pass	401
1915	1916	0.03	RMS	1915	-24.77	-13	Pass	401
1916	1917	1	RMS	1916	-38.65	-13	Pass	2
1917	1925	1	RMS	1919.74	-39.89	-13	Pass	401




9.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.375	4.87	30	Pass	401
1915	1916	0.03	RMS	1915	-36.15	-13	Pass	401
1916	1917	1	RMS	1916	-29.44	-13	Pass	2
1917	1925	1	RMS	1917	-34.44	-13	Pass	401




9.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1841.72	-35.23	-13	Pass	401
1848	1849	1	RMS	1849	-38.43	-13	Pass	2
1849	1850	0.051	RMS	1850	-20.17	-13	Pass	401
1850	1855	0.1	RMS	1850.338	19.23	30	Pass	401




9.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.87	-13	Pass	401
1848	1849	1	RMS	1849	-31.31	-13	Pass	2
1849	1850	0.051	RMS	1850	-33.68	-13	Pass	401
1850	1855	0.1	RMS	1851.675	4.79	30	Pass	401




9.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1841.7	-38.5	-13	Pass	401
1848	1849	1	RMS	1849	-39.38	-13	Pass	2
1849	1850	0.051	RMS	1850	-20.51	-13	Pass	401
1850	1855	0.1	RMS	1850.338	18.38	30	Pass	401




9.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.4	-13	Pass	401
1848	1849	1	RMS	1849	-31.94	-13	Pass	2
1849	1850	0.051	RMS	1850	-34.77	-13	Pass	401
1850	1855	0.1	RMS	1853.325	3.77	30	Pass	401



9.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	17.82	30	Pass	401
1915	1916	0.051	RMS	1915	-21.97	-13	Pass	401
1916	1917	1	RMS	1916	-39.73	-13	Pass	2
1917	1925	1	RMS	1917	-39.86	-13	Pass	401




9.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.863	4	30	Pass	401
1915	1916	0.051	RMS	1915	-34.59	-13	Pass	401
1916	1917	1	RMS	1916	-30.11	-13	Pass	2
1917	1925	1	RMS	1917	-32.19	-13	Pass	401




9.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	16.79	30	Pass	401
1915	1916	0.051	RMS	1915	-21.82	-13	Pass	401
1916	1917	1	RMS	1916	-40.39	-13	Pass	2
1917	1925	1	RMS	1917	-40.63	-13	Pass	401




9.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.6	2.94	30	Pass	401
1915	1916	0.051	RMS	1915	-35.21	-13	Pass	401
1916	1917	1	RMS	1916	-30.86	-13	Pass	2
1917	1925	1	RMS	1917	-32.94	-13	Pass	401




9.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.2	-38.15	-13	Pass	401
1848	1849	1	RMS	1849	-38.25	-13	Pass	2
1849	1850	0.1	RMS	1850	-24.84	-13	Pass	401
1850	1860	0.1	RMS	1850.6	19.43	30	Pass	401




9.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.01	-13	Pass	401
1848	1849	1	RMS	1849	-33.05	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-38.32	-13	Pass	401
1850	1860	0.1	RMS	1854.275	1.7	30	Pass	401




9.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.26	-38.99	-13	Pass	401
1848	1849	1	RMS	1849	-39.38	-13	Pass	2
1849	1850	0.1	RMS	1850	-25.83	-13	Pass	401
1850	1860	0.1	RMS	1850.6	18.38	30	Pass	401




9.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.16	-13	Pass	401
1848	1849	1	RMS	1849	-33.19	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-38.24	-13	Pass	401
1850	1860	0.1	RMS	1854.95	3.32	30	Pass	401



9.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	17.84	30	Pass	401
1915	1916	0.1	RMS	1915	-25.96	-13	Pass	401
1916	1917	1	RMS	1916	-40.11	-13	Pass	2
1917	1925	1	RMS	1918.7	-42.21	-13	Pass	401




9.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1908.825	1.42	30	Pass	401
1915	1916	0.1	RMS	1915	-39.46	-13	Pass	401
1916	1917	1	RMS	1916	-32.6	-13	Pass	2
1917	1925	1	RMS	1917	-34.42	-13	Pass	401



9.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	16.76	30	Pass	401
1915	1916	0.1	RMS	1915	-27	-13	Pass	401
1916	1917	1	RMS	1916	-40.94	-13	Pass	2
1917	1925	1	RMS	1918.8	-42.77	-13	Pass	401




9.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1910.425	2.84	30	Pass	401
1915	1916	0.1	RMS	1915	-37.23	-13	Pass	401
1916	1917	1	RMS	1916	-32.06	-13	Pass	2
1917	1925	1	RMS	1917	-33.8	-13	Pass	401




9.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.02	-38.14	-13	Pass	401
1848	1849	1	RMS	1849	-36.78	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.69	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.27	30	Pass	401




9.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-31.82	-13	Pass	401
1848	1849	1	RMS	1848	-31.91	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-38.62	-13	Pass	401
1850	1865	0.1	RMS	1857.763	-0.08	30	Pass	401




9.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.08	-39.5	-13	Pass	401
1848	1849	1	RMS	1849	-37.55	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-30.22	-13	Pass	401
1850	1865	0.1	RMS	1850.825	18.35	30	Pass	401




9.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-33.74	-13	Pass	401
1848	1849	1	RMS	1849	-32.89	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-38.61	-13	Pass	401
1850	1865	0.1	RMS	1854.463	3.38	30	Pass	401




9.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	17.92	30	Pass	401
1915	1916	0.15	RMS	1915	-31.74	-13	Pass	401
1916	1917	1	RMS	1916	-38.38	-13	Pass	2
1917	1925	1	RMS	1917	-41.32	-13	Pass	401




9.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1906.225	-0.28	30	Pass	401
1915	1916	0.15	RMS	1915	-39.23	-13	Pass	401
1916	1917	1	RMS	1916	-32.82	-13	Pass	2
1917	1925	1	RMS	1917.02	-33.13	-13	Pass	401




9.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	16.85	30	Pass	401
1915	1916	0.15	RMS	1915	-31.95	-13	Pass	401
1916	1917	1	RMS	1916	-38.96	-13	Pass	2
1917	1925	1	RMS	1917	-41.98	-13	Pass	401




9.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1910.05	2.92	30	Pass	401
1915	1916	0.15	RMS	1915	-37.3	-13	Pass	401
1916	1917	1	RMS	1916	-32.15	-13	Pass	2
1917	1925	1	RMS	1917	-33.81	-13	Pass	401




9.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1842.14	-38.94	-13	Pass	401
1848	1849	1	RMS	1849	-38.2	-13	Pass	2
1849	1850	0.2	RMS	1849.83	-40.24	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.22	30	Pass	401




9.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.58	-13	Pass	401
1848	1849	1	RMS	1849	-33.3	-13	Pass	2
1849	1850	0.2	RMS	1849.93	-39.01	-13	Pass	401
1850	1870	0.1	RMS	1857.85	-1.33	30	Pass	401




9.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1842.2	-39.54	-13	Pass	401
1848	1849	1	RMS	1849	-38.92	-13	Pass	2
1849	1850	0.2	RMS	1849.803	-40.84	-13	Pass	401
1850	1870	0.1	RMS	1851.1	18.17	30	Pass	401




9.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.97	-13	Pass	401
1848	1849	1	RMS	1849	-33.1	-13	Pass	2
1849	1850	0.2	RMS	1849.99	-38.68	-13	Pass	401
1850	1870	0.1	RMS	1855.2	3.25	30	Pass	401




9.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	17.88	30	Pass	401
1915	1916	0.2	RMS	1915	-41.77	-13	Pass	401
1916	1917	1	RMS	1916	-40.68	-13	Pass	2
1917	1925	1	RMS	1917.08	-42.08	-13	Pass	401




9.49. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1901.3	-1.61	30	Pass	401
1915	1916	0.2	RMS	1915.01	-39.23	-13	Pass	401
1916	1917	1	RMS	1916	-33.77	-13	Pass	2
1917	1925	1	RMS	1917	-34.57	-13	Pass	401




9.50. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	16.71	30	Pass	401
1915	1916	0.2	RMS	1915.188	-42.61	-13	Pass	401
1916	1917	1	RMS	1916	-41.38	-13	Pass	2
1917	1925	1	RMS	1917.22	-42.78	-13	Pass	401



9.51. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1909.35	2.96	30	Pass	401
1915	1916	0.2	RMS	1915.003	-37.2	-13	Pass	401
1916	1917	1	RMS	1916	-32.31	-13	Pass	2
1917	1925	1	RMS	1917.02	-34.15	-13	Pass	401



10. LTE_Band26(part22)


10.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.48	-43.91	-13	Pass	401
823	824	0.02	RMS	824	-27.96	-13	Pass	401
824	826	0.1	RMS	824.25	19.33	30	Pass	401




10.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-44.13	-13	Pass	401
823	824	0.02	RMS	824	-32.27	-13	Pass	401
824	826	0.1	RMS	825.115	11.22	30	Pass	401




10.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.44	-45.03	-13	Pass	401
823	824	0.02	RMS	824	-28.96	-13	Pass	401
824	826	0.1	RMS	824.265	18.3	30	Pass	401




10.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-44.49	-13	Pass	401
823	824	0.02	RMS	824	-33.42	-13	Pass	401
824	826	0.1	RMS	825.12	10.35	30	Pass	401



10.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	18.91	30	Pass	401
849	850	0.02	RMS	849	-29.64	-13	Pass	401
850	860	0.1	RMS	850.575	-45.4	-13	Pass	401




10.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.94	10.46	30	Pass	401
849	850	0.02	RMS	849.003	-30.69	-13	Pass	401
850	860	0.1	RMS	850.075	-46.84	-13	Pass	401




10.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	17.91	30	Pass	401
849	850	0.02	RMS	849	-29.38	-13	Pass	401
850	860	0.1	RMS	850.55	-46.25	-13	Pass	401




10.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.97	9.64	30	Pass	401
849	850	0.02	RMS	849	-32.61	-13	Pass	401
850	860	0.1	RMS	850	-47.28	-13	Pass	401




10.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	819.22	-46.23	-13	Pass	401
823	824	0.03	RMS	824	-23.12	-13	Pass	401
824	827	0.1	RMS	824.24	19.27	30	Pass	401




10.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-34.36	-13	Pass	401
823	824	0.03	RMS	824	-32.21	-13	Pass	401
824	827	0.1	RMS	825.808	7.38	30	Pass	401




10.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	819.22	-47.25	-13	Pass	401
823	824	0.03	RMS	824	-24.16	-13	Pass	401
824	827	0.1	RMS	824.248	18.44	30	Pass	401




10.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.69	-13	Pass	401
823	824	0.03	RMS	824	-33.79	-13	Pass	401
824	827	0.1	RMS	826.423	6.49	30	Pass	401




10.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	18.73	30	Pass	401
849	850	0.03	RMS	849	-24.33	-13	Pass	401
850	860	0.1	RMS	850	-51.47	-13	Pass	401




10.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.088	6.72	30	Pass	401
849	850	0.03	RMS	849	-30.93	-13	Pass	401
850	860	0.1	RMS	850.025	-31.93	-13	Pass	401




10.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	17.74	30	Pass	401
849	850	0.03	RMS	849	-24.64	-13	Pass	401
850	860	0.1	RMS	850.025	-52.57	-13	Pass	401




10.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.473	5.73	30	Pass	401
849	850	0.03	RMS	849	-32.35	-13	Pass	401
850	860	0.1	RMS	850	-33.39	-13	Pass	401




10.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	815.74	-46.19	-13	Pass	401
823	824	0.051	RMS	824	-20.81	-13	Pass	401
824	829	0.1	RMS	824.338	19.27	30	Pass	401




10.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-36.52	-13	Pass	401
823	824	0.051	RMS	824	-32.58	-13	Pass	401
824	829	0.1	RMS	825.663	5.2	30	Pass	401




10.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	815.72	-48.12	-13	Pass	401
823	824	0.051	RMS	824	-20.69	-13	Pass	401
824	829	0.1	RMS	824.35	18.57	30	Pass	401




10.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-36.74	-13	Pass	401
823	824	0.051	RMS	824	-33.85	-13	Pass	401
824	829	0.1	RMS	826.913	4.33	30	Pass	401




10.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.79	30	Pass	401
849	850	0.051	RMS	849	-21.28	-13	Pass	401
850	860	0.1	RMS	850.825	-48.04	-13	Pass	401




10.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.888	4.48	30	Pass	401
849	850	0.051	RMS	849	-30.95	-13	Pass	401
850	860	0.1	RMS	850	-33.45	-13	Pass	401



10.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.92	30	Pass	401
849	850	0.051	RMS	849	-21.31	-13	Pass	401
850	860	0.1	RMS	850.825	-48.72	-13	Pass	401




10.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.588	3.58	30	Pass	401
849	850	0.051	RMS	849	-32.29	-13	Pass	401
850	860	0.1	RMS	850.05	-34.59	-13	Pass	401




10.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-44.01	-13	Pass	401
823	824	0.1	RMS	824	-25.78	-13	Pass	401
824	834	0.1	RMS	824.6	19.5	30	Pass	401




10.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-38.46	-13	Pass	401
823	824	0.1	RMS	823.995	-36.14	-13	Pass	401
824	834	0.1	RMS	828.2	2.32	30	Pass	401




10.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.18	-45.4	-13	Pass	401
823	824	0.1	RMS	824	-26.26	-13	Pass	401
824	834	0.1	RMS	824.6	18.74	30	Pass	401




10.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-37.83	-13	Pass	401
823	824	0.1	RMS	824	-35.02	-13	Pass	401
824	834	0.1	RMS	827.025	3.85	30	Pass	401




10.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	18.81	30	Pass	401
849	850	0.1	RMS	849	-25.93	-13	Pass	401
850	860	0.1	RMS	850.05	-53.72	-13	Pass	401




10.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	842.85	1.98	30	Pass	401
849	850	0.1	RMS	849	-34.26	-13	Pass	401
850	860	0.1	RMS	850.025	-36.23	-13	Pass	401



10.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	17.76	30	Pass	401
849	850	0.1	RMS	849.003	-26.78	-13	Pass	401
850	860	0.1	RMS	850.05	-54.43	-13	Pass	401




10.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.4	3.49	30	Pass	401
849	850	0.1	RMS	849.005	-32.3	-13	Pass	401
850	860	0.1	RMS	850.05	-35.66	-13	Pass	401




10.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.02	-42.54	-13	Pass	401
823	824	0.15	RMS	824	-30.73	-13	Pass	401
824	839	0.1	RMS	824.825	19.47	30	Pass	401




10.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.94	-37.18	-13	Pass	401
823	824	0.15	RMS	823.363	-34.97	-13	Pass	401
824	839	0.1	RMS	828.575	0.75	30	Pass	401



10.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.02	-44.67	-13	Pass	401
823	824	0.15	RMS	824	-31.12	-13	Pass	401
824	839	0.1	RMS	824.825	18.72	30	Pass	401




10.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-38.31	-13	Pass	401
823	824	0.15	RMS	823.78	-34.98	-13	Pass	401
824	839	0.1	RMS	826.475	3.95	30	Pass	401



10.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	19.01	30	Pass	401
849	850	0.15	RMS	849	-31.58	-13	Pass	401
850	860	0.1	RMS	850.075	-46.76	-13	Pass	401




10.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	840.825	0.46	30	Pass	401
849	850	0.15	RMS	849.003	-34.38	-13	Pass	401
850	860	0.1	RMS	850.05	-37.13	-13	Pass	401



10.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	17.96	30	Pass	401
849	850	0.15	RMS	849.005	-32.01	-13	Pass	401
850	860	0.1	RMS	850.075	-46.95	-13	Pass	401



10.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	843.488	3.61	30	Pass	401
849	850	0.15	RMS	849.005	-31.35	-13	Pass	401
850	860	0.1	RMS	850	-35.99	-13	Pass	401



11. LTE_Band66


11.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.27	-13	Pass	401
1708	1709	1	RMS	1709	-34.15	-13	Pass	2
1709	1710	0.02	RMS	1710	-27.92	-13	Pass	401
1710	1712	0.1	RMS	1710.25	19.17	30	Pass	401




11.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.22	-13	Pass	401
1708	1709	1	RMS	1709	-30.13	-13	Pass	2
1709	1710	0.02	RMS	1710	-34.86	-13	Pass	401
1710	1712	0.1	RMS	1711.105	10.61	30	Pass	401




11.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.47	-13	Pass	401
1708	1709	1	RMS	1709	-35.1	-13	Pass	2
1709	1710	0.02	RMS	1710	-29.14	-13	Pass	401
1710	1712	0.1	RMS	1710.25	18	30	Pass	401




11.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.43	-13	Pass	401
1708	1709	1	RMS	1709	-31.32	-13	Pass	2
1709	1710	0.02	RMS	1710	-35.36	-13	Pass	401
1710	1712	0.1	RMS	1711.11	9.62	30	Pass	401



11.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	18.03	30	Pass	401
1780	1781	0.02	RMS	1780	-29.29	-13	Pass	401
1781	1782	1	RMS	1781	-37.25	-13	Pass	2
1782	1790	1	RMS	1782	-38.68	-13	Pass	401




11.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.93	9.87	30	Pass	401
1780	1781	0.02	RMS	1780.003	-35.04	-13	Pass	401
1781	1782	1	RMS	1781	-32.39	-13	Pass	2
1782	1790	1	RMS	1782	-41.39	-13	Pass	401



11.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.745	17.07	30	Pass	401
1780	1781	0.02	RMS	1780	-29.94	-13	Pass	401
1781	1782	1	RMS	1781	-38.58	-13	Pass	2
1782	1790	1	RMS	1782	-40.59	-13	Pass	401




11.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.97	9.14	30	Pass	401
1780	1781	0.02	RMS	1780	-36.21	-13	Pass	401
1781	1782	1	RMS	1781	-33.22	-13	Pass	2
1782	1790	1	RMS	1782	-42.05	-13	Pass	401




11.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.24	-37.27	-13	Pass	401
1708	1709	1	RMS	1709	-38.54	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.92	-13	Pass	401
1710	1713	0.1	RMS	1710.24	19.07	30	Pass	401




11.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.3	-13	Pass	401
1708	1709	1	RMS	1709	-31.01	-13	Pass	2
1709	1710	0.03	RMS	1710	-34.43	-13	Pass	401
1710	1713	0.1	RMS	1712.708	6.83	30	Pass	401




11.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.22	-38.32	-13	Pass	401
1708	1709	1	RMS	1708	-39.16	-13	Pass	2
1709	1710	0.03	RMS	1710	-24.2	-13	Pass	401
1710	1713	0.1	RMS	1710.255	18.1	30	Pass	401




11.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.77	-13	Pass	401
1708	1709	1	RMS	1709	-29.64	-13	Pass	2
1709	1710	0.03	RMS	1710	-35.74	-13	Pass	401
1710	1713	0.1	RMS	1712.43	5.71	30	Pass	401



11.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	17.97	30	Pass	401
1780	1781	0.03	RMS	1780	-24.27	-13	Pass	401
1781	1782	1	RMS	1781	-38.93	-13	Pass	2
1782	1790	1	RMS	1782	-41.85	-13	Pass	401




11.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.073	6.44	30	Pass	401
1780	1781	0.03	RMS	1780	-35.54	-13	Pass	401
1781	1782	1	RMS	1781	-29.36	-13	Pass	2
1782	1790	1	RMS	1782	-33.5	-13	Pass	401



11.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	16.98	30	Pass	401
1780	1781	0.03	RMS	1780	-24.81	-13	Pass	401
1781	1782	1	RMS	1781	-39.62	-13	Pass	2
1782	1790	1	RMS	1782.02	-42.62	-13	Pass	401




11.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.458	5.54	30	Pass	401
1780	1781	0.03	RMS	1780	-36.01	-13	Pass	401
1781	1782	1	RMS	1781	-29.7	-13	Pass	2
1782	1790	1	RMS	1782	-34.11	-13	Pass	401




11.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.7	-37.55	-13	Pass	401
1708	1709	1	RMS	1709	-39.24	-13	Pass	2
1709	1710	0.01	RMS	1710	-27.62	-13	Pass	401
1710	1715	0.1	RMS	1710.325	19.09	30	Pass	401




11.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.87	-13	Pass	401
1708	1709	1	RMS	1709	-32.84	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-34.21	-13	Pass	401
1710	1715	0.1	RMS	1713.363	4.68	30	Pass	401




11.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.68	-39.95	-13	Pass	401
1708	1709	1	RMS	1709	-40.1	-13	Pass	2
1709	1710	0.01	RMS	1710	-28.02	-13	Pass	401
1710	1715	0.1	RMS	1710.35	18.19	30	Pass	401




11.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-32.57	-13	Pass	401
1708	1709	1	RMS	1709	-31.02	-13	Pass	2
1709	1710	0.051	RMS	1710	-35.41	-13	Pass	401
1710	1715	0.1	RMS	1713.325	3.58	30	Pass	401




11.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	18.04	30	Pass	401
1780	1781	0.01	RMS	1780	-28.77	-13	Pass	401
1781	1782	1	RMS	1782	-40.26	-13	Pass	2
1782	1790	1	RMS	1782	-40.38	-13	Pass	401




11.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.863	4.47	30	Pass	401
1780	1781	0.051	RMS	1780	-34.61	-13	Pass	401
1781	1782	1	RMS	1781	-30.47	-13	Pass	2
1782	1790	1	RMS	1782	-32.27	-13	Pass	401




11.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	17.15	30	Pass	401
1780	1781	0.01	RMS	1780	-28.41	-13	Pass	401
1781	1782	1	RMS	1782	-40.6	-13	Pass	2
1782	1790	1	RMS	1782	-40.79	-13	Pass	401




11.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.125	3.55	30	Pass	401
1780	1781	0.051	RMS	1780	-34.92	-13	Pass	401
1781	1782	1	RMS	1781	-30.99	-13	Pass	2
1782	1790	1	RMS	1782	-32.65	-13	Pass	401




11.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.2	-39.74	-13	Pass	401
1708	1709	1	RMS	1709	-38.89	-13	Pass	2
1709	1710	0.1	RMS	1710	-25.13	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.33	30	Pass	401




11.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.57	-13	Pass	401
1708	1709	1	RMS	1709	-35.54	-13	Pass	2
1709	1710	0.1	RMS	1710	-39.66	-13	Pass	401
1710	1720	0.1	RMS	1718.025	1.72	30	Pass	401




11.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.26	-39.98	-13	Pass	401
1708	1709	1	RMS	1709	-39.68	-13	Pass	2
1709	1710	0.1	RMS	1710	-26.01	-13	Pass	401
1710	1720	0.1	RMS	1710.6	18.18	30	Pass	401




11.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.37	-13	Pass	401
1708	1709	1	RMS	1709	-31.83	-13	Pass	2
1709	1710	0.1	RMS	1710	-37.79	-13	Pass	401
1710	1720	0.1	RMS	1715.2	3.1	30	Pass	401




11.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	18.09	30	Pass	401
1780	1781	0.1	RMS	1780	-25.7	-13	Pass	401
1781	1782	1	RMS	1781	-40.53	-13	Pass	2
1782	1790	1	RMS	1783.8	-42.91	-13	Pass	401




11.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1775.35	1.95	30	Pass	401
1780	1781	0.1	RMS	1780	-39.63	-13	Pass	401
1781	1782	1	RMS	1781	-32.59	-13	Pass	2
1782	1790	1	RMS	1782	-33.61	-13	Pass	401




11.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	17.11	30	Pass	401
1780	1781	0.1	RMS	1780	-26.74	-13	Pass	401
1781	1782	1	RMS	1781	-41.54	-13	Pass	2
1782	1790	1	RMS	1783.8	-42.52	-13	Pass	401




11.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1775.425	3.39	30	Pass	401
1780	1781	0.1	RMS	1780	-37.19	-13	Pass	401
1781	1782	1	RMS	1781	-31.7	-13	Pass	2
1782	1790	1	RMS	1782	-32.94	-13	Pass	401




11.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.02	-38.45	-13	Pass	401
1708	1709	1	RMS	1709	-37.58	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.99	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.11	30	Pass	401




11.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-35.53	-13	Pass	401
1708	1709	1	RMS	1709	-35.12	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-42.32	-13	Pass	401
1710	1725	0.1	RMS	1723.838	0.2	30	Pass	401




11.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.02	-39.98	-13	Pass	401
1708	1709	1	RMS	1709	-38.37	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-30.71	-13	Pass	401
1710	1725	0.1	RMS	1710.825	18.05	30	Pass	401




11.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.41	-13	Pass	401
1708	1709	1	RMS	1709	-32.4	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-38.77	-13	Pass	401
1710	1725	0.1	RMS	1712.475	3.09	30	Pass	401




11.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	18.22	30	Pass	401
1780	1781	0.15	RMS	1780.005	-31.2	-13	Pass	401
1781	1782	1	RMS	1781	-38.7	-13	Pass	2
1782	1790	1	RMS	1782.86	-42.03	-13	Pass	401




11.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1774.113	0.29	30	Pass	401
1780	1781	0.15	RMS	1780	-39.14	-13	Pass	401
1781	1782	1	RMS	1781	-32.08	-13	Pass	2
1782	1790	1	RMS	1782	-32.32	-13	Pass	401




11.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	17.18	30	Pass	401
1780	1781	0.15	RMS	1780.003	-31.61	-13	Pass	401
1781	1782	1	RMS	1781	-39.36	-13	Pass	2
1782	1790	1	RMS	1782.92	-42.6	-13	Pass	401




11.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1775.05	3.44	30	Pass	401
1780	1781	0.15	RMS	1780	-36.34	-13	Pass	401
1781	1782	1	RMS	1781	-30.4	-13	Pass	2
1782	1790	1	RMS	1782.02	-31.72	-13	Pass	401




11.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.79	-13	Pass	401
1708	1709	1	RMS	1709	-38.7	-13	Pass	2
1709	1710	0.2	RMS	1709.83	-40.45	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.09	30	Pass	401




11.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-34.87	-13	Pass	401
1708	1709	1	RMS	1709	-34.5	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-40.25	-13	Pass	401
1710	1730	0.1	RMS	1724.3	-0.79	30	Pass	401




11.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.18	-40.78	-13	Pass	401
1708	1709	1	RMS	1709	-39.36	-13	Pass	2
1709	1710	0.2	RMS	1709.798	-40.78	-13	Pass	401
1710	1730	0.1	RMS	1711.1	18.11	30	Pass	401




11.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.96	-13	Pass	401
1708	1709	1	RMS	1709	-32	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-37.1	-13	Pass	401
1710	1730	0.1	RMS	1715.25	3.14	30	Pass	401




11.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	18.21	30	Pass	401
1780	1781	0.2	RMS	1780.785	-57.88	-13	Pass	401
1781	1782	1	RMS	1782	-51.22	-13	Pass	2
1782	1790	1	RMS	1788.62	-50.96	-13	Pass	401




11.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1774.25	-0.93	30	Pass	401
1780	1781	0.2	RMS	1780.098	-40.25	-13	Pass	401
1781	1782	1	RMS	1781	-34.91	-13	Pass	2
1782	1790	1	RMS	1782	-36.03	-13	Pass	401




11.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	17.86	30	Pass	401
1780	1781	0.2	RMS	1780.005	-41.29	-13	Pass	401
1781	1782	1	RMS	1781	-40.02	-13	Pass	2
1782	1790	1	RMS	1782	-41.49	-13	Pass	401



11.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1774.25	3.55	30	Pass	401
1780	1781	0.2	RMS	1780	-33.37	-13	Pass	401
1781	1782	1	RMS	1781	-28.01	-13	Pass	2
1782	1790	1	RMS	1782	-29.66	-13	Pass	401



1. LTE_Band26(part90)


1.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.72	-13	Pass	51
813.9625	814	0.002	RMS	813.994	-36.58	-20	Pass	401
814	819	0.1	RMS	814.25	19.41	30	Pass	401




1.2. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.02	-13	Pass	401
813.9625	814	0.02	RMS	813.999	-31.77	-20	Pass	401
814	819	0.1	RMS	815.125	11.02	30	Pass	401




1.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.06	-13	Pass	51
813.9625	814	0.002	RMS	813.994	-36.58	-20	Pass	401
814	819	0.1	RMS	814.25	18.41	30	Pass	401




1.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.38	-13	Pass	401
813.9625	814	0.02	RMS	814	-33.07	-20	Pass	401
814	819	0.1	RMS	815.125	10.18	30	Pass	401




1.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.37	30	Pass	401
824	824.0375	0.002	RMS	824.006	-38.7	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.4	-13	Pass	51




1.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.913	10.88	30	Pass	401
824	824.0375	0.02	RMS	824	-31.17	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-24.66	-13	Pass	401




1.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	18.44	30	Pass	401
824	824.0375	0.002	RMS	824.008	-37.75	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.77	-13	Pass	401




1.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.313	10.04	30	Pass	401
824	824.0375	0.02	RMS	824	-32.98	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.21	-13	Pass	401



1.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.54	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-33.16	-20	Pass	20
814	819	0.1	RMS	814.238	19.31	30	Pass	401




1.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.22	-13	Pass	401
813.9625	814	0.03	RMS	814	-31.49	-20	Pass	401
814	819	0.1	RMS	816.7	7.13	30	Pass	401




1.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.45	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-33.91	-20	Pass	20
814	819	0.1	RMS	814.25	18.6	30	Pass	401




1.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29	-13	Pass	401
813.9625	814	0.03	RMS	814	-33.41	-20	Pass	401
814	819	0.1	RMS	816.413	6.28	30	Pass	401




1.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	19.3	30	Pass	401
824	824.0375	0.002	RMS	824.004	-34.83	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-23.37	-13	Pass	51




1.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.863	7.07	30	Pass	401
824	824.0375	0.03	RMS	824	-31.42	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.99	-13	Pass	401




1.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	18.4	30	Pass	401
824	824.0375	0.002	RMS	824.003	-33.33	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.06	-13	Pass	51




1.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.988	5.98	30	Pass	401
824	824.0375	0.03	RMS	824.001	-32.83	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-28.53	-13	Pass	401




1.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.21	-13	Pass	401
813.9625	814	0.002	RMS	813.998	-32	-20	Pass	401
814	819	0.1	RMS	814.338	19.41	30	Pass	401




1.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.24	-13	Pass	401
813.9625	814	0.051	RMS	814	-32.3	-20	Pass	401
814	819	0.1	RMS	818.225	4.98	30	Pass	401




1.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.31	-13	Pass	401
813.9625	814	0.002	RMS	813.999	-33.31	-20	Pass	401
814	819	0.1	RMS	814.338	18.81	30	Pass	401




1.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.13	-13	Pass	401
813.9625	814	0.051	RMS	814	-32.51	-20	Pass	401
814	819	0.1	RMS	816.2	4.09	30	Pass	401



1.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	19.3	30	Pass	401
824	824.0375	0.002	RMS	824.001	-32.4	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-19.78	-13	Pass	401




1.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.35	4.85	30	Pass	401
824	824.0375	0.051	RMS	824	-30.74	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-29.14	-13	Pass	401




1.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.675	18.65	30	Pass	401
824	824.0375	0.002	RMS	824.001	-33.31	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.23	-13	Pass	401




1.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.338	3.99	30	Pass	401
824	824.0375	0.051	RMS	824.001	-32.5	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-30.68	-13	Pass	401




1.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.44	-13	Pass	401
813.9625	814	0.02	RMS	814	-32.74	-20	Pass	401
814	819	0.1	RMS	814.588	19.48	30	Pass	401




1.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.5	-13	Pass	401
813.9625	814	0.1	RMS	814	-33.19	-20	Pass	401
814	819	0.1	RMS	818.225	1.83	30	Pass	401




1.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.07	-13	Pass	401
813.9625	814	0.02	RMS	814	-33.35	-20	Pass	401
814	819	0.1	RMS	814.588	18.68	30	Pass	401




1.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.97	-13	Pass	401
813.9625	814	0.1	RMS	814	-32.71	-20	Pass	401
814	819	0.1	RMS	817.025	3.67	30	Pass	401




1.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	19.47	30	Pass	401
824	824.0375	0.02	RMS	824	-32.47	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.59	-13	Pass	401




1.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.013	1.74	30	Pass	401
824	824.0375	0.1	RMS	824.001	-34.07	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-34.57	-13	Pass	401




1.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	18.72	30	Pass	401
824	824.0375	0.02	RMS	824	-32.14	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.13	-13	Pass	401



1.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.388	3.53	30	Pass	401
824	824.0375	0.1	RMS	824.001	-32.24	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-32.64	-13	Pass	401



--BLANK BELOW--