

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	20.53	1.57	22.10	PASS
Band2	1.4	18607	1	#Mid	QPSK	20.54	1.57	22.11	PASS
Band2	1.4	18607	1	#Max	QPSK	20.47	1.57	22.04	PASS
Band2	1.4	18607	3	#0	QPSK	20.49	1.57	22.06	PASS
Band2	1.4	18607	3	#Mid	QPSK	20.39	1.57	21.96	PASS
Band2	1.4	18607	3	#Max	QPSK	20.35	1.57	21.92	PASS
Band2	1.4	18607	6	#0	QPSK	19.37	1.57	20.94	PASS
Band2	1.4	18607	1	#0	16QAM	19.89	1.57	21.46	PASS
Band2	1.4	18607	1	#Mid	16QAM	19.80	1.57	21.37	PASS
Band2	1.4	18607	1	#Max	16QAM	19.87	1.57	21.44	PASS
Band2	1.4	18607	3	#0	16QAM	19.62	1.57	21.19	PASS
Band2	1.4	18607	3	#Mid	16QAM	19.61	1.57	21.18	PASS
Band2	1.4	18607	3	#Max	16QAM	19.51	1.57	21.08	PASS
Band2	1.4	18607	6	#0	16QAM	18.53	1.57	20.10	PASS
Band2	1.4	18900	1	#0	QPSK	20.53	1.57	22.10	PASS
Band2	1.4	18900	1	#Mid	QPSK	20.50	1.57	22.07	PASS
Band2	1.4	18900	1	#Max	QPSK	20.47	1.57	22.04	PASS
Band2	1.4	18900	3	#0	QPSK	20.47	1.57	22.04	PASS
Band2	1.4	18900	3	#Mid	QPSK	20.53	1.57	22.10	PASS
Band2	1.4	18900	3	#Max	QPSK	20.47	1.57	22.04	PASS
Band2	1.4	18900	6	#0	QPSK	19.57	1.57	21.14	PASS
Band2	1.4	18900	1	#0	16QAM	19.67	1.57	21.24	PASS
Band2	1.4	18900	1	#Mid	16QAM	19.64	1.57	21.21	PASS
Band2	1.4	18900	1	#Max	16QAM	19.72	1.57	21.29	PASS
Band2	1.4	18900	3	#0	16QAM	19.53	1.57	21.10	PASS
Band2	1.4	18900	3	#Mid	16QAM	19.59	1.57	21.16	PASS
Band2	1.4	18900	3	#Max	16QAM	19.51	1.57	21.08	PASS
Band2	1.4	18900	6	#0	16QAM	18.60	1.57	20.17	PASS
Band2	1.4	19193	1	#0	QPSK	20.59	1.57	22.16	PASS
Band2	1.4	19193	1	#Mid	QPSK	20.62	1.57	22.19	PASS
Band2	1.4	19193	1	#Max	QPSK	20.49	1.57	22.06	PASS
Band2	1.4	19193	3	#0	QPSK	20.60	1.57	22.17	PASS
Band2	1.4	19193	3	#Mid	QPSK	20.70	1.57	22.27	PASS
Band2	1.4	19193	3	#Max	QPSK	20.62	1.57	22.19	PASS
Band2	1.4	19193	6	#0	QPSK	19.63	1.57	21.20	PASS
Band2	1.4	19193	1	#0	16QAM	19.69	1.57	21.26	PASS
Band2	1.4	19193	1	#Mid	16QAM	19.92	1.57	21.49	PASS
Band2	1.4	19193	1	#Max	16QAM	19.73	1.57	21.30	PASS
Band2	1.4	19193	3	#0	16QAM	19.69	1.57	21.26	PASS

Band2	1.4	19193	3	#Mid	16QAM	19.71	1.57	21.28	PASS
Band2	1.4	19193	3	#Max	16QAM	19.57	1.57	21.14	PASS
Band2	1.4	19193	6	#0	16QAM	18.66	1.57	20.23	PASS
Band2	3	18615	1	#0	QPSK	20.39	1.57	21.96	PASS
Band2	3	18615	1	#Mid	QPSK	20.57	1.57	22.14	PASS
Band2	3	18615	1	#Max	QPSK	20.51	1.57	22.08	PASS
Band2	3	18615	8	#0	QPSK	19.52	1.57	21.09	PASS
Band2	3	18615	8	#Mid	QPSK	19.55	1.57	21.12	PASS
Band2	3	18615	8	#Max	QPSK	19.52	1.57	21.09	PASS
Band2	3	18615	15	#0	QPSK	19.53	1.57	21.10	PASS
Band2	3	18615	1	#0	16QAM	19.71	1.57	21.28	PASS
Band2	3	18615	1	#Mid	16QAM	19.76	1.57	21.33	PASS
Band2	3	18615	1	#Max	16QAM	19.64	1.57	21.21	PASS
Band2	3	18615	8	#0	16QAM	18.63	1.57	20.20	PASS
Band2	3	18615	8	#Mid	16QAM	18.64	1.57	20.21	PASS
Band2	3	18615	8	#Max	16QAM	18.62	1.57	20.19	PASS
Band2	3	18615	15	#0	16QAM	18.57	1.57	20.14	PASS
Band2	3	18900	1	#0	QPSK	20.51	1.57	22.08	PASS
Band2	3	18900	1	#Mid	QPSK	20.48	1.57	22.05	PASS
Band2	3	18900	1	#Max	QPSK	20.46	1.57	22.03	PASS
Band2	3	18900	8	#0	QPSK	19.55	1.57	21.12	PASS
Band2	3	18900	8	#Mid	QPSK	19.53	1.57	21.10	PASS
Band2	3	18900	8	#Max	QPSK	19.44	1.57	21.01	PASS
Band2	3	18900	15	#0	QPSK	19.50	1.57	21.07	PASS
Band2	3	18900	1	#0	16QAM	19.70	1.57	21.27	PASS
Band2	3	18900	1	#Mid	16QAM	19.75	1.57	21.32	PASS
Band2	3	18900	1	#Max	16QAM	19.67	1.57	21.24	PASS
Band2	3	18900	8	#0	16QAM	18.68	1.57	20.25	PASS
Band2	3	18900	8	#Mid	16QAM	18.64	1.57	20.21	PASS
Band2	3	18900	8	#Max	16QAM	18.52	1.57	20.09	PASS
Band2	3	18900	15	#0	16QAM	18.47	1.57	20.04	PASS
Band2	3	19185	1	#0	QPSK	20.58	1.57	22.15	PASS
Band2	3	19185	1	#Mid	QPSK	20.56	1.57	22.13	PASS
Band2	3	19185	1	#Max	QPSK	20.41	1.57	21.98	PASS
Band2	3	19185	8	#0	QPSK	19.67	1.57	21.24	PASS
Band2	3	19185	8	#Mid	QPSK	19.61	1.57	21.18	PASS
Band2	3	19185	8	#Max	QPSK	19.63	1.57	21.20	PASS
Band2	3	19185	15	#0	QPSK	19.72	1.57	21.29	PASS
Band2	3	19185	1	#0	16QAM	19.73	1.57	21.30	PASS
Band2	3	19185	1	#Mid	16QAM	19.82	1.57	21.39	PASS
Band2	3	19185	1	#Max	16QAM	19.67	1.57	21.24	PASS
Band2	3	19185	8	#0	16QAM	18.67	1.57	20.24	PASS
Band2	3	19185	8	#Mid	16QAM	18.72	1.57	20.29	PASS

Band2	3	19185	8	#Max	16QAM	18.72	1.57	20.29	PASS
Band2	3	19185	15	#0	16QAM	18.63	1.57	20.20	PASS
Band2	5	18625	1	#0	QPSK	20.61	1.57	22.18	PASS
Band2	5	18625	1	#Mid	QPSK	20.50	1.57	22.07	PASS
Band2	5	18625	1	#Max	QPSK	20.42	1.57	21.99	PASS
Band2	5	18625	12	#0	QPSK	19.59	1.57	21.16	PASS
Band2	5	18625	12	#Mid	QPSK	19.60	1.57	21.17	PASS
Band2	5	18625	12	#Max	QPSK	19.55	1.57	21.12	PASS
Band2	5	18625	25	#0	QPSK	19.53	1.57	21.10	PASS
Band2	5	18625	1	#0	16QAM	19.93	1.57	21.50	PASS
Band2	5	18625	1	#Mid	16QAM	19.82	1.57	21.39	PASS
Band2	5	18625	1	#Max	16QAM	19.70	1.57	21.27	PASS
Band2	5	18625	12	#0	16QAM	18.62	1.57	20.19	PASS
Band2	5	18625	12	#Mid	16QAM	18.62	1.57	20.19	PASS
Band2	5	18625	12	#Max	16QAM	18.61	1.57	20.18	PASS
Band2	5	18625	25	#0	16QAM	18.57	1.57	20.14	PASS
Band2	5	18900	1	#0	QPSK	20.64	1.57	22.21	PASS
Band2	5	18900	1	#Mid	QPSK	20.61	1.57	22.18	PASS
Band2	5	18900	1	#Max	QPSK	20.29	1.57	21.86	PASS
Band2	5	18900	12	#0	QPSK	19.51	1.57	21.08	PASS
Band2	5	18900	12	#Mid	QPSK	19.54	1.57	21.11	PASS
Band2	5	18900	12	#Max	QPSK	19.53	1.57	21.10	PASS
Band2	5	18900	25	#0	QPSK	19.57	1.57	21.14	PASS
Band2	5	18900	1	#0	16QAM	19.66	1.57	21.23	PASS
Band2	5	18900	1	#Mid	16QAM	19.77	1.57	21.34	PASS
Band2	5	18900	1	#Max	16QAM	19.55	1.57	21.12	PASS
Band2	5	18900	12	#0	16QAM	18.44	1.57	20.01	PASS
Band2	5	18900	12	#Mid	16QAM	18.59	1.57	20.16	PASS
Band2	5	18900	12	#Max	16QAM	18.51	1.57	20.08	PASS
Band2	5	18900	25	#0	16QAM	18.53	1.57	20.10	PASS
Band2	5	19175	1	#0	QPSK	20.80	1.57	22.37	PASS
Band2	5	19175	1	#Mid	QPSK	20.67	1.57	22.24	PASS
Band2	5	19175	1	#Max	QPSK	20.21	1.57	21.78	PASS
Band2	5	19175	12	#0	QPSK	19.71	1.57	21.28	PASS
Band2	5	19175	12	#Mid	QPSK	19.55	1.57	21.12	PASS
Band2	5	19175	12	#Max	QPSK	19.63	1.57	21.20	PASS
Band2	5	19175	25	#0	QPSK	19.63	1.57	21.20	PASS
Band2	5	19175	1	#0	16QAM	19.82	1.57	21.39	PASS
Band2	5	19175	1	#Mid	16QAM	19.76	1.57	21.33	PASS
Band2	5	19175	1	#Max	16QAM	19.43	1.57	21.00	PASS
Band2	5	19175	12	#0	16QAM	18.73	1.57	20.30	PASS
Band2	5	19175	12	#Mid	16QAM	18.60	1.57	20.17	PASS
Band2	5	19175	12	#Max	16QAM	18.67	1.57	20.24	PASS

Band2	5	19175	25	#0	16QAM	18.53	1.57	20.10	PASS
Band2	10	18650	1	#0	QPSK	20.79	1.57	22.36	PASS
Band2	10	18650	1	#Mid	QPSK	20.98	1.57	22.55	PASS
Band2	10	18650	1	#Max	QPSK	20.07	1.57	21.64	PASS
Band2	10	18650	25	#0	QPSK	19.69	1.57	21.26	PASS
Band2	10	18650	25	#Mid	QPSK	19.64	1.57	21.21	PASS
Band2	10	18650	25	#Max	QPSK	19.53	1.57	21.10	PASS
Band2	10	18650	50	#0	QPSK	19.62	1.57	21.19	PASS
Band2	10	18650	1	#0	16QAM	20.14	1.57	21.71	PASS
Band2	10	18650	1	#Mid	16QAM	20.27	1.57	21.84	PASS
Band2	10	18650	1	#Max	16QAM	19.43	1.57	21.00	PASS
Band2	10	18650	25	#0	16QAM	18.94	1.57	20.51	PASS
Band2	10	18650	25	#Mid	16QAM	18.57	1.57	20.14	PASS
Band2	10	18650	25	#Max	16QAM	18.47	1.57	20.04	PASS
Band2	10	18650	50	#0	16QAM	18.54	1.57	20.11	PASS
Band2	10	18900	1	#0	QPSK	20.82	1.57	22.39	PASS
Band2	10	18900	1	#Mid	QPSK	20.56	1.57	22.13	PASS
Band2	10	18900	1	#Max	QPSK	20.07	1.57	21.64	PASS
Band2	10	18900	25	#0	QPSK	19.87	1.57	21.44	PASS
Band2	10	18900	25	#Mid	QPSK	19.46	1.57	21.03	PASS
Band2	10	18900	25	#Max	QPSK	19.59	1.57	21.16	PASS
Band2	10	18900	50	#0	QPSK	19.63	1.57	21.20	PASS
Band2	10	18900	1	#0	16QAM	20.02	1.57	21.59	PASS
Band2	10	18900	1	#Mid	16QAM	19.94	1.57	21.51	PASS
Band2	10	18900	1	#Max	16QAM	19.39	1.57	20.96	PASS
Band2	10	18900	25	#0	16QAM	18.48	1.57	20.05	PASS
Band2	10	18900	25	#Mid	16QAM	18.50	1.57	20.07	PASS
Band2	10	18900	25	#Max	16QAM	18.62	1.57	20.19	PASS
Band2	10	18900	50	#0	16QAM	18.57	1.57	20.14	PASS
Band2	10	19150	1	#0	QPSK	20.95	1.57	22.52	PASS
Band2	10	19150	1	#Mid	QPSK	20.81	1.57	22.38	PASS
Band2	10	19150	1	#Max	QPSK	20.00	1.57	21.57	PASS
Band2	10	19150	25	#0	QPSK	20.16	1.57	21.73	PASS
Band2	10	19150	25	#Mid	QPSK	19.70	1.57	21.27	PASS
Band2	10	19150	25	#Max	QPSK	19.68	1.57	21.25	PASS
Band2	10	19150	50	#0	QPSK	19.75	1.57	21.32	PASS
Band2	10	19150	1	#0	16QAM	20.22	1.57	21.79	PASS
Band2	10	19150	1	#Mid	16QAM	19.98	1.57	21.55	PASS
Band2	10	19150	1	#Max	16QAM	19.05	1.57	20.62	PASS
Band2	10	19150	25	#0	16QAM	19.52	1.57	21.09	PASS
Band2	10	19150	25	#Mid	16QAM	18.55	1.57	20.12	PASS
Band2	10	19150	25	#Max	16QAM	18.63	1.57	20.20	PASS
Band2	10	19150	50	#0	16QAM	18.70	1.57	20.27	PASS

Band2	15	18675	1	#0	QPSK	20.94	1.57	22.51	PASS
Band2	15	18675	1	#Mid	QPSK	20.81	1.57	22.38	PASS
Band2	15	18675	1	#Max	QPSK	20.20	1.57	21.77	PASS
Band2	15	18675	36	#0	QPSK	19.66	1.57	21.23	PASS
Band2	15	18675	36	#Mid	QPSK	19.57	1.57	21.14	PASS
Band2	15	18675	36	#Max	QPSK	19.68	1.57	21.25	PASS
Band2	15	18675	75	#0	QPSK	19.64	1.57	21.21	PASS
Band2	15	18675	1	#0	16QAM	20.20	1.57	21.77	PASS
Band2	15	18675	1	#Mid	16QAM	20.03	1.57	21.60	PASS
Band2	15	18675	1	#Max	16QAM	19.75	1.57	21.32	PASS
Band2	15	18675	36	#0	16QAM	18.64	1.57	20.21	PASS
Band2	15	18675	36	#Mid	16QAM	18.57	1.57	20.14	PASS
Band2	15	18675	36	#Max	16QAM	18.59	1.57	20.16	PASS
Band2	15	18675	75	#0	16QAM	18.57	1.57	20.14	PASS
Band2	15	18900	1	#0	QPSK	20.95	1.57	22.52	PASS
Band2	15	18900	1	#Mid	QPSK	20.47	1.57	22.04	PASS
Band2	15	18900	1	#Max	QPSK	20.32	1.57	21.89	PASS
Band2	15	18900	36	#0	QPSK	19.66	1.57	21.23	PASS
Band2	15	18900	36	#Mid	QPSK	19.55	1.57	21.12	PASS
Band2	15	18900	36	#Max	QPSK	19.55	1.57	21.12	PASS
Band2	15	18900	75	#0	QPSK	19.57	1.57	21.14	PASS
Band2	15	18900	1	#0	16QAM	20.11	1.57	21.68	PASS
Band2	15	18900	1	#Mid	16QAM	19.77	1.57	21.34	PASS
Band2	15	18900	1	#Max	16QAM	19.73	1.57	21.30	PASS
Band2	15	18900	36	#0	16QAM	18.48	1.57	20.05	PASS
Band2	15	18900	36	#Mid	16QAM	18.48	1.57	20.05	PASS
Band2	15	18900	36	#Max	16QAM	18.60	1.57	20.17	PASS
Band2	15	18900	75	#0	16QAM	18.62	1.57	20.19	PASS
Band2	15	19125	1	#0	QPSK	20.93	1.57	22.50	PASS
Band2	15	19125	1	#Mid	QPSK	20.53	1.57	22.10	PASS
Band2	15	19125	1	#Max	QPSK	20.19	1.57	21.76	PASS
Band2	15	19125	36	#0	QPSK	20.47	1.57	22.04	PASS
Band2	15	19125	36	#Mid	QPSK	19.57	1.57	21.14	PASS
Band2	15	19125	36	#Max	QPSK	19.62	1.57	21.19	PASS
Band2	15	19125	75	#0	QPSK	19.69	1.57	21.26	PASS
Band2	15	19125	1	#0	16QAM	20.35	1.57	21.92	PASS
Band2	15	19125	1	#Mid	16QAM	19.94	1.57	21.51	PASS
Band2	15	19125	1	#Max	16QAM	19.41	1.57	20.98	PASS
Band2	15	19125	36	#0	16QAM	19.51	1.57	21.08	PASS
Band2	15	19125	36	#Mid	16QAM	18.61	1.57	20.18	PASS
Band2	15	19125	36	#Max	16QAM	18.64	1.57	20.21	PASS
Band2	15	19125	75	#0	16QAM	18.72	1.57	20.29	PASS
Band2	20	18700	1	#0	QPSK	20.75	1.57	22.32	PASS

Band2	20	18700	1	#Mid	QPSK	20.71	1.57	22.28	PASS
Band2	20	18700	1	#Max	QPSK	19.76	1.57	21.33	PASS
Band2	20	18700	50	#0	QPSK	19.62	1.57	21.19	PASS
Band2	20	18700	50	#Mid	QPSK	19.64	1.57	21.21	PASS
Band2	20	18700	50	#Max	QPSK	19.62	1.57	21.19	PASS
Band2	20	18700	100	#0	QPSK	19.57	1.57	21.14	PASS
Band2	20	18700	1	#0	16QAM	20.17	1.57	21.74	PASS
Band2	20	18700	1	#Mid	16QAM	20.00	1.57	21.57	PASS
Band2	20	18700	1	#Max	16QAM	19.01	1.57	20.58	PASS
Band2	20	18700	50	#0	16QAM	18.73	1.57	20.30	PASS
Band2	20	18700	50	#Mid	16QAM	18.61	1.57	20.18	PASS
Band2	20	18700	50	#Max	16QAM	18.66	1.57	20.23	PASS
Band2	20	18700	100	#0	16QAM	18.71	1.57	20.28	PASS
Band2	20	18900	1	#0	QPSK	20.69	1.57	22.26	PASS
Band2	20	18900	1	#Mid	QPSK	20.49	1.57	22.06	PASS
Band2	20	18900	1	#Max	QPSK	20.30	1.57	21.87	PASS
Band2	20	18900	50	#0	QPSK	20.05	1.57	21.62	PASS
Band2	20	18900	50	#Mid	QPSK	19.51	1.57	21.08	PASS
Band2	20	18900	50	#Max	QPSK	19.57	1.57	21.14	PASS
Band2	20	18900	100	#0	QPSK	19.69	1.57	21.26	PASS
Band2	20	18900	1	#0	16QAM	20.05	1.57	21.62	PASS
Band2	20	18900	1	#Mid	16QAM	19.77	1.57	21.34	PASS
Band2	20	18900	1	#Max	16QAM	19.68	1.57	21.25	PASS
Band2	20	18900	50	#0	16QAM	18.64	1.57	20.21	PASS
Band2	20	18900	50	#Mid	16QAM	18.45	1.57	20.02	PASS
Band2	20	18900	50	#Max	16QAM	18.63	1.57	20.20	PASS
Band2	20	18900	100	#0	16QAM	18.53	1.57	20.10	PASS
Band2	20	19100	1	#0	QPSK	20.87	1.57	22.44	PASS
Band2	20	19100	1	#Mid	QPSK	20.64	1.57	22.21	PASS
Band2	20	19100	1	#Max	QPSK	19.82	1.57	21.39	PASS
Band2	20	19100	50	#0	QPSK	20.45	1.57	22.02	PASS
Band2	20	19100	50	#Mid	QPSK	19.57	1.57	21.14	PASS
Band2	20	19100	50	#Max	QPSK	19.70	1.57	21.27	PASS
Band2	20	19100	100	#0	QPSK	19.89	1.57	21.46	PASS
Band2	20	19100	1	#0	16QAM	20.26	1.57	21.83	PASS
Band2	20	19100	1	#Mid	16QAM	19.97	1.57	21.54	PASS
Band2	20	19100	1	#Max	16QAM	19.27	1.57	20.84	PASS
Band2	20	19100	50	#0	16QAM	19.48	1.57	21.05	PASS
Band2	20	19100	50	#Mid	16QAM	18.62	1.57	20.19	PASS
Band2	20	19100	50	#Max	16QAM	18.73	1.57	20.30	PASS
Band2	20	19100	100	#0	16QAM	18.72	1.57	20.29	PASS

2 Frequency stability


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
Band2	1.4	18607	6	#0	QPSK	VL	NT	1.70	0.001	±2.5	PASS
Band2	1.4	18607	6	#0	QPSK	VN	NT	1.00	0.001	±2.5	PASS
Band2	1.4	18607	6	#0	QPSK	VH	NT	2.20	0.001	±2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	-30	3.40	0.002	±2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	-20	-0.20	0.000	±2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	-10	1.90	0.001	±2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	0	-2.00	-0.001	±2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	10	-0.10	0.000	±2.5	PASS
Band2	1.4	18607	6	#0	QPSK	NV	20	4.30	0.002	±2.5	PASS
Band2	1.4	18607	6	#0	16QAM	VL	NT	4.60	0.002	±2.5	PASS
Band2	1.4	18607	6	#0	16QAM	VN	NT	6.10	0.003	±2.5	PASS
Band2	1.4	18607	6	#0	16QAM	VH	NT	4.10	0.002	±2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	-30	2.60	0.001	±2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	-20	2.50	0.001	±2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	-10	0.60	0.000	±2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	0	0.50	0.000	±2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	10	3.70	0.002	±2.5	PASS
Band2	1.4	18607	6	#0	16QAM	NV	20	6.80	0.004	±2.5	PASS
Band2	1.4	18900	6	#0	QPSK	VL	NT	1.10	0.001	±2.5	PASS
Band2	1.4	18900	6	#0	QPSK	VN	NT	-1.30	-0.001	±2.5	PASS
Band2	1.4	18900	6	#0	QPSK	VH	NT	1.50	0.001	±2.5	PASS
Band2	1.4	18900	6	#0	QPSK	NV	-30	1.30	0.001	±2.5	PASS
Band2	1.4	18900	6	#0	QPSK	NV	-20	1.00	0.001	±2.5	PASS
Band2	1.4	18900	6	#0	QPSK	NV	-10	1.70	0.001	±2.5	PASS
Band2	1.4	18900	6	#0	QPSK	NV	0	-0.90	0.000	±2.5	PASS
Band2	1.4	18900	6	#0	QPSK	NV	10	-2.00	-0.001	±2.5	PASS
Band2	1.4	18900	6	#0	QPSK	NV	20	-0.30	0.000	±2.5	PASS
Band2	1.4	18900	6	#0	16QAM	VL	NT	0.50	0.000	±2.5	PASS
Band2	1.4	18900	6	#0	16QAM	VN	NT	1.80	0.001	±2.5	PASS
Band2	1.4	18900	6	#0	16QAM	VH	NT	1.70	0.001	±2.5	PASS
Band2	1.4	18900	6	#0	16QAM	NV	-30	0.30	0.000	±2.5	PASS
Band2	1.4	18900	6	#0	16QAM	NV	-20	-0.80	0.000	±2.5	PASS
Band2	1.4	18900	6	#0	16QAM	NV	-10	2.50	0.001	±2.5	PASS
Band2	1.4	18900	6	#0	16QAM	NV	0	3.90	0.002	±2.5	PASS
Band2	1.4	18900	6	#0	16QAM	NV	10	0.40	0.000	±2.5	PASS
Band2	1.4	18900	6	#0	16QAM	NV	20	3.50	0.002	±2.5	PASS
Band2	1.4	19193	6	#0	QPSK	VL	NT	-3.20	-0.002	±2.5	PASS
Band2	1.4	19193	6	#0	QPSK	VN	NT	-4.10	-0.002	±2.5	PASS
Band2	1.4	19193	6	#0	QPSK	VH	NT	-1.70	-0.001	±2.5	PASS

Band2	1.4	19193	6	#0	QPSK	NV	-30	-4.20	-0.002	±2.5	PASS
Band2	1.4	19193	6	#0	QPSK	NV	-20	-6.00	-0.003	±2.5	PASS
Band2	1.4	19193	6	#0	QPSK	NV	-10	-3.20	-0.002	±2.5	PASS
Band2	1.4	19193	6	#0	QPSK	NV	0	-0.70	0.000	±2.5	PASS
Band2	1.4	19193	6	#0	QPSK	NV	10	-6.30	-0.003	±2.5	PASS
Band2	1.4	19193	6	#0	QPSK	NV	20	-3.30	-0.002	±2.5	PASS
Band2	1.4	19193	6	#0	16QAM	VL	NT	0.00	0.000	±2.5	PASS
Band2	1.4	19193	6	#0	16QAM	VN	NT	-1.10	-0.001	±2.5	PASS
Band2	1.4	19193	6	#0	16QAM	VH	NT	-0.10	0.000	±2.5	PASS
Band2	1.4	19193	6	#0	16QAM	NV	-30	-2.70	-0.001	±2.5	PASS
Band2	1.4	19193	6	#0	16QAM	NV	-20	-4.20	-0.002	±2.5	PASS
Band2	1.4	19193	6	#0	16QAM	NV	-10	-3.60	-0.002	±2.5	PASS
Band2	1.4	19193	6	#0	16QAM	NV	0	-6.60	-0.003	±2.5	PASS
Band2	1.4	19193	6	#0	16QAM	NV	10	-0.20	0.000	±2.5	PASS
Band2	1.4	19193	6	#0	16QAM	NV	20	-3.70	-0.002	±2.5	PASS

3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18607	1	#0	QPSK	5.36	13	PASS
Band2	1.4	18607	1	#0	16QAM	6.09	13	PASS
Band2	1.4	18900	1	#0	QPSK	5.25	13	PASS
Band2	1.4	18900	1	#0	16QAM	5.94	13	PASS
Band2	1.4	19193	1	#0	QPSK	4.84	13	PASS
Band2	1.4	19193	1	#0	16QAM	5.59	13	PASS
Band2	3	18615	1	#0	QPSK	5.36	13	PASS
Band2	3	18615	1	#0	16QAM	6.12	13	PASS
Band2	3	18900	1	#0	QPSK	5.28	13	PASS
Band2	3	18900	1	#0	16QAM	6.03	13	PASS
Band2	3	19185	1	#0	QPSK	5.01	13	PASS
Band2	3	19185	1	#0	16QAM	5.74	13	PASS
Band2	5	18625	1	#0	QPSK	5.28	13	PASS
Band2	5	18625	1	#0	16QAM	6.03	13	PASS
Band2	5	18900	1	#0	QPSK	5.19	13	PASS
Band2	5	18900	1	#0	16QAM	5.97	13	PASS
Band2	5	19175	1	#0	QPSK	5.07	13	PASS
Band2	5	19175	1	#0	16QAM	5.86	13	PASS
Band2	10	18650	1	#0	QPSK	5.25	13	PASS
Band2	10	18650	1	#0	16QAM	6.03	13	PASS
Band2	10	18900	1	#0	QPSK	5.16	13	PASS
Band2	10	18900	1	#0	16QAM	5.88	13	PASS
Band2	10	19150	1	#0	QPSK	5.07	13	PASS
Band2	10	19150	1	#0	16QAM	5.74	13	PASS
Band2	15	18675	1	#0	QPSK	5.25	13	PASS
Band2	15	18675	1	#0	16QAM	6.00	13	PASS
Band2	15	18900	1	#0	QPSK	5.07	13	PASS
Band2	15	18900	1	#0	16QAM	5.80	13	PASS
Band2	15	19125	1	#0	QPSK	4.84	13	PASS
Band2	15	19125	1	#0	16QAM	5.59	13	PASS
Band2	20	18700	1	#0	QPSK	5.22	13	PASS
Band2	20	18700	1	#0	16QAM	5.94	13	PASS
Band2	20	18900	1	#0	QPSK	4.93	13	PASS
Band2	20	18900	1	#0	16QAM	5.71	13	PASS
Band2	20	19100	1	#0	QPSK	4.90	13	PASS
Band2	20	19100	1	#0	16QAM	5.59	13	PASS

Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:20:32

Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:20:37

Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:00

Band2 16QAM BW=3MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:05

Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:29

Band2 16QAM BW=5MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:33

Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:57

Band2 16QAM BW=10MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:22:02

Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:22:25

Band2 16QAM BW=15MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:22:30

Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:22:54

Band2 16QAM BW=20MHz Channel=18900 RB Size=1 Position=#0




Date: 8.JUN.2023 15:22:58

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Date: 8.JUN.2023 15:20:23

Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Date: 8.JUN.2023 15:20:27

Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Date: 8.JUN.2023 15:20:41

Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Date: 8.JUN.2023 15:20:46

Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Date: 8.JUN.2023 15:20:51

Band2 16QAM BW=3MHz Channel=18615 RB Size=1 Position=#0




Date: 8.JUN.2023 15:20:56

Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:10

Band2 16QAM BW=3MHz Channel=19185 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:14

Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:19

Band2 16QAM BW=5MHz Channel=18625 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:24

Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:38

Band2 16QAM BW=5MHz Channel=19175 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:42

Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:48

Band2 16QAM BW=10MHz Channel=18650 RB Size=1 Position=#0




Date: 8.JUN.2023 15:21:52

Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0



Date: 8.JUN.2023 15:22:06

Band2 16QAM BW=10MHz Channel=19150 RB Size=1 Position=#0



Date: 8.JUN.2023 15:22:11