

Appendix for Band 17

Report No.: BCTC2501387884-6E

Applicant: SHENZHEN YUNJI INTELLIGENT TECHNOLOGY
CO.,LTD

Product Name: Smart Phone


Test Model: C60

Tested Date: 2025-01-03 to 2025-02-25

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement	3
Appendix 2. Frequency stability.....	6
Appendix 3. Peak-to-Average Ratio	10
Appendix 4. Occupied bandwidth	17
Appendix 5. Band edge	24
Appendix 6. Out-of-band emissions	29




Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power

Measurement

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	Verdict
Band17	5	23755	1	#0	QPSK	23.86	-4.25	17.46	PASS
Band17	5	23755	1	#Mid	QPSK	21.89	-4.25	15.49	PASS
Band17	5	23755	1	#Max	QPSK	21.88	-4.25	15.48	PASS
Band17	5	23755	12	#0	QPSK	23.11	-4.25	16.71	PASS
Band17	5	23755	12	#Mid	QPSK	22.96	-4.25	16.56	PASS
Band17	5	23755	12	#Max	QPSK	22.92	-4.25	16.52	PASS
Band17	5	23755	25	#0	QPSK	22.87	-4.25	16.47	PASS
Band17	5	23755	1	#0	16QAM	22.59	-4.25	16.19	PASS
Band17	5	23755	1	#Mid	16QAM	22.63	-4.25	16.23	PASS
Band17	5	23755	1	#Max	16QAM	22.62	-4.25	16.22	PASS
Band17	5	23755	12	#0	16QAM	21.89	-4.25	15.49	PASS
Band17	5	23755	12	#Mid	16QAM	21.88	-4.25	15.48	PASS
Band17	5	23755	12	#Max	16QAM	21.77	-4.25	15.37	PASS
Band17	5	23755	25	#0	16QAM	22.06	-4.25	15.66	PASS
Band17	5	23790	1	#0	QPSK	21.89	-4.25	15.49	PASS
Band17	5	23790	1	#Mid	QPSK	23.74	-4.25	17.34	PASS
Band17	5	23790	1	#Max	QPSK	23.93	-4.25	17.53	PASS
Band17	5	23790	12	#0	QPSK	23.00	-4.25	16.60	PASS
Band17	5	23790	12	#Mid	QPSK	23.30	-4.25	16.90	PASS
Band17	5	23790	12	#Max	QPSK	23.23	-4.25	16.83	PASS
Band17	5	23790	25	#0	QPSK	23.30	-4.25	16.90	PASS
Band17	5	23790	1	#0	16QAM	21.89	-4.25	15.49	PASS
Band17	5	23790	1	#Mid	16QAM	21.88	-4.25	15.48	PASS
Band17	5	23790	1	#Max	16QAM	21.77	-4.25	15.37	PASS
Band17	5	23790	12	#0	16QAM	21.86	-4.25	15.46	PASS
Band17	5	23790	12	#Mid	16QAM	22.25	-4.25	15.85	PASS
Band17	5	23790	12	#Max	16QAM	22.26	-4.25	15.86	PASS
Band17	5	23790	25	#0	16QAM	22.44	-4.25	16.04	PASS
Band17	5	23825	1	#0	QPSK	24.16	-4.25	17.76	PASS
Band17	5	23825	1	#Mid	QPSK	23.69	-4.25	17.29	PASS
Band17	5	23825	1	#Max	QPSK	23.63	-4.25	17.23	PASS
Band17	5	23825	12	#0	QPSK	23.30	-4.25	16.90	PASS
Band17	5	23825	12	#Mid	QPSK	22.74	-4.25	16.34	PASS
Band17	5	23825	12	#Max	QPSK	22.83	-4.25	16.43	PASS
Band17	5	23825	25	#0	QPSK	22.85	-4.25	16.45	PASS
Band17	5	23825	1	#0	16QAM	23.30	-4.25	16.90	PASS

Band17	5	23825	1	#Mid	16QAM	22.90	-4.25	16.50	PASS
Band17	5	23825	1	#Max	16QAM	22.82	-4.25	16.42	PASS
Band17	5	23825	12	#0	16QAM	22.18	-4.25	15.78	PASS
Band17	5	23825	12	#Mid	16QAM	22.09	-4.25	15.69	PASS
Band17	5	23825	12	#Max	16QAM	22.03	-4.25	15.63	PASS
Band17	5	23825	25	#0	16QAM	22.23	-4.25	15.83	PASS
Band17	10	23780	1	#0	QPSK	23.95	-4.25	17.55	PASS
Band17	10	23780	1	#Mid	QPSK	23.86	-4.25	17.46	PASS
Band17	10	23780	1	#Max	QPSK	23.80	-4.25	17.40	PASS
Band17	10	23780	25	#0	QPSK	23.05	-4.25	16.65	PASS
Band17	10	23780	25	#Mid	QPSK	22.96	-4.25	16.56	PASS
Band17	10	23780	25	#Max	QPSK	23.23	-4.25	16.83	PASS
Band17	10	23780	50	#0	QPSK	22.89	-4.25	16.49	PASS
Band17	10	23780	1	#0	16QAM	23.68	-4.25	17.28	PASS
Band17	10	23780	1	#Mid	16QAM	23.84	-4.25	17.44	PASS
Band17	10	23780	1	#Max	16QAM	23.60	-4.25	17.20	PASS
Band17	10	23780	25	#0	16QAM	21.90	-4.25	15.50	PASS
Band17	10	23780	25	#Mid	16QAM	21.83	-4.25	15.43	PASS
Band17	10	23780	25	#Max	16QAM	22.28	-4.25	15.88	PASS
Band17	10	23780	50	#0	16QAM	21.93	-4.25	15.53	PASS
Band17	10	23790	1	#0	QPSK	23.92	-4.25	17.52	PASS
Band17	10	23790	1	#Mid	QPSK	23.78	-4.25	17.38	PASS
Band17	10	23790	1	#Max	QPSK	23.72	-4.25	17.32	PASS
Band17	10	23790	25	#0	QPSK	22.96	-4.25	16.56	PASS
Band17	10	23790	25	#Mid	QPSK	23.31	-4.25	16.91	PASS
Band17	10	23790	25	#Max	QPSK	23.16	-4.25	16.76	PASS
Band17	10	23790	50	#0	QPSK	23.33	-4.25	16.93	PASS
Band17	10	23790	1	#0	16QAM	21.89	-4.25	15.49	PASS
Band17	10	23790	1	#Mid	16QAM	21.88	-4.25	15.48	PASS
Band17	10	23790	1	#Max	16QAM	21.77	-4.25	15.37	PASS
Band17	10	23790	25	#0	16QAM	21.99	-4.25	15.59	PASS
Band17	10	23790	25	#Mid	16QAM	22.38	-4.25	15.98	PASS
Band17	10	23790	25	#Max	16QAM	22.31	-4.25	15.91	PASS
Band17	10	23790	50	#0	16QAM	22.32	-4.25	15.92	PASS
Band17	10	23800	1	#0	QPSK	23.78	-4.25	17.38	PASS
Band17	10	23800	1	#Mid	QPSK	23.77	-4.25	17.37	PASS
Band17	10	23800	1	#Max	QPSK	23.75	-4.25	17.35	PASS
Band17	10	23800	25	#0	QPSK	22.96	-4.25	16.56	PASS
Band17	10	23800	25	#Mid	QPSK	23.30	-4.25	16.90	PASS
Band17	10	23800	25	#Max	QPSK	22.71	-4.25	16.31	PASS
Band17	10	23800	50	#0	QPSK	23.26	-4.25	16.86	PASS
Band17	10	23800	1	#0	16QAM	23.56	-4.25	17.16	PASS
Band17	10	23800	1	#Mid	16QAM	23.74	-4.25	17.34	PASS

Band17	10	23800	1	#Max	16QAM	23.16	-4.25	16.76	PASS
Band17	10	23800	25	#0	16QAM	21.98	-4.25	15.58	PASS
Band17	10	23800	25	#Mid	16QAM	22.33	-4.25	15.93	PASS
Band17	10	23800	25	#Max	16QAM	22.29	-4.25	15.89	PASS
Band17	10	23800	50	#0	16QAM	22.24	-4.25	15.84	PASS



Appendix 2. Frequency stability


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperatue (C)	Result (Hz)	Result (ppm)	Verdict
Band17	5	23755	25	#0	QPSK	LV	NT	34.00	0.048	PASS
Band17	5	23755	25	#0	QPSK	NV	NT	28.84	0.041	PASS
Band17	5	23755	25	#0	QPSK	HV	NT	24.78	0.035	PASS
Band17	5	23755	25	#0	16QAM	LV	NT	20.36	0.029	PASS
Band17	5	23755	25	#0	16QAM	NV	NT	19.66	0.028	PASS
Band17	5	23755	25	#0	16QAM	HV	NT	19.13	0.027	PASS
Band17	5	23790	25	#0	QPSK	LV	NT	0.20	0.000	PASS
Band17	5	23790	25	#0	QPSK	NV	NT	-0.47	-0.001	PASS
Band17	5	23790	25	#0	QPSK	HV	NT	-3.02	-0.004	PASS
Band17	5	23790	25	#0	16QAM	LV	NT	-4.95	-0.007	PASS
Band17	5	23790	25	#0	16QAM	NV	NT	-5.02	-0.007	PASS
Band17	5	23790	25	#0	16QAM	HV	NT	-4.78	-0.007	PASS
Band17	5	23825	25	#0	QPSK	LV	NT	2.47	0.003	PASS
Band17	5	23825	25	#0	QPSK	NV	NT	1.10	0.002	PASS
Band17	5	23825	25	#0	QPSK	HV	NT	0.04	0.000	PASS
Band17	5	23825	25	#0	16QAM	LV	NT	-0.80	-0.001	PASS
Band17	5	23825	25	#0	16QAM	NV	NT	-1.99	-0.003	PASS
Band17	5	23825	25	#0	16QAM	HV	NT	-1.19	-0.002	PASS
Band17	10	23780	50	#0	QPSK	LV	NT	-6.01	-0.008	PASS
Band17	10	23780	50	#0	QPSK	NV	NT	-17.09	-0.024	PASS
Band17	10	23780	50	#0	QPSK	HV	NT	-28.74	-0.041	PASS
Band17	10	23780	50	#0	16QAM	LV	NT	-33.92	-0.048	PASS
Band17	10	23780	50	#0	16QAM	NV	NT	-36.69	-0.052	PASS
Band17	10	23780	50	#0	16QAM	HV	NT	-37.99	-0.054	PASS
Band17	10	23790	50	#0	QPSK	LV	NT	3.40	0.005	PASS
Band17	10	23790	50	#0	QPSK	NV	NT	-1.39	-0.002	PASS
Band17	10	23790	50	#0	QPSK	HV	NT	-7.47	-0.011	PASS
Band17	10	23790	50	#0	16QAM	LV	NT	29.34	0.041	PASS
Band17	10	23790	50	#0	16QAM	NV	NT	13.90	0.020	PASS
Band17	10	23790	50	#0	16QAM	HV	NT	20.38	0.029	PASS
Band17	10	23800	50	#0	QPSK	LV	NT	14.98	0.021	PASS
Band17	10	23800	50	#0	QPSK	NV	NT	18.88	0.027	PASS
Band17	10	23800	50	#0	QPSK	HV	NT	23.52	0.033	PASS
Band17	10	23800	50	#0	16QAM	LV	NT	27.07	0.038	PASS
Band17	10	23800	50	#0	16QAM	NV	NT	31.46	0.044	PASS
Band17	10	23800	50	#0	16QAM	HV	NT	37.19	0.052	PASS

Band	Bandwidth	UL	RB	RB	Modulation	Voltage	Temperatue	Result	Result	Verdict
------	-----------	----	----	----	------------	---------	------------	--------	--------	---------

	(MHz)	Channel	Size	Position		(Vdc)	(C)	(Hz)	(ppm)	
Band17	5	23755	25	#0	QPSK	NV	-30	-15.42	-0.022	PASS
Band17	5	23755	25	#0	QPSK	NV	-20	-28.58	-0.040	PASS
Band17	5	23755	25	#0	QPSK	NV	0	-46.53	-0.066	PASS
Band17	5	23755	25	#0	QPSK	NV	10	-9.27	-0.013	PASS
Band17	5	23755	25	#0	QPSK	NV	20	-18.48	-0.026	PASS
Band17	5	23755	25	#0	QPSK	NV	30	-26.78	-0.038	PASS
Band17	5	23755	25	#0	QPSK	NV	40	-32.14	-0.045	PASS
Band17	5	23755	25	#0	QPSK	NV	50	-38.60	-0.055	PASS
Band17	5	23755	25	#0	16QAM	NV	-30	-43.62	-0.062	PASS
Band17	5	23755	25	#0	16QAM	NV	-20	-46.13	-0.065	PASS
Band17	5	23755	25	#0	16QAM	NV	0	-48.35	-0.068	PASS
Band17	5	23755	25	#0	16QAM	NV	10	-49.35	-0.070	PASS
Band17	5	23755	25	#0	16QAM	NV	20	-12.75	-0.018	PASS
Band17	5	23755	25	#0	16QAM	NV	30	1.87	0.003	PASS
Band17	5	23755	25	#0	16QAM	NV	40	-0.04	0.000	PASS
Band17	5	23755	25	#0	16QAM	NV	50	-2.40	-0.003	PASS
Band17	5	23790	25	#0	QPSK	NV	-30	-2.72	-0.004	PASS
Band17	5	23790	25	#0	QPSK	NV	-20	-6.97	-0.010	PASS
Band17	5	23790	25	#0	QPSK	NV	0	-10.07	-0.014	PASS
Band17	5	23790	25	#0	QPSK	NV	10	-14.15	-0.020	PASS
Band17	5	23790	25	#0	QPSK	NV	20	-15.32	-0.022	PASS
Band17	5	23790	25	#0	QPSK	NV	30	-16.89	-0.024	PASS
Band17	5	23790	25	#0	QPSK	NV	40	-18.63	-0.026	PASS
Band17	5	23790	25	#0	QPSK	NV	50	-19.48	-0.027	PASS
Band17	5	23790	25	#0	16QAM	NV	-30	-20.89	-0.029	PASS
Band17	5	23790	25	#0	16QAM	NV	-20	-21.62	-0.030	PASS
Band17	5	23790	25	#0	16QAM	NV	0	-19.73	-0.028	PASS
Band17	5	23790	25	#0	16QAM	NV	10	-19.11	-0.027	PASS
Band17	5	23790	25	#0	16QAM	NV	20	-18.34	-0.026	PASS
Band17	5	23790	25	#0	16QAM	NV	30	-18.34	-0.026	PASS
Band17	5	23790	25	#0	16QAM	NV	40	-20.51	-0.029	PASS
Band17	5	23790	25	#0	16QAM	NV	50	-37.78	-0.053	PASS
Band17	5	23825	25	#0	QPSK	NV	-30	-3.82	-0.005	PASS
Band17	5	23825	25	#0	QPSK	NV	-20	-4.78	-0.007	PASS
Band17	5	23825	25	#0	QPSK	NV	0	-5.34	-0.007	PASS
Band17	5	23825	25	#0	QPSK	NV	10	-5.41	-0.008	PASS
Band17	5	23825	25	#0	QPSK	NV	20	-6.39	-0.009	PASS
Band17	5	23825	25	#0	QPSK	NV	30	-6.75	-0.009	PASS
Band17	5	23825	25	#0	QPSK	NV	40	-7.32	-0.010	PASS
Band17	5	23825	25	#0	QPSK	NV	50	-7.67	-0.011	PASS
Band17	5	23825	25	#0	16QAM	NV	-30	-8.11	-0.011	PASS
Band17	5	23825	25	#0	16QAM	NV	-20	-7.84	-0.011	PASS

Band17	5	23825	25	#0	16QAM	NV	0	-6.02	-0.008	PASS
Band17	5	23825	25	#0	16QAM	NV	10	-5.44	-0.008	PASS
Band17	5	23825	25	#0	16QAM	NV	20	-4.76	-0.007	PASS
Band17	5	23825	25	#0	16QAM	NV	30	-4.25	-0.006	PASS
Band17	5	23825	25	#0	16QAM	NV	40	-3.96	-0.006	PASS
Band17	5	23825	25	#0	16QAM	NV	50	-4.52	-0.006	PASS
Band17	10	23780	50	#0	QPSK	NV	-30	5.95	0.008	PASS
Band17	10	23780	50	#0	QPSK	NV	-20	-15.85	-0.022	PASS
Band17	10	23780	50	#0	QPSK	NV	0	-32.32	-0.046	PASS
Band17	10	23780	50	#0	QPSK	NV	10	-38.84	-0.055	PASS
Band17	10	23780	50	#0	QPSK	NV	20	-41.10	-0.058	PASS
Band17	10	23780	50	#0	QPSK	NV	30	-44.89	-0.063	PASS
Band17	10	23780	50	#0	QPSK	NV	40	-46.52	-0.066	PASS
Band17	10	23780	50	#0	QPSK	NV	50	-48.78	-0.069	PASS
Band17	10	23780	50	#0	16QAM	NV	-30	-9.01	-0.013	PASS
Band17	10	23780	50	#0	16QAM	NV	-20	-21.00	-0.030	PASS
Band17	10	23780	50	#0	16QAM	NV	0	-6.41	-0.009	PASS
Band17	10	23780	50	#0	16QAM	NV	10	-1.60	-0.002	PASS
Band17	10	23780	50	#0	16QAM	NV	20	-0.07	0.000	PASS
Band17	10	23780	50	#0	16QAM	NV	30	1.36	0.002	PASS
Band17	10	23780	50	#0	16QAM	NV	40	2.12	0.003	PASS
Band17	10	23780	50	#0	16QAM	NV	50	3.38	0.005	PASS
Band17	10	23790	50	#0	QPSK	NV	-30	1.86	0.003	PASS
Band17	10	23790	50	#0	QPSK	NV	-20	-5.26	-0.007	PASS
Band17	10	23790	50	#0	QPSK	NV	0	-9.21	-0.013	PASS
Band17	10	23790	50	#0	QPSK	NV	10	-12.82	-0.018	PASS
Band17	10	23790	50	#0	QPSK	NV	20	-14.28	-0.020	PASS
Band17	10	23790	50	#0	QPSK	NV	30	-17.34	-0.024	PASS
Band17	10	23790	50	#0	QPSK	NV	40	-19.51	-0.027	PASS
Band17	10	23790	50	#0	QPSK	NV	50	-20.50	-0.029	PASS
Band17	10	23790	50	#0	16QAM	NV	-30	-21.27	-0.030	PASS
Band17	10	23790	50	#0	16QAM	NV	-20	-20.64	-0.029	PASS
Band17	10	23790	50	#0	16QAM	NV	0	-18.15	-0.026	PASS
Band17	10	23790	50	#0	16QAM	NV	10	-18.30	-0.026	PASS
Band17	10	23790	50	#0	16QAM	NV	20	-17.42	-0.025	PASS
Band17	10	23790	50	#0	16QAM	NV	30	-15.99	-0.023	PASS
Band17	10	23790	50	#0	16QAM	NV	40	-15.88	-0.022	PASS
Band17	10	23790	50	#0	16QAM	NV	50	-22.85	-0.032	PASS
Band17	10	23800	50	#0	QPSK	NV	-30	1.02	0.001	PASS
Band17	10	23800	50	#0	QPSK	NV	-20	-4.15	-0.006	PASS
Band17	10	23800	50	#0	QPSK	NV	0	-7.21	-0.010	PASS
Band17	10	23800	50	#0	QPSK	NV	10	-9.03	-0.013	PASS
Band17	10	23800	50	#0	QPSK	NV	20	-10.46	-0.015	PASS


Band17	10	23800	50	#0	QPSK	NV	30	-11.60	-0.016	PASS
Band17	10	23800	50	#0	QPSK	NV	40	-12.63	-0.018	PASS
Band17	10	23800	50	#0	QPSK	NV	50	-13.09	-0.018	PASS
Band17	10	23800	50	#0	16QAM	NV	-30	-15.39	-0.022	PASS
Band17	10	23800	50	#0	16QAM	NV	-20	-13.95	-0.020	PASS
Band17	10	23800	50	#0	16QAM	NV	0	-11.67	-0.016	PASS
Band17	10	23800	50	#0	16QAM	NV	10	-10.01	-0.014	PASS
Band17	10	23800	50	#0	16QAM	NV	20	-9.66	-0.014	PASS
Band17	10	23800	50	#0	16QAM	NV	30	-9.16	-0.013	PASS
Band17	10	23800	50	#0	16QAM	NV	40	-8.04	-0.011	PASS
Band17	10	23800	50	#0	16QAM	NV	50	-7.17	-0.010	PASS




Appendix 3. Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band17	5	23755	1	#0	QPSK	4.87	13	PASS
Band17	5	23755	1	#0	16QAM	5.85	13	PASS
Band17	5	23790	1	#0	QPSK	5.14	13	PASS
Band17	5	23790	1	#0	16QAM	5.87	13	PASS
Band17	5	23825	1	#0	QPSK	4.92	13	PASS
Band17	5	23825	1	#0	16QAM	5.78	13	PASS
Band17	10	23780	1	#0	QPSK	4.84	13	PASS
Band17	10	23780	1	#0	16QAM	5.85	13	PASS
Band17	10	23790	1	#0	QPSK	4.84	13	PASS
Band17	10	23790	1	#0	16QAM	5.83	13	PASS
Band17	10	23800	1	#0	QPSK	4.92	13	PASS
Band17	10	23800	1	#0	16QAM	5.69	13	PASS


Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0




Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=1 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0




Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0




Band17 16QAM BW=10MHz Channel=23780 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=1 Position=#0




Band17 16QAM BW=10MHz Channel=23790 RB Size=1 Position=#0



Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0




Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#0




Appendix 4. Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band17	5	23755	25	#0	QPSK	4.512	4.971	PASS
Band17	5	23755	25	#0	16QAM	4.493	4.974	PASS
Band17	5	23790	25	#0	QPSK	4.523	4.994	PASS
Band17	5	23790	25	#0	16QAM	4.520	4.922	PASS
Band17	5	23825	25	#0	QPSK	4.492	4.931	PASS
Band17	5	23825	25	#0	16QAM	4.499	4.987	PASS
Band17	10	23780	50	#0	QPSK	8.993	9.829	PASS
Band17	10	23780	50	#0	16QAM	8.985	9.945	PASS
Band17	10	23790	50	#0	QPSK	8.991	9.850	PASS
Band17	10	23790	50	#0	16QAM	8.978	9.697	PASS
Band17	10	23800	50	#0	QPSK	8.997	9.812	PASS
Band17	10	23800	50	#0	16QAM	8.983	9.851	PASS


Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0



Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0




Appendix 5. Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band17	5	23755	25	#0	QPSK	704.00	-28.66	-13	PASS
Band17	5	23755	25	#0	16QAM	704.00	-32.68	-13	PASS
Band17	5	23825	25	#0	QPSK	716.00	-34.06	-13	PASS
Band17	5	23825	25	#0	16QAM	716.00	-34.28	-13	PASS
Band17	10	23780	50	#0	QPSK	704.00	-34.88	-13	PASS
Band17	10	23780	50	#0	16QAM	704.00	-35.73	-13	PASS
Band17	10	23800	50	#0	QPSK	716.00	-36.10	-13	PASS
Band17	10	23800	50	#0	16QAM	716.00	-35.26	-13	PASS


Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0



Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0




Appendix 6. Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band17	5	23755	25	#0	QPSK	25623.75	-24.64	-13	PASS
Band17	5	23755	25	#0	16QAM	25879.38	-23.80	-13	PASS
Band17	5	23790	25	#0	QPSK	25155.00	-24.24	-13	PASS
Band17	5	23790	25	#0	16QAM	24795.63	-24.61	-13	PASS
Band17	5	23825	25	#0	QPSK	25803.13	-24.09	-13	PASS
Band17	5	23825	25	#0	16QAM	25739.38	-23.92	-13	PASS
Band17	10	23780	50	#0	QPSK	25145.63	-24.16	-13	PASS
Band17	10	23780	50	#0	16QAM	25076.25	-23.12	-13	PASS
Band17	10	23790	50	#0	QPSK	24315.63	-23.33	-13	PASS
Band17	10	23790	50	#0	16QAM	24808.75	-24.49	-13	PASS
Band17	10	23800	50	#0	QPSK	25758.75	-24.26	-13	PASS
Band17	10	23800	50	#0	16QAM	24692.50	-24.12	-13	PASS


Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0



Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094089	-44.98	-13
2	0.15	30	10	6.5095425	-37.45	-13
3	30	1000	100	30.097	-48.71	-13
4	1000	26000	1000	25076.25	-23.12	-13

Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009123375	-45.06	-13
2	0.15	30	10	6.43715625	-37.12	-13
3	30	1000	100	30.12125	-48.14	-13
4	1000	26000	1000	24315.625	-23.33	-13

Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0



Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0



Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0

