

Appendix for Band 26

Report No.: BCTC2501387884-6E

Applicant: SHENZHEN YUNJI INTELLIGENT TECHNOLOGY
CO.,LTD

Product Name: Smart Phone


Test Model: C60

Tested Date: 2025-01-03 to 2025-02-25

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement	3
Appendix 2. Frequency stability.....	7
Appendix 3. Peak-to-Average Ratio	13
Appendix 4. Occupied bandwidth	24
Appendix 5. Band edge	35
Appendix 6. Out-of-band emissions	43




Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	25.69	-3.75	19.79	PASS
Band26(814-824)	1.4	26697	1	#Mid	QPSK	25.70	-3.75	19.80	PASS
Band26(814-824)	1.4	26697	1	#Max	QPSK	25.65	-3.75	19.75	PASS
Band26(814-824)	1.4	26697	3	#0	QPSK	25.73	-3.75	19.83	PASS
Band26(814-824)	1.4	26697	3	#Mid	QPSK	25.70	-3.75	19.80	PASS
Band26(814-824)	1.4	26697	3	#Max	QPSK	25.73	-3.75	19.83	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	23.38	-3.75	17.48	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	24.42	-3.75	18.52	PASS
Band26(814-824)	1.4	26697	1	#Mid	16QAM	24.38	-3.75	18.48	PASS
Band26(814-824)	1.4	26697	1	#Max	16QAM	24.54	-3.75	18.64	PASS
Band26(814-824)	1.4	26697	3	#0	16QAM	24.75	-3.75	18.85	PASS
Band26(814-824)	1.4	26697	3	#Mid	16QAM	24.72	-3.75	18.82	PASS
Band26(814-824)	1.4	26697	3	#Max	16QAM	24.71	-3.75	18.81	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	23.51	-3.75	17.61	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	25.56	-3.75	19.66	PASS
Band26(814-824)	1.4	26740	1	#Mid	QPSK	25.60	-3.75	19.70	PASS
Band26(814-824)	1.4	26740	1	#Max	QPSK	25.63	-3.75	19.73	PASS
Band26(814-824)	1.4	26740	3	#0	QPSK	25.49	-3.75	19.59	PASS
Band26(814-824)	1.4	26740	3	#Mid	QPSK	25.57	-3.75	19.67	PASS
Band26(814-824)	1.4	26740	3	#Max	QPSK	25.54	-3.75	19.64	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	23.90	-3.75	18.00	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	23.39	-3.75	17.49	PASS
Band26(814-824)	1.4	26740	1	#Mid	16QAM	23.43	-3.75	17.53	PASS
Band26(814-824)	1.4	26740	1	#Max	16QAM	23.42	-3.75	17.52	PASS
Band26(814-824)	1.4	26740	3	#0	16QAM	24.52	-3.75	18.62	PASS
Band26(814-824)	1.4	26740	3	#Mid	16QAM	24.47	-3.75	18.57	PASS
Band26(814-824)	1.4	26740	3	#Max	16QAM	24.54	-3.75	18.64	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	24.05	-3.75	18.15	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	25.75	-3.75	19.85	PASS
Band26(814-824)	1.4	26783	1	#Mid	QPSK	25.79	-3.75	19.89	PASS
Band26(814-824)	1.4	26783	1	#Max	QPSK	25.69	-3.75	19.79	PASS
Band26(814-824)	1.4	26783	3	#0	QPSK	25.69	-3.75	19.79	PASS
Band26(814-824)	1.4	26783	3	#Mid	QPSK	25.68	-3.75	19.78	PASS
Band26(814-824)	1.4	26783	3	#Max	QPSK	25.72	-3.75	19.82	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	23.56	-3.75	17.66	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	23.50	-3.75	17.60	PASS

Band26(814-824)	1.4	26783	1	#Mid	16QAM	23.59	-3.75	17.69	PASS
Band26(814-824)	1.4	26783	1	#Max	16QAM	23.58	-3.75	17.68	PASS
Band26(814-824)	1.4	26783	3	#0	16QAM	24.48	-3.75	18.58	PASS
Band26(814-824)	1.4	26783	3	#Mid	16QAM	24.52	-3.75	18.62	PASS
Band26(814-824)	1.4	26783	3	#Max	16QAM	24.50	-3.75	18.60	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	23.63	-3.75	17.73	PASS
Band26(814-824)	3	26705	1	#0	QPSK	25.57	-3.75	19.67	PASS
Band26(814-824)	3	26705	1	#Mid	QPSK	25.51	-3.75	19.61	PASS
Band26(814-824)	3	26705	1	#Max	QPSK	25.49	-3.75	19.59	PASS
Band26(814-824)	3	26705	8	#0	QPSK	23.47	-3.75	17.57	PASS
Band26(814-824)	3	26705	8	#Mid	QPSK	23.38	-3.75	17.48	PASS
Band26(814-824)	3	26705	8	#Max	QPSK	23.88	-3.75	17.98	PASS
Band26(814-824)	3	26705	15	#0	QPSK	23.37	-3.75	17.47	PASS
Band26(814-824)	3	26705	1	#0	16QAM	24.37	-3.75	18.47	PASS
Band26(814-824)	3	26705	1	#Mid	16QAM	24.41	-3.75	18.51	PASS
Band26(814-824)	3	26705	1	#Max	16QAM	24.37	-3.75	18.47	PASS
Band26(814-824)	3	26705	8	#0	16QAM	23.29	-3.75	17.39	PASS
Band26(814-824)	3	26705	8	#Mid	16QAM	23.36	-3.75	17.46	PASS
Band26(814-824)	3	26705	8	#Max	16QAM	23.70	-3.75	17.80	PASS
Band26(814-824)	3	26705	15	#0	16QAM	23.51	-3.75	17.61	PASS
Band26(814-824)	3	26740	1	#0	QPSK	25.46	-3.75	19.56	PASS
Band26(814-824)	3	26740	1	#Mid	QPSK	25.60	-3.75	19.70	PASS
Band26(814-824)	3	26740	1	#Max	QPSK	25.67	-3.75	19.77	PASS
Band26(814-824)	3	26740	8	#0	QPSK	23.87	-3.75	17.97	PASS
Band26(814-824)	3	26740	8	#Mid	QPSK	23.81	-3.75	17.91	PASS
Band26(814-824)	3	26740	8	#Max	QPSK	23.80	-3.75	17.90	PASS
Band26(814-824)	3	26740	15	#0	QPSK	23.91	-3.75	18.01	PASS
Band26(814-824)	3	26740	1	#0	16QAM	23.37	-3.75	17.47	PASS
Band26(814-824)	3	26740	1	#Mid	16QAM	23.45	-3.75	17.55	PASS
Band26(814-824)	3	26740	1	#Max	16QAM	23.48	-3.75	17.58	PASS
Band26(814-824)	3	26740	8	#0	16QAM	23.87	-3.75	17.97	PASS
Band26(814-824)	3	26740	8	#Mid	16QAM	23.89	-3.75	17.99	PASS
Band26(814-824)	3	26740	8	#Max	16QAM	23.90	-3.75	18.00	PASS
Band26(814-824)	3	26740	15	#0	16QAM	23.85	-3.75	17.95	PASS
Band26(814-824)	3	26775	1	#0	QPSK	25.66	-3.75	19.76	PASS
Band26(814-824)	3	26775	1	#Mid	QPSK	25.68	-3.75	19.78	PASS
Band26(814-824)	3	26775	1	#Max	QPSK	25.67	-3.75	19.77	PASS
Band26(814-824)	3	26775	8	#0	QPSK	23.99	-3.75	18.09	PASS
Band26(814-824)	3	26775	8	#Mid	QPSK	23.64	-3.75	17.74	PASS
Band26(814-824)	3	26775	8	#Max	QPSK	23.67	-3.75	17.77	PASS
Band26(814-824)	3	26775	15	#0	QPSK	23.57	-3.75	17.67	PASS
Band26(814-824)	3	26775	1	#0	16QAM	23.46	-3.75	17.56	PASS
Band26(814-824)	3	26775	1	#Mid	16QAM	23.54	-3.75	17.64	PASS

Band26(814-824)	3	26775	1	#Max	16QAM	23.57	-3.75	17.67	PASS
Band26(814-824)	3	26775	8	#0	16QAM	24.01	-3.75	18.11	PASS
Band26(814-824)	3	26775	8	#Mid	16QAM	23.69	-3.75	17.79	PASS
Band26(814-824)	3	26775	8	#Max	16QAM	23.68	-3.75	17.78	PASS
Band26(814-824)	3	26775	15	#0	16QAM	23.65	-3.75	17.75	PASS
Band26(814-824)	5	26715	1	#0	QPSK	25.68	-3.75	19.78	PASS
Band26(814-824)	5	26715	1	#Mid	QPSK	25.72	-3.75	19.82	PASS
Band26(814-824)	5	26715	1	#Max	QPSK	25.33	-3.75	19.43	PASS
Band26(814-824)	5	26715	12	#0	QPSK	23.36	-3.75	17.46	PASS
Band26(814-824)	5	26715	12	#Mid	QPSK	23.77	-3.75	17.87	PASS
Band26(814-824)	5	26715	12	#Max	QPSK	23.78	-3.75	17.88	PASS
Band26(814-824)	5	26715	25	#0	QPSK	23.84	-3.75	17.94	PASS
Band26(814-824)	5	26715	1	#0	16QAM	23.56	-3.75	17.66	PASS
Band26(814-824)	5	26715	1	#Mid	16QAM	23.54	-3.75	17.64	PASS
Band26(814-824)	5	26715	1	#Max	16QAM	23.68	-3.75	17.78	PASS
Band26(814-824)	5	26715	12	#0	16QAM	23.33	-3.75	17.43	PASS
Band26(814-824)	5	26715	12	#Mid	16QAM	23.72	-3.75	17.82	PASS
Band26(814-824)	5	26715	12	#Max	16QAM	23.69	-3.75	17.79	PASS
Band26(814-824)	5	26715	25	#0	16QAM	23.82	-3.75	17.92	PASS
Band26(814-824)	5	26740	1	#0	QPSK	25.68	-3.75	19.78	PASS
Band26(814-824)	5	26740	1	#Mid	QPSK	25.72	-3.75	19.82	PASS
Band26(814-824)	5	26740	1	#Max	QPSK	23.56	-3.75	17.66	PASS
Band26(814-824)	5	26740	12	#0	QPSK	23.84	-3.75	17.94	PASS
Band26(814-824)	5	26740	12	#Mid	QPSK	23.96	-3.75	18.06	PASS
Band26(814-824)	5	26740	12	#Max	QPSK	24.02	-3.75	18.12	PASS
Band26(814-824)	5	26740	25	#0	QPSK	23.93	-3.75	18.03	PASS
Band26(814-824)	5	26740	1	#0	16QAM	23.54	-3.75	17.64	PASS
Band26(814-824)	5	26740	1	#Mid	16QAM	23.56	-3.75	17.66	PASS
Band26(814-824)	5	26740	1	#Max	16QAM	23.60	-3.75	17.70	PASS
Band26(814-824)	5	26740	12	#0	16QAM	23.73	-3.75	17.83	PASS
Band26(814-824)	5	26740	12	#Mid	16QAM	23.75	-3.75	17.85	PASS
Band26(814-824)	5	26740	12	#Max	16QAM	23.83	-3.75	17.93	PASS
Band26(814-824)	5	26740	25	#0	16QAM	23.91	-3.75	18.01	PASS
Band26(814-824)	5	26765	1	#0	QPSK	25.68	-3.75	19.78	PASS
Band26(814-824)	5	26765	1	#Mid	QPSK	25.39	-3.75	19.49	PASS
Band26(814-824)	5	26765	1	#Max	QPSK	25.49	-3.75	19.59	PASS
Band26(814-824)	5	26765	12	#0	QPSK	23.93	-3.75	18.03	PASS
Band26(814-824)	5	26765	12	#Mid	QPSK	23.88	-3.75	17.98	PASS
Band26(814-824)	5	26765	12	#Max	QPSK	23.50	-3.75	17.60	PASS
Band26(814-824)	5	26765	25	#0	QPSK	24.03	-3.75	18.13	PASS
Band26(814-824)	5	26765	1	#0	16QAM	24.07	-3.75	18.17	PASS
Band26(814-824)	5	26765	1	#Mid	16QAM	24.15	-3.75	18.25	PASS
Band26(814-824)	5	26765	1	#Max	16QAM	25.68	-3.75	19.78	PASS

Band26(814-824)	5	26765	12	#0	16QAM	23.93	-3.75	18.03	PASS
Band26(814-824)	5	26765	12	#Mid	16QAM	23.92	-3.75	18.02	PASS
Band26(814-824)	5	26765	12	#Max	16QAM	23.63	-3.75	17.73	PASS
Band26(814-824)	5	26765	25	#0	16QAM	24.15	-3.75	18.25	PASS
Band26(814-824)	10	26740	1	#0	QPSK	25.68	-3.75	19.78	PASS
Band26(814-824)	10	26740	1	#Mid	QPSK	25.50	-3.75	19.60	PASS
Band26(814-824)	10	26740	1	#Max	QPSK	25.71	-3.75	19.81	PASS
Band26(814-824)	10	26740	25	#0	QPSK	23.87	-3.75	17.97	PASS
Band26(814-824)	10	26740	25	#Mid	QPSK	23.91	-3.75	18.01	PASS
Band26(814-824)	10	26740	25	#Max	QPSK	23.88	-3.75	17.98	PASS
Band26(814-824)	10	26740	50	#0	QPSK	23.82	-3.75	17.92	PASS
Band26(814-824)	10	26740	1	#0	16QAM	24.34	-3.75	18.44	PASS
Band26(814-824)	10	26740	1	#Mid	16QAM	25.68	-3.75	19.78	PASS
Band26(814-824)	10	26740	1	#Max	16QAM	25.72	-3.75	19.82	PASS
Band26(814-824)	10	26740	25	#0	16QAM	23.86	-3.75	17.96	PASS
Band26(814-824)	10	26740	25	#Mid	16QAM	23.86	-3.75	17.96	PASS
Band26(814-824)	10	26740	25	#Max	16QAM	24.00	-3.75	18.10	PASS
Band26(814-824)	10	26740	50	#0	16QAM	24.00	-3.75	18.10	PASS



Appendix 2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	LV	NT	10.69	0.013	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	NT	7.65	0.009	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	HV	NT	0.04	0.000	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	LV	NT	-8.13	-0.010	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	NT	-15.23	-0.019	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	HV	NT	-23.15	-0.028	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	LV	NT	-12.16	-0.015	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	NT	-12.33	-0.015	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	HV	NT	-11.89	-0.015	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	LV	NT	-13.18	-0.016	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	NT	-13.33	-0.016	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	HV	NT	-12.86	-0.016	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	LV	NT	-2.07	-0.003	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	NT	-12.80	-0.016	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	HV	NT	-21.86	-0.027	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	LV	NT	-34.99	-0.042	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	NT	-44.75	-0.054	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	HV	NT	-11.42	-0.014	PASS
Band26(814-824)	3	26705	15	#0	QPSK	LV	NT	11.63	0.014	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	NT	16.09	0.020	PASS
Band26(814-824)	3	26705	15	#0	QPSK	HV	NT	14.26	0.017	PASS
Band26(814-824)	3	26705	15	#0	16QAM	LV	NT	7.14	0.009	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	NT	0.72	0.001	PASS
Band26(814-824)	3	26705	15	#0	16QAM	HV	NT	-4.58	-0.006	PASS
Band26(814-824)	3	26740	15	#0	QPSK	LV	NT	-4.22	-0.005	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	NT	-5.48	-0.007	PASS
Band26(814-824)	3	26740	15	#0	QPSK	HV	NT	-8.04	-0.010	PASS
Band26(814-824)	3	26740	15	#0	16QAM	LV	NT	-9.11	-0.011	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	NT	-10.63	-0.013	PASS
Band26(814-824)	3	26740	15	#0	16QAM	HV	NT	-11.93	-0.015	PASS
Band26(814-824)	3	26775	15	#0	QPSK	LV	NT	-12.25	-0.015	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	NT	-20.79	-0.025	PASS
Band26(814-824)	3	26775	15	#0	QPSK	HV	NT	-31.47	-0.038	PASS
Band26(814-824)	3	26775	15	#0	16QAM	LV	NT	-43.43	-0.053	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	NT	-3.63	-0.004	PASS
Band26(814-824)	3	26775	15	#0	16QAM	HV	NT	-12.39	-0.015	PASS
Band26(814-824)	5	26715	25	#0	QPSK	LV	NT	6.19	0.008	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	NT	-5.01	-0.006	PASS

Band26(814-824)	5	26715	25	#0	QPSK	HV	NT	-11.17	-0.014	PASS
Band26(814-824)	5	26715	25	#0	16QAM	LV	NT	-19.40	-0.024	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	NT	-23.99	-0.029	PASS
Band26(814-824)	5	26715	25	#0	16QAM	HV	NT	-28.11	-0.034	PASS
Band26(814-824)	5	26740	25	#0	QPSK	LV	NT	-3.89	-0.005	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	NT	-10.20	-0.012	PASS
Band26(814-824)	5	26740	25	#0	QPSK	HV	NT	-11.44	-0.014	PASS
Band26(814-824)	5	26740	25	#0	16QAM	LV	NT	-11.64	-0.014	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	NT	-13.40	-0.016	PASS
Band26(814-824)	5	26740	25	#0	16QAM	HV	NT	-14.13	-0.017	PASS
Band26(814-824)	5	26765	25	#0	QPSK	LV	NT	-4.22	-0.005	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	NT	-10.17	-0.012	PASS
Band26(814-824)	5	26765	25	#0	QPSK	HV	NT	-18.21	-0.022	PASS
Band26(814-824)	5	26765	25	#0	16QAM	LV	NT	-26.54	-0.032	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	NT	-34.43	-0.042	PASS
Band26(814-824)	5	26765	25	#0	16QAM	HV	NT	-39.60	-0.048	PASS
Band26(814-824)	10	26740	50	#0	QPSK	LV	NT	1.39	0.002	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	NT	-6.28	-0.008	PASS
Band26(814-824)	10	26740	50	#0	QPSK	HV	NT	-16.58	-0.020	PASS
Band26(814-824)	10	26740	50	#0	16QAM	LV	NT	-27.68	-0.034	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	NT	-34.82	-0.043	PASS
Band26(814-824)	10	26740	50	#0	16QAM	HV	NT	-42.93	-0.052	PASS


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-30	23.03	0.028	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-20	13.60	0.017	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	0	15.94	0.020	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	10	12.23	0.015	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	20	9.77	0.012	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	30	3.72	0.005	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	40	0.53	0.001	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	50	-3.45	-0.004	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-30	-7.54	-0.009	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-20	-10.57	-0.013	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	0	-14.76	-0.018	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	10	-17.77	-0.022	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	20	-18.95	-0.023	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	30	-20.30	-0.025	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	40	-22.50	-0.028	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	50	-24.09	-0.030	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-30	3.10	0.004	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-20	7.98	0.010	PASS

Band26(814-824)	1.4	26740	6	#0	QPSK	NV	0	11.01	0.013	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	10	13.03	0.016	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	20	16.98	0.021	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	30	21.69	0.026	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	40	25.32	0.031	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	50	27.89	0.034	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-30	31.50	0.038	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-20	35.91	0.044	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	0	39.80	0.049	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	10	43.40	0.053	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	20	47.04	0.057	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	30	0.06	0.000	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	40	2.86	0.003	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	50	5.34	0.007	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-30	-6.68	-0.008	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-20	-14.91	-0.018	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	0	-22.73	-0.028	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	10	-31.07	-0.038	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	20	-38.57	-0.047	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	30	-46.38	-0.056	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	40	-2.72	-0.003	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	50	-18.95	-0.023	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-30	-20.83	-0.025	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-20	-27.45	-0.033	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	0	-31.79	-0.039	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	10	-38.07	-0.046	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	20	-42.74	-0.052	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	30	-46.01	-0.056	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	40	-0.17	0.000	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	50	-4.58	-0.006	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-30	32.66	0.040	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-20	35.66	0.044	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	0	33.43	0.041	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	10	29.91	0.037	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	20	24.78	0.030	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	30	21.01	0.026	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	40	16.28	0.020	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	50	12.83	0.016	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	-30	8.98	0.011	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	-20	6.65	0.008	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	0	4.63	0.006	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	10	-2.99	-0.004	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	20	-0.53	-0.001	PASS

Band26(814-824)	3	26705	15	#0	16QAM	NV	30	-0.11	0.000	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	40	-2.17	-0.003	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	50	-3.10	-0.004	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-30	0.37	0.000	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-20	2.96	0.004	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	0	6.05	0.007	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	10	7.04	0.009	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	20	9.01	0.011	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	30	10.10	0.012	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	40	11.29	0.014	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	50	13.10	0.016	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-30	14.63	0.018	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-20	16.25	0.020	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	0	18.02	0.022	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	10	20.34	0.025	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	20	22.16	0.027	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	30	23.25	0.028	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	40	24.85	0.030	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	50	24.68	0.030	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-30	-7.81	-0.009	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-20	-15.11	-0.018	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	0	-23.45	-0.029	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	10	-32.00	-0.039	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	20	-40.86	-0.050	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	30	-0.72	-0.001	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	40	-8.81	-0.011	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	50	-15.39	-0.019	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-30	-22.23	-0.027	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-20	-26.24	-0.032	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	0	-30.71	-0.037	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	10	-34.69	-0.042	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	20	-37.41	-0.045	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	30	-44.50	-0.054	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	40	-13.96	-0.017	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	50	-37.35	-0.045	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-30	-38.51	-0.047	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-20	-36.66	-0.045	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	0	-39.48	-0.048	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	10	-44.33	-0.054	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	20	-43.80	-0.054	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	30	-3.66	-0.004	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	40	-8.13	-0.010	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	50	-12.87	-0.016	PASS

Band26(814-824)	5	26715	25	#0	16QAM	NV	-30	-16.14	-0.020	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	-20	-18.02	-0.022	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	0	-20.60	-0.025	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	10	-21.92	-0.027	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	20	-22.95	-0.028	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	30	-23.42	-0.029	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	40	-24.73	-0.030	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	50	-27.11	-0.033	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-30	3.53	0.004	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-20	4.38	0.005	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	0	4.15	0.005	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	10	4.22	0.005	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	20	4.79	0.006	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	30	5.92	0.007	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	40	6.14	0.007	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	50	6.90	0.008	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-30	7.37	0.009	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-20	-0.17	0.000	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	0	3.56	0.004	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	10	4.82	0.006	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	20	4.49	0.005	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	30	3.65	0.004	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	40	3.08	0.004	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	50	1.37	0.002	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	-30	-12.43	-0.015	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	-20	-19.20	-0.023	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	0	-27.28	-0.033	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	10	-35.09	-0.043	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	20	-41.17	-0.050	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	30	-41.80	-0.051	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	40	-3.62	-0.004	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	50	-8.77	-0.011	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-30	-12.47	-0.015	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-20	-17.17	-0.021	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	0	-21.30	-0.026	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	10	-26.61	-0.032	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	20	-28.61	-0.035	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	30	-31.60	-0.038	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	40	-32.82	-0.040	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	50	-34.90	-0.042	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-30	2.99	0.004	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-20	-4.96	-0.006	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	0	-13.46	-0.016	PASS


Band26(814-824)	10	26740	50	#0	QPSK	NV	10	-21.40	-0.026	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	20	-9.16	-0.011	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	30	-8.37	-0.010	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	40	-11.33	-0.014	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	50	-14.05	-0.017	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	-30	-17.77	-0.022	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	-20	-21.10	-0.026	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	0	-22.67	-0.028	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	10	-32.09	-0.039	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	20	-34.66	-0.042	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	30	-35.38	-0.043	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	40	-37.12	-0.045	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	50	-39.08	-0.048	PASS




Appendix 3. Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	3.41	13	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	5.14	13	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	3.95	13	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	5.61	13	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	4.21	13	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	5.59	13	PASS
Band26(814-824)	3	26705	1	#0	QPSK	3.45	13	PASS
Band26(814-824)	3	26705	1	#0	16QAM	5.33	13	PASS
Band26(814-824)	3	26740	1	#0	QPSK	3.57	13	PASS
Band26(814-824)	3	26740	1	#0	16QAM	4.79	13	PASS
Band26(814-824)	3	26775	1	#0	QPSK	4.33	13	PASS
Band26(814-824)	3	26775	1	#0	16QAM	5.77	13	PASS
Band26(814-824)	5	26715	1	#0	QPSK	3.50	13	PASS
Band26(814-824)	5	26715	1	#0	16QAM	5.36	13	PASS
Band26(814-824)	5	26740	1	#0	QPSK	3.01	13	PASS
Band26(814-824)	5	26740	1	#0	16QAM	4.63	13	PASS
Band26(814-824)	5	26765	1	#0	QPSK	4.34	13	PASS
Band26(814-824)	5	26765	1	#0	16QAM	5.70	13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	4.28	13	PASS
Band26(814-824)	10	26740	1	#0	16QAM	4.75	13	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=1 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=1 Position=#0




Appendix 4. Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	1.104	1.249	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	1.100	1.255	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	1.098	1.245	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	1.111	1.253	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	1.092	1.247	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	1.101	1.254	PASS
Band26(814-824)	3	26705	15	#0	QPSK	2.714	3.040	PASS
Band26(814-824)	3	26705	15	#0	16QAM	2.707	3.063	PASS
Band26(814-824)	3	26740	15	#0	QPSK	2.706	3.006	PASS
Band26(814-824)	3	26740	15	#0	16QAM	2.707	3.037	PASS
Band26(814-824)	3	26775	15	#0	QPSK	2.706	3.028	PASS
Band26(814-824)	3	26775	15	#0	16QAM	2.722	3.061	PASS
Band26(814-824)	5	26715	25	#0	QPSK	4.509	4.916	PASS
Band26(814-824)	5	26715	25	#0	16QAM	4.499	4.921	PASS
Band26(814-824)	5	26740	25	#0	QPSK	4.506	4.926	PASS
Band26(814-824)	5	26740	25	#0	16QAM	4.515	4.926	PASS
Band26(814-824)	5	26765	25	#0	QPSK	4.517	4.991	PASS
Band26(814-824)	5	26765	25	#0	16QAM	4.518	4.946	PASS
Band26(814-824)	10	26740	50	#0	QPSK	8.967	9.712	PASS
Band26(814-824)	10	26740	50	#0	16QAM	8.978	9.899	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0




Appendix 5. Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	815.44	-20.40	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	815.61	-17.04	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	824.05	-25.68	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	822.56	-23.32	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	817.04	-17.59	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	817.05	-17.34	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	824.04	-20.90	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	824.04	-19.16	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	819.06	-24.36	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	819.05	-22.13	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	818.96	-27.65	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	818.96	-26.14	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	824.09	-31.51	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	824.12	-28.91	-13	PASS

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.95985	-19.3	-13
2	813.9625	814	0.3	813.9892	-40.99	-20
3	815.4	815.4375	0.3	815.418075	-40.02	-20
4	815.4375	816.1	100	815.60975	-17.04	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.3591125	-27.12	-13
2	822.5625	822.6	0.3	822.573975	-49.15	-20
3	824	824.0375	0.3	824.0304125	-50.28	-20
4	824.0375	824.7	100	824.05075	-25.68	-13


Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0



Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0





Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.9178375	-29.59	-13
2	813.9625	814	0.3	813.9916375	-50.68	-20
3	824	824.0375	0.3	824.00315	-48.29	-20
4	824.0375	829	100	824.1169	-28.91	-13

Appendix 6. Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	25092.50	-23.97	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	25915.00	-23.92	-13	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	25886.25	-24.43	-13	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	25110.00	-23.85	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	25756.25	-23.89	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	24672.50	-24.24	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	25361.25	-23.47	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	25375.00	-23.05	-13	PASS
Band26(814-824)	3	26740	15	#0	QPSK	24762.50	-24.13	-13	PASS
Band26(814-824)	3	26740	15	#0	16QAM	25974.38	-24.06	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	25789.38	-23.91	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	25513.75	-23.80	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	25488.75	-24.20	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	25564.38	-23.95	-13	PASS
Band26(814-824)	5	26740	25	#0	QPSK	24792.50	-24.46	-13	PASS
Band26(814-824)	5	26740	25	#0	16QAM	25043.75	-23.27	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	25826.88	-23.05	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	25786.88	-23.38	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	25205.63	-24.22	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	25621.25	-24.20	-13	PASS

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0







Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0



Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0

