

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band5


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.12	-13	Pass	2985
30	814	0.1	RMS	806.699	-56.19	-13	Pass	7840
814	860	0.1	RMS	824.273	20.6	60	Pass	601
860	1000	0.1	RMS	890.622	-57.5	-13	Pass	1400
1000	3000	1	RMS	2652.826	-39.46	-13	Pass	2000
3000	10000	1	RMS	6296.471	-51.04	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.05	-13	Pass	2985
30	814	0.1	RMS	791.397	-56.19	-13	Pass	7840
814	860	0.1	RMS	825.117	20.42	60	Pass	601
860	1000	0.1	RMS	896.726	-57.53	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.46	-13	Pass	2000
3000	10000	1	RMS	6302.472	-51.16	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2985
30	814	0.1	RMS	805.899	-56.07	-13	Pass	7840
814	860	0.1	RMS	824.273	19.48	60	Pass	601
860	1000	0.1	RMS	894.525	-57.46	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.37	-13	Pass	2000
3000	10000	1	RMS	6341.477	-51.1	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.98	-13	Pass	2985
30	814	0.1	RMS	811.4	-56.38	-13	Pass	7840
814	860	0.1	RMS	825.117	19.37	60	Pass	601
860	1000	0.1	RMS	996.297	-57.57	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.4	-13	Pass	2000
3000	10000	1	RMS	6310.473	-50.96	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.91	-13	Pass	2985
30	814	0.1	RMS	800.998	-56.38	-13	Pass	7840
814	860	0.1	RMS	836.08	20.57	60	Pass	601
860	1000	0.1	RMS	889.921	-57.54	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.46	-13	Pass	2000
3000	10000	1	RMS	6288.47	-51.12	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.26	-13	Pass	2985
30	814	0.1	RMS	812.4	-55.96	-13	Pass	7840
814	860	0.1	RMS	836.923	20.59	60	Pass	601




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1000	3000	1	RMS	2659.83	-39.39	-13	Pass	2000
3000	10000	1	RMS	6315.474	-51.06	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.59	-13	Pass	2985
30	814	0.1	RMS	800.598	-56.17	-13	Pass	7840
814	860	0.1	RMS	836.08	19.56	60	Pass	601
860	1000	0.1	RMS	996.898	-57.47	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.41	-13	Pass	2000
3000	10000	1	RMS	6292.47	-51.13	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.02	-13	Pass	2985
30	814	0.1	RMS	809.699	-56.28	-13	Pass	7840
814	860	0.1	RMS	836.923	19.47	60	Pass	601
860	1000	0.1	RMS	898.928	-57.34	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.38	-13	Pass	2000
3000	10000	1	RMS	6605.515	-51.07	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.11	-13	Pass	2985
30	814	0.1	RMS	780.696	-56.3	-13	Pass	7840
814	860	0.1	RMS	847.887	20.41	60	Pass	601
860	1000	0.1	RMS	898.227	-57.36	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.45	-13	Pass	2000
3000	10000	1	RMS	6046.435	-51.06	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.89	-13	Pass	2985
30	814	0.1	RMS	768.394	-56.24	-13	Pass	7840
814	860	0.1	RMS	848.73	20.7	60	Pass	601
860	1000	0.1	RMS	902.03	-57.56	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.35	-13	Pass	2000
3000	10000	1	RMS	6031.433	-51.17	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2985
30	814	0.1	RMS	806.499	-56.09	-13	Pass	7840
814	860	0.1	RMS	847.887	19.4	60	Pass	601
860	1000	0.1	RMS	903.931	-57.52	-13	Pass	1400
1000	3000	1	RMS	2661.831	-39.45	-13	Pass	2000
3000	10000	1	RMS	6300.471	-51.09	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2985
30	814	0.1	RMS	809.499	-56.19	-13	Pass	7840
814	860	0.1	RMS	848.73	19.71	60	Pass	601
860	1000	0.1	RMS	962.673	-57.52	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.36	-13	Pass	2000
3000	10000	1	RMS	6300.471	-51.1	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.46	-13	Pass	2985
30	814	0.1	RMS	801.998	-56.19	-13	Pass	7840
814	860	0.1	RMS	824.273	20.47	60	Pass	601
860	1000	0.1	RMS	999.5	-57.47	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.45	-13	Pass	2000
3000	10000	1	RMS	6049.436	-51.12	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.01	-13	Pass	2985
30	814	0.1	RMS	765.794	-56.25	-13	Pass	7840
814	860	0.1	RMS	826.727	20.53	60	Pass	601
860	1000	0.1	RMS	903.031	-57.46	-13	Pass	1400
1000	3000	1	RMS	2661.831	-39.44	-13	Pass	2000
3000	10000	1	RMS	6627.518	-51.05	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.44	-13	Pass	2985
30	814	0.1	RMS	806.699	-56.16	-13	Pass	7840
814	860	0.1	RMS	824.273	19.57	60	Pass	601
860	1000	0.1	RMS	999.8	-57.43	-13	Pass	1400
1000	3000	1	RMS	2629.815	-39.46	-13	Pass	2000
3000	10000	1	RMS	6314.473	-51.13	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.32	-13	Pass	2985
30	814	0.1	RMS	806.799	-56.25	-13	Pass	7840
814	860	0.1	RMS	826.727	19.53	60	Pass	601
860	1000	0.1	RMS	920.443	-57.43	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.36	-13	Pass	2000
3000	10000	1	RMS	6317.474	-51.15	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.57	-13	Pass	2985
30	814	0.1	RMS	811.5	-56.1	-13	Pass	7840
814	860	0.1	RMS	835.237	20.81	60	Pass	601
860	1000	0.1	RMS	940.457	-57.4	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.4	-13	Pass	2000
3000	10000	1	RMS	6292.47	-51.03	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.92	-13	Pass	2985
30	814	0.1	RMS	803.099	-56.27	-13	Pass	7840
814	860	0.1	RMS	837.767	20.88	60	Pass	601
860	1000	0.1	RMS	903.931	-57.52	-13	Pass	1400
1000	3000	1	RMS	2661.831	-39.37	-13	Pass	2000
3000	10000	1	RMS	6304.472	-51.07	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.92	-13	Pass	2985
30	814	0.1	RMS	810.1	-56.13	-13	Pass	7840
814	860	0.1	RMS	835.237	19.73	60	Pass	601
860	1000	0.1	RMS	988.792	-57.5	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.39	-13	Pass	2000
3000	10000	1	RMS	6304.472	-51.14	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.29	-13	Pass	2985
30	814	0.1	RMS	803.399	-56.37	-13	Pass	7840
814	860	0.1	RMS	837.767	19.87	60	Pass	601
860	1000	0.1	RMS	940.457	-57.3	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.42	-13	Pass	2000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.22	-13	Pass	2985
30	814	0.1	RMS	811.5	-56.3	-13	Pass	7840
814	860	0.1	RMS	846.2	20.42	60	Pass	601
860	1000	0.1	RMS	940.457	-57.02	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.47	-13	Pass	2000
3000	10000	1	RMS	6317.474	-51.04	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.57	-13	Pass	2985
30	814	0.1	RMS	769.594	-56.36	-13	Pass	7840
814	860	0.1	RMS	848.73	20.49	60	Pass	601
860	1000	0.1	RMS	998.799	-57.35	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.36	-13	Pass	2000
3000	10000	1	RMS	6299.471	-51.09	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.97	-13	Pass	2985
30	814	0.1	RMS	813.2	-56.39	-13	Pass	7840
814	860	0.1	RMS	857.777	-58.21	60	Pass	601
860	1000	0.1	RMS	901.33	-57.61	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.37	-13	Pass	2000
3000	10000	1	RMS	6324.475	-51.12	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.32	-13	Pass	2985
30	814	0.1	RMS	808.599	-56.17	-13	Pass	7840
814	860	0.1	RMS	824.273	20.63	60	Pass	601
860	1000	0.1	RMS	923.946	-57.57	-13	Pass	1400
1000	3000	1	RMS	2839.92	-39.66	-13	Pass	2000
3000	10000	1	RMS	6308.473	-51.25	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.72	-13	Pass	2985
30	814	0.1	RMS	801.998	-56.37	-13	Pass	7840
814	860	0.1	RMS	825.117	20.48	60	Pass	601
860	1000	0.1	RMS	999.199	-57.5	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.55	-13	Pass	2000
3000	10000	1	RMS	6032.433	-51.25	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.74	-13	Pass	2985
30	814	0.1	RMS	795.998	-56.38	-13	Pass	7840
814	860	0.1	RMS	824.273	19.44	60	Pass	601
860	1000	0.1	RMS	898.227	-57.7	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.56	-13	Pass	2000
3000	10000	1	RMS	6043.435	-51.17	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.44	-13	Pass	2985
30	814	0.1	RMS	758.893	-56.25	-13	Pass	7840
814	860	0.1	RMS	825.117	19.34	60	Pass	601
860	1000	0.1	RMS	903.031	-57.49	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.55	-13	Pass	2000
3000	10000	1	RMS	6314.473	-51.18	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.48	-13	Pass	2985
30	814	0.1	RMS	787.897	-56.43	-13	Pass	7840
814	860	0.1	RMS	836.08	20.57	60	Pass	601
860	1000	0.1	RMS	896.526	-57.59	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.62	-13	Pass	2000
3000	10000	1	RMS	6046.435	-51.16	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.04	-13	Pass	2985
30	814	0.1	RMS	806.599	-56.36	-13	Pass	7840
814	860	0.1	RMS	836.923	20.61	60	Pass	601




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1000	3000	1	RMS	2657.829	-39.63	-13	Pass	2000
3000	10000	1	RMS	6334.476	-51.2	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.5	-13	Pass	2985
30	814	0.1	RMS	798.198	-56.44	-13	Pass	7840
814	860	0.1	RMS	836.08	19.5	60	Pass	601
860	1000	0.1	RMS	899.828	-57.55	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.59	-13	Pass	2000
3000	10000	1	RMS	6308.473	-51.2	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.21	-13	Pass	2985
30	814	0.1	RMS	808.699	-56.59	-13	Pass	7840
814	860	0.1	RMS	836.923	19.65	60	Pass	601
860	1000	0.1	RMS	965.275	-57.6	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.52	-13	Pass	2000
3000	10000	1	RMS	6306.472	-51.09	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.63	-13	Pass	2985
30	814	0.1	RMS	800.998	-56.23	-13	Pass	7840
814	860	0.1	RMS	847.887	20.53	60	Pass	601
860	1000	0.1	RMS	939.557	-57.67	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.57	-13	Pass	2000
3000	10000	1	RMS	6318.474	-51.2	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.77	-13	Pass	2985
30	814	0.1	RMS	766.794	-56.21	-13	Pass	7840
814	860	0.1	RMS	848.73	20.61	60	Pass	601
860	1000	0.1	RMS	905.833	-57.6	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.62	-13	Pass	2000
3000	10000	1	RMS	5987.427	-51.14	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.84	-13	Pass	2985
30	814	0.1	RMS	786.697	-56.04	-13	Pass	7840
814	860	0.1	RMS	847.887	19.49	60	Pass	601
860	1000	0.1	RMS	898.828	-57.35	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.65	-13	Pass	2000
3000	10000	1	RMS	6294.471	-51.11	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.36	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.78	-13	Pass	2985
30	814	0.1	RMS	798.698	-56.33	-13	Pass	7840
814	860	0.1	RMS	848.73	19.74	60	Pass	601
860	1000	0.1	RMS	899.428	-57.59	-13	Pass	1400
1000	3000	1	RMS	2630.815	-39.66	-13	Pass	2000
3000	10000	1	RMS	6304.472	-51.22	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2985
30	814	0.1	RMS	808.599	-56.17	-13	Pass	7840
814	860	0.1	RMS	824.273	20.54	60	Pass	601
860	1000	0.1	RMS	996.798	-57.37	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.63	-13	Pass	2000
3000	10000	1	RMS	5990.427	-51.05	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.18	-13	Pass	2985
30	814	0.1	RMS	799.998	-56.39	-13	Pass	7840
814	860	0.1	RMS	826.727	20.56	60	Pass	601
860	1000	0.1	RMS	981.387	-57.45	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.58	-13	Pass	2000
3000	10000	1	RMS	6045.435	-51.18	-13	Pass	7000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.13	-13	Pass	2985
30	814	0.1	RMS	805.699	-56.37	-13	Pass	7840
814	860	0.1	RMS	824.273	19.58	60	Pass	601
860	1000	0.1	RMS	990.793	-57.55	-13	Pass	1400
1000	3000	1	RMS	2661.831	-39.63	-13	Pass	2000
3000	10000	1	RMS	6312.473	-51.21	-13	Pass	7000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2985
30	814	0.1	RMS	809.699	-56.34	-13	Pass	7840
814	860	0.1	RMS	826.727	19.59	60	Pass	601
860	1000	0.1	RMS	999.9	-57.51	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.56	-13	Pass	2000
3000	10000	1	RMS	6049.436	-51.18	-13	Pass	7000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.27	-13	Pass	2985
30	814	0.1	RMS	777.895	-56.24	-13	Pass	7840
814	860	0.1	RMS	835.237	20.82	60	Pass	601
860	1000	0.1	RMS	897.427	-57.55	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.65	-13	Pass	2000
3000	10000	1	RMS	6294.471	-51.13	-13	Pass	7000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.38	-13	Pass	2985
30	814	0.1	RMS	785.296	-56.44	-13	Pass	7840
814	860	0.1	RMS	837.767	20.86	60	Pass	601
860	1000	0.1	RMS	997.498	-57.54	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.64	-13	Pass	2000
3000	10000	1	RMS	5983.426	-51.19	-13	Pass	7000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.24	-13	Pass	2985
30	814	0.1	RMS	802.599	-56.25	-13	Pass	7840
814	860	0.1	RMS	835.237	19.82	60	Pass	601
860	1000	0.1	RMS	988.592	-57.52	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.58	-13	Pass	2000
3000	10000	1	RMS	6299.471	-51.15	-13	Pass	7000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.27	-13	Pass	2985
30	814	0.1	RMS	780.796	-56.35	-13	Pass	7840
814	860	0.1	RMS	837.767	19.73	60	Pass	601
860	1000	0.1	RMS	898.427	-57.62	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.61	-13	Pass	2000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.88	-13	Pass	2985
30	814	0.1	RMS	805.299	-56.26	-13	Pass	7840
814	860	0.1	RMS	846.277	20.51	60	Pass	601
860	1000	0.1	RMS	890.021	-57.65	-13	Pass	1400
1000	3000	1	RMS	2633.817	-39.67	-13	Pass	2000
3000	10000	1	RMS	6292.47	-51.04	-13	Pass	7000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.58	-13	Pass	2985
30	814	0.1	RMS	808.799	-55.95	-13	Pass	7840
814	860	0.1	RMS	848.73	20.75	60	Pass	601
860	1000	0.1	RMS	908.935	-57.69	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.63	-13	Pass	2000
3000	10000	1	RMS	6294.471	-51.15	-13	Pass	7000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.44	-13	Pass	2985
30	814	0.1	RMS	804.699	-56.37	-13	Pass	7840
814	860	0.1	RMS	846.277	19.54	60	Pass	601
860	1000	0.1	RMS	902.831	-57.58	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.58	-13	Pass	2000
3000	10000	1	RMS	6299.471	-51.22	-13	Pass	7000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.14	-13	Pass	2985
30	814	0.1	RMS	791.897	-56.3	-13	Pass	7840
814	860	0.1	RMS	848.73	19.6	60	Pass	601
860	1000	0.1	RMS	905.332	-57.53	-13	Pass	1400
1000	3000	1	RMS	2660.83	-39.61	-13	Pass	2000
3000	10000	1	RMS	6315.474	-51.11	-13	Pass	7000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.47	-13	Pass	2985
30	814	0.1	RMS	811.8	-56.65	-13	Pass	7840
814	860	0.1	RMS	824.35	20.47	60	Pass	601
860	1000	0.1	RMS	996.898	-57.55	-13	Pass	1400
1000	3000	1	RMS	2838.919	-39.63	-13	Pass	2000
3000	10000	1	RMS	6299.471	-51.15	-13	Pass	7000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.04	-13	Pass	2985
30	814	0.1	RMS	799.298	-56.54	-13	Pass	7840
814	860	0.1	RMS	828.643	20.54	60	Pass	601
860	1000	0.1	RMS	997.598	-57.6	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.59	-13	Pass	2000
3000	10000	1	RMS	6335.476	-51.21	-13	Pass	7000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2985
30	814	0.1	RMS	794.398	-55.89	-13	Pass	7840
814	860	0.1	RMS	824.35	19.72	60	Pass	601
860	1000	0.1	RMS	892.924	-57.54	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.62	-13	Pass	2000
3000	10000	1	RMS	6305.472	-51.08	-13	Pass	7000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.86	-13	Pass	2985
30	814	0.1	RMS	802.399	-56.41	-13	Pass	7840
814	860	0.1	RMS	828.643	19.64	60	Pass	601
860	1000	0.1	RMS	987.791	-57.61	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.57	-13	Pass	2000
3000	10000	1	RMS	6307.472	-51.07	-13	Pass	7000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.1	-13	Pass	2985
30	814	0.1	RMS	743.191	-56.08	-13	Pass	7840
814	860	0.1	RMS	834.317	20.47	60	Pass	601
860	1000	0.1	RMS	901.229	-57.55	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.59	-13	Pass	2000
3000	10000	1	RMS	6308.473	-51.13	-13	Pass	7000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.9	-13	Pass	2985
30	814	0.1	RMS	802.098	-56.15	-13	Pass	7840
814	860	0.1	RMS	838.687	20.51	60	Pass	601
860	1000	0.1	RMS	900.129	-57.64	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.59	-13	Pass	2000
3000	10000	1	RMS	6301.472	-51.06	-13	Pass	7000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.62	-13	Pass	2985
30	814	0.1	RMS	801.998	-55.87	-13	Pass	7840
814	860	0.1	RMS	834.317	19.66	60	Pass	601
860	1000	0.1	RMS	998.099	-57.64	-13	Pass	1400
1000	3000	1	RMS	2661.831	-39.54	-13	Pass	2000
3000	10000	1	RMS	6285.469	-51.1	-13	Pass	7000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.82	-13	Pass	2985
30	814	0.1	RMS	801.098	-56.39	-13	Pass	7840
814	860	0.1	RMS	838.687	19.67	60	Pass	601
860	1000	0.1	RMS	905.232	-57.59	-13	Pass	1400
1000	3000	1	RMS	2661.831	-39.58	-13	Pass	2000
3000	10000	1	RMS	6317.474	-51.06	-13	Pass	7000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.37	-13	Pass	2985
30	814	0.1	RMS	771.395	-56.63	-13	Pass	7840
814	860	0.1	RMS	844.36	20.32	60	Pass	601
860	1000	0.1	RMS	902.33	-57.62	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.55	-13	Pass	2000
3000	10000	1	RMS	6293.47	-51.2	-13	Pass	7000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.41	-13	Pass	2985
30	814	0.1	RMS	802.899	-56.4	-13	Pass	7840
814	860	0.1	RMS	848.653	20.56	60	Pass	601
860	1000	0.1	RMS	896.526	-57.65	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.62	-13	Pass	2000
3000	10000	1	RMS	6295.471	-51.16	-13	Pass	7000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	814	0.1	RMS	788.397	-56.36	-13	Pass	7840
814	860	0.1	RMS	844.36	19.79	60	Pass	601
860	1000	0.1	RMS	903.131	-57.48	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.63	-13	Pass	2000
3000	10000	1	RMS	6305.472	-51.19	-13	Pass	7000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.44	-13	Pass	2985
30	814	0.1	RMS	805.999	-56.34	-13	Pass	7840
814	860	0.1	RMS	848.653	19.81	60	Pass	601
860	1000	0.1	RMS	999.099	-57.5	-13	Pass	1400
1000	3000	1	RMS	2657.829	-39.64	-13	Pass	2000
3000	10000	1	RMS	6303.472	-51.19	-13	Pass	7000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.14	-13	Pass	2985
30	814	0.1	RMS	809.199	-56.35	-13	Pass	7840
814	860	0.1	RMS	824.58	20.77	60	Pass	601
860	1000	0.1	RMS	899.628	-57.55	-13	Pass	1400
1000	3000	1	RMS	2629.815	-39.63	-13	Pass	2000
3000	10000	1	RMS	6306.472	-51.16	-13	Pass	7000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.8	-13	Pass	2985
30	814	0.1	RMS	810.1	-56.11	-13	Pass	7840
814	860	0.1	RMS	833.397	20.63	60	Pass	601
860	1000	0.1	RMS	901.33	-57.54	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.6	-13	Pass	2000
3000	10000	1	RMS	6300.471	-51.2	-13	Pass	7000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.84	-13	Pass	2985
30	814	0.1	RMS	803.099	-56.18	-13	Pass	7840
814	860	0.1	RMS	824.58	19.82	60	Pass	601
860	1000	0.1	RMS	994.896	-57.63	-13	Pass	1400
1000	3000	1	RMS	2658.829	-39.58	-13	Pass	2000
3000	10000	1	RMS	6309.473	-51.07	-13	Pass	7000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.4	-13	Pass	2985
30	814	0.1	RMS	739.891	-56.54	-13	Pass	7840
814	860	0.1	RMS	833.397	19.74	60	Pass	601
860	1000	0.1	RMS	897.427	-57.23	-13	Pass	1400
1000	3000	1	RMS	2661.831	-39.55	-13	Pass	2000
3000	10000	1	RMS	6317.474	-51.24	-13	Pass	7000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2985
30	814	0.1	RMS	807.699	-56.21	-13	Pass	7840
814	860	0.1	RMS	832.093	20.77	60	Pass	601
860	1000	0.1	RMS	999.8	-57.61	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.6	-13	Pass	2000
3000	10000	1	RMS	6318.474	-51.17	-13	Pass	7000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.98	-13	Pass	2985
30	814	0.1	RMS	795.198	-56.33	-13	Pass	7840
814	860	0.1	RMS	840.91	20.8	60	Pass	601
860	1000	0.1	RMS	895.025	-57.61	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.62	-13	Pass	2000
3000	10000	1	RMS	6320.474	-51.15	-13	Pass	7000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.19	-13	Pass	2985
30	814	0.1	RMS	786.597	-56.41	-13	Pass	7840
814	860	0.1	RMS	832.093	19.79	60	Pass	601
860	1000	0.1	RMS	997.398	-57.66	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.64	-13	Pass	2000
3000	10000	1	RMS	6308.473	-51.2	-13	Pass	7000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-13	Pass	2985
30	814	0.1	RMS	782.596	-56.26	-13	Pass	7840
814	860	0.1	RMS	840.91	19.74	60	Pass	601
860	1000	0.1	RMS	903.531	-57.58	-13	Pass	1400
1000	3000	1	RMS	2663.832	-39.6	-13	Pass	2000
3000	10000	1	RMS	6302.472	-51.14	-13	Pass	7000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.89	-13	Pass	2985
30	814	0.1	RMS	806.299	-56.31	-13	Pass	7840
814	860	0.1	RMS	839.607	20.68	60	Pass	601
860	1000	0.1	RMS	895.325	-57.7	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.62	-13	Pass	2000
3000	10000	1	RMS	6338.477	-51.15	-13	Pass	7000




1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.71	-13	Pass	2985
30	814	0.1	RMS	809.099	-56.48	-13	Pass	7840
814	860	0.1	RMS	848.423	20.78	60	Pass	601
860	1000	0.1	RMS	991.294	-57.56	-13	Pass	1400
1000	3000	1	RMS	2662.831	-39.61	-13	Pass	2000
3000	10000	1	RMS	6307.472	-51.03	-13	Pass	7000




1.73. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.16	-13	Pass	2985
30	814	0.1	RMS	789.497	-56.25	-13	Pass	7840
814	860	0.1	RMS	839.607	19.75	60	Pass	601
860	1000	0.1	RMS	903.331	-57.58	-13	Pass	1400
1000	3000	1	RMS	2656.828	-39.63	-13	Pass	2000
3000	10000	1	RMS	6309.473	-51.15	-13	Pass	7000



1.74. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.42	-13	Pass	2985
30	814	0.1	RMS	797.898	-56.46	-13	Pass	7840
814	860	0.1	RMS	848.423	19.75	60	Pass	601
860	1000	0.1	RMS	901.53	-57.61	-13	Pass	1400
1000	3000	1	RMS	2659.83	-39.65	-13	Pass	2000
3000	10000	1	RMS	6285.469	-51.14	-13	Pass	7000



END