

Appendix for Band 17

Report No.: BCTC2507146454-6E

Applicant: SHENZHEN YUNJI INTELLIGENT TECHNOLOGY
CO.,LTD

Product Name: Smart Phone


Test Model: C5

Tested Date: 2025-06-10 to 2025-07-08

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement.....	3
Appendix 2.Frequency stability.....	6
Appendix 3.Peak-to-Average Ratio	12
Appendix 4.Occupied bandwidth	21
Appendix 5.Band edge.....	30
Appendix 6.Out-of-band emissions.....	37




Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	Verdict
NVNT	Band17	5	23755	1	#0	QPSK	23.57	-4.01	17.41	PASS
NVNT	Band17	5	23755	1	#Mid	QPSK	23.43	-4.01	17.27	PASS
NVNT	Band17	5	23755	1	#Max	QPSK	23.51	-4.01	17.35	PASS
NVNT	Band17	5	23755	12	#0	QPSK	23.07	-4.01	16.91	PASS
NVNT	Band17	5	23755	12	#Mid	QPSK	23.02	-4.01	16.86	PASS
NVNT	Band17	5	23755	12	#Max	QPSK	23.08	-4.01	16.92	PASS
NVNT	Band17	5	23755	25	#0	QPSK	23.00	-4.01	16.84	PASS
NVNT	Band17	5	23755	1	#0	16QAM	22.79	-4.01	16.63	PASS
NVNT	Band17	5	23755	1	#Mid	16QAM	22.67	-4.01	16.51	PASS
NVNT	Band17	5	23755	1	#Max	16QAM	22.75	-4.01	16.59	PASS
NVNT	Band17	5	23755	12	#0	16QAM	21.43	-4.01	15.27	PASS
NVNT	Band17	5	23755	12	#Mid	16QAM	21.39	-4.01	15.23	PASS
NVNT	Band17	5	23755	12	#Max	16QAM	21.75	-4.01	15.59	PASS
NVNT	Band17	5	23755	25	#0	16QAM	21.61	-4.01	15.45	PASS
NVNT	Band17	5	23790	1	#0	QPSK	23.52	-4.01	17.36	PASS
NVNT	Band17	5	23790	1	#Mid	QPSK	23.37	-4.01	17.21	PASS
NVNT	Band17	5	23790	1	#Max	QPSK	23.32	-4.01	17.16	PASS
NVNT	Band17	5	23790	12	#0	QPSK	23.07	-4.01	16.91	PASS
NVNT	Band17	5	23790	12	#Mid	QPSK	23.09	-4.01	16.93	PASS
NVNT	Band17	5	23790	12	#Max	QPSK	23.01	-4.01	16.85	PASS
NVNT	Band17	5	23790	25	#0	QPSK	23.08	-4.01	16.92	PASS
NVNT	Band17	5	23790	1	#0	16QAM	23.07	-4.01	16.91	PASS
NVNT	Band17	5	23790	1	#Mid	16QAM	23.12	-4.01	16.96	PASS
NVNT	Band17	5	23790	1	#Max	16QAM	23.26	-4.01	17.10	PASS
NVNT	Band17	5	23790	12	#0	16QAM	21.86	-4.01	15.70	PASS
NVNT	Band17	5	23790	12	#Mid	16QAM	21.82	-4.01	15.66	PASS
NVNT	Band17	5	23790	12	#Max	16QAM	21.81	-4.01	15.65	PASS
NVNT	Band17	5	23790	25	#0	16QAM	21.82	-4.01	15.66	PASS
NVNT	Band17	5	23825	1	#0	QPSK	23.48	-4.01	17.32	PASS
NVNT	Band17	5	23825	1	#Mid	QPSK	23.41	-4.01	17.25	PASS
NVNT	Band17	5	23825	1	#Max	QPSK	23.45	-4.01	17.29	PASS
NVNT	Band17	5	23825	12	#0	QPSK	23.08	-4.01	16.92	PASS
NVNT	Band17	5	23825	12	#Mid	QPSK	23.12	-4.01	16.96	PASS
NVNT	Band17	5	23825	12	#Max	QPSK	23.07	-4.01	16.91	PASS
NVNT	Band17	5	23825	25	#0	QPSK	23.00	-4.01	16.84	PASS

NVNT	Band17	5	23825	1	#0	16QAM	23.38	-4.01	17.22	PASS
NVNT	Band17	5	23825	1	#Mid	16QAM	23.15	-4.01	16.99	PASS
NVNT	Band17	5	23825	1	#Max	16QAM	23.13	-4.01	16.97	PASS
NVNT	Band17	5	23825	12	#0	16QAM	21.85	-4.01	15.69	PASS
NVNT	Band17	5	23825	12	#Mid	16QAM	21.49	-4.01	15.33	PASS
NVNT	Band17	5	23825	12	#Max	16QAM	21.53	-4.01	15.37	PASS
NVNT	Band17	5	23825	25	#0	16QAM	21.69	-4.01	15.53	PASS
NVNT	Band17	10	23780	1	#0	QPSK	23.54	-4.01	17.38	PASS
NVNT	Band17	10	23780	1	#Mid	QPSK	23.44	-4.01	17.28	PASS
NVNT	Band17	10	23780	1	#Max	QPSK	23.54	-4.01	17.38	PASS
NVNT	Band17	10	23780	25	#0	QPSK	22.92	-4.01	16.76	PASS
NVNT	Band17	10	23780	25	#Mid	QPSK	23.01	-4.01	16.85	PASS
NVNT	Band17	10	23780	25	#Max	QPSK	23.03	-4.01	16.87	PASS
NVNT	Band17	10	23780	50	#0	QPSK	23.01	-4.01	16.85	PASS
NVNT	Band17	10	23780	1	#0	16QAM	24.05	-4.01	17.89	PASS
NVNT	Band17	10	23780	1	#Mid	16QAM	24.04	-4.01	17.88	PASS
NVNT	Band17	10	23780	1	#Max	16QAM	24.00	-4.01	17.84	PASS
NVNT	Band17	10	23780	25	#0	16QAM	21.42	-4.01	15.26	PASS
NVNT	Band17	10	23780	25	#Mid	16QAM	21.79	-4.01	15.63	PASS
NVNT	Band17	10	23780	25	#Max	16QAM	21.82	-4.01	15.66	PASS
NVNT	Band17	10	23780	50	#0	16QAM	21.89	-4.01	15.73	PASS
NVNT	Band17	10	23790	1	#0	QPSK	23.61	-4.01	17.45	PASS
NVNT	Band17	10	23790	1	#Mid	QPSK	23.52	-4.01	17.36	PASS
NVNT	Band17	10	23790	1	#Max	QPSK	23.56	-4.01	17.40	PASS
NVNT	Band17	10	23790	25	#0	QPSK	23.12	-4.01	16.96	PASS
NVNT	Band17	10	23790	25	#Mid	QPSK	22.92	-4.01	16.76	PASS
NVNT	Band17	10	23790	25	#Max	QPSK	22.91	-4.01	16.75	PASS
NVNT	Band17	10	23790	50	#0	QPSK	22.92	-4.01	16.76	PASS
NVNT	Band17	10	23790	1	#0	16QAM	23.01	-4.01	16.85	PASS
NVNT	Band17	10	23790	1	#Mid	16QAM	23.03	-4.01	16.87	PASS
NVNT	Band17	10	23790	1	#Max	16QAM	23.00	-4.01	16.84	PASS
NVNT	Band17	10	23790	25	#0	16QAM	21.95	-4.01	15.79	PASS
NVNT	Band17	10	23790	25	#Mid	16QAM	21.94	-4.01	15.78	PASS
NVNT	Band17	10	23790	25	#Max	16QAM	21.95	-4.01	15.79	PASS
NVNT	Band17	10	23790	50	#0	16QAM	21.99	-4.01	15.83	PASS
NVNT	Band17	10	23800	1	#0	QPSK	23.50	-4.01	17.34	PASS
NVNT	Band17	10	23800	1	#Mid	QPSK	23.46	-4.01	17.30	PASS
NVNT	Band17	10	23800	1	#Max	QPSK	23.53	-4.01	17.37	PASS
NVNT	Band17	10	23800	25	#0	QPSK	23.13	-4.01	16.97	PASS
NVNT	Band17	10	23800	25	#Mid	QPSK	23.06	-4.01	16.90	PASS
NVNT	Band17	10	23800	25	#Max	QPSK	23.04	-4.01	16.88	PASS
NVNT	Band17	10	23800	50	#0	QPSK	23.05	-4.01	16.89	PASS

NVNT	Band17	10	23800	1	#0	16QAM	22.96	-4.01	16.80	PASS
NVNT	Band17	10	23800	1	#Mid	16QAM	22.95	-4.01	16.79	PASS
NVNT	Band17	10	23800	1	#Max	16QAM	22.98	-4.01	16.82	PASS
NVNT	Band17	10	23800	25	#0	16QAM	21.92	-4.01	15.76	PASS
NVNT	Band17	10	23800	25	#Mid	16QAM	21.90	-4.01	15.74	PASS
NVNT	Band17	10	23800	25	#Max	16QAM	21.56	-4.01	15.40	PASS
NVNT	Band17	10	23800	50	#0	16QAM	21.90	-4.01	15.74	PASS



Appendix 2.Frequency stability

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band1 7	5	23755	25	#0	QPSK	LV	NT	25.22	0.036	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	NT	35.46	0.050	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	HV	NT	37.57	0.053	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	LV	NT	41.23	0.058	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	NT	40.90	0.058	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	HV	NT	39.32	0.056	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	LV	NT	1.07	0.002	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	NT	-24.52	-0.035	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	HV	NT	-10.39	-0.015	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	LV	NT	-13.19	-0.019	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	NT	-17.35	-0.024	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	HV	NT	-17.28	-0.024	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	LV	NT	-11.80	-0.017	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	NT	-18.04	-0.025	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	HV	NT	-18.04	-0.025	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	LV	NT	-22.19	-0.031	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	NT	-31.81	-0.045	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	HV	NT	-0.14	0.000	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	LV	NT	10.21	0.014	PASS

NVNT	Band1 7	10	23780	50	#0	QPSK	NV	NT	20.04	0.028	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	HV	NT	22.02	0.031	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	LV	NT	22.89	0.032	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	NT	-3.76	-0.005	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	HV	NT	8.70	0.012	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	LV	NT	-5.72	-0.008	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	NT	-8.60	-0.012	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	HV	NT	-14.23	-0.020	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	LV	NT	-19.33	-0.027	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	NT	-23.40	-0.033	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	HV	NT	-25.33	-0.036	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	LV	NT	9.48	0.013	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	NT	7.97	0.011	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	HV	NT	4.55	0.006	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	LV	NT	0.69	0.001	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	NT	-3.48	-0.005	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	HV	NT	-6.77	-0.010	PASS

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	-30	27.54	0.039	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	-20	45.76	0.065	PASS
NVNT	Band1	5	23755	25	#0	QPSK	NV	0	11.94	0.017	PASS

	7										
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	10	19.48	0.028	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	20	23.00	0.033	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	30	23.07	0.033	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	40	21.03	0.030	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	50	16.16	0.023	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	-30	11.79	0.017	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	-20	7.21	0.010	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	0	2.25	0.003	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	10	1.24	0.002	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	20	-0.62	-0.001	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	30	-1.65	-0.002	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	40	-2.45	-0.003	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	50	-2.89	-0.004	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	-30	-5.49	-0.008	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	-20	-8.10	-0.011	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	0	-8.45	-0.012	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	10	-10.89	-0.015	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	20	-14.33	-0.020	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	30	-19.70	-0.028	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	40	-25.78	-0.036	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	50	-30.54	-0.043	PASS

NVNT	Band1 7	5	23790	25	#0	16QAM	NV	-30	-35.48	-0.050	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	-20	-40.28	-0.057	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	0	-43.75	-0.062	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	10	-45.40	-0.064	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	20	-46.88	-0.066	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	30	-47.81	-0.067	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	40	-48.89	-0.069	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	50	-50.15	-0.071	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	-30	-2.93	-0.004	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	-20	-3.76	-0.005	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	0	-4.88	-0.007	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	10	-8.48	-0.012	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	20	-12.57	-0.018	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	30	-18.01	-0.025	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	40	-23.59	-0.033	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	50	-29.40	-0.041	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	-30	-34.59	-0.048	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	-20	-38.77	-0.054	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	0	-42.30	-0.059	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	10	-44.70	-0.063	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	20	-45.13	-0.063	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	30	-44.60	-0.063	PASS


	7										
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	40	-45.58	-0.064	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	50	-43.66	-0.061	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	-30	22.97	0.032	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	-20	41.83	0.059	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	0	2.49	0.004	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	10	6.37	0.009	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	20	6.11	0.009	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	30	1.92	0.003	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	40	-4.98	-0.007	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	50	-13.00	-0.018	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	-30	-20.61	-0.029	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	-20	-26.99	-0.038	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	0	-31.41	-0.044	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	10	-32.77	-0.046	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	20	-34.48	-0.049	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	30	-34.15	-0.048	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	40	-35.08	-0.049	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	50	-36.06	-0.051	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	-30	-0.64	-0.001	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	-20	-0.72	-0.001	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	0	-2.85	-0.004	PASS

NVNT	Band1 7	10	23790	50	#0	QPSK	NV	10	-6.49	-0.009	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	20	-10.47	-0.015	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	30	-15.89	-0.022	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	40	-21.54	-0.030	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	50	-27.68	-0.039	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	-30	-33.26	-0.047	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	-20	-36.31	-0.051	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	0	-37.87	-0.053	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	10	-39.30	-0.055	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	20	-39.51	-0.056	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	30	-39.27	-0.055	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	40	-37.44	-0.053	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	50	-36.84	-0.052	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	-30	-5.64	-0.008	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	-20	-5.74	-0.008	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	0	-7.41	-0.010	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	10	-8.71	-0.012	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	20	-12.39	-0.017	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	30	-18.01	-0.025	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	40	-24.25	-0.034	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	50	-28.61	-0.040	PASS
NVNT	Band1	10	23800	50	#0	16QAM	NV	-30	-33.72	-0.047	PASS


	7										
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	-20	-37.06	-0.052	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	0	-37.44	-0.053	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	10	-37.05	-0.052	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	20	-36.33	-0.051	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	30	-35.65	-0.050	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	40	-33.29	-0.047	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	50	-33.66	-0.047	PASS


Appendix 3. Peak-to-Average Ratio


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
NVNT	Band17	5	23755	1	#0	QPSK	5.03	13	PASS
NVNT	Band17	5	23755	1	#0	16QAM	5.62	13	PASS
NVNT	Band17	5	23790	1	#0	QPSK	5.14	13	PASS
NVNT	Band17	5	23790	1	#0	16QAM	5.54	13	PASS
NVNT	Band17	5	23825	1	#0	QPSK	5.10	13	PASS
NVNT	Band17	5	23825	1	#0	16QAM	5.66	13	PASS
NVNT	Band17	10	23780	1	#0	QPSK	4.94	13	PASS
NVNT	Band17	10	23780	1	#0	16QAM	5.60	13	PASS
NVNT	Band17	10	23790	1	#0	QPSK	5.01	13	PASS
NVNT	Band17	10	23790	1	#0	16QAM	5.93	13	PASS
NVNT	Band17	10	23800	1	#0	QPSK	4.91	13	PASS
NVNT	Band17	10	23800	1	#0	16QAM	5.65	13	PASS




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0 NVNT











Band17 16QAM BW=5MHz Channel=23790 RB Size=1 Position=#0 NVNT










Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0 NVNT









Band17 16QAM BW=10MHz Channel=23790 RB Size=1 Position=#0 NVNT







Appendix 4.Occupied bandwidth


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
NVNT	Band17	5	23755	25	#0	QPSK	4.522	4.947	PASS
NVNT	Band17	5	23755	25	#0	16QAM	4.497	4.995	PASS
NVNT	Band17	5	23790	25	#0	QPSK	4.504	4.960	PASS
NVNT	Band17	5	23790	25	#0	16QAM	4.499	4.922	PASS
NVNT	Band17	5	23825	25	#0	QPSK	4.494	4.943	PASS
NVNT	Band17	5	23825	25	#0	16QAM	4.519	4.960	PASS
NVNT	Band17	10	23780	50	#0	QPSK	9.001	9.762	PASS
NVNT	Band17	10	23780	50	#0	16QAM	9.000	9.796	PASS
NVNT	Band17	10	23790	50	#0	QPSK	8.971	9.790	PASS
NVNT	Band17	10	23790	50	#0	16QAM	9.005	9.892	PASS
NVNT	Band17	10	23800	50	#0	QPSK	8.990	9.837	PASS
NVNT	Band17	10	23800	50	#0	16QAM	8.976	9.903	PASS







Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT








Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0 NVNT







Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT





Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0 NVNT









Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0 NVNT







Appendix 5.Band edge


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band17	5	23755	25	#0	QPSK	703.97	-31.03	-13	PASS
NVNT	Band17	5	23755	25	#0	16QAM	703.99	-33.20	-13	PASS
NVNT	Band17	5	23825	25	#0	QPSK	716.00	-29.79	-13	PASS
NVNT	Band17	5	23825	25	#0	16QAM	716.00	-33.02	-13	PASS
NVNT	Band17	10	23780	50	#0	QPSK	703.98	-33.54	-13	PASS
NVNT	Band17	10	23780	50	#0	16QAM	704.00	-34.87	-13	PASS
NVNT	Band17	10	23800	50	#0	QPSK	716.06	-34.20	-13	PASS
NVNT	Band17	10	23800	50	#0	16QAM	716.00	-32.30	-13	PASS







Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT








Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT









Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 NVNT







Appendix 6.Out-of-band emissions

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band17	5	23755	25	#0	QPSK	25932.50	-24.15	-13	PASS
NVNT	Band17	5	23755	25	#0	16QAM	25953.75	-24.19	-13	PASS
NVNT	Band17	5	23790	25	#0	QPSK	25860.00	-24.82	-13	PASS
NVNT	Band17	5	23790	25	#0	16QAM	24667.50	-24.42	-13	PASS
NVNT	Band17	5	23825	25	#0	QPSK	25946.88	-24.08	-13	PASS
NVNT	Band17	5	23825	25	#0	16QAM	25116.88	-24.25	-13	PASS
NVNT	Band17	10	23780	50	#0	QPSK	25988.13	-24.05	-13	PASS
NVNT	Band17	10	23780	50	#0	16QAM	25920.63	-23.54	-13	PASS
NVNT	Band17	10	23790	50	#0	QPSK	24675.63	-23.79	-13	PASS
NVNT	Band17	10	23790	50	#0	16QAM	24664.38	-24.25	-13	PASS
NVNT	Band17	10	23800	50	#0	QPSK	25337.50	-23.99	-13	PASS
NVNT	Band17	10	23800	50	#0	16QAM	25665.00	-24.33	-13	PASS






Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT





Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.1	-13
2	0.15	30	10	6.093135	-37.27	-13
3	30	1000	100	30.873	-49.36	-13
4	1000	26000	1000	25860	-24.82	-13

Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0 NVNT






Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0 NVNT




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009356025	-46.76	-13
2	0.15	30	10	6.1214925	-37.47	-13
3	30	1000	100	30	-49.15	-13
4	1000	26000	1000	25116.875	-24.25	-13


Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT



Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0 NVNT




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00965565	-45.76	-13
2	0.15	30	10	6.4856625	-39.9	-13
3	30	1000	100	30.26675	-49.41	-13
4	1000	26000	1000	24675.625	-23.79	-13


Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0 NVNT



Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0 NVNT



Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009532275	-45.95	-13
2	0.15	30	10	6.11776125	-37.79	-13
3	30	1000	100	30.16975	-50.07	-13
4	1000	26000	1000	25665	-24.33	-13

Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0 NVNT

