

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.67	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.87	-13	Pass	2986
30	500	0.1	Peak	478.3	-43.46	-13	Pass	4701
500	1000	0.1	Peak	824.3	33.73	-13	N/A	5001
1000	10000	1	Peak	7584	-19.88	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.27	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.84	-13	Pass	2986
30	500	0.1	Peak	405.3	-43.43	-13	Pass	4701
500	1000	0.1	Peak	836.6	33.67	-13	N/A	5001
1000	10000	1	Peak	6964	-19.74	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.35	-13	Pass	2986
30	500	0.1	Peak	372.4	-43.57	-13	Pass	4701
500	1000	0.1	Peak	848.8	33.58	-13	N/A	5001
1000	10000	1	Peak	7783	-19.51	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-52.09	-13	Pass	401
0.15	30	0.01	Peak	0.31	-59.28	-13	Pass	2986
30	1000	0.1	Peak	990.794	-47.86	-13	Pass	9701
1000	3000	1	Peak	1850	32.21	-13	N/A	2001
3000	20000	1	Peak	3700	-37.16	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.12	-13	Pass	2986
30	1000	0.1	Peak	816.7	-48.25	-13	Pass	9701
1000	3000	1	Peak	1880	30.46	-13	N/A	2001
3000	20000	1	Peak	3760	-37.36	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-50.38	-13	Pass	401
0.15	30	0.01	Peak	0.18	-58.95	-13	Pass	2986
30	1000	0.1	Peak	843.7	-47.88	-13	Pass	9701
1000	3000	1	Peak	1910	28.09	-13	N/A	2001
3000	20000	1	Peak	19990	-37.64	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.78	-13	Pass	401
0.15	30	0.01	Peak	0.39	-53.38	-13	Pass	2986
30	500	0.1	Peak	434.4	-43.67	-13	Pass	4701
500	1000	0.1	Peak	824.2	30.57	-13	N/A	5001
1000	10000	1	Peak	6976	-19.9	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.63	-13	Pass	401
0.15	30	0.01	Peak	0.28	-54.04	-13	Pass	2986
30	500	0.1	Peak	425.8	-43.73	-13	Pass	4701
500	1000	0.1	Peak	836.7	28.14	-13	N/A	5001
1000	10000	1	Peak	9647	-19.87	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.2	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.16	-13	Pass	2986
30	500	0.1	Peak	412.1	-43.19	-13	Pass	4701
500	1000	0.1	Peak	848.8	31.05	-13	N/A	5001
1000	10000	1	Peak	7460	-19.95	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-48.55	-13	Pass	401
0.15	30	0.01	Peak	0.7	-59.73	-13	Pass	2986
30	1000	0.1	Peak	695.4	-47.78	-13	Pass	9701
1000	3000	1	Peak	1850	28.13	-13	N/A	2001
3000	20000	1	Peak	19390	-37.84	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.29	-13	Pass	401
0.15	30	0.01	Peak	0.29	-60.2	-13	Pass	2986
30	1000	0.1	Peak	836.7	-48.37	-13	Pass	9701
1000	3000	1	Peak	1880	27.26	-13	N/A	2001
3000	20000	1	Peak	19736	-38.03	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.57	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.39	-13	Pass	2986
30	1000	0.1	Peak	843	-48.24	-13	Pass	9701
1000	3000	1	Peak	1910	25.78	-13	N/A	2001
3000	20000	1	Peak	19708	-37.71	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-62.15	-13	Pass	401
0.15	30	0.01	Peak	0.25	-64.43	-13	Pass	2986
30	1000	0.1	Peak	993.396	-52.26	-13	Pass	9701
1000	3000	1	Peak	1851	22.49	-13	N/A	2001
3000	20000	1	Peak	19787	-18.71	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.09	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.3	-13	Pass	2986
30	1000	0.1	Peak	805.6	-52.04	-13	Pass	9701
1000	3000	1	Peak	1881	22.41	-13	N/A	2001
3000	20000	1	Peak	19830	-19.39	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.62	-13	Pass	2986
30	1000	0.1	Peak	998.999	-52.47	-13	Pass	9701
1000	3000	1	Peak	1906	22.75	-13	N/A	2001
3000	20000	1	Peak	19678	-19.25	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.07	-13	Pass	401
0.15	30	0.01	Peak	0.53	-63.54	-13	Pass	2986
30	1000	0.1	Peak	839.8	-52.46	-13	Pass	9701
1000	3000	1	Peak	1714	23.18	-13	N/A	2001
3000	20000	1	Peak	19440	-18.96	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.09	-13	Pass	2986
30	1000	0.1	Peak	746.9	-52.3	-13	Pass	9701
1000	3000	1	Peak	1731	23.3	-13	N/A	2001
3000	20000	1	Peak	19105	-19.36	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.76	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.27	-13	Pass	2986
30	1000	0.1	Peak	853.203	-51.95	-13	Pass	9701
1000	3000	1	Peak	1751	23.13	-13	N/A	2001
3000	20000	1	Peak	19999	-19.31	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.75	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.87	-13	Pass	2986
30	500	0.1	Peak	406.7	-53.49	-13	Pass	4701
500	1000	0.1	Peak	827.6	17.6	-13	N/A	5001
1000	10000	1	Peak	7201	-30.36	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.22	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.04	-13	Pass	2986
30	500	0.1	Peak	418.5	-53.98	-13	Pass	4701
500	1000	0.1	Peak	837.1	16.77	-13	N/A	5001
1000	10000	1	Peak	9481	-30.36	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.85	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.85	-13	Pass	2986
30	500	0.1	Peak	419.4	-53.8	-13	Pass	4701
500	1000	0.1	Peak	847.2	17.35	-13	N/A	5001
1000	10000	1	Peak	7219	-29.5	-13	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2986
30	1000	0.1	RMS	825	-59.14	-13	Pass	9701
1000	1840	1	RMS	1840	-51.77	-13	Pass	841
1840	1920	1	RMS	1850.2	21.97	60	Pass	401
1920	3000	1	RMS	2955	-48.61	-13	Pass	1081
3000	12000	1	RMS	11845	-40.09	-13	Pass	9002
12000	20000	1	RMS	19400	-31	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2986
30	1000	0.1	RMS	840.7	-63.53	-13	Pass	9701
1000	1840	1	RMS	1840	-51.84	-13	Pass	841
1840	1920	1	RMS	1850.2	21.07	60	Pass	401
1920	3000	1	RMS	2950	-48.66	-13	Pass	1081
3000	12000	1	RMS	11850	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-31.01	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.95	-13	Pass	401
0.15	30	0.01	RMS	0.6	-71.94	-13	Pass	2986
30	1000	0.1	RMS	830.9	-62.34	-13	Pass	9701
1000	1840	1	RMS	1788	-52.13	-13	Pass	841
1840	1920	1	RMS	1879.4	21.99	60	Pass	401
1920	3000	1	RMS	2944	-48.65	-13	Pass	1081
3000	12000	1	RMS	11950	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-30.99	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.13	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.01	-13	Pass	2986
30	1000	0.1	RMS	826.4	-63.25	-13	Pass	9701
1000	1840	1	RMS	1807	-52.1	-13	Pass	841
1840	1920	1	RMS	1879.4	21.04	60	Pass	401
1920	3000	1	RMS	2959	-48.66	-13	Pass	1081
3000	12000	1	RMS	11844	-40.15	-13	Pass	9002
12000	20000	1	RMS	19406	-31.03	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.63	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.95	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.59	-13	Pass	9701
1000	1840	1	RMS	1806	-52.15	-13	Pass	841
1840	1920	1	RMS	1908.8	22.4	60	Pass	401
1920	3000	1	RMS	2951	-48.69	-13	Pass	1081
3000	12000	1	RMS	11847	-40.07	-13	Pass	9002
12000	20000	1	RMS	19407	-30.95	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.51	-13	Pass	2986
30	1000	0.1	RMS	841.4	-63.66	-13	Pass	9701
1000	1840	1	RMS	1839	-52.1	-13	Pass	841
1840	1920	1	RMS	1908.8	21.55	60	Pass	401
1920	3000	1	RMS	2958	-48.67	-13	Pass	1081
3000	12000	1	RMS	11949	-40.06	-13	Pass	9002
12000	20000	1	RMS	19406	-31.02	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2986
30	1000	0.1	RMS	825	-61.17	-13	Pass	9701
1000	1840	1	RMS	1840	-51.59	-13	Pass	841
1840	1920	1	RMS	1850.2	22.09	60	Pass	401
1920	3000	1	RMS	2952	-48.62	-13	Pass	1081
3000	12000	1	RMS	11944	-40.08	-13	Pass	9002
12000	20000	1	RMS	19404	-30.95	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	1000	0.1	RMS	830.6	-58.22	-13	Pass	9701
1000	1840	1	RMS	1840	-51.55	-13	Pass	841
1840	1920	1	RMS	1850.2	21.31	60	Pass	401
1920	3000	1	RMS	2955	-48.68	-13	Pass	1081
3000	12000	1	RMS	11850	-40	-13	Pass	9002
12000	20000	1	RMS	19401	-30.97	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	996.398	-63.58	-13	Pass	9701
1000	1840	1	RMS	1797	-52.09	-13	Pass	841
1840	1920	1	RMS	1878.6	22.1	60	Pass	401
1920	3000	1	RMS	2954	-48.67	-13	Pass	1081
3000	12000	1	RMS	11949	-40.07	-13	Pass	9002
12000	20000	1	RMS	19396	-30.98	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.58	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.56	-13	Pass	2986
30	1000	0.1	RMS	828.6	-61.16	-13	Pass	9701
1000	1840	1	RMS	1810	-52.12	-13	Pass	841
1840	1920	1	RMS	1878.6	21.18	60	Pass	401
1920	3000	1	RMS	2955	-48.69	-13	Pass	1081
3000	12000	1	RMS	11843	-40.09	-13	Pass	9002
12000	20000	1	RMS	19401	-30.94	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	Pass	2986
30	1000	0.1	RMS	830.2	-61.04	-13	Pass	9701
1000	1840	1	RMS	1790	-52.12	-13	Pass	841
1840	1920	1	RMS	1907.2	22.47	60	Pass	401
1920	3000	1	RMS	2952	-48.69	-13	Pass	1081
3000	12000	1	RMS	11847	-40.05	-13	Pass	9002
12000	20000	1	RMS	19399	-31	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2986
30	1000	0.1	RMS	829.2	-60.02	-13	Pass	9701
1000	1840	1	RMS	1809	-52.11	-13	Pass	841
1840	1920	1	RMS	1907.2	21.6	60	Pass	401
1920	3000	1	RMS	2962	-48.7	-13	Pass	1081
3000	12000	1	RMS	11947	-40.06	-13	Pass	9002
12000	20000	1	RMS	19395	-31	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	1000	0.1	RMS	829.7	-62.56	-13	Pass	9701
1000	1840	1	RMS	1840	-51.5	-13	Pass	841
1840	1920	1	RMS	1850.2	21.9	60	Pass	401
1920	3000	1	RMS	2950	-48.66	-13	Pass	1081
3000	12000	1	RMS	11946	-40.14	-13	Pass	9002
12000	20000	1	RMS	19410	-31	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	828.5	-62.3	-13	Pass	9701
1000	1840	1	RMS	1840	-51.63	-13	Pass	841
1840	1920	1	RMS	1850.2	21.08	60	Pass	401
1920	3000	1	RMS	2950	-48.67	-13	Pass	1081
3000	12000	1	RMS	11949	-40.05	-13	Pass	9002
12000	20000	1	RMS	19406	-30.96	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-66.16	-13	Pass	401
0.15	30	0.01	RMS	0.61	-71.65	-13	Pass	2986
30	1000	0.1	RMS	856.705	-63.64	-13	Pass	9701
1000	1840	1	RMS	1810	-52.16	-13	Pass	841
1840	1920	1	RMS	1877.8	21.88	60	Pass	401
1920	3000	1	RMS	2963	-48.62	-13	Pass	1081
3000	12000	1	RMS	11850	-40.09	-13	Pass	9002
12000	20000	1	RMS	19402	-31.01	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	1000	0.1	RMS	828.8	-63.68	-13	Pass	9701
1000	1840	1	RMS	1811	-52.12	-13	Pass	841
1840	1920	1	RMS	1877.8	21.11	60	Pass	401
1920	3000	1	RMS	2954	-48.64	-13	Pass	1081
3000	12000	1	RMS	11951	-40.03	-13	Pass	9002
12000	20000	1	RMS	19404	-30.96	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	1000	0.1	RMS	847	-63.67	-13	Pass	9701
1000	1840	1	RMS	1818	-52.1	-13	Pass	841
1840	1920	1	RMS	1905.2	22.23	60	Pass	401
1920	3000	1	RMS	2958	-48.57	-13	Pass	1081
3000	12000	1	RMS	11953	-40.04	-13	Pass	9002
12000	20000	1	RMS	19402	-30.99	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.63	-13	Pass	401
0.15	30	0.01	RMS	0.64	-72.52	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.57	-13	Pass	9701
1000	1840	1	RMS	1790	-52.12	-13	Pass	841
1840	1920	1	RMS	1905.2	21.48	60	Pass	401
1920	3000	1	RMS	2956	-48.65	-13	Pass	1081
3000	12000	1	RMS	11851	-40.1	-13	Pass	9002
12000	20000	1	RMS	19401	-30.99	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.91	-13	Pass	401
0.15	30	0.01	RMS	0.62	-71.73	-13	Pass	2986
30	1000	0.1	RMS	860.708	-63.65	-13	Pass	9701
1000	1840	1	RMS	1840	-49.04	-13	Pass	841
1840	1920	1	RMS	1850.4	21.91	60	Pass	401
1920	3000	1	RMS	2958	-48.67	-13	Pass	1081
3000	12000	1	RMS	11850	-40.03	-13	Pass	9002
12000	20000	1	RMS	19405	-31.01	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.25	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.8	-13	Pass	2986
30	1000	0.1	RMS	848.9	-63.51	-13	Pass	9701
1000	1840	1	RMS	1840	-49.09	-13	Pass	841
1840	1920	1	RMS	1850.4	21.16	60	Pass	401
1920	3000	1	RMS	2952	-48.66	-13	Pass	1081
3000	12000	1	RMS	11951	-40.04	-13	Pass	9002
12000	20000	1	RMS	19411	-31.02	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.84	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.86	-13	Pass	2986
30	1000	0.1	RMS	839.1	-63.7	-13	Pass	9701
1000	1840	1	RMS	1790	-52.07	-13	Pass	841
1840	1920	1	RMS	1875.4	21.92	60	Pass	401
1920	3000	1	RMS	2960	-48.66	-13	Pass	1081
3000	12000	1	RMS	11953	-40.05	-13	Pass	9002
12000	20000	1	RMS	19399	-30.99	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2986
30	1000	0.1	RMS	837.9	-63.62	-13	Pass	9701
1000	1840	1	RMS	1806	-52.13	-13	Pass	841
1840	1920	1	RMS	1875.4	20.98	60	Pass	401
1920	3000	1	RMS	2954	-48.64	-13	Pass	1081
3000	12000	1	RMS	11950	-40.1	-13	Pass	9002
12000	20000	1	RMS	19398	-31.02	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.99	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.82	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.59	-13	Pass	9701
1000	1840	1	RMS	1788	-52.11	-13	Pass	841
1840	1920	1	RMS	1900.4	22.14	60	Pass	401
1920	3000	1	RMS	2959	-48.65	-13	Pass	1081
3000	12000	1	RMS	11951	-40.04	-13	Pass	9002
12000	20000	1	RMS	19398	-31	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2986
30	1000	0.1	RMS	835.7	-63.62	-13	Pass	9701
1000	1840	1	RMS	1811	-52.06	-13	Pass	841
1840	1920	1	RMS	1900.4	21.28	60	Pass	401
1920	3000	1	RMS	2956	-48.61	-13	Pass	1081
3000	12000	1	RMS	11849	-40.12	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	839.4	-63.66	-13	Pass	9701
1000	1840	1	RMS	1838	-46.3	-13	Pass	841
1840	1920	1	RMS	1850.8	21.82	60	Pass	401
1920	3000	1	RMS	2953	-48.61	-13	Pass	1081
3000	12000	1	RMS	11950	-40.11	-13	Pass	9002
12000	20000	1	RMS	19402	-30.94	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-63.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.64	-13	Pass	9701
1000	1840	1	RMS	1838	-47	-13	Pass	841
1840	1920	1	RMS	1850.8	21.1	60	Pass	401
1920	3000	1	RMS	2963	-48.67	-13	Pass	1081
3000	12000	1	RMS	11841	-40.11	-13	Pass	9002
12000	20000	1	RMS	19399	-31	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.92	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.51	-13	Pass	2986
30	1000	0.1	RMS	851.702	-63.71	-13	Pass	9701
1000	1840	1	RMS	1809	-52.11	-13	Pass	841
1840	1920	1	RMS	1873.2	21.79	60	Pass	401
1920	3000	1	RMS	2958	-48.67	-13	Pass	1081
3000	12000	1	RMS	11847	-40.08	-13	Pass	9002
12000	20000	1	RMS	19400	-31	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	1000	0.1	RMS	988.092	-63.72	-13	Pass	9701
1000	1840	1	RMS	1810	-52.11	-13	Pass	841
1840	1920	1	RMS	1873.2	20.86	60	Pass	401
1920	3000	1	RMS	2952	-48.65	-13	Pass	1081
3000	12000	1	RMS	11847	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-31.02	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.46	-13	Pass	9701
1000	1840	1	RMS	1807	-52.12	-13	Pass	841
1840	1920	1	RMS	1895.8	21.98	60	Pass	401
1920	3000	1	RMS	1922	-40.78	-13	Pass	1081
3000	12000	1	RMS	11950	-40.07	-13	Pass	9002
12000	20000	1	RMS	19398	-30.99	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.64	-13	Pass	9701
1000	1840	1	RMS	1805	-52.14	-13	Pass	841
1840	1920	1	RMS	1895.8	21.15	60	Pass	401
1920	3000	1	RMS	1922	-41.89	-13	Pass	1081
3000	12000	1	RMS	11951	-40.04	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.36	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.17	-13	Pass	2986
30	1000	0.1	RMS	847.6	-63.56	-13	Pass	9701
1000	1840	1	RMS	1840	-48.72	-13	Pass	841
1840	1920	1	RMS	1851	21.66	60	Pass	401
1920	3000	1	RMS	2952	-48.66	-13	Pass	1081
3000	12000	1	RMS	11839	-40.07	-13	Pass	9002
12000	20000	1	RMS	19400	-31.05	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-48.72	-13	Pass	841
1840	1920	1	RMS	1851	20.97	60	Pass	401
1920	3000	1	RMS	2956	-48.63	-13	Pass	1081
3000	12000	1	RMS	11845	-40.11	-13	Pass	9002
12000	20000	1	RMS	19413	-31	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.99	-13	Pass	401
0.15	30	0.01	RMS	0.61	-71.32	-13	Pass	2986
30	1000	0.1	RMS	816.6	-63.56	-13	Pass	9701
1000	1840	1	RMS	1836	-49.89	-13	Pass	841
1840	1920	1	RMS	1871	21.59	60	Pass	401
1920	3000	1	RMS	2958	-48.62	-13	Pass	1081
3000	12000	1	RMS	11947	-40.15	-13	Pass	9002
12000	20000	1	RMS	19411	-31.01	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.72	-13	Pass	9701
1000	1840	1	RMS	1835	-50	-13	Pass	841
1840	1920	1	RMS	1871	20.67	60	Pass	401
1920	3000	1	RMS	2949	-48.65	-13	Pass	1081
3000	12000	1	RMS	11843	-40.1	-13	Pass	9002
12000	20000	1	RMS	19400	-30.97	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.04	-13	Pass	401
0.15	30	0.01	RMS	0.62	-72.06	-13	Pass	2986
30	1000	0.1	RMS	843.9	-63.69	-13	Pass	9701
1000	1840	1	RMS	1807	-52.11	-13	Pass	841
1840	1920	1	RMS	1891	21.85	60	Pass	401
1920	3000	1	RMS	2955	-48.67	-13	Pass	1081
3000	12000	1	RMS	11848	-40.08	-13	Pass	9002
12000	20000	1	RMS	19413	-30.97	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.81	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.26	-13	Pass	2986
30	1000	0.1	RMS	852.702	-63.63	-13	Pass	9701
1000	1840	1	RMS	1808	-52.12	-13	Pass	841
1840	1920	1	RMS	1891	20.81	60	Pass	401
1920	3000	1	RMS	2960	-48.6	-13	Pass	1081
3000	12000	1	RMS	11954	-40.12	-13	Pass	9002
12000	20000	1	RMS	19400	-30.98	-13	Pass	8001



2. LTE_Band4


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.46	-13	Pass	9701
1000	1700	1	RMS	1700	-51.64	-13	Pass	701
1700	1765	1	RMS	1710.238	23.16	60	Pass	401
1765	3000	1	RMS	2957	-48.45	-13	Pass	1236
3000	12000	1	RMS	11846	-39.88	-13	Pass	9002
12000	20000	1	RMS	19404	-30.81	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.83	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.42	-13	Pass	2986
30	1000	0.1	RMS	829.9	-63.46	-13	Pass	9701
1000	1700	1	RMS	1700	-51.67	-13	Pass	701
1700	1765	1	RMS	1710.238	22.18	60	Pass	401
1765	3000	1	RMS	2957	-48.47	-13	Pass	1236
3000	12000	1	RMS	11950	-39.9	-13	Pass	9002
12000	20000	1	RMS	19403	-30.78	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	852.702	-63.54	-13	Pass	9701
1000	1700	1	RMS	1695	-52.25	-13	Pass	701
1700	1765	1	RMS	1732.013	23.18	60	Pass	401
1765	3000	1	RMS	2954	-48.46	-13	Pass	1236
3000	12000	1	RMS	11949	-39.87	-13	Pass	9002
12000	20000	1	RMS	19399	-30.81	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.38	-13	Pass	9701
1000	1700	1	RMS	1699	-52.28	-13	Pass	701
1700	1765	1	RMS	1732.013	22.17	60	Pass	401
1765	3000	1	RMS	2945	-48.48	-13	Pass	1236
3000	12000	1	RMS	11852	-39.94	-13	Pass	9002
12000	20000	1	RMS	19407	-30.81	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	852.102	-63.48	-13	Pass	9701
1000	1700	1	RMS	1699	-52.23	-13	Pass	701
1700	1765	1	RMS	1753.788	22.99	60	Pass	401
1765	3000	1	RMS	2952	-48.44	-13	Pass	1236
3000	12000	1	RMS	11950	-39.89	-13	Pass	9002
12000	20000	1	RMS	19403	-30.75	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	1000	0.1	RMS	854.904	-63.45	-13	Pass	9701
1000	1700	1	RMS	1699	-52.26	-13	Pass	701
1700	1765	1	RMS	1753.788	22.04	60	Pass	401
1765	3000	1	RMS	2946	-48.46	-13	Pass	1236
3000	12000	1	RMS	11950	-39.79	-13	Pass	9002
12000	20000	1	RMS	19403	-30.76	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2986
30	1000	0.1	RMS	846.3	-63.19	-13	Pass	9701
1000	1700	1	RMS	1700	-51.31	-13	Pass	701
1700	1765	1	RMS	1710.238	23.28	60	Pass	401
1765	3000	1	RMS	2954	-48.41	-13	Pass	1236
3000	12000	1	RMS	11953	-39.91	-13	Pass	9002
12000	20000	1	RMS	19404	-30.79	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.37	-13	Pass	9701
1000	1700	1	RMS	1700	-51.48	-13	Pass	701
1700	1765	1	RMS	1710.238	22.47	60	Pass	401
1765	3000	1	RMS	2959	-48.48	-13	Pass	1236
3000	12000	1	RMS	11849	-39.83	-13	Pass	9002
12000	20000	1	RMS	19403	-30.74	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	Pass	2986
30	1000	0.1	RMS	849.7	-63.39	-13	Pass	9701
1000	1700	1	RMS	1699	-52.18	-13	Pass	701
1700	1765	1	RMS	1731.2	23.37	60	Pass	401
1765	3000	1	RMS	2953	-48.41	-13	Pass	1236
3000	12000	1	RMS	11956	-39.9	-13	Pass	9002
12000	20000	1	RMS	19415	-30.76	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.99	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.43	-13	Pass	9701
1000	1700	1	RMS	1699	-52.26	-13	Pass	701
1700	1765	1	RMS	1731.2	22.34	60	Pass	401
1765	3000	1	RMS	2957	-48.48	-13	Pass	1236
3000	12000	1	RMS	11851	-39.87	-13	Pass	9002
12000	20000	1	RMS	19401	-30.79	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2986
30	1000	0.1	RMS	851.101	-63.43	-13	Pass	9701
1000	1700	1	RMS	1699	-52.25	-13	Pass	701
1700	1765	1	RMS	1752.163	23.1	60	Pass	401
1765	3000	1	RMS	2951	-48.46	-13	Pass	1236
3000	12000	1	RMS	11942	-39.9	-13	Pass	9002
12000	20000	1	RMS	19400	-30.8	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.43	-13	Pass	2986
30	1000	0.1	RMS	847.9	-63.53	-13	Pass	9701
1000	1700	1	RMS	1695	-52.28	-13	Pass	701
1700	1765	1	RMS	1752.163	22.18	60	Pass	401
1765	3000	1	RMS	2961	-48.48	-13	Pass	1236
3000	12000	1	RMS	11952	-39.88	-13	Pass	9002
12000	20000	1	RMS	19413	-30.77	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	869.514	-63.43	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1710.238	23.13	60	Pass	401
1765	3000	1	RMS	2959	-48.43	-13	Pass	1236
3000	12000	1	RMS	11950	-39.86	-13	Pass	9002
12000	20000	1	RMS	19394	-30.82	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	840.5	-63.34	-13	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	Pass	701
1700	1765	1	RMS	1710.238	22.22	60	Pass	401
1765	3000	1	RMS	2960	-48.45	-13	Pass	1236
3000	12000	1	RMS	11852	-39.89	-13	Pass	9002
12000	20000	1	RMS	19407	-30.75	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	1000	0.1	RMS	843.8	-63.41	-13	Pass	9701
1000	1700	1	RMS	1700	-52.23	-13	Pass	701
1700	1765	1	RMS	1730.225	23.16	60	Pass	401
1765	3000	1	RMS	2953	-48.49	-13	Pass	1236
3000	12000	1	RMS	11949	-39.79	-13	Pass	9002
12000	20000	1	RMS	19398	-30.78	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2986
30	1000	0.1	RMS	824.8	-63.37	-13	Pass	9701
1000	1700	1	RMS	1699	-52.23	-13	Pass	701
1700	1765	1	RMS	1730.225	22.33	60	Pass	401
1765	3000	1	RMS	2951	-48.44	-13	Pass	1236
3000	12000	1	RMS	11849	-39.81	-13	Pass	9002
12000	20000	1	RMS	19400	-30.75	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	Pass	2986
30	1000	0.1	RMS	840.4	-63.4	-13	Pass	9701
1000	1700	1	RMS	1691	-52.28	-13	Pass	701
1700	1765	1	RMS	1750.213	22.9	60	Pass	401
1765	3000	1	RMS	2957	-48.45	-13	Pass	1236
3000	12000	1	RMS	11956	-39.91	-13	Pass	9002
12000	20000	1	RMS	19415	-30.8	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	1000	0.1	RMS	859.207	-63.43	-13	Pass	9701
1000	1700	1	RMS	1696	-52.24	-13	Pass	701
1700	1765	1	RMS	1750.213	22.11	60	Pass	401
1765	3000	1	RMS	2958	-48.45	-13	Pass	1236
3000	12000	1	RMS	11852	-39.87	-13	Pass	9002
12000	20000	1	RMS	19403	-30.7	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.82	-13	Pass	2986
30	1000	0.1	RMS	957.572	-63.46	-13	Pass	9701
1000	1700	1	RMS	1693	-37.29	-13	Pass	701
1700	1765	1	RMS	1710.563	23.17	60	Pass	401
1765	3000	1	RMS	2952	-48.47	-13	Pass	1236
3000	12000	1	RMS	11849	-39.87	-13	Pass	9002
12000	20000	1	RMS	19413	-30.77	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	Pass	2986
30	1000	0.1	RMS	855.204	-63.38	-13	Pass	9701
1000	1700	1	RMS	1693	-38.64	-13	Pass	701
1700	1765	1	RMS	1710.563	22.32	60	Pass	401
1765	3000	1	RMS	2950	-48.51	-13	Pass	1236
3000	12000	1	RMS	11948	-39.92	-13	Pass	9002
12000	20000	1	RMS	19413	-30.84	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	1000	0.1	RMS	856.605	-63.47	-13	Pass	9701
1000	1700	1	RMS	1697	-52.24	-13	Pass	701
1700	1765	1	RMS	1727.95	23.21	60	Pass	401
1765	3000	1	RMS	2951	-48.46	-13	Pass	1236
3000	12000	1	RMS	11947	-39.9	-13	Pass	9002
12000	20000	1	RMS	19402	-30.75	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.3	-13	Pass	9701
1000	1700	1	RMS	1699	-52.23	-13	Pass	701
1700	1765	1	RMS	1727.95	22.21	60	Pass	401
1765	3000	1	RMS	2947	-48.45	-13	Pass	1236
3000	12000	1	RMS	11944	-39.9	-13	Pass	9002
12000	20000	1	RMS	19406	-30.79	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2986
30	1000	0.1	RMS	837.8	-63.52	-13	Pass	9701
1000	1700	1	RMS	1700	-52.25	-13	Pass	701
1700	1765	1	RMS	1745.5	23.07	60	Pass	401
1765	3000	1	RMS	1765	-47.34	-13	Pass	1236
3000	12000	1	RMS	11951	-39.89	-13	Pass	9002
12000	20000	1	RMS	19398	-30.78	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.35	-13	Pass	9701
1000	1700	1	RMS	1700	-52.27	-13	Pass	701
1700	1765	1	RMS	1745.5	22.15	60	Pass	401
1765	3000	1	RMS	1765	-48.15	-13	Pass	1236
3000	12000	1	RMS	11952	-39.86	-13	Pass	9002
12000	20000	1	RMS	19405	-30.8	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2986
30	1000	0.1	RMS	863.209	-63.49	-13	Pass	9701
1000	1700	1	RMS	1700	-46.24	-13	Pass	701
1700	1765	1	RMS	1710.725	23.08	60	Pass	401
1765	3000	1	RMS	2944	-48.4	-13	Pass	1236
3000	12000	1	RMS	11845	-39.84	-13	Pass	9002
12000	20000	1	RMS	19403	-30.81	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.28	-13	Pass	2986
30	1000	0.1	RMS	839.4	-63.43	-13	Pass	9701
1000	1700	1	RMS	1700	-46.4	-13	Pass	701
1700	1765	1	RMS	1710.725	22.21	60	Pass	401
1765	3000	1	RMS	2958	-48.48	-13	Pass	1236
3000	12000	1	RMS	11843	-39.84	-13	Pass	9002
12000	20000	1	RMS	19401	-30.84	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2986
30	1000	0.1	RMS	828.5	-63.5	-13	Pass	9701
1000	1700	1	RMS	1699	-37.6	-13	Pass	701
1700	1765	1	RMS	1725.838	23.02	60	Pass	401
1765	3000	1	RMS	2953	-48.43	-13	Pass	1236
3000	12000	1	RMS	11950	-39.86	-13	Pass	9002
12000	20000	1	RMS	19401	-30.79	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.45	-13	Pass	9701
1000	1700	1	RMS	1699	-39.86	-13	Pass	701
1700	1765	1	RMS	1725.838	22.02	60	Pass	401
1765	3000	1	RMS	2951	-48.44	-13	Pass	1236
3000	12000	1	RMS	11951	-39.84	-13	Pass	9002
12000	20000	1	RMS	19405	-30.82	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.41	-13	Pass	9701
1000	1700	1	RMS	1696	-52.19	-13	Pass	701
1700	1765	1	RMS	1740.788	22.89	60	Pass	401
1765	3000	1	RMS	1767	-25.74	-13	Pass	1236
3000	12000	1	RMS	11952	-39.83	-13	Pass	9002
12000	20000	1	RMS	19404	-30.77	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	840.9	-63.5	-13	Pass	9701
1000	1700	1	RMS	1698	-52.24	-13	Pass	701
1700	1765	1	RMS	1740.788	22.01	60	Pass	401
1765	3000	1	RMS	1767	-26.29	-13	Pass	1236
3000	12000	1	RMS	11950	-39.86	-13	Pass	9002
12000	20000	1	RMS	19402	-30.7	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2986
30	1000	0.1	RMS	972.782	-63.46	-13	Pass	9701
1000	1700	1	RMS	1700	-47.45	-13	Pass	701
1700	1765	1	RMS	1711.05	22.91	60	Pass	401
1765	3000	1	RMS	2961	-48.46	-13	Pass	1236
3000	12000	1	RMS	11948	-39.87	-13	Pass	9002
12000	20000	1	RMS	19408	-30.74	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	1000	0.1	RMS	837.7	-63.36	-13	Pass	9701
1000	1700	1	RMS	1700	-47.55	-13	Pass	701
1700	1765	1	RMS	1711.05	22.1	60	Pass	401
1765	3000	1	RMS	2957	-48.5	-13	Pass	1236
3000	12000	1	RMS	11957	-39.89	-13	Pass	9002
12000	20000	1	RMS	19402	-30.76	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.72	-13	Pass	2986
30	1000	0.1	RMS	860.608	-63.4	-13	Pass	9701
1000	1700	1	RMS	1688	-48.5	-13	Pass	701
1700	1765	1	RMS	1723.563	22.92	60	Pass	401
1765	3000	1	RMS	2955	-48.45	-13	Pass	1236
3000	12000	1	RMS	11847	-39.86	-13	Pass	9002
12000	20000	1	RMS	19400	-30.71	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2986
30	1000	0.1	RMS	838.3	-63.5	-13	Pass	9701
1000	1700	1	RMS	1688	-49.81	-13	Pass	701
1700	1765	1	RMS	1723.563	21.92	60	Pass	401
1765	3000	1	RMS	2948	-48.47	-13	Pass	1236
3000	12000	1	RMS	11837	-39.9	-13	Pass	9002
12000	20000	1	RMS	19404	-30.81	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2986
30	1000	0.1	RMS	840.7	-63.43	-13	Pass	9701
1000	1700	1	RMS	1700	-38.76	-13	Pass	701
1700	1765	1	RMS	1736.075	22.77	60	Pass	401
1765	3000	1	RMS	1772	-24.89	-13	Pass	1236
3000	12000	1	RMS	11853	-39.93	-13	Pass	9002
12000	20000	1	RMS	19397	-30.83	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2986
30	1000	0.1	RMS	857.105	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-40.59	-13	Pass	701
1700	1765	1	RMS	1736.075	21.71	60	Pass	401
1765	3000	1	RMS	1772	-26.72	-13	Pass	1236
3000	12000	1	RMS	11844	-39.92	-13	Pass	9002
12000	20000	1	RMS	19400	-30.81	-13	Pass	8001



3. LTE_Band5


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.61	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.33	-13	Pass	7841
814	860	0.1	RMS	824.3	19.42	60	Pass	461
860	1000	0.1	RMS	920.8	-62.5	-13	Pass	1401
1000	3000	1	RMS	2646	-46.75	-13	Pass	2001
3000	10000	1	RMS	9967	-41.03	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-13	Pass	2986
30	814	0.1	RMS	807.8	-62.37	-13	Pass	7841
814	860	0.1	RMS	824.3	18.48	60	Pass	461
860	1000	0.1	RMS	878.4	-62.35	-13	Pass	1401
1000	3000	1	RMS	2645	-46.75	-13	Pass	2001
3000	10000	1	RMS	9958	-40.98	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.13	-13	Pass	2986
30	814	0.1	RMS	807.4	-62.26	-13	Pass	7841
814	860	0.1	RMS	836.1	19.52	60	Pass	461
860	1000	0.1	RMS	938.6	-62.39	-13	Pass	1401
1000	3000	1	RMS	2642	-46.74	-13	Pass	2001
3000	10000	1	RMS	9964	-41.02	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.94	-13	Pass	2986
30	814	0.1	RMS	783.1	-62.52	-13	Pass	7841
814	860	0.1	RMS	836.1	18.46	60	Pass	461
860	1000	0.1	RMS	905.3	-62.45	-13	Pass	1401
1000	3000	1	RMS	2640	-46.78	-13	Pass	2001
3000	10000	1	RMS	9961	-41.02	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.22	-13	Pass	2986
30	814	0.1	RMS	785.3	-62.45	-13	Pass	7841
814	860	0.1	RMS	847.9	19.66	60	Pass	461
860	1000	0.1	RMS	888.9	-62.47	-13	Pass	1401
1000	3000	1	RMS	2646	-46.74	-13	Pass	2001
3000	10000	1	RMS	9958	-40.99	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.01	-13	Pass	2986
30	814	0.1	RMS	811.3	-62.24	-13	Pass	7841
814	860	0.1	RMS	847.9	18.76	60	Pass	461
860	1000	0.1	RMS	938.4	-62.32	-13	Pass	1401
1000	3000	1	RMS	2640	-46.74	-13	Pass	2001
3000	10000	1	RMS	9951	-41.02	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.46	-13	Pass	7841
814	860	0.1	RMS	824.2	19.83	60	Pass	461
860	1000	0.1	RMS	925.7	-62.49	-13	Pass	1401
1000	3000	1	RMS	2640	-46.76	-13	Pass	2001
3000	10000	1	RMS	9956	-41.02	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	Pass	2986
30	814	0.1	RMS	814	-60.63	-13	Pass	7841
814	860	0.1	RMS	824.2	18.91	60	Pass	461
860	1000	0.1	RMS	893.8	-62.44	-13	Pass	1401
1000	3000	1	RMS	2640	-46.81	-13	Pass	2001
3000	10000	1	RMS	9964	-40.95	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58	-13	Pass	2986
30	814	0.1	RMS	811.8	-62.43	-13	Pass	7841
814	860	0.1	RMS	835.2	19.8	60	Pass	461
860	1000	0.1	RMS	926.7	-62.48	-13	Pass	1401
1000	3000	1	RMS	2646	-46.76	-13	Pass	2001
3000	10000	1	RMS	9960	-40.9	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	Pass	2986
30	814	0.1	RMS	805.2	-62.46	-13	Pass	7841
814	860	0.1	RMS	835.2	18.72	60	Pass	461
860	1000	0.1	RMS	917.1	-62.54	-13	Pass	1401
1000	3000	1	RMS	2644	-46.79	-13	Pass	2001
3000	10000	1	RMS	9954	-41.02	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.31	-13	Pass	2986
30	814	0.1	RMS	808.2	-62.44	-13	Pass	7841
814	860	0.1	RMS	846.2	20.02	60	Pass	461
860	1000	0.1	RMS	910	-62.51	-13	Pass	1401
1000	3000	1	RMS	2649	-46.73	-13	Pass	2001
3000	10000	1	RMS	9956	-40.96	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-13	Pass	2986
30	814	0.1	RMS	790	-62.5	-13	Pass	7841
814	860	0.1	RMS	846.2	18.94	60	Pass	461
860	1000	0.1	RMS	931.5	-62.37	-13	Pass	1401
1000	3000	1	RMS	2645	-46.79	-13	Pass	2001
3000	10000	1	RMS	9956	-40.86	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.44	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.78	-13	Pass	7841
814	860	0.1	RMS	824.3	19.46	60	Pass	461
860	1000	0.1	RMS	953	-62.5	-13	Pass	1401
1000	3000	1	RMS	2639	-46.76	-13	Pass	2001
3000	10000	1	RMS	9965	-41.02	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.52	-13	Pass	7841
814	860	0.1	RMS	824.3	18.5	60	Pass	461
860	1000	0.1	RMS	888.7	-62.3	-13	Pass	1401
1000	3000	1	RMS	2638	-46.8	-13	Pass	2001
3000	10000	1	RMS	9953	-41	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.52	-13	Pass	2986
30	814	0.1	RMS	781.3	-62.42	-13	Pass	7841
814	860	0.1	RMS	834.3	19.46	60	Pass	461
860	1000	0.1	RMS	927.9	-62.49	-13	Pass	1401
1000	3000	1	RMS	2637	-46.8	-13	Pass	2001
3000	10000	1	RMS	9955	-40.98	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.63	-13	Pass	2986
30	814	0.1	RMS	807	-62.44	-13	Pass	7841
814	860	0.1	RMS	834.3	18.69	60	Pass	461
860	1000	0.1	RMS	941.9	-62.44	-13	Pass	1401
1000	3000	1	RMS	2641	-46.78	-13	Pass	2001
3000	10000	1	RMS	9963	-40.98	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-13	Pass	2986
30	814	0.1	RMS	801.5	-62.3	-13	Pass	7841
814	860	0.1	RMS	844.3	19.82	60	Pass	461
860	1000	0.1	RMS	890.9	-62.54	-13	Pass	1401
1000	3000	1	RMS	2643	-46.77	-13	Pass	2001
3000	10000	1	RMS	9953	-40.96	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	814	0.1	RMS	796.1	-62.44	-13	Pass	7841
814	860	0.1	RMS	844.3	18.98	60	Pass	461
860	1000	0.1	RMS	913.7	-62.53	-13	Pass	1401
1000	3000	1	RMS	2649	-46.76	-13	Pass	2001
3000	10000	1	RMS	9953	-41	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.05	-13	Pass	2986
30	814	0.1	RMS	807	-55.54	-13	Pass	7841
814	860	0.1	RMS	824.6	20	60	Pass	461
860	1000	0.1	RMS	931.1	-62.49	-13	Pass	1401
1000	3000	1	RMS	2651	-46.71	-13	Pass	2001
3000	10000	1	RMS	9966	-41	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-13	Pass	2986
30	814	0.1	RMS	813.9	-57.14	-13	Pass	7841
814	860	0.1	RMS	824.6	19.21	60	Pass	461
860	1000	0.1	RMS	936.8	-62.42	-13	Pass	1401
1000	3000	1	RMS	2641	-46.75	-13	Pass	2001
3000	10000	1	RMS	9957	-40.99	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.74	-13	Pass	2986
30	814	0.1	RMS	814	-48.88	-13	Pass	7841
814	860	0.1	RMS	832.1	20.14	60	Pass	461
860	1000	0.1	RMS	924.3	-62.43	-13	Pass	1401
1000	3000	1	RMS	2646	-46.76	-13	Pass	2001
3000	10000	1	RMS	9953	-41.03	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.13	-13	Pass	2986
30	814	0.1	RMS	814	-50.03	-13	Pass	7841
814	860	0.1	RMS	832.1	19.08	60	Pass	461
860	1000	0.1	RMS	954	-62.49	-13	Pass	1401
1000	3000	1	RMS	2648	-46.77	-13	Pass	2001
3000	10000	1	RMS	9962	-41.01	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.27	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.12	-13	Pass	7841
814	860	0.1	RMS	839.6	20.15	60	Pass	461
860	1000	0.1	RMS	988.4	-62.38	-13	Pass	1401
1000	3000	1	RMS	2646	-46.74	-13	Pass	2001
3000	10000	1	RMS	9953	-41.02	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.4	-13	Pass	2986
30	814	0.1	RMS	812.3	-62	-13	Pass	7841
814	860	0.1	RMS	839.6	19.29	60	Pass	461
860	1000	0.1	RMS	887.5	-62.52	-13	Pass	1401
1000	3000	1	RMS	2637	-46.76	-13	Pass	2001
3000	10000	1	RMS	9946	-41.02	-13	Pass	7001



4. LTE_Band7


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-25	Pass	2986
30	1000	0.1	RMS	856.005	-63.71	-25	Pass	9701
1000	2490	1	RMS	2490	-50.02	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.81	60	Pass	401
2580	3000	1	RMS	2956	-48.68	-25	Pass	421
3000	12000	1	RMS	11849	-59.84	-25	Pass	9002
12000	26000	1	RMS	25996	-43.88	-25	Pass	14002




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-25	Pass	2986
30	1000	0.1	RMS	838.8	-63.61	-25	Pass	9701
1000	2490	1	RMS	2490	-50.07	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.26	60	Pass	401
2580	3000	1	RMS	2957	-48.7	-25	Pass	421
3000	12000	1	RMS	11843	-59.83	-25	Pass	9002
12000	26000	1	RMS	25988	-43.62	-25	Pass	14002




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-25	Pass	2986
30	1000	0.1	RMS	861.808	-63.6	-25	Pass	9701
1000	2490	1	RMS	2486	-50.46	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.42	60	Pass	401
2580	3000	1	RMS	2954	-48.71	-25	Pass	421
3000	12000	1	RMS	11854	-59.82	-25	Pass	9002
12000	26000	1	RMS	25997	-43.66	-25	Pass	14002




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-25	Pass	2986
30	1000	0.1	RMS	855.504	-63.56	-25	Pass	9701
1000	2490	1	RMS	2487	-50.41	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.53	60	Pass	401
2580	3000	1	RMS	2952	-48.74	-25	Pass	421
3000	12000	1	RMS	11858	-59.88	-25	Pass	9002
12000	26000	1	RMS	25997	-43.67	-25	Pass	14002




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.44	-25	Pass	401
0.15	30	0.01	RMS	0.37	-72.45	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.36	-25	Pass	9701
1000	2490	1	RMS	2489	-50.36	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.3	60	Pass	401
2580	3000	1	RMS	2957	-48.68	-25	Pass	421
3000	12000	1	RMS	11853	-59.83	-25	Pass	9002
12000	26000	1	RMS	25990	-43.67	-25	Pass	14002




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-25	Pass	2986
30	1000	0.1	RMS	816.7	-63.74	-25	Pass	9701
1000	2490	1	RMS	2483	-50.45	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.47	60	Pass	401
2580	3000	1	RMS	2956	-48.69	-25	Pass	421
3000	12000	1	RMS	11850	-59.82	-25	Pass	9002
12000	26000	1	RMS	25996	-43.61	-25	Pass	14002




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-25	Pass	2986
30	1000	0.1	RMS	842.2	-63.71	-25	Pass	9701
1000	2490	1	RMS	2483	-46.2	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.83	60	Pass	401
2580	3000	1	RMS	2954	-48.72	-25	Pass	421
3000	12000	1	RMS	11852	-59.74	-25	Pass	9002
12000	26000	1	RMS	25999	-43.59	-25	Pass	14002




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.95	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.45	-25	Pass	2986
30	1000	0.1	RMS	847.3	-63.67	-25	Pass	9701
1000	2490	1	RMS	2483	-46.83	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.02	60	Pass	401
2580	3000	1	RMS	2958	-48.7	-25	Pass	421
3000	12000	1	RMS	11845	-59.82	-25	Pass	9002
12000	26000	1	RMS	25997	-43.58	-25	Pass	14002



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.01	-25	Pass	2986
30	1000	0.1	RMS	845.1	-63.53	-25	Pass	9701
1000	2490	1	RMS	2486	-50.35	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.5	60	Pass	401
2580	3000	1	RMS	2955	-48.72	-25	Pass	421
3000	12000	1	RMS	11854	-59.9	-25	Pass	9002
12000	26000	1	RMS	25994	-43.67	-25	Pass	14002



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-25	Pass	2986
30	1000	0.1	RMS	836.4	-63.59	-25	Pass	9701
1000	2490	1	RMS	2489	-50.46	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.48	60	Pass	401
2580	3000	1	RMS	2958	-48.71	-25	Pass	421
3000	12000	1	RMS	11850	-59.86	-25	Pass	9002
12000	26000	1	RMS	25994	-43.61	-25	Pass	14002



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.67	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.34	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.56	-25	Pass	9701
1000	2490	1	RMS	2480	-50.35	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.43	60	Pass	401
2580	3000	1	RMS	2953	-48.71	-25	Pass	421
3000	12000	1	RMS	11845	-59.88	-25	Pass	9002
12000	26000	1	RMS	26000	-43.68	-25	Pass	14002



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-25	Pass	2986
30	1000	0.1	RMS	853.903	-63.62	-25	Pass	9701
1000	2490	1	RMS	2484	-50.43	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.44	60	Pass	401
2580	3000	1	RMS	2957	-48.72	-25	Pass	421
3000	12000	1	RMS	11849	-59.82	-25	Pass	9002
12000	26000	1	RMS	26000	-43.59	-25	Pass	14002



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.64	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.75	-25	Pass	2986
30	1000	0.1	RMS	863.51	-63.69	-25	Pass	9701
1000	2490	1	RMS	2488	-37.93	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.68	60	Pass	401
2580	3000	1	RMS	2956	-48.72	-25	Pass	421
3000	12000	1	RMS	11856	-59.75	-25	Pass	9002
12000	26000	1	RMS	25995	-43.57	-25	Pass	14002



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-25	Pass	2986
30	1000	0.1	RMS	855.604	-63.66	-25	Pass	9701
1000	2490	1	RMS	2487	-39.21	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.12	60	Pass	401
2580	3000	1	RMS	2957	-48.72	-25	Pass	421
3000	12000	1	RMS	11856	-59.85	-25	Pass	9002
12000	26000	1	RMS	25998	-43.66	-25	Pass	14002



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-25	Pass	2986
30	1000	0.1	RMS	845.6	-63.62	-25	Pass	9701
1000	2490	1	RMS	2490	-50.44	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.37	60	Pass	401
2580	3000	1	RMS	2958	-48.74	-25	Pass	421
3000	12000	1	RMS	11852	-59.86	-25	Pass	9002
12000	26000	1	RMS	25999	-43.6	-25	Pass	14002



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-25	Pass	2986
30	1000	0.1	RMS	857.806	-63.68	-25	Pass	9701
1000	2490	1	RMS	2484	-50.5	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.33	60	Pass	401
2580	3000	1	RMS	2944	-48.72	-25	Pass	421
3000	12000	1	RMS	11846	-59.89	-25	Pass	9002
12000	26000	1	RMS	25999	-43.55	-25	Pass	14002



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.49	-25	Pass	9701
1000	2490	1	RMS	2489	-50.49	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.27	60	Pass	401
2580	3000	1	RMS	2582	-28.02	-25	Pass	421
3000	12000	1	RMS	11854	-59.93	-25	Pass	9002
12000	26000	1	RMS	25995	-43.62	-25	Pass	14002



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-25	Pass	2986
30	1000	0.1	RMS	857.706	-63.7	-25	Pass	9701
1000	2490	1	RMS	2489	-50.43	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.35	60	Pass	401
2580	3000	1	RMS	2582	-29.44	-25	Pass	421
3000	12000	1	RMS	5766	-55.87	-25	Pass	9002
12000	26000	1	RMS	25993	-43.58	-25	Pass	14002



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-25	Pass	2986
30	1000	0.1	RMS	852.502	-63.67	-25	Pass	9701
1000	2490	1	RMS	2483	-40.46	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.64	60	Pass	401
2580	3000	1	RMS	2956	-48.72	-25	Pass	421
3000	12000	1	RMS	11851	-59.89	-25	Pass	9002
12000	26000	1	RMS	25997	-43.6	-25	Pass	14002



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-25	Pass	2986
30	1000	0.1	RMS	841.5	-63.6	-25	Pass	9701
1000	2490	1	RMS	2483	-41.47	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.18	60	Pass	401
2580	3000	1	RMS	2948	-48.76	-25	Pass	421
3000	12000	1	RMS	11853	-59.9	-25	Pass	9002
12000	26000	1	RMS	25996	-43.66	-25	Pass	14002



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.43	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.64	-25	Pass	2986
30	1000	0.1	RMS	849.3	-63.68	-25	Pass	9701
1000	2490	1	RMS	2490	-47.14	-25	Pass	1491
2490	2580	1	RMS	2526	22.18	60	Pass	401
2580	3000	1	RMS	2956	-48.74	-25	Pass	421
3000	12000	1	RMS	11848	-59.85	-25	Pass	9002
12000	26000	1	RMS	25998	-43.65	-25	Pass	14002



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.21	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.9	-25	Pass	2986
30	1000	0.1	RMS	891.028	-61.28	-25	Pass	9701
1000	2490	1	RMS	2490	-48.46	-25	Pass	1491
2490	2580	1	RMS	2526	21.13	60	Pass	401
2580	3000	1	RMS	2956	-48.72	-25	Pass	421
3000	12000	1	RMS	11849	-59.88	-25	Pass	9002
12000	26000	1	RMS	25998	-43.59	-25	Pass	14002



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.92	-25	Pass	9701
1000	2490	1	RMS	2490	-50.43	-25	Pass	1491
2490	2580	1	RMS	2550.975	22	60	Pass	401
2580	3000	1	RMS	2586	-31.81	-25	Pass	421
3000	12000	1	RMS	11855	-59.84	-25	Pass	9002
12000	26000	1	RMS	25997	-43.6	-25	Pass	14002



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-45.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.34	-25	Pass	2986
30	1000	0.1	RMS	960.7	-62.31	-25	Pass	9701
1000	2490	1	RMS	2485	-48.07	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.9	60	Pass	401
2595	3000	1	RMS	2646	-46.82	-25	Pass	406
3000	12000	1	RMS	11875	-61.66	-25	Pass	9001
12000	26000	1	RMS	25014	-36.83	-25	Pass	14001



5. LTE_Band12


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	Pass	2986
30	689	0.1	RMS	497	-63.33	-13	Pass	6591
689	726	0.1	RMS	699.268	20.24	60	Pass	401
726	1000	0.1	RMS	915.5	-62.13	-13	Pass	2741
1000	3000	1	RMS	2641	-46.74	-13	Pass	2001
3000	10000	1	RMS	9953	-41.02	-13	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.3	-13	Pass	2986
30	689	0.1	RMS	678.8	-63.35	-13	Pass	6591
689	726	0.1	RMS	699.268	19.14	60	Pass	401
726	1000	0.1	RMS	935.7	-62.26	-13	Pass	2741
1000	3000	1	RMS	2642	-46.71	-13	Pass	2001
3000	10000	1	RMS	9962	-41.02	-13	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.52	-13	Pass	2986
30	689	0.1	RMS	512.3	-63.35	-13	Pass	6591
689	726	0.1	RMS	707.038	20.2	60	Pass	401
726	1000	0.1	RMS	917.1	-62.07	-13	Pass	2741
1000	3000	1	RMS	1414	-42.9	-13	Pass	2001
3000	10000	1	RMS	9953	-40.93	-13	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	689	0.1	RMS	687.3	-63.44	-13	Pass	6591
689	726	0.1	RMS	707.038	19.17	60	Pass	401
726	1000	0.1	RMS	928.7	-62.24	-13	Pass	2741
1000	3000	1	RMS	1414	-43.81	-13	Pass	2001
3000	10000	1	RMS	9953	-41.01	-13	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2986
30	689	0.1	RMS	518.7	-63.47	-13	Pass	6591
689	726	0.1	RMS	714.808	19.59	60	Pass	401
726	1000	0.1	RMS	914.3	-61.97	-13	Pass	2741
1000	3000	1	RMS	2647	-46.76	-13	Pass	2001
3000	10000	1	RMS	9965	-41.01	-13	Pass	7001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	Pass	2986
30	689	0.1	RMS	520.5	-63.42	-13	Pass	6591
689	726	0.1	RMS	714.808	18.71	60	Pass	401
726	1000	0.1	RMS	909.8	-62.24	-13	Pass	2741
1000	3000	1	RMS	2640	-46.75	-13	Pass	2001
3000	10000	1	RMS	9954	-40.93	-13	Pass	7001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-13	Pass	2986
30	689	0.1	RMS	687.1	-63.39	-13	Pass	6591
689	726	0.1	RMS	699.268	20.25	60	Pass	401
726	1000	0.1	RMS	934.7	-62.13	-13	Pass	2741
1000	3000	1	RMS	2639	-46.76	-13	Pass	2001
3000	10000	1	RMS	9950	-40.99	-13	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	Pass	2986
30	689	0.1	RMS	667.3	-63.39	-13	Pass	6591
689	726	0.1	RMS	699.268	19.33	60	Pass	401
726	1000	0.1	RMS	901.1	-62.17	-13	Pass	2741
1000	3000	1	RMS	2641	-46.77	-13	Pass	2001
3000	10000	1	RMS	9955	-41.02	-13	Pass	7001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.81	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.35	-13	Pass	6591
689	726	0.1	RMS	706.205	19.99	60	Pass	401
726	1000	0.1	RMS	871.9	-62.03	-13	Pass	2741
1000	3000	1	RMS	1412	-44.38	-13	Pass	2001
3000	10000	1	RMS	9953	-40.95	-13	Pass	7001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.48	-13	Pass	2986
30	689	0.1	RMS	676.6	-63.45	-13	Pass	6591
689	726	0.1	RMS	706.205	19.05	60	Pass	401
726	1000	0.1	RMS	937.4	-62.24	-13	Pass	2741
1000	3000	1	RMS	1412	-45.04	-13	Pass	2001
3000	10000	1	RMS	9960	-40.96	-13	Pass	7001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.11	-13	Pass	2986
30	689	0.1	RMS	525.1	-63.39	-13	Pass	6591
689	726	0.1	RMS	713.235	20.33	60	Pass	401
726	1000	0.1	RMS	919.8	-61.96	-13	Pass	2741
1000	3000	1	RMS	2650	-46.74	-13	Pass	2001
3000	10000	1	RMS	9953	-40.96	-13	Pass	7001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2986
30	689	0.1	RMS	511.9	-63.33	-13	Pass	6591
689	726	0.1	RMS	713.235	19.51	60	Pass	401
726	1000	0.1	RMS	926.4	-62.14	-13	Pass	2741
1000	3000	1	RMS	2644	-46.76	-13	Pass	2001
3000	10000	1	RMS	9949	-41.03	-13	Pass	7001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.29	-13	Pass	2986
30	689	0.1	RMS	685.8	-63.43	-13	Pass	6591
689	726	0.1	RMS	699.36	19.95	60	Pass	401
726	1000	0.1	RMS	936.9	-62.06	-13	Pass	2741
1000	3000	1	RMS	2647	-46.78	-13	Pass	2001
3000	10000	1	RMS	9965	-40.97	-13	Pass	7001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	689	0.1	RMS	671.3	-63.5	-13	Pass	6591
689	726	0.1	RMS	699.36	19.22	60	Pass	401
726	1000	0.1	RMS	846.3	-62.19	-13	Pass	2741
1000	3000	1	RMS	2642	-46.75	-13	Pass	2001
3000	10000	1	RMS	9961	-41.02	-13	Pass	7001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	Pass	2986
30	689	0.1	RMS	657.5	-63.42	-13	Pass	6591
689	726	0.1	RMS	705.373	19.9	60	Pass	401
726	1000	0.1	RMS	912.5	-62.24	-13	Pass	2741
1000	3000	1	RMS	1411	-43.92	-13	Pass	2001
3000	10000	1	RMS	9955	-40.97	-13	Pass	7001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	689	0.1	RMS	677.4	-63.44	-13	Pass	6591
689	726	0.1	RMS	705.373	19.04	60	Pass	401
726	1000	0.1	RMS	919.4	-62.16	-13	Pass	2741
1000	3000	1	RMS	1411	-44.46	-13	Pass	2001
3000	10000	1	RMS	9950	-40.91	-13	Pass	7001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2986
30	689	0.1	RMS	681.5	-63.5	-13	Pass	6591
689	726	0.1	RMS	711.293	19.54	60	Pass	401
726	1000	0.1	RMS	928.8	-62.07	-13	Pass	2741
1000	3000	1	RMS	2650	-46.76	-13	Pass	2001
3000	10000	1	RMS	9956	-41.04	-13	Pass	7001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.85	-13	Pass	2986
30	689	0.1	RMS	679.5	-63.34	-13	Pass	6591
689	726	0.1	RMS	711.385	18.68	60	Pass	401
726	1000	0.1	RMS	946.3	-62.15	-13	Pass	2741
1000	3000	1	RMS	2644	-46.79	-13	Pass	2001
3000	10000	1	RMS	9955	-41.06	-13	Pass	7001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.12	-13	Pass	6591
689	726	0.1	RMS	699.545	19.67	60	Pass	401
726	1000	0.1	RMS	923.1	-62.19	-13	Pass	2741
1000	3000	1	RMS	2640	-46.75	-13	Pass	2001
3000	10000	1	RMS	9952	-40.96	-13	Pass	7001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-13	Pass	2986
30	689	0.1	RMS	510.8	-63.43	-13	Pass	6591
689	726	0.1	RMS	699.638	18.83	60	Pass	401
726	1000	0.1	RMS	908.1	-62.18	-13	Pass	2741
1000	3000	1	RMS	2643	-46.78	-13	Pass	2001
3000	10000	1	RMS	9956	-40.98	-13	Pass	7001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-13	Pass	2986
30	689	0.1	RMS	689	-63.19	-13	Pass	6591
689	726	0.1	RMS	703.06	19.96	60	Pass	401
726	1000	0.1	RMS	913.4	-62.2	-13	Pass	2741
1000	3000	1	RMS	1406	-44.3	-13	Pass	2001
3000	10000	1	RMS	9950	-40.96	-13	Pass	7001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	689	0.1	RMS	680.5	-63.41	-13	Pass	6591
689	726	0.1	RMS	703.06	18.97	60	Pass	401
726	1000	0.1	RMS	923.6	-62.22	-13	Pass	2741
1000	3000	1	RMS	1406	-44.59	-13	Pass	2001
3000	10000	1	RMS	9954	-41	-13	Pass	7001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.37	-13	Pass	2986
30	689	0.1	RMS	689	-45.78	-13	Pass	6591
689	726	0.1	RMS	706.575	19.89	60	Pass	401
726	1000	0.1	RMS	896.2	-62.25	-13	Pass	2741
1000	3000	1	RMS	1413	-43.32	-13	Pass	2001
3000	10000	1	RMS	9959	-41.02	-13	Pass	7001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.25	-13	Pass	2986
30	689	0.1	RMS	689	-47.61	-13	Pass	6591
689	726	0.1	RMS	706.575	19.24	60	Pass	401
726	1000	0.1	RMS	928.8	-62.28	-13	Pass	2741
1000	3000	1	RMS	1413	-43.93	-13	Pass	2001
3000	10000	1	RMS	9953	-40.98	-13	Pass	7001



6. LTE_Band17


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	694	0.1	RMS	693.8	-54.4	-13	Pass	6641
694	726	0.1	RMS	704.32	19.72	60	Pass	401
726	1000	0.1	RMS	795.5	-62.16	-13	Pass	2741
1000	3000	1	RMS	1409	-44.66	-13	Pass	2001
3000	10000	1	RMS	9954	-40.98	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-13	Pass	2986
30	694	0.1	RMS	693.7	-61	-13	Pass	6641
694	726	0.1	RMS	704.32	19.09	60	Pass	401
726	1000	0.1	RMS	892.5	-62.26	-13	Pass	2741
1000	3000	1	RMS	1409	-44.9	-13	Pass	2001
3000	10000	1	RMS	9966	-41.03	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.27	-13	Pass	2986
30	694	0.1	RMS	690.6	-59.98	-13	Pass	6641
694	726	0.1	RMS	707.84	20.14	60	Pass	401
726	1000	0.1	RMS	879.3	-62.27	-13	Pass	2741
1000	3000	1	RMS	1416	-43.44	-13	Pass	2001
3000	10000	1	RMS	9955	-41.01	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	Pass	2986
30	694	0.1	RMS	690.6	-61.16	-13	Pass	6641
694	726	0.1	RMS	707.84	19.34	60	Pass	401
726	1000	0.1	RMS	923.8	-62.25	-13	Pass	2741
1000	3000	1	RMS	1416	-44.33	-13	Pass	2001
3000	10000	1	RMS	9955	-40.93	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	Pass	2986
30	694	0.1	RMS	694	-60.23	-13	Pass	6641
694	726	0.1	RMS	711.36	19.87	60	Pass	401
726	1000	0.1	RMS	971.7	-62.2	-13	Pass	2741
1000	3000	1	RMS	2647	-46.76	-13	Pass	2001
3000	10000	1	RMS	9954	-40.97	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	Pass	2986
30	694	0.1	RMS	694	-60.96	-13	Pass	6641
694	726	0.1	RMS	711.36	19.28	60	Pass	401
726	1000	0.1	RMS	905.6	-62.21	-13	Pass	2741
1000	3000	1	RMS	2640	-46.74	-13	Pass	2001
3000	10000	1	RMS	9963	-40.97	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	Pass	2986
30	694	0.1	RMS	692.4	-52.75	-13	Pass	6641
694	726	0.1	RMS	704.56	19.85	60	Pass	401
726	1000	0.1	RMS	915.6	-62.14	-13	Pass	2741
1000	3000	1	RMS	1409	-43.98	-13	Pass	2001
3000	10000	1	RMS	9956	-41.02	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.04	-13	Pass	2986
30	694	0.1	RMS	694	-53.7	-13	Pass	6641
694	726	0.1	RMS	704.56	19.18	60	Pass	401
726	1000	0.1	RMS	899.4	-61.91	-13	Pass	2741
1000	3000	1	RMS	1409	-44.24	-13	Pass	2001
3000	10000	1	RMS	9950	-40.96	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	Pass	2986
30	694	0.1	RMS	692.6	-52.94	-13	Pass	6641
694	726	0.1	RMS	705.6	19.92	60	Pass	401
726	1000	0.1	RMS	926.6	-62.09	-13	Pass	2741
1000	3000	1	RMS	1411	-43.62	-13	Pass	2001
3000	10000	1	RMS	9966	-40.99	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.29	-13	Pass	2986
30	694	0.1	RMS	692.4	-57.79	-13	Pass	6641
694	726	0.1	RMS	705.6	19.19	60	Pass	401
726	1000	0.1	RMS	934.7	-62.11	-13	Pass	2741
1000	3000	1	RMS	1411	-43.92	-13	Pass	2001
3000	10000	1	RMS	9953	-41	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2986
30	694	0.1	RMS	689	-45.96	-13	Pass	6641
694	726	0.1	RMS	706.56	19.84	60	Pass	401
726	1000	0.1	RMS	892.6	-62.24	-13	Pass	2741
1000	3000	1	RMS	1413	-43.34	-13	Pass	2001
3000	10000	1	RMS	9957	-41	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.94	-13	Pass	2986
30	694	0.1	RMS	689.1	-46.9	-13	Pass	6641
694	726	0.1	RMS	706.56	19.08	60	Pass	401
726	1000	0.1	RMS	913.9	-62.01	-13	Pass	2741
1000	3000	1	RMS	1413	-43.91	-13	Pass	2001
3000	10000	1	RMS	9961	-41.01	-13	Pass	7001



7. LTE_Band26(part22)


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.86	-13	Pass	2986
30	814	0.1	RMS	813	-62.37	-13	Pass	7841
814	860	0.1	RMS	824.3	19.28	60	Pass	461
860	1000	0.1	RMS	945.7	-62.31	-13	Pass	1401
1000	3000	1	RMS	2644	-46.77	-13	Pass	2001
3000	10000	1	RMS	9954	-40.92	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.19	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.18	-13	Pass	7841
814	860	0.1	RMS	824.3	18.36	60	Pass	461
860	1000	0.1	RMS	933.4	-62.51	-13	Pass	1401
1000	3000	1	RMS	2645	-46.75	-13	Pass	2001
3000	10000	1	RMS	9954	-40.96	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.59	-13	Pass	2986
30	814	0.1	RMS	803.5	-62.48	-13	Pass	7841
814	860	0.1	RMS	836.1	19.49	60	Pass	461
860	1000	0.1	RMS	959.2	-62.48	-13	Pass	1401
1000	3000	1	RMS	2640	-46.75	-13	Pass	2001
3000	10000	1	RMS	9952	-41.01	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2986
30	814	0.1	RMS	808	-62.31	-13	Pass	7841
814	860	0.1	RMS	836.1	18.39	60	Pass	461
860	1000	0.1	RMS	958.2	-62.44	-13	Pass	1401
1000	3000	1	RMS	2645	-46.76	-13	Pass	2001
3000	10000	1	RMS	9959	-40.98	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.72	-13	Pass	2986
30	814	0.1	RMS	811.5	-62.32	-13	Pass	7841
814	860	0.1	RMS	847.9	19.67	60	Pass	461
860	1000	0.1	RMS	931.4	-62.44	-13	Pass	1401
1000	3000	1	RMS	2649	-46.74	-13	Pass	2001
3000	10000	1	RMS	9954	-41.02	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.6	-13	Pass	2986
30	814	0.1	RMS	793.1	-62.49	-13	Pass	7841
814	860	0.1	RMS	847.9	18.66	60	Pass	461
860	1000	0.1	RMS	943.1	-62.56	-13	Pass	1401
1000	3000	1	RMS	2641	-46.77	-13	Pass	2001
3000	10000	1	RMS	9952	-40.95	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.04	-13	Pass	7841
814	860	0.1	RMS	824.2	19.67	60	Pass	461
860	1000	0.1	RMS	918.8	-62.43	-13	Pass	1401
1000	3000	1	RMS	2640	-46.77	-13	Pass	2001
3000	10000	1	RMS	9960	-41.04	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.12	-13	Pass	7841
814	860	0.1	RMS	824.2	18.75	60	Pass	461
860	1000	0.1	RMS	927.2	-62.48	-13	Pass	1401
1000	3000	1	RMS	2641	-46.77	-13	Pass	2001
3000	10000	1	RMS	9953	-40.99	-13	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.03	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.39	-13	Pass	7841
814	860	0.1	RMS	835.2	19.75	60	Pass	461
860	1000	0.1	RMS	921.7	-62.41	-13	Pass	1401
1000	3000	1	RMS	2640	-46.73	-13	Pass	2001
3000	10000	1	RMS	9951	-40.97	-13	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-13	Pass	2986
30	814	0.1	RMS	796.5	-62.34	-13	Pass	7841
814	860	0.1	RMS	835.2	18.7	60	Pass	461
860	1000	0.1	RMS	931	-62.41	-13	Pass	1401
1000	3000	1	RMS	2650	-46.75	-13	Pass	2001
3000	10000	1	RMS	9958	-40.99	-13	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	814	0.1	RMS	810.8	-62.39	-13	Pass	7841
814	860	0.1	RMS	846.2	19.91	60	Pass	461
860	1000	0.1	RMS	929	-62.45	-13	Pass	1401
1000	3000	1	RMS	2646	-46.77	-13	Pass	2001
3000	10000	1	RMS	9958	-41.03	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-13	Pass	2986
30	814	0.1	RMS	808.7	-62.34	-13	Pass	7841
814	860	0.1	RMS	846.2	18.92	60	Pass	461
860	1000	0.1	RMS	888.2	-62.46	-13	Pass	1401
1000	3000	1	RMS	2650	-46.81	-13	Pass	2001
3000	10000	1	RMS	9953	-40.99	-13	Pass	7001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-54.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.84	-13	Pass	7841
814	860	0.1	RMS	824.3	19.47	60	Pass	461
860	1000	0.1	RMS	917	-62.46	-13	Pass	1401
1000	3000	1	RMS	2646	-46.77	-13	Pass	2001
3000	10000	1	RMS	9950	-41.01	-13	Pass	7001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	814	0.1	RMS	811.2	-61.93	-13	Pass	7841
814	860	0.1	RMS	824.3	18.53	60	Pass	461
860	1000	0.1	RMS	916.7	-62.49	-13	Pass	1401
1000	3000	1	RMS	2645	-46.79	-13	Pass	2001
3000	10000	1	RMS	9953	-40.96	-13	Pass	7001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.33	-13	Pass	7841
814	860	0.1	RMS	834.3	19.58	60	Pass	461
860	1000	0.1	RMS	942.6	-62.47	-13	Pass	1401
1000	3000	1	RMS	2642	-46.77	-13	Pass	2001
3000	10000	1	RMS	9952	-40.98	-13	Pass	7001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.57	-13	Pass	2986
30	814	0.1	RMS	791.6	-62.47	-13	Pass	7841
814	860	0.1	RMS	834.3	18.71	60	Pass	461
860	1000	0.1	RMS	916.2	-62.37	-13	Pass	1401
1000	3000	1	RMS	2652	-46.76	-13	Pass	2001
3000	10000	1	RMS	9953	-40.97	-13	Pass	7001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.28	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.4	-13	Pass	7841
814	860	0.1	RMS	844.3	19.77	60	Pass	461
860	1000	0.1	RMS	949.6	-62.46	-13	Pass	1401
1000	3000	1	RMS	2647	-46.76	-13	Pass	2001
3000	10000	1	RMS	9958	-40.97	-13	Pass	7001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.1	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.46	-13	Pass	7841
814	860	0.1	RMS	844.3	18.86	60	Pass	461
860	1000	0.1	RMS	939.8	-62.49	-13	Pass	1401
1000	3000	1	RMS	2642	-46.75	-13	Pass	2001
3000	10000	1	RMS	9955	-40.98	-13	Pass	7001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	Pass	2986
30	814	0.1	RMS	813.9	-57.01	-13	Pass	7841
814	860	0.1	RMS	824.6	20.06	60	Pass	461
860	1000	0.1	RMS	919.2	-62.43	-13	Pass	1401
1000	3000	1	RMS	2644	-46.72	-13	Pass	2001
3000	10000	1	RMS	9953	-40.94	-13	Pass	7001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.02	-13	Pass	2986
30	814	0.1	RMS	813.9	-57.45	-13	Pass	7841
814	860	0.1	RMS	824.6	19.19	60	Pass	461
860	1000	0.1	RMS	901.2	-62.55	-13	Pass	1401
1000	3000	1	RMS	2644	-46.78	-13	Pass	2001
3000	10000	1	RMS	9952	-40.99	-13	Pass	7001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	Pass	2986
30	814	0.1	RMS	814	-62.1	-13	Pass	7841
814	860	0.1	RMS	832.1	20.11	60	Pass	461
860	1000	0.1	RMS	939.6	-62.33	-13	Pass	1401
1000	3000	1	RMS	2640	-46.73	-13	Pass	2001
3000	10000	1	RMS	9957	-40.96	-13	Pass	7001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.87	-13	Pass	2986
30	814	0.1	RMS	814	-62.23	-13	Pass	7841
814	860	0.1	RMS	832.1	19.07	60	Pass	461
860	1000	0.1	RMS	898.5	-62.51	-13	Pass	1401
1000	3000	1	RMS	2643	-46.76	-13	Pass	2001
3000	10000	1	RMS	9950	-41.02	-13	Pass	7001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.89	-13	Pass	2986
30	814	0.1	RMS	808.1	-62.33	-13	Pass	7841
814	860	0.1	RMS	839.6	20.16	60	Pass	461
860	1000	0.1	RMS	924.1	-62.47	-13	Pass	1401
1000	3000	1	RMS	2640	-46.75	-13	Pass	2001
3000	10000	1	RMS	9952	-41.03	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.42	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.39	-13	Pass	7841
814	860	0.1	RMS	839.6	19.14	60	Pass	461
860	1000	0.1	RMS	922.4	-62.41	-13	Pass	1401
1000	3000	1	RMS	2640	-46.79	-13	Pass	2001
3000	10000	1	RMS	9954	-40.93	-13	Pass	7001



4.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.11	-13	Pass	2986
30	814	0.1	RMS	811.5	-53.1	-13	Pass	7841
814	860	0.1	RMS	824.8	19.44	60	Pass	461
860	1000	0.1	RMS	957.1	-62.51	-13	Pass	1401
1000	3000	1	RMS	2646	-46.77	-13	Pass	2001
3000	10000	1	RMS	9952	-41.01	-13	Pass	7001



4.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.86	-13	Pass	2986
30	814	0.1	RMS	811.5	-54.66	-13	Pass	7841
814	860	0.1	RMS	824.8	18.46	60	Pass	461
860	1000	0.1	RMS	958.7	-62.49	-13	Pass	1401
1000	3000	1	RMS	2641	-46.77	-13	Pass	2001
3000	10000	1	RMS	9955	-40.98	-13	Pass	7001



4.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.95	-13	Pass	2986
30	814	0.1	RMS	813.7	-59.38	-13	Pass	7841
814	860	0.1	RMS	829.8	19.42	60	Pass	461
860	1000	0.1	RMS	917.7	-62.49	-13	Pass	1401
1000	3000	1	RMS	2640	-46.76	-13	Pass	2001
3000	10000	1	RMS	9956	-41	-13	Pass	7001



4.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.37	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.45	-13	Pass	7841
814	860	0.1	RMS	829.8	18.45	60	Pass	461
860	1000	0.1	RMS	903.1	-62.44	-13	Pass	1401
1000	3000	1	RMS	2643	-46.73	-13	Pass	2001
3000	10000	1	RMS	9951	-41	-13	Pass	7001



4.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.7	-13	Pass	2986
30	814	0.1	RMS	811.8	-60.71	-13	Pass	7841
814	860	0.1	RMS	834.8	19.4	60	Pass	461
860	1000	0.1	RMS	967.9	-62.29	-13	Pass	1401
1000	3000	1	RMS	2640	-46.74	-13	Pass	2001
3000	10000	1	RMS	9949	-40.98	-13	Pass	7001



4.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-13	Pass	2986
30	814	0.1	RMS	811.8	-60.4	-13	Pass	7841
814	860	0.1	RMS	834.8	18.48	60	Pass	461
860	1000	0.1	RMS	927.3	-62.5	-13	Pass	1401
1000	3000	1	RMS	2649	-46.78	-13	Pass	2001
3000	10000	1	RMS	9965	-41.01	-13	Pass	7001



8. LTE_Band66


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	Pass	2986
30	1000	0.1	RMS	874.317	-63.49	-13	Pass	9701
1000	1700	1	RMS	1700	-51.63	-13	Pass	701
1700	1790	1	RMS	1710.125	23.23	60	Pass	401
1790	3000	1	RMS	2956	-48.44	-13	Pass	1211
3000	12000	1	RMS	11951	-39.91	-13	Pass	9002
12000	20000	1	RMS	19400	-30.83	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.44	-13	Pass	2986
30	1000	0.1	RMS	847.8	-63.52	-13	Pass	9701
1000	1700	1	RMS	1700	-51.73	-13	Pass	701
1700	1790	1	RMS	1710.125	22.24	60	Pass	401
1790	3000	1	RMS	2956	-48.44	-13	Pass	1211
3000	12000	1	RMS	11849	-39.87	-13	Pass	9002
12000	20000	1	RMS	19404	-30.74	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	Pass	2986
30	1000	0.1	RMS	860.307	-63.55	-13	Pass	9701
1000	1700	1	RMS	1698	-52.22	-13	Pass	701
1700	1790	1	RMS	1744.55	22.94	60	Pass	401
1790	3000	1	RMS	2955	-48.43	-13	Pass	1211
3000	12000	1	RMS	11845	-39.91	-13	Pass	9002
12000	20000	1	RMS	19405	-30.71	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-13	Pass	2986
30	1000	0.1	RMS	854.504	-63.46	-13	Pass	9701
1000	1700	1	RMS	1700	-52.23	-13	Pass	701
1700	1790	1	RMS	1744.325	21.97	60	Pass	401
1790	3000	1	RMS	2957	-48.44	-13	Pass	1211
3000	12000	1	RMS	11954	-39.91	-13	Pass	9002
12000	20000	1	RMS	19401	-30.81	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2986
30	1000	0.1	RMS	847.9	-63.42	-13	Pass	9701
1000	1700	1	RMS	1697	-52.2	-13	Pass	701
1700	1790	1	RMS	1778.75	22.93	60	Pass	401
1790	3000	1	RMS	2949	-48.44	-13	Pass	1211
3000	12000	1	RMS	11950	-39.86	-13	Pass	9002
12000	20000	1	RMS	19396	-30.77	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	849.7	-63.33	-13	Pass	9701
1000	1700	1	RMS	1679	-52.25	-13	Pass	701
1700	1790	1	RMS	1778.75	21.94	60	Pass	401
1790	3000	1	RMS	2948	-48.45	-13	Pass	1211
3000	12000	1	RMS	11953	-39.86	-13	Pass	9002
12000	20000	1	RMS	19396	-30.79	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	Pass	2986
30	1000	0.1	RMS	839.9	-63.52	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1790	1	RMS	1710.125	23.35	60	Pass	401
1790	3000	1	RMS	2956	-48.41	-13	Pass	1211
3000	12000	1	RMS	11850	-39.91	-13	Pass	9002
12000	20000	1	RMS	19401	-30.72	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.42	-13	Pass	9701
1000	1700	1	RMS	1700	-51.47	-13	Pass	701
1700	1790	1	RMS	1710.125	22.46	60	Pass	401
1790	3000	1	RMS	2961	-48.48	-13	Pass	1211
3000	12000	1	RMS	11949	-39.91	-13	Pass	9002
12000	20000	1	RMS	19412	-30.77	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	Pass	2986
30	1000	0.1	RMS	845.4	-63.35	-13	Pass	9701
1000	1700	1	RMS	1698	-52.21	-13	Pass	701
1700	1790	1	RMS	1743.65	23.16	60	Pass	401
1790	3000	1	RMS	2948	-48.45	-13	Pass	1211
3000	12000	1	RMS	11829	-39.89	-13	Pass	9002
12000	20000	1	RMS	19406	-30.82	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2986
30	1000	0.1	RMS	857.506	-63.43	-13	Pass	9701
1000	1700	1	RMS	1687	-52.22	-13	Pass	701
1700	1790	1	RMS	1743.65	22.19	60	Pass	401
1790	3000	1	RMS	2961	-48.44	-13	Pass	1211
3000	12000	1	RMS	11848	-39.89	-13	Pass	9002
12000	20000	1	RMS	19400	-30.76	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.51	-13	Pass	9701
1000	1700	1	RMS	1700	-52.2	-13	Pass	701
1700	1790	1	RMS	1777.175	23.05	60	Pass	401
1790	3000	1	RMS	2943	-48.47	-13	Pass	1211
3000	12000	1	RMS	11955	-39.9	-13	Pass	9002
12000	20000	1	RMS	19408	-30.72	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	Pass	2986
30	1000	0.1	RMS	869.413	-63.42	-13	Pass	9701
1000	1700	1	RMS	1699	-52.21	-13	Pass	701
1700	1790	1	RMS	1777.175	22.06	60	Pass	401
1790	3000	1	RMS	2954	-48.48	-13	Pass	1211
3000	12000	1	RMS	11951	-39.83	-13	Pass	9002
12000	20000	1	RMS	19394	-30.79	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2986
30	1000	0.1	RMS	850.801	-63.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1790	1	RMS	1710.125	23.03	60	Pass	401
1790	3000	1	RMS	2946	-48.41	-13	Pass	1211
3000	12000	1	RMS	11850	-39.9	-13	Pass	9002
12000	20000	1	RMS	19398	-30.82	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	825.4	-63.45	-13	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	Pass	701
1700	1790	1	RMS	1710.125	22.1	60	Pass	401
1790	3000	1	RMS	2956	-48.46	-13	Pass	1211
3000	12000	1	RMS	11853	-39.86	-13	Pass	9002
12000	20000	1	RMS	19394	-30.87	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2986
30	1000	0.1	RMS	842.1	-63.44	-13	Pass	9701
1000	1700	1	RMS	1700	-52.23	-13	Pass	701
1700	1790	1	RMS	1742.75	22.99	60	Pass	401
1790	3000	1	RMS	2954	-48.49	-13	Pass	1211
3000	12000	1	RMS	11944	-39.75	-13	Pass	9002
12000	20000	1	RMS	19397	-30.76	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.78	-13	Pass	2986
30	1000	0.1	RMS	853.003	-63.33	-13	Pass	9701
1000	1700	1	RMS	1699	-52.24	-13	Pass	701
1700	1790	1	RMS	1742.75	22.15	60	Pass	401
1790	3000	1	RMS	2952	-48.5	-13	Pass	1211
3000	12000	1	RMS	11851	-39.92	-13	Pass	9002
12000	20000	1	RMS	19399	-30.83	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	1000	0.1	RMS	849.2	-63.46	-13	Pass	9701
1000	1700	1	RMS	1687	-52.27	-13	Pass	701
1700	1790	1	RMS	1775.15	22.76	60	Pass	401
1790	3000	1	RMS	2959	-48.43	-13	Pass	1211
3000	12000	1	RMS	11950	-39.87	-13	Pass	9002
12000	20000	1	RMS	19403	-30.73	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	1000	0.1	RMS	854.103	-63.43	-13	Pass	9701
1000	1700	1	RMS	1699	-52.2	-13	Pass	701
1700	1790	1	RMS	1775.15	22.01	60	Pass	401
1790	3000	1	RMS	2956	-48.43	-13	Pass	1211
3000	12000	1	RMS	11951	-39.87	-13	Pass	9002
12000	20000	1	RMS	19395	-30.75	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	1000	0.1	RMS	834.7	-63.35	-13	Pass	9701
1000	1700	1	RMS	1693	-37.62	-13	Pass	701
1700	1790	1	RMS	1710.575	23.13	60	Pass	401
1790	3000	1	RMS	2952	-48.48	-13	Pass	1211
3000	12000	1	RMS	11847	-39.8	-13	Pass	9002
12000	20000	1	RMS	19401	-30.75	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	1000	0.1	RMS	832.4	-63.24	-13	Pass	9701
1000	1700	1	RMS	1693	-38.99	-13	Pass	701
1700	1790	1	RMS	1710.575	22.32	60	Pass	401
1790	3000	1	RMS	2944	-48.45	-13	Pass	1211
3000	12000	1	RMS	11949	-39.86	-13	Pass	9002
12000	20000	1	RMS	19403	-30.78	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	843.7	-63.53	-13	Pass	9701
1000	1700	1	RMS	1697	-52.2	-13	Pass	701
1700	1790	1	RMS	1740.5	23.05	60	Pass	401
1790	3000	1	RMS	2956	-48.43	-13	Pass	1211
3000	12000	1	RMS	11948	-39.88	-13	Pass	9002
12000	20000	1	RMS	19401	-30.79	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	855.404	-63.49	-13	Pass	9701
1000	1700	1	RMS	1693	-52.27	-13	Pass	701
1700	1790	1	RMS	1740.5	22.07	60	Pass	401
1790	3000	1	RMS	2954	-48.44	-13	Pass	1211
3000	12000	1	RMS	11844	-39.86	-13	Pass	9002
12000	20000	1	RMS	19401	-30.81	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-13	Pass	2986
30	1000	0.1	RMS	861.008	-63.48	-13	Pass	9701
1000	1700	1	RMS	1696	-52.21	-13	Pass	701
1700	1790	1	RMS	1770.425	22.96	60	Pass	401
1790	3000	1	RMS	1790	-47.18	-13	Pass	1211
3000	12000	1	RMS	11848	-39.88	-13	Pass	9002
12000	20000	1	RMS	19407	-30.79	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.24	-13	Pass	9701
1000	1700	1	RMS	1681	-52.25	-13	Pass	701
1700	1790	1	RMS	1770.425	22.03	60	Pass	401
1790	3000	1	RMS	1790	-47.53	-13	Pass	1211
3000	12000	1	RMS	11954	-39.9	-13	Pass	9002
12000	20000	1	RMS	19404	-30.83	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.41	-13	Pass	9701
1000	1700	1	RMS	1700	-46.25	-13	Pass	701
1700	1790	1	RMS	1710.8	22.98	60	Pass	401
1790	3000	1	RMS	2948	-48.45	-13	Pass	1211
3000	12000	1	RMS	11862	-39.94	-13	Pass	9002
12000	20000	1	RMS	19406	-30.72	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2986
30	1000	0.1	RMS	848.2	-63.4	-13	Pass	9701
1000	1700	1	RMS	1700	-46.4	-13	Pass	701
1700	1790	1	RMS	1710.8	22.19	60	Pass	401
1790	3000	1	RMS	2961	-48.5	-13	Pass	1211
3000	12000	1	RMS	11851	-39.84	-13	Pass	9002
12000	20000	1	RMS	19398	-30.8	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.45	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.41	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.47	-13	Pass	9701
1000	1700	1	RMS	1697	-52.22	-13	Pass	701
1700	1790	1	RMS	1738.25	22.95	60	Pass	401
1790	3000	1	RMS	2945	-48.44	-13	Pass	1211
3000	12000	1	RMS	11950	-39.87	-13	Pass	9002
12000	20000	1	RMS	19400	-30.79	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2986
30	1000	0.1	RMS	840.8	-63.5	-13	Pass	9701
1000	1700	1	RMS	1699	-52.24	-13	Pass	701
1700	1790	1	RMS	1738.25	21.99	60	Pass	401
1790	3000	1	RMS	2955	-48.48	-13	Pass	1211
3000	12000	1	RMS	11951	-39.79	-13	Pass	9002
12000	20000	1	RMS	19411	-30.8	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2986
30	1000	0.1	RMS	845.4	-63.32	-13	Pass	9701
1000	1700	1	RMS	1695	-52.22	-13	Pass	701
1700	1790	1	RMS	1765.7	22.82	60	Pass	401
1790	3000	1	RMS	1792	-26.23	-13	Pass	1211
3000	12000	1	RMS	3532	-39.74	-13	Pass	9002
12000	20000	1	RMS	19399	-30.78	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2986
30	1000	0.1	RMS	843	-63.49	-13	Pass	9701
1000	1700	1	RMS	1697	-52.22	-13	Pass	701
1700	1790	1	RMS	1765.7	21.99	60	Pass	401
1790	3000	1	RMS	1792	-27.31	-13	Pass	1211
3000	12000	1	RMS	11950	-39.82	-13	Pass	9002
12000	20000	1	RMS	19410	-30.74	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	845.2	-63.36	-13	Pass	9701
1000	1700	1	RMS	1700	-47.35	-13	Pass	701
1700	1790	1	RMS	1711.025	22.87	60	Pass	401
1790	3000	1	RMS	2955	-48.43	-13	Pass	1211
3000	12000	1	RMS	11845	-39.88	-13	Pass	9002
12000	20000	1	RMS	19402	-30.77	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.05	-13	Pass	2986
30	1000	0.1	RMS	854.604	-63.35	-13	Pass	9701
1000	1700	1	RMS	1700	-47.51	-13	Pass	701
1700	1790	1	RMS	1711.025	22.08	60	Pass	401
1790	3000	1	RMS	2957	-48.38	-13	Pass	1211
3000	12000	1	RMS	11856	-39.9	-13	Pass	9002
12000	20000	1	RMS	19408	-30.77	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.47	-13	Pass	9701
1000	1700	1	RMS	1700	-39.58	-13	Pass	701
1700	1790	1	RMS	1736	22.84	60	Pass	401
1790	3000	1	RMS	2949	-48.46	-13	Pass	1211
3000	12000	1	RMS	11948	-39.88	-13	Pass	9002
12000	20000	1	RMS	19400	-30.81	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.22	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.29	-13	Pass	9701
1000	1700	1	RMS	1700	-42.06	-13	Pass	701
1700	1790	1	RMS	1736	21.84	60	Pass	401
1790	3000	1	RMS	2954	-48.4	-13	Pass	1211
3000	12000	1	RMS	11953	-39.89	-13	Pass	9002
12000	20000	1	RMS	19400	-30.81	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	Pass	2986
30	1000	0.1	RMS	843.6	-63.44	-13	Pass	9701
1000	1700	1	RMS	1700	-51.96	-13	Pass	701
1700	1790	1	RMS	1760.975	22.58	60	Pass	401
1790	3000	1	RMS	1797	-26.93	-13	Pass	1211
3000	12000	1	RMS	3522	-39.76	-13	Pass	9002
12000	20000	1	RMS	19401	-30.8	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.54	-13	Pass	9701
1000	1700	1	RMS	1693	-52.21	-13	Pass	701
1700	1790	1	RMS	1760.975	21.65	60	Pass	401
1790	3000	1	RMS	1797	-27.12	-13	Pass	1211
3000	12000	1	RMS	11950	-39.9	-13	Pass	9002
12000	20000	1	RMS	19397	-30.78	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.14	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.43	-25	Pass	2986
30	1000	0.1	RMS	894.43	-62.71	-25	Pass	9701
1000	2490	1	RMS	2490	-50.45	-25	Pass	1491
2490	2580	1	RMS	2550.975	20.98	60	Pass	401
2580	3000	1	RMS	2586	-33.47	-25	Pass	421
3000	12000	1	RMS	11852	-59.85	-25	Pass	9002
12000	26000	1	RMS	25998	-43.55	-25	Pass	14002



9. LTE_Band38


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.21	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.08	-25	Pass	2986
30	1000	0.1	RMS	846.1	-59.62	-25	Pass	9701
1000	2560	1	RMS	2560	-45.89	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.04	60	Pass	401
2630	3000	1	RMS	2958.375	-44.77	-25	Pass	401
3000	12000	1	RMS	11847	-45.87	-25	Pass	9002
12000	26500	1	RMS	25996	-40.01	-25	Pass	14502




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-25	Pass	2986
30	1000	0.1	RMS	822.6	-59.72	-25	Pass	9701
1000	2560	1	RMS	2560	-45.94	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.81	60	Pass	401
2630	3000	1	RMS	2952.825	-44.8	-25	Pass	401
3000	12000	1	RMS	11843	-45.85	-25	Pass	9002
12000	26500	1	RMS	26001	-40.03	-25	Pass	14502




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.02	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.56	-25	Pass	2986
30	1000	0.1	RMS	842.2	-59.67	-25	Pass	9701
1000	2560	1	RMS	2557	-46.31	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.78	60	Pass	401
2630	3000	1	RMS	2960.225	-44.8	-25	Pass	401
3000	12000	1	RMS	11850	-45.81	-25	Pass	9002
12000	26500	1	RMS	26001	-39.94	-25	Pass	14502




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.33	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.9	-25	Pass	2986
30	1000	0.1	RMS	840.1	-59.55	-25	Pass	9701
1000	2560	1	RMS	2560	-46.32	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.45	60	Pass	401
2630	3000	1	RMS	2954.675	-44.78	-25	Pass	401
3000	12000	1	RMS	11851	-45.86	-25	Pass	9002
12000	26500	1	RMS	26003	-40.03	-25	Pass	14502




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.13	-25	Pass	401
0.15	30	0.01	RMS	0.53	-68.36	-25	Pass	2986
30	1000	0.1	RMS	851.902	-59.66	-25	Pass	9701
1000	2560	1	RMS	2558	-46.29	-25	Pass	1561
2560	2630	1	RMS	2615.125	23.85	60	Pass	401
2630	3000	1	RMS	2954.675	-44.78	-25	Pass	401
3000	12000	1	RMS	11848	-45.85	-25	Pass	9002
12000	26500	1	RMS	25989	-40	-25	Pass	14502




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.63	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.62	-25	Pass	2986
30	1000	0.1	RMS	848.4	-59.76	-25	Pass	9701
1000	2560	1	RMS	2556	-46.34	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.06	60	Pass	401
2630	3000	1	RMS	2956.525	-44.76	-25	Pass	401
3000	12000	1	RMS	11843	-45.86	-25	Pass	9002
12000	26500	1	RMS	26000	-40.03	-25	Pass	14502




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.27	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.3	-25	Pass	2986
30	1000	0.1	RMS	843.6	-59.74	-25	Pass	9701
1000	2560	1	RMS	2559	-40.28	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.31	60	Pass	401
2630	3000	1	RMS	2955.6	-44.79	-25	Pass	401
3000	12000	1	RMS	11854	-45.88	-25	Pass	9002
12000	26500	1	RMS	25997	-39.81	-25	Pass	14502




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.59	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.35	-25	Pass	2986
30	1000	0.1	RMS	851.702	-59.81	-25	Pass	9701
1000	2560	1	RMS	2560	-40.62	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.16	60	Pass	401
2630	3000	1	RMS	2950.975	-44.78	-25	Pass	401
3000	12000	1	RMS	11849	-45.81	-25	Pass	9002
12000	26500	1	RMS	25997	-39.98	-25	Pass	14502



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.65	-25	Pass	2986
30	1000	0.1	RMS	853.303	-59.75	-25	Pass	9701
1000	2560	1	RMS	2560	-46.27	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.92	60	Pass	401
2630	3000	1	RMS	2955.6	-44.79	-25	Pass	401
3000	12000	1	RMS	11853	-45.87	-25	Pass	9002
12000	26500	1	RMS	25993	-39.94	-25	Pass	14502



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	Pass	2986
30	1000	0.1	RMS	859.807	-59.8	-25	Pass	9701
1000	2560	1	RMS	2560	-46.3	-25	Pass	1561
2560	2630	1	RMS	2590.625	21.94	60	Pass	401
2630	3000	1	RMS	2956.525	-44.77	-25	Pass	401
3000	12000	1	RMS	11851	-45.76	-25	Pass	9002
12000	26500	1	RMS	26000	-39.92	-25	Pass	14502



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-25	Pass	2986
30	1000	0.1	RMS	851.001	-59.5	-25	Pass	9701
1000	2560	1	RMS	2526	-46.34	-25	Pass	1561
2560	2630	1	RMS	2610.4	23.92	60	Pass	401
2630	3000	1	RMS	2630	-44.06	-25	Pass	401
3000	12000	1	RMS	11850	-45.84	-25	Pass	9002
12000	26500	1	RMS	25997	-39.89	-25	Pass	14502



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.08	-25	Pass	2986
30	1000	0.1	RMS	844.1	-59.68	-25	Pass	9701
1000	2560	1	RMS	2557	-46.29	-25	Pass	1561
2560	2630	1	RMS	2610.4	22.99	60	Pass	401
2630	3000	1	RMS	2630	-43.82	-25	Pass	401
3000	12000	1	RMS	11859	-45.84	-25	Pass	9002
12000	26500	1	RMS	26001	-39.97	-25	Pass	14502



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	Pass	2986
30	1000	0.1	RMS	860.007	-59.78	-25	Pass	9701
1000	2560	1	RMS	2558	-38.54	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.8	60	Pass	401
2630	3000	1	RMS	2956.525	-44.78	-25	Pass	401
3000	12000	1	RMS	11854	-45.84	-25	Pass	9002
12000	26500	1	RMS	25999	-40.01	-25	Pass	14502



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.38	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.47	-25	Pass	2986
30	1000	0.1	RMS	831.5	-59.74	-25	Pass	9701
1000	2560	1	RMS	2560	-39.7	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.45	60	Pass	401
2630	3000	1	RMS	2955.6	-44.8	-25	Pass	401
3000	12000	1	RMS	11849	-45.83	-25	Pass	9002
12000	26500	1	RMS	26003	-40.07	-25	Pass	14502



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.57	-25	Pass	2986
30	1000	0.1	RMS	862.109	-59.62	-25	Pass	9701
1000	2560	1	RMS	2559	-46.21	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.82	60	Pass	401
2630	3000	1	RMS	2951.9	-44.81	-25	Pass	401
3000	12000	1	RMS	11850	-45.9	-25	Pass	9002
12000	26500	1	RMS	25999	-39.87	-25	Pass	14502



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.86	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.59	-25	Pass	2986
30	1000	0.1	RMS	851.502	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-46.36	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.4	60	Pass	401
2630	3000	1	RMS	2950.975	-44.8	-25	Pass	401
3000	12000	1	RMS	11856	-45.84	-25	Pass	9002
12000	26500	1	RMS	25998	-40.05	-25	Pass	14502



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-25	Pass	2986
30	1000	0.1	RMS	918.2	-58.12	-25	Pass	9701
1000	2560	1	RMS	2497	-43.93	-25	Pass	1561
2560	2645	1	RMS	2605.688	23.15	60	Pass	401
2645	3000	1	RMS	2646.775	-42.92	-25	Pass	401
3000	12000	1	RMS	11850	-57.76	-25	Pass	9001
12000	26500	1	RMS	25015	-31.86	-25	Pass	14501



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-25	Pass	2986
30	1000	0.1	RMS	917.8	-58.25	-25	Pass	9701
1000	2560	1	RMS	2497	-43.96	-25	Pass	1561
2560	2645	1	RMS	2605.688	22.03	60	Pass	401
2645	3000	1	RMS	2652.988	-42.91	-25	Pass	401
3000	12000	1	RMS	11854	-57.76	-25	Pass	9001
12000	26500	1	RMS	25009	-31.66	-25	Pass	14501



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.06	-25	Pass	2986
30	1000	0.1	RMS	841.4	-59.64	-25	Pass	9701
1000	2560	1	RMS	2559	-38.9	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.24	60	Pass	401
2630	3000	1	RMS	2948.2	-44.8	-25	Pass	401
3000	12000	1	RMS	11850	-45.87	-25	Pass	9002
12000	26500	1	RMS	26000	-39.98	-25	Pass	14502



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.36	-25	Pass	2986
30	1000	0.1	RMS	842.6	-59.74	-25	Pass	9701
1000	2560	1	RMS	2559	-38.88	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.44	60	Pass	401
2630	3000	1	RMS	2950.05	-44.79	-25	Pass	401
3000	12000	1	RMS	11846	-45.8	-25	Pass	9002
12000	26500	1	RMS	26001	-40.04	-25	Pass	14502



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.04	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.15	-25	Pass	2986
30	1000	0.1	RMS	849.6	-59.66	-25	Pass	9701
1000	2560	1	RMS	2550	-43.21	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.35	60	Pass	401
2630	3000	1	RMS	2959.3	-44.78	-25	Pass	401
3000	12000	1	RMS	11847	-45.81	-25	Pass	9002
12000	26500	1	RMS	26000	-39.99	-25	Pass	14502



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.85	-25	Pass	2986
30	1000	0.1	RMS	840.4	-59.8	-25	Pass	9701
1000	2560	1	RMS	2551	-44.11	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.28	60	Pass	401
2630	3000	1	RMS	2950.975	-44.78	-25	Pass	401
3000	12000	1	RMS	11849	-45.87	-25	Pass	9002
12000	26500	1	RMS	25997	-39.98	-25	Pass	14502



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-47.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.12	-25	Pass	2986
30	1000	0.1	RMS	902.5	-58.21	-25	Pass	9701
1000	2560	1	RMS	2496	-43.91	-25	Pass	1561
2560	2645	1	RMS	2601.013	23.27	60	Pass	401
2645	3000	1	RMS	2650.325	-42.94	-25	Pass	401
3000	12000	1	RMS	11859	-57.73	-25	Pass	9001
12000	26500	1	RMS	25008	-31.78	-25	Pass	14501



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-25	Pass	2986
30	1000	0.1	RMS	942.6	-58.22	-25	Pass	9701
1000	2560	1	RMS	2534	-43.94	-25	Pass	1561
2560	2645	1	RMS	2601.013	21.75	60	Pass	401
2645	3000	1	RMS	2645.888	-42.92	-25	Pass	401
3000	12000	1	RMS	11852	-57.75	-25	Pass	9001
12000	26500	1	RMS	25011	-31.83	-25	Pass	14501



10. LTE_Band41 full


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.82	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.67	-25	Pass	2986
30	1000	0.1	RMS	845	-59.66	-25	Pass	9701
1000	2486	1	RMS	2486	-46.26	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.73	60	Pass	401
2700	3000	1	RMS	2958.75	-44.8	-25	Pass	401
3000	12000	1	RMS	11858	-55.92	-25	Pass	9002
12000	27000	1	RMS	26003	-39.69	-25	Pass	15002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.74	-25	Pass	2986
30	1000	0.1	RMS	849.901	-59.72	-25	Pass	9701
1000	2486	1	RMS	2486	-46.36	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.87	60	Pass	401
2700	3000	1	RMS	2957.25	-44.81	-25	Pass	401
3000	12000	1	RMS	11852	-55.94	-25	Pass	9002
12000	27000	1	RMS	26001	-39.6	-25	Pass	15002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	Pass	2986
30	1000	0.1	RMS	850.701	-59.66	-25	Pass	9701
1000	2486	1	RMS	2481	-46.59	-25	Pass	1487
2486	2700	1	RMS	2590.325	22.36	60	Pass	401
2700	3000	1	RMS	2954.25	-44.77	-25	Pass	401
3000	12000	1	RMS	11849	-55.92	-25	Pass	9002
12000	27000	1	RMS	26011	-39.67	-25	Pass	15002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.49	-25	Pass	2986
30	1000	0.1	RMS	858.406	-59.72	-25	Pass	9701
1000	2486	1	RMS	2486	-46.49	-25	Pass	1487
2486	2700	1	RMS	2590.325	21.41	60	Pass	401
2700	3000	1	RMS	2956.5	-44.8	-25	Pass	401
3000	12000	1	RMS	11850	-55.85	-25	Pass	9002
12000	27000	1	RMS	25995	-39.65	-25	Pass	15002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.05	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.73	-25	Pass	2986
30	1000	0.1	RMS	836.4	-59.84	-25	Pass	9701
1000	2486	1	RMS	2479	-46.51	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.7	60	Pass	401
2700	3000	1	RMS	2947.5	-44.82	-25	Pass	401
3000	12000	1	RMS	11849	-55.94	-25	Pass	9002
12000	27000	1	RMS	26002	-39.67	-25	Pass	15002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.47	-25	Pass	2986
30	1000	0.1	RMS	724.6	-59.29	-25	Pass	9701
1000	2486	1	RMS	2484	-46.58	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.02	60	Pass	401
2700	3000	1	RMS	2950.5	-44.82	-25	Pass	401
3000	12000	1	RMS	11850	-55.85	-25	Pass	9002
12000	27000	1	RMS	26003	-39.72	-25	Pass	15002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.69	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.71	-25	Pass	2986
30	1000	0.1	RMS	852.702	-59.74	-25	Pass	9701
1000	2486	1	RMS	2485	-43.07	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.27	60	Pass	401
2700	3000	1	RMS	2956.5	-44.84	-25	Pass	401
3000	12000	1	RMS	11847	-55.94	-25	Pass	9002
12000	27000	1	RMS	26015	-39.68	-25	Pass	15002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.73	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.75	-25	Pass	2986
30	1000	0.1	RMS	850.101	-59.71	-25	Pass	9701
1000	2486	1	RMS	2486	-42.51	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.78	60	Pass	401
2700	3000	1	RMS	2948.25	-44.85	-25	Pass	401
3000	12000	1	RMS	11849	-55.86	-25	Pass	9002
12000	27000	1	RMS	25997	-39.61	-25	Pass	15002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.89	-25	Pass	2986
30	1000	0.1	RMS	858.706	-59.76	-25	Pass	9701
1000	2486	1	RMS	2480	-46.62	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.32	60	Pass	401
2700	3000	1	RMS	2949	-44.82	-25	Pass	401
3000	12000	1	RMS	11847	-55.95	-25	Pass	9002
12000	27000	1	RMS	26000	-39.62	-25	Pass	15002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.31	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.29	-25	Pass	2986
30	1000	0.1	RMS	863.51	-59.81	-25	Pass	9701
1000	2486	1	RMS	2483	-46.56	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.11	60	Pass	401
2700	3000	1	RMS	2953.5	-44.85	-25	Pass	401
3000	12000	1	RMS	11854	-55.94	-25	Pass	9002
12000	27000	1	RMS	26000	-39.65	-25	Pass	15002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.45	-25	Pass	2986
30	1000	0.1	RMS	719.9	-59.5	-25	Pass	9701
1000	2486	1	RMS	2482	-46.59	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.95	60	Pass	401
2700	3000	1	RMS	2700	-42.8	-25	Pass	401
3000	12000	1	RMS	11851	-55.96	-25	Pass	9002
12000	27000	1	RMS	26003	-39.69	-25	Pass	15002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.72	-25	Pass	2986
30	1000	0.1	RMS	719.9	-59.43	-25	Pass	9701
1000	2486	1	RMS	2481	-46.62	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.1	60	Pass	401
2700	3000	1	RMS	2700	-42.4	-25	Pass	401
3000	12000	1	RMS	11846	-55.94	-25	Pass	9002
12000	27000	1	RMS	25999	-39.73	-25	Pass	15002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.54	-25	Pass	401
0.15	30	0.01	RMS	0.32	-68.64	-25	Pass	2986
30	1000	0.1	RMS	849.4	-59.75	-25	Pass	9701
1000	2486	1	RMS	2486	-40.23	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.96	60	Pass	401
2700	3000	1	RMS	2955	-44.83	-25	Pass	401
3000	12000	1	RMS	11852	-55.95	-25	Pass	9002
12000	27000	1	RMS	26003	-39.59	-25	Pass	15002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.31	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.2	-25	Pass	2986
30	1000	0.1	RMS	848.9	-59.75	-25	Pass	9701
1000	2486	1	RMS	2484	-42.31	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.06	60	Pass	401
2700	3000	1	RMS	2956.5	-44.79	-25	Pass	401
3000	12000	1	RMS	11851	-55.93	-25	Pass	9002
12000	27000	1	RMS	25997	-39.6	-25	Pass	15002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.11	-25	Pass	2986
30	1000	0.1	RMS	836.5	-59.77	-25	Pass	9701
1000	2486	1	RMS	2474	-46.59	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.82	60	Pass	401
2700	3000	1	RMS	2957.25	-44.84	-25	Pass	401
3000	12000	1	RMS	11848	-55.93	-25	Pass	9002
12000	27000	1	RMS	26000	-39.62	-25	Pass	15002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.73	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.84	-25	Pass	2986
30	1000	0.1	RMS	837.9	-59.69	-25	Pass	9701
1000	2486	1	RMS	2484	-46.52	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.61	60	Pass	401
2700	3000	1	RMS	2956.5	-44.83	-25	Pass	401
3000	12000	1	RMS	11856	-55.93	-25	Pass	9002
12000	27000	1	RMS	26001	-39.59	-25	Pass	15002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.78	-25	Pass	9701
1000	2486	1	RMS	2481	-46.54	-25	Pass	1487
2486	2715	1	RMS	2675.498	19.93	60	Pass	401
2715	3000	1	RMS	2956.538	-44.74	-25	Pass	401
3000	12000	1	RMS	11855	-55.88	-25	Pass	9002
12000	27000	1	RMS	26015	-39.68	-25	Pass	15002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.87	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.83	-25	Pass	2986
30	1000	0.1	RMS	843.9	-59.47	-25	Pass	9701
1000	2486	1	RMS	2481	-46.49	-25	Pass	1487
2486	2715	1	RMS	2675.498	18.88	60	Pass	401
2715	3000	1	RMS	2956.538	-44.77	-25	Pass	401
3000	12000	1	RMS	11865	-55.86	-25	Pass	9002
12000	27000	1	RMS	25983	-39.61	-25	Pass	15002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.55	-25	Pass	401
0.15	30	0.01	RMS	0.38	-68.31	-25	Pass	2986
30	1000	0.1	RMS	867.912	-59.73	-25	Pass	9701
1000	2486	1	RMS	2485	-41.38	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.48	60	Pass	401
2700	3000	1	RMS	2947.5	-44.82	-25	Pass	401
3000	12000	1	RMS	11859	-55.92	-25	Pass	9002
12000	27000	1	RMS	26004	-39.73	-25	Pass	15002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.79	-25	Pass	2986
30	1000	0.1	RMS	834.9	-59.55	-25	Pass	9701
1000	2486	1	RMS	2486	-40.47	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.51	60	Pass	401
2700	3000	1	RMS	2958	-44.83	-25	Pass	401
3000	12000	1	RMS	11855	-55.89	-25	Pass	9002
12000	27000	1	RMS	25994	-39.59	-25	Pass	15002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.99	-25	Pass	2986
30	1000	0.1	RMS	852.802	-59.77	-25	Pass	9701
1000	2486	1	RMS	2479	-46.58	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.15	60	Pass	401
2700	3000	1	RMS	2956.5	-44.83	-25	Pass	401
3000	12000	1	RMS	11851	-55.95	-25	Pass	9002
12000	27000	1	RMS	26001	-39.73	-25	Pass	15002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.79	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.88	-25	Pass	2986
30	1000	0.1	RMS	850.401	-59.63	-25	Pass	9701
1000	2486	1	RMS	2482	-46.55	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.5	60	Pass	401
2700	3000	1	RMS	2958	-44.82	-25	Pass	401
3000	12000	1	RMS	11848	-55.94	-25	Pass	9002
12000	27000	1	RMS	26001	-39.63	-25	Pass	15002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.96	-25	Pass	2986
30	1000	0.1	RMS	847.1	-59.82	-25	Pass	9701
1000	2486	1	RMS	2478	-46.57	-25	Pass	1487
2486	2715	1	RMS	2670.918	22.43	60	Pass	401
2715	3000	1	RMS	2957.25	-44.8	-25	Pass	401
3000	12000	1	RMS	11853	-55.95	-25	Pass	9002
12000	27000	1	RMS	25985	-39.67	-25	Pass	15002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.25	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.45	-25	Pass	2986
30	1000	0.1	RMS	839.2	-59.71	-25	Pass	9701
1000	2486	1	RMS	2484	-46.55	-25	Pass	1487
2486	2715	1	RMS	2670.918	22.79	60	Pass	401
2715	3000	1	RMS	2954.4	-44.78	-25	Pass	401
3000	12000	1	RMS	11850	-55.88	-25	Pass	9002
12000	27000	1	RMS	26004	-39.65	-25	Pass	15002



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-47.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.37	-13	Pass	2986
30	809	0.1	Peak	730.7	-51.89	-13	Pass	7791
809	829	0.1	Peak	814.3	24.75	60	Pass	401
829	1000	0.1	Peak	914.5	-51.95	-13	Pass	1711
1000	3000	1	Peak	1629	-33.39	-13	Pass	2001
3000	10000	1	Peak	9913	-29.1	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.93	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.74	-13	Pass	2986
30	809	0.1	Peak	511.5	-51.64	-13	Pass	7791
809	829	0.1	Peak	814.2	25.06	60	Pass	401
829	1000	0.1	Peak	854.8	-51.47	-13	Pass	1711
1000	3000	1	Peak	1628	-33.93	-13	Pass	2001
3000	10000	1	Peak	8116	-29	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.22	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.74	-13	Pass	2986
30	809	0.1	Peak	808.7	-51.2	-13	Pass	7791
809	829	0.1	Peak	818.55	24.7	60	Pass	401
829	1000	0.1	Peak	950.4	-51.02	-13	Pass	1711
1000	3000	1	Peak	1637	-34.38	-13	Pass	2001
3000	10000	1	Peak	9946	-29.54	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-45.43	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.48	-13	Pass	2986
30	809	0.1	Peak	798.3	-51.16	-13	Pass	7791
809	829	0.1	Peak	818.6	24.58	60	Pass	401
829	1000	0.1	Peak	951.6	-51.37	-13	Pass	1711
1000	3000	1	Peak	2624	-35.1	-13	Pass	2001
3000	10000	1	Peak	9947	-29.51	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.56	-13	Pass	2986
30	809	0.1	Peak	758.8	-51.7	-13	Pass	7791
809	829	0.1	Peak	822.9	24.8	60	Pass	401
829	1000	0.1	Peak	907.2	-51.31	-13	Pass	1711
1000	3000	1	Peak	2672	-34.71	-13	Pass	2001
3000	10000	1	Peak	7727	-28.82	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.87	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.67	-13	Pass	2986
30	809	0.1	Peak	770.7	-50.91	-13	Pass	7791
809	829	0.1	Peak	822.85	25	60	Pass	401
829	1000	0.1	Peak	945.6	-51.25	-13	Pass	1711
1000	3000	1	Peak	2636	-35.17	-13	Pass	2001
3000	10000	1	Peak	9872	-29.16	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-45.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.93	-13	Pass	2986
30	809	0.1	Peak	809	-49.7	-13	Pass	7791
809	829	0.1	Peak	814.3	24.99	60	Pass	401
829	1000	0.1	Peak	923.9	-51.4	-13	Pass	1711
1000	3000	1	Peak	1628	-32.25	-13	Pass	2001
3000	10000	1	Peak	9510	-29.24	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.01	-13	Pass	2986
30	809	0.1	Peak	809	-48.07	-13	Pass	7791
809	829	0.1	Peak	814.2	25.11	60	Pass	401
829	1000	0.1	Peak	980.3	-51.51	-13	Pass	1711
1000	3000	1	Peak	1628	-32.98	-13	Pass	2001
3000	10000	1	Peak	9932	-28.47	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.01	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.91	-13	Pass	2986
30	809	0.1	Peak	698.5	-51.64	-13	Pass	7791
809	829	0.1	Peak	817.8	24.94	60	Pass	401
829	1000	0.1	Peak	865.2	-51.75	-13	Pass	1711
1000	3000	1	Peak	1635	-33.98	-13	Pass	2001
3000	10000	1	Peak	9951	-29.24	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.57	-13	Pass	2986
30	809	0.1	Peak	710.2	-51.99	-13	Pass	7791
809	829	0.1	Peak	817.7	24.84	60	Pass	401
829	1000	0.1	Peak	943.9	-51.31	-13	Pass	1711
1000	3000	1	Peak	1636	-34.14	-13	Pass	2001
3000	10000	1	Peak	7747	-28.46	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.5	-13	Pass	2986
30	809	0.1	Peak	807	-51.86	-13	Pass	7791
809	829	0.1	Peak	821.25	25.16	60	Pass	401
829	1000	0.1	Peak	829.2	-45.83	-13	Pass	1711
1000	3000	1	Peak	2634	-35.22	-13	Pass	2001
3000	10000	1	Peak	9964	-29.32	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.03	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.09	-13	Pass	2986
30	809	0.1	Peak	607	-51.56	-13	Pass	7791
809	829	0.1	Peak	821.3	25.35	60	Pass	401
829	1000	0.1	Peak	829.3	-44.79	-13	Pass	1711
1000	3000	1	Peak	2789	-34.96	-13	Pass	2001
3000	10000	1	Peak	7625	-29.03	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.23	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.77	-13	Pass	2986
30	809	0.1	Peak	809	-49.47	-13	Pass	7791
809	829	0.1	Peak	814.35	25.11	60	Pass	401
829	1000	0.1	Peak	831.6	-49.23	-13	Pass	1711
1000	3000	1	Peak	1629	-32.77	-13	Pass	2001
3000	10000	1	Peak	9953	-28.97	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.24	-13	Pass	2986
30	809	0.1	Peak	809	-50.93	-13	Pass	7791
809	829	0.1	Peak	814.3	25.22	60	Pass	401
829	1000	0.1	Peak	831.8	-50.56	-13	Pass	1711
1000	3000	1	Peak	1629	-34.09	-13	Pass	2001
3000	10000	1	Peak	9938	-29.22	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.37	-13	Pass	2986
30	809	0.1	Peak	779.4	-50.71	-13	Pass	7791
809	829	0.1	Peak	816.85	24.74	60	Pass	401
829	1000	0.1	Peak	909.1	-51.47	-13	Pass	1711
1000	3000	1	Peak	1634	-34.2	-13	Pass	2001
3000	10000	1	Peak	9958	-29.27	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.73	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.86	-13	Pass	2986
30	809	0.1	Peak	808.3	-51.37	-13	Pass	7791
809	829	0.1	Peak	816.8	24.51	60	Pass	401
829	1000	0.1	Peak	989.2	-50.39	-13	Pass	1711
1000	3000	1	Peak	1634	-34.02	-13	Pass	2001
3000	10000	1	Peak	9975	-29.13	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-45.93	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.86	-13	Pass	2986
30	809	0.1	Peak	795.7	-51.35	-13	Pass	7791
809	829	0.1	Peak	819.35	24.75	60	Pass	401
829	1000	0.1	Peak	829.2	-47.36	-13	Pass	1711
1000	3000	1	Peak	1639	-34.87	-13	Pass	2001
3000	10000	1	Peak	7720	-29.23	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-44.3	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.05	-13	Pass	2986
30	809	0.1	Peak	774	-51.27	-13	Pass	7791
809	829	0.1	Peak	819.3	24.75	60	Pass	401
829	1000	0.1	Peak	829	-46.6	-13	Pass	1711
1000	3000	1	Peak	1639	-34.62	-13	Pass	2001
3000	10000	1	Peak	8149	-29.12	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-46.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.3	-13	Pass	2986
30	809	0.1	Peak	809	-50.36	-13	Pass	7791
809	829	0.1	Peak	814.6	25.01	60	Pass	401
829	1000	0.1	Peak	829.9	-37.65	-13	Pass	1711
1000	3000	1	Peak	1629	-33.87	-13	Pass	2001
3000	10000	1	Peak	7648	-29.34	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-43.04	-13	Pass	401
0.15	30	0.01	Peak	0.17	-50.59	-13	Pass	2986
30	809	0.1	Peak	809	-50.98	-13	Pass	7791
809	829	0.1	Peak	814.55	24.99	60	Pass	401
829	1000	0.1	Peak	832.2	-37.93	-13	Pass	1711
1000	3000	1	Peak	1629	-33.58	-13	Pass	2001
3000	10000	1	Peak	9840	-29.45	-13	Pass	7001



--BLANK BELOW--