



Test Mode: 03; Polarity: Vertical; Modulation:802.11ax; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1341.813	44.28	25.30	2.60	38.27	33.91	74.00	-40.09	VERTICAL Peak
2	1850.195	45.21	26.00	2.94	37.78	36.37	68.20	-31.83	VERTICAL Peak
3	3401.571	49.36	28.85	4.11	36.98	45.34	68.20	-22.86	VERTICAL Peak
4	6622.601	46.95	34.20	5.83	37.05	49.93	68.20	-18.27	VERTICAL Peak
5	10540.000	40.51	39.53	7.43	37.35	50.12	68.20	-18.08	VERTICAL Peak
6	15810.000	37.44	38.61	9.86	35.39	50.52	74.00	-23.48	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:40MHz; Channel:High




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1532.511	44.08	25.52	2.80	38.07	34.33	74.00	-39.67	HORIZONTAL Peak
2	2113.406	45.84	26.32	3.16	37.67	37.65	68.20	-30.55	HORIZONTAL Peak
3	3977.383	49.43	29.78	4.60	36.81	47.00	74.00	-27.00	HORIZONTAL Peak
4	6397.504	47.70	33.74	5.90	36.98	50.36	68.20	-17.84	HORIZONTAL Peak
5	10620.000	41.96	39.59	7.46	37.34	51.67	74.00	-22.33	HORIZONTAL Peak
6	15930.000	39.40	38.37	9.85	35.40	52.22	74.00	-21.78	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax; Bandwidth:40MHz; Channel:High




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1267.927	45.55	25.10	2.44	38.33	34.76	68.20	-33.44	VERTICAL Peak
2	1816.740	46.84	25.97	2.98	37.80	37.99	68.20	-30.21	VERTICAL Peak
3	3858.507	48.08	29.62	4.60	36.84	45.46	74.00	-28.54	VERTICAL Peak
4	6239.231	48.90	33.11	6.04	36.95	51.10	68.20	-17.10	VERTICAL Peak
5	10620.000	40.95	39.59	7.46	37.34	50.66	74.00	-23.34	VERTICAL Peak
6	15930.000	39.52	38.37	9.85	35.40	52.34	74.00	-21.66	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:80MHz; Channel:middle



		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1361.139	45.37	25.33	2.60	38.27	35.03	74.00	-38.97	HORIZONTAL	Peak
2	1703.963	46.65	25.72	2.80	37.89	37.28	74.00	-36.72	HORIZONTAL	Peak
3	3682.305	48.64	29.20	4.54	36.88	45.50	74.00	-28.50	HORIZONTAL	Peak
4	5766.821	49.35	32.13	6.15	36.89	50.74	68.20	-17.46	HORIZONTAL	Peak
5	10580.000	40.68	39.56	7.45	37.34	50.35	68.20	-17.85	HORIZONTAL	Peak
6	15870.000	38.31	38.52	9.86	35.40	51.29	74.00	-22.71	HORIZONTAL	Peak


Test Mode: 03; Polarity: Vertical; Modulation:802.11ax; Bandwidth:80MHz; Channel:middle



race: (Discrete)


	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1440.316	45.71	25.44	2.68	38.17	35.66	74.00	-38.34	VERTICAL	Peak
2	1789.533	45.76	25.92	2.98	37.81	36.85	68.20	-31.35	VERTICAL	Peak
3	3569.107	49.00	28.99	4.45	36.92	45.52	68.20	-22.68	VERTICAL	Peak
4	6918.751	46.89	34.89	5.81	37.19	50.40	68.20	-17.80	VERTICAL	Peak
5	10580.000	40.43	39.56	7.45	37.34	50.10	68.20	-18.10	VERTICAL	Peak
6	15870.000	38.56	38.52	9.86	35.40	51.54	74.00	-22.46	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.145	45.44	24.85	2.31	38.37	34.23	74.00	-39.77	HORIZONTAL	Peak
2	1982.661	45.96	26.09	3.07	37.71	37.41	68.20	-30.79	HORIZONTAL	Peak
3	4195.417	47.66	30.15	4.60	36.81	45.60	74.00	-28.40	HORIZONTAL	Peak
4	5408.950	49.41	31.79	6.06	36.88	50.38	74.00	-23.62	HORIZONTAL	Peak
5	11000.000	38.71	40.10	7.71	37.25	49.27	74.00	-24.73	HORIZONTAL	Peak
6	16500.000	37.67	39.60	9.44	35.38	51.33	68.20	-16.87	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1159.189	46.15	24.52	2.40	38.42	34.65	74.00	-39.35	VERTICAL	Peak
2	2186.457	45.47	26.56	3.20	37.66	37.57	68.20	-30.63	VERTICAL	Peak
3	3399.750	49.26	28.84	4.10	36.98	45.22	68.20	-22.98	VERTICAL	Peak
4	6787.839	45.67	34.66	5.82	37.12	49.03	68.20	-19.17	VERTICAL	Peak
5	11000.000	39.35	40.10	7.71	37.25	49.91	74.00	-24.09	VERTICAL	Peak
6	16500.000	37.75	39.60	9.44	35.38	51.41	68.20	-16.79	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1608.255	45.07	25.59	2.80	37.98	35.48	74.00	-38.52	HORIZONTAL	Peak
2	1788.889	46.31	25.92	2.98	37.81	37.40	68.20	-30.80	HORIZONTAL	Peak
3	3793.844	48.71	29.50	4.60	36.85	45.96	74.00	-28.04	HORIZONTAL	Peak
4	6428.857	47.19	33.83	5.88	36.99	49.91	68.20	-18.29	HORIZONTAL	Peak
5	11160.000	39.37	40.04	7.90	37.21	50.10	74.00	-23.90	HORIZONTAL	Peak
6	16740.000	37.23	40.49	9.41	35.37	51.76	68.20	-16.44	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1216.544	46.58	24.79	2.32	38.37	35.32	74.00	-38.68	VERTICAL	Peak
2	1875.533	46.32	26.02	2.92	37.77	37.49	68.20	-30.71	VERTICAL	Peak
3	4350.381	47.43	30.59	4.68	36.81	45.89	74.00	-28.11	VERTICAL	Peak
4	6022.481	48.37	32.44	6.19	36.90	50.10	68.20	-18.10	VERTICAL	Peak
5	11160.000	38.81	40.04	7.90	37.21	49.54	74.00	-24.46	VERTICAL	Peak
6	16740.000	37.54	40.49	9.41	35.37	52.07	68.20	-16.13	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1188.549	46.36	24.63	2.36	38.39	34.96	74.00	-39.04	HORIZONTAL	Peak
2	1940.080	45.83	26.07	2.97	37.73	37.14	68.20	-31.06	HORIZONTAL	Peak
3	4081.901	47.70	29.92	4.60	36.80	45.42	74.00	-28.58	HORIZONTAL	Peak
4	6148.892	49.42	32.77	6.12	36.93	51.38	68.20	-16.82	HORIZONTAL	Peak
5	11400.000	41.43	39.94	8.28	37.16	52.49	74.00	-21.51	HORIZONTAL	Peak
6	17100.000	34.63	42.32	9.63	35.34	51.24	68.20	-16.96	HORIZONTAL	Peak


Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1280.858	45.79	25.15	2.52	38.33	35.13	68.20	-33.07	VERTICAL Peak
2	1753.147	46.11	25.86	2.90	37.85	37.02	68.20	-31.18	VERTICAL Peak
3	3393.027	49.55	28.84	4.10	36.98	45.51	68.20	-22.69	VERTICAL Peak
4	6709.188	47.32	34.44	5.83	37.08	50.51	68.20	-17.69	VERTICAL Peak
5	11400.000	41.55	39.94	8.28	37.16	52.61	74.00	-21.39	VERTICAL Peak
6	17100.000	34.60	42.32	9.63	35.34	51.21	68.20	-16.99	VERTICAL Peak


Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



race: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1432.320	43.99	25.43	2.66	38.20	33.88	68.20	-34.32	HORIZONTAL Peak
2	1938.952	46.52	26.07	2.97	37.73	37.83	68.20	-30.37	HORIZONTAL Peak
3	3155.239	50.30	28.54	3.97	37.12	45.69	68.20	-22.51	HORIZONTAL Peak
4	5931.394	48.81	32.34	6.00	36.90	50.25	68.20	-17.95	HORIZONTAL Peak
5	11000.000	39.44	40.10	7.71	37.25	50.00	74.00	-24.00	HORIZONTAL Peak
6	16500.000	37.46	39.60	9.44	35.38	51.12	68.20	-17.08	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1574.701	44.26	25.56	2.80	38.00	34.62	74.00	-39.38	VERTICAL	Peak
2	2094.846	45.98	26.28	3.15	37.68	37.73	68.20	-30.47	VERTICAL	Peak
3	4270.734	47.81	30.38	4.63	36.81	46.01	74.00	-27.99	VERTICAL	Peak
4	6125.370	48.74	32.72	6.13	36.92	50.67	68.20	-17.53	VERTICAL	Peak
5	11000.000	38.47	40.10	7.71	37.25	49.03	74.00	-24.97	VERTICAL	Peak
6	16500.000	37.66	39.60	9.44	35.38	51.32	68.20	-16.88	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1232.276	46.19	24.91	2.31	38.37	35.04	74.00	-38.96	HORIZONTAL	Peak
2	1907.378	45.95	26.04	2.91	37.75	37.15	68.20	-31.05	HORIZONTAL	Peak
3	3243.167	49.42	28.67	4.02	37.06	45.05	68.20	-23.15	HORIZONTAL	Peak
4	5050.543	49.87	31.71	5.68	36.86	50.40	74.00	-23.60	HORIZONTAL	Peak
5	11160.000	39.17	40.04	7.90	37.21	49.90	74.00	-24.10	HORIZONTAL	Peak
6	16740.000	36.42	40.49	9.41	35.37	50.95	68.20	-17.25	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1212.988	45.29	24.77	2.32	38.37	34.01	74.00	-39.99	VERTICAL Peak
2	1939.428	46.79	26.07	2.97	37.73	38.10	68.20	-30.10	VERTICAL Peak
3	3328.141	49.84	28.78	4.07	37.02	45.67	68.20	-22.53	VERTICAL Peak
4	5294.022	50.56	31.76	6.10	36.87	51.55	68.20	-16.65	VERTICAL Peak
5	11160.000	39.12	40.04	7.90	37.21	49.85	74.00	-24.15	VERTICAL Peak
6	16740.000	38.57	40.49	9.41	35.37	53.10	68.20	-15.10	VERTICAL Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1102.021	46.33	24.37	2.29	38.45	34.54	74.00	-39.46	HORIZONTAL	Peak
2	1895.830	45.67	26.04	2.90	37.75	36.86	68.20	-31.34	HORIZONTAL	Peak
3	3848.948	48.57	29.60	4.60	36.84	45.93	74.00	-28.07	HORIZONTAL	Peak
4	5125.592	50.77	31.72	5.64	36.86	51.27	74.00	-22.73	HORIZONTAL	Peak
5	11400.000	42.01	39.94	8.28	37.16	53.07	74.00	-20.93	HORIZONTAL	Peak
6	17100.000	34.57	42.32	9.63	35.34	51.18	68.20	-17.02	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1203.951	45.51	24.70	2.34	38.39	34.16	74.00	-39.84	VERTICAL	Peak
2	1767.758	46.99	25.89	2.94	37.83	37.99	68.20	-30.21	VERTICAL	Peak
3	3472.562	49.08	28.89	4.25	36.95	45.27	68.20	-22.93	VERTICAL	Peak
4	5832.063	50.10	32.23	6.04	36.90	51.47	68.20	-16.73	VERTICAL	Peak
5	11400.000	40.99	39.94	8.28	37.16	52.05	74.00	-21.95	VERTICAL	Peak
6	17100.000	34.01	42.32	9.63	35.34	50.62	68.20	-17.58	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1170.389	45.70	24.55	2.39	38.40	34.24	74.00	-39.76	HORIZONTAL	Peak
2	1828.935	46.99	25.98	2.97	37.80	38.14	68.20	-30.06	HORIZONTAL	Peak
3	3759.018	48.51	29.42	4.58	36.86	45.65	74.00	-28.35	HORIZONTAL	Peak
4	6977.551	47.46	34.97	5.81	37.23	51.01	68.20	-17.19	HORIZONTAL	Peak
5	11020.000	40.03	40.10	7.71	37.24	50.60	74.00	-23.40	HORIZONTAL	Peak
6	16530.000	36.93	39.76	9.44	35.38	50.75	68.20	-17.45	HORIZONTAL	Peak


Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1672.734	43.71	25.67	2.80	37.91	34.27	74.00	-39.73	VERTICAL	Peak
2	2345.707	44.13	27.24	3.38	37.61	37.14	74.00	-36.86	VERTICAL	Peak
3	3570.299	49.93	28.99	4.45	36.92	46.45	68.20	-21.75	VERTICAL	Peak
4	5901.800	48.91	32.31	5.90	36.90	50.22	68.20	-17.98	VERTICAL	Peak
5	11020.000	39.81	40.10	7.71	37.24	50.38	74.00	-23.62	VERTICAL	Peak
6	16530.000	37.40	39.76	9.44	35.38	51.22	68.20	-16.98	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1557.439	44.18	25.54	2.80	38.03	34.49	74.00	-39.51	HORIZONTAL Peak
2	1922.921	45.88	26.06	2.94	37.74	37.14	68.20	-31.06	HORIZONTAL Peak
3	3584.653	48.88	29.02	4.49	36.92	45.47	68.20	-22.73	HORIZONTAL Peak
4	5571.218	49.08	31.86	6.33	36.89	50.38	68.20	-17.82	HORIZONTAL Peak
5	11100.000	40.23	40.07	7.82	37.22	50.90	74.00	-23.10	HORIZONTAL Peak
6	16650.000	36.48	40.10	9.43	35.38	50.63	68.20	-17.57	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1418.113	45.17	25.42	2.63	38.20	35.02	74.00	-38.98	VERTICAL	Peak
2	2317.072	44.68	27.17	3.33	37.62	37.56	74.00	-36.44	VERTICAL	Peak
3	3100.150	50.64	28.47	3.90	37.16	45.85	68.20	-22.35	VERTICAL	Peak
4	6209.242	48.45	33.03	6.06	36.94	50.60	68.20	-17.60	VERTICAL	Peak
5	11100.000	41.34	40.07	7.82	37.22	52.01	74.00	-21.99	VERTICAL	Peak
6	16650.000	36.80	40.10	9.43	35.38	50.95	68.20	-17.25	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1546.672	43.73	25.53	2.80	38.03	34.03	74.00	-39.97	HORIZONTAL	Peak
2	2201.506	45.33	26.62	3.20	37.65	37.50	74.00	-36.50	HORIZONTAL	Peak
3	4379.052	47.47	30.64	4.69	36.81	45.99	74.00	-28.01	HORIZONTAL	Peak
4	6476.663	48.05	33.92	5.86	37.00	50.83	68.20	-17.37	HORIZONTAL	Peak
5	11340.000	40.98	39.97	8.18	37.17	51.96	74.00	-22.04	HORIZONTAL	Peak
6	17010.000	36.10	41.75	9.39	35.35	51.89	68.20	-16.31	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1318.794	44.96	25.25	2.60	38.29	34.52	74.00	-39.48	VERTICAL	Peak
2	2097.323	45.96	26.28	3.15	37.68	37.71	68.20	-30.49	VERTICAL	Peak
3	3914.328	48.13	29.70	4.60	36.82	45.61	74.00	-28.39	VERTICAL	Peak
4	6186.250	48.47	32.89	6.09	36.93	50.52	68.20	-17.68	VERTICAL	Peak
5	11340.000	40.14	39.97	8.18	37.17	51.12	74.00	-22.88	VERTICAL	Peak
6	17010.000	35.13	41.75	9.39	35.35	50.92	68.20	-17.28	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1254.079	45.65	25.03	2.36	38.35	34.69	68.20	-33.51	HORIZONTAL	Peak
2	2162.180	45.00	26.47	3.19	37.66	37.00	68.20	-31.20	HORIZONTAL	Peak
3	3302.218	49.73	28.75	4.06	37.03	45.51	68.20	-22.69	HORIZONTAL	Peak
4	5152.428	50.44	31.72	5.62	36.86	50.92	68.20	-17.28	HORIZONTAL	Peak
5	11000.000	39.07	40.10	7.71	37.25	49.63	74.00	-24.37	HORIZONTAL	Peak
6	16500.000	36.65	39.60	9.44	35.38	50.31	68.20	-17.89	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1208.227	46.70	24.72	2.33	38.39	35.36	74.00	-38.64	VERTICAL	Peak
2	1949.045	46.66	26.07	3.00	37.73	38.00	68.20	-30.20	VERTICAL	Peak
3	3756.718	48.27	29.42	4.58	36.86	45.41	74.00	-28.59	VERTICAL	Peak
4	5617.603	49.31	31.91	6.32	36.89	50.65	68.20	-17.55	VERTICAL	Peak
5	11000.000	39.06	40.10	7.71	37.25	49.62	74.00	-24.38	VERTICAL	Peak
6	16500.000	38.41	39.60	9.44	35.38	52.07	68.20	-16.13	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1346.954	44.40	25.31	2.60	38.27	34.04	74.00	-39.96	HORIZONTAL	Peak
2	2260.774	45.27	26.95	3.27	37.64	37.85	74.00	-36.15	HORIZONTAL	Peak
3	3947.905	48.96	29.74	4.60	36.81	46.49	74.00	-27.51	HORIZONTAL	Peak
4	6504.273	48.39	34.00	5.84	37.01	51.22	68.20	-16.98	HORIZONTAL	Peak
5	11160.000	39.70	40.04	7.90	37.21	50.43	74.00	-23.57	HORIZONTAL	Peak
6	16740.000	37.54	40.49	9.41	35.37	52.07	68.20	-16.13	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1427.138	45.21	25.43	2.65	38.20	35.09	68.20	-33.11	VERTICAL Peak
2	1826.215	46.16	25.97	2.98	37.80	37.31	68.20	-30.89	VERTICAL Peak
3	4187.567	49.16	30.12	4.60	36.81	47.07	74.00	-26.93	VERTICAL Peak
4	6874.498	47.54	34.82	5.82	37.16	51.02	68.20	-17.18	VERTICAL Peak
5	11160.000	38.26	40.04	7.90	37.21	48.99	74.00	-25.01	VERTICAL Peak
6	16740.000	37.21	40.49	9.41	35.37	51.74	68.20	-16.46	VERTICAL Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1110.658	46.68	24.39	2.27	38.45	34.89	74.00	-39.11	HORIZONTAL	Peak
2	1733.241	46.37	25.80	2.85	37.87	37.15	68.20	-31.05	HORIZONTAL	Peak
3	4231.525	47.55	30.26	4.61	36.81	45.61	74.00	-28.39	HORIZONTAL	Peak
4	5866.715	49.83	32.27	5.96	36.90	51.16	68.20	-17.04	HORIZONTAL	Peak
5	11400.000	41.44	39.94	8.28	37.16	52.50	74.00	-21.50	HORIZONTAL	Peak
6	17100.000	33.53	42.32	9.63	35.34	50.14	68.20	-18.06	HORIZONTAL	Peak


Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1245.057	45.12	25.00	2.33	38.35	34.10	68.20	-34.10	VERTICAL Peak
2	1833.416	46.54	25.98	2.96	37.80	37.68	68.20	-30.52	VERTICAL Peak
3	3825.552	48.44	29.57	4.60	36.84	45.77	74.00	-28.23	VERTICAL Peak
4	5528.475	50.10	31.83	6.37	36.89	51.41	68.20	-16.79	VERTICAL Peak
5	11400.000	41.10	39.94	8.28	37.16	52.16	74.00	-21.84	VERTICAL Peak
6	17100.000	33.65	42.32	9.63	35.34	50.26	68.20	-17.94	VERTICAL Peak


Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	ReadAntenna Level	Factor	Cable Loss	Preamp Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1125.437	46.14	24.42	2.21	38.43	34.34	74.00	-39.66	HORIZONTAL	Peak
2	2106.809	45.39	26.31	3.16	37.68	37.18	68.20	-31.02	HORIZONTAL	Peak
3	4026.863	49.36	29.83	4.60	36.80	46.99	74.00	-27.01	HORIZONTAL	Peak
4	6248.488	48.23	33.20	6.02	36.95	50.50	68.20	-17.70	HORIZONTAL	Peak
5	11020.000	40.60	40.10	7.71	37.24	51.17	74.00	-22.83	HORIZONTAL	Peak
6	16530.000	37.66	39.76	9.44	35.38	51.48	68.20	-16.72	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1325.179	45.77	25.26	2.60	38.29	35.34	74.00	-38.66	VERTICAL	Peak
2	2331.799	43.98	27.20	3.36	37.62	36.92	74.00	-37.08	VERTICAL	Peak
3	4020.481	47.66	29.82	4.60	36.80	45.28	74.00	-28.72	VERTICAL	Peak
4	6310.271	48.97	33.44	5.97	36.96	51.42	68.20	-16.78	VERTICAL	Peak
5	11020.000	41.42	40.10	7.71	37.24	51.99	74.00	-22.01	VERTICAL	Peak
6	16530.000	37.18	39.76	9.44	35.38	51.00	68.20	-17.20	VERTICAL	Peak


Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:middle



race: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1517.464	44.08	25.51	2.80	38.07	34.32	74.00	-39.68	HORIZONTAL Peak
2	1841.279	47.10	25.99	2.96	37.78	38.27	68.20	-29.93	HORIZONTAL Peak
3	4173.818	49.10	30.09	4.60	36.80	46.99	74.00	-27.01	HORIZONTAL Peak
4	5454.031	49.46	31.79	6.26	36.88	50.63	74.00	-23.37	HORIZONTAL Peak
5	11100.000	39.86	40.07	7.82	37.22	50.53	74.00	-23.47	HORIZONTAL Peak
6	16650.000	36.69	40.10	9.43	35.38	50.84	68.20	-17.36	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1644.836	43.73	25.63	2.80	37.93	34.23	68.20	-33.97	VERTICAL Peak
2	2186.598	45.40	26.56	3.20	37.66	37.50	68.20	-30.70	VERTICAL Peak
3	3737.878	48.62	29.35	4.57	36.86	45.68	74.00	-28.32	VERTICAL Peak
4	6405.811	48.58	33.79	5.89	36.98	51.28	68.20	-16.92	VERTICAL Peak
5	11100.000	41.29	40.07	7.82	37.22	51.96	74.00	-22.04	VERTICAL Peak
6	16650.000	36.76	40.10	9.43	35.38	50.91	68.20	-17.29	VERTICAL Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1497.573	44.22	25.50	2.80	38.10	34.42	74.00	-39.58	HORIZONTAL	Peak
2	1843.654	46.16	25.99	2.95	37.78	37.32	68.20	-30.88	HORIZONTAL	Peak
3	4248.062	47.12	30.30	4.62	36.81	45.23	74.00	-28.77	HORIZONTAL	Peak
4	6395.239	48.57	33.74	5.90	36.98	51.23	68.20	-16.97	HORIZONTAL	Peak
5	11340.000	40.28	39.97	8.18	37.17	51.26	74.00	-22.74	HORIZONTAL	Peak
6	17010.000	35.72	41.75	9.39	35.35	51.51	68.20	-16.69	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1319.555	44.48	25.25	2.60	38.29	34.04	74.00	-39.96	VERTICAL Peak
2	1961.526	45.33	26.08	3.03	37.73	36.71	68.20	-31.49	VERTICAL Peak
3	3986.644	48.23	29.78	4.60	36.81	45.80	74.00	-28.20	VERTICAL Peak
4	6023.385	49.46	32.44	6.19	36.90	51.19	68.20	-17.01	VERTICAL Peak
5	11340.000	40.72	39.97	8.18	37.17	51.70	74.00	-22.30	VERTICAL Peak
6	17010.000	35.28	41.75	9.39	35.35	51.07	68.20	-17.13	VERTICAL Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1334.354	44.99	25.28	2.60	38.29	34.58	74.00	-39.42	HORIZONTAL Peak
2	2092.672	45.79	26.27	3.15	37.68	37.53	68.20	-30.67	HORIZONTAL Peak
3	4047.251	48.13	29.87	4.60	36.80	45.80	74.00	-28.20	HORIZONTAL Peak
4	6596.627	48.21	34.16	5.84	37.04	51.17	68.20	-17.03	HORIZONTAL Peak
5	11060.000	40.08	40.09	7.74	37.23	50.68	74.00	-23.32	HORIZONTAL Peak
6	16590.000	38.29	39.93	9.43	35.38	52.27	68.20	-15.93	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1361.132	45.11	25.33	2.60	38.27	34.77	74.00	-39.23	VERTICAL	Peak
2	1925.832	45.75	26.06	2.95	37.74	37.02	68.20	-31.18	VERTICAL	Peak
3	4165.897	49.14	30.09	4.60	36.80	47.03	74.00	-26.97	VERTICAL	Peak
4	5802.989	49.97	32.19	6.10	36.89	51.37	68.20	-16.83	VERTICAL	Peak
5	11060.000	40.80	40.09	7.74	37.23	51.40	74.00	-22.60	VERTICAL	Peak
6	16590.000	37.14	39.93	9.43	35.38	51.12	68.20	-17.08	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1151.416	45.59	24.50	2.36	38.42	34.03	74.00	-39.97	HORIZONTAL Peak
2	2039.437	46.06	26.17	3.12	37.69	37.66	68.20	-30.54	HORIZONTAL Peak
3	3852.403	48.73	29.62	4.60	36.84	46.11	74.00	-27.89	HORIZONTAL Peak
4	5883.867	49.29	32.29	5.93	36.90	50.61	68.20	-17.59	HORIZONTAL Peak
5	11220.000	40.47	40.03	7.95	37.19	51.26	74.00	-22.74	HORIZONTAL Peak
6	16830.000	36.20	40.94	9.40	35.37	51.17	68.20	-17.03	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle



	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1143.303	46.13	24.47	2.30	38.42	34.48	74.00	-39.52	VERTICAL Peak
2	1865.848	46.64	26.01	2.93	37.77	37.81	68.20	-30.39	VERTICAL Peak
3	4130.540	48.37	30.01	4.60	36.80	46.18	74.00	-27.82	VERTICAL Peak
4	6328.023	49.13	33.51	5.95	36.97	51.62	68.20	-16.58	VERTICAL Peak
5	11220.000	40.52	40.03	7.95	37.19	51.31	74.00	-22.69	VERTICAL Peak
6	16830.000	36.82	40.94	9.40	35.37	51.79	68.20	-16.41	VERTICAL Peak


Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1604.547	44.45	25.59	2.80	37.98	34.86	74.00	-39.14	HORIZONTAL Peak
2	1835.102	46.42	25.98	2.96	37.80	37.56	68.20	-30.64	HORIZONTAL Peak
3	3293.387	50.71	28.74	4.05	37.03	46.47	68.20	-21.73	HORIZONTAL Peak
4	5555.654	49.79	31.84	6.35	36.89	51.09	68.20	-17.11	HORIZONTAL Peak
5	11000.000	39.57	40.10	7.71	37.25	50.13	74.00	-23.87	HORIZONTAL Peak
6	16500.000	36.73	39.60	9.44	35.38	50.39	68.20	-17.81	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax; Bandwidth:20MHz; Channel:Low




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1287.655	46.11	25.16	2.53	38.31	35.49	68.20	-32.71	VERTICAL Peak
2	1859.581	46.44	26.01	2.93	37.78	37.60	68.20	-30.60	VERTICAL Peak
3	4309.761	48.10	30.48	4.65	36.81	46.42	74.00	-27.58	VERTICAL Peak
4	5908.236	49.53	32.33	5.95	36.90	50.91	68.20	-17.29	VERTICAL Peak
5	11000.000	39.48	40.10	7.71	37.25	50.04	74.00	-23.96	VERTICAL Peak
6	16500.000	36.79	39.60	9.44	35.38	50.45	68.20	-17.75	VERTICAL Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:20MHz; Channel:middle



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1303.157	44.72	25.21	2.60	38.31	34.22	74.00	-39.78	HORIZONTAL	Peak
2	1848.844	46.20	26.00	2.94	37.78	37.36	68.20	-30.84	HORIZONTAL	Peak
3	4070.661	47.89	29.90	4.60	36.80	45.59	74.00	-28.41	HORIZONTAL	Peak
4	6464.055	47.09	33.92	5.86	37.00	49.87	68.20	-18.33	HORIZONTAL	Peak
5	11160.000	39.43	40.04	7.90	37.21	50.16	74.00	-23.84	HORIZONTAL	Peak
6	16740.000	37.13	40.49	9.41	35.37	51.66	68.20	-16.54	HORIZONTAL	Peak


Test Mode: 04; Polarity: Vertical; Modulation: 802.11ax; Bandwidth: 20MHz; Channel: middle



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1232.940	45.30	24.91	2.31	38.37	34.15	74.00	-39.85	VERTICAL Peak
2	1802.197	45.50	25.95	3.00	37.81	36.64	68.20	-31.56	VERTICAL Peak
3	4427.532	46.64	30.72	4.78	36.81	45.33	68.20	-22.87	VERTICAL Peak
4	6809.154	46.04	34.70	5.82	37.12	49.44	68.20	-18.76	VERTICAL Peak
5	11160.000	38.79	40.04	7.90	37.21	49.52	74.00	-24.48	VERTICAL Peak
6	16740.000	36.49	40.49	9.41	35.37	51.02	68.20	-17.18	VERTICAL Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:20MHz; Channel:High



		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1411.971	44.76	25.40	2.62	38.22	34.56	74.00	-39.44	HORIZONTAL	Peak
2	2048.344	46.00	26.18	3.12	37.69	37.61	68.20	-30.59	HORIZONTAL	Peak
3	3618.412	49.34	29.07	4.51	36.90	46.02	74.00	-27.98	HORIZONTAL	Peak
4	6708.353	47.44	34.44	5.83	37.08	50.63	68.20	-17.57	HORIZONTAL	Peak
5	11400.000	41.93	39.94	8.28	37.16	52.99	74.00	-21.01	HORIZONTAL	Peak
6	17100.000	34.07	42.32	9.63	35.34	50.68	68.20	-17.52	HORIZONTAL	Peak


Test Mode: 04; Polarity: Vertical; Modulation:802.11ax; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1149.619	46.14	24.49	2.34	38.42	34.55	74.00	-39.45	VERTICAL Peak
2	2109.598	45.34	26.31	3.16	37.68	37.13	68.20	-31.07	VERTICAL Peak
3	3343.505	49.83	28.80	4.08	37.01	45.70	68.20	-22.50	VERTICAL Peak
4	5562.173	50.06	31.86	6.33	36.89	51.36	68.20	-16.84	VERTICAL Peak
5	11400.000	42.31	39.94	8.28	37.16	53.37	74.00	-20.63	VERTICAL Peak
6	17100.000	35.32	42.32	9.63	35.34	51.93	68.20	-16.27	VERTICAL Peak


Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1136.465	45.81	24.45	2.25	38.43	34.08	74.00	-39.92	HORIZONTAL Peak
2	2333.251	44.31	27.20	3.36	37.62	37.25	74.00	-36.75	HORIZONTAL Peak
3	3646.096	49.35	29.13	4.52	36.89	46.11	74.00	-27.89	HORIZONTAL Peak
4	5703.942	49.41	32.01	6.40	36.89	50.93	68.20	-17.27	HORIZONTAL Peak
5	11020.000	40.98	40.10	7.71	37.24	51.55	74.00	-22.45	HORIZONTAL Peak
6	16530.000	38.25	39.76	9.44	35.38	52.07	68.20	-16.13	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax; Bandwidth:40MHz; Channel:Low



	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1156.795	46.16	24.51	2.38	38.42	34.63	74.00	-39.37	VERTICAL	Peak
2	1862.753	46.77	26.01	2.93	37.77	37.94	68.20	-30.26	VERTICAL	Peak
3	4023.228	48.03	29.83	4.60	36.80	45.66	74.00	-28.34	VERTICAL	Peak
4	6655.330	48.54	34.29	5.83	37.06	51.60	68.20	-16.60	VERTICAL	Peak
5	11020.000	40.84	40.10	7.71	37.24	51.41	74.00	-22.59	VERTICAL	Peak
6	16530.000	38.37	39.76	9.44	35.38	52.19	68.20	-16.01	VERTICAL	Peak


Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:40MHz; Channel:middle



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1262.101	44.88	25.08	2.42	38.35	34.03	68.20	-34.17	HORIZONTAL Peak
2	2372.045	44.66	27.30	3.45	37.60	37.81	74.00	-36.19	HORIZONTAL Peak
3	4168.270	48.70	30.09	4.60	36.80	46.59	74.00	-27.41	HORIZONTAL Peak
4	5602.757	49.39	31.89	6.30	36.89	50.69	68.20	-17.51	HORIZONTAL Peak
5	11100.000	40.91	40.07	7.82	37.22	51.58	74.00	-22.42	HORIZONTAL Peak
6	16650.000	38.36	40.10	9.43	35.38	52.51	68.20	-15.69	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation: 802.11ax; Bandwidth: 40MHz; Channel: middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1486.811	44.21	25.49	2.78	38.13	34.35	74.00	-39.65	VERTICAL Peak
2	2307.998	45.24	27.13	3.31	37.62	38.06	68.20	-30.14	VERTICAL Peak
3	4254.122	47.63	30.34	4.62	36.81	45.78	74.00	-28.22	VERTICAL Peak
4	5408.078	49.99	31.79	6.06	36.88	50.96	74.00	-23.04	VERTICAL Peak
5	11100.000	41.14	40.07	7.82	37.22	51.81	74.00	-22.19	VERTICAL Peak
6	16650.000	37.90	40.10	9.43	35.38	52.05	68.20	-16.15	VERTICAL Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:40MHz; Channel:High




		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1401.033	43.92	25.39	2.61	38.22	33.70	74.00	-40.30	HORIZONTAL	Peak
2	1707.552	46.67	25.73	2.81	37.89	37.32	74.00	-36.68	HORIZONTAL	Peak
3	3617.224	49.77	29.07	4.51	36.90	46.45	74.00	-27.55	HORIZONTAL	Peak
4	5148.807	49.80	31.72	5.62	36.86	50.28	74.00	-23.72	HORIZONTAL	Peak
5	11340.000	40.30	39.97	8.18	37.17	51.28	74.00	-22.72	HORIZONTAL	Peak
6	17010.000	36.77	41.75	9.39	35.35	52.56	68.20	-15.64	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax; Bandwidth:40MHz; Channel:High




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1555.033	43.93	25.54	2.80	38.03	34.24	74.00	-39.76 VERTICAL	Peak
2	1738.205	46.59	25.82	2.86	37.85	37.42	68.20	-30.78 VERTICAL	Peak
3	4410.832	46.77	30.68	4.70	36.81	45.34	68.20	-22.86 VERTICAL	Peak
4	6916.669	46.28	34.89	5.81	37.19	49.79	68.20	-18.41 VERTICAL	Peak
5	11340.000	40.56	39.97	8.18	37.17	51.54	74.00	-22.46 VERTICAL	Peak
6	17010.000	36.13	41.75	9.39	35.35	51.92	68.20	-16.28 VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:80MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1204.137	45.46	24.70	2.34	38.39	34.11	74.00	-39.89	HORIZONTAL	Peak
2	2044.698	45.63	26.17	3.12	37.69	37.23	68.20	-30.97	HORIZONTAL	Peak
3	4401.347	48.47	30.68	4.70	36.81	47.04	68.20	-21.16	HORIZONTAL	Peak
4	6087.753	48.92	32.61	6.15	36.92	50.76	68.20	-17.44	HORIZONTAL	Peak
5	11060.000	41.33	40.09	7.74	37.23	51.93	74.00	-22.07	HORIZONTAL	Peak
6	16590.000	38.56	39.93	9.43	35.38	52.54	68.20	-15.66	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation: 802.11ax; Bandwidth: 80MHz; Channel: middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1101.319	46.27	24.37	2.30	38.45	34.49	74.00	-39.51	VERTICAL Peak
2	2229.546	45.68	26.76	3.23	37.64	38.03	74.00	-35.97	VERTICAL Peak
3	4118.200	47.66	29.98	4.60	36.80	45.44	74.00	-28.56	VERTICAL Peak
4	6354.859	47.63	33.63	5.92	36.97	50.21	68.20	-17.99	VERTICAL Peak
5	11060.000	40.82	40.09	7.74	37.23	51.42	74.00	-22.58	VERTICAL Peak
6	16590.000	38.02	39.93	9.43	35.38	52.00	68.20	-16.20	VERTICAL Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:80MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1616.566	44.52	25.60	2.80	37.95	34.97	74.00	-39.03	HORIZONTAL Peak
2	2127.046	46.34	26.36	3.17	37.67	38.20	68.20	-30.00	HORIZONTAL Peak
3	4008.446	48.34	29.80	4.60	36.80	45.94	74.00	-28.06	HORIZONTAL Peak
4	6419.820	46.68	33.79	5.89	36.99	49.37	68.20	-18.83	HORIZONTAL Peak
5	11220.000	40.90	40.03	7.95	37.19	51.69	74.00	-22.31	HORIZONTAL Peak
6	16830.000	37.22	40.94	9.40	35.37	52.19	68.20	-16.01	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation: 802.11ax; Bandwidth: 80MHz; Channel: middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1473.332	44.07	25.48	2.76	38.13	34.18	74.00	-39.82	VERTICAL	Peak
2	1980.396	46.04	26.09	3.06	37.71	37.48	68.20	-30.72	VERTICAL	Peak
3	3379.541	49.70	28.83	4.09	36.99	45.63	68.20	-22.57	VERTICAL	Peak
4	6665.360	47.48	34.29	5.83	37.07	50.53	68.20	-17.67	VERTICAL	Peak
5	11220.000	40.85	40.03	7.95	37.19	51.64	74.00	-22.36	VERTICAL	Peak
6	16830.000	37.61	40.94	9.40	35.37	52.58	68.20	-15.62	VERTICAL	Peak

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1471.126	45.16	25.48	2.76	38.13	35.27	74.00	-38.73	HORIZONTAL	Peak
2	1907.695	46.94	26.04	2.91	37.75	38.14	68.20	-30.06	HORIZONTAL	Peak
3	3387.904	49.36	28.83	4.10	36.98	45.31	68.20	-22.89	HORIZONTAL	Peak
4	5945.034	48.90	32.36	6.05	36.90	50.41	68.20	-17.79	HORIZONTAL	Peak
5	11490.000	38.43	39.90	8.41	37.15	49.59	74.00	-24.41	HORIZONTAL	Peak
6	17235.000	34.07	43.01	10.08	35.33	51.83	68.20	-16.37	HORIZONTAL	Peak

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1421.086	44.22	25.42	2.64	38.20	34.08	74.00	-39.92	VERTICAL	Peak
2	1873.761	46.31	26.02	2.92	37.77	37.48	68.20	-30.72	VERTICAL	Peak
3	3951.712	47.71	29.74	4.60	36.81	45.24	74.00	-28.76	VERTICAL	Peak
4	5915.829	49.56	32.33	5.95	36.90	50.94	68.20	-17.26	VERTICAL	Peak
5	11490.000	39.22	39.90	8.41	37.15	50.38	74.00	-23.62	VERTICAL	Peak
6	17235.000	33.81	43.01	10.08	35.33	51.57	68.20	-16.63	VERTICAL	Peak

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Level	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1646.309	43.40	25.63	2.80	37.93	33.90	74.00	-40.10	HORIZONTAL Peak
2	2111.707	46.94	26.32	3.16	37.68	38.74	68.20	-29.46	HORIZONTAL Peak
3	4478.064	46.72	30.78	4.99	36.81	45.68	68.20	-22.52	HORIZONTAL Peak
4	6193.502	48.33	32.96	6.07	36.94	50.42	68.20	-17.78	HORIZONTAL Peak
5	11570.000	38.91	39.78	8.38	37.14	49.93	74.00	-24.07	HORIZONTAL Peak
6	17355.000	34.03	43.40	10.39	35.32	52.50	68.20	-15.70	HORIZONTAL Peak

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1297.256	45.22	25.19	2.58	38.31	34.68	68.20	-33.52	VERTICAL Peak
2	2104.464	45.34	26.30	3.15	37.68	37.11	68.20	-31.09	VERTICAL Peak
3	4168.740	47.35	30.09	4.60	36.80	45.24	74.00	-28.76	VERTICAL Peak
4	6302.017	48.76	33.44	5.97	36.96	51.21	68.20	-16.99	VERTICAL Peak
5	11570.000	38.48	39.78	8.38	37.14	49.50	74.00	-24.50	VERTICAL Peak
6	17355.000	33.02	43.40	10.39	35.32	51.49	68.20	-16.71	VERTICAL Peak

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



		ReadAntenna		Cable	Preamp		Limit	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1367.829	44.81	25.34	2.60	38.25	34.50	74.00	-39.50	HORIZONTAL	Peak
2	2035.138	46.23	26.16	3.11	37.69	37.81	68.20	-30.39	HORIZONTAL	Peak
3	3283.880	50.21	28.73	4.04	37.04	45.94	68.20	-22.26	HORIZONTAL	Peak
4	5159.046	50.23	31.73	5.61	36.86	50.71	68.20	-17.49	HORIZONTAL	Peak
5	11650.000	39.72	39.65	8.35	37.13	50.59	74.00	-23.41	HORIZONTAL	Peak
6	17475.000	31.81	43.90	10.77	35.32	51.16	68.20	-17.04	HORIZONTAL	Peak


Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1517.997	43.82	25.51	2.80	38.07	34.06	74.00	-39.94	VERTICAL Peak
2	2267.172	44.59	26.98	3.27	37.63	37.21	74.00	-36.79	VERTICAL Peak
3	3643.876	49.28	29.11	4.52	36.89	46.02	74.00	-27.98	VERTICAL Peak
4	6258.757	48.52	33.29	6.00	36.95	50.86	68.20	-17.34	VERTICAL Peak
5	11650.000	40.07	39.65	8.35	37.13	50.94	74.00	-23.06	VERTICAL Peak
6	17475.000	31.17	43.90	10.77	35.32	50.52	68.20	-17.68	VERTICAL Peak

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



	Freq	ReadAntenna	Cable	Preamp		Limit	Over		
	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1462.441	44.24	25.47	2.74	38.17	34.28	74.00	-39.72	HORIZONTAL Peak
2	2164.142	46.68	26.47	3.19	37.66	38.68	68.20	-29.52	HORIZONTAL Peak
3	3150.512	51.00	28.52	3.96	37.12	46.36	68.20	-21.84	HORIZONTAL Peak
4	5319.189	50.00	31.77	6.08	36.88	50.97	68.20	-17.23	HORIZONTAL Peak
5	11490.000	39.04	39.90	8.41	37.15	50.20	74.00	-23.80	HORIZONTAL Peak
6	17235.000	33.49	43.01	10.08	35.33	51.25	68.20	-16.95	HORIZONTAL Peak


Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1383.268	46.29	25.37	2.60	38.25	36.01	74.00	-37.99	VERTICAL Peak
2	2176.151	45.21	26.51	3.19	37.66	37.25	68.20	-30.95	VERTICAL Peak
3	3270.986	50.57	28.71	4.04	37.04	46.28	68.20	-21.92	VERTICAL Peak
4	5907.694	49.26	32.33	5.95	36.90	50.64	68.20	-17.56	VERTICAL Peak
5	11490.000	38.40	39.90	8.41	37.15	49.56	74.00	-24.44	VERTICAL Peak
6	17235.000	33.63	43.01	10.08	35.33	51.39	68.20	-16.81	VERTICAL Peak


Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1650.068	43.80	25.63	2.80	37.93	34.30	68.20	-33.90	HORIZONTAL Peak
2	2377.908	43.14	27.31	3.46	37.60	36.31	74.00	-37.69	HORIZONTAL Peak
3	3910.065	48.51	29.70	4.60	36.82	45.99	74.00	-28.01	HORIZONTAL Peak
4	6308.989	48.20	33.44	5.97	36.96	50.65	68.20	-17.55	HORIZONTAL Peak
5	11570.000	39.58	39.78	8.38	37.14	50.60	74.00	-23.40	HORIZONTAL Peak
6	17355.000	33.16	43.40	10.39	35.32	51.63	68.20	-16.57	HORIZONTAL Peak


Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1385.998	45.02	25.37	2.60	38.25	34.74	74.00	-39.26	VERTICAL Peak
2	1988.715	45.54	26.09	3.08	37.70	37.01	68.20	-31.19	VERTICAL Peak
3	3705.938	48.67	29.25	4.56	36.88	45.60	74.00	-28.40	VERTICAL Peak
4	5903.380	48.79	32.31	5.90	36.90	50.10	68.20	-18.10	VERTICAL Peak
5	11570.000	39.69	39.78	8.38	37.14	50.71	74.00	-23.29	VERTICAL Peak
6	17355.000	32.73	43.40	10.39	35.32	51.20	68.20	-17.00	VERTICAL Peak

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1599.930	44.57	25.58	2.80	37.98	34.97	74.00	-39.03	HORIZONTAL	Peak
2	1950.449	46.20	26.07	3.00	37.73	37.54	68.20	-30.66	HORIZONTAL	Peak
3	3930.290	48.34	29.73	4.60	36.82	45.85	74.00	-28.15	HORIZONTAL	Peak
4	6193.255	47.45	32.96	6.07	36.94	49.54	68.20	-18.66	HORIZONTAL	Peak
5	11650.000	39.62	39.65	8.35	37.13	50.49	74.00	-23.51	HORIZONTAL	Peak
6	17475.000	31.93	43.90	10.77	35.32	51.28	68.20	-16.92	HORIZONTAL	Peak

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1582.520	44.48	25.56	2.80	38.00	34.84	74.00	-39.16	VERTICAL	Peak
2	2037.750	46.89	26.16	3.11	37.69	38.47	68.20	-29.73	VERTICAL	Peak
3	4112.296	48.39	29.96	4.60	36.80	46.15	74.00	-27.85	VERTICAL	Peak
4	6844.991	46.38	34.74	5.82	37.15	49.79	68.20	-18.41	VERTICAL	Peak
5	11650.000	38.70	39.65	8.35	37.13	49.57	74.00	-24.43	VERTICAL	Peak
6	17475.000	32.31	43.90	10.77	35.32	51.66	68.20	-16.54	VERTICAL	Peak


Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1364.422	45.10	25.34	2.60	38.25	34.79	74.00	-39.21	HORIZONTAL	Peak
2	1773.884	46.47	25.90	2.95	37.83	37.49	68.20	-30.71	HORIZONTAL	Peak
3	3204.185	50.26	28.60	4.00	37.09	45.77	68.20	-22.43	HORIZONTAL	Peak
4	5183.353	49.39	31.73	5.61	36.87	49.86	68.20	-18.34	HORIZONTAL	Peak
5	11510.000	39.75	39.90	8.41	37.15	50.91	74.00	-23.09	HORIZONTAL	Peak
6	17265.000	32.65	43.21	10.24	35.33	50.77	68.20	-17.43	HORIZONTAL	Peak

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1544.152	44.42	25.53	2.80	38.03	34.72	74.00	-39.28	VERTICAL Peak
2	2380.552	44.21	27.31	3.46	37.60	37.38	74.00	-36.62	VERTICAL Peak
3	3411.603	50.52	28.85	4.13	36.98	46.52	68.20	-21.68	VERTICAL Peak
4	5425.451	47.81	31.79	6.13	36.88	48.85	74.00	-25.15	VERTICAL Peak
5	11510.000	39.15	39.90	8.41	37.15	50.31	74.00	-23.69	VERTICAL Peak
6	17265.000	32.03	43.21	10.24	35.33	50.15	68.20	-18.05	VERTICAL Peak

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1698.383	44.49	25.71	2.80	37.89	35.11	74.00	-38.89	HORIZONTAL	Peak
2	2072.166	44.83	26.23	3.13	37.68	36.51	68.20	-31.69	HORIZONTAL	Peak
3	4024.412	48.16	29.83	4.60	36.80	45.79	74.00	-28.21	HORIZONTAL	Peak
4	5697.647	48.03	32.01	6.40	36.89	49.55	68.20	-18.65	HORIZONTAL	Peak
5	11590.000	39.24	39.72	8.37	37.14	50.19	74.00	-23.81	HORIZONTAL	Peak
6	17385.000	33.07	43.57	10.53	35.32	51.85	68.20	-16.35	HORIZONTAL	Peak


Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Trace: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1275.325	45.04	25.12	2.48	38.33	34.31	68.20	-33.89	VERTICAL Peak
2	1887.066	45.59	26.03	2.91	37.77	36.76	68.20	-31.44	VERTICAL Peak
3	3493.613	49.26	28.90	4.30	36.94	45.52	68.20	-22.68	VERTICAL Peak
4	6417.086	45.86	33.79	5.89	36.99	48.55	68.20	-19.65	VERTICAL Peak
5	11590.000	38.68	39.72	8.37	37.14	49.63	74.00	-24.37	VERTICAL Peak
6	17385.000	33.02	43.57	10.53	35.32	51.80	68.20	-16.40	VERTICAL Peak


Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)

		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1386.350	46.25	25.37	2.60	38.25	35.97	74.00	-38.03	HORIZONTAL	Peak
2	2218.832	45.29	26.72	3.22	37.64	37.59	74.00	-36.41	HORIZONTAL	Peak
3	3589.452	49.04	29.02	4.49	36.91	45.64	68.20	-22.56	HORIZONTAL	Peak
4	6608.411	45.90	34.16	5.84	37.04	48.86	68.20	-19.34	HORIZONTAL	Peak
5	11490.000	38.76	39.90	8.41	37.15	49.92	74.00	-24.08	HORIZONTAL	Peak
6	17235.000	33.13	43.01	10.08	35.33	50.89	68.20	-17.31	HORIZONTAL	Peak

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1343.003	44.80	25.30	2.60	38.27	34.43	74.00	-39.57	VERTICAL Peak
2	2128.897	44.99	26.36	3.17	37.67	36.85	68.20	-31.35	VERTICAL Peak
3	3735.631	48.40	29.35	4.57	36.87	45.45	74.00	-28.55	VERTICAL Peak
4	5695.514	48.22	32.01	6.40	36.89	49.74	68.20	-18.46	VERTICAL Peak
5	11490.000	38.87	39.90	8.41	37.15	50.03	74.00	-23.97	VERTICAL Peak
6	17235.000	33.50	43.01	10.08	35.33	51.26	68.20	-16.94	VERTICAL Peak