

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Verdict
n41	30	10	500202	1@1	DFT_BPSK	25.80	PASS
n41	30	10	500202	24@0	DFT_QPSK	24.98	PASS
n41	30	10	500202	12@6	DFT_QPSK	25.96	PASS
n41	30	10	500202	1@1	DFT_QPSK	25.98	PASS
n41	30	10	500202	1@22	DFT_QPSK	26.00	PASS
n41	30	10	500202	1@1	DFT_QAM16	24.86	PASS
n41	30	10	500202	1@1	DFT_QAM64	23.48	PASS
n41	30	10	500202	1@1	DFT_QAM256	21.70	PASS
n41	30	10	500202	1@1	CP_QPSK	24.35	PASS
n41	30	10	518598	1@1	DFT_BPSK	26.02	PASS
n41	30	10	518598	24@0	DFT_QPSK	25.21	PASS
n41	30	10	518598	12@6	DFT_QPSK	26.18	PASS
n41	30	10	518598	1@1	DFT_QPSK	26.16	PASS
n41	30	10	518598	1@22	DFT_QPSK	26.19	PASS
n41	30	10	518598	1@1	DFT_QAM16	25.11	PASS
n41	30	10	518598	1@1	DFT_QAM64	23.55	PASS
n41	30	10	518598	1@1	DFT_QAM256	21.93	PASS
n41	30	10	518598	1@1	CP_QPSK	24.60	PASS
n41	30	10	537000	1@1	DFT_BPSK	26.06	PASS
n41	30	10	537000	24@0	DFT_QPSK	25.22	PASS
n41	30	10	537000	12@6	DFT_QPSK	26.20	PASS
n41	30	10	537000	1@1	DFT_QPSK	26.24	PASS
n41	30	10	537000	1@22	DFT_QPSK	26.18	PASS
n41	30	10	537000	1@1	DFT_QAM16	25.14	PASS
n41	30	10	537000	1@1	DFT_QAM64	23.60	PASS
n41	30	10	537000	1@1	DFT_QAM256	21.95	PASS
n41	30	10	537000	1@1	CP_QPSK	24.62	PASS
n41	30	15	500700	1@1	DFT_BPSK	25.79	PASS
n41	30	15	500700	36@0	DFT_QPSK	25.01	PASS
n41	30	15	500700	18@9	DFT_QPSK	25.98	PASS
n41	30	15	500700	1@1	DFT_QPSK	25.91	PASS
n41	30	15	500700	1@36	DFT_QPSK	26.07	PASS
n41	30	15	500700	1@1	DFT_QAM16	24.89	PASS
n41	30	15	500700	1@1	DFT_QAM64	23.41	PASS
n41	30	15	500700	1@1	DFT_QAM256	21.69	PASS
n41	30	15	500700	1@1	CP_QPSK	24.31	PASS
n41	30	15	518598	1@1	DFT_BPSK	26.02	PASS
n41	30	15	518598	36@0	DFT_QPSK	25.20	PASS
n41	30	15	518598	18@9	DFT_QPSK	26.18	PASS
n41	30	15	518598	1@1	DFT_QPSK	25.90	PASS
n41	30	15	518598	1@36	DFT_QPSK	25.60	PASS

n41	30	15	518598	1@1	DFT_QAM16	24.68	PASS
n41	30	15	518598	1@1	DFT_QAM64	23.18	PASS
n41	30	15	518598	1@1	DFT_QAM256	21.30	PASS
n41	30	15	518598	1@1	CP_QPSK	24.10	PASS
n41	30	15	536496	1@1	DFT_BPSK	25.45	PASS
n41	30	15	536496	36@0	DFT_QPSK	25.20	PASS
n41	30	15	536496	18@9	DFT_QPSK	26.20	PASS
n41	30	15	536496	1@1	DFT_QPSK	25.51	PASS
n41	30	15	536496	1@36	DFT_QPSK	25.60	PASS
n41	30	15	536496	1@1	DFT_QAM16	24.59	PASS
n41	30	15	536496	1@1	DFT_QAM64	22.94	PASS
n41	30	15	536496	1@1	DFT_QAM256	21.16	PASS
n41	30	15	536496	1@1	CP_QPSK	23.94	PASS
n41	30	20	501204	1@1	DFT_BPSK	25.30	PASS
n41	30	20	501204	50@0	DFT_QPSK	25.00	PASS
n41	30	20	501204	25@12	DFT_QPSK	26.06	PASS
n41	30	20	501204	1@1	DFT_QPSK	25.25	PASS
n41	30	20	501204	1@49	DFT_QPSK	25.40	PASS
n41	30	20	501204	1@1	DFT_QAM16	24.28	PASS
n41	30	20	501204	1@1	DFT_QAM64	22.84	PASS
n41	30	20	501204	1@1	DFT_QAM256	21.17	PASS
n41	30	20	501204	1@1	CP_QPSK	23.83	PASS
n41	30	20	518598	1@1	DFT_BPSK	25.47	PASS
n41	30	20	518598	50@0	DFT_QPSK	25.19	PASS
n41	30	20	518598	25@12	DFT_QPSK	26.24	PASS
n41	30	20	518598	1@1	DFT_QPSK	25.65	PASS
n41	30	20	518598	1@49	DFT_QPSK	25.69	PASS
n41	30	20	518598	1@1	DFT_QAM16	24.54	PASS
n41	30	20	518598	1@1	DFT_QAM64	23.09	PASS
n41	30	20	518598	1@1	DFT_QAM256	21.34	PASS
n41	30	20	518598	1@1	CP_QPSK	24.05	PASS
n41	30	20	535998	1@1	DFT_BPSK	25.34	PASS
n41	30	20	535998	50@0	DFT_QPSK	25.19	PASS
n41	30	20	535998	25@12	DFT_QPSK	26.21	PASS
n41	30	20	535998	1@1	DFT_QPSK	25.48	PASS
n41	30	20	535998	1@49	DFT_QPSK	25.63	PASS
n41	30	20	535998	1@1	DFT_QAM16	24.40	PASS
n41	30	20	535998	1@1	DFT_QAM64	22.82	PASS
n41	30	20	535998	1@1	DFT_QAM256	21.21	PASS
n41	30	20	535998	1@1	CP_QPSK	23.85	PASS
n41	30	30	502200	1@1	DFT_BPSK	25.14	PASS
n41	30	30	502200	75@0	DFT_QPSK	24.97	PASS
n41	30	30	502200	36@18	DFT_QPSK	26.02	PASS
n41	30	30	502200	1@1	DFT_QPSK	25.27	PASS

n41	30	30	502200	1@76	DFT_QPSK	25.32	PASS
n41	30	30	502200	1@1	DFT_QAM16	24.19	PASS
n41	30	30	502200	1@1	DFT_QAM64	22.77	PASS
n41	30	30	502200	1@1	DFT_QAM256	21.07	PASS
n41	30	30	502200	1@1	CP_QPSK	23.75	PASS
n41	30	30	518598	1@1	DFT_BPSK	25.26	PASS
n41	30	30	518598	75@0	DFT_QPSK	25.10	PASS
n41	30	30	518598	36@18	DFT_QPSK	26.16	PASS
n41	30	30	518598	1@1	DFT_QPSK	25.32	PASS
n41	30	30	518598	1@76	DFT_QPSK	25.47	PASS
n41	30	30	518598	1@1	DFT_QAM16	24.29	PASS
n41	30	30	518598	1@1	DFT_QAM64	22.81	PASS
n41	30	30	518598	1@1	DFT_QAM256	21.16	PASS
n41	30	30	518598	1@1	CP_QPSK	23.81	PASS
n41	30	30	534996	1@1	DFT_BPSK	25.12	PASS
n41	30	30	534996	75@0	DFT_QPSK	25.07	PASS
n41	30	30	534996	36@18	DFT_QPSK	26.16	PASS
n41	30	30	534996	1@1	DFT_QPSK	25.17	PASS
n41	30	30	534996	1@76	DFT_QPSK	25.44	PASS
n41	30	30	534996	1@1	DFT_QAM16	24.15	PASS
n41	30	30	534996	1@1	DFT_QAM64	22.69	PASS
n41	30	30	534996	1@1	DFT_QAM256	20.98	PASS
n41	30	30	534996	1@1	CP_QPSK	23.62	PASS
n41	30	40	503202	1@1	DFT_BPSK	24.97	PASS
n41	30	40	503202	100@0	DFT_QPSK	24.93	PASS
n41	30	40	503202	50@25	DFT_QPSK	26.03	PASS
n41	30	40	503202	1@1	DFT_QPSK	24.95	PASS
n41	30	40	503202	1@104	DFT_QPSK	25.02	PASS
n41	30	40	503202	1@1	DFT_QAM16	23.96	PASS
n41	30	40	503202	1@1	DFT_QAM64	22.53	PASS
n41	30	40	503202	1@1	DFT_QAM256	20.82	PASS
n41	30	40	503202	1@1	CP_QPSK	23.51	PASS
n41	30	40	518598	1@1	DFT_BPSK	25.01	PASS
n41	30	40	518598	100@0	DFT_QPSK	25.07	PASS
n41	30	40	518598	50@25	DFT_QPSK	26.14	PASS
n41	30	40	518598	1@1	DFT_QPSK	25.06	PASS
n41	30	40	518598	1@104	DFT_QPSK	25.35	PASS
n41	30	40	518598	1@1	DFT_QAM16	24.07	PASS
n41	30	40	518598	1@1	DFT_QAM64	22.61	PASS
n41	30	40	518598	1@1	DFT_QAM256	20.87	PASS
n41	30	40	518598	1@1	CP_QPSK	23.60	PASS
n41	30	40	534000	1@1	DFT_BPSK	25.03	PASS
n41	30	40	534000	100@0	DFT_QPSK	25.07	PASS
n41	30	40	534000	50@25	DFT_QPSK	26.14	PASS

n41	30	40	534000	1@1	DFT_QPSK	25.07	PASS
n41	30	40	534000	1@104	DFT_QPSK	25.34	PASS
n41	30	40	534000	1@1	DFT_QAM16	24.03	PASS
n41	30	40	534000	1@1	DFT_QAM64	22.60	PASS
n41	30	40	534000	1@1	DFT_QAM256	20.81	PASS
n41	30	40	534000	1@1	CP_QPSK	23.56	PASS
n41	30	50	504204	1@1	DFT_BPSK	25.19	PASS
n41	30	50	504204	128@0	DFT_QPSK	24.98	PASS
n41	30	50	504204	64@32	DFT_QPSK	26.04	PASS
n41	30	50	504204	1@1	DFT_QPSK	25.14	PASS
n41	30	50	504204	1@131	DFT_QPSK	25.25	PASS
n41	30	50	504204	1@1	DFT_QAM16	24.23	PASS
n41	30	50	504204	1@1	DFT_QAM64	22.87	PASS
n41	30	50	504204	1@1	DFT_QAM256	20.95	PASS
n41	30	50	504204	1@1	CP_QPSK	23.77	PASS
n41	30	50	518598	1@1	DFT_BPSK	25.18	PASS
n41	30	50	518598	128@0	DFT_QPSK	25.17	PASS
n41	30	50	518598	64@32	DFT_QPSK	26.14	PASS
n41	30	50	518598	1@1	DFT_QPSK	25.25	PASS
n41	30	50	518598	1@131	DFT_QPSK	25.65	PASS
n41	30	50	518598	1@1	DFT_QAM16	24.27	PASS
n41	30	50	518598	1@1	DFT_QAM64	22.89	PASS
n41	30	50	518598	1@1	DFT_QAM256	20.99	PASS
n41	30	50	518598	1@1	CP_QPSK	23.75	PASS
n41	30	50	532998	1@1	DFT_BPSK	25.19	PASS
n41	30	50	532998	128@0	DFT_QPSK	25.09	PASS
n41	30	50	532998	64@32	DFT_QPSK	26.17	PASS
n41	30	50	532998	1@1	DFT_QPSK	25.30	PASS
n41	30	50	532998	1@131	DFT_QPSK	25.37	PASS
n41	30	50	532998	1@1	DFT_QAM16	24.20	PASS
n41	30	50	532998	1@1	DFT_QAM64	22.82	PASS
n41	30	50	532998	1@1	DFT_QAM256	21.05	PASS
n41	30	50	532998	1@1	CP_QPSK	23.66	PASS
n41	30	60	505200	1@1	DFT_BPSK	25.08	PASS
n41	30	60	505200	162@0	DFT_QPSK	25.00	PASS
n41	30	60	505200	81@40	DFT_QPSK	26.04	PASS
n41	30	60	505200	1@1	DFT_QPSK	25.20	PASS
n41	30	60	505200	1@160	DFT_QPSK	25.41	PASS
n41	30	60	505200	1@1	DFT_QAM16	24.11	PASS
n41	30	60	505200	1@1	DFT_QAM64	22.78	PASS
n41	30	60	505200	1@1	DFT_QAM256	21.02	PASS
n41	30	60	505200	1@1	CP_QPSK	23.57	PASS
n41	30	60	518598	1@1	DFT_BPSK	25.11	PASS
n41	30	60	518598	162@0	DFT_QPSK	25.10	PASS

n41	30	60	518598	81@40	DFT_QPSK	26.08	PASS
n41	30	60	518598	1@1	DFT_QPSK	25.14	PASS
n41	30	60	518598	1@160	DFT_QPSK	25.58	PASS
n41	30	60	518598	1@1	DFT_QAM16	24.17	PASS
n41	30	60	518598	1@1	DFT_QAM64	22.70	PASS
n41	30	60	518598	1@1	DFT_QAM256	21.04	PASS
n41	30	60	518598	1@1	CP_QPSK	23.62	PASS
n41	30	60	531996	1@1	DFT_BPSK	24.93	PASS
n41	30	60	531996	162@0	DFT_QPSK	25.04	PASS
n41	30	60	531996	81@40	DFT_QPSK	26.18	PASS
n41	30	60	531996	1@1	DFT_QPSK	25.08	PASS
n41	30	60	531996	1@160	DFT_QPSK	25.27	PASS
n41	30	60	531996	1@1	DFT_QAM16	24.00	PASS
n41	30	60	531996	1@1	DFT_QAM64	22.57	PASS
n41	30	60	531996	1@1	DFT_QAM256	20.91	PASS
n41	30	60	531996	1@1	CP_QPSK	23.47	PASS
n41	30	70	506202		DFT_BPSK	23.13	PASS
n41	30	70	506202		DFT_QPSK	23.13	PASS
n41	30	70	506202		DFT_QPSK	23.13	PASS
n41	30	70	506202		DFT_QPSK	23.14	PASS
n41	30	70	506202		DFT_QPSK	23.13	PASS
n41	30	70	506202		DFT_QAM16	23.17	PASS
n41	30	70	506202		DFT_QAM64	23.13	PASS
n41	30	70	506202		DFT_QAM256	23.14	PASS
n41	30	70	506202		CP_QPSK	23.12	PASS
n41	30	70	518598		DFT_BPSK	23.29	PASS
n41	30	70	518598		DFT_QPSK	23.27	PASS
n41	30	70	518598		DFT_QPSK	23.29	PASS
n41	30	70	518598		DFT_QPSK	23.29	PASS
n41	30	70	518598		DFT_QPSK	23.28	PASS
n41	30	70	518598		DFT_QAM16	23.27	PASS
n41	30	70	518598		DFT_QAM64	23.29	PASS
n41	30	70	518598		DFT_QAM256	23.28	PASS
n41	30	70	518598		CP_QPSK	23.29	PASS
n41	30	70	531000		DFT_BPSK	23.26	PASS
n41	30	70	531000		DFT_QPSK	23.27	PASS
n41	30	70	531000		DFT_QPSK	23.28	PASS
n41	30	70	531000		DFT_QPSK	23.28	PASS
n41	30	70	531000		DFT_QPSK	23.27	PASS
n41	30	70	531000		DFT_QAM16	23.25	PASS
n41	30	70	531000		DFT_QAM64	23.27	PASS
n41	30	70	531000		DFT_QAM256	23.25	PASS
n41	30	70	531000		CP_QPSK	23.26	PASS
n41	30	80	507204	1@1	DFT_BPSK	24.89	PASS

n41	30	80	507204	216@0	DFT_QPSK	24.97	PASS
n41	30	80	507204	108@54	DFT_QPSK	26.08	PASS
n41	30	80	507204	1@1	DFT_QPSK	24.89	PASS
n41	30	80	507204	1@215	DFT_QPSK	25.16	PASS
n41	30	80	507204	1@1	DFT_QAM16	23.90	PASS
n41	30	80	507204	1@1	DFT_QAM64	22.70	PASS
n41	30	80	507204	1@1	DFT_QAM256	21.00	PASS
n41	30	80	507204	1@1	CP_QPSK	23.41	PASS
n41	30	80	518598	1@1	DFT_BPSK	24.93	PASS
n41	30	80	518598	216@0	DFT_QPSK	25.08	PASS
n41	30	80	518598	108@54	DFT_QPSK	25.98	PASS
n41	30	80	518598	1@1	DFT_QPSK	24.97	PASS
n41	30	80	518598	1@215	DFT_QPSK	25.32	PASS
n41	30	80	518598	1@1	DFT_QAM16	23.96	PASS
n41	30	80	518598	1@1	DFT_QAM64	22.70	PASS
n41	30	80	518598	1@1	DFT_QAM256	20.96	PASS
n41	30	80	518598	1@1	CP_QPSK	23.51	PASS
n41	30	80	529998	1@1	DFT_BPSK	24.87	PASS
n41	30	80	529998	216@0	DFT_QPSK	25.07	PASS
n41	30	80	529998	108@54	DFT_QPSK	26.20	PASS
n41	30	80	529998	1@1	DFT_QPSK	25.09	PASS
n41	30	80	529998	1@215	DFT_QPSK	25.59	PASS
n41	30	80	529998	1@1	DFT_QAM16	23.82	PASS
n41	30	80	529998	1@1	DFT_QAM64	22.61	PASS
n41	30	80	529998	1@1	DFT_QAM256	20.85	PASS
n41	30	80	529998	1@1	CP_QPSK	23.34	PASS
n41	30	90	508200	1@1	DFT_BPSK	24.75	PASS
n41	30	90	508200	240@0	DFT_QPSK	24.97	PASS
n41	30	90	508200	120@60	DFT_QPSK	25.78	PASS
n41	30	90	508200	1@1	DFT_QPSK	24.83	PASS
n41	30	90	508200	1@243	DFT_QPSK	25.30	PASS
n41	30	90	508200	1@1	DFT_QAM16	23.74	PASS
n41	30	90	508200	1@1	DFT_QAM64	22.47	PASS
n41	30	90	508200	1@1	DFT_QAM256	20.83	PASS
n41	30	90	508200	1@1	CP_QPSK	23.35	PASS
n41	30	90	518598	1@1	DFT_BPSK	24.80	PASS
n41	30	90	518598	240@0	DFT_QPSK	25.12	PASS
n41	30	90	518598	120@60	DFT_QPSK	25.74	PASS
n41	30	90	518598	1@1	DFT_QPSK	24.90	PASS
n41	30	90	518598	1@243	DFT_QPSK	25.31	PASS
n41	30	90	518598	1@1	DFT_QAM16	23.79	PASS
n41	30	90	518598	1@1	DFT_QAM64	22.53	PASS
n41	30	90	518598	1@1	DFT_QAM256	20.87	PASS
n41	30	90	518598	1@1	CP_QPSK	23.40	PASS

n41	30	90	528996	1@1	DFT_BPSK	25.14	PASS
n41	30	90	528996	240@0	DFT_QPSK	25.01	PASS
n41	30	90	528996	120@60	DFT_QPSK	26.10	PASS
n41	30	90	528996	1@1	DFT_QPSK	25.15	PASS
n41	30	90	528996	1@243	DFT_QPSK	25.80	PASS
n41	30	90	528996	1@1	DFT_QAM16	24.03	PASS
n41	30	90	528996	1@1	DFT_QAM64	22.61	PASS
n41	30	90	528996	1@1	DFT_QAM256	21.10	PASS
n41	30	90	528996	1@1	CP_QPSK	23.37	PASS
n41	30	100	509202	1@1	DFT_BPSK	24.85	PASS
n41	30	100	509202	270@0	DFT_QPSK	24.93	PASS
n41	30	100	509202	135@67	DFT_QPSK	26.03	PASS
n41	30	100	509202	1@1	DFT_QPSK	24.59	PASS
n41	30	100	509202	1@271	DFT_QPSK	25.13	PASS
n41	30	100	509202	1@1	DFT_QAM16	23.53	PASS
n41	30	100	509202	1@1	DFT_QAM64	22.29	PASS
n41	30	100	509202	1@1	DFT_QAM256	20.64	PASS
n41	30	100	509202	1@1	CP_QPSK	23.15	PASS
n41	30	100	518598	1@1	DFT_BPSK	24.57	PASS
n41	30	100	518598	270@0	DFT_QPSK	25.01	PASS
n41	30	100	518598	135@67	DFT_QPSK	26.13	PASS
n41	30	100	518598	1@1	DFT_QPSK	24.62	PASS
n41	30	100	518598	1@271	DFT_QPSK	25.20	PASS
n41	30	100	518598	1@1	DFT_QAM16	23.61	PASS
n41	30	100	518598	1@1	DFT_QAM64	22.33	PASS
n41	30	100	518598	1@1	DFT_QAM256	20.64	PASS
n41	30	100	518598	1@1	CP_QPSK	23.13	PASS
n41	30	100	528000	1@1	DFT_BPSK	24.58	PASS
n41	30	100	528000	270@0	DFT_QPSK	24.94	PASS
n41	30	100	528000	135@67	DFT_QPSK	26.08	PASS
n41	30	100	528000	1@1	DFT_QPSK	24.67	PASS
n41	30	100	528000	1@271	DFT_QPSK	25.31	PASS
n41	30	100	528000	1@1	DFT_QAM16	23.61	PASS
n41	30	100	528000	1@1	DFT_QAM64	22.34	PASS
n41	30	100	528000	1@1	DFT_QAM256	20.68	PASS
n41	30	100	528000	1@1	CP_QPSK	23.10	PASS
n5	30	10	165800	1@1	DFT_BPSK	22.66	PASS
n5	30	10	165800	24@0	DFT_QPSK	21.77	PASS
n5	30	10	165800	12@6	DFT_QPSK	22.73	PASS
n5	30	10	165800	1@1	DFT_QPSK	22.54	PASS
n5	30	10	165800	1@22	DFT_QPSK	22.73	PASS
n5	30	10	165800	1@1	DFT_QAM16	21.45	PASS
n5	30	10	165800	1@1	DFT_QAM64	20.09	PASS
n5	30	10	165800	1@1	DFT_QAM256	18.05	PASS

n5	30	10	165800	1@1	CP_QPSK	21.13	PASS
n5	30	10	167300	1@1	DFT_BPSK	22.70	PASS
n5	30	10	167300	24@0	DFT_QPSK	21.83	PASS
n5	30	10	167300	12@6	DFT_QPSK	22.88	PASS
n5	30	10	167300	1@1	DFT_QPSK	22.75	PASS
n5	30	10	167300	1@22	DFT_QPSK	22.86	PASS
n5	30	10	167300	1@1	DFT_QAM16	21.54	PASS
n5	30	10	167300	1@1	DFT_QAM64	20.13	PASS
n5	30	10	167300	1@1	DFT_QAM256	18.14	PASS
n5	30	10	167300	1@1	CP_QPSK	21.20	PASS
n5	30	10	168800	1@1	DFT_BPSK	22.81	PASS
n5	30	10	168800	24@0	DFT_QPSK	22.31	PASS
n5	30	10	168800	12@6	DFT_QPSK	23.21	PASS
n5	30	10	168800	1@1	DFT_QPSK	22.90	PASS
n5	30	10	168800	1@22	DFT_QPSK	23.29	PASS
n5	30	10	168800	1@1	DFT_QAM16	21.69	PASS
n5	30	10	168800	1@1	DFT_QAM64	20.29	PASS
n5	30	10	168800	1@1	DFT_QAM256	18.29	PASS
n5	30	10	168800	1@1	CP_QPSK	21.32	PASS
n5	30	15	166300	1@1	DFT_BPSK	22.85	PASS
n5	30	15	166300	36@0	DFT_QPSK	21.91	PASS
n5	30	15	166300	18@9	DFT_QPSK	22.73	PASS
n5	30	15	166300	1@1	DFT_QPSK	22.99	PASS
n5	30	15	166300	1@36	DFT_QPSK	22.66	PASS
n5	30	15	166300	1@1	DFT_QAM16	21.78	PASS
n5	30	15	166300	1@1	DFT_QAM64	20.34	PASS
n5	30	15	166300	1@1	DFT_QAM256	18.36	PASS
n5	30	15	166300	1@1	CP_QPSK	21.41	PASS
n5	30	15	167300	1@1	DFT_BPSK	22.72	PASS
n5	30	15	167300	36@0	DFT_QPSK	21.82	PASS
n5	30	15	167300	18@9	DFT_QPSK	22.80	PASS
n5	30	15	167300	1@1	DFT_QPSK	22.63	PASS
n5	30	15	167300	1@36	DFT_QPSK	23.03	PASS
n5	30	15	167300	1@1	DFT_QAM16	21.59	PASS
n5	30	15	167300	1@1	DFT_QAM64	20.38	PASS
n5	30	15	167300	1@1	DFT_QAM256	18.19	PASS
n5	30	15	167300	1@1	CP_QPSK	21.22	PASS
n5	30	15	168300	1@1	DFT_BPSK	21.90	PASS
n5	30	15	168300	36@0	DFT_QPSK	21.92	PASS
n5	30	15	168300	18@9	DFT_QPSK	22.96	PASS
n5	30	15	168300	1@1	DFT_QPSK	22.55	PASS
n5	30	15	168300	1@36	DFT_QPSK	23.18	PASS
n5	30	15	168300	1@1	DFT_QAM16	21.45	PASS
n5	30	15	168300	1@1	DFT_QAM64	20.30	PASS

n5	30	15	168300	1@1	DFT_QAM256	18.12	PASS
n5	30	15	168300	1@1	CP_QPSK	21.16	PASS
n5	30	20	166800	1@1	DFT_BPSK	22.81	PASS
n5	30	20	166800	50@0	DFT_QPSK	21.75	PASS
n5	30	20	166800	25@12	DFT_QPSK	22.81	PASS
n5	30	20	166800	1@1	DFT_QPSK	23.12	PASS
n5	30	20	166800	1@49	DFT_QPSK	23.09	PASS
n5	30	20	166800	1@1	DFT_QAM16	21.75	PASS
n5	30	20	166800	1@1	DFT_QAM64	20.38	PASS
n5	30	20	166800	1@1	DFT_QAM256	18.26	PASS
n5	30	20	166800	1@1	CP_QPSK	21.35	PASS
n5	30	20	167300	1@1	DFT_BPSK	22.79	PASS
n5	30	20	167300	50@0	DFT_QPSK	21.71	PASS
n5	30	20	167300	25@12	DFT_QPSK	22.92	PASS
n5	30	20	167300	1@1	DFT_QPSK	23.04	PASS
n5	30	20	167300	1@49	DFT_QPSK	23.33	PASS
n5	30	20	167300	1@1	DFT_QAM16	21.70	PASS
n5	30	20	167300	1@1	DFT_QAM64	20.32	PASS
n5	30	20	167300	1@1	DFT_QAM256	18.26	PASS
n5	30	20	167300	1@1	CP_QPSK	21.28	PASS
n5	30	20	167800	1@1	DFT_BPSK	22.66	PASS
n5	30	20	167800	50@0	DFT_QPSK	21.78	PASS
n5	30	20	167800	25@12	DFT_QPSK	22.88	PASS
n5	30	20	167800	1@1	DFT_QPSK	22.84	PASS
n5	30	20	167800	1@49	DFT_QPSK	23.36	PASS
n5	30	20	167800	1@1	DFT_QAM16	21.52	PASS
n5	30	20	167800	1@1	DFT_QAM64	20.12	PASS
n5	30	20	167800	1@1	DFT_QAM256	18.09	PASS
n5	30	20	167800	1@1	CP_QPSK	21.13	PASS
n7	30	10	501000	1@1	DFT_BPSK	23.38	PASS
n7	30	10	501000	24@0	DFT_QPSK	22.96	PASS
n7	30	10	501000	12@6	DFT_QPSK	24.06	PASS
n7	30	10	501000	1@1	DFT_QPSK	23.87	PASS
n7	30	10	501000	1@22	DFT_QPSK	23.88	PASS
n7	30	10	501000	1@1	DFT_QAM16	22.26	PASS
n7	30	10	501000	1@1	DFT_QAM64	20.99	PASS
n7	30	10	501000	1@1	DFT_QAM256	19.34	PASS
n7	30	10	501000	1@1	CP_QPSK	21.91	PASS
n7	30	10	507000	1@1	DFT_BPSK	23.30	PASS
n7	30	10	507000	24@0	DFT_QPSK	22.99	PASS
n7	30	10	507000	12@6	DFT_QPSK	24.01	PASS
n7	30	10	507000	1@1	DFT_QPSK	23.78	PASS
n7	30	10	507000	1@22	DFT_QPSK	23.76	PASS
n7	30	10	507000	1@1	DFT_QAM16	22.28	PASS

n7	30	10	507000	1@1	DFT_QAM64	20.96	PASS
n7	30	10	507000	1@1	DFT_QAM256	19.36	PASS
n7	30	10	507000	1@1	CP_QPSK	21.84	PASS
n7	30	10	513000	1@1	DFT_BPSK	23.30	PASS
n7	30	10	513000	24@0	DFT_QPSK	23.03	PASS
n7	30	10	513000	12@6	DFT_QPSK	24.05	PASS
n7	30	10	513000	1@1	DFT_QPSK	23.82	PASS
n7	30	10	513000	1@22	DFT_QPSK	23.84	PASS
n7	30	10	513000	1@1	DFT_QAM16	22.20	PASS
n7	30	10	513000	1@1	DFT_QAM64	20.89	PASS
n7	30	10	513000	1@1	DFT_QAM256	19.28	PASS
n7	30	10	513000	1@1	CP_QPSK	21.78	PASS
n7	30	15	501500	1@1	DFT_BPSK	23.33	PASS
n7	30	15	501500	36@0	DFT_QPSK	23.04	PASS
n7	30	15	501500	18@9	DFT_QPSK	23.98	PASS
n7	30	15	501500	1@1	DFT_QPSK	23.86	PASS
n7	30	15	501500	1@36	DFT_QPSK	23.84	PASS
n7	30	15	501500	1@1	DFT_QAM16	22.33	PASS
n7	30	15	501500	1@1	DFT_QAM64	21.00	PASS
n7	30	15	501500	1@1	DFT_QAM256	19.39	PASS
n7	30	15	501500	1@1	CP_QPSK	21.92	PASS
n7	30	15	507000	1@1	DFT_BPSK	23.30	PASS
n7	30	15	507000	36@0	DFT_QPSK	23.04	PASS
n7	30	15	507000	18@9	DFT_QPSK	23.93	PASS
n7	30	15	507000	1@1	DFT_QPSK	23.85	PASS
n7	30	15	507000	1@36	DFT_QPSK	23.67	PASS
n7	30	15	507000	1@1	DFT_QAM16	22.26	PASS
n7	30	15	507000	1@1	DFT_QAM64	20.99	PASS
n7	30	15	507000	1@1	DFT_QAM256	19.34	PASS
n7	30	15	507000	1@1	CP_QPSK	21.89	PASS
n7	30	15	512500	1@1	DFT_BPSK	23.18	PASS
n7	30	15	512500	36@0	DFT_QPSK	23.06	PASS
n7	30	15	512500	18@9	DFT_QPSK	24.01	PASS
n7	30	15	512500	1@1	DFT_QPSK	23.16	PASS
n7	30	15	512500	1@36	DFT_QPSK	23.28	PASS
n7	30	15	512500	1@1	DFT_QAM16	22.02	PASS
n7	30	15	512500	1@1	DFT_QAM64	20.71	PASS
n7	30	15	512500	1@1	DFT_QAM256	19.16	PASS
n7	30	15	512500	1@1	CP_QPSK	21.64	PASS
n7	30	20	502000	1@1	DFT_BPSK	23.27	PASS
n7	30	20	502000	50@0	DFT_QPSK	22.96	PASS
n7	30	20	502000	25@12	DFT_QPSK	23.98	PASS
n7	30	20	502000	1@1	DFT_QPSK	23.47	PASS
n7	30	20	502000	1@49	DFT_QPSK	23.37	PASS

n7	30	20	502000	1@1	DFT_QAM16	22.15	PASS
n7	30	20	502000	1@1	DFT_QAM64	20.84	PASS
n7	30	20	502000	1@1	DFT_QAM256	19.29	PASS
n7	30	20	502000	1@1	CP_QPSK	21.89	PASS
n7	30	20	507000	1@1	DFT_BPSK	23.24	PASS
n7	30	20	507000	50@0	DFT_QPSK	22.98	PASS
n7	30	20	507000	25@12	DFT_QPSK	24.00	PASS
n7	30	20	507000	1@1	DFT_QPSK	23.44	PASS
n7	30	20	507000	1@49	DFT_QPSK	23.27	PASS
n7	30	20	507000	1@1	DFT_QAM16	22.12	PASS
n7	30	20	507000	1@1	DFT_QAM64	20.76	PASS
n7	30	20	507000	1@1	DFT_QAM256	19.29	PASS
n7	30	20	507000	1@1	CP_QPSK	21.79	PASS
n7	30	20	512000	1@1	DFT_BPSK	23.08	PASS
n7	30	20	512000	50@0	DFT_QPSK	23.04	PASS
n7	30	20	512000	25@12	DFT_QPSK	23.95	PASS
n7	30	20	512000	1@1	DFT_QPSK	23.21	PASS
n7	30	20	512000	1@49	DFT_QPSK	23.37	PASS
n7	30	20	512000	1@1	DFT_QAM16	21.94	PASS
n7	30	20	512000	1@1	DFT_QAM64	20.57	PASS
n7	30	20	512000	1@1	DFT_QAM256	19.10	PASS
n7	30	20	512000	1@1	CP_QPSK	21.59	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_BPSK	26.17	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_QPSK	25.39	PASS
n78(3450-3550)	30	10	630334	12@6	DFT_QPSK	26.37	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_QPSK	26.27	PASS
n78(3450-3550)	30	10	630334	1@22	DFT_QPSK	26.30	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_QAM16	25.19	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_QAM64	23.52	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_QAM256	21.75	PASS
n78(3450-3550)	30	10	630334	1@1	CP_QPSK	24.78	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_BPSK	26.36	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QPSK	25.49	PASS
n78(3450-3550)	30	10	633334	12@6	DFT_QPSK	26.43	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_QPSK	26.40	PASS
n78(3450-3550)	30	10	633334	1@22	DFT_QPSK	26.26	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_QAM16	25.43	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_QAM64	23.77	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_QAM256	21.95	PASS
n78(3450-3550)	30	10	633334	1@1	CP_QPSK	25.06	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_BPSK	26.52	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_QPSK	25.73	PASS
n78(3450-3550)	30	10	636332	12@6	DFT_QPSK	26.65	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_QPSK	26.53	PASS

n78(3450-3550)	30	10	636332	1@22	DFT_QPSK	26.68	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_QAM16	25.54	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_QAM64	23.87	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_QAM256	22.11	PASS
n78(3450-3550)	30	10	636332	1@1	CP_QPSK	25.21	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_BPSK	26.18	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_QPSK	25.39	PASS
n78(3450-3550)	30	15	630500	18@9	DFT_QPSK	26.39	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_QPSK	26.21	PASS
n78(3450-3550)	30	15	630500	1@36	DFT_QPSK	26.18	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_QAM16	25.21	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_QAM64	23.61	PASS
n78(3450-3550)	30	15	630500	1@1	DFT_QAM256	21.82	PASS
n78(3450-3550)	30	15	630500	1@1	CP_QPSK	24.76	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_BPSK	26.42	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QPSK	25.51	PASS
n78(3450-3550)	30	15	633334	18@9	DFT_QPSK	26.46	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_QPSK	26.47	PASS
n78(3450-3550)	30	15	633334	1@36	DFT_QPSK	26.34	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_QAM16	25.49	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_QAM64	23.84	PASS
n78(3450-3550)	30	15	633334	1@1	DFT_QAM256	22.05	PASS
n78(3450-3550)	30	15	633334	1@1	CP_QPSK	25.03	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_BPSK	26.47	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_QPSK	25.72	PASS
n78(3450-3550)	30	15	636166	18@9	DFT_QPSK	26.65	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_QPSK	26.48	PASS
n78(3450-3550)	30	15	636166	1@36	DFT_QPSK	26.66	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_QAM16	25.47	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_QAM64	23.88	PASS
n78(3450-3550)	30	15	636166	1@1	DFT_QAM256	22.10	PASS
n78(3450-3550)	30	15	636166	1@1	CP_QPSK	25.04	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_BPSK	26.12	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_QPSK	25.40	PASS
n78(3450-3550)	30	20	630668	25@12	DFT_QPSK	26.44	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_QPSK	26.20	PASS
n78(3450-3550)	30	20	630668	1@49	DFT_QPSK	26.15	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_QAM16	25.13	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_QAM64	23.48	PASS
n78(3450-3550)	30	20	630668	1@1	DFT_QAM256	21.75	PASS
n78(3450-3550)	30	20	630668	1@1	CP_QPSK	24.72	PASS
n78(3450-3550)	30	20	633334	1@1	DFT_BPSK	26.39	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QPSK	25.52	PASS
n78(3450-3550)	30	20	633334	25@12	DFT_QPSK	26.47	PASS

n78(3450-3550)	30	20	633334	1@1	DFT_QPSK	26.45	PASS
n78(3450-3550)	30	20	633334	1@49	DFT_QPSK	26.31	PASS
n78(3450-3550)	30	20	633334	1@1	DFT_QAM16	25.35	PASS
n78(3450-3550)	30	20	633334	1@1	DFT_QAM64	23.80	PASS
n78(3450-3550)	30	20	633334	1@1	DFT_QAM256	21.86	PASS
n78(3450-3550)	30	20	633334	1@1	CP_QPSK	24.70	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_BPSK	26.21	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_QPSK	25.68	PASS
n78(3450-3550)	30	20	636000	25@12	DFT_QPSK	26.60	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_QPSK	26.36	PASS
n78(3450-3550)	30	20	636000	1@49	DFT_QPSK	26.39	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_QAM16	24.90	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_QAM64	23.48	PASS
n78(3450-3550)	30	20	636000	1@1	DFT_QAM256	21.52	PASS
n78(3450-3550)	30	20	636000	1@1	CP_QPSK	24.65	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_BPSK	25.29	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_QPSK	25.23	PASS
n78(3450-3550)	30	40	631334	50@25	DFT_QPSK	26.24	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_QPSK	25.25	PASS
n78(3450-3550)	30	40	631334	1@104	DFT_QPSK	25.38	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_QAM16	24.22	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_QAM64	22.66	PASS
n78(3450-3550)	30	40	631334	1@1	DFT_QAM256	20.84	PASS
n78(3450-3550)	30	40	631334	1@1	CP_QPSK	23.86	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_BPSK	25.32	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QPSK	25.37	PASS
n78(3450-3550)	30	40	633334	50@25	DFT_QPSK	26.43	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_QPSK	25.35	PASS
n78(3450-3550)	30	40	633334	1@104	DFT_QPSK	25.50	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_QAM16	24.42	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_QAM64	22.73	PASS
n78(3450-3550)	30	40	633334	1@1	DFT_QAM256	20.92	PASS
n78(3450-3550)	30	40	633334	1@1	CP_QPSK	23.91	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_BPSK	25.46	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_QPSK	25.50	PASS
n78(3450-3550)	30	40	635332	50@25	DFT_QPSK	26.61	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_QPSK	25.45	PASS
n78(3450-3550)	30	40	635332	1@104	DFT_QPSK	25.69	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_QAM16	24.48	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_QAM64	22.83	PASS
n78(3450-3550)	30	40	635332	1@1	DFT_QAM256	21.07	PASS
n78(3450-3550)	30	40	635332	1@1	CP_QPSK	24.05	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_BPSK	25.57	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_QPSK	25.32	PASS

n78(3450-3550)	30	50	631668	64@32	DFT_QPSK	26.34	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_QPSK	25.57	PASS
n78(3450-3550)	30	50	631668	1@131	DFT_QPSK	25.63	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_QAM16	24.52	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_QAM64	22.91	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_QAM256	21.13	PASS
n78(3450-3550)	30	50	631668	1@1	CP_QPSK	24.14	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_BPSK	25.49	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QPSK	25.40	PASS
n78(3450-3550)	30	50	633334	64@32	DFT_QPSK	26.54	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_QPSK	25.46	PASS
n78(3450-3550)	30	50	633334	1@131	DFT_QPSK	25.72	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_QAM16	24.49	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_QAM64	22.91	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_QAM256	21.10	PASS
n78(3450-3550)	30	50	633334	1@1	CP_QPSK	24.12	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_BPSK	25.70	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_QPSK	25.49	PASS
n78(3450-3550)	30	50	635000	64@32	DFT_QPSK	26.64	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_QPSK	25.74	PASS
n78(3450-3550)	30	50	635000	1@131	DFT_QPSK	25.93	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_QAM16	24.72	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_QAM64	23.17	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_QAM256	21.18	PASS
n78(3450-3550)	30	50	635000	1@1	CP_QPSK	24.21	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_BPSK	25.50	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_QPSK	25.34	PASS
n78(3450-3550)	30	60	632000	81@40	DFT_QPSK	26.36	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_QPSK	25.57	PASS
n78(3450-3550)	30	60	632000	1@160	DFT_QPSK	25.54	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_QAM16	24.50	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_QAM64	22.91	PASS
n78(3450-3550)	30	60	632000	1@1	DFT_QAM256	21.02	PASS
n78(3450-3550)	30	60	632000	1@1	CP_QPSK	24.01	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_BPSK	25.35	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QPSK	25.42	PASS
n78(3450-3550)	30	60	633334	81@40	DFT_QPSK	26.50	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_QPSK	25.46	PASS
n78(3450-3550)	30	60	633334	1@160	DFT_QPSK	25.70	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_QAM16	24.47	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_QAM64	22.70	PASS
n78(3450-3550)	30	60	633334	1@1	DFT_QAM256	20.97	PASS
n78(3450-3550)	30	60	633334	1@1	CP_QPSK	23.94	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_BPSK	25.73	PASS

n78(3450-3550)	30	60	634666	162@0	DFT_QPSK	25.52	PASS
n78(3450-3550)	30	60	634666	81@40	DFT_QPSK	26.59	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_QPSK	25.72	PASS
n78(3450-3550)	30	60	634666	1@160	DFT_QPSK	25.84	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_QAM16	24.79	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_QAM64	23.08	PASS
n78(3450-3550)	30	60	634666	1@1	DFT_QAM256	21.32	PASS
n78(3450-3550)	30	60	634666	1@1	CP_QPSK	24.29	PASS
n78(3450-3550)	30	70	632334		DFT_BPSK	23.25	PASS
n78(3450-3550)	30	70	632334		DFT_QPSK	23.25	PASS
n78(3450-3550)	30	70	632334		DFT_QPSK	23.25	PASS
n78(3450-3550)	30	70	632334		DFT_QPSK	23.26	PASS
n78(3450-3550)	30	70	632334		DFT_QPSK	23.25	PASS
n78(3450-3550)	30	70	632334		DFT_QAM16	23.25	PASS
n78(3450-3550)	30	70	632334		DFT_QAM64	23.25	PASS
n78(3450-3550)	30	70	632334		DFT_QAM256	23.26	PASS
n78(3450-3550)	30	70	632334		CP_QPSK	23.26	PASS
n78(3450-3550)	30	70	633334		DFT_BPSK	23.36	PASS
n78(3450-3550)	30	70	633334		DFT_QPSK	23.34	PASS
n78(3450-3550)	30	70	633334		DFT_QPSK	23.34	PASS
n78(3450-3550)	30	70	633334		DFT_QPSK	23.34	PASS
n78(3450-3550)	30	70	633334		DFT_QPSK	23.34	PASS
n78(3450-3550)	30	70	633334		DFT_QAM16	23.35	PASS
n78(3450-3550)	30	70	633334		DFT_QAM64	23.33	PASS
n78(3450-3550)	30	70	633334		DFT_QAM256	23.35	PASS
n78(3450-3550)	30	70	633334		CP_QPSK	23.33	PASS
n78(3450-3550)	30	70	634332		DFT_BPSK	23.48	PASS
n78(3450-3550)	30	70	634332		DFT_QPSK	23.47	PASS
n78(3450-3550)	30	70	634332		DFT_QPSK	23.47	PASS
n78(3450-3550)	30	70	634332		DFT_QPSK	23.45	PASS
n78(3450-3550)	30	70	634332		DFT_QPSK	23.47	PASS
n78(3450-3550)	30	70	634332		DFT_QAM16	23.46	PASS
n78(3450-3550)	30	70	634332		DFT_QAM64	23.47	PASS
n78(3450-3550)	30	70	634332		DFT_QAM256	23.47	PASS
n78(3450-3550)	30	70	634332		CP_QPSK	23.48	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_BPSK	25.26	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_QPSK	25.29	PASS
n78(3450-3550)	30	80	632668	108@54	DFT_QPSK	26.43	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_QPSK	25.22	PASS
n78(3450-3550)	30	80	632668	1@215	DFT_QPSK	25.37	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_QAM16	24.18	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_QAM64	22.79	PASS
n78(3450-3550)	30	80	632668	1@1	DFT_QAM256	20.76	PASS
n78(3450-3550)	30	80	632668	1@1	CP_QPSK	23.91	PASS

n78(3450-3550)	30	80	633334	1@1	DFT_BPSK	25.38	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QPSK	25.32	PASS
n78(3450-3550)	30	80	633334	108@54	DFT_QPSK	26.48	PASS
n78(3450-3550)	30	80	633334	1@1	DFT_QPSK	25.43	PASS
n78(3450-3550)	30	80	633334	1@215	DFT_QPSK	25.46	PASS
n78(3450-3550)	30	80	633334	1@1	DFT_QAM16	24.44	PASS
n78(3450-3550)	30	80	633334	1@1	DFT_QAM64	22.82	PASS
n78(3450-3550)	30	80	633334	1@1	DFT_QAM256	20.91	PASS
n78(3450-3550)	30	80	633334	1@1	CP_QPSK	24.04	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_BPSK	25.17	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_QPSK	25.37	PASS
n78(3450-3550)	30	80	634000	108@54	DFT_QPSK	26.57	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_QPSK	25.25	PASS
n78(3450-3550)	30	80	634000	1@215	DFT_QPSK	25.68	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_QAM16	24.12	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_QAM64	22.49	PASS
n78(3450-3550)	30	80	634000	1@1	DFT_QAM256	20.71	PASS
n78(3450-3550)	30	80	634000	1@1	CP_QPSK	23.82	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_BPSK	25.12	PASS
n78(3450-3550)	30	90	633000	240@0	DFT_QPSK	25.31	PASS
n78(3450-3550)	30	90	633000	120@60	DFT_QPSK	26.40	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_QPSK	25.14	PASS
n78(3450-3550)	30	90	633000	1@243	DFT_QPSK	25.23	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_QAM16	23.97	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_QAM64	22.56	PASS
n78(3450-3550)	30	90	633000	1@1	DFT_QAM256	20.61	PASS
n78(3450-3550)	30	90	633000	1@1	CP_QPSK	23.64	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_BPSK	25.24	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_QPSK	25.35	PASS
n78(3450-3550)	30	90	633334	120@60	DFT_QPSK	26.43	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_QPSK	25.22	PASS
n78(3450-3550)	30	90	633334	1@243	DFT_QPSK	25.32	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_QAM16	24.12	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_QAM64	22.53	PASS
n78(3450-3550)	30	90	633334	1@1	DFT_QAM256	20.77	PASS
n78(3450-3550)	30	90	633334	1@1	CP_QPSK	23.78	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_BPSK	25.26	PASS
n78(3450-3550)	30	90	633666	240@0	DFT_QPSK	25.36	PASS
n78(3450-3550)	30	90	633666	120@60	DFT_QPSK	26.50	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_QPSK	25.20	PASS
n78(3450-3550)	30	90	633666	1@243	DFT_QPSK	25.42	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_QAM16	24.28	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_QAM64	22.61	PASS
n78(3450-3550)	30	90	633666	1@1	DFT_QAM256	20.89	PASS

n78(3450-3550)	30	90	633666	1@1	CP_QPSK	23.83	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_BPSK	25.02	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QPSK	25.26	PASS
n78(3450-3550)	30	100	633334	135@67	DFT_QPSK	26.39	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_QPSK	24.96	PASS
n78(3450-3550)	30	100	633334	1@271	DFT_QPSK	25.26	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_QAM16	24.03	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_QAM64	22.47	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_QAM256	20.60	PASS
n78(3450-3550)	30	100	633334	1@1	CP_QPSK	23.54	PASS

3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n41	30	10	518598	24@0	DFT_BPSK	4.08	13	PASS
n41	30	10	518598	24@0	DFT_QPSK	5.12	13	PASS
n41	30	10	518598	24@0	DFT_QAM16	5.97	13	PASS
n41	30	10	518598	24@0	DFT_QAM64	6.19	13	PASS
n41	30	10	518598	24@0	DFT_QAM256	6.54	13	PASS
n41	30	15	518598	36@0	DFT_BPSK	4.23	13	PASS
n41	30	15	518598	36@0	DFT_QPSK	5.14	13	PASS
n41	30	15	518598	36@0	DFT_QAM16	5.99	13	PASS
n41	30	15	518598	36@0	DFT_QAM64	6.31	13	PASS
n41	30	15	518598	36@0	DFT_QAM256	6.81	13	PASS
n41	30	20	518598	50@0	DFT_BPSK	4.20	13	PASS
n41	30	20	518598	50@0	DFT_QPSK	5.30	13	PASS
n41	30	20	518598	50@0	DFT_QAM16	6.03	13	PASS
n41	30	20	518598	50@0	DFT_QAM64	6.27	13	PASS
n41	30	20	518598	50@0	DFT_QAM256	6.76	13	PASS
n41	30	30	518598	75@0	DFT_BPSK	3.55	13	PASS
n41	30	30	518598	75@0	DFT_QPSK	5.16	13	PASS
n41	30	30	518598	75@0	DFT_QAM16	6.09	13	PASS
n41	30	30	518598	75@0	DFT_QAM64	6.30	13	PASS
n41	30	30	518598	75@0	DFT_QAM256	6.60	13	PASS
n41	30	40	518598	100@0	DFT_BPSK	3.80	13	PASS
n41	30	40	518598	100@0	DFT_QPSK	5.31	13	PASS
n41	30	40	518598	100@0	DFT_QAM16	6.40	13	PASS
n41	30	40	518598	100@0	DFT_QAM64	6.67	13	PASS
n41	30	40	518598	100@0	DFT_QAM256	6.79	13	PASS
n41	30	50	518598	128@0	DFT_BPSK	4.88	13	PASS
n41	30	50	518598	128@0	DFT_QPSK	5.90	13	PASS
n41	30	50	518598	128@0	DFT_QAM16	6.74	13	PASS
n41	30	50	518598	128@0	DFT_QAM64	7.02	13	PASS


n41	30	50	518598	128@0	DFT_QAM256	7.08	13	PASS
n41	30	60	518598	162@0	DFT_BPSK	6.08	13	PASS
n41	30	60	518598	162@0	DFT_QPSK	6.36	13	PASS
n41	30	60	518598	162@0	DFT_QAM16	7.03	13	PASS
n41	30	60	518598	162@0	DFT_QAM64	7.20	13	PASS
n41	30	60	518598	162@0	DFT_QAM256	7.29	13	PASS
n41	30	70	518598		DFT_BPSK	7.40	13	PASS
n41	30	70	518598		DFT_QPSK	7.41	13	PASS
n41	30	70	518598		DFT_QAM16	7.43	13	PASS
n41	30	70	518598		DFT_QAM64	7.44	13	PASS
n41	30	70	518598		DFT_QAM256	7.42	13	PASS
n41	30	80	518598	216@0	DFT_BPSK	5.59	13	PASS
n41	30	80	518598	216@0	DFT_QPSK	6.90	13	PASS
n41	30	80	518598	216@0	DFT_QAM16	7.39	13	PASS
n41	30	80	518598	216@0	DFT_QAM64	7.46	13	PASS
n41	30	80	518598	216@0	DFT_QAM256	7.62	13	PASS
n41	30	90	518598	240@0	DFT_BPSK	5.77	13	PASS
n41	30	90	518598	240@0	DFT_QPSK	6.96	13	PASS
n41	30	90	518598	240@0	DFT_QAM16	7.44	13	PASS
n41	30	90	518598	240@0	DFT_QAM64	7.60	13	PASS
n41	30	90	518598	240@0	DFT_QAM256	7.56	13	PASS
n41	30	100	518598	270@0	DFT_BPSK	6.03	13	PASS
n41	30	100	518598	270@0	DFT_QPSK	7.18	13	PASS
n41	30	100	518598	270@0	DFT_QAM16	7.58	13	PASS
n41	30	100	518598	270@0	DFT_QAM64	7.81	13	PASS
n41	30	100	518598	270@0	DFT_QAM256	7.69	13	PASS
n5	30	10	167300	24@0	DFT_BPSK	4.97	13	PASS
n5	30	10	167300	24@0	DFT_QPSK	5.73	13	PASS
n5	30	10	167300	24@0	DFT_QAM16	6.53	13	PASS
n5	30	10	167300	24@0	DFT_QAM64	6.67	13	PASS
n5	30	10	167300	24@0	DFT_QAM256	6.50	13	PASS
n5	30	15	167300	36@0	DFT_BPSK	4.84	13	PASS
n5	30	15	167300	36@0	DFT_QPSK	5.80	13	PASS
n5	30	15	167300	36@0	DFT_QAM16	6.47	13	PASS
n5	30	15	167300	36@0	DFT_QAM64	6.63	13	PASS
n5	30	15	167300	36@0	DFT_QAM256	6.55	13	PASS
n5	30	20	167300	50@0	DFT_BPSK	4.83	13	PASS
n5	30	20	167300	50@0	DFT_QPSK	5.74	13	PASS
n5	30	20	167300	50@0	DFT_QAM16	6.51	13	PASS
n5	30	20	167300	50@0	DFT_QAM64	6.60	13	PASS
n5	30	20	167300	50@0	DFT_QAM256	6.67	13	PASS
n7	30	10	501000	24@0	DFT_BPSK	4.16	13	PASS
n7	30	10	501000	24@0	DFT_QPSK	5.03	13	PASS
n7	30	10	501000	24@0	DFT_QAM16	5.78	13	PASS

n7	30	10	501000	24@0	DFT_QAM64	6.15	13	PASS
n7	30	10	501000	24@0	DFT_QAM256	6.49	13	PASS
n7	30	10	507000	24@0	DFT_BPSK	4.06	13	PASS
n7	30	10	507000	24@0	DFT_QPSK	4.75	13	PASS
n7	30	10	507000	24@0	DFT_QAM16	5.63	13	PASS
n7	30	10	507000	24@0	DFT_QAM64	5.95	13	PASS
n7	30	10	507000	24@0	DFT_QAM256	6.39	13	PASS
n7	30	10	513000	24@0	DFT_BPSK	4.03	13	PASS
n7	30	10	513000	24@0	DFT_QPSK	4.88	13	PASS
n7	30	10	513000	24@0	DFT_QAM16	5.70	13	PASS
n7	30	10	513000	24@0	DFT_QAM64	5.99	13	PASS
n7	30	10	513000	24@0	DFT_QAM256	6.43	13	PASS
n7	30	15	501500	36@0	DFT_BPSK	4.35	13	PASS
n7	30	15	501500	36@0	DFT_QPSK	5.11	13	PASS
n7	30	15	501500	36@0	DFT_QAM16	5.93	13	PASS
n7	30	15	501500	36@0	DFT_QAM64	6.21	13	PASS
n7	30	15	501500	36@0	DFT_QAM256	6.54	13	PASS
n7	30	15	507000	36@0	DFT_BPSK	4.26	13	PASS
n7	30	15	507000	36@0	DFT_QPSK	4.96	13	PASS
n7	30	15	507000	36@0	DFT_QAM16	5.74	13	PASS
n7	30	15	507000	36@0	DFT_QAM64	6.11	13	PASS
n7	30	15	507000	36@0	DFT_QAM256	6.48	13	PASS
n7	30	15	512500	36@0	DFT_BPSK	4.27	13	PASS
n7	30	15	512500	36@0	DFT_QPSK	5.07	13	PASS
n7	30	15	512500	36@0	DFT_QAM16	5.87	13	PASS
n7	30	15	512500	36@0	DFT_QAM64	6.04	13	PASS
n7	30	15	512500	36@0	DFT_QAM256	6.56	13	PASS
n7	30	20	502000	50@0	DFT_BPSK	4.43	13	PASS
n7	30	20	502000	50@0	DFT_QPSK	5.25	13	PASS
n7	30	20	502000	50@0	DFT_QAM16	6.22	13	PASS
n7	30	20	502000	50@0	DFT_QAM64	6.30	13	PASS
n7	30	20	502000	50@0	DFT_QAM256	6.60	13	PASS
n7	30	20	507000	50@0	DFT_BPSK	4.33	13	PASS
n7	30	20	507000	50@0	DFT_QPSK	5.19	13	PASS
n7	30	20	507000	50@0	DFT_QAM16	6.11	13	PASS
n7	30	20	507000	50@0	DFT_QAM64	6.19	13	PASS
n7	30	20	507000	50@0	DFT_QAM256	6.63	13	PASS
n7	30	20	512000	50@0	DFT_BPSK	4.32	13	PASS
n7	30	20	512000	50@0	DFT_QPSK	5.24	13	PASS
n7	30	20	512000	50@0	DFT_QAM16	6.15	13	PASS
n7	30	20	512000	50@0	DFT_QAM64	6.08	13	PASS
n7	30	20	512000	50@0	DFT_QAM256	6.66	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_BPSK	3.76	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QPSK	4.74	13	PASS


n78(3450-3550)	30	10	633334	24@0	DFT_QAM16	5.66	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QAM64	5.89	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QAM256	6.40	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_BPSK	4.05	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QPSK	4.95	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QAM16	5.68	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QAM64	5.95	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QAM256	6.53	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_BPSK	4.01	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QPSK	5.04	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QAM16	5.85	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QAM64	6.15	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QAM256	6.49	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_BPSK	3.78	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QPSK	5.28	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QAM16	6.42	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QAM64	6.58	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QAM256	6.70	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_BPSK	4.85	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QPSK	5.94	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QAM16	6.80	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QAM64	6.96	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QAM256	6.96	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_BPSK	6.06	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QPSK	6.49	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QAM16	7.03	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QAM64	7.28	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QAM256	7.35	13	PASS
n78(3450-3550)	30	70	633334		DFT_BPSK	7.38	13	PASS
n78(3450-3550)	30	70	633334		DFT_QPSK	7.36	13	PASS
n78(3450-3550)	30	70	633334		DFT_QAM16	7.37	13	PASS
n78(3450-3550)	30	70	633334		DFT_QAM64	7.37	13	PASS
n78(3450-3550)	30	70	633334		DFT_QAM256	7.38	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_BPSK	5.55	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QPSK	6.97	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QAM16	7.29	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QAM64	7.53	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QAM256	7.55	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_BPSK	5.77	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_QPSK	7.11	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_QAM16	7.45	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_QAM64	7.50	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_QAM256	7.62	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_BPSK	6.03	13	PASS

n78(3450-3550)	30	100	633334	270@0	DFT_QPSK	7.13	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QAM16	7.54	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QAM64	7.61	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QAM256	7.77	13	PASS


n41 SCS=30kHz DFT_BPSK BW=10MHz Channel=518598 RB=24@0




n41 SCS=30kHz DFT_QPSK BW=10MHz Channel=518598 RB=24@0




n41 SCS=30kHz DFT_QAM16 BW=10MHz Channel=518598 RB=24@0




n41 SCS=30kHz DFT_QAM64 BW=10MHz Channel=518598 RB=24@0




n41 SCS=30kHz DFT_QAM256 BW=10MHz Channel=518598 RB=24@0




n41 SCS=30kHz DFT_BPSK BW=15MHz Channel=518598 RB=36@0




n41 SCS=30kHz DFT_QPSK BW=15MHz Channel=518598 RB=36@0




n41 SCS=30kHz DFT_QAM16 BW=15MHz Channel=518598 RB=36@0




n41 SCS=30kHz DFT_QAM64 BW=15MHz Channel=518598 RB=36@0




n41 SCS=30kHz DFT_QAM256 BW=15MHz Channel=518598 RB=36@0




n41 SCS=30kHz DFT_BPSK BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QPSK BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QAM16 BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QAM64 BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QAM256 BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_BPSK BW=30MHz Channel=518598 RB=75@0




n41 SCS=30kHz DFT_QPSK BW=30MHz Channel=518598 RB=75@0




n41 SCS=30kHz DFT_QAM16 BW=30MHz Channel=518598 RB=75@0




n41 SCS=30kHz DFT_QAM64 BW=30MHz Channel=518598 RB=75@0




n41 SCS=30kHz DFT_QAM256 BW=30MHz Channel=518598 RB=75@0




n41 SCS=30kHz DFT_BPSK BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_QPSK BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_QAM16 BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_QAM64 BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_QAM256 BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_BPSK BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_QPSK BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_QAM16 BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_QAM64 BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_QAM256 BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_BPSK BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_QPSK BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_QAM16 BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_QAM64 BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_QAM256 BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_BPSK BW=70MHz Channel=518598 RB=




n41 SCS=30kHz DFT_QPSK BW=70MHz Channel=518598 RB=




n41 SCS=30kHz DFT_QAM16 BW=70MHz Channel=518598 RB=




n41 SCS=30kHz DFT_QAM64 BW=70MHz Channel=518598 RB=




n41 SCS=30kHz DFT_QAM256 BW=70MHz Channel=518598 RB=




n41 SCS=30kHz DFT_BPSK BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_QPSK BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_QAM16 BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_QAM64 BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_QAM256 BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_BPSK BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_QPSK BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_QAM16 BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_QAM64 BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_QAM256 BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598 RB=270@0





n41 SCS=30kHz DFT_QPSK BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_QAM16 BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_QAM64 BW=100MHz Channel=518598 RB=270@0







n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QAM16 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QAM64 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QAM256 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_BPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QAM16 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QAM64 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QAM256 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_BPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QAM16 BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QAM64 BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QAM256 BW=20MHz Channel=167300 RB=50@0




n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=501000 RB=24@0




n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=507000 RB=24@0




n7 SCS=30kHz DFT_BPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QPSK BW=10MHz Channel=513000 RB=24@0




n7 SCS=30kHz DFT_QAM16 BW=10MHz Channel=513000 RB=24@0



n7 SCS=30kHz DFT_QAM64 BW=10MHz Channel=513000 RB=24@0



n7 SCS=30kHz DFT_QAM256 BW=10MHz Channel=513000 RB=24@0



n7 SCS=30kHz DFT_BPSK BW=15MHz Channel=501500 RB=36@0