


Annex C. Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.48	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.85	-13	Pass	2985
30	500	0.1	Peak	420.383	-43.05	-13	Pass	4700
500	1000	0.1	Peak	824.265	33.33	-13	NA	5000
1000	10000	1	Peak	9956.995	-23.04	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.55	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.9	-13	Pass	2985
30	500	0.1	Peak	458.791	-43.08	-13	Pass	4700
500	1000	0.1	Peak	836.667	33.14	-13	NA	5000
1000	10000	1	Peak	9803.978	-22.32	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.7	-13	Pass	601
0.15	30	0.01	Peak	0.17	-37.97	-13	Pass	2985
30	500	0.1	Peak	433.286	-41.31	-13	Pass	4700
500	1000	0.1	Peak	848.77	33.42	-13	NA	5000
1000	10000	1	Peak	9856.984	-23.2	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.56	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.83	-13	Pass	2985
30	1000	0.1	Peak	791.879	-47.3	-13	Pass	9700
1000	3000	1	Peak	1850.425	29.28	-13	NA	2000
3000	20000	1	Peak	19015.942	-16.83	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43	-13	Pass	601
0.15	30	0.01	Peak	0.15	-45.4	-13	Pass	2985
30	1000	0.1	Peak	834.983	-47.7	-13	Pass	9700
1000	3000	1	Peak	1879.44	28.98	-13	NA	2000
3000	20000	1	Peak	18864.933	-17.03	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.42	-13	Pass	601
0.15	30	0.01	Peak	0.15	-46.48	-13	Pass	2985
30	1000	0.1	Peak	862.186	-47.53	-13	Pass	9700
1000	3000	1	Peak	1909.455	27.58	-13	NA	2000
3000	20000	1	Peak	18750.927	-17.24	-13	Pass	17000



3. GPRS_GSM850


3.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.21	-13	Pass	601
0.15	30	0.01	Peak	0.15	-35.63	-13	Pass	2985
30	500	0.1	Peak	489.098	-41.97	-13	Pass	4700
500	1000	0.1	Peak	824.165	33.56	-13	NA	5000
1000	10000	1	Peak	9908.99	-21.98	-13	Pass	9000




3.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.93	-13	Pass	2985
30	500	0.1	Peak	436.687	-42.26	-13	Pass	4700
500	1000	0.1	Peak	836.567	33.98	-13	NA	5000
1000	10000	1	Peak	9793.977	-22.04	-13	Pass	9000



3.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.34	-13	Pass	601
0.15	30	0.01	Peak	0.17	-38.19	-13	Pass	2985
30	500	0.1	Peak	413.782	-41.75	-13	Pass	4700
500	1000	0.1	Peak	848.77	34.18	-13	NA	5000
1000	10000	1	Peak	9743.972	-21.85	-13	Pass	9000



4. GPRS_PCS


4.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.12	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.86	-13	Pass	2985
30	1000	0.1	Peak	889.189	-46.09	-13	Pass	9700
1000	3000	1	Peak	1850.425	20.94	-13	NA	2000
3000	20000	1	Peak	18923.937	-16.13	-13	Pass	17000




4.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.66	-13	Pass	601
0.15	30	0.01	Peak	0.16	-44.65	-13	Pass	2985
30	1000	0.1	Peak	950.395	-46.27	-13	Pass	9700
1000	3000	1	Peak	1879.44	19.02	-13	NA	2000
3000	20000	1	Peak	18926.937	-15.97	-13	Pass*	17000



4.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-42.62	-13	Pass	601
0.15	30	0.01	Peak	0.16	-43.81	-13	Pass	2985
30	1000	0.1	Peak	889.289	-46.72	-13	Pass	9700
1000	3000	1	Peak	1910.455	18.91	-13	NA	2000
3000	20000	1	Peak	18877.934	-16.08	-13	Pass	17000



5. EGPRS_GSM850


5.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-36.84	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.72	-13	Pass	2985
30	500	0.1	Peak	470.694	-42.66	-13	Pass	4700
500	1000	0.1	Peak	824.165	29.31	-13	NA	5000
1000	10000	1	Peak	9977.998	-21.62	-13	Pass	9000




5.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.63	-13	Pass	601
0.15	30	0.01	Peak	0.17	-38.51	-13	Pass	2985
30	500	0.1	Peak	464.793	-41.86	-13	Pass	4700
500	1000	0.1	Peak	836.667	27.73	-13	NA	5000
1000	10000	1	Peak	9869.986	-21.24	-13	Pass	9000



5.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.1	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.6	-13	Pass	2985
30	500	0.1	Peak	393.777	-41.85	-13	Pass	4700
500	1000	0.1	Peak	848.77	29.55	-13	NA	5000
1000	10000	1	Peak	9919.991	-21.18	-13	Pass	9000



6. EGPRS_PCS


6.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.95	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.11	-13	Pass	2985
30	1000	0.1	Peak	929.893	-46.58	-13	Pass	9700
1000	3000	1	Peak	1850.425	22.82	-13	NA	2000
3000	20000	1	Peak	19005.942	-15.28	-13	Pass*	17000




6.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.35	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.51	-13	Pass	2985
30	1000	0.1	Peak	949.195	-46.95	-13	Pass	9700
1000	3000	1	Peak	1880.44	22.74	-13	NA	2000
3000	20000	1	Peak	18763.927	-15.09	-13	Pass*	17000



6.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.69	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.07	-13	Pass	2985
30	1000	0.1	Peak	872.087	-45.8	-13	Pass	9700
1000	3000	1	Peak	1909.455	22.33	-13	NA	2000
3000	20000	1	Peak	18958.939	-16.07	-13	Pass	17000



7. WCDMA_Band2


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-48.92	-13	Pass	601
0.15	30	0.01	Peak	0.17	-48.4	-13	Pass	2985
30	1000	0.1	Peak	984.998	-51.55	-13	Pass	9700
1000	3000	1	Peak	1853.427	-18.27	-13	Pass*	2000
3000	20000	1	Peak	18890.935	-20.79	-13	Pass	17000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.88	-13	Pass	601
0.15	30	0.01	Peak	0.15	-50.39	-13	Pass	2985
30	1000	0.1	Peak	993.699	-51.74	-13	Pass	9700
1000	3000	1	Peak	1881.441	-17.51	-13	Pass*	2000
3000	20000	1	Peak	18995.941	-20.52	-13	Pass	17000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.64	-13	Pass	601
0.15	30	0.01	Peak	0.15	-50.36	-13	Pass	2985
30	1000	0.1	Peak	863.086	-51.78	-13	Pass	9700
1000	3000	1	Peak	1906.453	-13.82	-13	Pass*	2000
3000	20000	1	Peak	18933.937	-20.94	-13	Pass	17000



8. WCDMA_Band4


8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2985
30	1000	0.1	RMS	943.194	-62.72	-13	Pass	9700
1000	3000	1	RMS	1712.356	17.76	-13	NA	2000
3000	20000	1	RMS	18920.937	-32.54	-13	Pass	17000




8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.89	-13	Pass	2985
30	1000	0.1	RMS	933.993	-62.71	-13	Pass	9700
1000	3000	1	RMS	1732.366	17.63	-13	NA	2000
3000	20000	1	RMS	18920.937	-32.54	-13	Pass	17000



8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2985
30	1000	0.1	RMS	924.492	-62.71	-13	Pass	9700
1000	3000	1	RMS	1752.376	17.49	-13	NA	2000
3000	20000	1	RMS	18910.936	-32.53	-13	Pass	17000



9. WCDMA_Band5


9.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.4	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.63	-13	Pass	2985
30	500	0.1	Peak	431.986	-53.19	-13	Pass	4700
500	1000	0.1	Peak	827.065	17.53	-13	NA	5000
1000	10000	1	Peak	2448.161	-30.32	-13	Pass	9000




9.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-49.38	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.37	-13	Pass	2985
30	500	0.1	Peak	458.791	-53.03	-13	Pass	4700
500	1000	0.1	Peak	835.167	16.96	-13	NA	5000
1000	10000	1	Peak	2450.161	-32.63	-13	Pass	9000



9.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.86	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.19	-13	Pass	2985
30	500	0.1	Peak	470.394	-53.61	-13	Pass	4700
500	1000	0.1	Peak	845.869	17.82	-13	NA	5000
1000	10000	1	Peak	2446.161	-31.85	-13	Pass	9000



10. LTE_Band2


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2985
30	1000	0.1	RMS	928.793	-62.82	-13	Pass	9700
1000	1840	1	RMS	1840	-51.29	-13	Pass	840
1840	1920	1	RMS	1850.267	22.34	60	Pass	601
1920	3000	1	RMS	2448.489	-35.72	-13	Pass	1080
3000	12000	1	RMS	11979.998	-41.95	-13	Pass	9000
12000	20000	1	RMS	18936.867	-32.54	-13	Pass	8000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.59	-13	Pass	2985
30	1000	0.1	RMS	903.79	-62.62	-13	Pass	9700
1000	1840	1	RMS	1840	-51.31	-13	Pass	840
1840	1920	1	RMS	1850.267	21.43	60	Pass	601
1920	3000	1	RMS	2447.488	-42.43	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.97	-13	Pass	9000
12000	20000	1	RMS	18931.866	-32.51	-13	Pass	8000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2985
30	1000	0.1	RMS	902.79	-62.65	-13	Pass	9700
1000	1840	1	RMS	1840	-51.39	-13	Pass	840
1840	1920	1	RMS	1879.6	22.42	60	Pass	601
1920	3000	1	RMS	2450.491	-38.77	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.92	-13	Pass	9000
12000	20000	1	RMS	18912.864	-32.55	-13	Pass	8000




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2985
30	1000	0.1	RMS	985.999	-62.89	-13	Pass	9700
1000	1840	1	RMS	1840	-51.45	-13	Pass	840
1840	1920	1	RMS	1879.467	21.49	60	Pass	601
1920	3000	1	RMS	2450.491	-37.68	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.96	-13	Pass	9000
12000	20000	1	RMS	18930.866	-32.52	-13	Pass	8000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.29	-13	Pass	2985
30	1000	0.1	RMS	912.391	-62.75	-13	Pass	9700
1000	1840	1	RMS	1831.99	-51	-13	Pass	840
1840	1920	1	RMS	1908.8	22.38	60	Pass	601
1920	3000	1	RMS	2448.489	-43.1	-13	Pass	1080
3000	12000	1	RMS	11996	-41.99	-13	Pass	9000
12000	20000	1	RMS	18921.865	-32.5	-13	Pass	8000




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2985
30	1000	0.1	RMS	941.294	-62.79	-13	Pass	9700
1000	1840	1	RMS	1831.99	-51.1	-13	Pass	840
1840	1920	1	RMS	1908.8	21.57	60	Pass	601
1920	3000	1	RMS	2448.489	-43.75	-13	Pass	1080
3000	12000	1	RMS	11980.998	-42	-13	Pass	9000
12000	20000	1	RMS	18926.866	-32.44	-13	Pass	8000




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.27	-13	Pass	2985
30	1000	0.1	RMS	935.593	-62.77	-13	Pass	9700
1000	1840	1	RMS	1840	-51.33	-13	Pass	840
1840	1920	1	RMS	1850.267	22.27	60	Pass	601
1920	3000	1	RMS	2444.486	-43.52	-13	Pass	1080
3000	12000	1	RMS	11999	-41.93	-13	Pass	9000
12000	20000	1	RMS	18932.867	-32.5	-13	Pass	8000




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.32	-13	Pass	2985
30	1000	0.1	RMS	954.595	-62.81	-13	Pass	9700
1000	1840	1	RMS	1840	-51.32	-13	Pass	840
1840	1920	1	RMS	1850.267	21.4	60	Pass	601
1920	3000	1	RMS	2445.487	-43.18	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.89	-13	Pass	9000
12000	20000	1	RMS	18932.867	-32.51	-13	Pass	8000




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2985
30	1000	0.1	RMS	965.996	-62.83	-13	Pass	9700
1000	1840	1	RMS	1840	-50.09	-13	Pass	840
1840	1920	1	RMS	1878.8	22.42	60	Pass	601
1920	3000	1	RMS	2447.488	-35.3	-13	Pass	1080
3000	12000	1	RMS	11993.999	-41.94	-13	Pass	9000
12000	20000	1	RMS	18917.865	-32.52	-13	Pass	8000




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2985
30	1000	0.1	RMS	904.09	-62.78	-13	Pass	9700
1000	1840	1	RMS	1840	-50.27	-13	Pass	840
1840	1920	1	RMS	1878.8	21.43	60	Pass	601
1920	3000	1	RMS	2443.485	-41.06	-13	Pass	1080
3000	12000	1	RMS	11979.998	-41.96	-13	Pass	9000
12000	20000	1	RMS	18915.864	-32.58	-13	Pass	8000




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.93	-13	Pass	2985
30	1000	0.1	RMS	935.193	-62.82	-13	Pass	9700
1000	1840	1	RMS	1829.988	-51.33	-13	Pass	840
1840	1920	1	RMS	1907.333	22.39	60	Pass	601
1920	3000	1	RMS	2447.488	-43.83	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.88	-13	Pass	9000
12000	20000	1	RMS	18923.865	-32.48	-13	Pass	8000




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.19	-13	Pass	2985
30	1000	0.1	RMS	934.293	-62.8	-13	Pass	9700
1000	1840	1	RMS	1829.988	-51.48	-13	Pass	840
1840	1920	1	RMS	1907.333	21.75	60	Pass	601
1920	3000	1	RMS	2447.488	-43.73	-13	Pass	1080
3000	12000	1	RMS	11976.997	-42	-13	Pass	9000
12000	20000	1	RMS	18915.864	-32.57	-13	Pass	8000




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.47	-13	Pass	2985
30	1000	0.1	RMS	924.492	-62.75	-13	Pass	9700
1000	1840	1	RMS	1840	-51.38	-13	Pass	840
1840	1920	1	RMS	1850.267	22.35	60	Pass	601
1920	3000	1	RMS	2445.487	-41.99	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.9	-13	Pass	9000
12000	20000	1	RMS	18925.866	-32.53	-13	Pass	8000




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2985
30	1000	0.1	RMS	958.396	-62.83	-13	Pass	9700
1000	1840	1	RMS	1840	-51.25	-13	Pass	840
1840	1920	1	RMS	1850.267	21.36	60	Pass	601
1920	3000	1	RMS	2448.489	-33.11	-13	Pass	1080
3000	12000	1	RMS	11984.998	-41.94	-13	Pass	9000
12000	20000	1	RMS	18910.864	-32.51	-13	Pass	8000




10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2985
30	1000	0.1	RMS	934.593	-62.77	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.32	-13	Pass	840
1840	1920	1	RMS	1877.867	22.57	60	Pass	601
1920	3000	1	RMS	2446.487	-36.35	-13	Pass	1080
3000	12000	1	RMS	11988.999	-41.9	-13	Pass	9000
12000	20000	1	RMS	18924.866	-32.54	-13	Pass	8000




10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2985
30	1000	0.1	RMS	950.095	-62.84	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.54	-13	Pass	840
1840	1920	1	RMS	1877.867	21.7	60	Pass	601
1920	3000	1	RMS	2449.49	-35.73	-13	Pass	1080
3000	12000	1	RMS	11976.997	-41.98	-13	Pass	9000
12000	20000	1	RMS	18935.867	-32.58	-13	Pass	8000




10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.01	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.2	-13	Pass	2985
30	1000	0.1	RMS	935.693	-62.77	-13	Pass	9700
1000	1840	1	RMS	1828.987	-51.66	-13	Pass	840
1840	1920	1	RMS	1905.333	22.64	60	Pass	601
1920	3000	1	RMS	2451.492	-42.42	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.95	-13	Pass	9000
12000	20000	1	RMS	18934.867	-32.51	-13	Pass	8000




10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.72	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.69	-13	Pass	2985
30	1000	0.1	RMS	920.192	-62.78	-13	Pass	9700
1000	1840	1	RMS	1840	-51.69	-13	Pass	840
1840	1920	1	RMS	1905.333	21.81	60	Pass	601
1920	3000	1	RMS	2445.487	-34.5	-13	Pass	1080
3000	12000	1	RMS	12000	-41.93	-13	Pass	9000
12000	20000	1	RMS	18940.868	-32.54	-13	Pass	8000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2985
30	1000	0.1	RMS	946.594	-62.84	-13	Pass	9700
1000	1840	1	RMS	1840	-51.15	-13	Pass	840
1840	1920	1	RMS	1850.533	22.58	60	Pass	601
1920	3000	1	RMS	2449.49	-39.25	-13	Pass	1080
3000	12000	1	RMS	11974.997	-41.96	-13	Pass	9000
12000	20000	1	RMS	18910.864	-32.53	-13	Pass	8000




10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.4	-13	Pass	2985
30	1000	0.1	RMS	987.999	-62.7	-13	Pass	9700
1000	1840	1	RMS	1840	-51.21	-13	Pass	840
1840	1920	1	RMS	1850.533	21.77	60	Pass	601
1920	3000	1	RMS	2451.492	-38.42	-13	Pass	1080
3000	12000	1	RMS	11979.998	-42	-13	Pass	9000
12000	20000	1	RMS	18918.865	-32.54	-13	Pass	8000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.37	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.77	-13	Pass	2985
30	1000	0.1	RMS	923.892	-62.78	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.43	-13	Pass	840
1840	1920	1	RMS	1875.6	22.72	60	Pass	601
1920	3000	1	RMS	2443.485	-37.66	-13	Pass	1080
3000	12000	1	RMS	11985.998	-41.85	-13	Pass	9000
12000	20000	1	RMS	18936.867	-32.49	-13	Pass	8000




10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2985
30	1000	0.1	RMS	924.292	-62.89	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.56	-13	Pass	840
1840	1920	1	RMS	1875.6	21.65	60	Pass	601
1920	3000	1	RMS	2446.487	-43.43	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.96	-13	Pass	9000
12000	20000	1	RMS	18929.866	-32.52	-13	Pass	8000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.12	-13	Pass	2985
30	1000	0.1	RMS	938.594	-62.79	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.68	-13	Pass	840
1840	1920	1	RMS	1900.533	22.77	60	Pass	601
1920	3000	1	RMS	2443.485	-41.21	-13	Pass	1080
3000	12000	1	RMS	11999	-41.99	-13	Pass	9000
12000	20000	1	RMS	18939.867	-32.46	-13	Pass	8000




10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2985
30	1000	0.1	RMS	940.494	-62.83	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.77	-13	Pass	840
1840	1920	1	RMS	1900.667	21.84	60	Pass	601
1920	3000	1	RMS	2445.487	-41.9	-13	Pass	1080
3000	12000	1	RMS	11980.998	-41.91	-13	Pass	9000
12000	20000	1	RMS	18928.866	-32.5	-13	Pass	8000




**10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.21	-13	Pass	2985
30	1000	0.1	RMS	935.893	-62.71	-13	Pass	9700
1000	1840	1	RMS	1836.996	-43.75	-13	Pass	840
1840	1920	1	RMS	1850.8	23.06	60	Pass	601
1920	3000	1	RMS	2445.487	-42.15	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.96	-13	Pass	9000
12000	20000	1	RMS	18924.866	-32.53	-13	Pass	8000




10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.1	-13	Pass	2985
30	1000	0.1	RMS	921.692	-62.61	-13	Pass	9700
1000	1840	1	RMS	1836.996	-44.56	-13	Pass	840
1840	1920	1	RMS	1850.8	22.26	60	Pass	601
1920	3000	1	RMS	2444.486	-42.77	-13	Pass	1080
3000	12000	1	RMS	11988.999	-41.95	-13	Pass	9000
12000	20000	1	RMS	18928.866	-32.54	-13	Pass	8000




10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.74	-13	Pass	2985
30	1000	0.1	RMS	932.193	-62.79	-13	Pass	9700
1000	1840	1	RMS	1834.994	-50.91	-13	Pass	840
1840	1920	1	RMS	1873.333	23.14	60	Pass	601
1920	3000	1	RMS	2445.487	-36.43	-13	Pass	1080
3000	12000	1	RMS	11999	-41.96	-13	Pass	9000
12000	20000	1	RMS	18936.867	-32.51	-13	Pass	8000




10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.1	-13	Pass	2985
30	1000	0.1	RMS	947.095	-62.76	-13	Pass	9700
1000	1840	1	RMS	1834.994	-51.06	-13	Pass	840
1840	1920	1	RMS	1873.333	22.07	60	Pass	601
1920	3000	1	RMS	2445.487	-36.54	-13	Pass	1080
3000	12000	1	RMS	11981.998	-41.92	-13	Pass	9000
12000	20000	1	RMS	18930.866	-32.53	-13	Pass	8000




10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.91	-13	Pass	2985
30	1000	0.1	RMS	922.192	-62.88	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.61	-13	Pass	840
1840	1920	1	RMS	1895.733	22.99	60	Pass	601
1920	3000	1	RMS	2444.486	-43.09	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.96	-13	Pass	9000
12000	20000	1	RMS	18935.867	-32.46	-13	Pass	8000




10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.85	-13	Pass	2985
30	1000	0.1	RMS	915.091	-62.86	-13	Pass	9700
1000	1840	1	RMS	1778.927	-51.49	-13	Pass	840
1840	1920	1	RMS	1895.867	22.2	60	Pass	601
1920	3000	1	RMS	2443.485	-40.11	-13	Pass	1080
3000	12000	1	RMS	12000	-41.96	-13	Pass	9000
12000	20000	1	RMS	18927.866	-32.52	-13	Pass	8000




**10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2985
30	1000	0.1	RMS	920.092	-62.64	-13	Pass	9700
1000	1840	1	RMS	1832.992	-45.9	-13	Pass	840
1840	1920	1	RMS	1851.067	23.4	60	Pass	601
1920	3000	1	RMS	2442.484	-42.96	-13	Pass	1080
3000	12000	1	RMS	11984.998	-41.91	-13	Pass	9000
12000	20000	1	RMS	18934.867	-32.53	-13	Pass	8000




10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.58	-13	Pass	2985
30	1000	0.1	RMS	932.193	-62.83	-13	Pass	9700
1000	1840	1	RMS	1832.992	-47.02	-13	Pass	840
1840	1920	1	RMS	1851.067	22.57	60	Pass	601
1920	3000	1	RMS	2446.487	-44.2	-13	Pass	1080
3000	12000	1	RMS	11993.999	-41.99	-13	Pass	9000
12000	20000	1	RMS	18929.866	-32.51	-13	Pass	8000




10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.56	-13	Pass	2985
30	1000	0.1	RMS	978.398	-62.65	-13	Pass	9700
1000	1840	1	RMS	1832.992	-51.35	-13	Pass	840
1840	1920	1	RMS	1871.067	23.31	60	Pass	601
1920	3000	1	RMS	2448.489	-35.91	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.99	-13	Pass	9000
12000	20000	1	RMS	18939.867	-32.54	-13	Pass	8000




10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.25	-13	Pass	2985
30	1000	0.1	RMS	933.393	-62.78	-13	Pass	9700
1000	1840	1	RMS	1832.992	-51.41	-13	Pass	840
1840	1920	1	RMS	1871.2	22.27	60	Pass	601
1920	3000	1	RMS	2443.485	-40.41	-13	Pass	1080
3000	12000	1	RMS	11994.999	-41.91	-13	Pass	9000
12000	20000	1	RMS	18924.866	-32.51	-13	Pass	8000




10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.85	-13	Pass	2985
30	1000	0.1	RMS	971.097	-62.72	-13	Pass	9700
1000	1840	1	RMS	1765.912	-51.66	-13	Pass	840
1840	1920	1	RMS	1891.067	23.38	60	Pass	601
1920	3000	1	RMS	2443.485	-37.31	-13	Pass	1080
3000	12000	1	RMS	11998	-41.94	-13	Pass	9000
12000	20000	1	RMS	18933.867	-32.55	-13	Pass	8000



10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.43	-13	Pass	2985
30	1000	0.1	RMS	922.092	-62.81	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.67	-13	Pass	840
1840	1920	1	RMS	1891.067	22.27	60	Pass	601
1920	3000	1	RMS	2445.487	-42.16	-13	Pass	1080
3000	12000	1	RMS	11980.998	-41.82	-13	Pass	9000
12000	20000	1	RMS	18935.867	-32.55	-13	Pass	8000



11. LTE_Band4


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.83	-13	Pass	2985
30	1000	0.1	RMS	931.293	-62.74	-13	Pass	9700
1000	1700	1	RMS	1700	-51.64	-13	Pass	700
1700	1765	1	RMS	1710.292	22.68	60	Pass	601
1765	3000	1	RMS	2445.551	-42.18	-13	Pass	1235
3000	12000	1	RMS	11991.999	-41.85	-13	Pass	9000
12000	20000	1	RMS	18923.865	-32.44	-13	Pass	8000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58	-13	Pass	2985
30	1000	0.1	RMS	919.292	-62.87	-13	Pass	9700
1000	1700	1	RMS	1700	-51.76	-13	Pass	700
1700	1765	1	RMS	1710.183	21.87	60	Pass	601
1765	3000	1	RMS	2445.551	-34.2	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.89	-13	Pass	9000
12000	20000	1	RMS	18940.868	-32.5	-13	Pass	8000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.45	-13	Pass	2985
30	1000	0.1	RMS	937.294	-62.61	-13	Pass	9700
1000	1700	1	RMS	1693.991	-51.99	-13	Pass	700
1700	1765	1	RMS	1732.067	22.47	60	Pass	601
1765	3000	1	RMS	2449.554	-43.39	-13	Pass	1235
3000	12000	1	RMS	11991.999	-41.93	-13	Pass	9000
12000	20000	1	RMS	18933.867	-32.5	-13	Pass	8000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.85	-13	Pass	2985
30	1000	0.1	RMS	918.592	-62.68	-13	Pass	9700
1000	1700	1	RMS	1626.896	-52	-13	Pass	700
1700	1765	1	RMS	1732.067	21.58	60	Pass	601
1765	3000	1	RMS	2447.553	-34.32	-13	Pass	1235
3000	12000	1	RMS	11980.998	-41.85	-13	Pass	9000
12000	20000	1	RMS	18932.867	-32.48	-13	Pass	8000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.11	-13	Pass	2985
30	1000	0.1	RMS	920.192	-62.61	-13	Pass	9700
1000	1700	1	RMS	1619.886	-52.03	-13	Pass	700
1700	1765	1	RMS	1753.842	22.45	60	Pass	601
1765	3000	1	RMS	2442.549	-40.21	-13	Pass	1235
3000	12000	1	RMS	11988.999	-41.88	-13	Pass	9000
12000	20000	1	RMS	18922.865	-32.42	-13	Pass	8000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2985
30	1000	0.1	RMS	964.496	-62.74	-13	Pass	9700
1000	1700	1	RMS	1693.991	-52.02	-13	Pass	700
1700	1765	1	RMS	1753.842	21.52	60	Pass	601
1765	3000	1	RMS	2445.551	-34.17	-13	Pass	1235
3000	12000	1	RMS	11997	-41.91	-13	Pass	9000
12000	20000	1	RMS	18930.866	-32.44	-13	Pass	8000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2985
30	1000	0.1	RMS	903.29	-62.73	-13	Pass	9700
1000	1700	1	RMS	1700	-51.59	-13	Pass	700
1700	1765	1	RMS	1710.183	22.7	60	Pass	601
1765	3000	1	RMS	2446.552	-43.93	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.83	-13	Pass	9000
12000	20000	1	RMS	18920.865	-32.46	-13	Pass	8000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.44	-13	Pass	2985
30	1000	0.1	RMS	926.592	-62.7	-13	Pass	9700
1000	1700	1	RMS	1700	-51.7	-13	Pass	700
1700	1765	1	RMS	1710.292	21.9	60	Pass	601
1765	3000	1	RMS	2447.553	-43.8	-13	Pass	1235
3000	12000	1	RMS	11984.998	-41.9	-13	Pass	9000
12000	20000	1	RMS	18930.866	-32.52	-13	Pass	8000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	1000	0.1	RMS	953.495	-62.69	-13	Pass	9700
1000	1700	1	RMS	1635.908	-52	-13	Pass	700
1700	1765	1	RMS	1731.2	22.53	60	Pass	601
1765	3000	1	RMS	2445.551	-42.28	-13	Pass	1235
3000	12000	1	RMS	12000	-41.82	-13	Pass	9000
12000	20000	1	RMS	18933.867	-32.48	-13	Pass	8000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.14	-13	Pass	2985
30	1000	0.1	RMS	954.895	-62.71	-13	Pass	9700
1000	1700	1	RMS	1645.923	-52.04	-13	Pass	700
1700	1765	1	RMS	1731.2	21.61	60	Pass	601
1765	3000	1	RMS	2448.553	-43.62	-13	Pass	1235
3000	12000	1	RMS	11985.998	-41.85	-13	Pass	9000
12000	20000	1	RMS	18926.866	-32.48	-13	Pass	8000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.67	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.73	-13	Pass	2985
30	1000	0.1	RMS	920.292	-62.69	-13	Pass	9700
1000	1700	1	RMS	1631.903	-52.02	-13	Pass	700
1700	1765	1	RMS	1752.217	22.51	60	Pass	601
1765	3000	1	RMS	2445.551	-36.23	-13	Pass	1235
3000	12000	1	RMS	11983.998	-41.88	-13	Pass	9000
12000	20000	1	RMS	18928.866	-32.38	-13	Pass	8000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.92	-13	Pass	2985
30	1000	0.1	RMS	930.893	-62.7	-13	Pass	9700
1000	1700	1	RMS	1623.891	-52	-13	Pass	700
1700	1765	1	RMS	1752.217	21.57	60	Pass	601
1765	3000	1	RMS	2449.554	-43.34	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.87	-13	Pass	9000
12000	20000	1	RMS	18928.866	-32.49	-13	Pass	8000




11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2985
30	1000	0.1	RMS	944.394	-62.59	-13	Pass	9700
1000	1700	1	RMS	1700	-51.65	-13	Pass	700
1700	1765	1	RMS	1710.292	22.87	60	Pass	601
1765	3000	1	RMS	2444.55	-35.11	-13	Pass	1235
3000	12000	1	RMS	11992.999	-41.85	-13	Pass	9000
12000	20000	1	RMS	18909.864	-32.43	-13	Pass	8000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2985
30	1000	0.1	RMS	955.695	-62.72	-13	Pass	9700
1000	1700	1	RMS	1700	-51.78	-13	Pass	700
1700	1765	1	RMS	1710.292	22.12	60	Pass	601
1765	3000	1	RMS	2450.555	-37.75	-13	Pass	1235
3000	12000	1	RMS	11988.999	-41.89	-13	Pass	9000
12000	20000	1	RMS	18927.866	-32.46	-13	Pass	8000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.98	-13	Pass	2985
30	1000	0.1	RMS	954.295	-62.58	-13	Pass	9700
1000	1700	1	RMS	1700	-51.93	-13	Pass	700
1700	1765	1	RMS	1730.333	22.67	60	Pass	601
1765	3000	1	RMS	2447.553	-37.99	-13	Pass	1235
3000	12000	1	RMS	11987.999	-41.87	-13	Pass	9000
12000	20000	1	RMS	18933.867	-32.44	-13	Pass	8000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2985
30	1000	0.1	RMS	920.392	-62.68	-13	Pass	9700
1000	1700	1	RMS	1621.888	-51.98	-13	Pass	700
1700	1765	1	RMS	1730.333	21.75	60	Pass	601
1765	3000	1	RMS	2447.553	-42.6	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.83	-13	Pass	9000
12000	20000	1	RMS	18927.866	-32.43	-13	Pass	8000




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.18	-13	Pass	2985
30	1000	0.1	RMS	832.783	-62.74	-13	Pass	9700
1000	1700	1	RMS	1627.897	-52.02	-13	Pass	700
1700	1765	1	RMS	1750.375	22.61	60	Pass	601
1765	3000	1	RMS	2450.555	-44.97	-13	Pass	1235
3000	12000	1	RMS	11989.999	-41.87	-13	Pass	9000
12000	20000	1	RMS	18930.866	-32.48	-13	Pass	8000




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2985
30	1000	0.1	RMS	919.192	-62.68	-13	Pass	9700
1000	1700	1	RMS	1622.89	-51.98	-13	Pass	700
1700	1765	1	RMS	1750.267	21.77	60	Pass	601
1765	3000	1	RMS	2445.551	-36.69	-13	Pass	1235
3000	12000	1	RMS	11985.998	-41.8	-13	Pass	9000
12000	20000	1	RMS	18934.867	-32.36	-13	Pass	8000




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.24	-13	Pass	2985
30	1000	0.1	RMS	920.992	-62.69	-13	Pass	9700
1000	1700	1	RMS	1700	-51.5	-13	Pass	700
1700	1765	1	RMS	1710.617	23.1	60	Pass	601
1765	3000	1	RMS	2445.551	-41.94	-13	Pass	1235
3000	12000	1	RMS	11992.999	-41.88	-13	Pass	9000
12000	20000	1	RMS	18928.866	-32.42	-13	Pass	8000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.3	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.48	-13	Pass	2985
30	1000	0.1	RMS	952.995	-62.58	-13	Pass	9700
1000	1700	1	RMS	1700	-51.72	-13	Pass	700
1700	1765	1	RMS	1710.617	22.35	60	Pass	601
1765	3000	1	RMS	2450.555	-44.54	-13	Pass	1235
3000	12000	1	RMS	11992.999	-41.87	-13	Pass	9000
12000	20000	1	RMS	19009.876	-32.5	-13	Pass	8000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.11	-13	Pass	2985
30	1000	0.1	RMS	924.592	-62.65	-13	Pass	9700
1000	1700	1	RMS	1622.89	-51.9	-13	Pass	700
1700	1765	1	RMS	1728.058	22.97	60	Pass	601
1765	3000	1	RMS	2444.55	-44.64	-13	Pass	1235
3000	12000	1	RMS	11980.998	-41.89	-13	Pass	9000
12000	20000	1	RMS	18922.865	-32.41	-13	Pass	8000




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.64	-13	Pass	2985
30	1000	0.1	RMS	941.994	-62.65	-13	Pass	9700
1000	1700	1	RMS	1643.92	-51.99	-13	Pass	700
1700	1765	1	RMS	1728.058	22.02	60	Pass	601
1765	3000	1	RMS	2451.556	-40.74	-13	Pass	1235
3000	12000	1	RMS	11987.999	-41.9	-13	Pass	9000
12000	20000	1	RMS	18932.867	-32.39	-13	Pass	8000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2985
30	1000	0.1	RMS	932.193	-62.63	-13	Pass	9700
1000	1700	1	RMS	1615.88	-52	-13	Pass	700
1700	1765	1	RMS	1745.5	22.78	60	Pass	601
1765	3000	1	RMS	2450.555	-41.24	-13	Pass	1235
3000	12000	1	RMS	11984.998	-41.83	-13	Pass	9000
12000	20000	1	RMS	18935.867	-32.44	-13	Pass	8000




11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2985
30	1000	0.1	RMS	929.293	-62.67	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.99	-13	Pass	700
1700	1765	1	RMS	1745.608	22.05	60	Pass	601
1765	3000	1	RMS	2444.55	-43.14	-13	Pass	1235
3000	12000	1	RMS	11996	-41.81	-13	Pass	9000
12000	20000	1	RMS	18925.866	-32.45	-13	Pass	8000




11.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.46	-13	Pass	2985
30	1000	0.1	RMS	938.094	-62.69	-13	Pass	9700
1000	1700	1	RMS	1697.997	-48.8	-13	Pass	700
1700	1765	1	RMS	1710.942	23.36	60	Pass	601
1765	3000	1	RMS	2450.555	-44.08	-13	Pass	1235
3000	12000	1	RMS	11983.998	-41.85	-13	Pass	9000
12000	20000	1	RMS	18923.865	-32.43	-13	Pass	8000




11.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2985
30	1000	0.1	RMS	940.194	-62.63	-13	Pass	9700
1000	1700	1	RMS	1697.997	-49.32	-13	Pass	700
1700	1765	1	RMS	1710.725	22.57	60	Pass	601
1765	3000	1	RMS	2444.55	-44.22	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.82	-13	Pass	9000
12000	20000	1	RMS	18929.866	-32.37	-13	Pass	8000




11.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2985
30	1000	0.1	RMS	913.691	-62.62	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.78	-13	Pass	700
1700	1765	1	RMS	1725.783	23.36	60	Pass	601
1765	3000	1	RMS	2443.549	-44.01	-13	Pass	1235
3000	12000	1	RMS	11996	-41.85	-13	Pass	9000
12000	20000	1	RMS	18933.867	-32.47	-13	Pass	8000




11.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2985
30	1000	0.1	RMS	944.594	-62.68	-13	Pass	9700
1000	1700	1	RMS	1700	-51.92	-13	Pass	700
1700	1765	1	RMS	1725.783	22.29	60	Pass	601
1765	3000	1	RMS	2445.551	-43.72	-13	Pass	1235
3000	12000	1	RMS	11998	-41.81	-13	Pass	9000
12000	20000	1	RMS	18934.867	-32.39	-13	Pass	8000




11.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.54	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.63	-13	Pass	2985
30	1000	0.1	RMS	973.297	-62.65	-13	Pass	9700
1000	1700	1	RMS	1648.927	-52.01	-13	Pass	700
1700	1765	1	RMS	1740.842	23.23	60	Pass	601
1765	3000	1	RMS	2444.55	-44.5	-13	Pass	1235
3000	12000	1	RMS	11988.999	-41.87	-13	Pass	9000
12000	20000	1	RMS	18935.867	-32.47	-13	Pass	8000




11.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.31	-13	Pass	2985
30	1000	0.1	RMS	929.493	-62.54	-13	Pass	9700
1000	1700	1	RMS	1633.906	-52.01	-13	Pass	700
1700	1765	1	RMS	1740.842	22.35	60	Pass	601
1765	3000	1	RMS	2449.554	-43.67	-13	Pass	1235
3000	12000	1	RMS	11993.999	-41.82	-13	Pass	9000
12000	20000	1	RMS	18929.866	-32.45	-13	Pass	8000




11.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-13	Pass	2985
30	1000	0.1	RMS	918.792	-62.53	-13	Pass	9700
1000	1700	1	RMS	1700	-50.54	-13	Pass	700
1700	1765	1	RMS	1711.05	23.77	60	Pass	601
1765	3000	1	RMS	2449.554	-43.89	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.9	-13	Pass	9000
12000	20000	1	RMS	18932.867	-32.46	-13	Pass	8000




11.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.55	-13	Pass	2985
30	1000	0.1	RMS	909.891	-62.78	-13	Pass	9700
1000	1700	1	RMS	1700	-50.89	-13	Pass	700
1700	1765	1	RMS	1711.05	22.98	60	Pass	601
1765	3000	1	RMS	2446.552	-43.08	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.95	-13	Pass	9000
12000	20000	1	RMS	18916.865	-32.47	-13	Pass	8000




11.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.72	-13	Pass	2985
30	1000	0.1	RMS	926.492	-62.63	-13	Pass	9700
1000	1700	1	RMS	1693.991	-51.85	-13	Pass	700
1700	1765	1	RMS	1723.617	23.57	60	Pass	601
1765	3000	1	RMS	2446.552	-41.83	-13	Pass	1235
3000	12000	1	RMS	11976.997	-41.87	-13	Pass	9000
12000	20000	1	RMS	18914.864	-32.43	-13	Pass	8000




11.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2985
30	1000	0.1	RMS	914.991	-62.61	-13	Pass	9700
1000	1700	1	RMS	1700	-51.91	-13	Pass	700
1700	1765	1	RMS	1723.617	22.64	60	Pass	601
1765	3000	1	RMS	2451.556	-40.53	-13	Pass	1235
3000	12000	1	RMS	11996	-41.78	-13	Pass	9000
12000	20000	1	RMS	18924.866	-32.49	-13	Pass	8000




11.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2985
30	1000	0.1	RMS	919.792	-62.72	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.66	-13	Pass	700
1700	1765	1	RMS	1736.075	23.39	60	Pass	601
1765	3000	1	RMS	2446.552	-42.28	-13	Pass	1235
3000	12000	1	RMS	11990.999	-41.84	-13	Pass	9000
12000	20000	1	RMS	18932.867	-32.48	-13	Pass	8000



11.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.63	-13	Pass	2985
30	1000	0.1	RMS	921.492	-62.6	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.81	-13	Pass	700
1700	1765	1	RMS	1735.967	22.36	60	Pass	601
1765	3000	1	RMS	2445.551	-41.49	-13	Pass	1235
3000	12000	1	RMS	11987.999	-41.88	-13	Pass	9000
12000	20000	1	RMS	18926.866	-32.48	-13	Pass	8000



12. LTE_Band5


**12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.98	-13	Pass	2985
30	814	0.1	RMS	812.5	-63.01	-13	Pass	7840
814	860	0.1	RMS	824.273	19.79	60	Pass	601
860	1000	0.1	RMS	903.731	-63.03	-13	Pass	1400
1000	3000	1	RMS	2445.723	-47.09	-13	Pass	2000
3000	10000	1	RMS	9809.973	-44.79	-13	Pass	7000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	814	0.1	RMS	804.099	-62.99	-13	Pass	7840
814	860	0.1	RMS	824.273	18.91	60	Pass	601
860	1000	0.1	RMS	955.168	-62.95	-13	Pass	1400
1000	3000	1	RMS	2447.724	-43.72	-13	Pass	2000
3000	10000	1	RMS	9819.974	-44.72	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.93	-13	Pass	2985
30	814	0.1	RMS	800.298	-63.02	-13	Pass	7840
814	860	0.1	RMS	836.08	19.71	60	Pass	601
860	1000	0.1	RMS	897.627	-63.04	-13	Pass	1400
1000	3000	1	RMS	2445.723	-47.14	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.72	-13	Pass	7000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2985
30	814	0.1	RMS	811.8	-62.97	-13	Pass	7840
814	860	0.1	RMS	836.08	18.79	60	Pass	601
860	1000	0.1	RMS	972.881	-63.06	-13	Pass	1400
1000	3000	1	RMS	2449.725	-43.36	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.82	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.04	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.28	-13	Pass	2985
30	814	0.1	RMS	805.699	-62.79	-13	Pass	7840
814	860	0.1	RMS	847.887	19.58	60	Pass	601
860	1000	0.1	RMS	943.36	-63.08	-13	Pass	1400
1000	3000	1	RMS	2447.724	-47.46	-13	Pass	2000
3000	10000	1	RMS	9881.983	-44.82	-13	Pass	7000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2985
30	814	0.1	RMS	812.1	-63.04	-13	Pass	7840
814	860	0.1	RMS	847.887	19.12	60	Pass	601
860	1000	0.1	RMS	921.244	-63.07	-13	Pass	1400
1000	3000	1	RMS	2449.725	-48.09	-13	Pass	2000
3000	10000	1	RMS	9815.974	-44.79	-13	Pass	7000




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.85	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.55	-13	Pass	2985
30	814	0.1	RMS	813.3	-62.94	-13	Pass	7840
814	860	0.1	RMS	824.273	19.67	60	Pass	601
860	1000	0.1	RMS	939.056	-62.98	-13	Pass	1400
1000	3000	1	RMS	2446.723	-47.53	-13	Pass	2000
3000	10000	1	RMS	9813.973	-44.77	-13	Pass	7000




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.55	-13	Pass	2985
30	814	0.1	RMS	801.598	-62.93	-13	Pass	7840
814	860	0.1	RMS	824.273	18.79	60	Pass	601
860	1000	0.1	RMS	952.766	-63.01	-13	Pass	1400
1000	3000	1	RMS	2448.724	-47.47	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.82	-13	Pass	7000




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.64	-13	Pass	2985
30	814	0.1	RMS	799.598	-62.95	-13	Pass	7840
814	860	0.1	RMS	835.237	20.02	60	Pass	601
860	1000	0.1	RMS	923.445	-63	-13	Pass	1400
1000	3000	1	RMS	2447.724	-47.29	-13	Pass	2000
3000	10000	1	RMS	9814.974	-44.74	-13	Pass	7000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2985
30	814	0.1	RMS	813.3	-63.04	-13	Pass	7840
814	860	0.1	RMS	835.237	19.07	60	Pass	601
860	1000	0.1	RMS	949.164	-63.01	-13	Pass	1400
1000	3000	1	RMS	2448.724	-47.37	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.82	-13	Pass	7000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2985
30	814	0.1	RMS	807.299	-62.84	-13	Pass	7840
814	860	0.1	RMS	846.277	20.11	60	Pass	601
860	1000	0.1	RMS	939.357	-62.92	-13	Pass	1400
1000	3000	1	RMS	2446.723	-42.82	-13	Pass	2000
3000	10000	1	RMS	9924.989	-44.8	-13	Pass	7000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.56	-13	Pass	2985
30	814	0.1	RMS	797.298	-63.03	-13	Pass	7840
814	860	0.1	RMS	846.277	19.22	60	Pass	601
860	1000	0.1	RMS	925.247	-63.07	-13	Pass	1400
1000	3000	1	RMS	2447.724	-47.02	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.81	-13	Pass	7000




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.63	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.91	-13	Pass	2985
30	814	0.1	RMS	790.197	-62.96	-13	Pass	7840
814	860	0.1	RMS	824.35	19.81	60	Pass	601
860	1000	0.1	RMS	898.628	-62.99	-13	Pass	1400
1000	3000	1	RMS	2447.724	-41.94	-13	Pass	2000
3000	10000	1	RMS	9807.973	-44.78	-13	Pass	7000




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2985
30	814	0.1	RMS	794.798	-62.9	-13	Pass	7840
814	860	0.1	RMS	824.35	19.06	60	Pass	601
860	1000	0.1	RMS	927.448	-63.06	-13	Pass	1400
1000	3000	1	RMS	2444.722	-47.57	-13	Pass	2000
3000	10000	1	RMS	9812.973	-44.83	-13	Pass	7000




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2985
30	814	0.1	RMS	792.397	-62.86	-13	Pass	7840
814	860	0.1	RMS	834.317	19.64	60	Pass	601
860	1000	0.1	RMS	913.138	-62.75	-13	Pass	1400
1000	3000	1	RMS	2442.721	-45.65	-13	Pass	2000
3000	10000	1	RMS	9930.99	-44.8	-13	Pass	7000




12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2985
30	814	0.1	RMS	808.299	-62.99	-13	Pass	7840
814	860	0.1	RMS	834.317	19.09	60	Pass	601
860	1000	0.1	RMS	979.285	-63.01	-13	Pass	1400
1000	3000	1	RMS	2445.723	-47.03	-13	Pass	2000
3000	10000	1	RMS	9814.974	-44.78	-13	Pass	7000




12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2985
30	814	0.1	RMS	795.798	-62.99	-13	Pass	7840
814	860	0.1	RMS	844.36	19.78	60	Pass	601
860	1000	0.1	RMS	967.877	-62.96	-13	Pass	1400
1000	3000	1	RMS	2442.721	-46.25	-13	Pass	2000
3000	10000	1	RMS	9806.972	-44.82	-13	Pass	7000




12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.68	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.42	-13	Pass	2985
30	814	0.1	RMS	800.598	-62.96	-13	Pass	7840
814	860	0.1	RMS	844.36	19.27	60	Pass	601
860	1000	0.1	RMS	976.483	-63.04	-13	Pass	1400
1000	3000	1	RMS	2449.725	-47.78	-13	Pass	2000
3000	10000	1	RMS	9930.99	-44.79	-13	Pass	7000




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.33	-13	Pass	2985
30	814	0.1	RMS	795.698	-62.9	-13	Pass	7840
814	860	0.1	RMS	824.58	20.11	60	Pass	601
860	1000	0.1	RMS	916.64	-63.02	-13	Pass	1400
1000	3000	1	RMS	2447.724	-47.07	-13	Pass	2000
3000	10000	1	RMS	9926.99	-44.8	-13	Pass	7000




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.82	-13	Pass	2985
30	814	0.1	RMS	811	-62.94	-13	Pass	7840
814	860	0.1	RMS	824.58	19.18	60	Pass	601
860	1000	0.1	RMS	989.292	-63.1	-13	Pass	1400
1000	3000	1	RMS	2450.725	-44.43	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.81	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.17	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.81	-13	Pass	2985
30	814	0.1	RMS	811.5	-62.9	-13	Pass	7840
814	860	0.1	RMS	832.093	19.98	60	Pass	601
860	1000	0.1	RMS	937.856	-63.06	-13	Pass	1400
1000	3000	1	RMS	2448.724	-42.28	-13	Pass	2000
3000	10000	1	RMS	9820.974	-44.82	-13	Pass	7000




12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.67	-13	Pass	2985
30	814	0.1	RMS	804.999	-62.92	-13	Pass	7840
814	860	0.1	RMS	832.093	19	60	Pass	601
860	1000	0.1	RMS	943.66	-62.99	-13	Pass	1400
1000	3000	1	RMS	2450.725	-45.14	-13	Pass	2000
3000	10000	1	RMS	9807.973	-44.81	-13	Pass	7000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2985
30	814	0.1	RMS	811.2	-62.97	-13	Pass	7840
814	860	0.1	RMS	839.607	20.04	60	Pass	601
860	1000	0.1	RMS	918.942	-62.95	-13	Pass	1400
1000	3000	1	RMS	2450.725	-44.24	-13	Pass	2000
3000	10000	1	RMS	9925.989	-44.79	-13	Pass	7000



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.94	-13	Pass	2985
30	814	0.1	RMS	799.198	-62.96	-13	Pass	7840
814	860	0.1	RMS	839.607	19.35	60	Pass	601
860	1000	0.1	RMS	999.4	-63.02	-13	Pass	1400
1000	3000	1	RMS	2444.722	-43.75	-13	Pass	2000
3000	10000	1	RMS	9816.974	-44.8	-13	Pass	7000



13. LTE_Band7


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56	-25	Pass	2985
30	1000	0.1	RMS	921.192	-62.85	-25	Pass	9700
1000	2490	1	RMS	2220.819	-34.06	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.35	60	Pass	601
2580	3000	1	RMS	2780.2	-37.66	-25	Pass	601
3000	12000	1	RMS	11984.998	-52.15	-25	Pass	9000
12000	27000	1	RMS	24912.861	-39.88	-25	Pass	15000




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.73	-25	Pass	2985
30	1000	0.1	RMS	912.691	-62.66	-25	Pass	9700
1000	2490	1	RMS	2220.819	-35.37	-25	Pass	1490
2490	2580	1	RMS	2500.35	20.6	60	Pass	601
2580	3000	1	RMS	2779.5	-38.63	-25	Pass	601
3000	12000	1	RMS	11993.999	-52.14	-25	Pass	9000
12000	27000	1	RMS	24864.858	-39.92	-25	Pass	15000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.38	-25	Pass	2985
30	1000	0.1	RMS	952.995	-62.82	-25	Pass	9700
1000	2490	1	RMS	2247.837	-33.92	-25	Pass	1490
2490	2580	1	RMS	2532.9	20.84	60	Pass	601
2580	3000	1	RMS	2818	-34.91	-25	Pass	601
3000	12000	1	RMS	11988.999	-52.2	-25	Pass	9000
12000	27000	1	RMS	24902.86	-39.95	-25	Pass	15000




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.95	-25	Pass	2985
30	1000	0.1	RMS	926.292	-62.74	-25	Pass	9700
1000	2490	1	RMS	2247.837	-35.54	-25	Pass	1490
2490	2580	1	RMS	2532.9	20.07	60	Pass	601
2580	3000	1	RMS	2817.3	-35.47	-25	Pass	601
3000	12000	1	RMS	11976.997	-52.11	-25	Pass	9000
12000	27000	1	RMS	24906.86	-40	-25	Pass	15000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.97	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.26	-25	Pass	2985
30	1000	0.1	RMS	956.996	-62.6	-25	Pass	9700
1000	2490	1	RMS	2276.857	-34.73	-25	Pass	1490
2490	2580	1	RMS	2565.3	20.85	60	Pass	601
2580	3000	1	RMS	2854.4	-37.38	-25	Pass	601
3000	12000	1	RMS	11998	-52.12	-25	Pass	9000
12000	27000	1	RMS	24902.86	-40.01	-25	Pass	15000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.45	-25	Pass	2985
30	1000	0.1	RMS	946.394	-62.74	-25	Pass	9700
1000	2490	1	RMS	2448.972	-34.76	-25	Pass	1490
2490	2580	1	RMS	2565.45	20.07	60	Pass	601
2580	3000	1	RMS	2854.4	-38.57	-25	Pass	601
3000	12000	1	RMS	11983.998	-52.08	-25	Pass	9000
12000	27000	1	RMS	24899.86	-39.98	-25	Pass	15000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.86	-25	Pass	2985
30	1000	0.1	RMS	909.991	-62.79	-25	Pass	9700
1000	2490	1	RMS	2223.821	-35.9	-25	Pass	1490
2490	2580	1	RMS	2500.5	21.7	60	Pass	601
2580	3000	1	RMS	2777.4	-41.05	-25	Pass	601
3000	12000	1	RMS	11973.997	-52.18	-25	Pass	9000
12000	27000	1	RMS	24856.857	-39.99	-25	Pass	15000




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.62	-25	Pass	2985
30	1000	0.1	RMS	920.492	-62.8	-25	Pass	9700
1000	2490	1	RMS	2447.972	-32.8	-25	Pass	1490
2490	2580	1	RMS	2500.65	20.85	60	Pass	601
2580	3000	1	RMS	2778.1	-39.82	-25	Pass	601
3000	12000	1	RMS	11988.999	-52.1	-25	Pass	9000
12000	27000	1	RMS	24849.857	-40.01	-25	Pass	15000




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.27	-25	Pass	2985
30	1000	0.1	RMS	927.693	-62.7	-25	Pass	9700
1000	2490	1	RMS	2447.972	-32.45	-25	Pass	1490
2490	2580	1	RMS	2530.65	21.17	60	Pass	601
2580	3000	1	RMS	2814.5	-35.06	-25	Pass	601
3000	12000	1	RMS	11990.999	-52.19	-25	Pass	9000
12000	27000	1	RMS	24862.858	-39.92	-25	Pass	15000




13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-25	Pass	2985
30	1000	0.1	RMS	939.394	-62.74	-25	Pass	9700
1000	2490	1	RMS	2246.837	-34.79	-25	Pass	1490
2490	2580	1	RMS	2530.65	20.21	60	Pass	601
2580	3000	1	RMS	2814.5	-35.71	-25	Pass	601
3000	12000	1	RMS	11974.997	-52.12	-25	Pass	9000
12000	27000	1	RMS	24883.859	-39.93	-25	Pass	15000




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.29	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.04	-25	Pass	2985
30	1000	0.1	RMS	917.592	-62.85	-25	Pass	9700
1000	2490	1	RMS	2449.973	-39.68	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.18	60	Pass	601
2580	3000	1	RMS	2843.9	-42.23	-25	Pass	601
3000	12000	1	RMS	11984.998	-52.13	-25	Pass	9000
12000	27000	1	RMS	24893.86	-39.88	-25	Pass	15000




13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-25	Pass	2985
30	1000	0.1	RMS	931.993	-62.78	-25	Pass	9700
1000	2490	1	RMS	2445.97	-40.5	-25	Pass	1490
2490	2580	1	RMS	2560.65	20.2	60	Pass	601
2580	3000	1	RMS	2843.2	-43.14	-25	Pass	601
3000	12000	1	RMS	11978.998	-52.06	-25	Pass	9000
12000	27000	1	RMS	24902.86	-39.92	-25	Pass	15000




13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56	-25	Pass	2985
30	1000	0.1	RMS	921.692	-62.7	-25	Pass	9700
1000	2490	1	RMS	2224.822	-36.09	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.64	60	Pass	601
2580	3000	1	RMS	2778.1	-40.4	-25	Pass	601
3000	12000	1	RMS	11984.998	-52.19	-25	Pass	9000
12000	27000	1	RMS	24911.861	-39.93	-25	Pass	15000




13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-25	Pass	2985
30	1000	0.1	RMS	942.394	-62.66	-25	Pass	9700
1000	2490	1	RMS	2223.821	-35.94	-25	Pass	1490
2490	2580	1	RMS	2500.95	20.86	60	Pass	601
2580	3000	1	RMS	2778.1	-39.84	-25	Pass	601
3000	12000	1	RMS	11986.999	-52.15	-25	Pass	9000
12000	27000	1	RMS	24910.861	-39.92	-25	Pass	15000




13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-25	Pass	2985
30	1000	0.1	RMS	925.092	-62.66	-25	Pass	9700
1000	2490	1	RMS	2244.835	-33.46	-25	Pass	1490
2490	2580	1	RMS	2528.4	21.55	60	Pass	601
2580	3000	1	RMS	2811.7	-35.04	-25	Pass	601
3000	12000	1	RMS	11980.998	-52.19	-25	Pass	9000
12000	27000	1	RMS	24854.857	-40.01	-25	Pass	15000




13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.18	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.28	-25	Pass	2985
30	1000	0.1	RMS	928.193	-62.72	-25	Pass	9700
1000	2490	1	RMS	2244.835	-36.23	-25	Pass	1490
2490	2580	1	RMS	2528.25	20.39	60	Pass	601
2580	3000	1	RMS	2811.7	-36.02	-25	Pass	601
3000	12000	1	RMS	11984.998	-52.05	-25	Pass	9000
12000	27000	1	RMS	24902.86	-39.98	-25	Pass	15000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.8	-25	Pass	2985
30	1000	0.1	RMS	939.194	-62.72	-25	Pass	9700
1000	2490	1	RMS	2445.97	-33.24	-25	Pass	1490
2490	2580	1	RMS	2555.85	21.43	60	Pass	601
2580	3000	1	RMS	2834.1	-47.56	-25	Pass	601
3000	12000	1	RMS	11966.996	-52.14	-25	Pass	9000
12000	27000	1	RMS	24909.861	-39.94	-25	Pass	15000




13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.73	-25	Pass	2985
30	1000	0.1	RMS	942.594	-62.8	-25	Pass	9700
1000	2490	1	RMS	2445.97	-38.93	-25	Pass	1490
2490	2580	1	RMS	2555.85	20.56	60	Pass	601
2580	3000	1	RMS	2832.7	-47.54	-25	Pass	601
3000	12000	1	RMS	11992.999	-52.17	-25	Pass	9000
12000	27000	1	RMS	24853.857	-39.95	-25	Pass	15000




13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.25	-25	Pass	2985
30	1000	0.1	RMS	934.093	-62.67	-25	Pass	9700
1000	2490	1	RMS	2225.823	-36.3	-25	Pass	1490
2490	2580	1	RMS	2501.1	21.98	60	Pass	601
2580	3000	1	RMS	2777.4	-40.82	-25	Pass	601
3000	12000	1	RMS	12000	-52.16	-25	Pass	9000
12000	27000	1	RMS	24862.858	-39.99	-25	Pass	15000




13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.63	-25	Pass	2985
30	1000	0.1	RMS	961.096	-62.72	-25	Pass	9700
1000	2490	1	RMS	2225.823	-36.36	-25	Pass	1490
2490	2580	1	RMS	2501.1	21.06	60	Pass	601
2580	3000	1	RMS	2777.4	-41.52	-25	Pass	601
3000	12000	1	RMS	11979.998	-52.12	-25	Pass	9000
12000	27000	1	RMS	24847.857	-39.92	-25	Pass	15000




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.33	-25	Pass	2985
30	1000	0.1	RMS	924.292	-62.79	-25	Pass	9700
1000	2490	1	RMS	2243.835	-34.99	-25	Pass	1490
2490	2580	1	RMS	2526	21.67	60	Pass	601
2580	3000	1	RMS	2808.2	-36.61	-25	Pass	601
3000	12000	1	RMS	11988.999	-52.16	-25	Pass	9000
12000	27000	1	RMS	24866.858	-39.98	-25	Pass	15000




13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.45	-25	Pass	2985
30	1000	0.1	RMS	921.192	-62.65	-25	Pass	9700
1000	2490	1	RMS	2243.835	-36.04	-25	Pass	1490
2490	2580	1	RMS	2526	20.75	60	Pass	601
2580	3000	1	RMS	2808.2	-37.04	-25	Pass	601
3000	12000	1	RMS	11981.998	-52.12	-25	Pass	9000
12000	27000	1	RMS	24887.859	-39.96	-25	Pass	15000




13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.31	-25	Pass	2985
30	1000	0.1	RMS	965.596	-62.68	-25	Pass	9700
1000	2490	1	RMS	2448.972	-41.31	-25	Pass	1490
2490	2580	1	RMS	2551.05	21.59	60	Pass	601
2580	3000	1	RMS	2827.1	-45.27	-25	Pass	601
3000	12000	1	RMS	11988.999	-52.21	-25	Pass	9000
12000	27000	1	RMS	24859.857	-39.99	-25	Pass	15000



13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-25	Pass	2985
30	1000	0.1	RMS	900.99	-62.78	-25	Pass	9700
1000	2490	1	RMS	2274.856	-41.16	-25	Pass	1490
2490	2580	1	RMS	2551.05	20.6	60	Pass	601
2580	3000	1	RMS	2827.1	-42.74	-25	Pass	601
3000	12000	1	RMS	11979.998	-52.15	-25	Pass	9000
12000	27000	1	RMS	24912.861	-39.94	-25	Pass	15000



14. LTE_Band12


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.16	-13	Pass	2985
30	689	0.1	RMS	513.773	-63.58	-13	Pass	6590
689	726	0.1	RMS	699.237	20.06	60	Pass	601
726	1000	0.1	RMS	914.869	-62.74	-13	Pass	2740
1000	3000	1	RMS	2448.724	-43.55	-13	Pass	2000
3000	10000	1	RMS	9802.972	-44.8	-13	Pass	7000




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2985
30	689	0.1	RMS	672.998	-63.83	-13	Pass	6590
689	726	0.1	RMS	699.237	18.86	60	Pass	601
726	1000	0.1	RMS	945.88	-62.9	-13	Pass	2740
1000	3000	1	RMS	2442.721	-45.59	-13	Pass	2000
3000	10000	1	RMS	9816.974	-44.8	-13	Pass	7000




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2985
30	689	0.1	RMS	505.272	-63.66	-13	Pass	6590
689	726	0.1	RMS	707.068	19.98	60	Pass	601
726	1000	0.1	RMS	912.568	-62.55	-13	Pass	2740
1000	3000	1	RMS	2451.726	-45.51	-13	Pass	2000
3000	10000	1	RMS	9922.989	-44.82	-13	Pass	7000




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.74	-13	Pass	2985
30	689	0.1	RMS	512.073	-63.75	-13	Pass	6590
689	726	0.1	RMS	707.068	19.07	60	Pass	601
726	1000	0.1	RMS	924.673	-62.7	-13	Pass	2740
1000	3000	1	RMS	2451.726	-47.1	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.8	-13	Pass	7000




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2985
30	689	0.1	RMS	518.874	-63.66	-13	Pass	6590
689	726	0.1	RMS	714.838	20.1	60	Pass	601
726	1000	0.1	RMS	877.255	-62.58	-13	Pass	2740
1000	3000	1	RMS	2447.724	-41.72	-13	Pass	2000
3000	10000	1	RMS	9927.99	-44.79	-13	Pass	7000




14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.23	-13	Pass	2985
30	689	0.1	RMS	521.775	-63.71	-13	Pass	6590
689	726	0.1	RMS	714.838	19.22	60	Pass	601
726	1000	0.1	RMS	898.863	-62.68	-13	Pass	2740
1000	3000	1	RMS	2446.723	-42.95	-13	Pass	2000
3000	10000	1	RMS	9812.973	-44.82	-13	Pass	7000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2985
30	689	0.1	RMS	485.969	-63.77	-13	Pass	6590
689	726	0.1	RMS	699.237	20.16	60	Pass	601
726	1000	0.1	RMS	867.752	-62.72	-13	Pass	2740
1000	3000	1	RMS	2445.723	-42.48	-13	Pass	2000
3000	10000	1	RMS	9801.972	-44.85	-13	Pass	7000




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2985
30	689	0.1	RMS	515.274	-63.84	-13	Pass	6590
689	726	0.1	RMS	699.237	19.25	60	Pass	601
726	1000	0.1	RMS	852.246	-62.61	-13	Pass	2740
1000	3000	1	RMS	2450.725	-44.84	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.81	-13	Pass	7000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.38	-13	Pass	2985
30	689	0.1	RMS	514.574	-63.55	-13	Pass	6590
689	726	0.1	RMS	706.267	19.97	60	Pass	601
726	1000	0.1	RMS	925.473	-62.6	-13	Pass	2740
1000	3000	1	RMS	2444.722	-43.18	-13	Pass	2000
3000	10000	1	RMS	9817.974	-44.82	-13	Pass	7000




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2985
30	689	0.1	RMS	506.172	-63.77	-13	Pass	6590
689	726	0.1	RMS	706.267	19.08	60	Pass	601
726	1000	0.1	RMS	916.269	-62.83	-13	Pass	2740
1000	3000	1	RMS	2450.725	-44.32	-13	Pass	2000
3000	10000	1	RMS	9927.99	-44.84	-13	Pass	7000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.23	-13	Pass	2985
30	689	0.1	RMS	508.573	-63.65	-13	Pass	6590
689	726	0.1	RMS	713.235	20.16	60	Pass	601
726	1000	0.1	RMS	918.07	-62.53	-13	Pass	2740
1000	3000	1	RMS	2446.723	-42.72	-13	Pass	2000
3000	10000	1	RMS	9799.971	-44.79	-13	Pass	7000




14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2985
30	689	0.1	RMS	504.372	-63.74	-13	Pass	6590
689	726	0.1	RMS	713.235	19.35	60	Pass	601
726	1000	0.1	RMS	910.667	-62.68	-13	Pass	2740
1000	3000	1	RMS	2449.725	-43.42	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.83	-13	Pass	7000




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.25	-13	Pass	2985
30	689	0.1	RMS	498.071	-63.61	-13	Pass	6590
689	726	0.1	RMS	699.36	19.89	60	Pass	601
726	1000	0.1	RMS	819.334	-62.8	-13	Pass	2740
1000	3000	1	RMS	2449.725	-42.74	-13	Pass	2000
3000	10000	1	RMS	9804.972	-44.8	-13	Pass	7000




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2985
30	689	0.1	RMS	501.272	-63.83	-13	Pass	6590
689	726	0.1	RMS	699.36	19.11	60	Pass	601
726	1000	0.1	RMS	892.161	-62.66	-13	Pass	2740
1000	3000	1	RMS	2444.722	-42.12	-13	Pass	2000
3000	10000	1	RMS	9816.974	-44.78	-13	Pass	7000




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2985
30	689	0.1	RMS	507.572	-63.58	-13	Pass	6590
689	726	0.1	RMS	705.342	20.12	60	Pass	601
726	1000	0.1	RMS	903.165	-62.74	-13	Pass	2740
1000	3000	1	RMS	2445.723	-46.96	-13	Pass	2000
3000	10000	1	RMS	9934.991	-44.79	-13	Pass	7000




14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2985
30	689	0.1	RMS	509.273	-63.69	-13	Pass	6590
689	726	0.1	RMS	705.342	19.24	60	Pass	601
726	1000	0.1	RMS	913.368	-62.65	-13	Pass	2740
1000	3000	1	RMS	2450.725	-45	-13	Pass	2000
3000	10000	1	RMS	9918.988	-44.82	-13	Pass	7000




14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.67	-13	Pass	2985
30	689	0.1	RMS	510.973	-63.67	-13	Pass	6590
689	726	0.1	RMS	711.323	19.99	60	Pass	601
726	1000	0.1	RMS	917.27	-62.55	-13	Pass	2740
1000	3000	1	RMS	2450.725	-44.54	-13	Pass	2000
3000	10000	1	RMS	9935.991	-44.81	-13	Pass	7000




14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.07	-13	Pass	2985
30	689	0.1	RMS	509.773	-63.69	-13	Pass	6590
689	726	0.1	RMS	711.323	19.49	60	Pass	601
726	1000	0.1	RMS	920.671	-62.54	-13	Pass	2740
1000	3000	1	RMS	2445.723	-41.54	-13	Pass	2000
3000	10000	1	RMS	9921.989	-44.84	-13	Pass	7000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2985
30	689	0.1	RMS	524.175	-63.76	-13	Pass	6590
689	726	0.1	RMS	699.607	20.02	60	Pass	601
726	1000	0.1	RMS	924.072	-62.64	-13	Pass	2740
1000	3000	1	RMS	2449.725	-42.64	-13	Pass	2000
3000	10000	1	RMS	9919.989	-44.68	-13	Pass	7000




14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57	-13	Pass	2985
30	689	0.1	RMS	506.972	-63.68	-13	Pass	6590
689	726	0.1	RMS	699.607	19.17	60	Pass	601
726	1000	0.1	RMS	864.25	-62.86	-13	Pass	2740
1000	3000	1	RMS	2449.725	-45.26	-13	Pass	2000
3000	10000	1	RMS	9809.973	-44.67	-13	Pass	7000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2985
30	689	0.1	RMS	503.272	-63.73	-13	Pass	6590
689	726	0.1	RMS	703.122	19.87	60	Pass	601
726	1000	0.1	RMS	899.263	-62.67	-13	Pass	2740
1000	3000	1	RMS	2447.724	-47.44	-13	Pass	2000
3000	10000	1	RMS	9920.989	-44.73	-13	Pass	7000




14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2985
30	689	0.1	RMS	688	-63.72	-13	Pass	6590
689	726	0.1	RMS	703.122	19.04	60	Pass	601
726	1000	0.1	RMS	903.565	-62.7	-13	Pass	2740
1000	3000	1	RMS	2446.723	-44.75	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.86	-13	Pass	7000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2985
30	689	0.1	RMS	522.875	-63.64	-13	Pass	6590
689	726	0.1	RMS	706.575	20.08	60	Pass	601
726	1000	0.1	RMS	928.774	-62.67	-13	Pass	2740
1000	3000	1	RMS	2448.724	-42.43	-13	Pass	2000
3000	10000	1	RMS	9822.975	-44.83	-13	Pass	7000



14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2985
30	689	0.1	RMS	501.972	-63.86	-13	Pass	6590
689	726	0.1	RMS	706.575	19.09	60	Pass	601
726	1000	0.1	RMS	907.366	-62.58	-13	Pass	2740
1000	3000	1	RMS	2445.723	-41.71	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.81	-13	Pass	7000



15. LTE_Band41 full


**15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.44	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2985
30	1000	0.1	RMS	929.793	-63	-25	Pass	9700
1000	2486	1	RMS	2188.8	-48.33	-25	Pass	1486
2486	2700	1	RMS	2496.343	18.04	60	Pass	601
2700	3000	1	RMS	2701.5	-48.62	-25	Pass	601
3000	12000	1	RMS	4993.221	-48.15	-25	Pass	9000
12000	27000	1	RMS	24869.858	-60.43	-25	Pass	15000




15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.88	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.7	-25	Pass	2985
30	1000	0.1	RMS	950.995	-62.92	-25	Pass	9700
1000	2486	1	RMS	2188.8	-48.9	-25	Pass	1486
2486	2700	1	RMS	2496.343	17.6	60	Pass	601
2700	3000	1	RMS	2702	-48.65	-25	Pass	601
3000	12000	1	RMS	4992.221	-51.86	-25	Pass	9000
12000	27000	1	RMS	24891.859	-60.5	-25	Pass	15000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.57	-25	Pass	2985
30	1000	0.1	RMS	920.992	-62.82	-25	Pass	9700
1000	2486	1	RMS	2420.956	-49.85	-25	Pass	1486
2486	2700	1	RMS	2591.217	17.38	60	Pass	601
2700	3000	1	RMS	2700	-48.66	-25	Pass	601
3000	12000	1	RMS	5182.242	-69.71	-25	Pass	9000
12000	27000	1	RMS	24889.859	-60.51	-25	Pass	15000




15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.14	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.77	-25	Pass	2985
30	1000	0.1	RMS	906.79	-62.89	-25	Pass	9700
1000	2486	1	RMS	2409.949	-49.82	-25	Pass	1486
2486	2700	1	RMS	2590.86	17.69	60	Pass	601
2700	3000	1	RMS	2706	-48.65	-25	Pass	601
3000	12000	1	RMS	5182.242	-64.16	-25	Pass	9000
12000	27000	1	RMS	24899.86	-60.44	-25	Pass	15000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.38	-25	Pass	2985
30	1000	0.1	RMS	944.094	-62.86	-25	Pass	9700
1000	2486	1	RMS	2434.966	-49.83	-25	Pass	1486
2486	2700	1	RMS	2685.02	17.26	60	Pass	601
2700	3000	1	RMS	2704.5	-47.89	-25	Pass	601
3000	12000	1	RMS	5370.263	-58.39	-25	Pass	9000
12000	27000	1	RMS	24892.86	-60.48	-25	Pass	15000




15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.27	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.02	-25	Pass	2985
30	1000	0.1	RMS	916.491	-62.86	-25	Pass	9700
1000	2486	1	RMS	2440.97	-49.87	-25	Pass	1486
2486	2700	1	RMS	2685.377	17.33	60	Pass	601
2700	3000	1	RMS	2704.5	-48.2	-25	Pass	601
3000	12000	1	RMS	5370.263	-58.99	-25	Pass	9000
12000	27000	1	RMS	24897.86	-60.39	-25	Pass	15000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.07	-25	Pass	2985
30	1000	0.1	RMS	921.092	-62.78	-25	Pass	9700
1000	2486	1	RMS	2476.994	-48.35	-25	Pass	1486
2486	2700	1	RMS	2496.7	18.02	60	Pass	601
2700	3000	1	RMS	2700.5	-48.62	-25	Pass	601
3000	12000	1	RMS	4993.221	-48.03	-25	Pass	9000
12000	27000	1	RMS	24904.86	-60.49	-25	Pass	15000




15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.47	-25	Pass	2985
30	1000	0.1	RMS	976.198	-62.93	-25	Pass	9700
1000	2486	1	RMS	2476.994	-49.26	-25	Pass	1486
2486	2700	1	RMS	2496.7	16.44	60	Pass	601
2700	3000	1	RMS	2705	-48.62	-25	Pass	601
3000	12000	1	RMS	4994.222	-57.62	-25	Pass	9000
12000	27000	1	RMS	24904.86	-60.43	-25	Pass	15000




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.56	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.05	-25	Pass	2985
30	1000	0.1	RMS	929.793	-62.71	-25	Pass	9700
1000	2486	1	RMS	2415.953	-49.79	-25	Pass	1486
2486	2700	1	RMS	2588.72	18.28	60	Pass	601
2700	3000	1	RMS	2703.5	-48.62	-25	Pass	601
3000	12000	1	RMS	5177.242	-62.96	-25	Pass	9000
12000	27000	1	RMS	24910.861	-60.47	-25	Pass	15000




15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.45	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.94	-25	Pass	2985
30	1000	0.1	RMS	917.291	-62.88	-25	Pass	9700
1000	2486	1	RMS	2433.965	-49.82	-25	Pass	1486
2486	2700	1	RMS	2588.363	17.22	60	Pass	601
2700	3000	1	RMS	2703	-48.63	-25	Pass	601
3000	12000	1	RMS	5176.242	-67.45	-25	Pass	9000
12000	27000	1	RMS	24885.859	-60.43	-25	Pass	15000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.05	-25	Pass	2985
30	1000	0.1	RMS	923.692	-62.85	-25	Pass	9700
1000	2486	1	RMS	2447.974	-49.84	-25	Pass	1486
2486	2700	1	RMS	2680.74	17.66	60	Pass	601
2700	3000	1	RMS	2700	-47.92	-25	Pass	601
3000	12000	1	RMS	5361.262	-54.72	-25	Pass	9000
12000	27000	1	RMS	24857.857	-60.47	-25	Pass	15000




15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.06	-25	Pass	2985
30	1000	0.1	RMS	920.192	-62.98	-25	Pass	9700
1000	2486	1	RMS	2415.953	-49.83	-25	Pass	1486
2486	2700	1	RMS	2680.383	17.09	60	Pass	601
2700	3000	1	RMS	2700	-47.72	-25	Pass	601
3000	12000	1	RMS	5361.262	-55.44	-25	Pass	9000
12000	27000	1	RMS	24816.854	-60.55	-25	Pass	15000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-25	Pass	2985
30	1000	0.1	RMS	918.092	-62.81	-25	Pass	9700
1000	2486	1	RMS	2483.999	-39.53	-25	Pass	1486
2486	2700	1	RMS	2496.7	18.15	60	Pass	601
2700	3000	1	RMS	2702.5	-48.57	-25	Pass	601
3000	12000	1	RMS	4994.222	-50.48	-25	Pass	9000
12000	27000	1	RMS	24853.857	-60.43	-25	Pass	15000




15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.28	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.04	-25	Pass	2985
30	1000	0.1	RMS	942.494	-62.82	-25	Pass	9700
1000	2486	1	RMS	2483.999	-42.11	-25	Pass	1486
2486	2700	1	RMS	2496.7	17.42	60	Pass	601
2700	3000	1	RMS	2701.5	-48.58	-25	Pass	601
3000	12000	1	RMS	4993.221	-53.63	-25	Pass	9000
12000	27000	1	RMS	24867.858	-60.47	-25	Pass	15000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.87	-25	Pass	2985
30	1000	0.1	RMS	935.193	-62.87	-25	Pass	9700
1000	2486	1	RMS	2259.848	-49.68	-25	Pass	1486
2486	2700	1	RMS	2586.223	19.03	60	Pass	601
2700	3000	1	RMS	2701	-48.57	-25	Pass	601
3000	12000	1	RMS	7758.529	-68.83	-25	Pass	9000
12000	27000	1	RMS	24908.861	-60.45	-25	Pass	15000




15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.38	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-25	Pass	2985
30	1000	0.1	RMS	934.193	-62.92	-25	Pass	9700
1000	2486	1	RMS	2259.848	-47.36	-25	Pass	1486
2486	2700	1	RMS	2586.223	16.91	60	Pass	601
2700	3000	1	RMS	2700.5	-48.61	-25	Pass	601
3000	12000	1	RMS	5173.241	-68.81	-25	Pass	9000
12000	27000	1	RMS	24905.86	-60.36	-25	Pass	15000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.12	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.11	-25	Pass	2985
30	1000	0.1	RMS	915.491	-62.86	-25	Pass	9700
1000	2486	1	RMS	2483.999	-49.76	-25	Pass	1486
2486	2700	1	RMS	2676.103	17.31	60	Pass	601
2700	3000	1	RMS	2702	-46.98	-25	Pass	601
3000	12000	1	RMS	5352.261	-60.25	-25	Pass	9000
12000	27000	1	RMS	24918.861	-60.42	-25	Pass	15000




15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.33	-25	Pass	2985
30	1000	0.1	RMS	932.693	-62.76	-25	Pass	9700
1000	2486	1	RMS	2404.945	-49.8	-25	Pass	1486
2486	2700	1	RMS	2675.747	17.37	60	Pass	601
2700	3000	1	RMS	2702.5	-46.62	-25	Pass	601
3000	12000	1	RMS	5352.261	-57.21	-25	Pass	9000
12000	27000	1	RMS	24846.856	-60.46	-25	Pass	15000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.74	-25	Pass	2985
30	1000	0.1	RMS	953.095	-62.88	-25	Pass	9700
1000	2486	1	RMS	2479.996	-44.34	-25	Pass	1486
2486	2700	1	RMS	2497.057	18.57	60	Pass	601
2700	3000	1	RMS	2700.5	-48.57	-25	Pass	601
3000	12000	1	RMS	4994.222	-48.45	-25	Pass	9000
12000	27000	1	RMS	24916.861	-60.44	-25	Pass	15000




15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.91	-25	Pass	2985
30	1000	0.1	RMS	953.995	-62.86	-25	Pass	9700
1000	2486	1	RMS	2479.996	-44.92	-25	Pass	1486
2486	2700	1	RMS	2497.057	16.55	60	Pass	601
2700	3000	1	RMS	2702.5	-48.54	-25	Pass	601
3000	12000	1	RMS	4994.222	-48.01	-25	Pass	9000
12000	27000	1	RMS	24884.859	-60.5	-25	Pass	15000




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.57	-25	Pass	2985
30	1000	0.1	RMS	909.691	-62.84	-25	Pass	9700
1000	2486	1	RMS	2258.847	-40.31	-25	Pass	1486
2486	2700	1	RMS	2583.727	17.91	60	Pass	601
2700	3000	1	RMS	2700	-48.57	-25	Pass	601
3000	12000	1	RMS	5168.241	-66.12	-25	Pass	9000
12000	27000	1	RMS	24878.859	-60.38	-25	Pass	15000




15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.93	-25	Pass	2985
30	1000	0.1	RMS	858.885	-62.74	-25	Pass	9700
1000	2486	1	RMS	2259.848	-36.26	-25	Pass	1486
2486	2700	1	RMS	2583.727	17.07	60	Pass	601
2700	3000	1	RMS	2909.5	-47.39	-25	Pass	601
3000	12000	1	RMS	5168.241	-67.55	-25	Pass	9000
12000	27000	1	RMS	24896.86	-60.42	-25	Pass	15000




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.86	-25	Pass	2985
30	1000	0.1	RMS	886.188	-62.84	-25	Pass	9700
1000	2486	1	RMS	2478.995	-49.73	-25	Pass	1486
2486	2700	1	RMS	2671.11	18.49	60	Pass	601
2700	3000	1	RMS	2707	-46.1	-25	Pass	601
3000	12000	1	RMS	5341.26	-58.61	-25	Pass	9000
12000	27000	1	RMS	24918.861	-60.48	-25	Pass	15000



15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.09	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.33	-25	Pass	2985
30	1000	0.1	RMS	920.192	-62.96	-25	Pass	9700
1000	2486	1	RMS	2453.978	-49.86	-25	Pass	1486
2486	2700	1	RMS	2671.11	16.64	60	Pass	601
2700	3000	1	RMS	2707	-46.61	-25	Pass	601
3000	12000	1	RMS	5342.26	-55.71	-25	Pass	9000
12000	27000	1	RMS	24826.855	-60.44	-25	Pass	15000



16. LTE_Band66


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.44	-13	Pass	2985
30	1000	0.1	RMS	911.091	-62.7	-13	Pass	9700
1000	1700	1	RMS	1700	-51.68	-13	Pass	700
1700	1790	1	RMS	1710.35	22.85	60	Pass	601
1790	3000	1	RMS	2451.547	-40.56	-13	Pass	1210
3000	12000	1	RMS	11985.998	-41.92	-13	Pass	9000
12000	20000	1	RMS	18910.864	-32.53	-13	Pass	8000




16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.74	-13	Pass	2985
30	1000	0.1	RMS	916.691	-62.72	-13	Pass	9700
1000	1700	1	RMS	1623.891	-52.18	-13	Pass	700
1700	1790	1	RMS	1710.35	21.99	60	Pass	601
1790	3000	1	RMS	2444.541	-44.85	-13	Pass	1210
3000	12000	1	RMS	11987.999	-41.93	-13	Pass	9000
12000	20000	1	RMS	18919.865	-32.55	-13	Pass	8000




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2985
30	1000	0.1	RMS	915.991	-62.73	-13	Pass	9700
1000	1700	1	RMS	1632.904	-52.09	-13	Pass	700
1700	1790	1	RMS	1742.75	22.4	60	Pass	601
1790	3000	1	RMS	2444.541	-37.59	-13	Pass	1210
3000	12000	1	RMS	11977.998	-41.98	-13	Pass	9000
12000	20000	1	RMS	18913.864	-32.53	-13	Pass	8000




16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.89	-13	Pass	2985
30	1000	0.1	RMS	964.196	-62.72	-13	Pass	9700
1000	1700	1	RMS	1618.884	-52.11	-13	Pass	700
1700	1790	1	RMS	1742.9	21.51	60	Pass	601
1790	3000	1	RMS	2445.542	-41.63	-13	Pass	1210
3000	12000	1	RMS	11985.998	-41.97	-13	Pass	9000
12000	20000	1	RMS	18931.866	-32.57	-13	Pass	8000




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2985
30	1000	0.1	RMS	913.091	-62.67	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.32	-13	Pass	700
1700	1790	1	RMS	1775.3	22.63	60	Pass	601
1790	3000	1	RMS	2451.547	-41.24	-13	Pass	1210
3000	12000	1	RMS	11980.998	-41.96	-13	Pass	9000
12000	20000	1	RMS	18936.867	-32.55	-13	Pass	8000




16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2985
30	1000	0.1	RMS	918.192	-62.77	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.52	-13	Pass	700
1700	1790	1	RMS	1775.3	21.81	60	Pass	601
1790	3000	1	RMS	2446.543	-36.86	-13	Pass	1210
3000	12000	1	RMS	11999	-41.93	-13	Pass	9000
12000	20000	1	RMS	18893.862	-32.57	-13	Pass	8000




16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2985
30	1000	0.1	RMS	915.691	-62.72	-13	Pass	9700
1000	1700	1	RMS	1700	-51.66	-13	Pass	700
1700	1790	1	RMS	1710.65	22.84	60	Pass	601
1790	3000	1	RMS	2447.543	-42	-13	Pass	1210
3000	12000	1	RMS	11989.999	-41.96	-13	Pass	9000
12000	20000	1	RMS	18934.867	-32.56	-13	Pass	8000




16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2985
30	1000	0.1	RMS	918.192	-62.72	-13	Pass	9700
1000	1700	1	RMS	1700	-51.78	-13	Pass	700
1700	1790	1	RMS	1710.65	21.93	60	Pass	601
1790	3000	1	RMS	2448.544	-36.01	-13	Pass	1210
3000	12000	1	RMS	11986.999	-41.99	-13	Pass	9000
12000	20000	1	RMS	18927.866	-32.47	-13	Pass	8000




16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.9	-13	Pass	2985
30	1000	0.1	RMS	911.891	-62.7	-13	Pass	9700
1000	1700	1	RMS	1700	-52.05	-13	Pass	700
1700	1790	1	RMS	1740.65	22.44	60	Pass	601
1790	3000	1	RMS	2445.542	-44.09	-13	Pass	1210
3000	12000	1	RMS	11979.998	-41.97	-13	Pass	9000
12000	20000	1	RMS	18941.868	-32.54	-13	Pass	8000




16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2985
30	1000	0.1	RMS	964.396	-62.73	-13	Pass	9700
1000	1700	1	RMS	1632.904	-52.13	-13	Pass	700
1700	1790	1	RMS	1740.65	21.6	60	Pass	601
1790	3000	1	RMS	2448.544	-42.96	-13	Pass	1210
3000	12000	1	RMS	11982.998	-41.91	-13	Pass	9000
12000	20000	1	RMS	18919.865	-32.51	-13	Pass	8000




16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.4	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.23	-13	Pass	2985
30	1000	0.1	RMS	919.692	-62.75	-13	Pass	9700
1000	1700	1	RMS	1693.991	-52.04	-13	Pass	700
1700	1790	1	RMS	1770.65	22.51	60	Pass	601
1790	3000	1	RMS	2448.544	-44.17	-13	Pass	1210
3000	12000	1	RMS	11983.998	-41.93	-13	Pass	9000
12000	20000	1	RMS	18929.866	-32.55	-13	Pass	8000




16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.11	-13	Pass	2985
30	1000	0.1	RMS	959.296	-62.75	-13	Pass	9700
1000	1700	1	RMS	1618.884	-52.09	-13	Pass	700
1700	1790	1	RMS	1770.5	21.59	60	Pass	601
1790	3000	1	RMS	2442.539	-40.57	-13	Pass	1210
3000	12000	1	RMS	11999	-41.95	-13	Pass	9000
12000	20000	1	RMS	18929.866	-32.49	-13	Pass	8000




16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.46	-13	Pass	2985
30	1000	0.1	RMS	918.692	-62.86	-13	Pass	9700
1000	1700	1	RMS	1696.996	-49.84	-13	Pass	700
1700	1790	1	RMS	1710.8	22.4	60	Pass	601
1790	3000	1	RMS	2449.545	-39.57	-13	Pass	1210
3000	12000	1	RMS	11993.999	-42	-13	Pass	9000
12000	20000	1	RMS	18922.865	-32.59	-13	Pass	8000




16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.92	-13	Pass	2985
30	1000	0.1	RMS	921.892	-62.72	-13	Pass	9700
1000	1700	1	RMS	1697.997	-50.51	-13	Pass	700
1700	1790	1	RMS	1710.8	21.64	60	Pass	601
1790	3000	1	RMS	2446.543	-45.11	-13	Pass	1210
3000	12000	1	RMS	11998	-41.94	-13	Pass	9000
12000	20000	1	RMS	18924.866	-32.48	-13	Pass	8000




16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.18	-13	Pass	601
0.15	30	0.01	RMS	0.17	-56.97	-13	Pass	2985
30	1000	0.1	RMS	937.194	-62.72	-13	Pass	9700
1000	1700	1	RMS	1700	-51.05	-13	Pass	700
1700	1790	1	RMS	1738.25	22.02	60	Pass	601
1790	3000	1	RMS	2446.543	-42.03	-13	Pass	1210
3000	12000	1	RMS	11980.998	-41.95	-13	Pass	9000
12000	20000	1	RMS	18925.866	-32.56	-13	Pass	8000




16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.33	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.44	-13	Pass	2985
30	1000	0.1	RMS	913.091	-62.73	-13	Pass	9700
1000	1700	1	RMS	1700	-51.26	-13	Pass	700
1700	1790	1	RMS	1738.4	20.94	60	Pass	601
1790	3000	1	RMS	2445.542	-34.06	-13	Pass	1210
3000	12000	1	RMS	11980.998	-41.93	-13	Pass	9000
12000	20000	1	RMS	18934.867	-32.53	-13	Pass	8000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.57	-13	Pass	2985
30	1000	0.1	RMS	906.39	-62.81	-13	Pass	9700
1000	1700	1	RMS	1688.984	-52.11	-13	Pass	700
1700	1790	1	RMS	1765.85	22.03	60	Pass	601
1790	3000	1	RMS	2448.544	-42.14	-13	Pass	1210
3000	12000	1	RMS	11992.999	-41.95	-13	Pass	9000
12000	20000	1	RMS	18927.866	-32.56	-13	Pass	8000




16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.15	-13	Pass	2985
30	1000	0.1	RMS	916.991	-62.65	-13	Pass	9700
1000	1700	1	RMS	1624.893	-52.13	-13	Pass	700
1700	1790	1	RMS	1765.85	21.1	60	Pass	601
1790	3000	1	RMS	2447.543	-43.5	-13	Pass	1210
3000	12000	1	RMS	11986.999	-41.97	-13	Pass	9000
12000	20000	1	RMS	18921.865	-32.59	-13	Pass	8000




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.43	-13	Pass	2985
30	1000	0.1	RMS	951.395	-62.7	-13	Pass	9700
1000	1700	1	RMS	1700	-51.47	-13	Pass	700
1700	1790	1	RMS	1711.1	22.45	60	Pass	601
1790	3000	1	RMS	2446.543	-42.62	-13	Pass	1210
3000	12000	1	RMS	11990.999	-41.99	-13	Pass	9000
12000	20000	1	RMS	19009.876	-32.62	-13	Pass	8000




16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2985
30	1000	0.1	RMS	886.088	-62.77	-13	Pass	9700
1000	1700	1	RMS	1700	-51.6	-13	Pass	700
1700	1790	1	RMS	1711.1	21.7	60	Pass	601
1790	3000	1	RMS	2450.546	-37.73	-13	Pass	1210
3000	12000	1	RMS	11999	-41.92	-13	Pass	9000
12000	20000	1	RMS	18927.866	-32.55	-13	Pass	8000




16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.94	-13	Pass	2985
30	1000	0.1	RMS	910.491	-62.66	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.9	-13	Pass	700
1700	1790	1	RMS	1736.15	22.03	60	Pass	601
1790	3000	1	RMS	2450.546	-45.52	-13	Pass	1210
3000	12000	1	RMS	12000	-42.01	-13	Pass	9000
12000	20000	1	RMS	18910.864	-32.59	-13	Pass	8000




16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.54	-13	Pass	2985
30	1000	0.1	RMS	937.494	-62.74	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.96	-13	Pass	700
1700	1790	1	RMS	1736.15	21.08	60	Pass	601
1790	3000	1	RMS	2447.543	-43.57	-13	Pass	1210
3000	12000	1	RMS	11993.999	-41.98	-13	Pass	9000
12000	20000	1	RMS	18925.866	-32.56	-13	Pass	8000



16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2985
30	1000	0.1	RMS	899.09	-62.74	-13	Pass	9700
1000	1700	1	RMS	1629.9	-52.04	-13	Pass	700
1700	1790	1	RMS	1761.05	21.99	60	Pass	601
1790	3000	1	RMS	2445.542	-44.31	-13	Pass	1210
3000	12000	1	RMS	11979.998	-41.98	-13	Pass	9000
12000	20000	1	RMS	18931.866	-32.48	-13	Pass	8000



16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2985
30	1000	0.1	RMS	936.994	-62.61	-13	Pass	9700
1000	1700	1	RMS	1622.89	-52.11	-13	Pass	700
1700	1790	1	RMS	1761.05	21.03	60	Pass	601
1790	3000	1	RMS	2449.545	-44.04	-13	Pass	1210
3000	12000	1	RMS	11980.998	-41.99	-13	Pass	9000
12000	20000	1	RMS	18931.866	-32.53	-13	Pass	8000

