

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.92	-0.60	23.32	<=33.01	Pass
			2	23.97	-0.60	23.37	<=33.01	Pass
			5	23.95	-0.60	23.35	<=33.01	Pass
		3	0	23.91	-0.60	23.31	<=33.01	Pass
			2	23.93	-0.60	23.33	<=33.01	Pass
			3	23.87	-0.60	23.27	<=33.01	Pass
		6	0	22.93	-0.60	22.33	<=33.01	Pass
	1882.5	1	0	23.51	-0.60	22.91	<=33.01	Pass
			2	23.67	-0.60	23.07	<=33.01	Pass
			5	23.68	-0.60	23.08	<=33.01	Pass
		3	0	23.71	-0.60	23.11	<=33.01	Pass
			2	23.71	-0.60	23.11	<=33.01	Pass
			3	23.74	-0.60	23.14	<=33.01	Pass
		6	0	22.71	-0.60	22.11	<=33.01	Pass
	1914.3	1	0	23.49	-0.60	22.89	<=33.01	Pass
			2	23.66	-0.60	23.06	<=33.01	Pass
			5	23.62	-0.60	23.02	<=33.01	Pass
		3	0	23.61	-0.60	23.01	<=33.01	Pass
			2	23.73	-0.60	23.13	<=33.01	Pass
			3	23.63	-0.60	23.03	<=33.01	Pass
		6	0	22.62	-0.60	22.02	<=33.01	Pass
16QAM	1850.7	1	0	21.91	-0.60	21.31	<=33.01	Pass
			2	21.95	-0.60	21.35	<=33.01	Pass
			5	21.89	-0.60	21.29	<=33.01	Pass
		3	0	22.78	-0.60	22.18	<=33.01	Pass
			2	22.80	-0.60	22.20	<=33.01	Pass
			3	22.76	-0.60	22.16	<=33.01	Pass
		6	0	22.01	-0.60	21.41	<=33.01	Pass
	1882.5	1	0	22.49	-0.60	21.89	<=33.01	Pass
			2	22.50	-0.60	21.90	<=33.01	Pass
			5	22.51	-0.60	21.91	<=33.01	Pass
		3	0	22.89	-0.60	22.29	<=33.01	Pass
			2	22.92	-0.60	22.32	<=33.01	Pass
			3	22.91	-0.60	22.31	<=33.01	Pass
		6	0	21.78	-0.60	21.18	<=33.01	Pass
	1914.3	1	0	22.14	-0.60	21.54	<=33.01	Pass
			2	22.23	-0.60	21.63	<=33.01	Pass
			5	22.23	-0.60	21.63	<=33.01	Pass
		3	0	22.45	-0.60	21.85	<=33.01	Pass
			2	22.57	-0.60	21.97	<=33.01	Pass
			3	22.53	-0.60	21.93	<=33.01	Pass
		6	0	21.75	-0.60	21.15	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.93	-0.60	23.33	<=33.01	Pass
			7	23.99	-0.60	23.39	<=33.01	Pass
			14	23.91	-0.60	23.31	<=33.01	Pass
		8	0	22.94	-0.60	22.34	<=33.01	Pass
			4	22.91	-0.60	22.31	<=33.01	Pass
			7	22.83	-0.60	22.23	<=33.01	Pass
		15	0	22.87	-0.60	22.27	<=33.01	Pass
	1882.5	1	0	23.67	-0.60	23.07	<=33.01	Pass
			7	23.59	-0.60	22.99	<=33.01	Pass
			14	23.59	-0.60	22.99	<=33.01	Pass
		8	0	22.77	-0.60	22.17	<=33.01	Pass
			4	22.76	-0.60	22.16	<=33.01	Pass
			7	22.66	-0.60	22.06	<=33.01	Pass
		15	0	22.71	-0.60	22.11	<=33.01	Pass
	1913.5	1	0	23.57	-0.60	22.97	<=33.01	Pass
			7	23.46	-0.60	22.86	<=33.01	Pass
			14	23.58	-0.60	22.98	<=33.01	Pass
		8	0	22.58	-0.60	21.98	<=33.01	Pass
			4	22.58	-0.60	21.98	<=33.01	Pass
			7	22.62	-0.60	22.02	<=33.01	Pass
		15	0	22.45	-0.60	21.85	<=33.01	Pass
16QAM	1851.5	1	0	21.92	-0.60	21.32	<=33.01	Pass
			7	21.90	-0.60	21.30	<=33.01	Pass
			14	21.89	-0.60	21.29	<=33.01	Pass
		8	0	22.25	-0.60	21.65	<=33.01	Pass
			4	22.24	-0.60	21.64	<=33.01	Pass
			7	22.26	-0.60	21.66	<=33.01	Pass
		15	0	22.07	-0.60	21.47	<=33.01	Pass
	1882.5	1	0	22.52	-0.60	21.92	<=33.01	Pass
			7	22.71	-0.60	22.11	<=33.01	Pass
			14	22.68	-0.60	22.08	<=33.01	Pass
		8	0	21.88	-0.60	21.28	<=33.01	Pass
			4	21.87	-0.60	21.27	<=33.01	Pass
			7	21.79	-0.60	21.19	<=33.01	Pass
		15	0	21.82	-0.60	21.22	<=33.01	Pass
	1913.5	1	0	22.27	-0.60	21.67	<=33.01	Pass
			7	22.29	-0.60	21.69	<=33.01	Pass
			14	22.34	-0.60	21.74	<=33.01	Pass
		8	0	21.88	-0.60	21.28	<=33.01	Pass
			4	21.89	-0.60	21.29	<=33.01	Pass
			7	22.01	-0.60	21.41	<=33.01	Pass
		15	0	21.65	-0.60	21.05	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.81	-0.60	23.21	<=33.01	Pass
			13	23.79	-0.60	23.19	<=33.01	Pass
			24	23.83	-0.60	23.23	<=33.01	Pass
		12	0	22.98	-0.60	22.38	<=33.01	Pass
			6	22.95	-0.60	22.35	<=33.01	Pass

16QAM	1882.5	25	13	22.85	-0.60	22.25	<=33.01	Pass
			0	22.91	-0.60	22.31	<=33.01	Pass
			0	23.79	-0.60	23.19	<=33.01	Pass
		1	13	23.79	-0.60	23.19	<=33.01	Pass
			24	23.79	-0.60	23.19	<=33.01	Pass
			0	22.84	-0.60	22.24	<=33.01	Pass
		12	6	22.82	-0.60	22.22	<=33.01	Pass
			13	22.84	-0.60	22.24	<=33.01	Pass
			0	22.78	-0.60	22.18	<=33.01	Pass
		25	0	22.78	-0.60	22.18	<=33.01	Pass
	1912.5	1	0	23.67	-0.60	23.07	<=33.01	Pass
			13	23.62	-0.60	23.02	<=33.01	Pass
			24	23.69	-0.60	23.09	<=33.01	Pass
		12	0	22.56	-0.60	21.96	<=33.01	Pass
			6	22.62	-0.60	22.02	<=33.01	Pass
			13	22.58	-0.60	21.98	<=33.01	Pass
		25	0	22.69	-0.60	22.09	<=33.01	Pass
			0	22.50	-0.60	21.90	<=33.01	Pass
			13	22.46	-0.60	21.86	<=33.01	Pass
			24	22.51	-0.60	21.91	<=33.01	Pass
16QAM	1852.5	1	0	22.05	-0.60	21.45	<=33.01	Pass
			6	21.94	-0.60	21.34	<=33.01	Pass
			13	21.96	-0.60	21.36	<=33.01	Pass
		12	0	22.06	-0.60	21.46	<=33.01	Pass
			0	22.42	-0.60	21.82	<=33.01	Pass
			13	22.42	-0.60	21.82	<=33.01	Pass
		25	24	22.43	-0.60	21.83	<=33.01	Pass
			0	21.86	-0.60	21.26	<=33.01	Pass
			6	21.93	-0.60	21.33	<=33.01	Pass
			13	21.92	-0.60	21.32	<=33.01	Pass
	1882.5	1	0	21.87	-0.60	21.27	<=33.01	Pass
			0	21.37	-0.60	20.77	<=33.01	Pass
			13	21.29	-0.60	20.69	<=33.01	Pass
		12	24	21.41	-0.60	20.81	<=33.01	Pass
			0	21.72	-0.60	21.12	<=33.01	Pass
			6	21.72	-0.60	21.12	<=33.01	Pass
		25	13	21.72	-0.60	21.12	<=33.01	Pass
			0	21.86	-0.60	21.26	<=33.01	Pass
			0	21.86	-0.60	21.26	<=33.01	Pass
			0	21.86	-0.60	21.26	<=33.01	Pass
			0	21.86	-0.60	21.26	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.88	-0.60	23.28	<=33.01	Pass
			25	23.84	-0.60	23.24	<=33.01	Pass
			49	23.85	-0.60	23.25	<=33.01	Pass
		25	0	22.94	-0.60	22.34	<=33.01	Pass
			13	22.96	-0.60	22.36	<=33.01	Pass
			25	22.86	-0.60	22.26	<=33.01	Pass
		50	0	22.91	-0.60	22.31	<=33.01	Pass
			0	23.84	-0.60	23.24	<=33.01	Pass
			25	23.85	-0.60	23.25	<=33.01	Pass
	1882.5	1	49	23.78	-0.60	23.18	<=33.01	Pass
			0	22.78	-0.60	22.18	<=33.01	Pass
			13	22.71	-0.60	22.11	<=33.01	Pass
		25	25	22.77	-0.60	22.17	<=33.01	Pass
			0	22.77	-0.60	22.17	<=33.01	Pass
			0	22.77	-0.60	22.17	<=33.01	Pass
			0	22.77	-0.60	22.17	<=33.01	Pass

16QAM	1910	50	0	22.78	-0.60	22.18	<=33.01	Pass
			0	23.55	-0.60	22.95	<=33.01	Pass
			25	23.57	-0.60	22.97	<=33.01	Pass
			49	23.63	-0.60	23.03	<=33.01	Pass
		25	0	22.60	-0.60	22.00	<=33.01	Pass
			13	22.70	-0.60	22.10	<=33.01	Pass
			25	22.59	-0.60	21.99	<=33.01	Pass
		50	0	22.72	-0.60	22.12	<=33.01	Pass
	1855	1	0	21.90	-0.60	21.30	<=33.01	Pass
			25	21.91	-0.60	21.31	<=33.01	Pass
			49	21.90	-0.60	21.30	<=33.01	Pass
		25	0	22.14	-0.60	21.54	<=33.01	Pass
			13	22.13	-0.60	21.53	<=33.01	Pass
			25	22.12	-0.60	21.52	<=33.01	Pass
		50	0	21.97	-0.60	21.37	<=33.01	Pass
	1882.5	1	0	22.49	-0.60	21.89	<=33.01	Pass
			25	22.42	-0.60	21.82	<=33.01	Pass
			49	22.43	-0.60	21.83	<=33.01	Pass
		25	0	21.97	-0.60	21.37	<=33.01	Pass
			13	21.95	-0.60	21.35	<=33.01	Pass
			25	21.91	-0.60	21.31	<=33.01	Pass
		50	0	21.90	-0.60	21.30	<=33.01	Pass
	1910	1	0	22.38	-0.60	21.78	<=33.01	Pass
			25	22.43	-0.60	21.83	<=33.01	Pass
			49	22.46	-0.60	21.86	<=33.01	Pass
		25	0	21.75	-0.60	21.15	<=33.01	Pass
			13	21.71	-0.60	21.11	<=33.01	Pass
			25	21.73	-0.60	21.13	<=33.01	Pass
		50	0	21.82	-0.60	21.22	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.79	-0.60	23.19	<=33.01	Pass
			38	23.66	-0.60	23.06	<=33.01	Pass
			74	23.64	-0.60	23.04	<=33.01	Pass
		36	0	22.88	-0.60	22.28	<=33.01	Pass
			18	22.84	-0.60	22.24	<=33.01	Pass
			39	22.84	-0.60	22.24	<=33.01	Pass
		75	0	22.90	-0.60	22.30	<=33.01	Pass
	1882.5	1	0	23.79	-0.60	23.19	<=33.01	Pass
			38	23.80	-0.60	23.20	<=33.01	Pass
			74	23.84	-0.60	23.24	<=33.01	Pass
		36	0	22.70	-0.60	22.10	<=33.01	Pass
			18	22.75	-0.60	22.15	<=33.01	Pass
			39	22.70	-0.60	22.10	<=33.01	Pass
		75	0	22.87	-0.60	22.27	<=33.01	Pass
	1907.5	1	0	23.55	-0.60	22.95	<=33.01	Pass
			38	23.55	-0.60	22.95	<=33.01	Pass
			74	23.65	-0.60	23.05	<=33.01	Pass
		36	0	22.68	-0.60	22.08	<=33.01	Pass
			18	22.57	-0.60	21.97	<=33.01	Pass
			39	22.60	-0.60	22.00	<=33.01	Pass
		75	0	22.56	-0.60	21.96	<=33.01	Pass

16QAM	1857.5	1	0	22.63	-0.60	22.03	<=33.01	Pass
			38	22.60	-0.60	22.00	<=33.01	Pass
			74	22.60	-0.60	22.00	<=33.01	Pass
		36	0	21.98	-0.60	21.38	<=33.01	Pass
			18	21.98	-0.60	21.38	<=33.01	Pass
			39	21.92	-0.60	21.32	<=33.01	Pass
		75	0	22.01	-0.60	21.41	<=33.01	Pass
			0	23.13	-0.60	22.53	<=33.01	Pass
			38	23.22	-0.60	22.62	<=33.01	Pass
	1882.5	1	74	23.12	-0.60	22.52	<=33.01	Pass
			0	21.91	-0.60	21.31	<=33.01	Pass
			18	21.93	-0.60	21.33	<=33.01	Pass
		36	39	21.90	-0.60	21.30	<=33.01	Pass
			0	21.84	-0.60	21.24	<=33.01	Pass
			0	22.42	-0.60	21.82	<=33.01	Pass
		75	38	22.43	-0.60	21.83	<=33.01	Pass
			74	22.52	-0.60	21.92	<=33.01	Pass
			0	21.92	-0.60	21.32	<=33.01	Pass
	1907.5	1	18	21.89	-0.60	21.29	<=33.01	Pass
			39	21.88	-0.60	21.28	<=33.01	Pass
			0	21.88	-0.60	21.28	<=33.01	Pass
		36	0	21.88	-0.60	21.28	<=33.01	Pass
			0	21.88	-0.60	21.28	<=33.01	Pass
			0	21.88	-0.60	21.28	<=33.01	Pass
		75	0	21.88	-0.60	21.28	<=33.01	Pass
			0	21.88	-0.60	21.28	<=33.01	Pass
			0	21.88	-0.60	21.28	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	24.01	-0.60	23.41	<=33.01	Pass
			50	23.97	-0.60	23.37	<=33.01	Pass
			99	23.93	-0.60	23.33	<=33.01	Pass
		50	0	22.82	-0.60	22.22	<=33.01	Pass
			25	22.92	-0.60	22.32	<=33.01	Pass
			50	22.83	-0.60	22.23	<=33.01	Pass
		100	0	22.92	-0.60	22.32	<=33.01	Pass
			0	23.76	-0.60	23.16	<=33.01	Pass
			50	23.79	-0.60	23.19	<=33.01	Pass
	1882.5	1	99	23.76	-0.60	23.16	<=33.01	Pass
			0	22.72	-0.60	22.12	<=33.01	Pass
			25	22.69	-0.60	22.09	<=33.01	Pass
		50	50	22.72	-0.60	22.12	<=33.01	Pass
			0	22.75	-0.60	22.15	<=33.01	Pass
			0	23.74	-0.60	23.14	<=33.01	Pass
		100	50	23.74	-0.60	23.14	<=33.01	Pass
			99	23.75	-0.60	23.15	<=33.01	Pass
			0	22.71	-0.60	22.11	<=33.01	Pass
	1905	1	25	22.58	-0.60	21.98	<=33.01	Pass
			50	22.68	-0.60	22.08	<=33.01	Pass
			0	22.62	-0.60	22.02	<=33.01	Pass
		50	0	23.15	-0.60	22.55	<=33.01	Pass
			50	23.15	-0.60	22.55	<=33.01	Pass
			99	23.10	-0.60	22.50	<=33.01	Pass
		100	0	21.93	-0.60	21.33	<=33.01	Pass
			25	21.94	-0.60	21.34	<=33.01	Pass
			50	21.85	-0.60	21.25	<=33.01	Pass
16QAM	1860	1	0	21.93	-0.60	21.33	<=33.01	Pass
			25	21.94	-0.60	21.34	<=33.01	Pass
			50	21.85	-0.60	21.25	<=33.01	Pass
		50	0	21.93	-0.60	21.33	<=33.01	Pass
			0	21.93	-0.60	21.33	<=33.01	Pass
			0	21.93	-0.60	21.33	<=33.01	Pass
	1882.5	1	0	22.27	-0.60	21.67	<=33.01	Pass

		50	50	22.30	-0.60	21.70	<=33.01	Pass
			99	22.22	-0.60	21.62	<=33.01	Pass
			0	21.93	-0.60	21.33	<=33.01	Pass
			25	21.88	-0.60	21.28	<=33.01	Pass
			50	21.82	-0.60	21.22	<=33.01	Pass
	1905	100	0	21.85	-0.60	21.25	<=33.01	Pass
			0	22.18	-0.60	21.58	<=33.01	Pass
		1	50	22.24	-0.60	21.64	<=33.01	Pass
			99	22.09	-0.60	21.49	<=33.01	Pass
			0	21.81	-0.60	21.21	<=33.01	Pass
		50	25	21.78	-0.60	21.18	<=33.01	Pass
			50	21.76	-0.60	21.16	<=33.01	Pass
			0	21.86	-0.60	21.26	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	51.641	0.0279	-2.5 to 2.5	Pass
					3.85	9.370	0.0051	-2.5 to 2.5	Pass
					4.43	-34.146	-0.0185	-2.5 to 2.5	Pass
				-30	3.85	-54.832	-0.0296	-2.5 to 2.5	Pass
				-20	3.85	-25.320	-0.0137	-2.5 to 2.5	Pass
				-10	3.85	-6.938	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-8.254	-0.0045	-2.5 to 2.5	Pass
				10	3.85	-40.383	-0.0218	-2.5 to 2.5	Pass
				30	3.85	-20.671	-0.0112	-2.5 to 2.5	Pass
				40	3.85	-47.264	-0.0255	-2.5 to 2.5	Pass
				50	3.85	-21.973	-0.0119	-2.5 to 2.5	Pass
	1882.5	6	0	20	3.27	30.727	0.0163	-2.5 to 2.5	Pass
					3.85	17.581	0.0093	-2.5 to 2.5	Pass
					4.43	-28.195	-0.0150	-2.5 to 2.5	Pass
				-30	3.85	-28.081	-0.0149	-2.5 to 2.5	Pass
				-20	3.85	-26.622	-0.0141	-2.5 to 2.5	Pass
				-10	3.85	-2.117	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-33.803	-0.0180	-2.5 to 2.5	Pass
				10	3.85	-23.146	-0.0123	-2.5 to 2.5	Pass
				30	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
				40	3.85	-24.004	-0.0128	-2.5 to 2.5	Pass
				50	3.85	-8.540	-0.0045	-2.5 to 2.5	Pass
	1914.3	6	0	20	3.27	32.659	0.0171	-2.5 to 2.5	Pass
					3.85	25.005	0.0131	-2.5 to 2.5	Pass
					4.43	-16.279	-0.0085	-2.5 to 2.5	Pass
				-30	3.85	-19.126	-0.0100	-2.5 to 2.5	Pass
				-20	3.85	10.228	0.0053	-2.5 to 2.5	Pass
				-10	3.85	-17.967	-0.0094	-2.5 to 2.5	Pass
				0	3.85	-7.939	-0.0041	-2.5 to 2.5	Pass
				10	3.85	-26.951	-0.0141	-2.5 to 2.5	Pass
				30	3.85	-47.493	-0.0248	-2.5 to 2.5	Pass
				40	3.85	-11.945	-0.0062	-2.5 to 2.5	Pass

16QAM	1850.7	6	0	50	3.85	-30.270	-0.0158	-2.5 to 2.5	Pass
				20	3.27	-44.546	-0.0241	-2.5 to 2.5	Pass
					3.85	0.000	0.0000	-2.5 to 2.5	Pass
					4.43	1.903	0.0010	-2.5 to 2.5	Pass
				-30	3.85	4.821	0.0026	-2.5 to 2.5	Pass
				-20	3.85	5.565	0.0030	-2.5 to 2.5	Pass
				-10	3.85	2.403	0.0013	-2.5 to 2.5	Pass
				0	3.85	-2.689	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-13.433	-0.0073	-2.5 to 2.5	Pass
				30	3.85	-17.080	-0.0092	-2.5 to 2.5	Pass
				40	3.85	-18.868	-0.0102	-2.5 to 2.5	Pass
				50	3.85	-19.212	-0.0104	-2.5 to 2.5	Pass
	1882.5	6	0	20	3.27	-34.432	-0.0183	-2.5 to 2.5	Pass
					3.85	12.131	0.0064	-2.5 to 2.5	Pass
					4.43	1.588	0.0008	-2.5 to 2.5	Pass
				-30	3.85	-8.698	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-16.522	-0.0088	-2.5 to 2.5	Pass
				-10	3.85	-29.154	-0.0155	-2.5 to 2.5	Pass
				0	3.85	-8.740	-0.0046	-2.5 to 2.5	Pass
				10	3.85	-28.353	-0.0151	-2.5 to 2.5	Pass
				30	3.85	-42.429	-0.0225	-2.5 to 2.5	Pass
				40	3.85	2.532	0.0013	-2.5 to 2.5	Pass
				50	3.85	-13.475	-0.0072	-2.5 to 2.5	Pass
	1914.3	6	0	20	3.27	2.561	0.0013	-2.5 to 2.5	Pass
					3.85	3.963	0.0021	-2.5 to 2.5	Pass
					4.43	16.122	0.0084	-2.5 to 2.5	Pass
				-30	3.85	28.868	0.0151	-2.5 to 2.5	Pass
				-20	3.85	39.139	0.0204	-2.5 to 2.5	Pass
				-10	3.85	-1.945	-0.0010	-2.5 to 2.5	Pass
				0	3.85	0.315	0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.143	-0.0001	-2.5 to 2.5	Pass
				30	3.85	4.306	0.0022	-2.5 to 2.5	Pass
				40	3.85	11.401	0.0060	-2.5 to 2.5	Pass
				50	3.85	20.442	0.0107	-2.5 to 2.5	Pass

2.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-6.423	-0.0035	-2.5 to 2.5	Pass
					3.85	-24.934	-0.0135	-2.5 to 2.5	Pass
					4.43	-44.990	-0.0243	-2.5 to 2.5	Pass
				-30	3.85	-6.151	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-25.692	-0.0139	-2.5 to 2.5	Pass
				-10	3.85	-16.222	-0.0088	-2.5 to 2.5	Pass
				0	3.85	-31.743	-0.0171	-2.5 to 2.5	Pass
				10	3.85	-11.415	-0.0062	-2.5 to 2.5	Pass
				30	3.85	-10.901	-0.0059	-2.5 to 2.5	Pass
				40	3.85	-40.970	-0.0221	-2.5 to 2.5	Pass
				50	3.85	-21.586	-0.0117	-2.5 to 2.5	Pass
	1882.5	15	0	20	3.27	35.949	0.0191	-2.5 to 2.5	Pass
					3.85	21.873	0.0116	-2.5 to 2.5	Pass
					4.43	-19.269	-0.0102	-2.5 to 2.5	Pass
				-30	3.85	-22.058	-0.0117	-2.5 to 2.5	Pass
				-20	3.85	8.383	0.0045	-2.5 to 2.5	Pass
				-10	3.85	-22.402	-0.0119	-2.5 to 2.5	Pass

				0	3.85	-46.077	-0.0245	-2.5 to 2.5	Pass
				10	3.85	-41.814	-0.0222	-2.5 to 2.5	Pass
				30	3.85	-10.757	-0.0057	-2.5 to 2.5	Pass
				40	3.85	-29.011	-0.0154	-2.5 to 2.5	Pass
				50	3.85	-45.562	-0.0242	-2.5 to 2.5	Pass
	1913.5	15	0	20	3.27	39.940	0.0209	-2.5 to 2.5	Pass
					3.85	-14.434	-0.0075	-2.5 to 2.5	Pass
					4.43	-36.893	-0.0193	-2.5 to 2.5	Pass
				-30	3.85	6.766	0.0035	-2.5 to 2.5	Pass
				-20	3.85	-8.240	-0.0043	-2.5 to 2.5	Pass
				-10	3.85	-22.616	-0.0118	-2.5 to 2.5	Pass
				0	3.85	-33.617	-0.0176	-2.5 to 2.5	Pass
				10	3.85	-42.901	-0.0224	-2.5 to 2.5	Pass
				30	3.85	-15.607	-0.0082	-2.5 to 2.5	Pass
				40	3.85	-25.020	-0.0131	-2.5 to 2.5	Pass
				50	3.85	-31.500	-0.0165	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.27	-47.293	-0.0255	-2.5 to 2.5	Pass
					3.85	-50.740	-0.0274	-2.5 to 2.5	Pass
					4.43	-6.895	-0.0037	-2.5 to 2.5	Pass
				-30	3.85	-13.103	-0.0071	-2.5 to 2.5	Pass
				-20	3.85	-16.365	-0.0088	-2.5 to 2.5	Pass
				-10	3.85	-16.880	-0.0091	-2.5 to 2.5	Pass
				0	3.85	-20.900	-0.0113	-2.5 to 2.5	Pass
				10	3.85	-24.619	-0.0133	-2.5 to 2.5	Pass
				30	3.85	-25.935	-0.0140	-2.5 to 2.5	Pass
				40	3.85	-28.424	-0.0154	-2.5 to 2.5	Pass
				50	3.85	-31.314	-0.0169	-2.5 to 2.5	Pass
	1882.5	15	0	20	3.27	-56.190	-0.0298	-2.5 to 2.5	Pass
					3.85	-52.514	-0.0279	-2.5 to 2.5	Pass
					4.43	-52.285	-0.0278	-2.5 to 2.5	Pass
				-30	3.85	-47.307	-0.0251	-2.5 to 2.5	Pass
				-20	3.85	-41.299	-0.0219	-2.5 to 2.5	Pass
				-10	3.85	-39.167	-0.0208	-2.5 to 2.5	Pass
				0	3.85	-35.176	-0.0187	-2.5 to 2.5	Pass
				10	3.85	-34.390	-0.0183	-2.5 to 2.5	Pass
				30	3.85	-31.486	-0.0167	-2.5 to 2.5	Pass
				40	3.85	-29.383	-0.0156	-2.5 to 2.5	Pass
				50	3.85	-31.500	-0.0167	-2.5 to 2.5	Pass
	1913.5	15	0	20	3.27	-37.136	-0.0194	-2.5 to 2.5	Pass
					3.85	-33.488	-0.0175	-2.5 to 2.5	Pass
					4.43	-24.190	-0.0126	-2.5 to 2.5	Pass
				-30	3.85	-11.716	-0.0061	-2.5 to 2.5	Pass
				-20	3.85	-1.044	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	10.457	0.0055	-2.5 to 2.5	Pass
				0	3.85	14.863	0.0078	-2.5 to 2.5	Pass
				10	3.85	16.766	0.0088	-2.5 to 2.5	Pass
				30	3.85	25.578	0.0134	-2.5 to 2.5	Pass
				40	3.85	33.531	0.0175	-2.5 to 2.5	Pass
				50	3.85	42.486	0.0222	-2.5 to 2.5	Pass

2.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-8.883	-0.0048	-2.5 to 2.5	Pass
					3.85	-38.724	-0.0209	-2.5 to 2.5	Pass

					4.43	-30.441	-0.0164	-2.5 to 2.5	Pass
				-30	3.85	-15.693	-0.0085	-2.5 to 2.5	Pass
				-20	3.85	-11.101	-0.0060	-2.5 to 2.5	Pass
				-10	3.85	-49.067	-0.0265	-2.5 to 2.5	Pass
				0	3.85	-44.031	-0.0238	-2.5 to 2.5	Pass
				10	3.85	-40.669	-0.0220	-2.5 to 2.5	Pass
				30	3.85	-17.180	-0.0093	-2.5 to 2.5	Pass
				40	3.85	-19.054	-0.0103	-2.5 to 2.5	Pass
				50	3.85	-44.088	-0.0238	-2.5 to 2.5	Pass
	1882.5	25	0	20	3.27	38.881	0.0207	-2.5 to 2.5	Pass
					3.85	38.223	0.0203	-2.5 to 2.5	Pass
					4.43	1.945	0.0010	-2.5 to 2.5	Pass
				-30	3.85	-35.133	-0.0187	-2.5 to 2.5	Pass
				-20	3.85	-27.452	-0.0146	-2.5 to 2.5	Pass
				-10	3.85	8.454	0.0045	-2.5 to 2.5	Pass
				0	3.85	-15.392	-0.0082	-2.5 to 2.5	Pass
				10	3.85	-38.266	-0.0203	-2.5 to 2.5	Pass
				30	3.85	-23.603	-0.0125	-2.5 to 2.5	Pass
				40	3.85	-38.438	-0.0204	-2.5 to 2.5	Pass
				50	3.85	1.760	0.0009	-2.5 to 2.5	Pass
	1912.5	25	0	20	3.27	26.307	0.0138	-2.5 to 2.5	Pass
					3.85	20.814	0.0109	-2.5 to 2.5	Pass
					4.43	-5.922	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-30.313	-0.0158	-2.5 to 2.5	Pass
				-20	3.85	0.801	0.0004	-2.5 to 2.5	Pass
				-10	3.85	-17.266	-0.0090	-2.5 to 2.5	Pass
				0	3.85	-33.016	-0.0173	-2.5 to 2.5	Pass
				10	3.85	-6.208	-0.0032	-2.5 to 2.5	Pass
				30	3.85	-18.983	-0.0099	-2.5 to 2.5	Pass
				40	3.85	-28.138	-0.0147	-2.5 to 2.5	Pass
				50	3.85	-38.395	-0.0201	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	-0.701	-0.0004	-2.5 to 2.5	Pass
					3.85	-4.420	-0.0024	-2.5 to 2.5	Pass
					4.43	6.967	0.0038	-2.5 to 2.5	Pass
				-30	3.85	14.277	0.0077	-2.5 to 2.5	Pass
				-20	3.85	21.544	0.0116	-2.5 to 2.5	Pass
				-10	3.85	26.708	0.0144	-2.5 to 2.5	Pass
				0	3.85	31.958	0.0173	-2.5 to 2.5	Pass
				10	3.85	34.533	0.0186	-2.5 to 2.5	Pass
				30	3.85	38.738	0.0209	-2.5 to 2.5	Pass
				40	3.85	40.612	0.0219	-2.5 to 2.5	Pass
				50	3.85	42.658	0.0230	-2.5 to 2.5	Pass
	1882.5	25	0	20	3.27	-11.315	-0.0060	-2.5 to 2.5	Pass
					3.85	-4.635	-0.0025	-2.5 to 2.5	Pass
					4.43	9.727	0.0052	-2.5 to 2.5	Pass
				-30	3.85	19.598	0.0104	-2.5 to 2.5	Pass
				-20	3.85	28.610	0.0152	-2.5 to 2.5	Pass
				-10	3.85	35.334	0.0188	-2.5 to 2.5	Pass
				0	3.85	41.299	0.0219	-2.5 to 2.5	Pass
				10	3.85	44.389	0.0236	-2.5 to 2.5	Pass
				30	3.85	-6.566	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-4.463	-0.0024	-2.5 to 2.5	Pass
				50	3.85	-0.987	-0.0005	-2.5 to 2.5	Pass
	1912.5	25	0	20	3.27	4.678	0.0024	-2.5 to 2.5	Pass
					3.85	10.285	0.0054	-2.5 to 2.5	Pass
					4.43	22.402	0.0117	-2.5 to 2.5	Pass
				-30	3.85	35.119	0.0184	-2.5 to 2.5	Pass
				-20	3.85	-5.064	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	3.819	0.0020	-2.5 to 2.5	Pass

				0	3.85	-6.895	-0.0036	-2.5 to 2.5	Pass
				10	3.85	-39.625	-0.0207	-2.5 to 2.5	Pass
				30	3.85	-1.473	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-6.309	-0.0033	-2.5 to 2.5	Pass
				50	3.85	-13.075	-0.0068	-2.5 to 2.5	Pass

2.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-14.219	-0.0077	-2.5 to 2.5	Pass
					3.85	-33.302	-0.0180	-2.5 to 2.5	Pass
					4.43	-31.300	-0.0169	-2.5 to 2.5	Pass
				-30	3.85	-27.652	-0.0149	-2.5 to 2.5	Pass
				-20	3.85	-24.533	-0.0132	-2.5 to 2.5	Pass
				-10	3.85	-46.778	-0.0252	-2.5 to 2.5	Pass
				0	3.85	-15.464	-0.0083	-2.5 to 2.5	Pass
				10	3.85	4.921	0.0027	-2.5 to 2.5	Pass
				30	3.85	-29.097	-0.0157	-2.5 to 2.5	Pass
				40	3.85	-30.799	-0.0166	-2.5 to 2.5	Pass
				50	3.85	-14.791	-0.0080	-2.5 to 2.5	Pass
	1882.5	50	0	20	3.27	27.838	0.0148	-2.5 to 2.5	Pass
					3.85	6.709	0.0036	-2.5 to 2.5	Pass
					4.43	0.372	0.0002	-2.5 to 2.5	Pass
				-30	3.85	-26.150	-0.0139	-2.5 to 2.5	Pass
				-20	3.85	-41.528	-0.0221	-2.5 to 2.5	Pass
				-10	3.85	-35.992	-0.0191	-2.5 to 2.5	Pass
				0	3.85	-20.170	-0.0107	-2.5 to 2.5	Pass
				10	3.85	-0.973	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-27.366	-0.0145	-2.5 to 2.5	Pass
				40	3.85	-46.935	-0.0249	-2.5 to 2.5	Pass
				50	3.85	-24.133	-0.0128	-2.5 to 2.5	Pass
	1910	50	0	20	3.27	34.046	0.0178	-2.5 to 2.5	Pass
					3.85	28.224	0.0148	-2.5 to 2.5	Pass
					4.43	1.144	0.0006	-2.5 to 2.5	Pass
				-30	3.85	-17.581	-0.0092	-2.5 to 2.5	Pass
				-20	3.85	-26.135	-0.0137	-2.5 to 2.5	Pass
				-10	3.85	-28.939	-0.0152	-2.5 to 2.5	Pass
				0	3.85	-30.270	-0.0158	-2.5 to 2.5	Pass
				10	3.85	-31.328	-0.0164	-2.5 to 2.5	Pass
				30	3.85	-30.799	-0.0161	-2.5 to 2.5	Pass
				40	3.85	-30.098	-0.0158	-2.5 to 2.5	Pass
				50	3.85	-29.297	-0.0153	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	-43.473	-0.0234	-2.5 to 2.5	Pass
					3.85	-49.167	-0.0265	-2.5 to 2.5	Pass
					4.43	-47.836	-0.0258	-2.5 to 2.5	Pass
				-30	3.85	-49.796	-0.0268	-2.5 to 2.5	Pass
				-20	3.85	-54.860	-0.0296	-2.5 to 2.5	Pass
				-10	3.85	-11.015	-0.0059	-2.5 to 2.5	Pass
				0	3.85	-20.885	-0.0113	-2.5 to 2.5	Pass
				10	3.85	-28.367	-0.0153	-2.5 to 2.5	Pass
				30	3.85	-34.947	-0.0188	-2.5 to 2.5	Pass
				40	3.85	-0.358	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-11.215	-0.0060	-2.5 to 2.5	Pass
	1882.5	50	0	20	3.27	-36.793	-0.0195	-2.5 to 2.5	Pass
					3.85	-34.289	-0.0182	-2.5 to 2.5	Pass

					4.43	-28.009	-0.0149	-2.5 to 2.5	Pass
				-30	3.85	-22.259	-0.0118	-2.5 to 2.5	Pass
				-20	3.85	-20.299	-0.0108	-2.5 to 2.5	Pass
				-10	3.85	-35.248	-0.0187	-2.5 to 2.5	Pass
				0	3.85	-38.810	-0.0206	-2.5 to 2.5	Pass
				10	3.85	-41.242	-0.0219	-2.5 to 2.5	Pass
				30	3.85	-44.918	-0.0239	-2.5 to 2.5	Pass
				40	3.85	-48.909	-0.0260	-2.5 to 2.5	Pass
				50	3.85	8.368	0.0044	-2.5 to 2.5	Pass
	1910	50	0	20	3.27	-28.381	-0.0149	-2.5 to 2.5	Pass
					3.85	-19.927	-0.0104	-2.5 to 2.5	Pass
					4.43	0.100	0.0001	-2.5 to 2.5	Pass
				-30	3.85	18.168	0.0095	-2.5 to 2.5	Pass
				-20	3.85	31.800	0.0166	-2.5 to 2.5	Pass
				-10	3.85	44.460	0.0233	-2.5 to 2.5	Pass
				0	3.85	55.046	0.0288	-2.5 to 2.5	Pass
				10	3.85	14.062	0.0074	-2.5 to 2.5	Pass
				30	3.85	23.360	0.0122	-2.5 to 2.5	Pass
				40	3.85	29.283	0.0153	-2.5 to 2.5	Pass
				50	3.85	34.475	0.0180	-2.5 to 2.5	Pass

2.1.5 B25_15MHz

Band: 25 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-24.376	-0.0131	-2.5 to 2.5	Pass
					3.85	-21.944	-0.0118	-2.5 to 2.5	Pass
					4.43	-18.911	-0.0102	-2.5 to 2.5	Pass
				-30	3.85	-25.477	-0.0137	-2.5 to 2.5	Pass
				-20	3.85	-11.716	-0.0063	-2.5 to 2.5	Pass
				-10	3.85	-31.414	-0.0169	-2.5 to 2.5	Pass
				0	3.85	-11.444	-0.0062	-2.5 to 2.5	Pass
				10	3.85	-31.157	-0.0168	-2.5 to 2.5	Pass
				30	3.85	-38.223	-0.0206	-2.5 to 2.5	Pass
				40	3.85	-13.547	-0.0073	-2.5 to 2.5	Pass
				50	3.85	-36.192	-0.0195	-2.5 to 2.5	Pass
	1882.5	75	0	20	3.27	34.461	0.0183	-2.5 to 2.5	Pass
					3.85	10.958	0.0058	-2.5 to 2.5	Pass
					4.43	-32.730	-0.0174	-2.5 to 2.5	Pass
				-30	3.85	-41.428	-0.0220	-2.5 to 2.5	Pass
				-20	3.85	-14.520	-0.0077	-2.5 to 2.5	Pass
				-10	3.85	-35.834	-0.0190	-2.5 to 2.5	Pass
				0	3.85	-9.556	-0.0051	-2.5 to 2.5	Pass
				10	3.85	-25.735	-0.0137	-2.5 to 2.5	Pass
				30	3.85	-38.595	-0.0205	-2.5 to 2.5	Pass
				40	3.85	0.486	0.0003	-2.5 to 2.5	Pass
				50	3.85	-7.081	-0.0038	-2.5 to 2.5	Pass
	1907.5	75	0	20	3.27	43.502	0.0228	-2.5 to 2.5	Pass
					3.85	-2.832	-0.0015	-2.5 to 2.5	Pass
					4.43	-22.073	-0.0116	-2.5 to 2.5	Pass
				-30	3.85	-45.762	-0.0240	-2.5 to 2.5	Pass
				-20	3.85	-10.929	-0.0057	-2.5 to 2.5	Pass
				-10	3.85	-20.800	-0.0109	-2.5 to 2.5	Pass
				0	3.85	-27.022	-0.0142	-2.5 to 2.5	Pass
				10	3.85	-29.054	-0.0152	-2.5 to 2.5	Pass
				30	3.85	-31.600	-0.0166	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	40	3.85	-36.750	-0.0193	-2.5 to 2.5	Pass
				50	3.85	-39.225	-0.0206	-2.5 to 2.5	Pass
				20	3.27	-51.570	-0.0278	-2.5 to 2.5	Pass
					3.85	-49.095	-0.0264	-2.5 to 2.5	Pass
					4.43	-43.015	-0.0232	-2.5 to 2.5	Pass
				-30	3.85	-38.738	-0.0209	-2.5 to 2.5	Pass
				-20	3.85	-36.507	-0.0197	-2.5 to 2.5	Pass
				-10	3.85	-34.390	-0.0185	-2.5 to 2.5	Pass
				0	3.85	-31.929	-0.0172	-2.5 to 2.5	Pass
				10	3.85	-30.341	-0.0163	-2.5 to 2.5	Pass
				30	3.85	-28.925	-0.0156	-2.5 to 2.5	Pass
				40	3.85	-28.782	-0.0155	-2.5 to 2.5	Pass
				50	3.85	-27.108	-0.0146	-2.5 to 2.5	Pass
	1882.5	75	0	20	3.27	-15.478	-0.0082	-2.5 to 2.5	Pass
					3.85	-11.029	-0.0059	-2.5 to 2.5	Pass
					4.43	0.243	0.0001	-2.5 to 2.5	Pass
				-30	3.85	8.483	0.0045	-2.5 to 2.5	Pass
				-20	3.85	15.235	0.0081	-2.5 to 2.5	Pass
				-10	3.85	18.225	0.0097	-2.5 to 2.5	Pass
				0	3.85	17.352	0.0092	-2.5 to 2.5	Pass
				10	3.85	12.631	0.0067	-2.5 to 2.5	Pass
				30	3.85	19.326	0.0103	-2.5 to 2.5	Pass
				40	3.85	34.046	0.0181	-2.5 to 2.5	Pass
				50	3.85	-5.465	-0.0029	-2.5 to 2.5	Pass
	1907.5	75	0	20	3.27	-42.315	-0.0222	-2.5 to 2.5	Pass
					3.85	-30.742	-0.0161	-2.5 to 2.5	Pass
					4.43	-17.996	-0.0094	-2.5 to 2.5	Pass
				-30	3.85	-9.685	-0.0051	-2.5 to 2.5	Pass
				-20	3.85	2.074	0.0011	-2.5 to 2.5	Pass
				-10	3.85	11.787	0.0062	-2.5 to 2.5	Pass
				0	3.85	22.745	0.0119	-2.5 to 2.5	Pass
				10	3.85	32.830	0.0172	-2.5 to 2.5	Pass
				30	3.85	41.513	0.0218	-2.5 to 2.5	Pass
				40	3.85	-1.788	-0.0009	-2.5 to 2.5	Pass
				50	3.85	4.649	0.0024	-2.5 to 2.5	Pass

2.1.6 B25_20MHz

Band: 25 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-1.287	-0.0007	-2.5 to 2.5	Pass
					3.85	-25.377	-0.0136	-2.5 to 2.5	Pass
					4.43	-16.494	-0.0089	-2.5 to 2.5	Pass
				-30	3.85	-20.671	-0.0111	-2.5 to 2.5	Pass
				-20	3.85	-20.328	-0.0109	-2.5 to 2.5	Pass
				-10	3.85	-4.249	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-26.879	-0.0145	-2.5 to 2.5	Pass
				10	3.85	-20.599	-0.0111	-2.5 to 2.5	Pass
				30	3.85	-44.990	-0.0242	-2.5 to 2.5	Pass
				40	3.85	-13.361	-0.0072	-2.5 to 2.5	Pass
				50	3.85	-24.948	-0.0134	-2.5 to 2.5	Pass
	1882.5	100	0	20	3.27	34.504	0.0183	-2.5 to 2.5	Pass
					3.85	-15.135	-0.0080	-2.5 to 2.5	Pass
					4.43	-24.290	-0.0129	-2.5 to 2.5	Pass
				-30	3.85	-3.676	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	-39.196	-0.0208	-2.5 to 2.5	Pass

				-10	3.85	-17.166	-0.0091	-2.5 to 2.5	Pass
				0	3.85	-38.109	-0.0202	-2.5 to 2.5	Pass
				10	3.85	-7.768	-0.0041	-2.5 to 2.5	Pass
				30	3.85	-26.178	-0.0139	-2.5 to 2.5	Pass
				40	3.85	-41.943	-0.0223	-2.5 to 2.5	Pass
				50	3.85	-5.064	-0.0027	-2.5 to 2.5	Pass
	1905	100	0	20	3.27	13.647	0.0072	-2.5 to 2.5	Pass
					3.85	3.405	0.0018	-2.5 to 2.5	Pass
					4.43	-20.099	-0.0106	-2.5 to 2.5	Pass
				-30	3.85	-13.947	-0.0073	-2.5 to 2.5	Pass
				-20	3.85	-13.976	-0.0073	-2.5 to 2.5	Pass
				-10	3.85	-21.358	-0.0112	-2.5 to 2.5	Pass
				0	3.85	-31.614	-0.0166	-2.5 to 2.5	Pass
				10	3.85	-27.180	-0.0143	-2.5 to 2.5	Pass
				30	3.85	-10.157	-0.0053	-2.5 to 2.5	Pass
				40	3.85	-12.131	-0.0064	-2.5 to 2.5	Pass
				50	3.85	-7.110	-0.0037	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-37.336	-0.0201	-2.5 to 2.5	Pass
					3.85	-20.642	-0.0111	-2.5 to 2.5	Pass
					4.43	-4.892	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	7.367	0.0040	-2.5 to 2.5	Pass
				-20	3.85	16.136	0.0087	-2.5 to 2.5	Pass
				-10	3.85	21.987	0.0118	-2.5 to 2.5	Pass
				0	3.85	31.314	0.0168	-2.5 to 2.5	Pass
				10	3.85	37.193	0.0200	-2.5 to 2.5	Pass
				30	3.85	42.987	0.0231	-2.5 to 2.5	Pass
				40	3.85	-10.400	-0.0056	-2.5 to 2.5	Pass
				50	3.85	-11.530	-0.0062	-2.5 to 2.5	Pass
	1882.5	100	0	20	3.27	-19.827	-0.0105	-2.5 to 2.5	Pass
					3.85	-14.791	-0.0079	-2.5 to 2.5	Pass
					4.43	-10.343	-0.0055	-2.5 to 2.5	Pass
				-30	3.85	-13.046	-0.0069	-2.5 to 2.5	Pass
				-20	3.85	-6.151	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-5.593	-0.0030	-2.5 to 2.5	Pass
				0	3.85	-3.204	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-6.967	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-6.051	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-0.343	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.987	-0.0005	-2.5 to 2.5	Pass
	1905	100	0	20	3.27	-5.178	-0.0027	-2.5 to 2.5	Pass
					3.85	11.644	0.0061	-2.5 to 2.5	Pass
					4.43	38.981	0.0205	-2.5 to 2.5	Pass
				-30	3.85	8.984	0.0047	-2.5 to 2.5	Pass
				-20	3.85	26.336	0.0138	-2.5 to 2.5	Pass
				-10	3.85	32.415	0.0170	-2.5 to 2.5	Pass
				0	3.85	35.949	0.0189	-2.5 to 2.5	Pass
				10	3.85	38.152	0.0200	-2.5 to 2.5	Pass
				30	3.85	40.026	0.0210	-2.5 to 2.5	Pass
				40	3.85	41.628	0.0219	-2.5 to 2.5	Pass
				50	3.85	-1.101	-0.0006	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	6	0	Refer To Test Graph		Pass
16QAM	1882.5	6	0	Refer To Test Graph		Pass

3.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	15	0	Refer To Test Graph		Pass
16QAM	1882.5	15	0	Refer To Test Graph		Pass

3.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	25	0	Refer To Test Graph		Pass
16QAM	1882.5	25	0	Refer To Test Graph		Pass

3.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	50	0	Refer To Test Graph		Pass
16QAM	1882.5	50	0	Refer To Test Graph		Pass

3.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	75	0	Refer To Test Graph		Pass
16QAM	1882.5	75	0	Refer To Test Graph		Pass

3.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	Refer To Test Graph		Pass
16QAM	1882.5	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B25_1.4MHz




3.2.2 B25_3MHz




3.2.3 B25_5MHz




3.2.4 B25_10MHz



3.2.5 B25_15MHz



3.2.6 B25_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band25_OBW

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.111	/	Pass
		1882.5	6	0	1.112	/	Pass
		1914.3	6	0	1.116	/	Pass
	16QAM	1850.7	6	0	1.119	/	Pass
		1882.5	6	0	1.104	/	Pass
		1914.3	6	0	1.119	/	Pass
3	QPSK	1851.5	15	0	2.750	/	Pass
		1882.5	15	0	2.758	/	Pass
		1913.5	15	0	2.779	/	Pass
	16QAM	1851.5	15	0	2.763	/	Pass
		1882.5	15	0	2.745	/	Pass
		1913.5	15	0	2.780	/	Pass
5	QPSK	1852.5	25	0	4.549	/	Pass
		1882.5	25	0	4.553	/	Pass
		1912.5	25	0	4.561	/	Pass
	16QAM	1852.5	25	0	4.539	/	Pass
		1882.5	25	0	4.572	/	Pass
		1912.5	25	0	4.548	/	Pass
10	QPSK	1855	50	0	9.104	/	Pass
		1882.5	50	0	9.065	/	Pass
		1910	50	0	9.051	/	Pass
	16QAM	1855	50	0	9.081	/	Pass
		1882.5	50	0	9.064	/	Pass
		1910	50	0	9.087	/	Pass
15	QPSK	1857.5	75	0	13.605	/	Pass
		1882.5	75	0	13.607	/	Pass
		1907.5	75	0	13.603	/	Pass
	16QAM	1857.5	75	0	13.626	/	Pass
		1882.5	75	0	13.646	/	Pass
		1907.5	75	0	13.613	/	Pass
20	QPSK	1860	100	0	18.153	/	Pass
		1882.5	100	0	18.182	/	Pass
		1905	100	0	18.153	/	Pass
	16QAM	1860	100	0	18.136	/	Pass
		1882.5	100	0	18.204	/	Pass
		1905	100	0	18.222	/	Pass


4.1.2 Band25_XDB

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.272	/	Pass
		1882.5	6	0	1.275	/	Pass


	16QAM	1914.3	6	0	1.272	/	Pass
		1850.7	6	0	1.278	/	Pass
		1882.5	6	0	1.263	/	Pass
		1914.3	6	0	1.273	/	Pass
3	QPSK	1851.5	15	0	3.099	/	Pass
		1882.5	15	0	3.070	/	Pass
		1913.5	15	0	3.096	/	Pass
	16QAM	1851.5	15	0	3.115	/	Pass
		1882.5	15	0	3.099	/	Pass
		1913.5	15	0	3.102	/	Pass
5	QPSK	1852.5	25	0	5.029	/	Pass
		1882.5	25	0	5.077	/	Pass
		1912.5	25	0	5.037	/	Pass
	16QAM	1852.5	25	0	5.062	/	Pass
		1882.5	25	0	5.058	/	Pass
		1912.5	25	0	5.057	/	Pass
10	QPSK	1855	50	0	10.021	/	Pass
		1882.5	50	0	10.078	/	Pass
		1910	50	0	10.002	/	Pass
	16QAM	1855	50	0	10.047	/	Pass
		1882.5	50	0	9.973	/	Pass
		1910	50	0	9.981	/	Pass
15	QPSK	1857.5	75	0	15.254	/	Pass
		1882.5	75	0	15.058	/	Pass
		1907.5	75	0	15.271	/	Pass
	16QAM	1857.5	75	0	15.187	/	Pass
		1882.5	75	0	15.234	/	Pass
		1907.5	75	0	15.196	/	Pass
20	QPSK	1860	100	0	20.122	/	Pass
		1882.5	100	0	19.993	/	Pass
		1905	100	0	19.994	/	Pass
	16QAM	1860	100	0	20.080	/	Pass
		1882.5	100	0	20.216	/	Pass
		1905	100	0	20.017	/	Pass

4.2 Test Graph


4.2.1 Band25_OBW




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTNV




Band25 3MHz QPSK LCH 1851.5MHz RB 15 0 NTV




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTNV




Band25 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTNV




Band25 10MHz QPSK LCH 1855MHz RB 50 0 NTV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTV




Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTV




Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTNV




Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTNV




Band25 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 75 0 NTNV




Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM HCH 1907.5MHz RB 75 0 NTNV




Band25 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTNV




Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTN




Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTN




4.2.2 Band25_XDB




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTNV




Band25 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band25 3MHz QPSK MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTNV




Band25 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTNV




Band25 10MHz QPSK LCH 1855MHz RB 50 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 50 0 NTNV




Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTV




Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTNV




Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTNV




Band25 15MHz QPSK LCH 1857.5MHz RB 75.0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 75.0 NTNV




Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTN




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTN




Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM HCH 1907.5MHz RB 75 0 NTNV




Band25 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 100 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTNV




Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTNV



Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.52	<=13	Pass
	1882.5	6	0	5.71	<=13	Pass
	1914.3	6	0	5.21	<=13	Pass
16QAM	1850.7	6	0	6.20	<=13	Pass
	1882.5	6	0	6.43	<=13	Pass
	1914.3	6	0	5.98	<=13	Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.55	<=13	Pass
	1882.5	15	0	5.67	<=13	Pass
	1913.5	15	0	5.35	<=13	Pass
16QAM	1851.5	15	0	6.31	<=13	Pass
	1882.5	15	0	6.45	<=13	Pass
	1913.5	15	0	6.16	<=13	Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.63	<=13	Pass
	1882.5	25	0	5.73	<=13	Pass
	1912.5	25	0	5.45	<=13	Pass
16QAM	1852.5	25	0	6.38	<=13	Pass
	1882.5	25	0	6.43	<=13	Pass
	1912.5	25	0	6.14	<=13	Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.67	<=13	Pass
	1882.5	50	0	5.72	<=13	Pass
	1910	50	0	5.56	<=13	Pass
16QAM	1855	50	0	6.42	<=13	Pass
	1882.5	50	0	6.50	<=13	Pass

	1910	50	0	6.26	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.83	<=13	Pass
	1882.5	75	0	5.98	<=13	Pass
	1907.5	75	0	5.81	<=13	Pass
16QAM	1857.5	75	0	6.34	<=13	Pass
	1882.5	75	0	6.45	<=13	Pass
	1907.5	75	0	6.29	<=13	Pass

5.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.57	<=13	Pass
	1882.5	100	0	5.79	<=13	Pass
	1905	100	0	5.57	<=13	Pass
16QAM	1860	100	0	6.28	<=13	Pass
	1882.5	100	0	6.49	<=13	Pass
	1905	100	0	6.32	<=13	Pass

5.2 Test Graph


5.2.1 B25_1.4MHz




Band25 1.4MHz QPSK HCH 1914.3MHz RB 6.0 NTNV




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6.0 NTNV




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 6 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTNV




5.2.2 B25_3MHz




Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 15 0 NTNV




Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTNV




5.2.3 B25_5MHz




Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 25 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTNV




5.2.4 B25_10MHz




Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTNV




Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 50 0 NTNV




Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTNV




5.2.5 B25_15MHz




Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM MCH 1882.5MHz RB 75 0 NTNV




Band25 15MHz 16QAM HCH 1907.5MHz RB 75 0 NTNV



5.2.6 B25_20MHz




Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTNV




Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band25 20MHz 16QAM MCH 1882.5MHz RB 100 0 NTNV



Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

16QAM	1852.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	1882.5	1	0	Refer To Test Graph	Pass
	1912.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B25_15MHz

Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


6.1.6 B25_20MHz

Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1905		0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		1		Refer To Test Graph		Pass


		100	0	Refer To Test Graph	Pass
16QAM	1860	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	1882.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1905	1	99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B25_1.4MHz




Band25 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band25 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band25 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV



Band25 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV




Band25 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-28.63	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-40.29	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTNV



Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.014	-33.36	-13	Pass
1916	1918	1	CHP	2	1916.500	-40.15	-13	Pass

Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.013	CHP	/	/	/	/	/
1915	1916	0.013	CHP	1	1915.035	-39.76	-13	Pass
1916	1918	1	CHP	2	1916.500	-29.27	-13	Pass

Band25 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.498	-41.21	-13	Pass
1849	1850	0.003	/	2	1849.988	-39.78	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band25 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTN




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTN




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTN




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTN



Band25 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-30.05	-13	Pass
1849	1850	0.013	CHP	2	1849.975	-41.06	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band25 1.4MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 1 0 NTNV



Band25 1.4MHz 16QAM HCH 1914.3MHz RB 1 0 NTNV




Band25 1.4MHz 16QAM HCH 1914.3MHz RB 1 5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.012	-37.66	-13	Pass
1916	1918	1	CHP	2	1916.500	-41.45	-13	Pass


Band25 1.4MHz 16QAM HCH 1914.3MHz RB 6 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.013	CHP	/	/	/	/	/
1915	1916	0.013	CHP	1	1915.045	-40.12	-13	Pass
1916	1918	1	CHP	2	1916.500	-30.56	-13	Pass


6.2.2 B25_3MHz

Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-37.52	-13	Pass
1849	1850	0.003	/	2	1849.998	-25.66	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV




Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV




Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV



Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV




Band25 3MHz QPSK LCH 1851.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-30.22	-13	Pass
1849	1850	0.031	CHP	2	1849.994	-24.93	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 3MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 0 NTV



Band25 3MHz QPSK HCH 1913.5MHz RB 1 0 NTV




Band25 3MHz QPSK HCH 1913.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.003	-25.06	-13	Pass
1916	1918	1	CHP	2	1916.500	-39.93	-13	Pass

Band25 3MHz QPSK HCH 1913.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.031	CHP	/	/	/	/	/
1915	1916	0.031	CHP	1	1915.006	-28.45	-13	Pass
1916	1918	1	CHP	2	1916.500	-29.80	-13	Pass

Band25 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-39.07	-13	Pass
1849	1850	0.003	/	2	1849.998	-25.71	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band25 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTV




Band25 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTV




Band25 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTV




Band25 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTV



Band25 3MHz 16QAM LCH 1851.5MHz RB 1 0 NTV




Band25 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-29.68	-13	Pass
1849	1850	0.031	CHP	2	1849.982	-27.67	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band25 3MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM HCH 1913.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM HCH 1913.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM HCH 1913.5MHz RB 1 0 NTNV




Band25 3MHz 16QAM HCH 1913.5MHz RB 1 0 NTV



Band25 3MHz 16QAM HCH 1913.5MHz RB 1 0 NTV




Band25 3MHz 16QAM HCH 1913.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.002	-27.55	-13	Pass
1916	1918	1	CHP	2	1916.500	-41.49	-13	Pass

Band25 3MHz 16QAM HCH 1913.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.031	CHP	/	/	/	/	/
1915	1916	0.031	CHP	1	1915.006	-30.15	-13	Pass
1916	1918	1	CHP	2	1916.500	-29.97	-13	Pass


6.2.3 B25_5MHz




Band25 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV




Band25 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV




Band25 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV



Band25 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV




Band25 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1846.500	-32.84	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-32.43	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 5MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTV



Band25 5MHz QPSK HCH 1912.5MHz RB 1 0 NTNV




Band25 5MHz QPSK HCH 1912.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.009	-33.07	-13	Pass
1916	1920	1	CHP	2	1916.500	-41.25	-13	Pass

Band25 5MHz QPSK HCH 1912.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.05	CHP	/	/	/	/	/
1915	1916	0.05	CHP	1	1915.010	-35.73	-13	Pass
1916	1920	1	CHP	2	1916.500	-32.37	-13	Pass

Band25 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-39.30	-13	Pass
1849	1850	0.003	/	2	1849.991	-35.03	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band25 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTV




Band25 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTV




Band25 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTV




Band25 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTV



Band25 5MHz 16QAM LCH 1852.5MHz RB 1 0 NTV




Band25 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.480	-30.91	-13	Pass
1849	1850	0.051	CHP	2	1849.990	-33.97	-13	Pass
1850	1855	0.051	CHP	/	/	/	/	/


Band25 5MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 1 0 NTNV




Band25 5MHz 16QAM HCH 1912.5MHz RB 1 0 NTV



Band25 5MHz 16QAM HCH 1912.5MHz RB 1 0 NTV




Band25 5MHz 16QAM HCH 1912.5MHz RB 1 24 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.002	-35.34	-13	Pass
1916	1920	1	CHP	2	1916.500	-44.13	-13	Pass


Band25 5MHz 16QAM HCH 1912.5MHz RB 25 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.051	CHP	/	/	/	/	/
1915	1916	0.051	CHP	1	1915.010	-36.34	-13	Pass
1916	1920	1	CHP	2	1916.500	-32.01	-13	Pass


6.2.4 B25_10MHz

Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-41.84	-13	Pass
1849	1850	0.003	/	2	1849.985	-39.51	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band25 10MHz QPSK LCH 1855MHz RB 1 0 NTNV




Band25 10MHz QPSK LCH 1855MHz RB 1 0 NTNV




Band25 10MHz QPSK LCH 1855MHz RB 1 0 NTNV



Band25 10MHz QPSK LCH 1855MHz RB 1 0 NTNV




Band25 10MHz QPSK LCH 1855MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.040	-35.46	-13	Pass
1849	1850	0.1	/	2	1849.960	-38.86	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band25 10MHz QPSK MCH 1882.5MHz RB 1 0 NTV




Band25 10MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTNV




Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTNV




Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTNV




Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTNV



Band25 10MHz QPSK HCH 1910MHz RB 1 0 NTNV




Band25 10MHz QPSK HCH 1910MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.010	-38.74	-13	Pass
1916	1925	1	CHP	2	1916.500	-42.37	-13	Pass

Band25 10MHz QPSK HCH 1910MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.1	/	/	/	/	/	/
1915	1916	0.1	/	1	1915.020	-36.89	-13	Pass
1916	1925	1	CHP	2	1916.600	-34.73	-13	Pass

Band25 10MHz 16QAM LCH 1855MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-43.26	-13	Pass
1849	1850	0.003	/	2	1849.997	-40.21	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band25 10MHz 16QAM LCH 1855MHz RB 1 0 NTV




Band25 10MHz 16QAM LCH 1855MHz RB 1 0 NTV




Band25 10MHz 16QAM LCH 1855MHz RB 1 0 NTV




Band25 10MHz 16QAM LCH 1855MHz RB 1 0 NTV



Band25 10MHz 16QAM LCH 1855MHz RB 1 0 NTV




Band25 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.440	-34.02	-13	Pass
1849	1850	0.1	/	2	1849.940	-38.21	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band25 10MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 10MHz 16QAM MCH 1882.5MHz RB 1 0 NTV




Band25 10MHz 16QAM HCH 1910MHz RB 1 0 NTV




Band25 10MHz 16QAM HCH 1910MHz RB 1 0 NTNV




Band25 10MHz 16QAM HCH 1910MHz RB 1 0 NTNV




Band25 10MHz 16QAM HCH 1910MHz RB 1 0 NTV




Band25 10MHz 16QAM HCH 1910MHz RB 1 0 NTV




Band25 10MHz 16QAM HCH 1910MHz RB 1 49 NTNV




Band25 10MHz 16QAM HCH 1910MHz RB 50 0 NTNV




6.2.5 B25_15MHz




Band25 15MHz QPSK LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz QPSK LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz QPSK LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz QPSK LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz QPSK HCH 1907.5MHz RB 1 0 NTV




Band25 15MHz QPSK HCH 1907.5MHz RB 1 0 NTV




Band25 15MHz QPSK HCH 1907.5MHz RB 1 0 NTNV




Band25 15MHz QPSK HCH 1907.5MHz RB 1 0 NTNV



Band25 15MHz QPSK HCH 1907.5MHz RB 1 0 NTV




Band25 15MHz QPSK HCH 1907.5MHz RB 1 74 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.019	-41.03	-13	Pass
1916	1930	1	CHP	2	1916.500	-44.80	-13	Pass

Band25 15MHz QPSK HCH 1907.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.153	CHP	/	/	/	/	/
1915	1916	0.153	CHP	1	1915.030	-37.71	-13	Pass
1916	1930	1	CHP	2	1917.850	-35.10	-13	Pass

Band25 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-43.88	-13	Pass
1849	1850	0.003	/	2	1849.981	-41.28	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band25 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTNV



Band25 15MHz 16QAM LCH 1857.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-35.57	-13	Pass
1849	1850	0.152	CHP	2	1849.970	-34.97	-13	Pass
1850	1865	0.152	CHP	/	/	/	/	/


Band25 15MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM HCH 1907.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM HCH 1907.5MHz RB 1 0 NTV




Band25 15MHz 16QAM HCH 1907.5MHz RB 1 0 NTV




Band25 15MHz 16QAM HCH 1907.5MHz RB 1 0 NTNV



Band25 15MHz 16QAM HCH 1907.5MHz RB 1 0 NTNV




Band25 15MHz 16QAM HCH 1907.5MHz RB 1 74 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.023	-42.25	-13	Pass
1916	1930	1	CHP	2	1916.500	-46.11	-13	Pass

Band25 15MHz 16QAM HCH 1907.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.152	CHP	/	/	/	/	/
1915	1916	0.152	CHP	1	1915.030	-38.44	-13	Pass
1916	1930	1	CHP	2	1916.710	-35.86	-13	Pass


6.2.6 B25_20MHz




Band25 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band25 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band25 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band25 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band25 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 1 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 1 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 1 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 1 0 NTNV



Band25 20MHz QPSK HCH 1905MHz RB 1 0 NTNV




Band25 20MHz QPSK HCH 1905MHz RB 1 99 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.005	-45.34	-13	Pass
1916	1935	1	CHP	2	1916.500	-45.00	-13	Pass

Band25 20MHz QPSK HCH 1905MHz RB 100 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.2	CHP	/	/	/	/	/
1915	1916	0.2	CHP	1	1915.040	-40.21	-13	Pass
1916	1935	1	CHP	2	1916.520	-38.47	-13	Pass

Band25 20MHz 16QAM LCH 1860MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1846.180	-43.50	-13	Pass
1849	1850	0.003	/	2	1849.995	-45.63	-13	Pass
1850	1870	0.003	/	/	/	/	/	/


Band25 20MHz 16QAM LCH 1860MHz RB 1 0 NTV




Band25 20MHz 16QAM LCH 1860MHz RB 1 0 NTV




Band25 20MHz 16QAM LCH 1860MHz RB 1 0 NTV




Band25 20MHz 16QAM LCH 1860MHz RB 1 0 NTV



Band25 20MHz 16QAM LCH 1860MHz RB 1 0 NTNV




Band25 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.040	-35.30	-13	Pass
1849	1850	0.201	CHP	2	1849.960	-41.25	-13	Pass
1850	1870	0.201	CHP	/	/	/	/	/


Band25 20MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz 16QAM MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz 16QAM HCH 1905MHz RB 1 0 NTNV




Band25 20MHz 16QAM HCH 1905MHz RB 1 0 NTV




Band25 20MHz 16QAM HCH 1905MHz RB 1 0 NTV




Band25 20MHz 16QAM HCH 1905MHz RB 1 0 NTV



Band25 20MHz 16QAM HCH 1905MHz RB 1 0 NTV




Band25 20MHz 16QAM HCH 1905MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.020	-47.14	-13	Pass
1916	1935	1	CHP	2	1916.500	-45.76	-13	Pass

Band25 20MHz 16QAM HCH 1905MHz RB 100 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.2	CHP	/	/	/	/	/
1915	1916	0.2	CHP	1	1915.040	-40.17	-13	Pass
1916	1935	1	CHP	2	1916.520	-37.60	-13	Pass