

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	21.87	-0.35	21.52	<=33.01	Pass
			2	21.98	-0.35	21.63	<=33.01	Pass
			5	21.84	-0.35	21.49	<=33.01	Pass
		3	0	21.99	-0.35	21.64	<=33.01	Pass
			2	22.04	-0.35	21.69	<=33.01	Pass
			3	21.97	-0.35	21.62	<=33.01	Pass
		6	0	20.94	-0.35	20.59	<=33.01	Pass
	1880	1	0	21.09	-0.35	20.74	<=33.01	Pass
			2	21.11	-0.35	20.76	<=33.01	Pass
			5	21.03	-0.35	20.68	<=33.01	Pass
		3	0	21.17	-0.35	20.82	<=33.01	Pass
			2	21.18	-0.35	20.83	<=33.01	Pass
			3	21.16	-0.35	20.81	<=33.01	Pass
		6	0	20.09	-0.35	19.74	<=33.01	Pass
	1909.3	1	0	20.84	-0.35	20.49	<=33.01	Pass
			2	20.96	-0.35	20.61	<=33.01	Pass
			5	20.85	-0.35	20.50	<=33.01	Pass
		3	0	20.92	-0.35	20.57	<=33.01	Pass
			2	20.95	-0.35	20.60	<=33.01	Pass
			3	20.95	-0.35	20.60	<=33.01	Pass
		6	0	19.85	-0.35	19.50	<=33.01	Pass
16QAM	1850.7	1	0	20.79	-0.35	20.44	<=33.01	Pass
			2	20.66	-0.35	20.31	<=33.01	Pass
			5	20.55	-0.35	20.20	<=33.01	Pass
		3	0	20.50	-0.35	20.15	<=33.01	Pass
			2	20.53	-0.35	20.18	<=33.01	Pass
			3	20.47	-0.35	20.12	<=33.01	Pass
		6	0	19.48	-0.35	19.13	<=33.01	Pass
	1880	1	0	20.08	-0.35	19.73	<=33.01	Pass
			2	20.15	-0.35	19.80	<=33.01	Pass
			5	20.04	-0.35	19.69	<=33.01	Pass
		3	0	20.38	-0.35	20.03	<=33.01	Pass
			2	20.42	-0.35	20.07	<=33.01	Pass
			3	20.40	-0.35	20.05	<=33.01	Pass
		6	0	19.14	-0.35	18.79	<=33.01	Pass
	1909.3	1	0	19.82	-0.35	19.47	<=33.01	Pass
			2	19.96	-0.35	19.61	<=33.01	Pass
			5	19.93	-0.35	19.58	<=33.01	Pass
		3	0	20.06	-0.35	19.71	<=33.01	Pass
			2	20.05	-0.35	19.70	<=33.01	Pass
			3	20.03	-0.35	19.68	<=33.01	Pass
		6	0	18.84	-0.35	18.49	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
----------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	21.73	-0.35	21.38	<=33.01	Pass
			7	21.69	-0.35	21.34	<=33.01	Pass
			14	21.49	-0.35	21.14	<=33.01	Pass
		8	0	20.54	-0.35	20.19	<=33.01	Pass
			4	20.53	-0.35	20.18	<=33.01	Pass
			7	20.49	-0.35	20.14	<=33.01	Pass
		15	0	20.52	-0.35	20.17	<=33.01	Pass
	1880	1	0	21.24	-0.35	20.89	<=33.01	Pass
			7	21.39	-0.35	21.04	<=33.01	Pass
			14	21.21	-0.35	20.86	<=33.01	Pass
		8	0	20.25	-0.35	19.90	<=33.01	Pass
			4	20.26	-0.35	19.91	<=33.01	Pass
			7	20.18	-0.35	19.83	<=33.01	Pass
		15	0	20.23	-0.35	19.88	<=33.01	Pass
	1908.5	1	0	20.97	-0.35	20.62	<=33.01	Pass
			7	21.09	-0.35	20.74	<=33.01	Pass
			14	20.96	-0.35	20.61	<=33.01	Pass
		8	0	19.99	-0.35	19.64	<=33.01	Pass
			4	20.04	-0.35	19.69	<=33.01	Pass
			7	19.98	-0.35	19.63	<=33.01	Pass
		15	0	20.05	-0.35	19.70	<=33.01	Pass
16QAM	1851.5	1	0	20.55	-0.35	20.20	<=33.01	Pass
			7	20.70	-0.35	20.35	<=33.01	Pass
			14	20.49	-0.35	20.14	<=33.01	Pass
		8	0	19.61	-0.35	19.26	<=33.01	Pass
			4	19.64	-0.35	19.29	<=33.01	Pass
			7	19.59	-0.35	19.24	<=33.01	Pass
		15	0	19.61	-0.35	19.26	<=33.01	Pass
	1880	1	0	20.47	-0.35	20.12	<=33.01	Pass
			7	20.56	-0.35	20.21	<=33.01	Pass
			14	20.38	-0.35	20.03	<=33.01	Pass
		8	0	19.25	-0.35	18.90	<=33.01	Pass
			4	19.28	-0.35	18.93	<=33.01	Pass
			7	19.22	-0.35	18.87	<=33.01	Pass
		15	0	19.21	-0.35	18.86	<=33.01	Pass
	1908.5	1	0	20.57	-0.35	20.22	<=33.01	Pass
			7	20.73	-0.35	20.38	<=33.01	Pass
			14	20.57	-0.35	20.22	<=33.01	Pass
		8	0	19.21	-0.35	18.86	<=33.01	Pass
			4	19.25	-0.35	18.90	<=33.01	Pass
			7	19.20	-0.35	18.85	<=33.01	Pass
		15	0	19.12	-0.35	18.77	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	21.39	-0.35	21.04	<=33.01	Pass
			13	21.46	-0.35	21.11	<=33.01	Pass
			24	21.31	-0.35	20.96	<=33.01	Pass
		12	0	20.41	-0.35	20.06	<=33.01	Pass
			6	20.43	-0.35	20.08	<=33.01	Pass
			13	20.35	-0.35	20.00	<=33.01	Pass

16QAM	1880	25	0	20.40	-0.35	20.05	<=33.01	Pass
			0	21.14	-0.35	20.79	<=33.01	Pass
			13	21.17	-0.35	20.82	<=33.01	Pass
			24	21.01	-0.35	20.66	<=33.01	Pass
		12	0	20.13	-0.35	19.78	<=33.01	Pass
			6	20.17	-0.35	19.82	<=33.01	Pass
			13	20.10	-0.35	19.75	<=33.01	Pass
		25	0	20.13	-0.35	19.78	<=33.01	Pass
	1907.5	1	0	20.85	-0.35	20.50	<=33.01	Pass
			13	20.97	-0.35	20.62	<=33.01	Pass
			24	20.86	-0.35	20.51	<=33.01	Pass
		12	0	19.92	-0.35	19.57	<=33.01	Pass
			6	19.96	-0.35	19.61	<=33.01	Pass
			13	19.87	-0.35	19.52	<=33.01	Pass
		25	0	19.90	-0.35	19.55	<=33.01	Pass
	1852.5	1	0	20.50	-0.35	20.15	<=33.01	Pass
			13	20.52	-0.35	20.17	<=33.01	Pass
			24	20.43	-0.35	20.08	<=33.01	Pass
		12	0	19.45	-0.35	19.10	<=33.01	Pass
			6	19.46	-0.35	19.11	<=33.01	Pass
			13	19.41	-0.35	19.06	<=33.01	Pass
		25	0	19.45	-0.35	19.10	<=33.01	Pass
	1880	1	0	20.40	-0.35	20.05	<=33.01	Pass
			13	20.47	-0.35	20.12	<=33.01	Pass
			24	20.33	-0.35	19.98	<=33.01	Pass
		12	0	19.27	-0.35	18.92	<=33.01	Pass
			6	19.30	-0.35	18.95	<=33.01	Pass
			13	19.20	-0.35	18.85	<=33.01	Pass
		25	0	19.16	-0.35	18.81	<=33.01	Pass
	1907.5	1	0	19.68	-0.35	19.33	<=33.01	Pass
			13	19.81	-0.35	19.46	<=33.01	Pass
			24	19.73	-0.35	19.38	<=33.01	Pass
		12	0	19.03	-0.35	18.68	<=33.01	Pass
			6	19.03	-0.35	18.68	<=33.01	Pass
			13	18.94	-0.35	18.59	<=33.01	Pass
		25	0	18.98	-0.35	18.63	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	21.46	-0.35	21.11	<=33.01	Pass
			25	21.59	-0.35	21.24	<=33.01	Pass
			49	21.31	-0.35	20.96	<=33.01	Pass
		25	0	20.48	-0.35	20.13	<=33.01	Pass
			13	20.45	-0.35	20.10	<=33.01	Pass
			25	20.43	-0.35	20.08	<=33.01	Pass
		50	0	20.52	-0.35	20.17	<=33.01	Pass
	1880	1	0	21.15	-0.35	20.80	<=33.01	Pass
			25	21.29	-0.35	20.94	<=33.01	Pass
			49	21.04	-0.35	20.69	<=33.01	Pass
		25	0	20.24	-0.35	19.89	<=33.01	Pass
			13	20.22	-0.35	19.87	<=33.01	Pass
			25	20.16	-0.35	19.81	<=33.01	Pass
		50	0	20.20	-0.35	19.85	<=33.01	Pass

16QAM	1905	1	0	20.91	-0.35	20.56	<=33.01	Pass
			25	21.08	-0.35	20.73	<=33.01	Pass
			49	20.86	-0.35	20.51	<=33.01	Pass
		25	0	20.09	-0.35	19.74	<=33.01	Pass
			13	20.01	-0.35	19.66	<=33.01	Pass
			25	19.90	-0.35	19.55	<=33.01	Pass
		50	0	20.01	-0.35	19.66	<=33.01	Pass
	1855	1	0	20.40	-0.35	20.05	<=33.01	Pass
			25	20.56	-0.35	20.21	<=33.01	Pass
			49	20.32	-0.35	19.97	<=33.01	Pass
		25	0	19.57	-0.35	19.22	<=33.01	Pass
			13	19.54	-0.35	19.19	<=33.01	Pass
			25	19.57	-0.35	19.22	<=33.01	Pass
		50	0	19.56	-0.35	19.21	<=33.01	Pass
	1880	1	0	20.30	-0.35	19.95	<=33.01	Pass
			25	20.49	-0.35	20.14	<=33.01	Pass
			49	20.18	-0.35	19.83	<=33.01	Pass
		25	0	19.30	-0.35	18.95	<=33.01	Pass
			13	19.29	-0.35	18.94	<=33.01	Pass
			25	19.23	-0.35	18.88	<=33.01	Pass
		50	0	19.25	-0.35	18.90	<=33.01	Pass
	1905	1	0	20.50	-0.35	20.15	<=33.01	Pass
			25	20.65	-0.35	20.30	<=33.01	Pass
			49	20.48	-0.35	20.13	<=33.01	Pass
		25	0	19.17	-0.35	18.82	<=33.01	Pass
			13	19.07	-0.35	18.72	<=33.01	Pass
			25	19.00	-0.35	18.65	<=33.01	Pass
		50	0	19.03	-0.35	18.68	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	21.24	-0.35	20.89	<=33.01	Pass
			38	21.39	-0.35	21.04	<=33.01	Pass
			74	21.08	-0.35	20.73	<=33.01	Pass
		36	0	20.39	-0.35	20.04	<=33.01	Pass
			18	20.35	-0.35	20.00	<=33.01	Pass
			39	20.31	-0.35	19.96	<=33.01	Pass
		75	0	20.40	-0.35	20.05	<=33.01	Pass
	1880	1	0	21.04	-0.35	20.69	<=33.01	Pass
			38	21.14	-0.35	20.79	<=33.01	Pass
			74	20.84	-0.35	20.49	<=33.01	Pass
		36	0	20.18	-0.35	19.83	<=33.01	Pass
			18	20.14	-0.35	19.79	<=33.01	Pass
			39	20.03	-0.35	19.68	<=33.01	Pass
		75	0	20.14	-0.35	19.79	<=33.01	Pass
	1902.5	1	0	20.73	-0.35	20.38	<=33.01	Pass
			38	20.92	-0.35	20.57	<=33.01	Pass
			74	20.70	-0.35	20.35	<=33.01	Pass
		36	0	19.97	-0.35	19.62	<=33.01	Pass
			18	19.97	-0.35	19.62	<=33.01	Pass
			39	19.83	-0.35	19.48	<=33.01	Pass
		75	0	19.88	-0.35	19.53	<=33.01	Pass
16QAM	1857.5	1	0	20.63	-0.35	20.28	<=33.01	Pass

			38	20.78	-0.35	20.43	<=33.01	Pass
			74	20.52	-0.35	20.17	<=33.01	Pass
		36	0	19.40	-0.35	19.05	<=33.01	Pass
			18	19.39	-0.35	19.04	<=33.01	Pass
			39	19.38	-0.35	19.03	<=33.01	Pass
		75	0	19.36	-0.35	19.01	<=33.01	Pass
	1880	1	0	20.17	-0.35	19.82	<=33.01	Pass
			38	20.33	-0.35	19.98	<=33.01	Pass
			74	20.01	-0.35	19.66	<=33.01	Pass
		36	0	19.25	-0.35	18.90	<=33.01	Pass
			18	19.20	-0.35	18.85	<=33.01	Pass
			39	19.12	-0.35	18.77	<=33.01	Pass
	75	0	19.19	-0.35	18.84	<=33.01	Pass	
	1902.5	1	0	20.38	-0.35	20.03	<=33.01	Pass
			38	20.51	-0.35	20.16	<=33.01	Pass
			74	20.33	-0.35	19.98	<=33.01	Pass
		36	0	19.03	-0.35	18.68	<=33.01	Pass
			18	19.03	-0.35	18.68	<=33.01	Pass
			39	18.91	-0.35	18.56	<=33.01	Pass
	75	0	18.94	-0.35	18.59	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	21.07	-0.35	20.72	<=33.01	Pass
			50	21.47	-0.35	21.12	<=33.01	Pass
			99	20.86	-0.35	20.51	<=33.01	Pass
		50	0	20.43	-0.35	20.08	<=33.01	Pass
			25	20.32	-0.35	19.97	<=33.01	Pass
			50	20.37	-0.35	20.02	<=33.01	Pass
		100	0	20.37	-0.35	20.02	<=33.01	Pass
			0	20.92	-0.35	20.57	<=33.01	Pass
			50	21.25	-0.35	20.90	<=33.01	Pass
		1	99	20.69	-0.35	20.34	<=33.01	Pass
			0	20.25	-0.35	19.90	<=33.01	Pass
			25	20.13	-0.35	19.78	<=33.01	Pass
16QAM	1880	50	50	20.06	-0.35	19.71	<=33.01	Pass
			0	20.19	-0.35	19.84	<=33.01	Pass
			0	20.65	-0.35	20.30	<=33.01	Pass
		1	50	21.08	-0.35	20.73	<=33.01	Pass
			99	20.61	-0.35	20.26	<=33.01	Pass
			0	19.92	-0.35	19.57	<=33.01	Pass
		50	25	19.95	-0.35	19.60	<=33.01	Pass
			50	19.76	-0.35	19.41	<=33.01	Pass
			0	19.87	-0.35	19.52	<=33.01	Pass
		100	0	20.60	-0.35	20.25	<=33.01	Pass
			50	21.04	-0.35	20.69	<=33.01	Pass
			99	20.44	-0.35	20.09	<=33.01	Pass
16QAM	1860	1	0	19.45	-0.35	19.10	<=33.01	Pass
			25	19.37	-0.35	19.02	<=33.01	Pass
			50	19.41	-0.35	19.06	<=33.01	Pass
		50	0	19.42	-0.35	19.07	<=33.01	Pass
			0	20.15	-0.35	19.80	<=33.01	Pass
			50	20.49	-0.35	20.14	<=33.01	Pass

			99	19.91	-0.35	19.56	<=33.01	Pass
		50	0	19.26	-0.35	18.91	<=33.01	Pass
			25	19.15	-0.35	18.80	<=33.01	Pass
			50	19.13	-0.35	18.78	<=33.01	Pass
		100	0	19.21	-0.35	18.86	<=33.01	Pass
	1900	1	0	19.96	-0.35	19.61	<=33.01	Pass
			50	20.36	-0.35	20.01	<=33.01	Pass
			99	19.88	-0.35	19.53	<=33.01	Pass
		50	0	19.00	-0.35	18.65	<=33.01	Pass
			25	18.98	-0.35	18.63	<=33.01	Pass
			50	18.77	-0.35	18.42	<=33.01	Pass
		100	0	18.91	-0.35	18.56	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	-6.137	-0.0033	-2.5 to 2.5	Pass
					3.85	-5.808	-0.0031	-2.5 to 2.5	Pass
					4.43	-8.297	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-7.281	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-11.587	-0.0063	-2.5 to 2.5	Pass
				-10	3.85	5.078	0.0027	-2.5 to 2.5	Pass
				0	3.85	-1.917	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-17.653	-0.0095	-2.5 to 2.5	Pass
				30	3.85	-11.358	-0.0061	-2.5 to 2.5	Pass
				40	3.85	-8.569	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-14.277	-0.0077	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-8.841	-0.0047	-2.5 to 2.5	Pass
					3.85	1.674	0.0009	-2.5 to 2.5	Pass
					4.43	-4.048	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	5.322	0.0028	-2.5 to 2.5	Pass
				-20	3.85	1.545	0.0008	-2.5 to 2.5	Pass
				-10	3.85	-7.181	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-4.048	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-14.935	-0.0079	-2.5 to 2.5	Pass
				30	3.85	-14.906	-0.0079	-2.5 to 2.5	Pass
				40	3.85	1.860	0.0010	-2.5 to 2.5	Pass
				50	3.85	2.775	0.0015	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	3.633	0.0019	-2.5 to 2.5	Pass
					3.85	-17.295	-0.0091	-2.5 to 2.5	Pass
					4.43	-3.777	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	4.663	0.0024	-2.5 to 2.5	Pass
				-20	3.85	-4.563	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	1.059	0.0006	-2.5 to 2.5	Pass
				0	3.85	-3.376	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-10.886	-0.0057	-2.5 to 2.5	Pass
				30	3.85	-4.549	-0.0024	-2.5 to 2.5	Pass
				40	3.85	-1.874	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-1.001	-0.0005	-2.5 to 2.5	Pass

16QAM	1850.7	6	0	20	3.27	-4.363	-0.0024	-2.5 to 2.5	Pass
					3.85	-10.257	-0.0055	-2.5 to 2.5	Pass
					4.43	-13.404	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	4.735	0.0026	-2.5 to 2.5	Pass
				-20	3.85	2.646	0.0014	-2.5 to 2.5	Pass
				-10	3.85	2.904	0.0016	-2.5 to 2.5	Pass
				0	3.85	1.159	0.0006	-2.5 to 2.5	Pass
				10	3.85	-13.018	-0.0070	-2.5 to 2.5	Pass
				30	3.85	-4.849	-0.0026	-2.5 to 2.5	Pass
				40	3.85	-5.536	-0.0030	-2.5 to 2.5	Pass
				50	3.85	-14.563	-0.0079	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-1.702	-0.0009	-2.5 to 2.5	Pass
					3.85	-2.933	-0.0016	-2.5 to 2.5	Pass
					4.43	5.550	0.0030	-2.5 to 2.5	Pass
				-30	3.85	-15.192	-0.0081	-2.5 to 2.5	Pass
				-20	3.85	-10.943	-0.0058	-2.5 to 2.5	Pass
				-10	3.85	-3.047	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-7.181	-0.0038	-2.5 to 2.5	Pass
				10	3.85	-6.866	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-4.034	-0.0021	-2.5 to 2.5	Pass
				40	3.85	-7.496	-0.0040	-2.5 to 2.5	Pass
				50	3.85	-3.877	-0.0021	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-5.851	-0.0031	-2.5 to 2.5	Pass
					3.85	5.922	0.0031	-2.5 to 2.5	Pass
					4.43	-7.224	-0.0038	-2.5 to 2.5	Pass
				-30	3.85	-1.588	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-15.650	-0.0082	-2.5 to 2.5	Pass
				-10	3.85	7.610	0.0040	-2.5 to 2.5	Pass
				0	3.85	-11.730	-0.0061	-2.5 to 2.5	Pass
				10	3.85	0.815	0.0004	-2.5 to 2.5	Pass
				30	3.85	2.904	0.0015	-2.5 to 2.5	Pass
				40	3.85	-6.037	-0.0032	-2.5 to 2.5	Pass
				50	3.85	-18.268	-0.0096	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-18.439	-0.0100	-2.5 to 2.5	Pass
					3.85	0.257	0.0001	-2.5 to 2.5	Pass
					4.43	1.602	0.0009	-2.5 to 2.5	Pass
				-30	3.85	-11.330	-0.0061	-2.5 to 2.5	Pass
				-20	3.85	-2.389	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-9.284	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-6.852	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-14.048	-0.0076	-2.5 to 2.5	Pass
				30	3.85	-1.287	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-5.136	-0.0028	-2.5 to 2.5	Pass
				50	3.85	-14.963	-0.0081	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	-1.974	-0.0011	-2.5 to 2.5	Pass
					3.85	-1.602	-0.0009	-2.5 to 2.5	Pass
					4.43	-13.433	-0.0071	-2.5 to 2.5	Pass
				-30	3.85	-7.167	-0.0038	-2.5 to 2.5	Pass
				-20	3.85	-5.622	-0.0030	-2.5 to 2.5	Pass
				-10	3.85	-8.383	-0.0045	-2.5 to 2.5	Pass
				0	3.85	-3.462	-0.0018	-2.5 to 2.5	Pass

16QAM	1908.5	15	0	10	3.85	2.332	0.0012	-2.5 to 2.5	Pass
				30	3.85	-11.272	-0.0060	-2.5 to 2.5	Pass
				40	3.85	5.651	0.0030	-2.5 to 2.5	Pass
				50	3.85	-2.203	-0.0012	-2.5 to 2.5	Pass
				20	3.27	-12.803	-0.0067	-2.5 to 2.5	Pass
					3.85	3.476	0.0018	-2.5 to 2.5	Pass
					4.43	-0.873	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-1.273	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-11.759	-0.0062	-2.5 to 2.5	Pass
				-10	3.85	-7.625	-0.0040	-2.5 to 2.5	Pass
	1851.5	15	0	0	3.85	-10.028	-0.0053	-2.5 to 2.5	Pass
				10	3.85	1.287	0.0007	-2.5 to 2.5	Pass
				30	3.85	-18.125	-0.0095	-2.5 to 2.5	Pass
				40	3.85	-11.129	-0.0058	-2.5 to 2.5	Pass
				50	3.85	-10.886	-0.0057	-2.5 to 2.5	Pass
				20	3.27	-2.389	-0.0013	-2.5 to 2.5	Pass
					3.85	2.031	0.0011	-2.5 to 2.5	Pass
					4.43	-8.984	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-0.272	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	2.060	0.0011	-2.5 to 2.5	Pass
16QAM	1880	15	0	-10	3.85	-12.674	-0.0068	-2.5 to 2.5	Pass
				0	3.85	-4.864	-0.0026	-2.5 to 2.5	Pass
				10	3.85	0.629	0.0003	-2.5 to 2.5	Pass
				30	3.85	-18.125	-0.0098	-2.5 to 2.5	Pass
				40	3.85	-14.491	-0.0078	-2.5 to 2.5	Pass
				50	3.85	-1.531	-0.0008	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	-16.708	-0.0089	-2.5 to 2.5	Pass
					3.85	-9.613	-0.0051	-2.5 to 2.5	Pass
					4.43	-9.184	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-4.277	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-2.203	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-3.061	-0.0016	-2.5 to 2.5	Pass
				0	3.85	0.615	0.0003	-2.5 to 2.5	Pass
				10	3.85	-5.322	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-4.892	-0.0026	-2.5 to 2.5	Pass
				40	3.85	-13.175	-0.0070	-2.5 to 2.5	Pass
	1852.5	15	0	50	3.85	-13.533	-0.0072	-2.5 to 2.5	Pass
				20	3.27	-15.063	-0.0079	-2.5 to 2.5	Pass
					3.85	-10.014	-0.0052	-2.5 to 2.5	Pass
					4.43	-12.689	-0.0066	-2.5 to 2.5	Pass
				-30	3.85	-7.339	-0.0038	-2.5 to 2.5	Pass
				-20	3.85	-14.877	-0.0078	-2.5 to 2.5	Pass
				-10	3.85	-5.994	-0.0031	-2.5 to 2.5	Pass
				0	3.85	-17.009	-0.0089	-2.5 to 2.5	Pass
				10	3.85	-0.329	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-15.121	-0.0079	-2.5 to 2.5	Pass
				40	3.85	-12.102	-0.0063	-2.5 to 2.5	Pass
				50	3.85	-7.524	-0.0039	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-14.162	-0.0076	-2.5 to 2.5	Pass
					3.85	-3.333	-0.0018	-2.5 to 2.5	Pass
					4.43	-9.813	-0.0053	-2.5 to 2.5	Pass

				-30	3.85	-9.842	-0.0053	-2.5 to 2.5	Pass
				-20	3.85	-6.051	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-10.028	-0.0054	-2.5 to 2.5	Pass
				0	3.85	-8.039	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-3.648	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-7.510	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-3.719	-0.0020	-2.5 to 2.5	Pass
				50	3.85	-6.065	-0.0033	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	7.195	0.0038	-2.5 to 2.5	Pass
					3.85	-6.666	-0.0035	-2.5 to 2.5	Pass
					4.43	0.758	0.0004	-2.5 to 2.5	Pass
				-30	3.85	1.273	0.0007	-2.5 to 2.5	Pass
				-20	3.85	-4.749	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	-4.792	-0.0025	-2.5 to 2.5	Pass
				0	3.85	5.608	0.0030	-2.5 to 2.5	Pass
				10	3.85	-14.434	-0.0077	-2.5 to 2.5	Pass
				30	3.85	-2.389	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-3.519	-0.0019	-2.5 to 2.5	Pass
				50	3.85	-5.422	-0.0029	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-8.340	-0.0044	-2.5 to 2.5	Pass
					3.85	-7.653	-0.0040	-2.5 to 2.5	Pass
					4.43	-12.302	-0.0064	-2.5 to 2.5	Pass
				-30	3.85	-1.588	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	0.200	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-4.992	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-4.978	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-3.247	-0.0017	-2.5 to 2.5	Pass
				30	3.85	1.359	0.0007	-2.5 to 2.5	Pass
				40	3.85	-7.310	-0.0038	-2.5 to 2.5	Pass
				50	3.85	-9.542	-0.0050	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	3.476	0.0019	-2.5 to 2.5	Pass
					3.85	-16.236	-0.0088	-2.5 to 2.5	Pass
					4.43	3.648	0.0020	-2.5 to 2.5	Pass
				-30	3.85	-10.772	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-4.778	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-6.266	-0.0034	-2.5 to 2.5	Pass
				0	3.85	-4.306	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-0.143	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.300	-0.0002	-2.5 to 2.5	Pass
				40	3.85	2.961	0.0016	-2.5 to 2.5	Pass
				50	3.85	-1.202	-0.0006	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-4.406	-0.0023	-2.5 to 2.5	Pass
					3.85	-3.390	-0.0018	-2.5 to 2.5	Pass
					4.43	-9.184	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	5.736	0.0031	-2.5 to 2.5	Pass
				-20	3.85	-4.549	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-3.347	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-2.775	-0.0015	-2.5 to 2.5	Pass
				10	3.85	0.086	0.0000	-2.5 to 2.5	Pass
				30	3.85	-10.514	-0.0056	-2.5 to 2.5	Pass
				40	3.85	-1.888	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-12.589	-0.0067	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-3.633	-0.0019	-2.5 to 2.5	Pass
					3.85	0.558	0.0003	-2.5 to 2.5	Pass
					4.43	0.300	0.0002	-2.5 to 2.5	Pass
				-30	3.85	-4.921	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	3.176	0.0017	-2.5 to 2.5	Pass
				-10	3.85	-9.913	-0.0052	-2.5 to 2.5	Pass
				0	3.85	-4.063	-0.0021	-2.5 to 2.5	Pass

				10	3.85	0.057	0.0000	-2.5 to 2.5	Pass
				30	3.85	1.574	0.0008	-2.5 to 2.5	Pass
				40	3.85	-4.563	-0.0024	-2.5 to 2.5	Pass
				50	3.85	-7.095	-0.0037	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-3.304	-0.0018	-2.5 to 2.5	Pass
					3.85	-1.259	-0.0007	-2.5 to 2.5	Pass
					4.43	-3.705	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-3.476	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-3.419	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	-6.537	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-1.817	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-5.250	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-6.094	-0.0033	-2.5 to 2.5	Pass
				40	3.85	-4.077	-0.0022	-2.5 to 2.5	Pass
				50	3.85	-5.937	-0.0032	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-15.950	-0.0085	-2.5 to 2.5	Pass
					3.85	-6.080	-0.0032	-2.5 to 2.5	Pass
					4.43	-8.669	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-5.965	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	-8.411	-0.0045	-2.5 to 2.5	Pass
				-10	3.85	-6.580	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-5.193	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-9.112	-0.0048	-2.5 to 2.5	Pass
				30	3.85	-9.027	-0.0048	-2.5 to 2.5	Pass
				40	3.85	-9.756	-0.0052	-2.5 to 2.5	Pass
				50	3.85	-9.141	-0.0049	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-0.629	-0.0003	-2.5 to 2.5	Pass
					3.85	-10.443	-0.0055	-2.5 to 2.5	Pass
					4.43	-8.368	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-8.726	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-4.678	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	-5.264	-0.0028	-2.5 to 2.5	Pass
				0	3.85	-5.064	-0.0027	-2.5 to 2.5	Pass
				10	3.85	-5.021	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-1.316	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-0.458	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-3.004	-0.0016	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	-7.181	-0.0039	-2.5 to 2.5	Pass
					3.85	0.801	0.0004	-2.5 to 2.5	Pass
					4.43	-4.892	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-6.409	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-8.755	-0.0047	-2.5 to 2.5	Pass
				0	3.85	4.721	0.0025	-2.5 to 2.5	Pass
				10	3.85	-11.244	-0.0061	-2.5 to 2.5	Pass
				30	3.85	-9.155	-0.0049	-2.5 to 2.5	Pass
				40	3.85	-12.860	-0.0069	-2.5 to 2.5	Pass
				50	3.85	-2.761	-0.0015	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-4.950	-0.0026	-2.5 to 2.5	Pass
					3.85	-7.768	-0.0041	-2.5 to 2.5	Pass
					4.43	-6.652	-0.0035	-2.5 to 2.5	Pass

				-30	3.85	-8.469	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-9.313	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	-8.383	-0.0045	-2.5 to 2.5	Pass
				0	3.85	-5.393	-0.0029	-2.5 to 2.5	Pass
				10	3.85	-10.586	-0.0056	-2.5 to 2.5	Pass
				30	3.85	-2.203	-0.0012	-2.5 to 2.5	Pass
				40	3.85	-8.612	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-12.960	-0.0069	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-3.877	-0.0020	-2.5 to 2.5	Pass
					3.85	-3.648	-0.0019	-2.5 to 2.5	Pass
					4.43	-1.287	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-1.373	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	0.157	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-2.561	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-5.708	-0.0030	-2.5 to 2.5	Pass
				10	3.85	-0.744	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-2.832	-0.0015	-2.5 to 2.5	Pass
				40	3.85	0.272	0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.844	-0.0004	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-6.623	-0.0036	-2.5 to 2.5	Pass
					3.85	-6.566	-0.0035	-2.5 to 2.5	Pass
					4.43	-5.479	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-4.091	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-2.117	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	-6.480	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-3.605	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-0.901	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-3.376	-0.0018	-2.5 to 2.5	Pass
				40	3.85	-6.580	-0.0035	-2.5 to 2.5	Pass
				50	3.85	-1.960	-0.0011	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	-4.077	-0.0022	-2.5 to 2.5	Pass
					3.85	-3.233	-0.0017	-2.5 to 2.5	Pass
					4.43	-4.692	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-5.336	-0.0028	-2.5 to 2.5	Pass
				-20	3.85	-10.929	-0.0058	-2.5 to 2.5	Pass
				-10	3.85	-1.245	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-6.108	-0.0032	-2.5 to 2.5	Pass
				10	3.85	-9.456	-0.0050	-2.5 to 2.5	Pass
				30	3.85	-7.753	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-9.813	-0.0052	-2.5 to 2.5	Pass
				50	3.85	-5.050	-0.0027	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-8.612	-0.0045	-2.5 to 2.5	Pass
					3.85	-7.997	-0.0042	-2.5 to 2.5	Pass
					4.43	-3.605	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-8.454	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-9.570	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	-7.710	-0.0041	-2.5 to 2.5	Pass
				0	3.85	-9.484	-0.0050	-2.5 to 2.5	Pass
				10	3.85	-6.223	-0.0033	-2.5 to 2.5	Pass
				30	3.85	-8.368	-0.0044	-2.5 to 2.5	Pass
				40	3.85	-12.574	-0.0066	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	50	3.85	-7.982	-0.0042	-2.5 to 2.5	Pass
				20	3.27	-2.632	-0.0014	-2.5 to 2.5	Pass
					3.85	-4.878	-0.0026	-2.5 to 2.5	Pass
					4.43	-7.167	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-4.807	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	5.965	0.0032	-2.5 to 2.5	Pass
				-10	3.85	1.903	0.0010	-2.5 to 2.5	Pass
				0	3.85	-2.217	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-7.682	-0.0041	-2.5 to 2.5	Pass
				30	3.85	-1.030	-0.0006	-2.5 to 2.5	Pass
				40	3.85	2.246	0.0012	-2.5 to 2.5	Pass
				50	3.85	-7.696	-0.0041	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	-9.770	-0.0052	-2.5 to 2.5	Pass
					3.85	-5.007	-0.0027	-2.5 to 2.5	Pass
					4.43	-4.935	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-11.187	-0.0060	-2.5 to 2.5	Pass
				-20	3.85	-10.271	-0.0055	-2.5 to 2.5	Pass
				-10	3.85	-2.775	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-5.436	-0.0029	-2.5 to 2.5	Pass
				10	3.85	0.615	0.0003	-2.5 to 2.5	Pass
				30	3.85	-10.099	-0.0054	-2.5 to 2.5	Pass
				40	3.85	-5.808	-0.0031	-2.5 to 2.5	Pass
				50	3.85	-13.833	-0.0074	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-11.115	-0.0058	-2.5 to 2.5	Pass
					3.85	-3.734	-0.0020	-2.5 to 2.5	Pass
					4.43	-9.685	-0.0051	-2.5 to 2.5	Pass
				-30	3.85	-5.708	-0.0030	-2.5 to 2.5	Pass
				-20	3.85	-12.875	-0.0068	-2.5 to 2.5	Pass
				-10	3.85	-7.010	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-5.007	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-1.402	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-3.877	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-4.392	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-10.042	-0.0053	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-5.651	-0.0030	-2.5 to 2.5	Pass
					3.85	-2.661	-0.0014	-2.5 to 2.5	Pass
					4.43	-7.224	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-2.232	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-3.777	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-7.396	-0.0040	-2.5 to 2.5	Pass
				0	3.85	-6.838	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-5.407	-0.0029	-2.5 to 2.5	Pass
				30	3.85	-4.892	-0.0026	-2.5 to 2.5	Pass
				40	3.85	-6.552	-0.0035	-2.5 to 2.5	Pass
				50	3.85	1.688	0.0009	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-11.973	-0.0064	-2.5 to 2.5	Pass
					3.85	-9.856	-0.0052	-2.5 to 2.5	Pass
					4.43	-5.651	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	-6.309	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-1.159	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-4.635	-0.0025	-2.5 to 2.5	Pass

				0	3.85	-8.068	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-6.495	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-11.287	-0.0060	-2.5 to 2.5	Pass
				40	3.85	-6.409	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-6.223	-0.0033	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-3.390	-0.0018	-2.5 to 2.5	Pass
					3.85	-8.411	-0.0044	-2.5 to 2.5	Pass
					4.43	-8.240	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-5.522	-0.0029	-2.5 to 2.5	Pass
				-20	3.85	-10.958	-0.0058	-2.5 to 2.5	Pass
				-10	3.85	-7.153	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-10.829	-0.0057	-2.5 to 2.5	Pass
				10	3.85	-12.674	-0.0067	-2.5 to 2.5	Pass
				30	3.85	-7.768	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-7.868	-0.0041	-2.5 to 2.5	Pass
				50	3.85	-2.232	-0.0012	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-4.592	-0.0025	-2.5 to 2.5	Pass
					3.85	-2.246	-0.0012	-2.5 to 2.5	Pass
					4.43	-12.445	-0.0067	-2.5 to 2.5	Pass
				-30	3.85	-10.085	-0.0054	-2.5 to 2.5	Pass
				-20	3.85	-5.994	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-10.614	-0.0057	-2.5 to 2.5	Pass
				0	3.85	-5.779	-0.0031	-2.5 to 2.5	Pass
				10	3.85	-2.003	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-2.117	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-6.967	-0.0037	-2.5 to 2.5	Pass
				50	3.85	-4.234	-0.0023	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-6.638	-0.0035	-2.5 to 2.5	Pass
					3.85	-7.668	-0.0041	-2.5 to 2.5	Pass
					4.43	-5.822	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-6.480	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-12.746	-0.0068	-2.5 to 2.5	Pass
				-10	3.85	-6.280	-0.0033	-2.5 to 2.5	Pass
				0	3.85	-4.148	-0.0022	-2.5 to 2.5	Pass
				10	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				30	3.85	-5.193	-0.0028	-2.5 to 2.5	Pass
				40	3.85	-7.782	-0.0041	-2.5 to 2.5	Pass
				50	3.85	-6.695	-0.0036	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-5.765	-0.0030	-2.5 to 2.5	Pass
					3.85	-1.488	-0.0008	-2.5 to 2.5	Pass
					4.43	-5.593	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-10.786	-0.0057	-2.5 to 2.5	Pass
				-20	3.85	-4.520	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-1.287	-0.0007	-2.5 to 2.5	Pass
				0	3.85	1.588	0.0008	-2.5 to 2.5	Pass
				10	3.85	-3.805	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-5.064	-0.0027	-2.5 to 2.5	Pass
				40	3.85	-8.669	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-1.473	-0.0008	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.113	/	Pass
		1880	6	0	1.106	/	Pass
		1909.3	6	0	1.117	/	Pass
	16QAM	1850.7	6	0	1.109	/	Pass
		1880	6	0	1.113	/	Pass
		1909.3	6	0	1.112	/	Pass
3	QPSK	1851.5	15	0	2.725	/	Pass
		1880	15	0	2.726	/	Pass
		1908.5	15	0	2.723	/	Pass
	16QAM	1851.5	15	0	2.715	/	Pass
		1880	15	0	2.721	/	Pass
		1908.5	15	0	2.716	/	Pass
5	QPSK	1852.5	25	0	4.561	/	Pass
		1880	25	0	4.552	/	Pass
		1907.5	25	0	4.575	/	Pass
	16QAM	1852.5	25	0	4.572	/	Pass
		1880	25	0	4.587	/	Pass
		1907.5	25	0	4.583	/	Pass
10	QPSK	1855	50	0	9.070	/	Pass
		1880	50	0	9.064	/	Pass
		1905	50	0	9.102	/	Pass
	16QAM	1855	50	0	9.073	/	Pass
		1880	50	0	9.066	/	Pass
		1905	50	0	9.076	/	Pass
15	QPSK	1857.5	75	0	13.652	/	Pass
		1880	75	0	13.608	/	Pass
		1902.5	75	0	13.618	/	Pass
	16QAM	1857.5	75	0	13.651	/	Pass
		1880	75	0	13.629	/	Pass
		1902.5	75	0	13.634	/	Pass
20	QPSK	1860	100	0	18.180	/	Pass
		1880	100	0	18.134	/	Pass
		1900	100	0	18.118	/	Pass
	16QAM	1860	100	0	18.173	/	Pass
		1880	100	0	18.167	/	Pass
		1900	100	0	18.126	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.339	/	Pass
		1880	6	0	1.307	/	Pass
		1909.3	6	0	1.307	/	Pass


	16QAM	1850.7	6	0	1.301	/	Pass
		1880	6	0	1.323	/	Pass
		1909.3	6	0	1.313	/	Pass
3	QPSK	1851.5	15	0	2.992	/	Pass
		1880	15	0	3.002	/	Pass
		1908.5	15	0	3.001	/	Pass
	16QAM	1851.5	15	0	2.990	/	Pass
		1880	15	0	2.983	/	Pass
		1908.5	15	0	2.982	/	Pass
5	QPSK	1852.5	25	0	5.255	/	Pass
		1880	25	0	5.276	/	Pass
		1907.5	25	0	5.229	/	Pass
	16QAM	1852.5	25	0	5.273	/	Pass
		1880	25	0	5.290	/	Pass
		1907.5	25	0	5.263	/	Pass
10	QPSK	1855	50	0	10.231	/	Pass
		1880	50	0	10.308	/	Pass
		1905	50	0	10.733	/	Pass
	16QAM	1855	50	0	10.257	/	Pass
		1880	50	0	10.275	/	Pass
		1905	50	0	10.219	/	Pass
15	QPSK	1857.5	75	0	15.343	/	Pass
		1880	75	0	15.323	/	Pass
		1902.5	75	0	15.238	/	Pass
	16QAM	1857.5	75	0	15.357	/	Pass
		1880	75	0	15.312	/	Pass
		1902.5	75	0	15.378	/	Pass
20	QPSK	1860	100	0	20.307	/	Pass
		1880	100	0	20.243	/	Pass
		1900	100	0	19.906	/	Pass
	16QAM	1860	100	0	20.260	/	Pass
		1880	100	0	20.045	/	Pass
		1900	100	0	20.041	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTN




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTN




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTN




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTN




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTN




4.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.45	<=13	Pass
	1880	6	0	5.76	<=13	Pass
	1909.3	6	0	5.53	<=13	Pass
16QAM	1850.7	6	0	6.24	<=13	Pass
	1880	6	0	6.52	<=13	Pass
	1909.3	6	0	6.32	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.52	<=13	Pass
	1880	15	0	5.73	<=13	Pass
	1908.5	15	0	5.69	<=13	Pass
16QAM	1851.5	15	0	6.30	<=13	Pass
	1880	15	0	6.66	<=13	Pass
	1908.5	15	0	6.51	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.78	<=13	Pass
	1880	25	0	5.92	<=13	Pass
	1907.5	25	0	5.81	<=13	Pass
16QAM	1852.5	25	0	6.48	<=13	Pass
	1880	25	0	6.60	<=13	Pass
	1907.5	25	0	6.49	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.76	<=13	Pass
	1880	50	0	5.86	<=13	Pass
	1905	50	0	5.75	<=13	Pass
16QAM	1855	50	0	6.52	<=13	Pass
	1880	50	0	6.64	<=13	Pass

	1905	50	0	6.47	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	4.86	<=13	Pass
	1880	75	0	4.88	<=13	Pass
	1902.5	75	0	4.86	<=13	Pass
16QAM	1857.5	75	0	6.28	<=13	Pass
	1880	75	0	6.25	<=13	Pass
	1902.5	75	0	6.23	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.68	<=13	Pass
	1880	100	0	5.67	<=13	Pass
	1900	100	0	5.60	<=13	Pass
16QAM	1860	100	0	6.77	<=13	Pass
	1880	100	0	6.76	<=13	Pass
	1900	100	0	6.75	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




5.2.2 B2_3MHz




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




5.2.3 B2_5MHz




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




5.2.4 B2_10MHz




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




5.2.5 B2_15MHz




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




5.2.6 B2_20MHz




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTN



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTN



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass