

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26a_1.4MHz_ERP

Band: 26a / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	814.7	1	0	23.13	-0.36	20.62	<=38.45	Pass
			2	23.19	-0.36	20.68	<=38.45	Pass
			5	23.11	-0.36	20.60	<=38.45	Pass
		3	0	22.66	-0.36	20.15	<=38.45	Pass
			2	23.24	-0.36	20.73	<=38.45	Pass
			3	23.19	-0.36	20.68	<=38.45	Pass
		6	0	22.17	-0.36	19.66	<=38.45	Pass
	819	1	0	22.68	-0.36	20.17	<=38.45	Pass
			2	22.80	-0.36	20.29	<=38.45	Pass
			5	22.68	-0.36	20.17	<=38.45	Pass
		3	0	22.77	-0.36	20.26	<=38.45	Pass
			2	22.79	-0.36	20.28	<=38.45	Pass
			3	22.76	-0.36	20.25	<=38.45	Pass
		6	0	22.29	-0.36	19.78	<=38.45	Pass
	823.3	1	0	23.31	-0.36	20.80	<=38.45	Pass
			2	23.46	-0.36	20.95	<=38.45	Pass
			5	23.27	-0.36	20.76	<=38.45	Pass
		3	0	23.41	-0.36	20.90	<=38.45	Pass
			2	23.40	-0.36	20.89	<=38.45	Pass
			3	23.30	-0.36	20.79	<=38.45	Pass
		6	0	22.32	-0.36	19.81	<=38.45	Pass
16QAM	814.7	1	0	22.11	-0.36	19.60	<=38.45	Pass
			2	21.95	-0.36	19.44	<=38.45	Pass
			5	21.62	-0.36	19.11	<=38.45	Pass
		3	0	21.87	-0.36	19.36	<=38.45	Pass
			2	21.72	-0.36	19.21	<=38.45	Pass
			3	21.75	-0.36	19.24	<=38.45	Pass
		6	0	20.67	-0.36	18.16	<=38.45	Pass
	819	1	0	22.26	-0.36	19.75	<=38.45	Pass
			2	22.49	-0.36	19.98	<=38.45	Pass
			5	22.27	-0.36	19.76	<=38.45	Pass
		3	0	22.02	-0.36	19.51	<=38.45	Pass
			2	22.60	-0.36	20.09	<=38.45	Pass
			3	22.35	-0.36	19.84	<=38.45	Pass
		6	0	21.22	-0.36	18.71	<=38.45	Pass
	823.3	1	0	22.30	-0.36	19.79	<=38.45	Pass
			2	22.38	-0.36	19.87	<=38.45	Pass
			5	22.44	-0.36	19.93	<=38.45	Pass
		3	0	22.45	-0.36	19.94	<=38.45	Pass
			2	22.47	-0.36	19.96	<=38.45	Pass
			3	22.55	-0.36	20.04	<=38.45	Pass
		6	0	21.34	-0.36	18.83	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26a_3MHz_ERP

Band: 26a / Bandwidth: 3MHz / NTN								
-----------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	815.5	1	0	23.30	-0.36	20.79	<=38.45	Pass
			7	23.37	-0.36	20.86	<=38.45	Pass
			14	23.27	-0.36	20.76	<=38.45	Pass
		8	0	22.20	-0.36	19.69	<=38.45	Pass
			4	21.87	-0.36	19.36	<=38.45	Pass
			7	21.93	-0.36	19.42	<=38.45	Pass
		15	0	21.79	-0.36	19.28	<=38.45	Pass
	819	1	0	22.80	-0.36	20.29	<=38.45	Pass
			7	22.96	-0.36	20.45	<=38.45	Pass
			14	22.80	-0.36	20.29	<=38.45	Pass
		8	0	21.76	-0.36	19.25	<=38.45	Pass
			4	21.86	-0.36	19.35	<=38.45	Pass
			7	21.80	-0.36	19.29	<=38.45	Pass
		15	0	21.78	-0.36	19.27	<=38.45	Pass
	822.5	1	0	22.83	-0.36	20.32	<=38.45	Pass
			7	22.99	-0.36	20.48	<=38.45	Pass
			14	22.90	-0.36	20.39	<=38.45	Pass
		8	0	21.81	-0.36	19.30	<=38.45	Pass
			4	21.85	-0.36	19.34	<=38.45	Pass
			7	21.83	-0.36	19.32	<=38.45	Pass
		15	0	21.82	-0.36	19.31	<=38.45	Pass
16QAM	815.5	1	0	22.27	-0.36	19.76	<=38.45	Pass
			7	22.05	-0.36	19.54	<=38.45	Pass
			14	21.75	-0.36	19.24	<=38.45	Pass
		8	0	20.88	-0.36	18.37	<=38.45	Pass
			4	20.78	-0.36	18.27	<=38.45	Pass
			7	20.84	-0.36	18.33	<=38.45	Pass
		15	0	20.80	-0.36	18.29	<=38.45	Pass
	819	1	0	21.84	-0.36	19.33	<=38.45	Pass
			7	22.51	-0.36	20.00	<=38.45	Pass
			14	21.99	-0.36	19.48	<=38.45	Pass
		8	0	20.87	-0.36	18.36	<=38.45	Pass
			4	21.04	-0.36	18.53	<=38.45	Pass
			7	20.82	-0.36	18.31	<=38.45	Pass
		15	0	20.87	-0.36	18.36	<=38.45	Pass
	822.5	1	0	22.02	-0.36	19.51	<=38.45	Pass
			7	22.04	-0.36	19.53	<=38.45	Pass
			14	22.42	-0.36	19.91	<=38.45	Pass
		8	0	20.82	-0.36	18.31	<=38.45	Pass
			4	20.95	-0.36	18.44	<=38.45	Pass
			7	21.02	-0.36	18.51	<=38.45	Pass
		15	0	20.83	-0.36	18.32	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26a_5MHz_ERP

Band: 26a / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	816.5	1	0	23.08	-0.36	20.57	<=38.45	Pass
			13	22.70	-0.36	20.19	<=38.45	Pass
			24	22.65	-0.36	20.14	<=38.45	Pass
		12	0	21.54	-0.36	19.03	<=38.45	Pass
			6	21.66	-0.36	19.15	<=38.45	Pass
			13	21.63	-0.36	19.12	<=38.45	Pass

16QAM	819	25	0	21.64	-0.36	19.13	<=38.45	Pass
			0	22.59	-0.36	20.08	<=38.45	Pass
			13	22.75	-0.36	20.24	<=38.45	Pass
			24	22.67	-0.36	20.16	<=38.45	Pass
		12	0	21.59	-0.36	19.08	<=38.45	Pass
			6	21.71	-0.36	19.20	<=38.45	Pass
			13	21.70	-0.36	19.19	<=38.45	Pass
		25	0	21.70	-0.36	19.19	<=38.45	Pass
	821.5	1	0	22.65	-0.36	20.14	<=38.45	Pass
			13	22.75	-0.36	20.24	<=38.45	Pass
			24	22.70	-0.36	20.19	<=38.45	Pass
		12	0	21.63	-0.36	19.12	<=38.45	Pass
			6	21.74	-0.36	19.23	<=38.45	Pass
			13	21.72	-0.36	19.21	<=38.45	Pass
		25	0	21.73	-0.36	19.22	<=38.45	Pass
	816.5	1	0	21.39	-0.36	18.88	<=38.45	Pass
			13	21.94	-0.36	19.43	<=38.45	Pass
			24	21.73	-0.36	19.22	<=38.45	Pass
		12	0	20.61	-0.36	18.10	<=38.45	Pass
			6	20.75	-0.36	18.24	<=38.45	Pass
			13	20.68	-0.36	18.17	<=38.45	Pass
		25	0	20.70	-0.36	18.19	<=38.45	Pass
	819	1	0	21.67	-0.36	19.16	<=38.45	Pass
			13	21.59	-0.36	19.08	<=38.45	Pass
			24	21.90	-0.36	19.39	<=38.45	Pass
		12	0	20.62	-0.36	18.11	<=38.45	Pass
			6	20.78	-0.36	18.27	<=38.45	Pass
			13	20.80	-0.36	18.29	<=38.45	Pass
		25	0	20.74	-0.36	18.23	<=38.45	Pass
	821.5	1	0	21.90	-0.36	19.39	<=38.45	Pass
			13	21.86	-0.36	19.35	<=38.45	Pass
			24	21.56	-0.36	19.05	<=38.45	Pass
		12	0	20.72	-0.36	18.21	<=38.45	Pass
			6	20.77	-0.36	18.26	<=38.45	Pass
			13	20.80	-0.36	18.29	<=38.45	Pass
		25	0	20.76	-0.36	18.25	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26a_10MHz_ERP

Band: 26a / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	22.59	-0.36	20.08	<=38.45	Pass
			25	22.78	-0.36	20.27	<=38.45	Pass
			49	22.68	-0.36	20.17	<=38.45	Pass
		25	0	21.66	-0.36	19.15	<=38.45	Pass
			13	21.79	-0.36	19.28	<=38.45	Pass
			25	21.89	-0.36	19.38	<=38.45	Pass
		50	0	21.77	-0.36	19.26	<=38.45	Pass
16QAM	819	1	0	22.14	-0.36	19.63	<=38.45	Pass
			25	22.05	-0.36	19.54	<=38.45	Pass
			49	21.71	-0.36	19.20	<=38.45	Pass
		25	0	20.75	-0.36	18.24	<=38.45	Pass
			13	20.83	-0.36	18.32	<=38.45	Pass
			25	21.01	-0.36	18.50	<=38.45	Pass
		50	0	20.85	-0.36	18.34	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	814.7	6	0	20	3.27	-9.456	-0.0116	-2.5 to 2.5	Pass
					3.85	-7.496	-0.0092	-2.5 to 2.5	Pass
					4.43	-4.807	-0.0059	-2.5 to 2.5	Pass
				-30	3.85	-6.151	-0.0076	-2.5 to 2.5	Pass
				-20	3.85	-7.396	-0.0091	-2.5 to 2.5	Pass
				-10	3.85	-3.419	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-1.631	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-7.739	-0.0095	-2.5 to 2.5	Pass
				30	3.85	-2.117	-0.0026	-2.5 to 2.5	Pass
				40	3.85	-6.280	-0.0077	-2.5 to 2.5	Pass
				50	3.85	-7.281	-0.0089	-2.5 to 2.5	Pass
	819	6	0	20	3.27	-9.413	-0.0115	-2.5 to 2.5	Pass
					3.85	-5.364	-0.0065	-2.5 to 2.5	Pass
					4.43	-5.093	-0.0062	-2.5 to 2.5	Pass
				-30	3.85	-7.896	-0.0096	-2.5 to 2.5	Pass
				-20	3.85	-7.997	-0.0098	-2.5 to 2.5	Pass
				-10	3.85	-6.394	-0.0078	-2.5 to 2.5	Pass
				0	3.85	-3.290	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-3.834	-0.0047	-2.5 to 2.5	Pass
				30	3.85	-7.839	-0.0096	-2.5 to 2.5	Pass
				40	3.85	-8.483	-0.0104	-2.5 to 2.5	Pass
				50	3.85	-7.367	-0.0090	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	-5.980	-0.0073	-2.5 to 2.5	Pass
					3.85	-6.766	-0.0082	-2.5 to 2.5	Pass
					4.43	-13.032	-0.0158	-2.5 to 2.5	Pass
				-30	3.85	-8.969	-0.0109	-2.5 to 2.5	Pass
				-20	3.85	-4.950	-0.0060	-2.5 to 2.5	Pass
				-10	3.85	-4.292	-0.0052	-2.5 to 2.5	Pass
				0	3.85	-8.554	-0.0104	-2.5 to 2.5	Pass
				10	3.85	-1.788	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-11.058	-0.0134	-2.5 to 2.5	Pass
				40	3.85	-2.961	-0.0036	-2.5 to 2.5	Pass
				50	3.85	-5.236	-0.0064	-2.5 to 2.5	Pass
16QAM	814.7	6	0	20	3.27	-6.194	-0.0076	-2.5 to 2.5	Pass
					3.85	-4.721	-0.0058	-2.5 to 2.5	Pass
					4.43	-1.144	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-1.888	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-4.520	-0.0055	-2.5 to 2.5	Pass
				-10	3.85	-5.765	-0.0071	-2.5 to 2.5	Pass
				0	3.85	-6.423	-0.0079	-2.5 to 2.5	Pass
				10	3.85	-4.034	-0.0050	-2.5 to 2.5	Pass
				30	3.85	-8.583	-0.0105	-2.5 to 2.5	Pass
				40	3.85	-4.749	-0.0058	-2.5 to 2.5	Pass
				50	3.85	-4.706	-0.0058	-2.5 to 2.5	Pass
	819	6	0	20	3.27	-3.991	-0.0049	-2.5 to 2.5	Pass

					3.85	-2.761	-0.0034	-2.5 to 2.5	Pass
					4.43	-5.064	-0.0062	-2.5 to 2.5	Pass
				-30	3.85	-8.183	-0.0100	-2.5 to 2.5	Pass
				-20	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-4.306	-0.0053	-2.5 to 2.5	Pass
				0	3.85	-4.606	-0.0056	-2.5 to 2.5	Pass
				10	3.85	-2.618	-0.0032	-2.5 to 2.5	Pass
				30	3.85	-4.892	-0.0060	-2.5 to 2.5	Pass
				40	3.85	-1.087	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-9.441	-0.0115	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	-10.672	-0.0130	-2.5 to 2.5	Pass
					3.85	-6.881	-0.0084	-2.5 to 2.5	Pass
					4.43	-2.961	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	-11.702	-0.0142	-2.5 to 2.5	Pass
				-20	3.85	-5.236	-0.0064	-2.5 to 2.5	Pass
				-10	3.85	-7.310	-0.0089	-2.5 to 2.5	Pass
				0	3.85	-7.453	-0.0091	-2.5 to 2.5	Pass
				10	3.85	-3.319	-0.0040	-2.5 to 2.5	Pass
				30	3.85	-5.851	-0.0071	-2.5 to 2.5	Pass
				40	3.85	-0.873	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-7.539	-0.0092	-2.5 to 2.5	Pass

2.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	-6.709	-0.0082	-2.5 to 2.5	Pass
					3.85	-2.289	-0.0028	-2.5 to 2.5	Pass
					4.43	-3.691	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-3.004	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	-3.848	-0.0047	-2.5 to 2.5	Pass
				-10	3.85	-5.765	-0.0071	-2.5 to 2.5	Pass
				0	3.85	-4.206	-0.0052	-2.5 to 2.5	Pass
				10	3.85	-3.633	-0.0045	-2.5 to 2.5	Pass
				30	3.85	-6.280	-0.0077	-2.5 to 2.5	Pass
				40	3.85	-6.981	-0.0086	-2.5 to 2.5	Pass
				50	3.85	-6.680	-0.0082	-2.5 to 2.5	Pass
	819	15	0	20	3.27	-10.114	-0.0123	-2.5 to 2.5	Pass
					3.85	-2.732	-0.0033	-2.5 to 2.5	Pass
					4.43	-1.760	-0.0021	-2.5 to 2.5	Pass
				-30	3.85	-3.676	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-3.576	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-3.319	-0.0041	-2.5 to 2.5	Pass
				0	3.85	-6.080	-0.0074	-2.5 to 2.5	Pass
				10	3.85	-4.606	-0.0056	-2.5 to 2.5	Pass
				30	3.85	-4.950	-0.0060	-2.5 to 2.5	Pass
				40	3.85	-2.418	-0.0030	-2.5 to 2.5	Pass
				50	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
	822.5	15	0	20	3.27	-11.287	-0.0137	-2.5 to 2.5	Pass
					3.85	-6.680	-0.0081	-2.5 to 2.5	Pass
					4.43	-4.578	-0.0056	-2.5 to 2.5	Pass
				-30	3.85	-6.094	-0.0074	-2.5 to 2.5	Pass
				-20	3.85	-6.709	-0.0082	-2.5 to 2.5	Pass
				-10	3.85	-5.937	-0.0072	-2.5 to 2.5	Pass
				0	3.85	-7.839	-0.0095	-2.5 to 2.5	Pass
				10	3.85	-12.474	-0.0152	-2.5 to 2.5	Pass

16QAM	815.5	15	0	30	3.85	-9.484	-0.0115	-2.5 to 2.5	Pass
				40	3.85	-13.819	-0.0168	-2.5 to 2.5	Pass
				50	3.85	-13.576	-0.0165	-2.5 to 2.5	Pass
				20	3.27	-6.337	-0.0078	-2.5 to 2.5	Pass
					3.85	-0.458	-0.0006	-2.5 to 2.5	Pass
					4.43	-8.097	-0.0099	-2.5 to 2.5	Pass
				-30	3.85	-3.691	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-5.207	-0.0064	-2.5 to 2.5	Pass
				-10	3.85	-10.557	-0.0129	-2.5 to 2.5	Pass
				0	3.85	-4.892	-0.0060	-2.5 to 2.5	Pass
	819	15	0	10	3.85	-7.339	-0.0090	-2.5 to 2.5	Pass
				30	3.85	-2.861	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-1.459	-0.0018	-2.5 to 2.5	Pass
				50	3.85	-6.838	-0.0084	-2.5 to 2.5	Pass
				20	3.27	-3.405	-0.0042	-2.5 to 2.5	Pass
					3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
					4.43	-4.907	-0.0060	-2.5 to 2.5	Pass
				-30	3.85	-7.839	-0.0096	-2.5 to 2.5	Pass
				-20	3.85	-9.155	-0.0112	-2.5 to 2.5	Pass
				-10	3.85	-9.599	-0.0117	-2.5 to 2.5	Pass
	822.5	15	0	0	3.85	-7.081	-0.0086	-2.5 to 2.5	Pass
				10	3.85	1.173	0.0014	-2.5 to 2.5	Pass
				30	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-4.907	-0.0060	-2.5 to 2.5	Pass
				50	3.85	-2.217	-0.0027	-2.5 to 2.5	Pass
				20	3.27	-12.259	-0.0149	-2.5 to 2.5	Pass
					3.85	-8.655	-0.0105	-2.5 to 2.5	Pass
					4.43	-7.882	-0.0096	-2.5 to 2.5	Pass
				-30	3.85	-4.535	-0.0055	-2.5 to 2.5	Pass
				-20	3.85	-10.185	-0.0124	-2.5 to 2.5	Pass

2.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	816.5	25	0	20	3.27	-2.804	-0.0034	-2.5 to 2.5	Pass
					3.85	-1.059	-0.0013	-2.5 to 2.5	Pass
					4.43	-6.752	-0.0083	-2.5 to 2.5	Pass
				-30	3.85	-5.751	-0.0070	-2.5 to 2.5	Pass
				-20	3.85	-5.922	-0.0073	-2.5 to 2.5	Pass
				-10	3.85	-7.296	-0.0089	-2.5 to 2.5	Pass
				0	3.85	-5.593	-0.0068	-2.5 to 2.5	Pass
				10	3.85	-4.907	-0.0060	-2.5 to 2.5	Pass
				30	3.85	-3.805	-0.0047	-2.5 to 2.5	Pass
				40	3.85	-6.380	-0.0078	-2.5 to 2.5	Pass
				50	3.85	-2.246	-0.0028	-2.5 to 2.5	Pass
	819	25	0	20	3.27	-8.984	-0.0110	-2.5 to 2.5	Pass
					3.85	-6.251	-0.0076	-2.5 to 2.5	Pass
					4.43	-7.625	-0.0093	-2.5 to 2.5	Pass
				-30	3.85	-0.744	-0.0009	-2.5 to 2.5	Pass

16QAM	821.5	25	0	-20	3.85	-2.317	-0.0028	-2.5 to 2.5	Pass
				-10	3.85	-5.779	-0.0071	-2.5 to 2.5	Pass
				0	3.85	-6.423	-0.0078	-2.5 to 2.5	Pass
				10	3.85	-8.283	-0.0101	-2.5 to 2.5	Pass
				30	3.85	-7.625	-0.0093	-2.5 to 2.5	Pass
				40	3.85	-3.862	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-7.567	-0.0092	-2.5 to 2.5	Pass
				20	3.27	-3.562	-0.0043	-2.5 to 2.5	Pass
					3.85	-2.046	-0.0025	-2.5 to 2.5	Pass
					4.43	-7.181	-0.0087	-2.5 to 2.5	Pass
				-30	3.85	-4.406	-0.0054	-2.5 to 2.5	Pass
				-20	3.85	-10.443	-0.0127	-2.5 to 2.5	Pass
				-10	3.85	1.717	0.0021	-2.5 to 2.5	Pass
				0	3.85	-0.787	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-7.439	-0.0091	-2.5 to 2.5	Pass
				30	3.85	-6.523	-0.0079	-2.5 to 2.5	Pass
				40	3.85	-5.479	-0.0067	-2.5 to 2.5	Pass
				50	3.85	-6.752	-0.0082	-2.5 to 2.5	Pass
	816.5	25	0	20	3.27	-5.679	-0.0070	-2.5 to 2.5	Pass
					3.85	-7.310	-0.0090	-2.5 to 2.5	Pass
					4.43	-9.184	-0.0112	-2.5 to 2.5	Pass
				-30	3.85	-6.595	-0.0081	-2.5 to 2.5	Pass
				-20	3.85	-10.228	-0.0125	-2.5 to 2.5	Pass
				-10	3.85	-7.653	-0.0094	-2.5 to 2.5	Pass
				0	3.85	-7.181	-0.0088	-2.5 to 2.5	Pass
				10	3.85	-5.236	-0.0064	-2.5 to 2.5	Pass
				30	3.85	-5.450	-0.0067	-2.5 to 2.5	Pass
				40	3.85	-4.377	-0.0054	-2.5 to 2.5	Pass
				50	3.85	-3.762	-0.0046	-2.5 to 2.5	Pass
				20	3.27	-9.127	-0.0111	-2.5 to 2.5	Pass
					3.85	-6.080	-0.0074	-2.5 to 2.5	Pass
					4.43	-2.203	-0.0027	-2.5 to 2.5	Pass
	819	25	0	-30	3.85	0.715	0.0009	-2.5 to 2.5	Pass
				-20	3.85	-3.233	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-6.137	-0.0075	-2.5 to 2.5	Pass
				0	3.85	-10.271	-0.0125	-2.5 to 2.5	Pass
				10	3.85	-5.808	-0.0071	-2.5 to 2.5	Pass
				30	3.85	-8.054	-0.0098	-2.5 to 2.5	Pass
				40	3.85	-6.609	-0.0081	-2.5 to 2.5	Pass
				50	3.85	-6.237	-0.0076	-2.5 to 2.5	Pass
				20	3.27	-7.195	-0.0088	-2.5 to 2.5	Pass
					3.85	-9.098	-0.0111	-2.5 to 2.5	Pass
					4.43	-8.125	-0.0099	-2.5 to 2.5	Pass
				-30	3.85	-4.091	-0.0050	-2.5 to 2.5	Pass
	821.5	25	0	-20	3.85	-13.089	-0.0159	-2.5 to 2.5	Pass
				-10	3.85	-6.838	-0.0083	-2.5 to 2.5	Pass
				0	3.85	-5.608	-0.0068	-2.5 to 2.5	Pass
				10	3.85	-7.596	-0.0092	-2.5 to 2.5	Pass
				30	3.85	-3.505	-0.0043	-2.5 to 2.5	Pass
				40	3.85	-9.413	-0.0115	-2.5 to 2.5	Pass
				50	3.85	-8.168	-0.0099	-2.5 to 2.5	Pass

2.1.4 B26a_10MHz

Band: 26a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	

QPSK	819	50	0	20	3.27	-5.550	-0.0068	-2.5 to 2.5	Pass
					3.85	-5.808	-0.0071	-2.5 to 2.5	Pass
					4.43	-5.493	-0.0067	-2.5 to 2.5	Pass
				-30	3.85	-4.849	-0.0059	-2.5 to 2.5	Pass
				-20	3.85	-5.178	-0.0063	-2.5 to 2.5	Pass
				-10	3.85	-5.579	-0.0068	-2.5 to 2.5	Pass
				0	3.85	-5.150	-0.0063	-2.5 to 2.5	Pass
				10	3.85	-4.077	-0.0050	-2.5 to 2.5	Pass
				30	3.85	-4.606	-0.0056	-2.5 to 2.5	Pass
				40	3.85	-6.008	-0.0073	-2.5 to 2.5	Pass
16QAM	819	50	0	20	3.27	-2.747	-0.0034	-2.5 to 2.5	Pass
					3.85	-4.148	-0.0051	-2.5 to 2.5	Pass
					4.43	-4.048	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-5.937	-0.0072	-2.5 to 2.5	Pass
				-20	3.85	-5.307	-0.0065	-2.5 to 2.5	Pass
				-10	3.85	-5.550	-0.0068	-2.5 to 2.5	Pass
				0	3.85	-3.591	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-3.977	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-3.433	-0.0042	-2.5 to 2.5	Pass
				40	3.85	-8.483	-0.0104	-2.5 to 2.5	Pass
				50	3.85	-6.123	-0.0075	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	6	0	Refer To Test Graph		Pass
16QAM	819	6	0	Refer To Test Graph		Pass

3.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	15	0	Refer To Test Graph		Pass
16QAM	819	15	0	Refer To Test Graph		Pass

3.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	25	0	Refer To Test Graph		Pass
16QAM	819	25	0	Refer To Test Graph		Pass

3.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	Refer To Test Graph		Pass
16QAM	819	50	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26a_1.4MHz




3.2.2 B26a_3MHz



3.2.3 B26a_5MHz



3.2.4 B26a_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26a_OBW

Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.117	/	Pass
		819	6	0	1.107	/	Pass
		823.3	6	0	1.116	/	Pass
	16QAM	814.7	6	0	1.108	/	Pass
		819	6	0	1.106	/	Pass
		823.3	6	0	1.110	/	Pass
3	QPSK	815.5	15	0	2.727	/	Pass
		819	15	0	2.710	/	Pass
		822.5	15	0	2.721	/	Pass
	16QAM	815.5	15	0	2.723	/	Pass
		819	15	0	2.716	/	Pass
		822.5	15	0	2.718	/	Pass
5	QPSK	816.5	25	0	4.581	/	Pass
		819	25	0	4.552	/	Pass
		821.5	25	0	4.587	/	Pass
	16QAM	816.5	25	0	4.557	/	Pass
		819	25	0	4.585	/	Pass
		821.5	25	0	4.591	/	Pass
10	QPSK	819	50	0	9.054	/	Pass
	16QAM	819	50	0	9.060	/	Pass

4.1.2 Band26a_XDB


Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.315	/	Pass
		819	6	0	1.325	/	Pass
		823.3	6	0	1.307	/	Pass
	16QAM	814.7	6	0	1.332	/	Pass
		819	6	0	1.310	/	Pass
		823.3	6	0	1.318	/	Pass
3	QPSK	815.5	15	0	2.987	/	Pass
		819	15	0	2.972	/	Pass
		822.5	15	0	2.992	/	Pass
	16QAM	815.5	15	0	2.968	/	Pass
		819	15	0	2.995	/	Pass
		822.5	15	0	2.971	/	Pass
5	QPSK	816.5	25	0	5.298	/	Pass
		819	25	0	5.277	/	Pass
		821.5	25	0	5.260	/	Pass
	16QAM	816.5	25	0	5.307	/	Pass
		819	25	0	5.235	/	Pass
		821.5	25	0	5.280	/	Pass
10	QPSK	819	50	0	10.179	/	Pass

	16QAM	819	50	0	10.194	/	Pass
--	-------	-----	----	---	--------	---	------




4.2 Test Graph


4.2.1 Band26a_OBW




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 15 0 NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV




Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTNV




Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTNV




4.2.2 Band26a_XDB




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTN




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 15 0 NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTVN




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTVN




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTN




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTN




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV



Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	5.75	<=13	Pass
	819	6	0	5.77	<=13	Pass
	823.3	6	0	5.73	<=13	Pass
16QAM	814.7	6	0	6.63	<=13	Pass
	819	6	0	6.57	<=13	Pass
	823.3	6	0	6.50	<=13	Pass

5.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	5.91	<=13	Pass
	819	15	0	5.72	<=13	Pass
	822.5	15	0	5.74	<=13	Pass
16QAM	815.5	15	0	6.69	<=13	Pass
	819	15	0	6.53	<=13	Pass
	822.5	15	0	6.52	<=13	Pass

5.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.88	<=13	Pass
	819	25	0	5.86	<=13	Pass
	821.5	25	0	5.84	<=13	Pass
16QAM	816.5	25	0	6.57	<=13	Pass
	819	25	0	6.55	<=13	Pass
	821.5	25	0	6.52	<=13	Pass

5.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.82	<=13	Pass
16QAM	819	50	0	6.56	<=13	Pass

5.2 Test Graph


5.2.1 B26a_1.4MHz




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




5.2.2 B26a_3MHz




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTN




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTN




5.2.3 B26a_5MHz




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTN



Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTN



5.2.4 B26a_10MHz



6. Spurious Emission

6.1 Test Result

6.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	822.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	822.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	821.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	816.5	1	0	Refer To Test Graph		Pass


		25	0	Refer To Test Graph	Pass
	819	1	0	Refer To Test Graph	Pass
	821.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	819	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	819	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	819	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	819	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B26a_1.4MHz




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV



Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.945	-39.94	-13	Pass
813	813.963	0.013	CHP	2	813.960	-31.90	-13	Pass
813.963	814	0.013	CHP	3	813.995	-30.99	-20	Pass
814	817	0.013	CHP	/	/	/	/	/


Band26a 1.4MHz QPSK MCH 819MHz RB 1 0 NTV




Band26a 1.4MHz QPSK MCH 819MHz RB 1 0 NTV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV



Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.005	-31.64	-20	Pass
824.038	825	0.003	/	2	824.045	-38.89	-13	Pass
825	827	0.1	CHP	3	825.580	-49.00	-13	Pass

Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.013	CHP	/	/	/	/	/
824	824.038	0.013	CHP	1	824.005	-33.20	-20	Pass
824.038	825	0.013	CHP	2	824.040	-35.80	-13	Pass
825	827	0.1	CHP	3	825.055	-41.10	-13	Pass

Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.381	-50.31	-13	Pass
813	813.963	0.003	/	2	813.955	-39.16	-13	Pass
813.963	814	0.003	/	3	813.994	-32.88	-20	Pass
814	817	0.003	/	/	/	/	/	/


Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN



Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.940	-42.33	-13	Pass
813	813.963	0.013	CHP	2	813.945	-33.58	-13	Pass
813.963	814	0.013	CHP	3	813.995	-32.29	-20	Pass
814	817	0.013	CHP	/	/	/	/	/


Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN



Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.008	-30.13	-20	Pass
824.038	825	0.003	/	2	824.045	-38.59	-13	Pass
825	827	0.1	CHP	3	825.527	-49.24	-13	Pass


Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.013	CHP	/	/	/	/	/
824	824.038	0.013	CHP	1	824.005	-34.18	-20	Pass
824.038	825	0.013	CHP	2	824.040	-36.79	-13	Pass
825	827	0.1	CHP	3	825.055	-43.56	-13	Pass


6.2.2 B26a_3MHz

Band26a_3MHz_QPSK_LCH_815.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.948	-40.66	-13	Pass
813	813.963	0.003	/	2	813.960	-37.38	-13	Pass
813.963	814	0.003	/	3	813.999	-29.81	-20	Pass
814	817	0.003	/	/	/	/	/	/


Band26a_3MHz_QPSK_LCH_815.5MHz_RB_1_0_NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTV




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTV



Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.878	-33.14	-13	Pass
813	813.963	0.03	/	2	813.904	-32.66	-13	Pass
813.963	814	0.03	/	3	813.994	-32.28	-20	Pass
814	817	0.03	/	/	/	/	/	/


Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV



Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.005	-33.88	-20	Pass
824.038	825	0.003	/	2	824.043	-36.77	-13	Pass
825	827	0.1	CHP	3	825.052	-40.60	-13	Pass

Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.03	/	/	/	/	/	/
824	824.038	0.03	/	1	824.018	-32.38	-20	Pass
824.038	825	0.03	/	2	824.054	-35.49	-13	Pass
825	827	0.1	CHP	3	825.056	-35.22	-13	Pass

Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.948	-42.09	-13	Pass
813	813.963	0.003	/	2	813.957	-39.26	-13	Pass
813.963	814	0.003	/	3	813.999	-34.38	-20	Pass
814	817	0.003	/	/	/	/	/	/

Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV

