

Appendix - LTE Band: 26b

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	824.7	1	0	22.51	-1.47	18.89	<=38.45	Pass	
			2	22.53	-1.47	18.91	<=38.45	Pass	
			5	22.47	-1.47	18.85	<=38.45	Pass	
		3	0	22.61	-1.47	18.99	<=38.45	Pass	
			2	22.64	-1.47	19.02	<=38.45	Pass	
			3	22.66	-1.47	19.04	<=38.45	Pass	
		6	0	21.60	-1.47	17.98	<=38.45	Pass	
		836.5	1	0	22.46	-1.47	18.84	<=38.45	Pass
				2	22.40	-1.47	18.78	<=38.45	Pass
	5			22.48	-1.47	18.86	<=38.45	Pass	
	3		0	22.49	-1.47	18.87	<=38.45	Pass	
			2	22.60	-1.47	18.98	<=38.45	Pass	
			3	22.66	-1.47	19.04	<=38.45	Pass	
	6		0	21.50	-1.47	17.88	<=38.45	Pass	
	848.3		1	0	22.52	-1.47	18.90	<=38.45	Pass
				2	22.62	-1.47	19.00	<=38.45	Pass
		5		22.59	-1.47	18.97	<=38.45	Pass	
		3	0	22.57	-1.47	18.95	<=38.45	Pass	
			2	22.53	-1.47	18.91	<=38.45	Pass	
			3	22.56	-1.47	18.94	<=38.45	Pass	
		6	0	21.54	-1.47	17.92	<=38.45	Pass	
16QAM		824.7	1	0	22.28	-1.47	18.66	<=38.45	Pass
				2	21.69	-1.47	18.07	<=38.45	Pass
	5			22.24	-1.47	18.62	<=38.45	Pass	
	3		0	21.63	-1.47	18.01	<=38.45	Pass	
			2	21.42	-1.47	17.80	<=38.45	Pass	
			3	21.49	-1.47	17.87	<=38.45	Pass	
	6		0	20.77	-1.47	17.15	<=38.45	Pass	
	836.5		1	0	22.63	-1.47	19.01	<=38.45	Pass
				2	22.16	-1.47	18.54	<=38.45	Pass
		5		21.49	-1.47	17.87	<=38.45	Pass	
		3	0	21.38	-1.47	17.76	<=38.45	Pass	
			2	21.57	-1.47	17.95	<=38.45	Pass	
			3	21.31	-1.47	17.69	<=38.45	Pass	
	6	0	20.57	-1.47	16.95	<=38.45	Pass		
	848.3	1	0	21.69	-1.47	18.07	<=38.45	Pass	
			2	22.08	-1.47	18.46	<=38.45	Pass	
			5	22.66	-1.47	19.04	<=38.45	Pass	
		3	0	21.26	-1.47	17.64	<=38.45	Pass	
			2	21.53	-1.47	17.91	<=38.45	Pass	
			3	21.27	-1.47	17.65	<=38.45	Pass	
		6	0	20.57	-1.47	16.95	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	825.5	1	0	22.58	-1.47	18.96	<=38.45	Pass	
			7	22.62	-1.47	19.00	<=38.45	Pass	
			14	22.48	-1.47	18.86	<=38.45	Pass	
		8	0	21.55	-1.47	17.93	<=38.45	Pass	
			4	21.44	-1.47	17.82	<=38.45	Pass	
			7	21.55	-1.47	17.93	<=38.45	Pass	
		15	0	21.51	-1.47	17.89	<=38.45	Pass	
		836.5	1	0	22.41	-1.47	18.79	<=38.45	Pass
				7	22.45	-1.47	18.83	<=38.45	Pass
	14			22.40	-1.47	18.78	<=38.45	Pass	
	8		0	21.42	-1.47	17.80	<=38.45	Pass	
			4	21.40	-1.47	17.78	<=38.45	Pass	
			7	21.47	-1.47	17.85	<=38.45	Pass	
	15		0	21.36	-1.47	17.74	<=38.45	Pass	
	847.5		1	0	22.55	-1.47	18.93	<=38.45	Pass
				7	22.49	-1.47	18.87	<=38.45	Pass
		14		22.61	-1.47	18.99	<=38.45	Pass	
		8	0	21.54	-1.47	17.92	<=38.45	Pass	
			4	21.60	-1.47	17.98	<=38.45	Pass	
			7	21.41	-1.47	17.79	<=38.45	Pass	
		15	0	21.45	-1.47	17.83	<=38.45	Pass	
16QAM		825.5	1	0	21.67	-1.47	18.05	<=38.45	Pass
				7	22.22	-1.47	18.60	<=38.45	Pass
	14			22.26	-1.47	18.64	<=38.45	Pass	
	8		0	20.80	-1.47	17.18	<=38.45	Pass	
			4	20.79	-1.47	17.17	<=38.45	Pass	
			7	20.75	-1.47	17.13	<=38.45	Pass	
	15		0	20.68	-1.47	17.06	<=38.45	Pass	
	836.5		1	0	22.11	-1.47	18.49	<=38.45	Pass
				7	21.44	-1.47	17.82	<=38.45	Pass
		14		22.03	-1.47	18.41	<=38.45	Pass	
		8	0	20.66	-1.47	17.04	<=38.45	Pass	
			4	20.79	-1.47	17.17	<=38.45	Pass	
			7	20.79	-1.47	17.17	<=38.45	Pass	
		15	0	20.62	-1.47	17.00	<=38.45	Pass	
		847.5	1	0	22.33	-1.47	18.71	<=38.45	Pass
				7	22.48	-1.47	18.86	<=38.45	Pass
	14			21.63	-1.47	18.01	<=38.45	Pass	
	8		0	20.72	-1.47	17.10	<=38.45	Pass	
			4	20.61	-1.47	16.99	<=38.45	Pass	
			7	20.69	-1.47	17.07	<=38.45	Pass	
	15		0	20.58	-1.47	16.96	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.60	-1.47	18.98	<=38.45	Pass
			13	22.56	-1.47	18.94	<=38.45	Pass
			24	22.48	-1.47	18.86	<=38.45	Pass
		12	0	21.44	-1.47	17.82	<=38.45	Pass
			6	21.54	-1.47	17.92	<=38.45	Pass
			13	21.54	-1.47	17.92	<=38.45	Pass
		25	0	21.45	-1.47	17.83	<=38.45	Pass
	836.5	1	0	22.48	-1.47	18.86	<=38.45	Pass

16QAM	846.5	12	13	22.37	-1.47	18.75	<=38.45	Pass
			24	22.42	-1.47	18.80	<=38.45	Pass
			0	21.41	-1.47	17.79	<=38.45	Pass
			6	21.47	-1.47	17.85	<=38.45	Pass
		25	13	21.44	-1.47	17.82	<=38.45	Pass
			0	21.33	-1.47	17.71	<=38.45	Pass
			0	22.52	-1.47	18.90	<=38.45	Pass
			13	22.38	-1.47	18.76	<=38.45	Pass
		12	24	22.43	-1.47	18.81	<=38.45	Pass
			0	21.44	-1.47	17.82	<=38.45	Pass
			6	21.48	-1.47	17.86	<=38.45	Pass
			13	21.51	-1.47	17.89	<=38.45	Pass
	826.5	1	0	21.49	-1.47	17.87	<=38.45	Pass
			0	21.84	-1.47	18.22	<=38.45	Pass
			13	21.29	-1.47	17.67	<=38.45	Pass
			24	22.02	-1.47	18.40	<=38.45	Pass
		12	0	20.51	-1.47	16.89	<=38.45	Pass
			6	20.56	-1.47	16.94	<=38.45	Pass
			13	20.46	-1.47	16.84	<=38.45	Pass
			25	20.67	-1.47	17.05	<=38.45	Pass
		25	0	21.96	-1.47	18.34	<=38.45	Pass
			13	21.75	-1.47	18.13	<=38.45	Pass
			24	21.08	-1.47	17.46	<=38.45	Pass
	836.5	1	0	20.39	-1.47	16.77	<=38.45	Pass
			6	20.57	-1.47	16.95	<=38.45	Pass
			13	20.51	-1.47	16.89	<=38.45	Pass
			25	20.52	-1.47	16.90	<=38.45	Pass
		12	0	21.28	-1.47	17.66	<=38.45	Pass
			13	21.95	-1.47	18.33	<=38.45	Pass
			24	21.76	-1.47	18.14	<=38.45	Pass
			0	20.52	-1.47	16.90	<=38.45	Pass
		25	6	20.46	-1.47	16.84	<=38.45	Pass
			13	20.47	-1.47	16.85	<=38.45	Pass
			25	20.67	-1.47	17.05	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.57	-1.47	18.95	<=38.45	Pass
			25	22.51	-1.47	18.89	<=38.45	Pass
			49	22.55	-1.47	18.93	<=38.45	Pass
		25	0	21.64	-1.47	18.02	<=38.45	Pass
			13	21.63	-1.47	18.01	<=38.45	Pass
			25	21.53	-1.47	17.91	<=38.45	Pass
		50	0	21.52	-1.47	17.90	<=38.45	Pass
			0	22.39	-1.47	18.77	<=38.45	Pass
			25	22.53	-1.47	18.91	<=38.45	Pass
		1	49	22.46	-1.47	18.84	<=38.45	Pass
			0	21.49	-1.47	17.87	<=38.45	Pass
			13	21.45	-1.47	17.83	<=38.45	Pass
	836.5	25	25	21.37	-1.47	17.75	<=38.45	Pass
			0	21.43	-1.47	17.81	<=38.45	Pass
			0	22.38	-1.47	18.76	<=38.45	Pass
		1	25	22.44	-1.47	18.82	<=38.45	Pass
			49	22.55	-1.47	18.93	<=38.45	Pass
			0	21.47	-1.47	17.85	<=38.45	Pass
		25	13	21.41	-1.47	17.79	<=38.45	Pass

			25	21.54	-1.47	17.92	<=38.45	Pass	
		50	0	21.45	-1.47	17.83	<=38.45	Pass	
16QAM	829	1	0	21.57	-1.47	17.95	<=38.45	Pass	
			25	21.52	-1.47	17.90	<=38.45	Pass	
			49	21.50	-1.47	17.88	<=38.45	Pass	
		25	0	20.74	-1.47	17.12	<=38.45	Pass	
			13	20.67	-1.47	17.05	<=38.45	Pass	
			25	20.64	-1.47	17.02	<=38.45	Pass	
		50	0	20.61	-1.47	16.99	<=38.45	Pass	
		836.5	1	0	22.68	-1.47	19.06	<=38.45	Pass
				25	21.66	-1.47	18.04	<=38.45	Pass
	49			22.40	-1.47	18.78	<=38.45	Pass	
	25		0	20.66	-1.47	17.04	<=38.45	Pass	
			13	20.71	-1.47	17.09	<=38.45	Pass	
			25	20.47	-1.47	16.85	<=38.45	Pass	
	50		0	20.64	-1.47	17.02	<=38.45	Pass	
	844		1	0	22.35	-1.47	18.73	<=38.45	Pass
				25	22.38	-1.47	18.76	<=38.45	Pass
		49		22.41	-1.47	18.79	<=38.45	Pass	
		25	0	20.46	-1.47	16.84	<=38.45	Pass	
			13	20.42	-1.47	16.80	<=38.45	Pass	
			25	20.52	-1.47	16.90	<=38.45	Pass	
		50	0	20.43	-1.47	16.81	<=38.45	Pass	
		Note1: ERP=Conducted Power+Antenna Gain-2.15							

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	22.48	-1.47	18.86	<=38.45	Pass
			38	22.43	-1.47	18.81	<=38.45	Pass
			74	22.31	-1.47	18.69	<=38.45	Pass
		36	0	21.51	-1.47	17.89	<=38.45	Pass
			18	21.40	-1.47	17.78	<=38.45	Pass
			39	21.51	-1.47	17.89	<=38.45	Pass
		75	0	21.38	-1.47	17.76	<=38.45	Pass
	836.5	1	0	22.49	-1.47	18.87	<=38.45	Pass
			38	22.34	-1.47	18.72	<=38.45	Pass
			74	22.41	-1.47	18.79	<=38.45	Pass
		36	0	21.56	-1.47	17.94	<=38.45	Pass
			18	21.46	-1.47	17.84	<=38.45	Pass
			39	21.42	-1.47	17.80	<=38.45	Pass
		75	0	21.48	-1.47	17.86	<=38.45	Pass
	841.5	1	0	22.48	-1.47	18.86	<=38.45	Pass
			38	22.40	-1.47	18.78	<=38.45	Pass
			74	22.48	-1.47	18.86	<=38.45	Pass
		36	0	21.42	-1.47	17.80	<=38.45	Pass
			18	21.39	-1.47	17.77	<=38.45	Pass
			39	21.55	-1.47	17.93	<=38.45	Pass
		75	0	21.47	-1.47	17.85	<=38.45	Pass
16QAM	831.5	1	0	22.32	-1.47	18.70	<=38.45	Pass
			38	22.17	-1.47	18.55	<=38.45	Pass
			74	22.17	-1.47	18.55	<=38.45	Pass
		36	0	20.60	-1.47	16.98	<=38.45	Pass
			18	20.55	-1.47	16.93	<=38.45	Pass
			39	20.54	-1.47	16.92	<=38.45	Pass
		75	0	20.63	-1.47	17.01	<=38.45	Pass
	836.5	1	0	22.67	-1.47	19.05	<=38.45	Pass
			38	22.63	-1.47	19.01	<=38.45	Pass

		36	74	22.64	-1.47	19.02	<=38.45	Pass
			0	20.55	-1.47	16.93	<=38.45	Pass
			18	20.52	-1.47	16.90	<=38.45	Pass
			39	20.45	-1.47	16.83	<=38.45	Pass
	841.5	75	0	20.61	-1.47	16.99	<=38.45	Pass
			0	22.43	-1.47	18.81	<=38.45	Pass
			38	22.39	-1.47	18.77	<=38.45	Pass
		1	74	22.43	-1.47	18.81	<=38.45	Pass
			0	20.51	-1.47	16.89	<=38.45	Pass
			18	20.40	-1.47	16.78	<=38.45	Pass
		36	39	20.56	-1.47	16.94	<=38.45	Pass
			0	20.47	-1.47	16.85	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	22.316	0.0271	-2.5 to 2.5	Pass
					3.85	-7.138	-0.0087	-2.5 to 2.5	Pass
					4.43	0.114	0.0001	-2.5 to 2.5	Pass
				-30	3.85	5.736	0.0070	-2.5 to 2.5	Pass
				-20	3.85	7.524	0.0091	-2.5 to 2.5	Pass
				-10	3.85	10.457	0.0127	-2.5 to 2.5	Pass
				0	3.85	13.776	0.0167	-2.5 to 2.5	Pass
				10	3.85	15.478	0.0188	-2.5 to 2.5	Pass
				30	3.85	16.165	0.0196	-2.5 to 2.5	Pass
				40	3.85	19.083	0.0231	-2.5 to 2.5	Pass
				50	3.85	21.343	0.0259	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	11.501	0.0137	-2.5 to 2.5	Pass
					3.85	-32.158	-0.0384	-2.5 to 2.5	Pass
					4.43	-0.901	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-10.886	-0.0130	-2.5 to 2.5	Pass
				-20	3.85	-18.482	-0.0221	-2.5 to 2.5	Pass
				-10	3.85	-23.274	-0.0278	-2.5 to 2.5	Pass
				0	3.85	-21.544	-0.0258	-2.5 to 2.5	Pass
				10	3.85	-15.936	-0.0191	-2.5 to 2.5	Pass
				30	3.85	-7.110	-0.0085	-2.5 to 2.5	Pass
				40	3.85	2.732	0.0033	-2.5 to 2.5	Pass
				50	3.85	-34.933	-0.0418	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	29.297	0.0345	-2.5 to 2.5	Pass
					3.85	13.604	0.0160	-2.5 to 2.5	Pass
					4.43	4.735	0.0056	-2.5 to 2.5	Pass
				-30	3.85	1.230	0.0014	-2.5 to 2.5	Pass
				-20	3.85	-5.465	-0.0064	-2.5 to 2.5	Pass
				-10	3.85	-7.381	-0.0087	-2.5 to 2.5	Pass
				0	3.85	-12.116	-0.0143	-2.5 to 2.5	Pass
				10	3.85	-16.794	-0.0198	-2.5 to 2.5	Pass
				30	3.85	-20.828	-0.0246	-2.5 to 2.5	Pass
				40	3.85	-24.219	-0.0286	-2.5 to 2.5	Pass
				50	3.85	-28.038	-0.0331	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.27	13.533	0.0164	-2.5 to 2.5	Pass
					3.85	-13.719	-0.0166	-2.5 to 2.5	Pass

					4.43	-12.703	-0.0154	-2.5 to 2.5	Pass
				-30	3.85	-9.685	-0.0117	-2.5 to 2.5	Pass
				-20	3.85	-12.717	-0.0154	-2.5 to 2.5	Pass
				-10	3.85	-11.945	-0.0145	-2.5 to 2.5	Pass
				0	3.85	-14.691	-0.0178	-2.5 to 2.5	Pass
				10	3.85	-12.016	-0.0146	-2.5 to 2.5	Pass
				30	3.85	-11.115	-0.0135	-2.5 to 2.5	Pass
				40	3.85	-10.829	-0.0131	-2.5 to 2.5	Pass
				50	3.85	-10.042	-0.0122	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	23.718	0.0284	-2.5 to 2.5	Pass
					3.85	16.251	0.0194	-2.5 to 2.5	Pass
					4.43	2.661	0.0032	-2.5 to 2.5	Pass
				-30	3.85	-9.184	-0.0110	-2.5 to 2.5	Pass
				-20	3.85	-20.142	-0.0241	-2.5 to 2.5	Pass
				-10	3.85	-29.769	-0.0356	-2.5 to 2.5	Pass
				0	3.85	-39.868	-0.0477	-2.5 to 2.5	Pass
				10	3.85	-4.921	-0.0059	-2.5 to 2.5	Pass
				30	3.85	-13.762	-0.0165	-2.5 to 2.5	Pass
				40	3.85	-23.131	-0.0277	-2.5 to 2.5	Pass
				50	3.85	-32.845	-0.0393	-2.5 to 2.5	Pass
				20	3.27	28.367	0.0334	-2.5 to 2.5	Pass
					3.85	12.803	0.0151	-2.5 to 2.5	Pass
					4.43	13.075	0.0154	-2.5 to 2.5	Pass
	848.3	6	0	-30	3.85	10.901	0.0129	-2.5 to 2.5	Pass
				-20	3.85	11.129	0.0131	-2.5 to 2.5	Pass
				-10	3.85	8.640	0.0102	-2.5 to 2.5	Pass
				0	3.85	8.698	0.0103	-2.5 to 2.5	Pass
				10	3.85	8.726	0.0103	-2.5 to 2.5	Pass
				30	3.85	-42.458	-0.0501	-2.5 to 2.5	Pass
				40	3.85	-16.437	-0.0194	-2.5 to 2.5	Pass
				50	3.85	-41.771	-0.0492	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	-6.623	-0.0080	-2.5 to 2.5	Pass
					3.85	-37.580	-0.0455	-2.5 to 2.5	Pass
					4.43	-31.343	-0.0380	-2.5 to 2.5	Pass
				-30	3.85	-14.935	-0.0181	-2.5 to 2.5	Pass
				-20	3.85	-37.136	-0.0450	-2.5 to 2.5	Pass
				-10	3.85	-21.114	-0.0256	-2.5 to 2.5	Pass
				0	3.85	-37.980	-0.0460	-2.5 to 2.5	Pass
				10	3.85	-3.490	-0.0042	-2.5 to 2.5	Pass
				30	3.85	-6.251	-0.0076	-2.5 to 2.5	Pass
				40	3.85	-25.806	-0.0313	-2.5 to 2.5	Pass
				50	3.85	-33.188	-0.0402	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	26.293	0.0314	-2.5 to 2.5	Pass
					3.85	30.599	0.0366	-2.5 to 2.5	Pass
					4.43	12.918	0.0154	-2.5 to 2.5	Pass
				-30	3.85	-2.232	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	-21.243	-0.0254	-2.5 to 2.5	Pass
				-10	3.85	-38.695	-0.0463	-2.5 to 2.5	Pass
				0	3.85	-7.110	-0.0085	-2.5 to 2.5	Pass
				10	3.85	-20.113	-0.0240	-2.5 to 2.5	Pass
				30	3.85	-38.567	-0.0461	-2.5 to 2.5	Pass
				40	3.85	-1.073	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-16.265	-0.0194	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	29.469	0.0348	-2.5 to 2.5	Pass

					3.85	33.760	0.0398	-2.5 to 2.5	Pass
					4.43	24.204	0.0286	-2.5 to 2.5	Pass
				-30	3.85	15.607	0.0184	-2.5 to 2.5	Pass
				-20	3.85	5.236	0.0062	-2.5 to 2.5	Pass
				-10	3.85	-4.120	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-13.032	-0.0154	-2.5 to 2.5	Pass
				10	3.85	-20.943	-0.0247	-2.5 to 2.5	Pass
				30	3.85	-31.414	-0.0371	-2.5 to 2.5	Pass
				40	3.85	-38.710	-0.0457	-2.5 to 2.5	Pass
				50	3.85	2.575	0.0030	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.27	5.708	0.0069	-2.5 to 2.5	Pass
					3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
					4.43	-31.843	-0.0386	-2.5 to 2.5	Pass
				-30	3.85	-16.022	-0.0194	-2.5 to 2.5	Pass
				-20	3.85	-43.602	-0.0528	-2.5 to 2.5	Pass
				-10	3.85	-24.590	-0.0298	-2.5 to 2.5	Pass
				0	3.85	-3.490	-0.0042	-2.5 to 2.5	Pass
				10	3.85	-31.528	-0.0382	-2.5 to 2.5	Pass
				30	3.85	-4.306	-0.0052	-2.5 to 2.5	Pass
				40	3.85	-33.560	-0.0407	-2.5 to 2.5	Pass
	50	3.85	-9.155	-0.0111	-2.5 to 2.5	Pass			
	836.5	15	0	20	3.27	26.350	0.0315	-2.5 to 2.5	Pass
					3.85	34.089	0.0408	-2.5 to 2.5	Pass
					4.43	24.161	0.0289	-2.5 to 2.5	Pass
				-30	3.85	16.665	0.0199	-2.5 to 2.5	Pass
				-20	3.85	10.357	0.0124	-2.5 to 2.5	Pass
				-10	3.85	3.390	0.0041	-2.5 to 2.5	Pass
				0	3.85	-4.306	-0.0051	-2.5 to 2.5	Pass
				10	3.85	-11.487	-0.0137	-2.5 to 2.5	Pass
				30	3.85	-18.110	-0.0216	-2.5 to 2.5	Pass
				40	3.85	-24.247	-0.0290	-2.5 to 2.5	Pass
	50	3.85	-31.672	-0.0379	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	31.757	0.0375	-2.5 to 2.5	Pass
					3.85	34.747	0.0410	-2.5 to 2.5	Pass
					4.43	30.670	0.0362	-2.5 to 2.5	Pass
				-30	3.85	27.981	0.0330	-2.5 to 2.5	Pass
				-20	3.85	23.446	0.0277	-2.5 to 2.5	Pass
				-10	3.85	20.514	0.0242	-2.5 to 2.5	Pass
				0	3.85	17.710	0.0209	-2.5 to 2.5	Pass
				10	3.85	14.863	0.0175	-2.5 to 2.5	Pass
30				3.85	11.172	0.0132	-2.5 to 2.5	Pass	
40				3.85	8.941	0.0105	-2.5 to 2.5	Pass	
50	3.85	4.621	0.0055	-2.5 to 2.5	Pass				

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	26.736	0.0323	-2.5 to 2.5	Pass
					3.85	19.670	0.0238	-2.5 to 2.5	Pass
					4.43	6.652	0.0080	-2.5 to 2.5	Pass
				-30	3.85	-4.206	-0.0051	-2.5 to 2.5	Pass
				-20	3.85	-14.949	-0.0181	-2.5 to 2.5	Pass
				-10	3.85	-23.975	-0.0290	-2.5 to 2.5	Pass
				0	3.85	-40.669	-0.0492	-2.5 to 2.5	Pass
				10	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-12.932	-0.0156	-2.5 to 2.5	Pass
				40	3.85	-20.041	-0.0242	-2.5 to 2.5	Pass
				50	3.85	-27.323	-0.0331	-2.5 to 2.5	Pass

	836.5	25	0	20	3.27	30.384	0.0363	-2.5 to 2.5	Pass
					3.85	24.433	0.0292	-2.5 to 2.5	Pass
					4.43	17.095	0.0204	-2.5 to 2.5	Pass
				-30	3.85	14.534	0.0174	-2.5 to 2.5	Pass
				-20	3.85	13.204	0.0158	-2.5 to 2.5	Pass
				-10	3.85	10.586	0.0127	-2.5 to 2.5	Pass
				0	3.85	8.712	0.0104	-2.5 to 2.5	Pass
				10	3.85	6.852	0.0082	-2.5 to 2.5	Pass
				30	3.85	5.894	0.0070	-2.5 to 2.5	Pass
				40	3.85	3.762	0.0045	-2.5 to 2.5	Pass
				50	3.85	1.659	0.0020	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	23.561	0.0278	-2.5 to 2.5	Pass
					3.85	14.620	0.0173	-2.5 to 2.5	Pass
					4.43	6.952	0.0082	-2.5 to 2.5	Pass
				-30	3.85	2.275	0.0027	-2.5 to 2.5	Pass
				-20	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-2.260	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-1.760	-0.0021	-2.5 to 2.5	Pass
				10	3.85	-2.975	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-5.307	-0.0063	-2.5 to 2.5	Pass
				40	3.85	-7.181	-0.0085	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	21.887	0.0265	-2.5 to 2.5	Pass
					3.85	17.781	0.0215	-2.5 to 2.5	Pass
					4.43	10.886	0.0132	-2.5 to 2.5	Pass
				-30	3.85	7.553	0.0091	-2.5 to 2.5	Pass
				-20	3.85	4.292	0.0052	-2.5 to 2.5	Pass
				-10	3.85	2.546	0.0031	-2.5 to 2.5	Pass
				0	3.85	-0.815	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-2.890	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-5.093	-0.0062	-2.5 to 2.5	Pass
				40	3.85	-6.680	-0.0081	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	25.463	0.0304	-2.5 to 2.5	Pass
					3.85	19.598	0.0234	-2.5 to 2.5	Pass
					4.43	14.863	0.0178	-2.5 to 2.5	Pass
				-30	3.85	13.204	0.0158	-2.5 to 2.5	Pass
				-20	3.85	13.390	0.0160	-2.5 to 2.5	Pass
				-10	3.85	12.903	0.0154	-2.5 to 2.5	Pass
				0	3.85	12.102	0.0145	-2.5 to 2.5	Pass
				10	3.85	12.445	0.0149	-2.5 to 2.5	Pass
				30	3.85	11.601	0.0139	-2.5 to 2.5	Pass
				40	3.85	12.059	0.0144	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	22.802	0.0269	-2.5 to 2.5	Pass
					3.85	10.943	0.0129	-2.5 to 2.5	Pass
					4.43	5.336	0.0063	-2.5 to 2.5	Pass
				-30	3.85	3.719	0.0044	-2.5 to 2.5	Pass
				-20	3.85	2.961	0.0035	-2.5 to 2.5	Pass
				-10	3.85	4.277	0.0051	-2.5 to 2.5	Pass
				0	3.85	2.732	0.0032	-2.5 to 2.5	Pass
				10	3.85	3.004	0.0035	-2.5 to 2.5	Pass
				30	3.85	3.219	0.0038	-2.5 to 2.5	Pass
				40	3.85	2.446	0.0029	-2.5 to 2.5	Pass
				50	3.85	1.245	0.0015	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz								
Modulation	Frequency	RB Allocation	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)	Verdict	

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 8 of 149

BTF Testing Lab (Shenzhen) Co., Ltd.

101/201/301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Subdistrict, Bao'an District, Shenzhen, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	
QPSK	829	50	0	20	3.27	0.873	0.0011	-2.5 to 2.5	Pass
					3.85	-42.329	-0.0511	-2.5 to 2.5	Pass
					4.43	-30.155	-0.0364	-2.5 to 2.5	Pass
				-30	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-15.550	-0.0188	-2.5 to 2.5	Pass
				-10	3.85	-28.796	-0.0347	-2.5 to 2.5	Pass
				0	3.85	-37.637	-0.0454	-2.5 to 2.5	Pass
				10	3.85	-46.062	-0.0556	-2.5 to 2.5	Pass
				30	3.85	-6.123	-0.0074	-2.5 to 2.5	Pass
				40	3.85	-12.960	-0.0156	-2.5 to 2.5	Pass
				50	3.85	-18.039	-0.0218	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	31.085	0.0372	-2.5 to 2.5	Pass
					3.85	7.954	0.0095	-2.5 to 2.5	Pass
					4.43	3.834	0.0046	-2.5 to 2.5	Pass
				-30	3.85	4.406	0.0053	-2.5 to 2.5	Pass
				-20	3.85	6.051	0.0072	-2.5 to 2.5	Pass
				-10	3.85	6.509	0.0078	-2.5 to 2.5	Pass
				0	3.85	7.939	0.0095	-2.5 to 2.5	Pass
				10	3.85	7.854	0.0094	-2.5 to 2.5	Pass
				30	3.85	9.456	0.0113	-2.5 to 2.5	Pass
				40	3.85	9.584	0.0115	-2.5 to 2.5	Pass
				50	3.85	8.783	0.0105	-2.5 to 2.5	Pass
	844	50	0	20	3.27	16.036	0.0190	-2.5 to 2.5	Pass
					3.85	-10.457	-0.0124	-2.5 to 2.5	Pass
					4.43	-11.945	-0.0142	-2.5 to 2.5	Pass
				-30	3.85	-10.514	-0.0125	-2.5 to 2.5	Pass
				-20	3.85	-6.280	-0.0074	-2.5 to 2.5	Pass
				-10	3.85	-4.206	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-2.532	-0.0030	-2.5 to 2.5	Pass
				10	3.85	-0.629	-0.0007	-2.5 to 2.5	Pass
				30	3.85	2.918	0.0035	-2.5 to 2.5	Pass
				40	3.85	4.263	0.0051	-2.5 to 2.5	Pass
50	3.85	4.435	0.0053	-2.5 to 2.5	Pass				
16QAM	829	50	0	20	3.27	-22.173	-0.0267	-2.5 to 2.5	Pass
					3.85	-20.328	-0.0245	-2.5 to 2.5	Pass
					4.43	-20.256	-0.0244	-2.5 to 2.5	Pass
				-30	3.85	-21.873	-0.0264	-2.5 to 2.5	Pass
				-20	3.85	-24.176	-0.0292	-2.5 to 2.5	Pass
				-10	3.85	-24.161	-0.0291	-2.5 to 2.5	Pass
				0	3.85	-24.462	-0.0295	-2.5 to 2.5	Pass
				10	3.85	-28.696	-0.0346	-2.5 to 2.5	Pass
				30	3.85	-28.667	-0.0346	-2.5 to 2.5	Pass
				40	3.85	-28.996	-0.0350	-2.5 to 2.5	Pass
				50	3.85	-30.656	-0.0370	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	21.014	0.0251	-2.5 to 2.5	Pass
					3.85	-1.531	-0.0018	-2.5 to 2.5	Pass
					4.43	-2.646	-0.0032	-2.5 to 2.5	Pass
				-30	3.85	-2.403	-0.0029	-2.5 to 2.5	Pass
				-20	3.85	-3.633	-0.0043	-2.5 to 2.5	Pass
				-10	3.85	-2.503	-0.0030	-2.5 to 2.5	Pass
				0	3.85	-2.546	-0.0030	-2.5 to 2.5	Pass
				10	3.85	-2.933	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-2.518	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-2.217	-0.0027	-2.5 to 2.5	Pass
				50	3.85	-3.347	-0.0040	-2.5 to 2.5	Pass
	844	50	0	20	3.27	7.052	0.0084	-2.5 to 2.5	Pass
					3.85	12.431	0.0147	-2.5 to 2.5	Pass
					4.43	10.071	0.0119	-2.5 to 2.5	Pass
				-30	3.85	11.415	0.0135	-2.5 to 2.5	Pass

				-20	3.85	10.457	0.0124	-2.5 to 2.5	Pass
				-10	3.85	9.942	0.0118	-2.5 to 2.5	Pass
				0	3.85	9.456	0.0112	-2.5 to 2.5	Pass
				10	3.85	10.772	0.0128	-2.5 to 2.5	Pass
				30	3.85	11.458	0.0136	-2.5 to 2.5	Pass
				40	3.85	11.072	0.0131	-2.5 to 2.5	Pass
				50	3.85	12.488	0.0148	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	-9.727	-0.0117	-2.5 to 2.5	Pass
					3.85	-43.087	-0.0518	-2.5 to 2.5	Pass
					4.43	-6.881	-0.0083	-2.5 to 2.5	Pass
				-30	3.85	-12.274	-0.0148	-2.5 to 2.5	Pass
				-20	3.85	-17.638	-0.0212	-2.5 to 2.5	Pass
				-10	3.85	-18.497	-0.0222	-2.5 to 2.5	Pass
				0	3.85	-18.768	-0.0226	-2.5 to 2.5	Pass
				10	3.85	-20.900	-0.0251	-2.5 to 2.5	Pass
				30	3.85	-19.927	-0.0240	-2.5 to 2.5	Pass
				40	3.85	-19.040	-0.0229	-2.5 to 2.5	Pass
				50	3.85	-18.811	-0.0226	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	11.230	0.0134	-2.5 to 2.5	Pass
					3.85	-9.127	-0.0109	-2.5 to 2.5	Pass
					4.43	-8.397	-0.0100	-2.5 to 2.5	Pass
				-30	3.85	-5.865	-0.0070	-2.5 to 2.5	Pass
				-20	3.85	-5.093	-0.0061	-2.5 to 2.5	Pass
				-10	3.85	-1.445	-0.0017	-2.5 to 2.5	Pass
				0	3.85	0.172	0.0002	-2.5 to 2.5	Pass
				10	3.85	2.847	0.0034	-2.5 to 2.5	Pass
				30	3.85	4.935	0.0059	-2.5 to 2.5	Pass
				40	3.85	3.047	0.0036	-2.5 to 2.5	Pass
				50	3.85	7.367	0.0088	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	12.417	0.0148	-2.5 to 2.5	Pass
					3.85	-9.055	-0.0108	-2.5 to 2.5	Pass
					4.43	-8.082	-0.0096	-2.5 to 2.5	Pass
				-30	3.85	-3.476	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	2.718	0.0032	-2.5 to 2.5	Pass
				-10	3.85	6.938	0.0082	-2.5 to 2.5	Pass
				0	3.85	9.484	0.0113	-2.5 to 2.5	Pass
				10	3.85	12.517	0.0149	-2.5 to 2.5	Pass
				30	3.85	14.806	0.0176	-2.5 to 2.5	Pass
				40	3.85	18.754	0.0223	-2.5 to 2.5	Pass
				50	3.85	21.429	0.0255	-2.5 to 2.5	Pass
16QAM	831.5	75	0	20	3.27	-18.997	-0.0228	-2.5 to 2.5	Pass
					3.85	-14.133	-0.0170	-2.5 to 2.5	Pass
					4.43	-14.062	-0.0169	-2.5 to 2.5	Pass
				-30	3.85	-14.277	-0.0172	-2.5 to 2.5	Pass
				-20	3.85	-14.119	-0.0170	-2.5 to 2.5	Pass
				-10	3.85	-13.089	-0.0157	-2.5 to 2.5	Pass
				0	3.85	-13.876	-0.0167	-2.5 to 2.5	Pass
				10	3.85	-13.204	-0.0159	-2.5 to 2.5	Pass
				30	3.85	-12.174	-0.0146	-2.5 to 2.5	Pass
				40	3.85	-11.787	-0.0142	-2.5 to 2.5	Pass
				50	3.85	-10.729	-0.0129	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	9.084	0.0109	-2.5 to 2.5	Pass
					3.85	13.332	0.0159	-2.5 to 2.5	Pass
					4.43	13.933	0.0167	-2.5 to 2.5	Pass

				-30	3.85	12.417	0.0148	-2.5 to 2.5	Pass
				-20	3.85	12.331	0.0147	-2.5 to 2.5	Pass
				-10	3.85	11.659	0.0139	-2.5 to 2.5	Pass
				0	3.85	12.059	0.0144	-2.5 to 2.5	Pass
				10	3.85	11.930	0.0143	-2.5 to 2.5	Pass
				30	3.85	12.746	0.0152	-2.5 to 2.5	Pass
				40	3.85	13.647	0.0163	-2.5 to 2.5	Pass
				50	3.85	14.548	0.0174	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	25.506	0.0303	-2.5 to 2.5	Pass
					3.85	29.883	0.0355	-2.5 to 2.5	Pass
					4.43	27.509	0.0327	-2.5 to 2.5	Pass
				-30	3.85	26.193	0.0311	-2.5 to 2.5	Pass
				-20	3.85	26.250	0.0312	-2.5 to 2.5	Pass
				-10	3.85	24.347	0.0289	-2.5 to 2.5	Pass
				0	3.85	24.161	0.0287	-2.5 to 2.5	Pass
				10	3.85	23.775	0.0283	-2.5 to 2.5	Pass
				30	3.85	23.632	0.0281	-2.5 to 2.5	Pass
				40	3.85	23.632	0.0281	-2.5 to 2.5	Pass
				50	3.85	24.033	0.0286	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	836.5	75	0	Refer To Test Graph	
16QAM	836.5	75	0	Refer To Test Graph	
					Verdict
					Pass
					Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.115	/	Pass
		836.5	6	0	1.104	/	Pass
		848.3	6	0	1.114	/	Pass
	16QAM	824.7	6	0	1.111	/	Pass
		836.5	6	0	1.118	/	Pass
		848.3	6	0	1.110	/	Pass
3	QPSK	825.5	15	0	2.755	/	Pass
		836.5	15	0	2.767	/	Pass
		847.5	15	0	2.753	/	Pass
	16QAM	825.5	15	0	2.756	/	Pass
		836.5	15	0	2.743	/	Pass
		847.5	15	0	2.770	/	Pass
5	QPSK	826.5	25	0	4.557	/	Pass
		836.5	25	0	4.558	/	Pass
		846.5	25	0	4.555	/	Pass
	16QAM	826.5	25	0	4.598	/	Pass
		836.5	25	0	4.566	/	Pass
		846.5	25	0	4.543	/	Pass
10	QPSK	829	50	0	9.093	/	Pass
		836.5	50	0	9.068	/	Pass
		844	50	0	9.103	/	Pass
	16QAM	829	50	0	9.090	/	Pass
		836.5	50	0	9.088	/	Pass
		844	50	0	9.093	/	Pass
15	QPSK	831.5	75	0	13.581	/	Pass
		836.5	75	0	13.571	/	Pass
		841.5	75	0	13.619	/	Pass
	16QAM	831.5	75	0	13.591	/	Pass
		836.5	75	0	13.598	/	Pass
		841.5	75	0	13.625	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.272	/	Pass
		836.5	6	0	1.277	/	Pass
		848.3	6	0	1.265	/	Pass
	16QAM	824.7	6	0	1.275	/	Pass
		836.5	6	0	1.282	/	Pass
		848.3	6	0	1.276	/	Pass
3	QPSK	825.5	15	0	3.097	/	Pass
		836.5	15	0	3.102	/	Pass
		847.5	15	0	3.089	/	Pass
	16QAM	825.5	15	0	3.135	/	Pass
		836.5	15	0	3.082	/	Pass
		847.5	15	0	3.118	/	Pass


5	QPSK	826.5	25	0	5.076	/	Pass
		836.5	25	0	5.042	/	Pass
		846.5	25	0	5.091	/	Pass
	16QAM	826.5	25	0	5.098	/	Pass
		836.5	25	0	5.033	/	Pass
		846.5	25	0	5.047	/	Pass
10	QPSK	829	50	0	10.010	/	Pass
		836.5	50	0	10.089	/	Pass
		844	50	0	10.025	/	Pass
	16QAM	829	50	0	10.116	/	Pass
		836.5	50	0	10.098	/	Pass
		844	50	0	10.105	/	Pass
15	QPSK	831.5	75	0	15.147	/	Pass
		836.5	75	0	15.068	/	Pass
		841.5	75	0	15.197	/	Pass
	16QAM	831.5	75	0	15.246	/	Pass
		836.5	75	0	15.264	/	Pass
		841.5	75	0	15.164	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2.2 Band26b_XDB


Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	4.68	<=13	Pass
	836.5	6	0	5.43	<=13	Pass
	848.3	6	0	4.76	<=13	Pass
16QAM	824.7	6	0	5.48	<=13	Pass
	836.5	6	0	6.16	<=13	Pass
	848.3	6	0	5.52	<=13	Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	4.74	<=13	Pass
	836.5	15	0	5.42	<=13	Pass
	847.5	15	0	4.66	<=13	Pass
16QAM	825.5	15	0	5.55	<=13	Pass
	836.5	15	0	6.16	<=13	Pass
	847.5	15	0	5.37	<=13	Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.04	<=13	Pass
	836.5	25	0	5.49	<=13	Pass
	846.5	25	0	4.88	<=13	Pass
16QAM	826.5	25	0	5.71	<=13	Pass
	836.5	25	0	6.17	<=13	Pass
	846.5	25	0	5.56	<=13	Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.16	<=13	Pass
	836.5	50	0	5.44	<=13	Pass
	844	50	0	5.25	<=13	Pass
16QAM	829	50	0	5.88	<=13	Pass
	836.5	50	0	6.16	<=13	Pass
	844	50	0	5.89	<=13	Pass


5.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency	RB Allocation		Peak-Average Ratio (dB)		Verdict


	(MHz)	Size	Offset	Result	Limit	
QPSK	831.5	75	0	4.85	≤ 13	Pass
	836.5	75	0	4.83	≤ 13	Pass
	841.5	75	0	4.83	≤ 13	Pass
16QAM	831.5	75	0	6.04	≤ 13	Pass
	836.5	75	0	6.10	≤ 13	Pass
	841.5	75	0	6.01	≤ 13	Pass

5.2 Test Graph


5.2.1 B26b_1.4MHz




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




5.2.2 B26b_3MHz




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




5.2.3 B26b_5MHz


Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV



Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV



Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




5.2.4 B26b_10MHz


Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




5.2.5 B26b_15MHz




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	824.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
16QAM	824.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

6.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	825.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
16QAM	825.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

6.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


6.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


6.2 Test Graph

6.2.1 B26b_1.4MHz


Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV



Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-39.86	-13	Pass
823	824	0.013	CHP	2	823.975	-31.81	-13	Pass
824	827	0.013	CHP	/	/	/	/	/


Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV



Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-36.50	-13	Pass
850	852	0.1	CHP	2	850.606	-51.17	-13	Pass

Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.080	-34.44	-13	Pass
850	852	0.1	CHP	2	850.115	-43.11	-13	Pass

Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.503	-50.07	-13	Pass
823	824	0.003	/	2	823.999	-35.39	-13	Pass
824	827	0.003	/	/	/	/	/	/


Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-38.36	-13	Pass
850	852	0.1	CHP	2	850.587	-50.90	-13	Pass


Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-35.46	-13	Pass
850	852	0.1	CHP	2	850.055	-43.36	-13	Pass


6.2.2 B26b_3MHz

Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-43.51	-13	Pass
823	824	0.003	/	2	823.986	-25.94	-13	Pass
824	827	0.003	/	/	/	/	/	/


Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.806	-28.84	-13	Pass
823	824	0.031	CHP	2	823.994	-26.84	-13	Pass
824	827	0.031	CHP	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV

