

Appendix - 5G WiFi

1. Duty Cycle

1.1 Test Result


1.1.1 Ant1

Ant1							
Mode	Tx Type	Frequency (MHz)	T _{on} (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	1.392	2.570	54.16	2.66	2.56
		5200	1.392	2.568	54.21	2.66	1.84
		5240	1.394	2.570	54.24	2.66	1.78
		5260	1.391	2.571	54.10	2.67	1.91
		5300	1.391	2.571	54.10	2.67	1.78
		5320	1.395	2.571	54.26	2.66	1.87
		5500	1.392	2.571	54.14	2.66	1.91
		5580	1.391	2.541	54.74	2.62	1.96
		5700	1.391	2.570	54.12	2.67	3.12
		5745	1.391	2.571	54.10	2.67	1.91
		5785	1.392	2.571	54.14	2.66	1.91
		5825	1.392	2.568	54.21	2.66	2.06
802.11n (HT20)	SISO	5180	1.299	2.478	52.42	2.80	1.78
		5200	1.299	2.433	53.39	2.73	1.69
		5240	1.299	2.478	52.42	2.80	1.78
		5260	1.300	2.478	52.46	2.80	1.79
		5300	1.299	2.388	54.40	2.64	1.26
		5320	1.300	2.478	52.46	2.80	1.79
		5500	1.301	2.541	51.20	2.91	3.08
		5580	1.302	2.451	53.12	2.75	1.82
		5700	1.301	2.479	52.48	2.80	1.92
		5745	1.302	2.505	51.98	2.84	3.26
		5785	1.302	2.451	53.12	2.75	2.03
		5825	1.302	2.424	53.71	2.70	1.44
802.11n (HT40)	SISO	5190	0.647	2.121	30.50	5.16	6.55
		5230	0.644	1.741	36.99	4.32	0.92
		5270	0.643	2.037	31.57	5.01	5.73
		5310	0.643	1.822	35.29	4.52	1.86
		5510	0.644	1.821	35.37	4.51	1.84
		5550	0.643	1.822	35.29	4.52	1.79
		5670	0.644	1.823	35.33	4.52	15.35
		5755	0.646	1.786	36.17	4.42	1.74
		5795	0.644	1.821	35.37	4.51	1.65
		5825	0.644	1.821	35.37	4.51	1.65
802.11ac (VHT20)	SISO	5180	1.311	2.478	52.91	2.76	2.63
		5200	1.308	2.502	52.28	2.82	2.30
		5240	1.308	2.514	52.03	2.84	15.60
		5260	1.310	2.387	54.88	2.61	2.04
		5300	1.308	2.667	49.04	3.09	6.50
		5320	1.306	2.494	52.37	2.81	2.12
		5500	1.310	2.488	52.65	2.79	1.79
		5580	1.309	2.487	52.63	2.79	1.86
		5700	1.308	2.487	52.59	2.79	1.84
		5745	1.307	2.485	52.60	2.79	1.85
		5785	1.310	2.541	51.55	2.88	2.89
		5825	1.307	2.485	52.60	2.79	3.30
802.11ac (VHT40)	SISO	5190	0.653	1.831	35.66	4.48	1.70
		5230	0.652	1.804	36.14	4.42	1.92
		5270	0.650	1.747	37.21	4.29	0.13


		5310	0.653	1.947	33.54	4.74	22.15
		5510	0.653	1.777	36.75	4.35	0.77
		5550	0.653	1.730	37.75	4.23	15.44
		5670	0.653	1.784	36.60	4.36	18.51
		5755	0.651	1.747	37.26	4.29	0.87
		5795	0.653	1.832	35.64	4.48	1.86
802.11ac (VHT80)	SISO	5210	0.325	1.502	21.64	6.65	1.40
		5290	0.324	1.501	21.59	6.66	1.41
		5530	0.324	1.429	22.67	6.44	0.27
		5610	0.323	1.500	21.53	6.67	1.34
		5775	0.324	1.500	21.60	6.66	1.25

1.2 Test Graph


1.2.1 Ant1




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20) HCH_5240MHz_Ant1_NTNV




802.11n(HT20) LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40) HCH_5670MHz_Ant1_NTNV




802.11n(HT40) LCH_5755MHz_Ant1_NTNV




802.11n(HT40) HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20) MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20) HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20) HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20) MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20) HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40) MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80) MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80) MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



802.11ac(VHT80) MCH_5775MHz_Ant1_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	18.237	/	Pass
		5200	1	18.208	/	Pass
		5240	1	18.278	/	Pass
		5260	1	18.239	/	Pass
		5300	1	18.247	/	Pass
		5320	1	18.247	/	Pass
		5500	1	18.286	/	Pass
		5580	1	18.267	/	Pass
		5700	1	18.286	/	Pass
		5745	1	18.302	/	Pass
		5785	1	18.291	/	Pass
802.11n (HT20)	SISO	5180	1	18.419	/	Pass
		5200	1	18.424	/	Pass
		5240	1	18.424	/	Pass
		5260	1	18.433	/	Pass
		5300	1	18.466	/	Pass
		5320	1	18.477	/	Pass
		5500	1	18.471	/	Pass
		5580	1	18.454	/	Pass
		5700	1	18.522	/	Pass
		5745	1	18.463	/	Pass
		5785	1	18.463	/	Pass
802.11n (HT40)	SISO	5190	1	36.832	/	Pass
		5230	1	36.780	/	Pass
		5270	1	36.770	/	Pass
		5310	1	36.786	/	Pass
		5510	1	37.034	/	Pass
		5550	1	36.891	/	Pass
		5670	1	36.974	/	Pass
		5755	1	36.975	/	Pass
		5795	1	37.057	/	Pass
802.11ac (VHT20)	SISO	5180	1	18.371	/	Pass
		5200	1	18.379	/	Pass
		5240	1	18.417	/	Pass
		5260	1	18.446	/	Pass
		5300	1	18.395	/	Pass
		5320	1	18.352	/	Pass
		5500	1	18.446	/	Pass
		5580	1	18.419	/	Pass
		5700	1	18.482	/	Pass
		5745	1	18.451	/	Pass
		5785	1	18.457	/	Pass
802.11ac (VHT40)	SISO	5190	1	36.704	/	Pass
		5230	1	36.634	/	Pass
		5270	1	36.877	/	Pass
		5310	1	36.666	/	Pass
		5510	1	36.883	/	Pass

		5550	1	36.829	/	Pass
		5670	1	36.828	/	Pass
		5755	1	36.848	/	Pass
		5795	1	36.824	/	Pass
		5210	1	77.793	/	Pass
802.11ac (VHT80)	SISO	5290	1	79.167	/	Pass
		5530	1	78.370	/	Pass
		5610	1	78.451	/	Pass
		5775	1	78.451	/	Pass

2.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	13.861	>=0.5	Pass
		5785	1	15.129	>=0.5	Pass
		5825	1	15.085	>=0.5	Pass
802.11n (HT20)	SISO	5745	1	13.939	>=0.5	Pass
		5785	1	15.137	>=0.5	Pass
		5825	1	13.893	>=0.5	Pass
802.11n (HT40)	SISO	5755	1	30.146	>=0.5	Pass
		5795	1	32.620	>=0.5	Pass
802.11ac (VHT20)	SISO	5745	1	15.122	>=0.5	Pass
		5785	1	15.127	>=0.5	Pass
		5825	1	15.095	>=0.5	Pass
802.11ac (VHT40)	SISO	5755	1	32.591	>=0.5	Pass
		5795	1	32.635	>=0.5	Pass
802.11ac (VHT80)	SISO	5775	1	75.183	>=0.5	Pass


2.1.3 26dB BW

Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	29.807	/	Pass
		5200	1	28.689	/	Pass
		5240	1	27.364	/	Pass
		5260	1	22.169	/	Pass
		5300	1	19.728	/	Pass
		5320	1	19.855	/	Pass
		5500	1	22.468	/	Pass
		5580	1	28.057	/	Pass
802.11n (HT20)	SISO	5700	1	32.456	/	Pass
		5180	1	32.340	/	Pass
		5200	1	29.426	/	Pass
		5240	1	26.478	/	Pass
		5260	1	20.481	/	Pass
		5300	1	19.818	/	Pass
		5320	1	20.047	/	Pass
		5500	1	22.413	/	Pass
802.11n (HT40)	SISO	5580	1	28.767	/	Pass
		5700	1	35.258	/	Pass
		5190	1	76.211	/	Pass
		5230	1	66.876	/	Pass
		5270	1	53.626	/	Pass
		5310	1	41.175	/	Pass
		5510	1	58.510	/	Pass
		5550	1	74.275	/	Pass
		5670	1	78.445	/	Pass


802.11ac (VHT20)	SISO	5180	1	28.623	/	Pass
		5200	1	28.004	/	Pass
		5240	1	28.919	/	Pass
		5260	1	20.323	/	Pass
		5300	1	19.850	/	Pass
		5320	1	20.029	/	Pass
		5500	1	24.191	/	Pass
		5580	1	30.208	/	Pass
		5700	1	34.508	/	Pass
802.11ac (VHT40)	SISO	5190	1	71.915	/	Pass
		5230	1	65.087	/	Pass
		5270	1	40.098	/	Pass
		5310	1	40.044	/	Pass
		5510	1	64.225	/	Pass
		5550	1	71.048	/	Pass
802.11ac (VHT80)	SISO	5670	1	81.477	/	Pass
		5210	1	85.352	/	Pass
		5290	1	80.155	/	Pass
		5530	1	86.236	/	Pass
		5610	1	82.280	/	Pass

2.2 Test Graph


2.2.1 OBW




802.11a HCH 5240MHz Ant1 NTNV




802.11a LCH 5260MHz Ant1 NTNV




802.11a MCH 5300MHz Ant1 NTN




802.11a HCH 5320MHz Ant1 NTN




802.11a LCH 5500MHz Ant1 NTNV




802.11a MCH 5580MHz Ant1 NTNV




802.11a HCH 5700MHz Ant1 NTNV




802.11a LCH 5745MHz Ant1 NTNV




802.11a MCH 5785MHz Ant1 NTNV




802.11a HCH 5825MHz Ant1 NTNV




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20) MCH 5200MHz Ant1 NTN




802.11n(HT20) HCH 5240MHz Ant1 NTN




802.11n(HT20) LCH 5260MHz Ant1 NTN




802.11n(HT20) MCH 5300MHz Ant1 NTNV




802.11n(HT20) HCH 5320MHz Ant1 NTNV




802.11n(HT20) LCH 5500MHz Ant1 NTN




802.11n(HT20) MCH 5580MHz Ant1 NTN




802.11n(HT20) HCH 5700MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20) MCH 5785MHz Ant1 NTN




802.11n(HT20) HCH 5825MHz Ant1 NTN




802.11n(HT40) LCH 5190MHz Ant1 NTN




802.11n(HT40) HCH 5230MHz Ant1 NTN




802.11n(HT40) LCH 5270MHz Ant1 NTN




802.11n(HT40) HCH 5310MHz Ant1 NTN




802.11n(HT40) LCH 5510MHz Ant1 NTN




802.11n(HT40) MCH 5550MHz Ant1 NTN




802.11n(HT40) HCH 5670MHz Ant1 NTN




802.11n(HT40) LCH 5755MHz Ant1 NTN




802.11n(HT40) HCH 5795MHz Ant1 NTN




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5260MHz Ant1 NTV




802.11ac(VHT20) MCH 5300MHz Ant1 NTV




802.11ac(VHT20) HCH 5320MHz Ant1 NTN




802.11ac(VHT20) LCH 5500MHz Ant1 NTN




802.11ac(VHT20) MCH 5580MHz Ant1 NTV




802.11ac(VHT20) HCH 5700MHz Ant1 NTV




802.11ac(VHT20) LCH 5745MHz Ant1 NTV




802.11ac(VHT20) MCH 5785MHz Ant1 NTV




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40) LCH 5190MHz Ant1 NTN




802.11ac(VHT40) HCH 5230MHz Ant1 NTN




802.11ac(VHT40) LCH 5270MHz Ant1 NTN




802.11ac(VHT40) HCH 5310MHz Ant1 NTN




802.11ac(VHT40) LCH 5510MHz Ant1 NTN




802.11ac(VHT40) MCH 5550MHz Ant1 NTN




802.11ac(VHT40) HCH 5670MHz Ant1 NTN




802.11ac(VHT40) LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80) MCH 5210MHz Ant1 NTN




802.11ac(VHT80) MCH 5290MHz Ant1 NTN




802.11ac(VHT80) LCH_5530MHz_Ant1_NTNV




802.11ac(VHT80) HCH_5610MHz_Ant1_NTNV







2.2.2 6dB BW




802.11a HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20) MCH_5785MHz_Ant1_NTNV




802.11n(HT20) HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




2.2.3 26dB BW




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20) MCH_5200MHz_Ant1_NTNV




802.11n(HT20) HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20) HCH_5320MHz_Ant1_NTNV




802.11n(HT20) LCH_5500MHz_Ant1_NTNV




802.11n(HT20) MCH_5580MHz_Ant1_NTNV




802.11n(HT20) HCH_5700MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40) HCH_5670MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20) LCH 5260MHz_Ant1_NTNV




802.11ac(VHT20) MCH 5300MHz_Ant1_NTNV




802.11ac(VHT20) HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40) LCH 5190MHz_Ant1_NTNV




802.11ac(VHT40) HCH 5230MHz_Ant1_NTNV




802.11ac(VHT40) LCH 5270MHz_Ant1_NTNV




802.11ac(VHT40) HCH 5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40) HCH 5670MHz_Ant1_NTNV




802.11ac(VHT80) MCH 5210MHz_Ant1_NTNV




802.11ac(VHT80) MCH 5290MHz Ant1 NTNV



802.11ac(VHT80) LCH 5530MHz Ant1 NTNV



802.11ac(VHT80) HCH 5610MHz Ant1 NTV



3. Maximum Conducted Output Power

3.1 Test Result


3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	12.39	<=23.98	Pass
		5200	12.65	<=23.98	Pass
		5240	14.14	<=23.98	Pass
		5260	13.12	<=23.98	Pass
		5300	13.55	<=23.95	Pass
		5320	13.67	<=23.98	Pass
		5500	13.73	<=23.98	Pass
		5580	12.72	<=23.98	Pass
		5700	11.41	<=23.98	Pass
		5745	11.56	<=30	Pass
		5785	11.23	<=30	Pass
		5825	11.45	<=30	Pass
802.11n (HT20)	SISO	5180	12.34	<=23.98	Pass
		5200	12.64	<=23.98	Pass
		5240	14.17	<=23.98	Pass
		5260	11.88	<=23.98	Pass
		5300	12.39	<=23.97	Pass
		5320	12.79	<=23.98	Pass
		5500	13.69	<=23.98	Pass
		5580	12.67	<=23.98	Pass
		5700	11.30	<=23.98	Pass
		5745	11.63	<=30	Pass
		5785	11.17	<=30	Pass
		5825	10.43	<=30	Pass
802.11n (HT40)	SISO	5190	13.08	<=23.98	Pass
		5230	13.74	<=23.98	Pass
		5270	12.80	<=23.98	Pass
		5310	11.63	<=23.98	Pass
		5510	15.01	<=23.98	Pass
		5550	13.79	<=23.98	Pass
		5670	12.17	<=23.98	Pass
		5755	11.82	<=30	Pass
802.11ac (VHT20)	SISO	5180	12.31	<=23.98	Pass
		5200	12.81	<=23.98	Pass
		5240	14.14	<=23.98	Pass
		5260	12.40	<=23.98	Pass
		5300	12.71	<=23.98	Pass
		5320	12.63	<=23.98	Pass
		5500	13.60	<=23.98	Pass
		5580	12.62	<=23.98	Pass
		5700	11.49	<=23.98	Pass
		5745	11.39	<=30	Pass
		5785	11.37	<=30	Pass
		5825	11.27	<=30	Pass
802.11ac (VHT40)	SISO	5190	12.57	<=23.98	Pass
		5230	14.72	<=23.98	Pass
		5270	11.60	<=23.98	Pass
		5310	11.29	<=23.98	Pass
		5510	14.20	<=23.98	Pass


		5550	13.55	<=23.98	Pass
		5670	12.22	<=23.98	Pass
		5755	12.08	<=30	Pass
		5795	11.46	<=30	Pass
802.11ac (VHT80)	SISO	5210	13.26	<=23.98	Pass
		5290	11.44	<=23.98	Pass
		5530	13.57	<=23.98	Pass
		5610	12.85	<=23.98	Pass
		5775	12.22	<=30	Pass
Note1: Antenna Gain: Ant1: -1.74dBi;					

3.2 Test Graph


3.2.1 Power




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20) HCH 5240MHz_Ant1_NTNV




802.11n(HT20) LCH 5260MHz_Ant1_NTNV




802.11n(HT20) MCH_5300MHz_Ant1_NTNV




802.11n(HT20) HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




802.11n(HT20) HCH_5700MHz_Ant1_NTNV




802.11n(HT20) LCH_5745MHz_Ant1_NTNV




802.11n(HT20) MCH_5785MHz_Ant1_NTNV




802.11n(HT20) HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40) LCH 5270MHz_Ant1_NTNV




802.11n(HT40) HCH 5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40) HCH 5670MHz_Ant1_NTNV




802.11n(HT40) LCH 5755MHz_Ant1_NTNV




802.11n(HT40) HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20) LCH 5260MHz_Ant1_NTNV




802.11ac(VHT20) MCH 5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20) MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20) HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20) MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40) MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80) MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80) MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



802.11ac(VHT80) MCH_5775MHz_Ant1_NTNV



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict	
			ANT1	Limit		
802.11a	SISO	5180	2.43	<=11	Pass	
		5200	2.91	<=11	Pass	
		5240	4.41	<=11	Pass	
		5260	3.60	<=11	Pass	
		5300	3.77	<=11	Pass	
		5320	4.23	<=11	Pass	
		5500	4.38	<=11	Pass	
		5580	3.37	<=11	Pass	
		5700	1.39	<=11	Pass	
		5180	2.32	<=11	Pass	
		5200	2.37	<=11	Pass	
		5240	3.98	<=11	Pass	
		5260	1.63	<=11	Pass	
		5300	2.46	<=11	Pass	
		5320	2.32	<=11	Pass	
		5500	3.51	<=11	Pass	
802.11n (HT20)	SISO	5580	2.74	<=11	Pass	
		5700	1.22	<=11	Pass	
		5190	-0.26	<=11	Pass	
		5230	0.77	<=11	Pass	
		5270	-0.50	<=11	Pass	
		5310	-0.80	<=11	Pass	
		5510	0.81	<=11	Pass	
		5550	0.16	<=11	Pass	
802.11n (HT40)	SISO	5670	-1.13	<=11	Pass	
		5180	2.20	<=11	Pass	
		5200	2.62	<=11	Pass	
		5240	3.98	<=11	Pass	
		5260	2.31	<=11	Pass	
		5300	2.55	<=11	Pass	
		5320	2.51	<=11	Pass	
		5500	3.29	<=11	Pass	
802.11ac (VHT20)	SISO	5580	3.16	<=11	Pass	
		5700	1.46	<=11	Pass	
		5190	-0.11	<=11	Pass	
		5230	1.49	<=11	Pass	
		5270	-0.68	<=11	Pass	
		5310	-2.02	<=11	Pass	
		5510	1.05	<=11	Pass	
		5550	0.26	<=11	Pass	
802.11ac (VHT40)	SISO	5670	-1.09	<=11	Pass	
		5210	-3.49	<=11	Pass	
		5290	-5.66	<=11	Pass	
		5530	-3.68	<=11	Pass	
		5610	-3.83	<=11	Pass	
		Note1: Antenna Gain: Ant1: -1.74dBi;				


Note1: Antenna Gain: Ant1: -1.74dBi;

4.1.2 PSD-Band3


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	-1.02	<=30	Pass
		5785	-1.38	<=30	Pass
		5825	-1.28	<=30	Pass
802.11n (HT20)	SISO	5745	-1.41	<=30	Pass
		5785	-1.98	<=30	Pass
		5825	-1.95	<=30	Pass
802.11n (HT40)	SISO	5755	-4.24	<=30	Pass
		5795	-4.40	<=30	Pass
802.11ac (VHT20)	SISO	5745	-2.03	<=30	Pass
		5785	-1.60	<=30	Pass
		5825	-1.72	<=30	Pass
802.11ac (VHT40)	SISO	5755	-3.75	<=30	Pass
		5795	-4.39	<=30	Pass
802.11ac (VHT80)	SISO	5775	-8.28	<=30	Pass
Note1: Antenna Gain: Ant1: -1.74dBi;					

4.2 Test Graph


4.2.1 PSD




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20) MCH_5200MHz_Ant1_NTNV




802.11n(HT20) HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20) HCH_5320MHz_Ant1_NTNV




802.11n(HT20) LCH_5500MHz_Ant1_NTNV




802.11n(HT20) MCH_5580MHz_Ant1_NTNV




802.11n(HT20) HCH_5700MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40) HCH_5670MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20) LCH 5260MHz_Ant1_NTNV




802.11ac(VHT20) MCH 5300MHz_Ant1_NTNV




802.11ac(VHT20) HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20) MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20) HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40) LCH 5190MHz_Ant1_NTNV




802.11ac(VHT40) HCH 5230MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40) HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40) MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80) MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80) LCH_5530MHz_Ant1_NTNV




802.11ac(VHT80) HCH_5610MHz_Ant1_NTNV




4.2.2 PSD-Band3




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20) MCH_5785MHz_Ant1_NTNV




802.11n(HT20) HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20) LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20) MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	102	5180.000	5150 to 5250	Pass
				120	5180.060	5150 to 5250	Pass
				138	5180.020	5150 to 5250	Pass
			-30	120	5179.960	5150 to 5250	Pass
			-20	120	5180.000	5150 to 5250	Pass
			-10	120	5179.960	5150 to 5250	Pass
			0	120	5180.020	5150 to 5250	Pass
			10	120	5179.980	5150 to 5250	Pass
			30	120	5180.000	5150 to 5250	Pass
			40	120	5179.980	5150 to 5250	Pass
			50	120	5179.980	5150 to 5250	Pass
		5200	20	102	5200.000	5150 to 5250	Pass
				120	5200.040	5150 to 5250	Pass
				138	5200.000	5150 to 5250	Pass
			-30	120	5200.000	5150 to 5250	Pass
			-20	120	5200.000	5150 to 5250	Pass
			-10	120	5199.960	5150 to 5250	Pass
			0	120	5200.020	5150 to 5250	Pass
			10	120	5199.960	5150 to 5250	Pass
			30	120	5200.100	5150 to 5250	Pass
			40	120	5200.020	5150 to 5250	Pass
			50	120	5200.060	5150 to 5250	Pass
		5240	20	102	5239.960	5150 to 5250	Pass
				120	5240.000	5150 to 5250	Pass
				138	5240.100	5150 to 5250	Pass
			-30	120	5240.100	5150 to 5250	Pass
			-20	120	5240.000	5150 to 5250	Pass
			-10	120	5240.020	5150 to 5250	Pass
			0	120	5240.000	5150 to 5250	Pass
			10	120	5240.060	5150 to 5250	Pass
			30	120	5240.000	5150 to 5250	Pass
			40	120	5240.020	5150 to 5250	Pass
			50	120	5240.020	5150 to 5250	Pass
		5260	20	102	5260.020	5250 to 5350	Pass
				120	5260.020	5250 to 5350	Pass
				138	5260.000	5250 to 5350	Pass
			-30	120	5260.020	5250 to 5350	Pass
			-20	120	5260.000	5250 to 5350	Pass
			-10	120	5259.980	5250 to 5350	Pass
			0	120	5260.020	5250 to 5350	Pass
			10	120	5260.000	5250 to 5350	Pass
			30	120	5260.020	5250 to 5350	Pass
			40	120	5260.020	5250 to 5350	Pass
			50	120	5260.000	5250 to 5350	Pass
		5300	20	102	5300.020	5250 to 5350	Pass
				120	5300.000	5250 to 5350	Pass
				138	5300.040	5250 to 5350	Pass
			-30	120	5300.000	5250 to 5350	Pass

			-20	120	5299.960	5250 to 5350	Pass
			-10	120	5300.000	5250 to 5350	Pass
			0	120	5300.000	5250 to 5350	Pass
			10	120	5300.080	5250 to 5350	Pass
			30	120	5300.000	5250 to 5350	Pass
			40	120	5300.060	5250 to 5350	Pass
			50	120	5300.000	5250 to 5350	Pass
		5320	20	102	5320.040	5250 to 5350	Pass
				120	5320.000	5250 to 5350	Pass
				138	5320.000	5250 to 5350	Pass
			-30	120	5319.980	5250 to 5350	Pass
			-20	120	5320.020	5250 to 5350	Pass
			-10	120	5320.000	5250 to 5350	Pass
			0	120	5320.060	5250 to 5350	Pass
			10	120	5319.980	5250 to 5350	Pass
			30	120	5320.020	5250 to 5350	Pass
			40	120	5320.080	5250 to 5350	Pass
			50	120	5320.080	5250 to 5350	Pass
		5500	20	102	5500.060	5470 to 5725	Pass
				120	5500.020	5470 to 5725	Pass
				138	5500.020	5470 to 5725	Pass
			-30	120	5500.000	5470 to 5725	Pass
			-20	120	5500.000	5470 to 5725	Pass
			-10	120	5500.020	5470 to 5725	Pass
			0	120	5499.980	5470 to 5725	Pass
			10	120	5500.020	5470 to 5725	Pass
			30	120	5500.000	5470 to 5725	Pass
			40	120	5499.980	5470 to 5725	Pass
			50	120	5499.960	5470 to 5725	Pass
		5580	20	102	5580.020	5470 to 5725	Pass
				120	5579.980	5470 to 5725	Pass
				138	5579.980	5470 to 5725	Pass
			-30	120	5579.980	5470 to 5725	Pass
			-20	120	5580.040	5470 to 5725	Pass
			-10	120	5580.020	5470 to 5725	Pass
			0	120	5580.040	5470 to 5725	Pass
			10	120	5580.040	5470 to 5725	Pass
			30	120	5579.980	5470 to 5725	Pass
			40	120	5580.000	5470 to 5725	Pass
			50	120	5580.040	5470 to 5725	Pass
		5700	20	102	5700.000	5470 to 5725	Pass
				120	5700.000	5470 to 5725	Pass
				138	5700.080	5470 to 5725	Pass
			-30	120	5699.940	5470 to 5725	Pass
			-20	120	5700.000	5470 to 5725	Pass
			-10	120	5699.940	5470 to 5725	Pass
			0	120	5700.020	5470 to 5725	Pass
			10	120	5699.960	5470 to 5725	Pass
			30	120	5700.000	5470 to 5725	Pass
			40	120	5699.920	5470 to 5725	Pass
			50	120	5700.100	5470 to 5725	Pass
		5745	20	102	5744.940	5725 to 5850	Pass
				120	5745.080	5725 to 5850	Pass
				138	5745.020	5725 to 5850	Pass
			-30	120	5744.980	5725 to 5850	Pass
			-20	120	5744.920	5725 to 5850	Pass
			-10	120	5745.000	5725 to 5850	Pass
			0	120	5744.980	5725 to 5850	Pass
			10	120	5744.880	5725 to 5850	Pass

			30	120	5745.020	5725 to 5850	Pass
			40	120	5744.960	5725 to 5850	Pass
			50	120	5744.920	5725 to 5850	Pass
		5785	20	102	5785.020	5725 to 5850	Pass
				120	5785.020	5725 to 5850	Pass
				138	5785.020	5725 to 5850	Pass
			-30	120	5785.000	5725 to 5850	Pass
			-20	120	5785.020	5725 to 5850	Pass
			-10	120	5784.960	5725 to 5850	Pass
			0	120	5784.940	5725 to 5850	Pass
			10	120	5785.000	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5785.000	5725 to 5850	Pass
			50	120	5784.940	5725 to 5850	Pass
		5825	20	102	5824.900	5725 to 5850	Pass
				120	5825.020	5725 to 5850	Pass
				138	5824.920	5725 to 5850	Pass
			-30	120	5825.040	5725 to 5850	Pass
			-20	120	5825.020	5725 to 5850	Pass
			-10	120	5824.960	5725 to 5850	Pass
			0	120	5824.940	5725 to 5850	Pass
			10	120	5824.980	5725 to 5850	Pass
			30	120	5825.000	5725 to 5850	Pass
			40	120	5825.000	5725 to 5850	Pass
			50	120	5825.000	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	20	102	5180.000	5150 to 5250	Pass
				120	5180.000	5150 to 5250	Pass
				138	5180.000	5150 to 5250	Pass
			-30	120	5180.000	5150 to 5250	Pass
			-20	120	5180.000	5150 to 5250	Pass
			-10	120	5180.000	5150 to 5250	Pass
			0	120	5180.020	5150 to 5250	Pass
			10	120	5180.040	5150 to 5250	Pass
			30	120	5179.980	5150 to 5250	Pass
			40	120	5180.000	5150 to 5250	Pass
			50	120	5180.020	5150 to 5250	Pass
		5200	20	102	5200.000	5150 to 5250	Pass
				120	5200.040	5150 to 5250	Pass
				138	5200.000	5150 to 5250	Pass
			-30	120	5200.000	5150 to 5250	Pass
			-20	120	5200.000	5150 to 5250	Pass
			-10	120	5200.020	5150 to 5250	Pass
			0	120	5199.980	5150 to 5250	Pass
			10	120	5200.040	5150 to 5250	Pass
			30	120	5200.060	5150 to 5250	Pass
			40	120	5200.000	5150 to 5250	Pass
			50	120	5199.980	5150 to 5250	Pass
		5240	20	102	5240.100	5150 to 5250	Pass
				120	5240.000	5150 to 5250	Pass
				138	5240.060	5150 to 5250	Pass
			-30	120	5240.000	5150 to 5250	Pass
			-20	120	5240.040	5150 to 5250	Pass
			-10	120	5240.100	5150 to 5250	Pass
			0	120	5240.020	5150 to 5250	Pass
			10	120	5239.980	5150 to 5250	Pass
			30	120	5240.040	5150 to 5250	Pass
			40	120	5240.020	5150 to 5250	Pass
			50	120	5240.020	5150 to 5250	Pass
		5260	20	102	5260.020	5250 to 5350	Pass

				120	5260.020	5250 to 5350	Pass
				138	5260.020	5250 to 5350	Pass
			-30	120	5259.980	5250 to 5350	Pass
			-20	120	5260.000	5250 to 5350	Pass
			-10	120	5260.000	5250 to 5350	Pass
			0	120	5259.980	5250 to 5350	Pass
			10	120	5260.020	5250 to 5350	Pass
			30	120	5260.000	5250 to 5350	Pass
			40	120	5260.020	5250 to 5350	Pass
			50	120	5260.000	5250 to 5350	Pass
		5300	20	102	5300.020	5250 to 5350	Pass
				120	5300.000	5250 to 5350	Pass
				138	5300.000	5250 to 5350	Pass
			-30	120	5299.980	5250 to 5350	Pass
			-20	120	5299.960	5250 to 5350	Pass
			-10	120	5300.020	5250 to 5350	Pass
			0	120	5300.000	5250 to 5350	Pass
			10	120	5300.000	5250 to 5350	Pass
			30	120	5300.020	5250 to 5350	Pass
			40	120	5300.000	5250 to 5350	Pass
			50	120	5300.040	5250 to 5350	Pass
		5320	20	102	5320.000	5250 to 5350	Pass
				120	5320.000	5250 to 5350	Pass
				138	5320.060	5250 to 5350	Pass
			-30	120	5320.000	5250 to 5350	Pass
			-20	120	5320.060	5250 to 5350	Pass
			-10	120	5320.000	5250 to 5350	Pass
			0	120	5320.020	5250 to 5350	Pass
			10	120	5320.000	5250 to 5350	Pass
			30	120	5320.020	5250 to 5350	Pass
			40	120	5320.020	5250 to 5350	Pass
			50	120	5320.020	5250 to 5350	Pass
		5500	20	102	5500.020	5470 to 5725	Pass
				120	5499.980	5470 to 5725	Pass
				138	5500.000	5470 to 5725	Pass
			-30	120	5499.920	5470 to 5725	Pass
			-20	120	5499.980	5470 to 5725	Pass
			-10	120	5500.020	5470 to 5725	Pass
			0	120	5500.000	5470 to 5725	Pass
			10	120	5500.000	5470 to 5725	Pass
			30	120	5499.960	5470 to 5725	Pass
			40	120	5500.000	5470 to 5725	Pass
			50	120	5499.980	5470 to 5725	Pass
		5580	20	102	5580.020	5470 to 5725	Pass
				120	5579.940	5470 to 5725	Pass
				138	5580.020	5470 to 5725	Pass
			-30	120	5579.980	5470 to 5725	Pass
			-20	120	5579.980	5470 to 5725	Pass
			-10	120	5580.000	5470 to 5725	Pass
			0	120	5580.020	5470 to 5725	Pass
			10	120	5580.020	5470 to 5725	Pass
			30	120	5579.980	5470 to 5725	Pass
			40	120	5580.000	5470 to 5725	Pass
			50	120	5579.960	5470 to 5725	Pass
		5700	20	102	5700.020	5470 to 5725	Pass
				120	5699.980	5470 to 5725	Pass
				138	5700.000	5470 to 5725	Pass
			-30	120	5700.020	5470 to 5725	Pass
			-20	120	5700.020	5470 to 5725	Pass

			-10	120	5700.100	5470 to 5725	Pass
			0	120	5699.900	5470 to 5725	Pass
			10	120	5700.000	5470 to 5725	Pass
			30	120	5700.020	5470 to 5725	Pass
			40	120	5700.040	5470 to 5725	Pass
			50	120	5700.020	5470 to 5725	Pass
		5745	20	102	5745.020	5725 to 5850	Pass
				120	5744.980	5725 to 5850	Pass
				138	5744.980	5725 to 5850	Pass
			-30	120	5745.000	5725 to 5850	Pass
			-20	120	5744.980	5725 to 5850	Pass
			-10	120	5744.940	5725 to 5850	Pass
			0	120	5745.000	5725 to 5850	Pass
			10	120	5745.020	5725 to 5850	Pass
			30	120	5745.000	5725 to 5850	Pass
			40	120	5744.960	5725 to 5850	Pass
			50	120	5745.000	5725 to 5850	Pass
		5785	20	102	5785.040	5725 to 5850	Pass
				120	5784.980	5725 to 5850	Pass
				138	5785.020	5725 to 5850	Pass
			-30	120	5784.960	5725 to 5850	Pass
			-20	120	5785.020	5725 to 5850	Pass
			-10	120	5785.020	5725 to 5850	Pass
			0	120	5784.980	5725 to 5850	Pass
			10	120	5785.000	5725 to 5850	Pass
			30	120	5784.980	5725 to 5850	Pass
			40	120	5785.020	5725 to 5850	Pass
			50	120	5785.000	5725 to 5850	Pass
		5825	20	102	5825.000	5725 to 5850	Pass
				120	5825.000	5725 to 5850	Pass
				138	5824.980	5725 to 5850	Pass
			-30	120	5824.980	5725 to 5850	Pass
			-20	120	5825.000	5725 to 5850	Pass
			-10	120	5825.020	5725 to 5850	Pass
			0	120	5824.980	5725 to 5850	Pass
			10	120	5824.980	5725 to 5850	Pass
			30	120	5825.080	5725 to 5850	Pass
			40	120	5824.980	5725 to 5850	Pass
			50	120	5825.000	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	20	102	5190.040	5150 to 5250	Pass
				120	5190.040	5150 to 5250	Pass
				138	5190.040	5150 to 5250	Pass
			-30	120	5190.000	5150 to 5250	Pass
			-20	120	5190.000	5150 to 5250	Pass
			-10	120	5190.000	5150 to 5250	Pass
			0	120	5190.080	5150 to 5250	Pass
			10	120	5190.000	5150 to 5250	Pass
			30	120	5190.040	5150 to 5250	Pass
			40	120	5190.080	5150 to 5250	Pass
			50	120	5190.040	5150 to 5250	Pass
		5230	20	102	5230.040	5150 to 5250	Pass
				120	5230.040	5150 to 5250	Pass
				138	5230.040	5150 to 5250	Pass
			-30	120	5230.040	5150 to 5250	Pass
			-20	120	5230.000	5150 to 5250	Pass
			-10	120	5230.040	5150 to 5250	Pass
			0	120	5230.080	5150 to 5250	Pass
			10	120	5230.040	5150 to 5250	Pass
			30	120	5230.080	5150 to 5250	Pass

			40	120	5230.040	5150 to 5250	Pass
			50	120	5230.040	5150 to 5250	Pass
		5270	20	102	5270.000	5250 to 5350	Pass
				120	5270.040	5250 to 5350	Pass
				138	5270.040	5250 to 5350	Pass
			-30	120	5270.040	5250 to 5350	Pass
			-20	120	5270.040	5250 to 5350	Pass
			-10	120	5270.040	5250 to 5350	Pass
			0	120	5270.040	5250 to 5350	Pass
			10	120	5270.080	5250 to 5350	Pass
			30	120	5270.080	5250 to 5350	Pass
			40	120	5270.040	5250 to 5350	Pass
			50	120	5270.000	5250 to 5350	Pass
		5310	20	102	5310.040	5250 to 5350	Pass
				120	5310.040	5250 to 5350	Pass
				138	5310.040	5250 to 5350	Pass
			-30	120	5310.040	5250 to 5350	Pass
			-20	120	5310.000	5250 to 5350	Pass
			-10	120	5310.040	5250 to 5350	Pass
			0	120	5310.000	5250 to 5350	Pass
			10	120	5310.080	5250 to 5350	Pass
			30	120	5310.000	5250 to 5350	Pass
			40	120	5310.040	5250 to 5350	Pass
			50	120	5310.040	5250 to 5350	Pass
		5510	20	102	5510.000	5470 to 5725	Pass
				120	5509.960	5470 to 5725	Pass
				138	5509.960	5470 to 5725	Pass
			-30	120	5510.040	5470 to 5725	Pass
			-20	120	5510.000	5470 to 5725	Pass
			-10	120	5510.000	5470 to 5725	Pass
			0	120	5509.920	5470 to 5725	Pass
			10	120	5509.960	5470 to 5725	Pass
			30	120	5509.960	5470 to 5725	Pass
			40	120	5509.960	5470 to 5725	Pass
			50	120	5510.000	5470 to 5725	Pass
		5550	20	102	5550.000	5470 to 5725	Pass
				120	5550.000	5470 to 5725	Pass
				138	5550.000	5470 to 5725	Pass
			-30	120	5550.000	5470 to 5725	Pass
			-20	120	5550.040	5470 to 5725	Pass
			-10	120	5550.040	5470 to 5725	Pass
			0	120	5550.120	5470 to 5725	Pass
			10	120	5550.000	5470 to 5725	Pass
			30	120	5550.040	5470 to 5725	Pass
			40	120	5550.000	5470 to 5725	Pass
			50	120	5550.040	5470 to 5725	Pass
		5670	20	102	5670.000	5470 to 5725	Pass
				120	5670.000	5470 to 5725	Pass
				138	5670.040	5470 to 5725	Pass
			-30	120	5670.000	5470 to 5725	Pass
			-20	120	5670.080	5470 to 5725	Pass
			-10	120	5669.960	5470 to 5725	Pass
			0	120	5670.000	5470 to 5725	Pass
			10	120	5670.040	5470 to 5725	Pass
			30	120	5670.000	5470 to 5725	Pass
			40	120	5670.000	5470 to 5725	Pass
			50	120	5670.000	5470 to 5725	Pass
		5755	20	102	5755.000	5725 to 5850	Pass
				120	5754.960	5725 to 5850	Pass

				138	5755.040	5725 to 5850	Pass
			-30	120	5755.040	5725 to 5850	Pass
			-20	120	5755.040	5725 to 5850	Pass
			-10	120	5755.000	5725 to 5850	Pass
			0	120	5755.080	5725 to 5850	Pass
			10	120	5754.960	5725 to 5850	Pass
			30	120	5755.080	5725 to 5850	Pass
			40	120	5755.080	5725 to 5850	Pass
			50	120	5755.000	5725 to 5850	Pass
		5795	20	102	5795.000	5725 to 5850	Pass
				120	5795.040	5725 to 5850	Pass
				138	5795.040	5725 to 5850	Pass
			-30	120	5795.000	5725 to 5850	Pass
			-20	120	5795.000	5725 to 5850	Pass
			-10	120	5795.040	5725 to 5850	Pass
			0	120	5795.000	5725 to 5850	Pass
			10	120	5794.960	5725 to 5850	Pass
			30	120	5795.000	5725 to 5850	Pass
			40	120	5795.000	5725 to 5850	Pass
			50	120	5794.920	5725 to 5850	Pass
		5180	20	102	5180.040	5150 to 5250	Pass
				120	5180.000	5150 to 5250	Pass
				138	5180.020	5150 to 5250	Pass
			-30	120	5179.980	5150 to 5250	Pass
			-20	120	5179.980	5150 to 5250	Pass
			-10	120	5179.920	5150 to 5250	Pass
			0	120	5180.000	5150 to 5250	Pass
			10	120	5180.000	5150 to 5250	Pass
			30	120	5180.020	5150 to 5250	Pass
			40	120	5179.960	5150 to 5250	Pass
			50	120	5180.020	5150 to 5250	Pass
		5200	20	102	5200.020	5150 to 5250	Pass
				120	5200.000	5150 to 5250	Pass
				138	5200.000	5150 to 5250	Pass
			-30	120	5200.000	5150 to 5250	Pass
			-20	120	5200.040	5150 to 5250	Pass
			-10	120	5200.020	5150 to 5250	Pass
			0	120	5200.000	5150 to 5250	Pass
			10	120	5200.000	5150 to 5250	Pass
			30	120	5200.020	5150 to 5250	Pass
			40	120	5200.000	5150 to 5250	Pass
			50	120	5200.020	5150 to 5250	Pass
		5240	20	102	5240.020	5150 to 5250	Pass
				120	5240.000	5150 to 5250	Pass
				138	5240.100	5150 to 5250	Pass
			-30	120	5240.000	5150 to 5250	Pass
			-20	120	5240.000	5150 to 5250	Pass
			-10	120	5240.020	5150 to 5250	Pass
			0	120	5240.100	5150 to 5250	Pass
			10	120	5240.020	5150 to 5250	Pass
			30	120	5240.020	5150 to 5250	Pass
			40	120	5240.020	5150 to 5250	Pass
			50	120	5240.120	5150 to 5250	Pass
		5260	20	102	5259.940	5250 to 5350	Pass
				120	5259.980	5250 to 5350	Pass
				138	5260.000	5250 to 5350	Pass
			-30	120	5260.100	5250 to 5350	Pass
			-20	120	5260.000	5250 to 5350	Pass
			-10	120	5259.920	5250 to 5350	Pass

			0	120	5260.000	5250 to 5350	Pass
			10	120	5260.080	5250 to 5350	Pass
			30	120	5260.000	5250 to 5350	Pass
			40	120	5260.000	5250 to 5350	Pass
			50	120	5260.020	5250 to 5350	Pass
		5300	20	102	5300.020	5250 to 5350	Pass
				120	5299.980	5250 to 5350	Pass
				138	5300.000	5250 to 5350	Pass
			-30	120	5300.020	5250 to 5350	Pass
			-20	120	5299.980	5250 to 5350	Pass
			-10	120	5300.020	5250 to 5350	Pass
			0	120	5300.000	5250 to 5350	Pass
			10	120	5300.000	5250 to 5350	Pass
			30	120	5300.020	5250 to 5350	Pass
			40	120	5300.000	5250 to 5350	Pass
			50	120	5300.020	5250 to 5350	Pass
		5320	20	102	5319.980	5250 to 5350	Pass
				120	5320.020	5250 to 5350	Pass
				138	5320.020	5250 to 5350	Pass
			-30	120	5320.020	5250 to 5350	Pass
			-20	120	5320.020	5250 to 5350	Pass
			-10	120	5320.020	5250 to 5350	Pass
			0	120	5320.000	5250 to 5350	Pass
			10	120	5320.000	5250 to 5350	Pass
			30	120	5320.020	5250 to 5350	Pass
			40	120	5320.000	5250 to 5350	Pass
			50	120	5320.000	5250 to 5350	Pass
		5500	20	102	5500.020	5470 to 5725	Pass
				120	5499.980	5470 to 5725	Pass
				138	5500.000	5470 to 5725	Pass
			-30	120	5500.000	5470 to 5725	Pass
			-20	120	5500.000	5470 to 5725	Pass
			-10	120	5500.000	5470 to 5725	Pass
			0	120	5500.000	5470 to 5725	Pass
			10	120	5499.980	5470 to 5725	Pass
			30	120	5500.000	5470 to 5725	Pass
			40	120	5499.980	5470 to 5725	Pass
			50	120	5499.960	5470 to 5725	Pass
		5580	20	102	5580.000	5470 to 5725	Pass
				120	5580.000	5470 to 5725	Pass
				138	5580.000	5470 to 5725	Pass
			-30	120	5580.000	5470 to 5725	Pass
			-20	120	5580.000	5470 to 5725	Pass
			-10	120	5580.000	5470 to 5725	Pass
			0	120	5580.000	5470 to 5725	Pass
			10	120	5580.080	5470 to 5725	Pass
			30	120	5580.000	5470 to 5725	Pass
			40	120	5579.960	5470 to 5725	Pass
			50	120	5579.980	5470 to 5725	Pass
		5700	20	102	5699.980	5470 to 5725	Pass
				120	5700.000	5470 to 5725	Pass
				138	5700.000	5470 to 5725	Pass
			-30	120	5699.980	5470 to 5725	Pass
			-20	120	5700.000	5470 to 5725	Pass
			-10	120	5700.020	5470 to 5725	Pass
			0	120	5700.000	5470 to 5725	Pass
			10	120	5699.960	5470 to 5725	Pass
			30	120	5700.000	5470 to 5725	Pass
			40	120	5699.980	5470 to 5725	Pass

802.11ac (VHT40)	SISO	5745	50	120	5700.040	5470 to 5725	Pass
			20	102	5745.020	5725 to 5850	Pass
				120	5745.000	5725 to 5850	Pass
				138	5745.000	5725 to 5850	Pass
				120	5744.980	5725 to 5850	Pass
			-30	120	5744.980	5725 to 5850	Pass
			-20	120	5745.020	5725 to 5850	Pass
			-10	120	5745.020	5725 to 5850	Pass
			0	120	5745.000	5725 to 5850	Pass
			10	120	5744.960	5725 to 5850	Pass
		5785	30	120	5745.000	5725 to 5850	Pass
			40	120	5745.000	5725 to 5850	Pass
			50	120	5745.000	5725 to 5850	Pass
			20	102	5784.980	5725 to 5850	Pass
				120	5785.060	5725 to 5850	Pass
				138	5784.900	5725 to 5850	Pass
				120	5785.020	5725 to 5850	Pass
			-30	120	5785.020	5725 to 5850	Pass
			-20	120	5785.000	5725 to 5850	Pass
			-10	120	5785.000	5725 to 5850	Pass
		5825	0	120	5785.000	5725 to 5850	Pass
			10	120	5784.980	5725 to 5850	Pass
			30	120	5784.980	5725 to 5850	Pass
			40	120	5785.000	5725 to 5850	Pass
			50	120	5785.000	5725 to 5850	Pass
			20	102	5824.980	5725 to 5850	Pass
				120	5824.860	5725 to 5850	Pass
				138	5825.000	5725 to 5850	Pass
				120	5824.900	5725 to 5850	Pass
			-30	120	5825.000	5725 to 5850	Pass
			-20	120	5824.960	5725 to 5850	Pass
			-10	120	5824.960	5725 to 5850	Pass
			0	120	5824.940	5725 to 5850	Pass
			10	120	5824.980	5725 to 5850	Pass
			30	120	5825.000	5725 to 5850	Pass
			40	120	5824.960	5725 to 5850	Pass
			50	120	5824.960	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	102	5190.040	5150 to 5250	Pass
				120	5190.000	5150 to 5250	Pass
				138	5190.040	5150 to 5250	Pass
			-30	120	5190.080	5150 to 5250	Pass
			-20	120	5190.080	5150 to 5250	Pass
			-10	120	5190.080	5150 to 5250	Pass
			0	120	5190.080	5150 to 5250	Pass
			10	120	5190.040	5150 to 5250	Pass
			30	120	5190.080	5150 to 5250	Pass
			40	120	5190.040	5150 to 5250	Pass
			50	120	5190.080	5150 to 5250	Pass
		5230	20	102	5230.080	5150 to 5250	Pass
				120	5230.040	5150 to 5250	Pass
				138	5230.040	5150 to 5250	Pass
			-30	120	5230.040	5150 to 5250	Pass
			-20	120	5230.040	5150 to 5250	Pass
			-10	120	5230.040	5150 to 5250	Pass
			0	120	5230.080	5150 to 5250	Pass
			10	120	5230.040	5150 to 5250	Pass
			30	120	5230.080	5150 to 5250	Pass
			40	120	5230.040	5150 to 5250	Pass
			50	120	5230.040	5150 to 5250	Pass
		5270	20	102	5270.000	5250 to 5350	Pass
				120	5270.040	5250 to 5350	Pass
				138	5270.040	5250 to 5350	Pass

			-30	120	5270.040	5250 to 5350	Pass
			-20	120	5270.040	5250 to 5350	Pass
			-10	120	5270.040	5250 to 5350	Pass
			0	120	5270.000	5250 to 5350	Pass
			10	120	5270.040	5250 to 5350	Pass
			30	120	5270.040	5250 to 5350	Pass
			40	120	5270.040	5250 to 5350	Pass
			50	120	5270.000	5250 to 5350	Pass
		5310	20	102	5310.040	5250 to 5350	Pass
				120	5310.040	5250 to 5350	Pass
				138	5310.040	5250 to 5350	Pass
			-30	120	5310.000	5250 to 5350	Pass
			-20	120	5310.040	5250 to 5350	Pass
			-10	120	5310.040	5250 to 5350	Pass
			0	120	5310.040	5250 to 5350	Pass
			10	120	5310.040	5250 to 5350	Pass
			30	120	5310.040	5250 to 5350	Pass
			40	120	5310.040	5250 to 5350	Pass
			50	120	5310.040	5250 to 5350	Pass
		5510	20	102	5510.000	5470 to 5725	Pass
				120	5509.960	5470 to 5725	Pass
				138	5510.000	5470 to 5725	Pass
			-30	120	5509.960	5470 to 5725	Pass
			-20	120	5510.040	5470 to 5725	Pass
			-10	120	5509.960	5470 to 5725	Pass
			0	120	5510.000	5470 to 5725	Pass
			10	120	5510.000	5470 to 5725	Pass
			30	120	5509.960	5470 to 5725	Pass
			40	120	5509.960	5470 to 5725	Pass
			50	120	5510.000	5470 to 5725	Pass
		5550	20	102	5550.000	5470 to 5725	Pass
				120	5550.000	5470 to 5725	Pass
				138	5550.040	5470 to 5725	Pass
			-30	120	5550.000	5470 to 5725	Pass
			-20	120	5550.000	5470 to 5725	Pass
			-10	120	5550.040	5470 to 5725	Pass
			0	120	5550.040	5470 to 5725	Pass
			10	120	5549.960	5470 to 5725	Pass
			30	120	5550.040	5470 to 5725	Pass
			40	120	5550.040	5470 to 5725	Pass
			50	120	5550.040	5470 to 5725	Pass
		5670	20	102	5670.000	5470 to 5725	Pass
				120	5670.080	5470 to 5725	Pass
				138	5670.000	5470 to 5725	Pass
			-30	120	5670.040	5470 to 5725	Pass
			-20	120	5670.000	5470 to 5725	Pass
			-10	120	5670.040	5470 to 5725	Pass
			0	120	5669.960	5470 to 5725	Pass
			10	120	5669.960	5470 to 5725	Pass
			30	120	5670.040	5470 to 5725	Pass
			40	120	5669.960	5470 to 5725	Pass
			50	120	5670.000	5470 to 5725	Pass
		5755	20	102	5755.080	5725 to 5850	Pass
				120	5755.080	5725 to 5850	Pass
				138	5755.000	5725 to 5850	Pass
			-30	120	5755.040	5725 to 5850	Pass
			-20	120	5755.000	5725 to 5850	Pass
			-10	120	5754.960	5725 to 5850	Pass
			0	120	5754.960	5725 to 5850	Pass

			10	120	5754.960	5725 to 5850	Pass
			30	120	5755.000	5725 to 5850	Pass
			40	120	5755.080	5725 to 5850	Pass
			50	120	5755.000	5725 to 5850	Pass
		5795	20	102	5795.000	5725 to 5850	Pass
				120	5795.000	5725 to 5850	Pass
				138	5795.040	5725 to 5850	Pass
			-30	120	5795.040	5725 to 5850	Pass
			-20	120	5794.960	5725 to 5850	Pass
			-10	120	5795.040	5725 to 5850	Pass
			0	120	5795.040	5725 to 5850	Pass
			10	120	5795.000	5725 to 5850	Pass
			30	120	5795.040	5725 to 5850	Pass
			40	120	5795.000	5725 to 5850	Pass
			50	120	5795.040	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	20	102	5210.075	5150 to 5250	Pass
				120	5210.075	5150 to 5250	Pass
				138	5210.150	5150 to 5250	Pass
			-30	120	5210.075	5150 to 5250	Pass
			-20	120	5210.000	5150 to 5250	Pass
			-10	120	5210.150	5150 to 5250	Pass
			0	120	5210.150	5150 to 5250	Pass
			10	120	5210.150	5150 to 5250	Pass
			30	120	5210.075	5150 to 5250	Pass
			40	120	5210.000	5150 to 5250	Pass
			50	120	5210.075	5150 to 5250	Pass
		5290	20	102	5290.075	5250 to 5350	Pass
				120	5290.000	5250 to 5350	Pass
				138	5290.075	5250 to 5350	Pass
			-30	120	5289.925	5250 to 5350	Pass
			-20	120	5290.000	5250 to 5350	Pass
			-10	120	5290.075	5250 to 5350	Pass
			0	120	5290.150	5250 to 5350	Pass
			10	120	5290.075	5250 to 5350	Pass
			30	120	5290.075	5250 to 5350	Pass
			40	120	5290.075	5250 to 5350	Pass
			50	120	5290.075	5250 to 5350	Pass
		5530	20	102	5530.075	5470 to 5725	Pass
				120	5530.000	5470 to 5725	Pass
				138	5530.075	5470 to 5725	Pass
			-30	120	5530.000	5470 to 5725	Pass
			-20	120	5530.000	5470 to 5725	Pass
			-10	120	5530.075	5470 to 5725	Pass
			0	120	5529.925	5470 to 5725	Pass
			10	120	5530.000	5470 to 5725	Pass
			30	120	5529.925	5470 to 5725	Pass
			40	120	5530.075	5470 to 5725	Pass
			50	120	5530.000	5470 to 5725	Pass
		5610	20	102	5610.075	5470 to 5725	Pass
				120	5610.075	5470 to 5725	Pass
				138	5610.000	5470 to 5725	Pass
			-30	120	5610.075	5470 to 5725	Pass
			-20	120	5609.925	5470 to 5725	Pass
			-10	120	5610.075	5470 to 5725	Pass
			0	120	5610.000	5470 to 5725	Pass
			10	120	5610.075	5470 to 5725	Pass
			30	120	5610.000	5470 to 5725	Pass
			40	120	5610.000	5470 to 5725	Pass
			50	120	5610.000	5470 to 5725	Pass

		5775	20	102	5775.000	5725 to 5850	Pass
				120	5775.075	5725 to 5850	Pass
				138	5775.000	5725 to 5850	Pass
			-30	120	5775.000	5725 to 5850	Pass
			-20	120	5774.925	5725 to 5850	Pass
			-10	120	5775.075	5725 to 5850	Pass
			0	120	5775.075	5725 to 5850	Pass
			10	120	5775.075	5725 to 5850	Pass
			30	120	5775.000	5725 to 5850	Pass
			40	120	5775.000	5725 to 5850	Pass
			50	120	5774.925	5725 to 5850	Pass

6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5180	5240	0.0261	14.17
5260	5320	0.0233	13.67
5500	5700	0.0236	13.73
5745	5825	0.0146	11.63
5190	5230	0.0296	14.72
5270	5310	0.0191	12.80
5510	5670	0.0317	15.01
5755	5795	0.0161	12.08
5210	5210	0.0212	13.26
5530	5610	0.0228	13.57