

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B71_5MHz_ERP

Band: 71 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	665.5	1	0	21.59	-2.13	17.31	<=34.77	Pass
			13	21.54	-2.13	17.26	<=34.77	Pass
			24	21.49	-2.13	17.21	<=34.77	Pass
		12	0	20.71	-2.13	16.43	<=34.77	Pass
			6	20.64	-2.13	16.36	<=34.77	Pass
			13	20.59	-2.13	16.31	<=34.77	Pass
		25	0	20.92	-2.13	16.64	<=34.77	Pass
	680.5	1	0	22.00	-2.13	17.72	<=34.77	Pass
			13	21.99	-2.13	17.71	<=34.77	Pass
			24	21.96	-2.13	17.68	<=34.77	Pass
		12	0	20.91	-2.13	16.63	<=34.77	Pass
			6	20.87	-2.13	16.59	<=34.77	Pass
			13	20.82	-2.13	16.54	<=34.77	Pass
		25	0	21.08	-2.13	16.80	<=34.77	Pass
	695.5	1	0	21.94	-2.13	17.66	<=34.77	Pass
			13	21.96	-2.13	17.68	<=34.77	Pass
			24	21.90	-2.13	17.62	<=34.77	Pass
		12	0	20.99	-2.13	16.71	<=34.77	Pass
			6	20.89	-2.13	16.61	<=34.77	Pass
			13	20.88	-2.13	16.60	<=34.77	Pass
		25	0	21.16	-2.13	16.88	<=34.77	Pass
16QAM	665.5	1	0	20.70	-2.13	16.42	<=34.77	Pass
			13	20.77	-2.13	16.49	<=34.77	Pass
			24	20.69	-2.13	16.41	<=34.77	Pass
		12	0	20.04	-2.13	15.76	<=34.77	Pass
			6	20.05	-2.13	15.77	<=34.77	Pass
			13	20.00	-2.13	15.72	<=34.77	Pass
		25	0	19.93	-2.13	15.65	<=34.77	Pass
	680.5	1	0	20.33	-2.13	16.05	<=34.77	Pass
			13	20.30	-2.13	16.02	<=34.77	Pass
			24	20.23	-2.13	15.95	<=34.77	Pass
		12	0	20.16	-2.13	15.88	<=34.77	Pass
			6	20.16	-2.13	15.88	<=34.77	Pass
			13	20.06	-2.13	15.78	<=34.77	Pass
		25	0	20.20	-2.13	15.92	<=34.77	Pass
	695.5	1	0	20.84	-2.13	16.56	<=34.77	Pass
			13	20.80	-2.13	16.52	<=34.77	Pass
			24	20.76	-2.13	16.48	<=34.77	Pass
		12	0	20.22	-2.13	15.94	<=34.77	Pass
			6	20.12	-2.13	15.84	<=34.77	Pass
			13	20.10	-2.13	15.82	<=34.77	Pass
		25	0	20.15	-2.13	15.87	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B71_10MHz_ERP

Band: 71 / Bandwidth: 10MHz / NTNV								
------------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	668	1	0	21.77	-2.13	17.49	<=34.77	Pass
			25	21.69	-2.13	17.41	<=34.77	Pass
			49	21.84	-2.13	17.56	<=34.77	Pass
		25	0	20.83	-2.13	16.55	<=34.77	Pass
			13	20.76	-2.13	16.48	<=34.77	Pass
			25	20.80	-2.13	16.52	<=34.77	Pass
		50	0	20.93	-2.13	16.65	<=34.77	Pass
	680.5	1	0	21.81	-2.13	17.53	<=34.77	Pass
			25	21.91	-2.13	17.63	<=34.77	Pass
			49	21.99	-2.13	17.71	<=34.77	Pass
		25	0	21.03	-2.13	16.75	<=34.77	Pass
			13	20.95	-2.13	16.67	<=34.77	Pass
			25	20.95	-2.13	16.67	<=34.77	Pass
		50	0	21.15	-2.13	16.87	<=34.77	Pass
	693	1	0	22.03	-2.13	17.75	<=34.77	Pass
			25	22.04	-2.13	17.76	<=34.77	Pass
			49	22.05	-2.13	17.77	<=34.77	Pass
		25	0	21.03	-2.13	16.75	<=34.77	Pass
			13	21.01	-2.13	16.73	<=34.77	Pass
			25	21.07	-2.13	16.79	<=34.77	Pass
16QAM	668	1	0	20.88	-2.13	16.60	<=34.77	Pass
			25	20.72	-2.13	16.44	<=34.77	Pass
			49	20.86	-2.13	16.58	<=34.77	Pass
		25	0	20.11	-2.13	15.83	<=34.77	Pass
			13	20.03	-2.13	15.75	<=34.77	Pass
			25	20.25	-2.13	15.97	<=34.77	Pass
		50	0	19.98	-2.13	15.70	<=34.77	Pass
	680.5	1	0	21.93	-2.13	17.65	<=34.77	Pass
			25	21.91	-2.13	17.63	<=34.77	Pass
			49	21.99	-2.13	17.71	<=34.77	Pass
		25	0	20.18	-2.13	15.90	<=34.77	Pass
			13	20.12	-2.13	15.84	<=34.77	Pass
			25	20.13	-2.13	15.85	<=34.77	Pass
		50	0	20.12	-2.13	15.84	<=34.77	Pass
	693	1	0	21.46	-2.13	17.18	<=34.77	Pass
			25	21.38	-2.13	17.10	<=34.77	Pass
			49	21.38	-2.13	17.10	<=34.77	Pass
		25	0	20.19	-2.13	15.91	<=34.77	Pass
			13	20.18	-2.13	15.90	<=34.77	Pass
			25	20.25	-2.13	15.97	<=34.77	Pass
		50	0	20.18	-2.13	15.90	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B71_15MHz_ERP

Band: 71 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	670.5	1	0	22.05	-2.13	17.77	<=34.77	Pass
			38	22.17	-2.13	17.89	<=34.77	Pass
			74	22.25	-2.13	17.97	<=34.77	Pass
		36	0	20.89	-2.13	16.61	<=34.77	Pass
			18	20.95	-2.13	16.67	<=34.77	Pass
			39	21.18	-2.13	16.90	<=34.77	Pass

	680.5	75	0	20.94	-2.13	16.66	<=34.77	Pass	
			0	21.98	-2.13	17.70	<=34.77	Pass	
		1	38	22.11	-2.13	17.83	<=34.77	Pass	
			74	22.14	-2.13	17.86	<=34.77	Pass	
			0	21.06	-2.13	16.78	<=34.77	Pass	
		36	18	21.09	-2.13	16.81	<=34.77	Pass	
			39	21.12	-2.13	16.84	<=34.77	Pass	
			75	0	21.12	-2.13	16.84	<=34.77	Pass
		690.5	1	0	22.02	-2.13	17.74	<=34.77	Pass
				38	22.12	-2.13	17.84	<=34.77	Pass
	74			22.15	-2.13	17.87	<=34.77	Pass	
	36		0	21.13	-2.13	16.85	<=34.77	Pass	
			18	21.19	-2.13	16.91	<=34.77	Pass	
			39	21.27	-2.13	16.99	<=34.77	Pass	
	75		0	21.23	-2.13	16.95	<=34.77	Pass	
	16QAM		670.5	1	0	21.20	-2.13	16.92	<=34.77
38		21.21			-2.13	16.93	<=34.77	Pass	
74		21.39			-2.13	17.11	<=34.77	Pass	
36		0		19.89	-2.13	15.61	<=34.77	Pass	
		18		20.08	-2.13	15.80	<=34.77	Pass	
		39		20.14	-2.13	15.86	<=34.77	Pass	
75		0		20.06	-2.13	15.78	<=34.77	Pass	
680.5		1		0	21.43	-2.13	17.15	<=34.77	Pass
			38	21.42	-2.13	17.14	<=34.77	Pass	
			74	21.48	-2.13	17.20	<=34.77	Pass	
		36	0	20.08	-2.13	15.80	<=34.77	Pass	
			18	20.18	-2.13	15.90	<=34.77	Pass	
			39	20.26	-2.13	15.98	<=34.77	Pass	
		75	0	20.18	-2.13	15.90	<=34.77	Pass	
		690.5	1	0	21.55	-2.13	17.27	<=34.77	Pass
38				21.65	-2.13	17.37	<=34.77	Pass	
74				21.59	-2.13	17.31	<=34.77	Pass	
36			0	20.20	-2.13	15.92	<=34.77	Pass	
			18	20.22	-2.13	15.94	<=34.77	Pass	
			39	20.34	-2.13	16.06	<=34.77	Pass	
75			0	20.15	-2.13	15.87	<=34.77	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B71_20MHz_ERP

Band: 71 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	673	1	0	21.84	-2.13	17.56	<=34.77	Pass
			50	21.85	-2.13	17.57	<=34.77	Pass
			99	22.09	-2.13	17.81	<=34.77	Pass
			0	20.91	-2.13	16.63	<=34.77	Pass
		50	25	20.92	-2.13	16.64	<=34.77	Pass
			50	21.13	-2.13	16.85	<=34.77	Pass
			0	20.93	-2.13	16.65	<=34.77	Pass
			0	22.05	-2.13	17.77	<=34.77	Pass
		100	0	22.14	-2.13	17.86	<=34.77	Pass
			50	22.26	-2.13	17.98	<=34.77	Pass
			0	21.15	-2.13	16.87	<=34.77	Pass
			25	21.13	-2.13	16.85	<=34.77	Pass
683	683	50	50	21.17	-2.13	16.89	<=34.77	Pass
			0	21.12	-2.13	16.84	<=34.77	Pass
		100	0	21.12	-2.13	16.84	<=34.77	Pass
			0	21.12	-2.13	16.84	<=34.77	Pass

16QAM	688	1	0	22.09	-2.13	17.81	<=34.77	Pass
			50	22.08	-2.13	17.80	<=34.77	Pass
			99	22.24	-2.13	17.96	<=34.77	Pass
		50	0	21.17	-2.13	16.89	<=34.77	Pass
			25	21.16	-2.13	16.88	<=34.77	Pass
			50	21.25	-2.13	16.97	<=34.77	Pass
		100	0	21.12	-2.13	16.84	<=34.77	Pass
	673	1	0	20.73	-2.13	16.45	<=34.77	Pass
			50	20.73	-2.13	16.45	<=34.77	Pass
			99	20.92	-2.13	16.64	<=34.77	Pass
		50	0	20.19	-2.13	15.91	<=34.77	Pass
			25	20.09	-2.13	15.81	<=34.77	Pass
			50	20.15	-2.13	15.87	<=34.77	Pass
		100	0	20.05	-2.13	15.77	<=34.77	Pass
	683	1	0	21.74	-2.13	17.46	<=34.77	Pass
			50	21.75	-2.13	17.47	<=34.77	Pass
			99	21.94	-2.13	17.66	<=34.77	Pass
		50	0	20.19	-2.13	15.91	<=34.77	Pass
			25	20.11	-2.13	15.83	<=34.77	Pass
			50	20.28	-2.13	16.00	<=34.77	Pass
		100	0	20.15	-2.13	15.87	<=34.77	Pass
	688	1	0	21.45	-2.13	17.17	<=34.77	Pass
			50	21.43	-2.13	17.15	<=34.77	Pass
			99	21.53	-2.13	17.25	<=34.77	Pass
		50	0	20.30	-2.13	16.02	<=34.77	Pass
			25	20.28	-2.13	16.00	<=34.77	Pass
			50	20.28	-2.13	16.00	<=34.77	Pass
		100	0	20.15	-2.13	15.87	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	665.5	25	0	20	3.27	0.787	0.0012	-2.5 to 2.5	Pass
					3.85	1.674	0.0025	-2.5 to 2.5	Pass
					4.43	0.744	0.0011	-2.5 to 2.5	Pass
				-30	3.85	0.429	0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.043	0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.114	0.0002	-2.5 to 2.5	Pass
				0	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				10	3.85	0.114	0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.358	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.300	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.529	-0.0008	-2.5 to 2.5	Pass
	680.5	25	0	20	3.27	0.157	0.0002	-2.5 to 2.5	Pass
					3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.129	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.415	0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.000	0.0000	-2.5 to 2.5	Pass

				0	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				10	3.85	0.114	0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.315	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
	695.5	25	0	20	3.27	-0.844	-0.0012	-2.5 to 2.5	Pass
					3.85	-0.286	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.458	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.558	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.515	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.429	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-0.901	-0.0013	-2.5 to 2.5	Pass
				30	3.85	-0.715	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-0.401	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-0.272	-0.0004	-2.5 to 2.5	Pass
16QAM	665.5	25	0	20	3.27	-0.501	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.329	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.772	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-1.187	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	-0.858	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-1.173	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-1.030	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-1.273	-0.0019	-2.5 to 2.5	Pass
				30	3.85	-0.901	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-0.601	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-0.701	-0.0011	-2.5 to 2.5	Pass
	680.5	25	0	20	3.27	0.200	0.0003	-2.5 to 2.5	Pass
					3.85	0.944	0.0014	-2.5 to 2.5	Pass
					4.43	0.343	0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.486	0.0007	-2.5 to 2.5	Pass
				-20	3.85	0.329	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				10	3.85	0.315	0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.129	0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
	695.5	25	0	20	3.27	-0.801	-0.0012	-2.5 to 2.5	Pass
					3.85	-1.130	-0.0016	-2.5 to 2.5	Pass
					4.43	-1.173	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	-1.402	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	-1.431	-0.0021	-2.5 to 2.5	Pass
				-10	3.85	-1.359	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-1.216	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-1.087	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-1.001	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-0.958	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-1.345	-0.0019	-2.5 to 2.5	Pass

2.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	668	50	0	20	3.27	-0.930	-0.0014	-2.5 to 2.5	Pass
					3.85	-1.230	-0.0018	-2.5 to 2.5	Pass

					4.43	-0.787	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-1.459	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-0.386	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.844	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-0.901	-0.0013	-2.5 to 2.5	Pass
				10	3.85	-0.458	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-1.345	-0.0020	-2.5 to 2.5	Pass
				50	3.85	-0.830	-0.0012	-2.5 to 2.5	Pass
	680.5	50	0	20	3.27	-1.001	-0.0015	-2.5 to 2.5	Pass
					3.85	-0.644	-0.0009	-2.5 to 2.5	Pass
					4.43	-0.758	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-0.401	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.114	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.200	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.186	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.687	-0.0010	-2.5 to 2.5	Pass
	693	50	0	20	3.27	-1.230	-0.0018	-2.5 to 2.5	Pass
					3.85	-1.402	-0.0020	-2.5 to 2.5	Pass
					4.43	-1.502	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-1.230	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	-0.944	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	-0.901	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-1.702	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-1.559	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-2.418	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-1.674	-0.0024	-2.5 to 2.5	Pass
				50	3.85	-1.359	-0.0020	-2.5 to 2.5	Pass
16QAM	668	50	0	20	3.27	-1.059	-0.0016	-2.5 to 2.5	Pass
					3.85	-1.302	-0.0019	-2.5 to 2.5	Pass
					4.43	-1.416	-0.0021	-2.5 to 2.5	Pass
				-30	3.85	-0.772	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-0.830	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-1.216	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-0.844	-0.0013	-2.5 to 2.5	Pass
				10	3.85	-0.372	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-1.130	-0.0017	-2.5 to 2.5	Pass
				40	3.85	-1.087	-0.0016	-2.5 to 2.5	Pass
				50	3.85	-0.944	-0.0014	-2.5 to 2.5	Pass
	680.5	50	0	20	3.27	0.772	0.0011	-2.5 to 2.5	Pass
					3.85	0.658	0.0010	-2.5 to 2.5	Pass
					4.43	0.358	0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.172	0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.544	0.0008	-2.5 to 2.5	Pass
				-10	3.85	0.572	0.0008	-2.5 to 2.5	Pass
				0	3.85	0.629	0.0009	-2.5 to 2.5	Pass
				10	3.85	0.501	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.358	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.529	0.0008	-2.5 to 2.5	Pass
				50	3.85	0.343	0.0005	-2.5 to 2.5	Pass
	693	50	0	20	3.27	-1.302	-0.0019	-2.5 to 2.5	Pass
					3.85	-1.373	-0.0020	-2.5 to 2.5	Pass
					4.43	-0.958	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-1.259	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	-1.101	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	-0.515	-0.0007	-2.5 to 2.5	Pass

			0	3.85	-0.758	-0.0011	-2.5 to 2.5	Pass
			10	3.85	-0.386	-0.0006	-2.5 to 2.5	Pass
			30	3.85	-0.958	-0.0014	-2.5 to 2.5	Pass
			40	3.85	-1.001	-0.0014	-2.5 to 2.5	Pass
			50	3.85	-0.629	-0.0009	-2.5 to 2.5	Pass

2.1.3 B71_15MHz

Band: 71 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	670.5	75	0	20	3.27	-0.186	-0.0003	-2.5 to 2.5	Pass
					3.85	0.186	0.0003	-2.5 to 2.5	Pass
					4.43	-0.286	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.358	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.758	0.0011	-2.5 to 2.5	Pass
				0	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				30	3.85	0.129	0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.200	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-0.401	-0.0006	-2.5 to 2.5	Pass
	680.5	75	0	20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.358	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.172	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.114	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				10	3.85	0.186	0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.329	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.172	-0.0003	-2.5 to 2.5	Pass
				50	3.85	0.129	0.0002	-2.5 to 2.5	Pass
	690.5	75	0	20	3.27	-1.645	-0.0024	-2.5 to 2.5	Pass
					3.85	-1.545	-0.0022	-2.5 to 2.5	Pass
					4.43	-1.159	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	-1.588	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-1.273	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	-1.287	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-1.788	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-1.001	-0.0014	-2.5 to 2.5	Pass
				30	3.85	-1.574	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-1.388	-0.0020	-2.5 to 2.5	Pass
				50	3.85	-0.944	-0.0014	-2.5 to 2.5	Pass
16QAM	670.5	75	0	20	3.27	0.000	0.0000	-2.5 to 2.5	Pass
					3.85	-0.243	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.401	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.515	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.186	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
	680.5	75	0	20	3.27	0.458	0.0007	-2.5 to 2.5	Pass
					3.85	0.086	0.0001	-2.5 to 2.5	Pass

					4.43	0.157	0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				10	3.85	0.200	0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				50	3.85	0.443	0.0007	-2.5 to 2.5	Pass
	690.5	75	0	20	3.27	-0.501	-0.0007	-2.5 to 2.5	Pass
					3.85	-0.715	-0.0010	-2.5 to 2.5	Pass
					4.43	-1.330	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-0.958	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-1.101	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	-0.815	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-1.059	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-1.516	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-0.944	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-0.873	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-0.687	-0.0010	-2.5 to 2.5	Pass

2.1.4 B71_20MHz

Band: 71 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	673	100	0	20	3.27	-0.730	-0.0011	-2.5 to 2.5	Pass
					3.85	-0.458	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.858	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-0.458	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.658	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-0.515	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-0.887	-0.0013	-2.5 to 2.5	Pass
				10	3.85	-0.801	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-0.744	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-0.243	-0.0004	-2.5 to 2.5	Pass
				50	3.85	0.114	0.0002	-2.5 to 2.5	Pass
	683	100	0	20	3.27	-0.014	0.0000	-2.5 to 2.5	Pass
					3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.372	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.172	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.587	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-0.615	-0.0009	-2.5 to 2.5	Pass
				0	3.85	-0.730	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-0.629	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-0.272	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.787	-0.0012	-2.5 to 2.5	Pass
				50	3.85	-0.930	-0.0014	-2.5 to 2.5	Pass
	688	100	0	20	3.27	-0.486	-0.0007	-2.5 to 2.5	Pass
					3.85	-0.558	-0.0008	-2.5 to 2.5	Pass
					4.43	-0.386	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-0.515	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.343	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.758	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-0.572	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-0.472	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass

16QAM	673	100	0	40	3.85	-0.343	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.529	-0.0008	-2.5 to 2.5	Pass
				20	3.27	-0.057	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.143	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.315	0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.429	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.687	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-0.987	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-0.587	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-0.844	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-0.486	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.272	-0.0004	-2.5 to 2.5	Pass
	683	100	0	20	3.27	-0.572	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.501	-0.0007	-2.5 to 2.5	Pass
					4.43	-1.173	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	-1.059	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-0.629	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-0.629	-0.0009	-2.5 to 2.5	Pass
				0	3.85	-0.744	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-0.629	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-0.644	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-0.501	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.243	-0.0004	-2.5 to 2.5	Pass
	688	100	0	20	3.27	-0.343	-0.0005	-2.5 to 2.5	Pass
					3.85	-0.486	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.300	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-0.672	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-0.672	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-0.472	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.443	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-0.443	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.501	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	25	0	Refer To Test Graph		Pass
16QAM	680.5	25	0	Refer To Test Graph		Pass

3.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	50	0	Refer To Test Graph		Pass
16QAM	680.5	50	0	Refer To Test Graph		Pass

3.1.3 B71_15MHz


Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	75	0	Refer To Test Graph		Pass
16QAM	680.5	75	0	Refer To Test Graph		Pass

3.1.4 B71_20MHz


Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	683	100	0	Refer To Test Graph		Pass
16QAM	683	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B71_5MHz




3.2.2 B71_10MHz



3.2.3 B71_15MHz



3.2.4 B71_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band71_OBW

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	4.532	/	Pass
		680.5	25	0	4.564	/	Pass
		695.5	25	0	4.557	/	Pass
	16QAM	665.5	25	0	4.551	/	Pass
		680.5	25	0	4.544	/	Pass
		695.5	25	0	4.563	/	Pass
10	QPSK	668	50	0	9.093	/	Pass
		680.5	50	0	9.073	/	Pass
		693	50	0	9.036	/	Pass
	16QAM	668	50	0	9.088	/	Pass
		680.5	50	0	9.078	/	Pass
		693	50	0	9.091	/	Pass
15	QPSK	670.5	75	0	13.536	/	Pass
		680.5	75	0	13.546	/	Pass
		690.5	75	0	13.541	/	Pass
	16QAM	670.5	75	0	13.558	/	Pass
		680.5	75	0	13.630	/	Pass
		690.5	75	0	13.514	/	Pass
20	QPSK	673	100	0	18.076	/	Pass
		683	100	0	18.072	/	Pass
		688	100	0	18.053	/	Pass
	16QAM	673	100	0	18.059	/	Pass
		683	100	0	18.090	/	Pass
		688	100	0	18.079	/	Pass


4.1.2 Band71_XDB

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	5.031	/	Pass
		680.5	25	0	5.059	/	Pass
		695.5	25	0	5.054	/	Pass
	16QAM	665.5	25	0	5.049	/	Pass
		680.5	25	0	5.041	/	Pass
		695.5	25	0	5.070	/	Pass
10	QPSK	668	50	0	10.155	/	Pass
		680.5	50	0	10.063	/	Pass
		693	50	0	10.049	/	Pass
	16QAM	668	50	0	10.113	/	Pass
		680.5	50	0	10.113	/	Pass
		693	50	0	10.112	/	Pass
15	QPSK	670.5	75	0	15.153	/	Pass
		680.5	75	0	15.165	/	Pass
		690.5	75	0	15.245	/	Pass


20	16QAM	670.5	75	0	15.334	/	Pass
		680.5	75	0	15.292	/	Pass
		690.5	75	0	15.131	/	Pass
	QPSK	673	100	0	20.056	/	Pass
		683	100	0	20.048	/	Pass
		688	100	0	20.007	/	Pass
	16QAM	673	100	0	19.843	/	Pass
		683	100	0	20.163	/	Pass
		688	100	0	20.152	/	Pass

4.2 Test Graph


4.2.1 Band71_OBW




Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM MCH 680.5MHz RB 25 0 NTNV



Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




Band71 10MHz QPSK LCH 668MHz RB 50 0 NTNV




2024-08-29 11:53:15

Band71 10MHz QPSK MCH 680.5MHz RB 50 0 NTNV




2024-08-29 11:53:36

Band71 10MHz QPSK HCH 693MHz RB 50 0 NTN




2024-08-29 11:53:57

Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTN




2024-08-29 11:53:24


Band71 10MHz 16QAM MCH 680.5MHz RB 50 0 NTN




Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTN




Band71 15MHz QPSK LCH 670.5MHz RB 75 0 NTV




Band71 15MHz QPSK MCH 680.5MHz RB 75 0 NTV




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV



Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM MCH 680.5MHz RB 75 0 NTN




2024-08-29 11:55:18

Band71 15MHz 16QAM HCH 690.5MHz RB 75 0 NTN




2024-08-29 11:55:40


Band71 20MHz QPSK LCH 673MHz RB 100 0 NTNV




Band71 20MHz QPSK MCH 683MHz RB 100 0 NTNV




Band71 20MHz QPSK HCH 688MHz RB 100 0 NTNV




Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTNV




Band71 20MHz 16QAM MCH 683MHz RB 100 0 NTN




Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTN




4.2.2 Band71_XDB




Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM MCH 680.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




Band71 10MHz QPSK LCH 668MHz RB 50 0 NTNV




Band71 10MHz QPSK MCH 680.5MHz RB 50 0 NTNV




Band71 10MHz QPSK HCH 693MHz RB 50 0 NTN




Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTN




Band71 10MHz 16QAM MCH 680.5MHz RB 50 0 NTNV




Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTNV




Band71 15MHz QPSK LCH 670.5MHz RB 75 0 NTV




Band71 15MHz QPSK MCH 680.5MHz RB 75 0 NTV




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM MCH 680.5MHz RB 75 0 NTN




Band71 15MHz 16QAM HCH 690.5MHz RB 75 0 NTN




Band71 20MHz QPSK LCH 673MHz RB 100 0 NTNV




Band71 20MHz QPSK MCH 683MHz RB 100 0 NTNV




Band71 20MHz QPSK HCH 688MHz RB 100 0 NTV




Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTV



Band71 20MHz 16QAM MCH 683MHz RB 100 0 NTN



Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTN



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	25	0	5.37	<=13	Pass
	680.5	25	0	5.51	<=13	Pass
	695.5	25	0	5.33	<=13	Pass
16QAM	665.5	25	0	6.13	<=13	Pass
	680.5	25	0	6.20	<=13	Pass
	695.5	25	0	6.06	<=13	Pass

5.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	668	50	0	5.53	<=13	Pass
	680.5	50	0	5.51	<=13	Pass
	693	50	0	5.26	<=13	Pass
16QAM	668	50	0	6.24	<=13	Pass
	680.5	50	0	6.29	<=13	Pass
	693	50	0	6.00	<=13	Pass

5.1.3 B71_15MHz

Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	75	0	5.65	<=13	Pass
	680.5	75	0	5.74	<=13	Pass
	690.5	75	0	5.38	<=13	Pass
16QAM	670.5	75	0	6.14	<=13	Pass
	680.5	75	0	6.25	<=13	Pass
	690.5	75	0	6.01	<=13	Pass

5.1.4 B71_20MHz


Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	673	100	0	5.34	<=13	Pass
	683	100	0	5.45	<=13	Pass
	688	100	0	5.30	<=13	Pass
16QAM	673	100	0	6.13	<=13	Pass
	683	100	0	6.18	<=13	Pass

	688	100	0	6.13	<=13	Pass
--	-----	-----	---	------	------	------




5.2 Test Graph

5.2.1 B71_5MHz




Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




2024-08-29 15:08:39

Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




2024-08-29 15:07:57

Band71 5MHz 16QAM MCH 680.5MHz RB 25 0 NTNV




2024-08-29 15:08:25

Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




2024-08-29 15:08:52

5.2.2 B71_10MHz




Band71 10MHz QPSK HCH 693MHz RB 50 0 NTNV




2024-08-29 15:10:43

Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTNV




2024-08-29 15:09:52

Band71 10MHz 16QAM MCH 680.5MHz RB 50 0 NTNV




2024-08-29 15:10:25

Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTNV




2024-08-29 15:10:59

5.2.3 B71_15MHz




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTV




2024-08-29 15:12:48

Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTV




2024-08-29 15:11:59

Band71 15MHz 16QAM MCH 680.5MHz RB 75 0 NTNV




2024-08-29 15:12:30

Band71 15MHz 16QAM HCH 690.5MHz RB 75 0 NTNV




2024-08-29 15:13:01

5.2.4 B71_20MHz




Band71 20MHz QPSK HCH 688MHz RB 100 0 NTNV




2024-08-29 15:15:06

Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTNV




2024-08-29 15:14:16

Band71 20MHz 16QAM MCH 683MHz RB 100 0 NTNV



2024-08-29 15:14:48

Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTNV



2024-08-29 15:15:20

6. Spurious Emission

6.1 Test Result

6.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	693	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	693	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.3 B71_15MHz

Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	690.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	670.5	1	0	Refer To Test Graph		Pass


		75	0	Refer To Test Graph	Pass
	680.5	1	0	Refer To Test Graph	Pass
	690.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B71_20MHz


Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	683	1	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	683	1	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

6.2 Test Graph

6.2.1 B71_5MHz




Band71 5MHz QPSK LCH 665.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.940	-33.03	-13	Pass
662	663	0.051	/	2	662.990	-30.68	-13	Pass
663	668	0.051	/	/	/	/	/	/


Band71 5MHz QPSK MCH 680.5MHz RB 1 0 NTNV



Band71 5MHz QPSK HCH 695.5MHz RB 1 0 NTN




Band71 5MHz QPSK HCH 695.5MHz RB 1 24 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.009	-35.06	-13	Pass
699	703	0.1	CHP	2	701.957	-42.27	-13	Pass

Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.051	/	/	/	/	/	/
698	699	0.051	/	1	698.030	-31.11	-13	Pass
699	703	0.1	CHP	2	699.030	-32.46	-13	Pass

Band71 5MHz 16QAM LCH 665.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	659.025	-45.52	-13	Pass
662	663	0.003	/	2	662.991	-35.95	-13	Pass
663	668	0.003	/	/	/	/	/	/

Band71 5MHz 16QAM LCH 665.5MHz RB 1 0 NTV




Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.830	-33.54	-13	Pass
662	663	0.051	/	2	662.960	-31.61	-13	Pass
663	668	0.051	/	/	/	/	/	/


Band71 5MHz 16QAM MCH 680.5MHz RB 1 0 NTV



Band71 5MHz 16QAM HCH 695.5MHz RB 1 0 NTV




Band71 5MHz 16QAM HCH 695.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.012	-35.31	-13	Pass
699	703	0.1	CHP	2	699.805	-43.33	-13	Pass

Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.051	/	/	/	/	/	/
698	699	0.051	/	1	698.030	-31.06	-13	Pass
699	703	0.1	CHP	2	699.100	-34.32	-13	Pass


6.2.2 B71_10MHz




Band71 10MHz QPSK LCH 668MHz RB 50 0 NTNV




Band71 10MHz QPSK MCH 680.5MHz RB 1 0 NTNV



Band71 10MHz QPSK HCH 693MHz RB 1 0 NTNV




Band71 10MHz QPSK HCH 693MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.010	-38.32	-13	Pass
699	708	0.1	CHP	2	706.212	-42.89	-13	Pass

Band71 10MHz QPSK HCH 693MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.1	/	/	/	/	/	/
698	699	0.1	/	1	698.320	-30.51	-13	Pass
699	708	0.1	/	2	699.440	-33.03	-13	Pass

Band71 10MHz 16QAM LCH 668MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	CHP	1	659.163	-47.33	-13	Pass
662	663	0.003	/	2	662.985	-41.65	-13	Pass
663	673	0.003	/	/	/	/	/	/

Band71 10MHz 16QAM LCH 668MHz RB 1 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	/	1	661.800	-34.69	-13	Pass
662	663	0.101	CHP	2	662.980	-32.18	-13	Pass
663	673	0.101	CHP	/	/	/	/	/


Band71 10MHz 16QAM MCH 680.5MHz RB 1 0 NTNV



Band71 10MHz 16QAM HCH 693MHz RB 1 0 NTNV




Band71 10MHz 16QAM HCH 693MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.015	-38.37	-13	Pass
699	708	0.1	CHP	2	706.220	-44.07	-13	Pass

Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.101	CHP	/	/	/	/	/
698	699	0.101	CHP	1	698.340	-34.32	-13	Pass
699	708	0.1	/	2	699.180	-34.72	-13	Pass

6.2.3 B71_15MHz




Band71 15MHz QPSK LCH 670.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	/	1	661.890	-35.72	-13	Pass
662	663	0.152	CHP	2	662.970	-31.30	-13	Pass
663	678	0.152	CHP	/	/	/	/	/


Band71 15MHz QPSK MCH 680.5MHz RB 1 0 NTV



Band71 15MHz QPSK HCH 690.5MHz RB 1 0 NTNV




Band71 15MHz QPSK HCH 690.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.004	-39.99	-13	Pass
699	713	0.1	CHP	2	703.805	-42.52	-13	Pass

Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.152	CHP	/	/	/	/	/
698	699	0.152	CHP	1	698.030	-31.96	-13	Pass
699	713	0.1	/	2	700.250	-33.49	-13	Pass

Band71 15MHz 16QAM LCH 670.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	CHP	1	661.822	-51.70	-13	Pass
662	663	0.003	/	2	662.992	-42.46	-13	Pass
663	678	0.003	/	/	/	/	/	/

Band71 15MHz 16QAM LCH 670.5MHz RB 1 0 NTV




Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	/	1	661.920	-37.42	-13	Pass
662	663	0.153	CHP	2	662.970	-34.47	-13	Pass
663	678	0.153	CHP	/	/	/	/	/


Band71 15MHz 16QAM MCH 680.5MHz RB 1 0 NTNV



Band71 15MHz 16QAM HCH 690.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.004	-40.43	-13	Pass
699	713	0.1	CHP	2	703.801	-43.00	-13	Pass

Band71 15MHz 16QAM HCH 690.5MHz RB 75.0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.151	CHP	/	/	/	/	/
698	699	0.151	CHP	1	698.030	-32.73	-13	Pass
699	713	0.1	/	2	701.960	-35.75	-13	Pass


6.2.4 B71_20MHz




Band71 20MHz QPSK LCH 673MHz RB 100 0 NTNV




Band71 20MHz QPSK MCH 683MHz RB 1 0 NTNV



Band71 20MHz QPSK HCH 688MHz RB 1 0 NTN




Band71 20MHz QPSK HCH 688MHz RB 1 99 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.015	-44.13	-13	Pass
699	718	0.1	CHP	2	705.805	-45.36	-13	Pass

Band71 20MHz QPSK HCH 688MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.2	CHP	/	/	/	/	/
698	699	0.2	CHP	1	698.040	-31.07	-13	Pass
699	718	0.1	/	2	699.080	-35.39	-13	Pass

Band71 20MHz 16QAM LCH 673MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	CHP	1	661.870	-52.75	-13	Pass
662	663	0.003	/	2	662.995	-46.46	-13	Pass
663	683	0.003	/	/	/	/	/	/

Band71 20MHz 16QAM LCH 673MHz RB 1 0 NTNV



2024-08-29 21:50:11


Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTNV




2024-08-29 21:50:19

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	/	1	661.480	-39.18	-13	Pass
662	663	0.198	CHP	2	662.960	-34.44	-13	Pass
663	683	0.198	CHP	/	/	/	/	/


Band71 20MHz 16QAM MCH 683MHz RB 1 0 NTNV



Band71 20MHz 16QAM HCH 688MHz RB 1 0 NTNV




Band71 20MHz 16QAM HCH 688MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.005	-43.69	-13	Pass
699	718	0.1	CHP	2	705.805	-45.19	-13	Pass

Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.202	CHP	/	/	/	/	/
698	699	0.202	CHP	1	698.040	-33.04	-13	Pass
699	718	0.1	/	2	699.080	-36.46	-13	Pass

7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
71	5	665.5	695.5	0.1585	0.0025	ppm	4M56G7D	27N	22.00
71	5	665.5	695.5	0.1213	0.0021	ppm	4M56W7D	27N	20.84
71	10	668	693	0.1603	0.0035	ppm	9M09G7D	27N	22.05
71	10	668	693	0.1581	0.0021	ppm	9M09W7D	27N	21.99
71	15	670.5	690.5	0.1679	0.0026	ppm	13M5G7D	27N	22.25
71	15	670.5	690.5	0.1462	0.0022	ppm	13M6W7D	27N	21.65
71	20	673	688	0.1683	0.0014	ppm	18M1G7D	27N	22.26
71	20	673	688	0.1563	0.0017	ppm	18M1W7D	27N	21.94

7.1.2 Form731_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
71	5	665.5	695.5	0.0592	0.0025	ppm	4M56G7D	27N	17.72
71	5	665.5	695.5	0.0453	0.0021	ppm	4M56W7D	27N	16.56
71	10	668	693	0.0598	0.0035	ppm	9M09G7D	27N	17.77
71	10	668	693	0.0590	0.0021	ppm	9M09W7D	27N	17.71
71	15	670.5	690.5	0.0627	0.0026	ppm	13M5G7D	27N	17.97
71	15	670.5	690.5	0.0546	0.0022	ppm	13M6W7D	27N	17.37
71	20	673	688	0.0628	0.0014	ppm	18M1G7D	27N	17.98
71	20	673	688	0.0583	0.0017	ppm	18M1W7D	27N	17.66