

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	824.7	1	0	22.32	-1.47	18.70	<=38.45	Pass	
			2	22.22	-1.47	18.60	<=38.45	Pass	
			5	22.40	-1.47	18.78	<=38.45	Pass	
		3	0	22.36	-1.47	18.74	<=38.45	Pass	
			2	22.38	-1.47	18.76	<=38.45	Pass	
			3	22.39	-1.47	18.77	<=38.45	Pass	
		6	0	21.31	-1.47	17.69	<=38.45	Pass	
		2	22.23	-1.47	18.61	<=38.45	Pass		
		5	22.21	-1.47	18.59	<=38.45	Pass		
	3	0	22.26	-1.47	18.64	<=38.45	Pass		
		2	22.19	-1.47	18.57	<=38.45	Pass		
		3	22.30	-1.47	18.68	<=38.45	Pass		
	6	0	21.33	-1.47	17.71	<=38.45	Pass		
	2	22.32	-1.47	18.70	<=38.45	Pass			
	5	22.20	-1.47	18.58	<=38.45	Pass			
	3	0	22.26	-1.47	18.64	<=38.45	Pass		
		2	22.32	-1.47	18.70	<=38.45	Pass		
		3	22.32	-1.47	18.70	<=38.45	Pass		
	6	0	21.41	-1.47	17.79	<=38.45	Pass		
	16QAM	824.7	1	0	21.70	-1.47	18.08	<=38.45	Pass
				2	20.97	-1.47	17.35	<=38.45	Pass
5				21.52	-1.47	17.90	<=38.45	Pass	
3			0	21.44	-1.47	17.82	<=38.45	Pass	
			2	21.25	-1.47	17.63	<=38.45	Pass	
			3	21.13	-1.47	17.51	<=38.45	Pass	
6			0	20.44	-1.47	16.82	<=38.45	Pass	
2			21.44	-1.47	17.82	<=38.45	Pass		
5			22.06	-1.47	18.44	<=38.45	Pass		
3		0	21.08	-1.47	17.46	<=38.45	Pass		
		2	21.19	-1.47	17.57	<=38.45	Pass		
		3	21.04	-1.47	17.42	<=38.45	Pass		
6		0	20.38	-1.47	16.76	<=38.45	Pass		
2		22.12	-1.47	18.50	<=38.45	Pass			
5		21.51	-1.47	17.89	<=38.45	Pass			
3		0	20.99	-1.47	17.37	<=38.45	Pass		
		2	21.14	-1.47	17.52	<=38.45	Pass		
		3	21.10	-1.47	17.48	<=38.45	Pass		
6		0	20.22	-1.47	16.60	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	825.5	1	0	22.53	-1.47	18.91	<=38.45	Pass	
			7	22.50	-1.47	18.88	<=38.45	Pass	
			14	22.43	-1.47	18.81	<=38.45	Pass	
		8	0	21.41	-1.47	17.79	<=38.45	Pass	
			4	21.37	-1.47	17.75	<=38.45	Pass	
			7	21.39	-1.47	17.77	<=38.45	Pass	
		15	0	21.38	-1.47	17.76	<=38.45	Pass	
		836.5	1	0	22.43	-1.47	18.81	<=38.45	Pass
				7	22.30	-1.47	18.68	<=38.45	Pass
	14			22.32	-1.47	18.70	<=38.45	Pass	
	8		0	21.31	-1.47	17.69	<=38.45	Pass	
			4	21.30	-1.47	17.68	<=38.45	Pass	
			7	21.29	-1.47	17.67	<=38.45	Pass	
	15	0	21.28	-1.47	17.66	<=38.45	Pass		
	847.5	1	0	22.29	-1.47	18.67	<=38.45	Pass	
			7	22.32	-1.47	18.70	<=38.45	Pass	
			14	22.23	-1.47	18.61	<=38.45	Pass	
		8	0	21.40	-1.47	17.78	<=38.45	Pass	
			4	21.32	-1.47	17.70	<=38.45	Pass	
			7	21.30	-1.47	17.68	<=38.45	Pass	
		15	0	21.36	-1.47	17.74	<=38.45	Pass	
16QAM		825.5	1	0	21.12	-1.47	17.50	<=38.45	Pass
				7	21.06	-1.47	17.44	<=38.45	Pass
	14			21.07	-1.47	17.45	<=38.45	Pass	
	8		0	20.63	-1.47	17.01	<=38.45	Pass	
			4	20.59	-1.47	16.97	<=38.45	Pass	
			7	20.56	-1.47	16.94	<=38.45	Pass	
	15		0	20.47	-1.47	16.85	<=38.45	Pass	
	836.5	1	0	21.02	-1.47	17.40	<=38.45	Pass	
			7	20.94	-1.47	17.32	<=38.45	Pass	
			14	20.95	-1.47	17.33	<=38.45	Pass	
		8	0	20.54	-1.47	16.92	<=38.45	Pass	
			4	20.50	-1.47	16.88	<=38.45	Pass	
			7	20.46	-1.47	16.84	<=38.45	Pass	
	15	0	20.36	-1.47	16.74	<=38.45	Pass		
	847.5	1	0	21.73	-1.47	18.11	<=38.45	Pass	
			7	21.68	-1.47	18.06	<=38.45	Pass	
			14	21.70	-1.47	18.08	<=38.45	Pass	
		8	0	20.46	-1.47	16.84	<=38.45	Pass	
			4	20.48	-1.47	16.86	<=38.45	Pass	
			7	20.43	-1.47	16.81	<=38.45	Pass	
		15	0	20.37	-1.47	16.75	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.27	-1.47	18.65	<=38.45	Pass
			13	22.26	-1.47	18.64	<=38.45	Pass
			24	22.24	-1.47	18.62	<=38.45	Pass
		12	0	21.42	-1.47	17.80	<=38.45	Pass
			6	21.37	-1.47	17.75	<=38.45	Pass

		25	13	21.39	-1.47	17.77	<=38.45	Pass
			0	21.39	-1.47	17.77	<=38.45	Pass
	836.5	1	0	22.37	-1.47	18.75	<=38.45	Pass
			13	22.32	-1.47	18.70	<=38.45	Pass
			24	22.29	-1.47	18.67	<=38.45	Pass
		12	0	21.42	-1.47	17.80	<=38.45	Pass
			6	21.40	-1.47	17.78	<=38.45	Pass
			13	21.37	-1.47	17.75	<=38.45	Pass
		25	0	21.41	-1.47	17.79	<=38.45	Pass
	846.5	1	0	22.30	-1.47	18.68	<=38.45	Pass
			13	22.31	-1.47	18.69	<=38.45	Pass
			24	22.21	-1.47	18.59	<=38.45	Pass
		12	0	21.47	-1.47	17.85	<=38.45	Pass
			6	21.44	-1.47	17.82	<=38.45	Pass
			13	21.39	-1.47	17.77	<=38.45	Pass
		25	0	21.44	-1.47	17.82	<=38.45	Pass
16QAM	826.5	1	0	21.26	-1.47	17.64	<=38.45	Pass
			13	21.20	-1.47	17.58	<=38.45	Pass
			24	21.21	-1.47	17.59	<=38.45	Pass
		12	0	20.44	-1.47	16.82	<=38.45	Pass
			6	20.47	-1.47	16.85	<=38.45	Pass
			13	20.41	-1.47	16.79	<=38.45	Pass
		25	0	20.52	-1.47	16.90	<=38.45	Pass
	836.5	1	0	21.30	-1.47	17.68	<=38.45	Pass
			13	21.22	-1.47	17.60	<=38.45	Pass
			24	21.17	-1.47	17.55	<=38.45	Pass
		12	0	20.53	-1.47	16.91	<=38.45	Pass
			6	20.54	-1.47	16.92	<=38.45	Pass
			13	20.49	-1.47	16.87	<=38.45	Pass
		25	0	20.45	-1.47	16.83	<=38.45	Pass
	846.5	1	0	20.81	-1.47	17.19	<=38.45	Pass
			13	20.79	-1.47	17.17	<=38.45	Pass
			24	20.71	-1.47	17.09	<=38.45	Pass
		12	0	20.45	-1.47	16.83	<=38.45	Pass
			6	20.48	-1.47	16.86	<=38.45	Pass
			13	20.42	-1.47	16.80	<=38.45	Pass
		25	0	20.54	-1.47	16.92	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.46	-1.47	18.84	<=38.45	Pass
			25	22.43	-1.47	18.81	<=38.45	Pass
			49	22.40	-1.47	18.78	<=38.45	Pass
		25	0	21.45	-1.47	17.83	<=38.45	Pass
			13	21.42	-1.47	17.80	<=38.45	Pass
			25	21.47	-1.47	17.85	<=38.45	Pass
		50	0	21.43	-1.47	17.81	<=38.45	Pass
	836.5	1	0	22.35	-1.47	18.73	<=38.45	Pass
			25	22.37	-1.47	18.75	<=38.45	Pass
			49	22.41	-1.47	18.79	<=38.45	Pass
		25	0	21.48	-1.47	17.86	<=38.45	Pass
			13	21.46	-1.47	17.84	<=38.45	Pass
			25	21.40	-1.47	17.78	<=38.45	Pass

16QAM	844	1	50	0	21.49	-1.47	17.87	<=38.45	Pass
			25	0	22.35	-1.47	18.73	<=38.45	Pass
				25	22.28	-1.47	18.66	<=38.45	Pass
				49	22.25	-1.47	18.63	<=38.45	Pass
		50		0	21.48	-1.47	17.86	<=38.45	Pass
			13	21.42	-1.47	17.80	<=38.45	Pass	
			25	21.45	-1.47	17.83	<=38.45	Pass	
			50	0	21.44	-1.47	17.82	<=38.45	Pass
	829	1	0	0	21.31	-1.47	17.69	<=38.45	Pass
				25	21.26	-1.47	17.64	<=38.45	Pass
				49	21.31	-1.47	17.69	<=38.45	Pass
			25	0	20.66	-1.47	17.04	<=38.45	Pass
				13	20.60	-1.47	16.98	<=38.45	Pass
				25	20.63	-1.47	17.01	<=38.45	Pass
		50	0	20.56	-1.47	16.94	<=38.45	Pass	
		836.5	1	0	21.79	-1.47	18.17	<=38.45	Pass
				25	21.76	-1.47	18.14	<=38.45	Pass
				49	21.80	-1.47	18.18	<=38.45	Pass
			25	0	20.56	-1.47	16.94	<=38.45	Pass
				13	20.57	-1.47	16.95	<=38.45	Pass
	25			20.45	-1.47	16.83	<=38.45	Pass	
	50		0	20.53	-1.47	16.91	<=38.45	Pass	
	844	1	0	21.86	-1.47	18.24	<=38.45	Pass	
			25	21.79	-1.47	18.17	<=38.45	Pass	
			49	21.75	-1.47	18.13	<=38.45	Pass	
		25	0	20.45	-1.47	16.83	<=38.45	Pass	
			13	20.43	-1.47	16.81	<=38.45	Pass	
			25	20.46	-1.47	16.84	<=38.45	Pass	
		50	0	20.45	-1.47	16.83	<=38.45	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	22.62	-1.47	19.00	<=38.45	Pass
			38	22.66	-1.47	19.04	<=38.45	Pass
			74	22.58	-1.47	18.96	<=38.45	Pass
		36	0	21.47	-1.47	17.85	<=38.45	Pass
			18	21.50	-1.47	17.88	<=38.45	Pass
			39	21.51	-1.47	17.89	<=38.45	Pass
		75	0	21.50	-1.47	17.88	<=38.45	Pass
	836.5	1	0	22.41	-1.47	18.79	<=38.45	Pass
			38	22.39	-1.47	18.77	<=38.45	Pass
			74	22.38	-1.47	18.76	<=38.45	Pass
		36	0	21.49	-1.47	17.87	<=38.45	Pass
			18	21.47	-1.47	17.85	<=38.45	Pass
			39	21.47	-1.47	17.85	<=38.45	Pass
		75	0	21.48	-1.47	17.86	<=38.45	Pass
	841.5	1	0	22.49	-1.47	18.87	<=38.45	Pass
			38	22.54	-1.47	18.92	<=38.45	Pass
			74	22.47	-1.47	18.85	<=38.45	Pass
		36	0	21.48	-1.47	17.86	<=38.45	Pass
			18	21.50	-1.47	17.88	<=38.45	Pass
			39	21.49	-1.47	17.87	<=38.45	Pass
		75	0	21.50	-1.47	17.88	<=38.45	Pass

16QAM	831.5	1	0	21.77	-1.47	18.15	<=38.45	Pass
			38	21.77	-1.47	18.15	<=38.45	Pass
			74	21.68	-1.47	18.06	<=38.45	Pass
		36	0	20.55	-1.47	16.93	<=38.45	Pass
			18	20.51	-1.47	16.89	<=38.45	Pass
			39	20.55	-1.47	16.93	<=38.45	Pass
		75	0	20.51	-1.47	16.89	<=38.45	Pass
	836.5	1	0	21.84	-1.47	18.22	<=38.45	Pass
			38	21.79	-1.47	18.17	<=38.45	Pass
			74	21.76	-1.47	18.14	<=38.45	Pass
		36	0	20.58	-1.47	16.96	<=38.45	Pass
			18	20.55	-1.47	16.93	<=38.45	Pass
			39	20.56	-1.47	16.94	<=38.45	Pass
		75	0	20.58	-1.47	16.96	<=38.45	Pass
	841.5	1	0	21.72	-1.47	18.10	<=38.45	Pass
			38	21.65	-1.47	18.03	<=38.45	Pass
			74	21.59	-1.47	17.97	<=38.45	Pass
		36	0	20.60	-1.47	16.98	<=38.45	Pass
			18	20.61	-1.47	16.99	<=38.45	Pass
			39	20.66	-1.47	17.04	<=38.45	Pass
		75	0	20.56	-1.47	16.94	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	0.916	0.0011	-2.5 to 2.5	Pass
					3.85	1.173	0.0014	-2.5 to 2.5	Pass
					4.43	1.116	0.0014	-2.5 to 2.5	Pass
				-30	3.85	1.273	0.0015	-2.5 to 2.5	Pass
					3.85	1.230	0.0015	-2.5 to 2.5	Pass
					3.85	1.445	0.0018	-2.5 to 2.5	Pass
				0	3.85	1.016	0.0012	-2.5 to 2.5	Pass
					3.85	1.588	0.0019	-2.5 to 2.5	Pass
					3.85	0.916	0.0011	-2.5 to 2.5	Pass
				40	3.85	1.488	0.0018	-2.5 to 2.5	Pass
					3.85	1.030	0.0012	-2.5 to 2.5	Pass
					3.85	1.030	0.0012	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	0.229	0.0003	-2.5 to 2.5	Pass
					3.85	0.501	0.0006	-2.5 to 2.5	Pass
					4.43	-0.286	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.086	0.0001	-2.5 to 2.5	Pass
					3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
					3.85	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.85	0.286	0.0003	-2.5 to 2.5	Pass
					3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
					3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.629	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	0.358	0.0004	-2.5 to 2.5	Pass
					3.85	1.574	0.0019	-2.5 to 2.5	Pass

					4.43	1.659	0.0020	-2.5 to 2.5	Pass
				-30	3.85	2.089	0.0025	-2.5 to 2.5	Pass
				-20	3.85	1.574	0.0019	-2.5 to 2.5	Pass
				-10	3.85	1.831	0.0022	-2.5 to 2.5	Pass
				0	3.85	2.117	0.0025	-2.5 to 2.5	Pass
				10	3.85	1.545	0.0018	-2.5 to 2.5	Pass
				30	3.85	1.488	0.0018	-2.5 to 2.5	Pass
				40	3.85	1.788	0.0021	-2.5 to 2.5	Pass
				50	3.85	1.459	0.0017	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.27	0.029	0.0000	-2.5 to 2.5	Pass
					3.85	0.043	0.0001	-2.5 to 2.5	Pass
					4.43	0.372	0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.186	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.358	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				50	3.85	0.057	0.0001	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	0.730	0.0009	-2.5 to 2.5	Pass
					3.85	1.330	0.0016	-2.5 to 2.5	Pass
					4.43	0.572	0.0007	-2.5 to 2.5	Pass
				-30	3.85	0.186	0.0002	-2.5 to 2.5	Pass
				-20	3.85	0.529	0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.916	0.0011	-2.5 to 2.5	Pass
				0	3.85	1.431	0.0017	-2.5 to 2.5	Pass
				10	3.85	1.202	0.0014	-2.5 to 2.5	Pass
				30	3.85	0.501	0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				50	3.85	0.186	0.0002	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	1.330	0.0016	-2.5 to 2.5	Pass
					3.85	0.758	0.0009	-2.5 to 2.5	Pass
					4.43	1.016	0.0012	-2.5 to 2.5	Pass
				-30	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.944	0.0011	-2.5 to 2.5	Pass
				-10	3.85	1.159	0.0014	-2.5 to 2.5	Pass
				0	3.85	0.515	0.0006	-2.5 to 2.5	Pass
				10	3.85	0.615	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.844	0.0010	-2.5 to 2.5	Pass
				50	3.85	0.029	0.0000	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	-0.286	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
					4.43	-0.372	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-1.059	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.443	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.944	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-0.815	-0.0010	-2.5 to 2.5	Pass

16QAM	836.5	15	0	40	3.85	-1.144	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				20	3.27	-0.329	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.587	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				-10	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				0	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.372	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	0.186	0.0002	-2.5 to 2.5	Pass
					3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.172	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.286	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.415	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass
				0	3.85	0.086	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.501	0.0006	-2.5 to 2.5	Pass
				30	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				40	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.443	-0.0005	-2.5 to 2.5	Pass
	825.5	15	0	20	3.27	-0.529	-0.0006	-2.5 to 2.5	Pass
					3.85	-0.772	-0.0009	-2.5 to 2.5	Pass
					4.43	-0.458	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-0.415	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.715	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-1.087	-0.0013	-2.5 to 2.5	Pass
				30	3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
				50	3.85	0.014	0.0000	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
					3.85	0.429	0.0005	-2.5 to 2.5	Pass
					4.43	0.329	0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.114	0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	0.329	0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.472	-0.0006	-2.5 to 2.5	Pass
				10	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				40	3.85	0.029	0.0000	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-0.072	-0.0001	-2.5 to 2.5	Pass
					3.85	0.458	0.0005	-2.5 to 2.5	Pass
					4.43	0.973	0.0011	-2.5 to 2.5	Pass
				-30	3.85	0.186	0.0002	-2.5 to 2.5	Pass
				-20	3.85	0.286	0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.601	0.0007	-2.5 to 2.5	Pass
				0	3.85	0.501	0.0006	-2.5 to 2.5	Pass
				10	3.85	0.257	0.0003	-2.5 to 2.5	Pass
				30	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				40	3.85	0.200	0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	-0.215	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
					4.43	0.114	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.386	0.0005	-2.5 to 2.5	Pass
				50	3.85	0.229	0.0003	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	0.215	0.0003	-2.5 to 2.5	Pass
					3.85	0.587	0.0007	-2.5 to 2.5	Pass
					4.43	0.286	0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.730	0.0009	-2.5 to 2.5	Pass
				-20	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				-10	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				0	3.85	1.016	0.0012	-2.5 to 2.5	Pass
				10	3.85	0.587	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.587	0.0007	-2.5 to 2.5	Pass
				50	3.85	0.358	0.0004	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-0.329	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.587	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-0.544	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.629	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.815	-0.0010	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	0.415	0.0005	-2.5 to 2.5	Pass
					3.85	0.329	0.0004	-2.5 to 2.5	Pass
					4.43	0.072	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.172	0.0002	-2.5 to 2.5	Pass
				0	3.85	0.629	0.0008	-2.5 to 2.5	Pass
				10	3.85	0.443	0.0005	-2.5 to 2.5	Pass
				30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.358	0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	0.315	0.0004	-2.5 to 2.5	Pass
					3.85	0.114	0.0001	-2.5 to 2.5	Pass
					4.43	-0.086	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				10	3.85	0.415	0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.029	0.0000	-2.5 to 2.5	Pass

	846.5	25	0	40	3.85	0.458	0.0005	-2.5 to 2.5	Pass
				50	3.85	0.114	0.0001	-2.5 to 2.5	Pass
				20	3.27	-0.658	-0.0008	-2.5 to 2.5	Pass
					3.85	-1.373	-0.0016	-2.5 to 2.5	Pass
					4.43	-0.830	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.701	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-0.658	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.744	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.873	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.815	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-0.372	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.415	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.930	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-0.100	-0.0001	-2.5 to 2.5	Pass
					3.85	0.629	0.0008	-2.5 to 2.5	Pass
					4.43	0.129	0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.486	0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.615	0.0007	-2.5 to 2.5	Pass
				-10	3.85	0.501	0.0006	-2.5 to 2.5	Pass
				0	3.85	0.114	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.372	0.0004	-2.5 to 2.5	Pass
				30	3.85	0.415	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.672	0.0008	-2.5 to 2.5	Pass
				50	3.85	0.386	0.0005	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-0.215	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.715	-0.0008	-2.5 to 2.5	Pass
					4.43	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.443	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.887	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.772	-0.0009	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.27	-0.844	-0.0010	-2.5 to 2.5	Pass
					3.85	-0.687	-0.0008	-2.5 to 2.5	Pass
					4.43	-0.143	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-0.486	-0.0006	-2.5 to 2.5	Pass

				-10	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-0.787	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
	836.5	50	0	50	3.85	-0.901	-0.0011	-2.5 to 2.5	Pass
				20	3.27	0.272	0.0003	-2.5 to 2.5	Pass
					3.85	0.415	0.0005	-2.5 to 2.5	Pass
					4.43	0.243	0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.386	0.0005	-2.5 to 2.5	Pass
				-20	3.85	0.515	0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				0	3.85	0.429	0.0005	-2.5 to 2.5	Pass
				10	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.186	0.0002	-2.5 to 2.5	Pass
				50	3.85	0.443	0.0005	-2.5 to 2.5	Pass
	844	50	0	20	3.27	0.243	0.0003	-2.5 to 2.5	Pass
					3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
					4.43	0.343	0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.200	0.0002	-2.5 to 2.5	Pass
				-20	3.85	0.086	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.415	0.0005	-2.5 to 2.5	Pass
				30	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	0.286	0.0003	-2.5 to 2.5	Pass
					3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.157	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	0.215	0.0003	-2.5 to 2.5	Pass
					3.85	0.215	0.0003	-2.5 to 2.5	Pass
					4.43	-0.286	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.257	0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.515	0.0006	-2.5 to 2.5	Pass
				0	3.85	0.343	0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				40	3.85	0.472	0.0006	-2.5 to 2.5	Pass
				50	3.85	0.000	0.0000	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	-0.787	-0.0009	-2.5 to 2.5	Pass

					3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
					4.43	-1.144	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-1.144	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-1.087	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-1.159	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-0.801	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-1.116	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-1.144	-0.0014	-2.5 to 2.5	Pass
16QAM	831.5	75	0	20	3.27	-0.186	-0.0002	-2.5 to 2.5	Pass
					3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.114	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.043	0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.415	-0.0005	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	0.315	0.0004	-2.5 to 2.5	Pass
					3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
					4.43	0.029	0.0000	-2.5 to 2.5	Pass
				-30	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
				10	3.85	0.114	0.0001	-2.5 to 2.5	Pass
				30	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				50	3.85	0.129	0.0002	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	-0.658	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
					4.43	-1.016	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.672	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.916	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-1.159	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-0.873	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-1.345	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	836.5	6	0	Refer To Test Graph	Pass
16QAM	836.5	6	0	Refer To Test Graph	Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	75	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.100	/	Pass
		836.5	6	0	1.108	/	Pass
		848.3	6	0	1.106	/	Pass
	16QAM	824.7	6	0	1.103	/	Pass
		836.5	6	0	1.106	/	Pass
		848.3	6	0	1.101	/	Pass
3	QPSK	825.5	15	0	2.716	/	Pass
		836.5	15	0	2.720	/	Pass
		847.5	15	0	2.726	/	Pass
	16QAM	825.5	15	0	2.710	/	Pass
		836.5	15	0	2.717	/	Pass
		847.5	15	0	2.714	/	Pass
5	QPSK	826.5	25	0	4.552	/	Pass
		836.5	25	0	4.565	/	Pass
		846.5	25	0	4.552	/	Pass
	16QAM	826.5	25	0	4.564	/	Pass
		836.5	25	0	4.575	/	Pass
		846.5	25	0	4.563	/	Pass
10	QPSK	829	50	0	9.071	/	Pass
		836.5	50	0	9.064	/	Pass
		844	50	0	9.076	/	Pass
	16QAM	829	50	0	9.079	/	Pass
		836.5	50	0	9.052	/	Pass
		844	50	0	9.052	/	Pass
15	QPSK	831.5	75	0	13.548	/	Pass
		836.5	75	0	13.544	/	Pass
		841.5	75	0	13.564	/	Pass
	16QAM	831.5	75	0	13.550	/	Pass
		836.5	75	0	13.543	/	Pass
		841.5	75	0	13.576	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.267	/	Pass
		836.5	6	0	1.262	/	Pass
		848.3	6	0	1.263	/	Pass
	16QAM	824.7	6	0	1.267	/	Pass
		836.5	6	0	1.270	/	Pass
		848.3	6	0	1.263	/	Pass
3	QPSK	825.5	15	0	2.971	/	Pass
		836.5	15	0	2.978	/	Pass


	16QAM	847.5	15	0	2.966	/	Pass
		825.5	15	0	2.984	/	Pass
		836.5	15	0	2.970	/	Pass
		847.5	15	0	2.979	/	Pass
5	QPSK	826.5	25	0	5.046	/	Pass
		836.5	25	0	5.084	/	Pass
		846.5	25	0	5.044	/	Pass
	16QAM	826.5	25	0	5.058	/	Pass
		836.5	25	0	5.047	/	Pass
		846.5	25	0	5.074	/	Pass
10	QPSK	829	50	0	10.035	/	Pass
		836.5	50	0	10.076	/	Pass
		844	50	0	10.148	/	Pass
	16QAM	829	50	0	10.106	/	Pass
		836.5	50	0	10.068	/	Pass
		844	50	0	10.022	/	Pass
15	QPSK	831.5	75	0	15.132	/	Pass
		836.5	75	0	15.057	/	Pass
		841.5	75	0	15.084	/	Pass
	16QAM	831.5	75	0	15.299	/	Pass
		836.5	75	0	15.103	/	Pass
		841.5	75	0	15.262	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b 1.4MHz QPSK HCH 848.3MHz RB_6_0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB_6_0 NTN




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTN




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTN




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV





Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV







Band26b 15MHz 16QAM MCH 836.5MHz RB 75 0 NTNv




Band26b 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNv




4.2.2 Band26b_XDB




Band26b 1.4MHz QPSK HCH 848.3MHz RB_6_0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB_6_0 NTN




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTN




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTN




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.13	<=13	Pass
	836.5	6	0	4.92	<=13	Pass
	848.3	6	0	4.90	<=13	Pass
16QAM	824.7	6	0	5.95	<=13	Pass
	836.5	6	0	5.88	<=13	Pass
	848.3	6	0	5.63	<=13	Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.23	<=13	Pass
	836.5	15	0	5.14	<=13	Pass
	847.5	15	0	4.98	<=13	Pass
16QAM	825.5	15	0	6.10	<=13	Pass
	836.5	15	0	5.94	<=13	Pass
	847.5	15	0	5.83	<=13	Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.41	<=13	Pass
	836.5	25	0	5.30	<=13	Pass
	846.5	25	0	5.23	<=13	Pass
16QAM	826.5	25	0	6.14	<=13	Pass
	836.5	25	0	6.02	<=13	Pass
	846.5	25	0	5.96	<=13	Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.30	<=13	Pass
	836.5	50	0	5.31	<=13	Pass
	844	50	0	5.36	<=13	Pass
16QAM	829	50	0	6.04	<=13	Pass
	836.5	50	0	6.09	<=13	Pass


	844	50	0	6.10	<=13	Pass
--	-----	----	---	------	------	------

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	5.40	<=13	Pass
	836.5	75	0	5.37	<=13	Pass
	841.5	75	0	5.37	<=13	Pass
16QAM	831.5	75	0	5.97	<=13	Pass
	836.5	75	0	5.98	<=13	Pass
	841.5	75	0	6.04	<=13	Pass

5.2 Test Graph


5.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK HCH 848.3MHz RB_6_0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6_0 NTNV



Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




5.2.2 B26b_3MHz


Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB_15_0 NTN




Band26b 3MHz 16QAM LCH 825.5MHz RB_15_0 NTN



Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




5.2.3 B26b_5MHz


Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV



Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV



Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




5.2.4 B26b_10MHz


Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




5.2.5 B26b_15MHz




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

16QAM	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK LCH 824.7MHz_RB_1_0_NTNV




Band26b 1.4MHz QPSK LCH 824.7MHz_RB_1_0_NTNV



Band26b 1.4MHz QPSK LCH 824.7MHz_RB_1_0_NTNV




Band26b 1.4MHz QPSK LCH 824.7MHz_RB_6_0_NTNV






Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-39.68	-13	Pass
823	824	0.013	CHP	2	823.970	-34.54	-13	Pass
824	827	0.013	CHP	/	/	/	/	/

Band26b 1.4MHz QPSK MCH 836.5MHz RB 1_0 NTNV




Band26b 1.4MHz QPSK MCH 836.5MHz RB 1_0 NTNV







Band26b 1.4MHz QPSK HCH 848.3MHz RB_1_0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB_1_0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV



Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB_1_5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-39.75	-13	Pass
850	852	0.1	CHP	2	850.596	-52.22	-13	Pass

Band26b 1.4MHz QPSK HCH 848.3MHz RB_6_0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-34.43	-13	Pass
850	852	0.1	CHP	2	850.070	-41.37	-13	Pass

Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.458	-43.06	-13	Pass
823	824	0.003	/	2	823.999	-41.53	-13	Pass
824	827	0.003	/	/	/	/	/	/


Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-41.82	-13	Pass
823	824	0.013	CHP	2	823.920	-34.72	-13	Pass
824	827	0.013	CHP	/	/	/	/	/


Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-35.79	-13	Pass
850	852	0.1	CHP	2	850.558	-50.03	-13	Pass

Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.045	-33.85	-13	Pass
850	852	0.1	CHP	2	850.055	-41.71	-13	Pass


6.2.2 B26b_3MHz




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.920	-33.10	-13	Pass
823	824	0.03	/	2	823.934	-32.65	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB_1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-32.47	-13	Pass
850	852	0.1	CHP	2	851.271	-39.07	-13	Pass

Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.144	-33.14	-13	Pass
850	852	0.1	CHP	2	850.056	-32.81	-13	Pass

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-43.73	-13	Pass
823	824	0.003	/	2	823.994	-43.08	-13	Pass
824	827	0.003	/	/	/	/	/	/


Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV



Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.914	-34.14	-13	Pass
823	824	0.03	/	2	823.808	-33.71	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz_RB_1_0_NTNV




Band26b 3MHz 16QAM HCH 847.5MHz_RB_1_0_NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_14_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




6.2.3 B26b_5MHz




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.920	-34.46	-13	Pass
823	824	0.05	CHP	2	823.990	-31.51	-13	Pass
824	829	0.05	CHP	/	/	/	/	/


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB_1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.009	-32.49	-13	Pass
850	854	0.1	CHP	2	850.802	-43.68	-13	Pass

Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05	CHP	/	/	/	/	/
849	850	0.05	CHP	1	849.010	-32.85	-13	Pass
850	854	0.1	CHP	2	850.150	-33.84	-13	Pass


Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.940	-34.65	-13	Pass
823	824	0.051	CHP	2	823.990	-32.20	-13	Pass
824	829	0.051	CHP	/	/	/	/	/




Band26b 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_1_24_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




6.2.4 B26b_10MHz




Band26b 10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26b 10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV



Band26b 10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26b 10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.680	-35.45	-13	Pass
823	824	0.1	/	2	823.880	-33.33	-13	Pass
824	834	0.1	/	/	/	/	/	/


Band26b 10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b 10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b 10MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b 10MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.010	-37.24	-13	Pass
850	859	0.1	CHP	2	850.128	-47.98	-13	Pass

Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.101	CHP	/	/	/	/	/
849	850	0.101	CHP	1	849.020	-34.61	-13	Pass
850	859	0.1	/	2	850.200	-35.10	-13	Pass

Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	820.163	-41.39	-13	Pass
823	824	0.003	/	2	823.985	-39.10	-13	Pass
824	834	0.003	/	/	/	/	/	/


Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV



Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV






Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.500	-36.54	-13	Pass
823	824	0.101	CHP	2	823.980	-34.28	-13	Pass
824	834	0.101	CHP	/	/	/	/	/

Band26b_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV







Band26b_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-38.43	-13	Pass
850	859	0.1	CHP	2	852.803	-49.73	-13	Pass

Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	850	0.1	/	1	849.040	-32.08	-13	Pass
850	859	0.1	/	2	850.020	-36.11	-13	Pass


6.2.5 B26b_15MHz




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV



Band26b_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.020	-36.51	-13	Pass
823	824	0.151	CHP	2	823.970	-32.30	-13	Pass
824	839	0.151	CHP	/	/	/	/	/


Band26b 15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b 15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b 15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b 15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV



Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.008	-40.21	-13	Pass
850	864	0.1	CHP	2	850.072	-49.05	-13	Pass

Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.151	CHP	/	/	/	/	/
849	850	0.151	CHP	1	849.030	-33.14	-13	Pass
850	864	0.1	/	2	850.650	-35.69	-13	Pass



Band26b_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	CHP	1	818.184	-41.56	-13	Pass
823	824	0.003	/	2	823.996	-37.67	-13	Pass
824	839	0.003	/	/	/	/	/	/

Band26b_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV






Band26b_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.020	-37.41	-13	Pass
823	824	0.153	CHP	2	823.970	-33.41	-13	Pass
824	839	0.153	CHP	/	/	/	/	/


Band26b_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV





Band26b_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV







Band26b_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.011	-40.85	-13	Pass
850	864	0.1	CHP	2	850.159	-50.05	-13	Pass

Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.153	CHP	/	/	/	/	/
849	850	0.153	CHP	1	849.030	-34.66	-13	Pass
850	864	0.1	/	2	851.340	-37.12	-13	Pass