

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2498.5	1	0	19.38	-0.47	18.91	<=33.01	Pass	
			13	19.58	-0.47	19.11	<=33.01	Pass	
			24	19.62	-0.47	19.15	<=33.01	Pass	
		12	0	18.58	-0.47	18.11	<=33.01	Pass	
			6	18.60	-0.47	18.13	<=33.01	Pass	
			13	18.59	-0.47	18.12	<=33.01	Pass	
		25	0	18.40	-0.47	17.93	<=33.01	Pass	
		2593	1	0	20.17	-0.47	19.70	<=33.01	Pass
				13	20.37	-0.47	19.90	<=33.01	Pass
	24			20.54	-0.47	20.07	<=33.01	Pass	
	12		0	19.49	-0.47	19.02	<=33.01	Pass	
			6	19.47	-0.47	19.00	<=33.01	Pass	
			13	19.41	-0.47	18.94	<=33.01	Pass	
	25	0	19.52	-0.47	19.05	<=33.01	Pass		
	2687.5	1	0	21.36	-0.47	20.89	<=33.01	Pass	
			13	21.81	-0.47	21.34	<=33.01	Pass	
			24	21.52	-0.47	21.05	<=33.01	Pass	
		12	0	20.74	-0.47	20.27	<=33.01	Pass	
			6	20.82	-0.47	20.35	<=33.01	Pass	
			13	20.80	-0.47	20.33	<=33.01	Pass	
	25	0	20.79	-0.47	20.32	<=33.01	Pass		
16QAM	2498.5	1	0	18.68	-0.47	18.21	<=33.01	Pass	
			13	18.71	-0.47	18.24	<=33.01	Pass	
			24	18.75	-0.47	18.28	<=33.01	Pass	
		12	0	17.41	-0.47	16.94	<=33.01	Pass	
			6	17.49	-0.47	17.02	<=33.01	Pass	
			13	17.68	-0.47	17.21	<=33.01	Pass	
		25	0	17.75	-0.47	17.28	<=33.01	Pass	
		2593	1	0	19.20	-0.47	18.73	<=33.01	Pass
				13	19.43	-0.47	18.96	<=33.01	Pass
	24			19.43	-0.47	18.96	<=33.01	Pass	
	12		0	18.31	-0.47	17.84	<=33.01	Pass	
			6	18.31	-0.47	17.84	<=33.01	Pass	
			13	18.44	-0.47	17.97	<=33.01	Pass	
	25	0	18.42	-0.47	17.95	<=33.01	Pass		
	2687.5	1	0	21.09	-0.47	20.62	<=33.01	Pass	
			13	20.93	-0.47	20.46	<=33.01	Pass	
			24	21.16	-0.47	20.69	<=33.01	Pass	
		12	0	20.05	-0.47	19.58	<=33.01	Pass	
			6	20.24	-0.47	19.77	<=33.01	Pass	
			13	20.11	-0.47	19.64	<=33.01	Pass	
	25	0	20.06	-0.47	19.59	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.2 B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2501	1	0	19.28	-0.47	18.81	<=33.01	Pass	
			25	19.59	-0.47	19.12	<=33.01	Pass	
			49	19.43	-0.47	18.96	<=33.01	Pass	
		25	0	18.66	-0.47	18.19	<=33.01	Pass	
			13	18.61	-0.47	18.14	<=33.01	Pass	
			25	18.48	-0.47	18.01	<=33.01	Pass	
		50	0	18.68	-0.47	18.21	<=33.01	Pass	
		2593	1	0	19.93	-0.47	19.46	<=33.01	Pass
				25	20.39	-0.47	19.92	<=33.01	Pass
	49			20.25	-0.47	19.78	<=33.01	Pass	
	25		0	19.42	-0.47	18.95	<=33.01	Pass	
			13	19.45	-0.47	18.98	<=33.01	Pass	
			25	19.55	-0.47	19.08	<=33.01	Pass	
	50	0	19.50	-0.47	19.03	<=33.01	Pass		
	2685	1	0	21.60	-0.47	21.13	<=33.01	Pass	
			25	21.65	-0.47	21.18	<=33.01	Pass	
			49	22.13	-0.47	21.66	<=33.01	Pass	
		25	0	20.94	-0.47	20.47	<=33.01	Pass	
			13	20.72	-0.47	20.25	<=33.01	Pass	
			25	21.01	-0.47	20.54	<=33.01	Pass	
		50	0	21.03	-0.47	20.56	<=33.01	Pass	
16QAM		2501	1	0	18.49	-0.47	18.02	<=33.01	Pass
				25	18.63	-0.47	18.16	<=33.01	Pass
	49			18.74	-0.47	18.27	<=33.01	Pass	
	25		0	18.06	-0.47	17.59	<=33.01	Pass	
			13	18.06	-0.47	17.59	<=33.01	Pass	
			25	18.16	-0.47	17.69	<=33.01	Pass	
	50		0	17.61	-0.47	17.14	<=33.01	Pass	
	2593		1	0	19.88	-0.47	19.41	<=33.01	Pass
				25	19.98	-0.47	19.51	<=33.01	Pass
		49		19.81	-0.47	19.34	<=33.01	Pass	
		25	0	19.08	-0.47	18.61	<=33.01	Pass	
			13	19.05	-0.47	18.58	<=33.01	Pass	
			25	19.12	-0.47	18.65	<=33.01	Pass	
	50	0	18.66	-0.47	18.19	<=33.01	Pass		
	2685	1	0	20.44	-0.47	19.97	<=33.01	Pass	
			25	20.89	-0.47	20.42	<=33.01	Pass	
			49	21.01	-0.47	20.54	<=33.01	Pass	
		25	0	20.20	-0.47	19.73	<=33.01	Pass	
			13	20.16	-0.47	19.69	<=33.01	Pass	
			25	20.34	-0.47	19.87	<=33.01	Pass	
		50	0	19.94	-0.47	19.47	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B41_15MHz_EIRP

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2503.5	1	0	19.26	-0.47	18.79	<=33.01	Pass
			38	19.76	-0.47	19.29	<=33.01	Pass
			74	19.84	-0.47	19.37	<=33.01	Pass
		36	0	18.47	-0.47	18.00	<=33.01	Pass
			18	18.48	-0.47	18.01	<=33.01	Pass

			39	18.39	-0.47	17.92	<=33.01	Pass
		75	0	18.71	-0.47	18.24	<=33.01	Pass
	2593	1	0	19.80	-0.47	19.33	<=33.01	Pass
			38	20.19	-0.47	19.72	<=33.01	Pass
			74	20.45	-0.47	19.98	<=33.01	Pass
		36	0	19.23	-0.47	18.76	<=33.01	Pass
			18	19.52	-0.47	19.05	<=33.01	Pass
			39	19.45	-0.47	18.98	<=33.01	Pass
	75	0	19.27	-0.47	18.80	<=33.01	Pass	
	2682.5	1	0	21.56	-0.47	21.09	<=33.01	Pass
			38	21.91	-0.47	21.44	<=33.01	Pass
			74	21.71	-0.47	21.24	<=33.01	Pass
		36	0	20.57	-0.47	20.10	<=33.01	Pass
			18	20.64	-0.47	20.17	<=33.01	Pass
			39	20.71	-0.47	20.24	<=33.01	Pass
	75	0	20.67	-0.47	20.20	<=33.01	Pass	
16QAM	2503.5	1	0	18.39	-0.47	17.92	<=33.01	Pass
			38	18.96	-0.47	18.49	<=33.01	Pass
			74	18.44	-0.47	17.97	<=33.01	Pass
		36	0	17.66	-0.47	17.19	<=33.01	Pass
			18	17.73	-0.47	17.26	<=33.01	Pass
			39	17.64	-0.47	17.17	<=33.01	Pass
	75	0	17.78	-0.47	17.31	<=33.01	Pass	
	2593	1	0	19.53	-0.47	19.06	<=33.01	Pass
			38	19.96	-0.47	19.49	<=33.01	Pass
			74	20.13	-0.47	19.66	<=33.01	Pass
		36	0	18.43	-0.47	17.96	<=33.01	Pass
			18	18.43	-0.47	17.96	<=33.01	Pass
			39	18.38	-0.47	17.91	<=33.01	Pass
	75	0	18.59	-0.47	18.12	<=33.01	Pass	
	2682.5	1	0	20.44	-0.47	19.97	<=33.01	Pass
			38	20.49	-0.47	20.02	<=33.01	Pass
			74	20.64	-0.47	20.17	<=33.01	Pass
		36	0	19.81	-0.47	19.34	<=33.01	Pass
			18	19.99	-0.47	19.52	<=33.01	Pass
			39	20.10	-0.47	19.63	<=33.01	Pass
75	0	19.87	-0.47	19.40	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2506	1	0	19.66	-0.47	19.19	<=33.01	Pass
			50	19.75	-0.47	19.28	<=33.01	Pass
			99	19.30	-0.47	18.83	<=33.01	Pass
		50	0	18.66	-0.47	18.19	<=33.01	Pass
			25	18.55	-0.47	18.08	<=33.01	Pass
			50	18.41	-0.47	17.94	<=33.01	Pass
		100	0	18.77	-0.47	18.30	<=33.01	Pass
	2593	1	0	20.28	-0.47	19.81	<=33.01	Pass
			50	20.34	-0.47	19.87	<=33.01	Pass
			99	20.69	-0.47	20.22	<=33.01	Pass
		50	0	19.23	-0.47	18.76	<=33.01	Pass
			25	19.41	-0.47	18.94	<=33.01	Pass
			50	19.45	-0.47	18.98	<=33.01	Pass

16QAM		100	0	19.29	-0.47	18.82	<=33.01	Pass	
	2680	1	0	21.31	-0.47	20.84	<=33.01	Pass	
			50	21.97	-0.47	21.50	<=33.01	Pass	
			99	21.66	-0.47	21.19	<=33.01	Pass	
			0	20.88	-0.47	20.41	<=33.01	Pass	
		50	25	20.91	-0.47	20.44	<=33.01	Pass	
			50	20.97	-0.47	20.50	<=33.01	Pass	
			100	0	20.89	-0.47	20.42	<=33.01	Pass
	2506	1	0	19.27	-0.47	18.80	<=33.01	Pass	
			50	19.44	-0.47	18.97	<=33.01	Pass	
			99	18.64	-0.47	18.17	<=33.01	Pass	
			0	17.71	-0.47	17.24	<=33.01	Pass	
		50	25	17.80	-0.47	17.33	<=33.01	Pass	
			50	17.74	-0.47	17.27	<=33.01	Pass	
			100	0	17.89	-0.47	17.42	<=33.01	Pass
		2593	1	0	19.15	-0.47	18.68	<=33.01	Pass
				50	19.04	-0.47	18.57	<=33.01	Pass
				99	19.47	-0.47	19.00	<=33.01	Pass
			50	0	18.62	-0.47	18.15	<=33.01	Pass
	25			18.65	-0.47	18.18	<=33.01	Pass	
	50			18.48	-0.47	18.01	<=33.01	Pass	
	100			0	18.63	-0.47	18.16	<=33.01	Pass
	2680	1	0	21.26	-0.47	20.79	<=33.01	Pass	
			50	21.43	-0.47	20.96	<=33.01	Pass	
			99	20.98	-0.47	20.51	<=33.01	Pass	
		50	0	20.09	-0.47	19.62	<=33.01	Pass	
			25	20.06	-0.47	19.59	<=33.01	Pass	
			50	20.10	-0.47	19.63	<=33.01	Pass	
		100	0	19.92	-0.47	19.45	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2498.5	25	0	20	3.27	-2.303	-0.0009	-2.5 to 2.5	Pass
					3.85	4.864	0.0019	-2.5 to 2.5	Pass
					4.43	5.264	0.0021	-2.5 to 2.5	Pass
				-30	3.85	0.186	0.0001	-2.5 to 2.5	Pass
				-20	3.85	4.978	0.0020	-2.5 to 2.5	Pass
				-10	3.85	5.007	0.0020	-2.5 to 2.5	Pass
				0	3.85	0.257	0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.157	-0.0001	-2.5 to 2.5	Pass
				30	3.85	4.234	0.0017	-2.5 to 2.5	Pass
				40	3.85	5.093	0.0020	-2.5 to 2.5	Pass
				50	3.85	0.329	0.0001	-2.5 to 2.5	Pass
	2593	25	0	20	3.27	8.354	0.0032	-2.5 to 2.5	Pass
					3.85	2.933	0.0011	-2.5 to 2.5	Pass
					4.43	1.988	0.0008	-2.5 to 2.5	Pass
				-30	3.85	6.580	0.0025	-2.5 to 2.5	Pass
				-20	3.85	5.193	0.0020	-2.5 to 2.5	Pass

				-10	3.85	5.150	0.0020	-2.5 to 2.5	Pass
				0	3.85	3.104	0.0012	-2.5 to 2.5	Pass
				10	3.85	1.874	0.0007	-2.5 to 2.5	Pass
				30	3.85	5.107	0.0020	-2.5 to 2.5	Pass
				40	3.85	6.151	0.0024	-2.5 to 2.5	Pass
	2687.5	25	0	50	3.85	7.725	0.0030	-2.5 to 2.5	Pass
				20	3.27	5.851	0.0022	-2.5 to 2.5	Pass
					3.85	3.304	0.0012	-2.5 to 2.5	Pass
					4.43	6.237	0.0023	-2.5 to 2.5	Pass
				-30	3.85	3.691	0.0014	-2.5 to 2.5	Pass
				-20	3.85	5.579	0.0021	-2.5 to 2.5	Pass
				-10	3.85	3.233	0.0012	-2.5 to 2.5	Pass
				0	3.85	2.847	0.0011	-2.5 to 2.5	Pass
				10	3.85	7.510	0.0028	-2.5 to 2.5	Pass
				30	3.85	3.319	0.0012	-2.5 to 2.5	Pass
				40	3.85	9.513	0.0035	-2.5 to 2.5	Pass
				50	3.85	5.178	0.0019	-2.5 to 2.5	Pass
16QAM	2498.5	25	0	20	3.27	3.805	0.0015	-2.5 to 2.5	Pass
					3.85	5.164	0.0021	-2.5 to 2.5	Pass
					4.43	3.147	0.0013	-2.5 to 2.5	Pass
				-30	3.85	4.878	0.0020	-2.5 to 2.5	Pass
				-20	3.85	0.286	0.0001	-2.5 to 2.5	Pass
				-10	3.85	4.892	0.0020	-2.5 to 2.5	Pass
				0	3.85	1.330	0.0005	-2.5 to 2.5	Pass
				10	3.85	0.343	0.0001	-2.5 to 2.5	Pass
				30	3.85	4.721	0.0019	-2.5 to 2.5	Pass
				40	3.85	0.372	0.0001	-2.5 to 2.5	Pass
				50	3.85	4.463	0.0018	-2.5 to 2.5	Pass
	2593	25	0	20	3.27	6.251	0.0024	-2.5 to 2.5	Pass
					3.85	5.565	0.0021	-2.5 to 2.5	Pass
					4.43	5.679	0.0022	-2.5 to 2.5	Pass
				-30	3.85	2.818	0.0011	-2.5 to 2.5	Pass
				-20	3.85	3.834	0.0015	-2.5 to 2.5	Pass
				-10	3.85	7.167	0.0028	-2.5 to 2.5	Pass
				0	3.85	1.001	0.0004	-2.5 to 2.5	Pass
				10	3.85	4.606	0.0018	-2.5 to 2.5	Pass
				30	3.85	2.217	0.0009	-2.5 to 2.5	Pass
				40	3.85	5.908	0.0023	-2.5 to 2.5	Pass
				50	3.85	6.666	0.0026	-2.5 to 2.5	Pass
	2687.5	25	0	20	3.27	1.702	0.0006	-2.5 to 2.5	Pass
					3.85	3.362	0.0013	-2.5 to 2.5	Pass
					4.43	6.680	0.0025	-2.5 to 2.5	Pass
				-30	3.85	6.351	0.0024	-2.5 to 2.5	Pass
				-20	3.85	5.250	0.0020	-2.5 to 2.5	Pass
				-10	3.85	6.795	0.0025	-2.5 to 2.5	Pass
				0	3.85	2.203	0.0008	-2.5 to 2.5	Pass
				10	3.85	2.675	0.0010	-2.5 to 2.5	Pass
				30	3.85	2.246	0.0008	-2.5 to 2.5	Pass
				40	3.85	6.351	0.0024	-2.5 to 2.5	Pass
				50	3.85	1.960	0.0007	-2.5 to 2.5	Pass

2.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2501	50	0	20	3.27	5.965	0.0024	-2.5 to 2.5	Pass

					3.85	-1.473	-0.0006	-2.5 to 2.5	Pass
					4.43	-0.501	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	3.505	0.0014	-2.5 to 2.5	Pass
				-20	3.85	5.593	0.0022	-2.5 to 2.5	Pass
				-10	3.85	3.719	0.0015	-2.5 to 2.5	Pass
				0	3.85	0.200	0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.844	-0.0003	-2.5 to 2.5	Pass
				30	3.85	0.501	0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.200	-0.0001	-2.5 to 2.5	Pass
				50	3.85	4.034	0.0016	-2.5 to 2.5	Pass
	2593	50	0	20	3.27	5.121	0.0020	-2.5 to 2.5	Pass
					3.85	2.418	0.0009	-2.5 to 2.5	Pass
					4.43	2.918	0.0011	-2.5 to 2.5	Pass
				-30	3.85	7.281	0.0028	-2.5 to 2.5	Pass
				-20	3.85	3.390	0.0013	-2.5 to 2.5	Pass
				-10	3.85	2.789	0.0011	-2.5 to 2.5	Pass
				0	3.85	6.766	0.0026	-2.5 to 2.5	Pass
				10	3.85	2.618	0.0010	-2.5 to 2.5	Pass
				30	3.85	6.695	0.0026	-2.5 to 2.5	Pass
				40	3.85	7.396	0.0029	-2.5 to 2.5	Pass
				50	3.85	6.623	0.0026	-2.5 to 2.5	Pass
	2685	50	0	20	3.27	3.991	0.0015	-2.5 to 2.5	Pass
					3.85	3.476	0.0013	-2.5 to 2.5	Pass
					4.43	4.463	0.0017	-2.5 to 2.5	Pass
				-30	3.85	4.692	0.0017	-2.5 to 2.5	Pass
				-20	3.85	3.819	0.0014	-2.5 to 2.5	Pass
				-10	3.85	8.140	0.0030	-2.5 to 2.5	Pass
				0	3.85	4.106	0.0015	-2.5 to 2.5	Pass
				10	3.85	6.824	0.0025	-2.5 to 2.5	Pass
				30	3.85	7.911	0.0029	-2.5 to 2.5	Pass
				40	3.85	6.223	0.0023	-2.5 to 2.5	Pass
				50	3.85	5.093	0.0019	-2.5 to 2.5	Pass
16QAM	2501	50	0	20	3.27	-0.601	-0.0002	-2.5 to 2.5	Pass
					3.85	4.506	0.0018	-2.5 to 2.5	Pass
					4.43	4.549	0.0018	-2.5 to 2.5	Pass
				-30	3.85	4.835	0.0019	-2.5 to 2.5	Pass
				-20	3.85	-1.802	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	4.692	0.0019	-2.5 to 2.5	Pass
				0	3.85	4.063	0.0016	-2.5 to 2.5	Pass
				10	3.85	-1.173	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-1.388	-0.0006	-2.5 to 2.5	Pass
				50	3.85	5.422	0.0022	-2.5 to 2.5	Pass
	2593	50	0	20	3.27	2.460	0.0009	-2.5 to 2.5	Pass
					3.85	5.636	0.0022	-2.5 to 2.5	Pass
					4.43	5.808	0.0022	-2.5 to 2.5	Pass
				-30	3.85	2.403	0.0009	-2.5 to 2.5	Pass
				-20	3.85	1.316	0.0005	-2.5 to 2.5	Pass
				-10	3.85	2.131	0.0008	-2.5 to 2.5	Pass
				0	3.85	2.232	0.0009	-2.5 to 2.5	Pass
				10	3.85	6.866	0.0026	-2.5 to 2.5	Pass
				30	3.85	2.217	0.0009	-2.5 to 2.5	Pass
				40	3.85	2.003	0.0008	-2.5 to 2.5	Pass
				50	3.85	2.918	0.0011	-2.5 to 2.5	Pass
	2685	50	0	20	3.27	6.452	0.0024	-2.5 to 2.5	Pass
					3.85	2.861	0.0011	-2.5 to 2.5	Pass
					4.43	7.725	0.0029	-2.5 to 2.5	Pass
				-30	3.85	1.831	0.0007	-2.5 to 2.5	Pass
				-20	3.85	2.933	0.0011	-2.5 to 2.5	Pass

				-10	3.85	3.591	0.0013	-2.5 to 2.5	Pass
				0	3.85	7.110	0.0026	-2.5 to 2.5	Pass
				10	3.85	6.380	0.0024	-2.5 to 2.5	Pass
				30	3.85	2.460	0.0009	-2.5 to 2.5	Pass
				40	3.85	2.804	0.0010	-2.5 to 2.5	Pass
				50	3.85	7.796	0.0029	-2.5 to 2.5	Pass

2.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2503.5	75	0	20	3.27	-1.731	-0.0007	-2.5 to 2.5	Pass
					3.85	3.748	0.0015	-2.5 to 2.5	Pass
					4.43	3.633	0.0015	-2.5 to 2.5	Pass
				-30	3.85	-0.815	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.114	0.0000	-2.5 to 2.5	Pass
				-10	3.85	2.718	0.0011	-2.5 to 2.5	Pass
				0	3.85	2.990	0.0012	-2.5 to 2.5	Pass
				10	3.85	-1.187	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-1.545	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-1.101	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.572	-0.0002	-2.5 to 2.5	Pass
	2593	75	0	20	3.27	7.195	0.0028	-2.5 to 2.5	Pass
					3.85	6.709	0.0026	-2.5 to 2.5	Pass
					4.43	2.775	0.0011	-2.5 to 2.5	Pass
				-30	3.85	5.236	0.0020	-2.5 to 2.5	Pass
				-20	3.85	3.448	0.0013	-2.5 to 2.5	Pass
				-10	3.85	5.150	0.0020	-2.5 to 2.5	Pass
				0	3.85	5.608	0.0022	-2.5 to 2.5	Pass
				10	3.85	6.094	0.0024	-2.5 to 2.5	Pass
				30	3.85	4.420	0.0017	-2.5 to 2.5	Pass
				40	3.85	2.146	0.0008	-2.5 to 2.5	Pass
				50	3.85	5.407	0.0021	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.27	8.268	0.0031	-2.5 to 2.5	Pass
					3.85	6.466	0.0024	-2.5 to 2.5	Pass
					4.43	3.204	0.0012	-2.5 to 2.5	Pass
				-30	3.85	6.595	0.0025	-2.5 to 2.5	Pass
				-20	3.85	3.576	0.0013	-2.5 to 2.5	Pass
				-10	3.85	3.777	0.0014	-2.5 to 2.5	Pass
				0	3.85	5.035	0.0019	-2.5 to 2.5	Pass
				10	3.85	5.465	0.0020	-2.5 to 2.5	Pass
				30	3.85	8.054	0.0030	-2.5 to 2.5	Pass
				40	3.85	1.717	0.0006	-2.5 to 2.5	Pass
				50	3.85	5.407	0.0020	-2.5 to 2.5	Pass
16QAM	2503.5	75	0	20	3.27	-1.287	-0.0005	-2.5 to 2.5	Pass
					3.85	0.114	0.0000	-2.5 to 2.5	Pass
					4.43	-0.029	0.0000	-2.5 to 2.5	Pass
				-30	3.85	4.334	0.0017	-2.5 to 2.5	Pass
				-20	3.85	4.377	0.0017	-2.5 to 2.5	Pass
				-10	3.85	-0.501	-0.0002	-2.5 to 2.5	Pass
				0	3.85	4.048	0.0016	-2.5 to 2.5	Pass
				10	3.85	-0.687	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.057	0.0000	-2.5 to 2.5	Pass
				40	3.85	-0.472	-0.0002	-2.5 to 2.5	Pass
				50	3.85	4.034	0.0016	-2.5 to 2.5	Pass
	2593	75	0	20	3.27	6.423	0.0025	-2.5 to 2.5	Pass

					3.85	0.529	0.0002	-2.5 to 2.5	Pass
					4.43	6.180	0.0024	-2.5 to 2.5	Pass
				-30	3.85	2.561	0.0010	-2.5 to 2.5	Pass
				-20	3.85	1.945	0.0008	-2.5 to 2.5	Pass
				-10	3.85	6.480	0.0025	-2.5 to 2.5	Pass
				0	3.85	5.708	0.0022	-2.5 to 2.5	Pass
				10	3.85	5.407	0.0021	-2.5 to 2.5	Pass
				30	3.85	5.050	0.0019	-2.5 to 2.5	Pass
				40	3.85	4.506	0.0017	-2.5 to 2.5	Pass
				50	3.85	5.608	0.0022	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.27	-1.059	-0.0004	-2.5 to 2.5	Pass
					3.85	5.007	0.0019	-2.5 to 2.5	Pass
					4.43	1.345	0.0005	-2.5 to 2.5	Pass
				-30	3.85	7.539	0.0028	-2.5 to 2.5	Pass
				-20	3.85	6.695	0.0025	-2.5 to 2.5	Pass
				-10	3.85	2.289	0.0009	-2.5 to 2.5	Pass
				0	3.85	1.888	0.0007	-2.5 to 2.5	Pass
				10	3.85	5.236	0.0020	-2.5 to 2.5	Pass
				30	3.85	2.604	0.0010	-2.5 to 2.5	Pass
				40	3.85	6.080	0.0023	-2.5 to 2.5	Pass
				50	3.85	6.609	0.0025	-2.5 to 2.5	Pass

2.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2506	100	0	20	3.27	6.237	0.0025	-2.5 to 2.5	Pass
					3.85	-1.645	-0.0007	-2.5 to 2.5	Pass
					4.43	2.875	0.0011	-2.5 to 2.5	Pass
				-30	3.85	3.190	0.0013	-2.5 to 2.5	Pass
				-20	3.85	3.233	0.0013	-2.5 to 2.5	Pass
				-10	3.85	3.533	0.0014	-2.5 to 2.5	Pass
				0	3.85	0.343	0.0001	-2.5 to 2.5	Pass
				10	3.85	3.991	0.0016	-2.5 to 2.5	Pass
				30	3.85	-0.901	-0.0004	-2.5 to 2.5	Pass
				40	3.85	2.961	0.0012	-2.5 to 2.5	Pass
				50	3.85	1.416	0.0006	-2.5 to 2.5	Pass
	2593	100	0	20	3.27	5.078	0.0020	-2.5 to 2.5	Pass
					3.85	2.561	0.0010	-2.5 to 2.5	Pass
					4.43	2.074	0.0008	-2.5 to 2.5	Pass
				-30	3.85	5.565	0.0021	-2.5 to 2.5	Pass
				-20	3.85	2.575	0.0010	-2.5 to 2.5	Pass
				-10	3.85	2.260	0.0009	-2.5 to 2.5	Pass
				0	3.85	7.110	0.0027	-2.5 to 2.5	Pass
				10	3.85	5.465	0.0021	-2.5 to 2.5	Pass
				30	3.85	5.479	0.0021	-2.5 to 2.5	Pass
				40	3.85	3.276	0.0013	-2.5 to 2.5	Pass
				50	3.85	5.493	0.0021	-2.5 to 2.5	Pass
	2680	100	0	20	3.27	4.921	0.0018	-2.5 to 2.5	Pass
					3.85	5.393	0.0020	-2.5 to 2.5	Pass
					4.43	2.818	0.0011	-2.5 to 2.5	Pass
				-30	3.85	7.153	0.0027	-2.5 to 2.5	Pass
				-20	3.85	3.963	0.0015	-2.5 to 2.5	Pass
				-10	3.85	7.038	0.0026	-2.5 to 2.5	Pass
				0	3.85	3.848	0.0014	-2.5 to 2.5	Pass
				10	3.85	5.379	0.0020	-2.5 to 2.5	Pass

16QAM	2506	100	0	30	3.85	6.881	0.0026	-2.5 to 2.5	Pass
				40	3.85	3.848	0.0014	-2.5 to 2.5	Pass
				50	3.85	7.095	0.0026	-2.5 to 2.5	Pass
				20	3.27	3.834	0.0015	-2.5 to 2.5	Pass
					3.85	2.904	0.0012	-2.5 to 2.5	Pass
					4.43	-1.216	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	3.104	0.0012	-2.5 to 2.5	Pass
				-10	3.85	-1.731	-0.0007	-2.5 to 2.5	Pass
	2593	100	0	0	3.85	3.648	0.0015	-2.5 to 2.5	Pass
				10	3.85	4.749	0.0019	-2.5 to 2.5	Pass
				30	3.85	-1.345	-0.0005	-2.5 to 2.5	Pass
				40	3.85	2.446	0.0010	-2.5 to 2.5	Pass
				50	3.85	3.333	0.0013	-2.5 to 2.5	Pass
				20	3.27	4.764	0.0018	-2.5 to 2.5	Pass
					3.85	1.760	0.0007	-2.5 to 2.5	Pass
					4.43	2.432	0.0009	-2.5 to 2.5	Pass
				-30	3.85	5.336	0.0021	-2.5 to 2.5	Pass
	2680	100	0	-20	3.85	2.003	0.0008	-2.5 to 2.5	Pass
				-10	3.85	1.516	0.0006	-2.5 to 2.5	Pass
				0	3.85	6.323	0.0024	-2.5 to 2.5	Pass
				10	3.85	5.507	0.0021	-2.5 to 2.5	Pass
				30	3.85	1.316	0.0005	-2.5 to 2.5	Pass
				40	3.85	5.851	0.0023	-2.5 to 2.5	Pass
				50	3.85	2.775	0.0011	-2.5 to 2.5	Pass
				20	3.27	1.717	0.0006	-2.5 to 2.5	Pass
					3.85	1.287	0.0005	-2.5 to 2.5	Pass
					4.43	2.217	0.0008	-2.5 to 2.5	Pass
				-30	3.85	2.890	0.0011	-2.5 to 2.5	Pass
				-20	3.85	1.931	0.0007	-2.5 to 2.5	Pass
				-10	3.85	1.388	0.0005	-2.5 to 2.5	Pass
				0	3.85	2.117	0.0008	-2.5 to 2.5	Pass
				10	3.85	6.566	0.0025	-2.5 to 2.5	Pass
				30	3.85	3.777	0.0014	-2.5 to 2.5	Pass
				40	3.85	5.937	0.0022	-2.5 to 2.5	Pass
				50	3.85	5.980	0.0022	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	25	0	Refer To Test Graph		Pass
16QAM	2593	25	0	Refer To Test Graph		Pass

3.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	

QPSK	2593	50	0	Refer To Test Graph	Pass
16QAM	2593	50	0	Refer To Test Graph	Pass

3.1.3 B41_15MHz


Band: 41 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	75	0	Refer To Test Graph		Pass
16QAM	2593	75	0	Refer To Test Graph		Pass

3.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	100	0	Refer To Test Graph		Pass
16QAM	2593	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B41_5MHz




3.2.2 B41_10MHz



3.2.3 B41_15MHz



3.2.4 B41_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band41_OBW

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	4.545	/	Pass
		2593	25	0	4.562	/	Pass
		2687.5	25	0	4.553	/	Pass
	16QAM	2498.5	25	0	4.596	/	Pass
		2593	25	0	4.560	/	Pass
		2687.5	25	0	4.543	/	Pass
10	QPSK	2501	50	0	9.082	/	Pass
		2593	50	0	9.064	/	Pass
		2685	50	0	9.032	/	Pass
	16QAM	2501	50	0	9.056	/	Pass
		2593	50	0	9.066	/	Pass
		2685	50	0	9.111	/	Pass
15	QPSK	2503.5	75	0	13.541	/	Pass
		2593	75	0	13.581	/	Pass
		2682.5	75	0	13.613	/	Pass
	16QAM	2503.5	75	0	13.560	/	Pass
		2593	75	0	13.626	/	Pass
		2682.5	75	0	13.631	/	Pass
20	QPSK	2506	100	0	18.043	/	Pass
		2593	100	0	18.029	/	Pass
		2680	100	0	18.016	/	Pass
	16QAM	2506	100	0	18.016	/	Pass
		2593	100	0	18.082	/	Pass
		2680	100	0	18.072	/	Pass


4.1.2 Band41_XDB

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	5.033	/	Pass
		2593	25	0	5.038	/	Pass
		2687.5	25	0	5.176	/	Pass
	16QAM	2498.5	25	0	5.168	/	Pass
		2593	25	0	5.352	/	Pass
		2687.5	25	0	5.051	/	Pass
10	QPSK	2501	50	0	10.453	/	Pass
		2593	50	0	10.464	/	Pass
		2685	50	0	10.096	/	Pass
	16QAM	2501	50	0	10.022	/	Pass
		2593	50	0	10.093	/	Pass
		2685	50	0	10.106	/	Pass
15	QPSK	2503.5	75	0	15.167	/	Pass
		2593	75	0	15.204	/	Pass


	16QAM	2682.5	75	0	15.317	/	Pass
		2503.5	75	0	15.165	/	Pass
		2593	75	0	15.304	/	Pass
		2682.5	75	0	15.226	/	Pass
20	QPSK	2506	100	0	19.919	/	Pass
		2593	100	0	20.279	/	Pass
		2680	100	0	19.970	/	Pass
	16QAM	2506	100	0	19.792	/	Pass
		2593	100	0	20.023	/	Pass
		2680	100	0	20.027	/	Pass

4.2 Test Graph


4.2.1 Band41_OBW




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_50_0_NTNV





Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_75_0_NTNV







Band41_15MHz_16QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_75_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV




4.2.2 Band41_XDB




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_50_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_75_0_NTNV




Band41 15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV




Band41 15MHz 16QAM_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_75_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	25	0	7.25	<=13	Pass
	2593	25	0	6.77	<=13	Pass
	2687.5	25	0	6.74	<=13	Pass
16QAM	2498.5	25	0	7.90	<=13	Pass
	2593	25	0	7.49	<=13	Pass
	2687.5	25	0	7.20	<=13	Pass

5.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	50	0	7.21	<=13	Pass
	2593	50	0	6.76	<=13	Pass
	2685	50	0	6.72	<=13	Pass
16QAM	2501	50	0	8.25	<=13	Pass
	2593	50	0	7.34	<=13	Pass
	2685	50	0	7.25	<=13	Pass

5.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2503.5	75	0	7.50	<=13	Pass
	2593	75	0	6.63	<=13	Pass
	2682.5	75	0	6.50	<=13	Pass
16QAM	2503.5	75	0	7.97	<=13	Pass
	2593	75	0	7.14	<=13	Pass
	2682.5	75	0	6.85	<=13	Pass


5.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	100	0	7.39	<=13	Pass
	2593	100	0	6.70	<=13	Pass
	2680	100	0	7.17	<=13	Pass
16QAM	2506	100	0	7.84	<=13	Pass
	2593	100	0	7.29	<=13	Pass


	2680	100	0	7.27	<=13	Pass
--	------	-----	---	------	------	------

5.2 Test Graph


5.2.1 B41_5MHz




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV



Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




5.2.2 B41_10MHz

Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV




Band41 10MHz 16QAM MCH 2593MHz RB 50_0 NTNV




Band41 10MHz 16QAM HCH 2685MHz RB 50_0 NTNV




5.2.3 B41_15MHz




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_75_0_NTNV




5.2.4 B41_20MHz




Band41 20MHz QPSK HCH 2680MHz RB 100 0 NTNV




Band41 20MHz 16QAM LCH 2506MHz RB 100 0 NTNV



Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2687.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	2498.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2687.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTN/V						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2685	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2501	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2685	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2503.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2682.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


16QAM	2503.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	2593	1	0	Refer To Test Graph	Pass
	2682.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2680	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	2506	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2680	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B41_5MHz




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.493	-36.17	-25	Pass
2490.5	2495	1	CHP	2	2494.486	-25.08	-13	Pass
2495	2496	0.05	CHP	3	2495.987	-31.67	-13	Pass
2496	2501	0.05	CHP	/	/	/	/	/


Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2685	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-24.89	-10	Pass
2691	2695	1	CHP	2	2691.500	-32.99	-10	Pass
2695	2696	1	CHP	3	2695.005	-41.37	-13	Pass
2696	2700	1	CHP	4	2698.190	-39.83	-25	Pass

Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2685	2690	0.104	CHP	/	/	/	/	/
2690	2691	0.104	CHP	1	2690.010	-27.90	-10	Pass
2691	2695	1	CHP	2	2691.540	-24.51	-10	Pass
2695	2696	1	CHP	3	2695.005	-40.80	-13	Pass
2696	2700	1	CHP	4	2696.505	-41.84	-25	Pass


Band41_5MHz_16QAM_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_1_0_NTNV



Band41_5MHz_16QAM_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.493	-35.42	-25	Pass
2490.5	2495	1	CHP	2	2494.486	-25.53	-13	Pass
2495	2496	0.052	CHP	3	2495.987	-31.73	-13	Pass
2496	2501	0.052	CHP	/	/	/	/	/


Band41_5MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_1_0_NTNV



Band41_5MHz_16QAM_HCH_2687.5MHz_RB_1_0_NTNV




Band41 5MHz 16QAM HCH 2687.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2685	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-24.63	-10	Pass
2691	2695	1	CHP	2	2691.500	-33.92	-10	Pass
2695	2696	1	CHP	3	2695.160	-42.29	-13	Pass
2696	2700	1	CHP	4	2698.160	-41.19	-25	Pass

Band41 5MHz 16QAM HCH 2687.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2685	2690	0.101	CHP	/	/	/	/	/
2690	2691	0.101	CHP	1	2690.070	-27.93	-10	Pass
2691	2695	1	CHP	2	2691.510	-22.14	-10	Pass
2695	2696	1	CHP	3	2695.005	-36.36	-13	Pass
2696	2700	1	CHP	4	2696.010	-37.84	-25	Pass


6.2.2 B41_10MHz




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV



Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.397	-31.24	-25	Pass
2490.5	2495	1	CHP	2	2494.450	-26.32	-13	Pass
2495	2496	0.105	CHP	3	2495.983	-32.87	-13	Pass
2496	2506	0.105	CHP	/	/	/	/	/


Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV



Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2680	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-28.56	-10	Pass
2691	2695	1	CHP	2	2691.500	-34.40	-10	Pass
2695	2700.096	1	CHP	3	2697.995	-36.91	-13	Pass
2700.096	2705	1	CHP	4	2700.100	-49.03	-25	Pass

Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2680	2690	0.202	CHP	/	/	/	/	/
2690	2691	0.202	CHP	1	2690.025	-30.18	-10	Pass
2691	2695	1	CHP	2	2691.500	-27.55	-10	Pass
2695	2700.096	1	CHP	3	2695.025	-31.68	-13	Pass
2700.096	2705	1	CHP	4	2700.100	-45.35	-25	Pass

Band41_10MHz_16QAM_LCH_2501MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.735	-38.47	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-35.34	-13	Pass
2495	2496	0.01	/	3	2495.995	-33.79	-13	Pass
2496	2506	0.01	/	/	/	/	/	/


Band41_10MHz_16QAM_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_1_0_NTNV



Band41_10MHz_16QAM_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.481	-30.82	-25	Pass
2490.5	2495	1	CHP	2	2494.492	-27.41	-13	Pass
2495	2496	0.1	/	3	2495.479	-33.18	-13	Pass
2496	2506	0.1	/	/	/	/	/	/


Band41_10MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_HCH_2685MHz_RB_1_0_NTNV



Band41_10MHz_16QAM_HCH_2685MHz_RB_1_0_NTNV




Band41 10MHz 16QAM HCH 2685MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2680	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-30.84	-10	Pass
2691	2695	1	CHP	2	2691.500	-36.01	-10	Pass
2695	2700.106	1	CHP	3	2698.025	-39.78	-13	Pass
2700.106	2705	1	CHP	4	2700.110	-49.30	-25	Pass

Band41 10MHz 16QAM HCH 2685MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2680	2690	0.202	CHP	/	/	/	/	/
2690	2691	0.202	CHP	1	2690.050	-28.15	-10	Pass
2691	2695	1	CHP	2	2691.500	-23.51	-10	Pass
2695	2700.106	1	CHP	3	2695.025	-28.23	-13	Pass
2700.106	2705	1	CHP	4	2700.125	-38.74	-25	Pass


6.2.3 B41_15MHz




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV



Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.486	-30.42	-25	Pass
2490.5	2495	1	CHP	2	2493.138	-26.98	-13	Pass
2495	2496	0.152	CHP	3	2495.868	-33.24	-13	Pass
2496	2511	0.152	CHP	/	/	/	/	/


Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV



Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41 15MHz_QPSK_HCH_2682.5MHz_RB 1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-32.36	-10	Pass
2691	2695	1	CHP	2	2691.500	-35.79	-10	Pass
2695	2705.317	1	CHP	3	2702.285	-36.18	-13	Pass
2705.317	2710	1	CHP	4	2709.235	-49.61	-25	Pass

Band41 15MHz_QPSK_HCH_2682.5MHz_RB 75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.306	CHP	/	/	/	/	/
2690	2691	0.306	CHP	1	2690.015	-27.77	-10	Pass
2691	2695	1	CHP	2	2692.815	-29.31	-10	Pass
2695	2705.317	1	CHP	3	2695.125	-31.40	-13	Pass
2705.317	2710	1	CHP	4	2705.345	-44.81	-25	Pass



Band41_15MHz_16QAM_LCH_2503.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-43.45	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-38.10	-13	Pass
2495	2496	0.01	/	3	2495.980	-38.13	-13	Pass
2496	2511	0.01	/	/	/	/	/	/

Band41_15MHz_16QAM_LCH_2503.5MHz_RB_1_0_NTNV







Band41_15MHz_16QAM_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_LCH_2503.5MHz_RB_1_0_NTNV



Band41_15MHz_16QAM_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_LCH_2503.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.486	-31.49	-25	Pass
2490.5	2495	1	CHP	2	2493.580	-27.43	-13	Pass
2495	2496	0.152	CHP	3	2495.426	-33.73	-13	Pass
2496	2511	0.152	CHP	/	/	/	/	/


Band41_15MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_1_0_NTNV



Band41_15MHz_16QAM_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-33.32	-10	Pass
2691	2695	1	CHP	2	2691.500	-36.35	-10	Pass
2695	2705.226	1	CHP	3	2702.315	-38.18	-13	Pass
2705.226	2710	1	CHP	4	2708.990	-49.61	-25	Pass

Band41_15MHz_16QAM_HCH_2682.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.305	CHP	/	/	/	/	/
2690	2691	0.305	CHP	1	2690.925	-28.01	-10	Pass
2691	2695	1	CHP	2	2692.465	-25.50	-10	Pass
2695	2705.226	1	CHP	3	2695.055	-27.46	-13	Pass
2705.226	2710	1	CHP	4	2705.240	-40.26	-25	Pass


6.2.4 B41_20MHz




Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV



Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.425	-33.05	-25	Pass
2490.5	2495	1	CHP	2	2493.401	-31.64	-13	Pass
2495	2496	0.199	CHP	3	2495.974	-35.14	-13	Pass
2496	2516	0.199	CHP	/	/	/	/	/


Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41 20MHz QPSK HCH 2680MHz RB 1_0 NTN




Band41 20MHz QPSK HCH 2680MHz RB 1_0 NTN




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV



Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.003	-36.54	-10	Pass
2691	2695	1	CHP	2	2691.504	-37.06	-10	Pass
2695	2709.97	1	CHP	3	2706.546	-37.35	-13	Pass
2709.97	2715	1	CHP	4	2710.044	-50.11	-25	Pass

Band41_20MHz_QPSK_HCH_2680MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.399	CHP	/	/	/	/	/
2690	2691	0.399	CHP	1	2690.025	-33.92	-10	Pass
2691	2695	1	CHP	2	2692.095	-31.76	-10	Pass
2695	2709.97	1	CHP	3	2695.200	-32.86	-13	Pass
2709.97	2715	1	CHP	4	2711.535	-47.59	-25	Pass


Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV



Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.487	-31.58	-25	Pass
2490.5	2495	1	CHP	2	2494.486	-29.59	-13	Pass
2495	2496	0.198	CHP	3	2495.974	-34.84	-13	Pass
2496	2516	0.198	CHP	/	/	/	/	/


Band41_20MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_1_0_NTNV



Band41_20MHz_16QAM_HCH_2680MHz_RB_1_0_NTNV




Band41 20MHz 16QAM HCH 2680MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.008	-36.99	-10	Pass
2691	2695	1	CHP	2	2691.504	-36.80	-10	Pass
2695	2710.027	1	CHP	3	2706.574	-38.46	-13	Pass
2710.027	2715	1	CHP	4	2710.314	-50.09	-25	Pass

Band41 20MHz 16QAM HCH 2680MHz RB 100 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.401	CHP	/	/	/	/	/
2690	2691	0.401	CHP	1	2690.025	-28.92	-10	Pass
2691	2695	1	CHP	2	2691.510	-26.25	-10	Pass
2695	2710.027	1	CHP	3	2695.200	-28.74	-13	Pass
2710.027	2715	1	CHP	4	2710.680	-41.93	-25	Pass

7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
41	5	2498.5	2687.5	0.1517	0.0035	ppm	4M56G7D	27M	21.81
41	5	2498.5	2687.5	0.1306	0.0028	ppm	4M60W7D	27M	21.16
41	10	2501	2685	0.1633	0.0030	ppm	9M08G7D	27M	22.13
41	10	2501	2685	0.1262	0.0029	ppm	9M11W7D	27M	21.01
41	15	2503.5	2682.5	0.1552	0.0031	ppm	13M6G7D	27M	21.91
41	15	2503.5	2682.5	0.1159	0.0028	ppm	13M6W7D	27M	20.64
41	20	2506	2680	0.1574	0.0027	ppm	18M0G7D	27M	21.97
41	20	2506	2680	0.1390	0.0025	ppm	18M1W7D	27M	21.43

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
41	5	2498.5	2687.5	0.1361	0.0035	ppm	4M56G7D	27M	21.34
41	5	2498.5	2687.5	0.1172	0.0028	ppm	4M60W7D	27M	20.69
41	10	2501	2685	0.1466	0.0030	ppm	9M08G7D	27M	21.66
41	10	2501	2685	0.1132	0.0029	ppm	9M11W7D	27M	20.54
41	15	2503.5	2682.5	0.1393	0.0031	ppm	13M6G7D	27M	21.44
41	15	2503.5	2682.5	0.1040	0.0028	ppm	13M6W7D	27M	20.17
41	20	2506	2680	0.1413	0.0027	ppm	18M0G7D	27M	21.50
41	20	2506	2680	0.1247	0.0025	ppm	18M1W7D	27M	20.96