

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26a_1.4MHz_ERP

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	22.49	<=50	Pass
			2	22.02	<=50	Pass
			5	22.09	<=50	Pass
		3	0	22.05	<=50	Pass
			2	22.05	<=50	Pass
			3	22.08	<=50	Pass
		6	0	21.09	<=50	Pass
	819	1	0	21.95	<=50	Pass
			2	21.97	<=50	Pass
			5	22.03	<=50	Pass
		3	0	22.00	<=50	Pass
			2	22.01	<=50	Pass
			3	22.05	<=50	Pass
		6	0	20.98	<=50	Pass
	823.3	1	0	21.95	<=50	Pass
			2	22.00	<=50	Pass
			5	22.04	<=50	Pass
		3	0	22.04	<=50	Pass
			2	22.10	<=50	Pass
			3	22.08	<=50	Pass
		6	0	21.07	<=50	Pass
16QAM	814.7	1	0	21.42	<=50	Pass
			2	21.18	<=50	Pass
			5	21.19	<=50	Pass
		3	0	21.03	<=50	Pass
			2	21.02	<=50	Pass
			3	20.99	<=50	Pass
		6	0	20.03	<=50	Pass
	819	1	0	20.85	<=50	Pass
			2	20.83	<=50	Pass
			5	20.90	<=50	Pass
		3	0	21.07	<=50	Pass
			2	20.97	<=50	Pass
			3	20.96	<=50	Pass
		6	0	20.23	<=50	Pass
	823.3	1	0	21.80	<=50	Pass
			2	21.10	<=50	Pass
			5	21.12	<=50	Pass
		3	0	20.88	<=50	Pass
			2	20.90	<=50	Pass
			3	20.82	<=50	Pass
		6	0	20.08	<=50	Pass

1.1.2 B26a_3MHz_ERP

Band: 26a / Bandwidth: 3MHz / NTNV				
Modulation	Frequency	RB Allocation	Conducted Power (dBm)	Verdict

	(MHz)	Size	Offset	Result	Limit	
QPSK	815.5	1	0	22.23	<=50	Pass
			7	22.18	<=50	Pass
			14	22.20	<=50	Pass
		8	0	21.08	<=50	Pass
			4	21.13	<=50	Pass
			7	21.11	<=50	Pass
		15	0	21.11	<=50	Pass
	819	1	0	22.07	<=50	Pass
			7	22.11	<=50	Pass
			14	22.07	<=50	Pass
		8	0	21.14	<=50	Pass
			4	21.14	<=50	Pass
			7	21.16	<=50	Pass
		15	0	21.07	<=50	Pass
	822.5	1	0	22.03	<=50	Pass
			7	22.06	<=50	Pass
			14	22.05	<=50	Pass
		8	0	21.12	<=50	Pass
			4	21.15	<=50	Pass
			7	21.10	<=50	Pass
		15	0	21.13	<=50	Pass
16QAM	815.5	1	0	20.83	<=50	Pass
			7	20.77	<=50	Pass
			14	20.79	<=50	Pass
		8	0	20.29	<=50	Pass
			4	20.27	<=50	Pass
			7	20.28	<=50	Pass
		15	0	20.14	<=50	Pass
	819	1	0	21.88	<=50	Pass
			7	21.82	<=50	Pass
			14	21.94	<=50	Pass
		8	0	20.25	<=50	Pass
			4	20.30	<=50	Pass
			7	20.28	<=50	Pass
		15	0	20.15	<=50	Pass
	822.5	1	0	20.99	<=50	Pass
			7	20.84	<=50	Pass
			14	20.96	<=50	Pass
		8	0	20.31	<=50	Pass
			4	20.28	<=50	Pass
			7	20.28	<=50	Pass
		15	0	20.09	<=50	Pass

1.1.3 B26a_5MHz_ERP

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	22.05	<=50	Pass
			13	22.07	<=50	Pass
			24	22.04	<=50	Pass
		12	0	21.12	<=50	Pass
			6	21.13	<=50	Pass
			13	21.07	<=50	Pass
	819	25	0	21.15	<=50	Pass
		1	0	22.08	<=50	Pass

			13	22.12	<=50	Pass
			24	22.09	<=50	Pass
		12	0	21.11	<=50	Pass
			6	21.11	<=50	Pass
			13	21.12	<=50	Pass
		25	0	21.11	<=50	Pass
	821.5	1	0	22.30	<=50	Pass
			13	22.28	<=50	Pass
			24	22.27	<=50	Pass
		12	0	21.23	<=50	Pass
			6	21.19	<=50	Pass
			13	21.15	<=50	Pass
		25	0	21.19	<=50	Pass
16QAM	816.5	1	0	20.78	<=50	Pass
			13	20.76	<=50	Pass
			24	20.79	<=50	Pass
		12	0	20.15	<=50	Pass
			6	20.16	<=50	Pass
			13	20.12	<=50	Pass
		25	0	20.07	<=50	Pass
	819	1	0	20.98	<=50	Pass
			13	20.97	<=50	Pass
			24	20.93	<=50	Pass
		12	0	20.26	<=50	Pass
			6	20.22	<=50	Pass
			13	20.27	<=50	Pass
		25	0	20.17	<=50	Pass
	821.5	1	0	20.39	<=50	Pass
			13	20.35	<=50	Pass
			24	20.35	<=50	Pass
		12	0	20.20	<=50	Pass
			6	20.20	<=50	Pass
			13	20.16	<=50	Pass
		25	0	20.31	<=50	Pass

1.1.4 B26a_10MHz_ERP

Band: 26a / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	1	0	22.13	<=50	Pass
			25	22.11	<=50	Pass
			49	22.10	<=50	Pass
		25	0	21.15	<=50	Pass
			13	21.12	<=50	Pass
			25	21.14	<=50	Pass
		50	0	21.14	<=50	Pass
16QAM	819	1	0	21.45	<=50	Pass
			25	21.42	<=50	Pass
			49	21.43	<=50	Pass
		25	0	20.20	<=50	Pass
			13	20.20	<=50	Pass
			25	20.22	<=50	Pass
		50	0	20.22	<=50	Pass

2. Frequency Stability

2.1 Test Result

2.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	814.7	6	0	20	3.27	0.200	0.0002	-2.5 to 2.5	Pass
					3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
					4.43	-0.315	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.415	0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	0.386	0.0005	-2.5 to 2.5	Pass
				0	3.85	0.458	0.0006	-2.5 to 2.5	Pass
				10	3.85	0.515	0.0006	-2.5 to 2.5	Pass
				30	3.85	0.916	0.0011	-2.5 to 2.5	Pass
				40	3.85	0.701	0.0009	-2.5 to 2.5	Pass
				50	3.85	1.817	0.0022	-2.5 to 2.5	Pass
	819	6	0	20	3.27	0.014	0.0000	-2.5 to 2.5	Pass
					3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
					4.43	1.187	0.0014	-2.5 to 2.5	Pass
				-30	3.85	0.958	0.0012	-2.5 to 2.5	Pass
				-20	3.85	0.844	0.0010	-2.5 to 2.5	Pass
				-10	3.85	1.059	0.0013	-2.5 to 2.5	Pass
				0	3.85	0.887	0.0011	-2.5 to 2.5	Pass
				10	3.85	0.901	0.0011	-2.5 to 2.5	Pass
				30	3.85	1.216	0.0015	-2.5 to 2.5	Pass
				40	3.85	0.744	0.0009	-2.5 to 2.5	Pass
				50	3.85	0.858	0.0010	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	0.758	0.0009	-2.5 to 2.5	Pass
					3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
					4.43	-1.116	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				-10	3.85	0.401	0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.830	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
16QAM	814.7	6	0	20	3.27	0.501	0.0006	-2.5 to 2.5	Pass
					3.85	0.744	0.0009	-2.5 to 2.5	Pass
					4.43	1.259	0.0015	-2.5 to 2.5	Pass
				-30	3.85	0.715	0.0009	-2.5 to 2.5	Pass
				-20	3.85	0.730	0.0009	-2.5 to 2.5	Pass
				-10	3.85	0.386	0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				30	3.85	0.200	0.0002	-2.5 to 2.5	Pass
				40	3.85	0.587	0.0007	-2.5 to 2.5	Pass
				50	3.85	0.014	0.0000	-2.5 to 2.5	Pass
	819	6	0	20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
					3.85	1.345	0.0016	-2.5 to 2.5	Pass
					4.43	0.987	0.0012	-2.5 to 2.5	Pass
				-30	3.85	0.758	0.0009	-2.5 to 2.5	Pass
				-20	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.544	0.0007	-2.5 to 2.5	Pass
				0	3.85	0.529	0.0006	-2.5 to 2.5	Pass

				10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.286	0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	-0.801	-0.0010	-2.5 to 2.5	Pass
					3.85	-1.459	-0.0018	-2.5 to 2.5	Pass
					4.43	-1.287	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-1.631	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	-1.073	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-1.130	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-1.516	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-1.216	-0.0015	-2.5 to 2.5	Pass
				30	3.85	-1.230	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-0.672	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-1.273	-0.0015	-2.5 to 2.5	Pass

2.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	-0.014	0.0000	-2.5 to 2.5	Pass
					3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.014	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.844	-0.0010	-2.5 to 2.5	Pass
				30	3.85	0.114	0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.958	-0.0012	-2.5 to 2.5	Pass
	819	15	0	50	3.85	-0.443	-0.0005	-2.5 to 2.5	Pass
				20	3.27	-0.744	-0.0009	-2.5 to 2.5	Pass
					3.85	-1.044	-0.0013	-2.5 to 2.5	Pass
					4.43	-0.272	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				-20	3.85	-1.073	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-1.445	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-0.815	-0.0010	-2.5 to 2.5	Pass
	822.5	15	0	40	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
				50	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				20	3.27	0.057	0.0001	-2.5 to 2.5	Pass
					3.85	-1.245	-0.0015	-2.5 to 2.5	Pass
					4.43	-0.830	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.887	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				0	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
16QAM	815.5	15	0	20	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
					3.85	-0.029	0.0000	-2.5 to 2.5	Pass
					4.43	-0.443	-0.0005	-2.5 to 2.5	Pass

				-30	3.85	0.043	0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				10	3.85	0.114	0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
	819	15	0	20	3.27	-0.687	-0.0008	-2.5 to 2.5	Pass
					3.85	0.072	0.0001	-2.5 to 2.5	Pass
					4.43	-0.458	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-0.458	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.801	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				0	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				30	3.85	0.329	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.801	0.0010	-2.5 to 2.5	Pass
				50	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
	822.5	15	0	20	3.27	-0.715	-0.0009	-2.5 to 2.5	Pass
					3.85	-0.629	-0.0008	-2.5 to 2.5	Pass
					4.43	-0.286	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.944	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.286	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass

2.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	816.5	25	0	20	3.27	-0.644	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.730	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				0	3.85	0.429	0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
	819	25	0	20	3.27	-0.644	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.744	-0.0009	-2.5 to 2.5	Pass
					4.43	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.715	-0.0009	-2.5 to 2.5	Pass
				0	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass

16QAM	821.5	25	0	50	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				20	3.27	-0.129	-0.0002	-2.5 to 2.5	Pass
					3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.043	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				10	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.515	0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.458	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
16QAM	816.5	25	0	20	3.27	-0.300	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
					4.43	0.057	0.0001	-2.5 to 2.5	Pass
					3.85	0.057	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.85	-0.844	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-0.787	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-0.286	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
	819	25	0	20	3.27	-0.830	-0.0010	-2.5 to 2.5	Pass
					3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.114	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.415	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
				10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.85	-0.629	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				50	3.85	0.086	0.0001	-2.5 to 2.5	Pass
	821.5	25	0	20	3.27	1.016	0.0012	-2.5 to 2.5	Pass
					3.85	0.200	0.0002	-2.5 to 2.5	Pass
					4.43	-0.100	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.472	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.329	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.186	0.0002	-2.5 to 2.5	Pass
				10	3.85	0.272	0.0003	-2.5 to 2.5	Pass
				30	3.85	0.687	0.0008	-2.5 to 2.5	Pass
				40	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass

2.1.4 B26a_10MHz

Band: 26a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	819	50	0	20	3.27	-0.887	-0.0011	-2.5 to 2.5	Pass
					3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
					4.43	-0.243	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-0.458	-0.0006	-2.5 to 2.5	Pass

16QAM	819	50	0	0	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				20	3.27	0.086	0.0001	-2.5 to 2.5	Pass
					3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.458	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.772	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				0	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	6	0	Refer To Test Graph		Pass
16QAM	819	6	0	Refer To Test Graph		Pass

3.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	15	0	Refer To Test Graph		Pass
16QAM	819	15	0	Refer To Test Graph		Pass

3.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	25	0	Refer To Test Graph		Pass
16QAM	819	25	0	Refer To Test Graph		Pass

3.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTVV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	Refer To Test Graph		Pass

16QAM	819	50	0	Refer To Test Graph	Pass
-------	-----	----	---	---------------------	------


3.2 Test Graph

3.2.1 B26a_1.4MHz


Band26a_1.4MHz_QPSK_MCH_819MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV




3.2.2 B26a_3MHz



3.2.3 B26a_5MHz



3.2.4 B26a_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26a_OBW

Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.113	/	Pass
		819	6	0	1.113	/	Pass
		823.3	6	0	1.103	/	Pass
	16QAM	814.7	6	0	1.105	/	Pass
		819	6	0	1.110	/	Pass
		823.3	6	0	1.096	/	Pass
3	QPSK	815.5	15	0	2.722	/	Pass
		819	15	0	2.725	/	Pass
		822.5	15	0	2.717	/	Pass
	16QAM	815.5	15	0	2.714	/	Pass
		819	15	0	2.706	/	Pass
		822.5	15	0	2.717	/	Pass
5	QPSK	816.5	25	0	4.551	/	Pass
		819	25	0	4.559	/	Pass
		821.5	25	0	4.556	/	Pass
	16QAM	816.5	25	0	4.580	/	Pass
		819	25	0	4.552	/	Pass
		821.5	25	0	4.567	/	Pass
10	QPSK	819	50	0	9.064	/	Pass
	16QAM	819	50	0	9.084	/	Pass


4.1.2 Band26a_XDB

Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.262	/	Pass
		819	6	0	1.261	/	Pass
		823.3	6	0	1.270	/	Pass
	16QAM	814.7	6	0	1.267	/	Pass
		819	6	0	1.268	/	Pass
		823.3	6	0	1.262	/	Pass
3	QPSK	815.5	15	0	2.976	/	Pass
		819	15	0	2.973	/	Pass
		822.5	15	0	2.962	/	Pass
	16QAM	815.5	15	0	2.961	/	Pass
		819	15	0	2.994	/	Pass
		822.5	15	0	2.976	/	Pass
5	QPSK	816.5	25	0	5.076	/	Pass
		819	25	0	5.063	/	Pass
		821.5	25	0	5.069	/	Pass
	16QAM	816.5	25	0	5.050	/	Pass
		819	25	0	5.056	/	Pass
		821.5	25	0	5.075	/	Pass
10	QPSK	819	50	0	10.075	/	Pass


	16QAM	819	50	0	10.128	/	Pass
--	-------	-----	----	---	--------	---	------

4.2 Test Graph


4.2.1 Band26a_OBW




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 15 0 NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTV




Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTNV




Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTNV




4.2.2 Band26a_XDB




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 15 0 NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTNV



Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	5.22	<=13	Pass
	819	6	0	4.88	<=13	Pass
	823.3	6	0	5.23	<=13	Pass
16QAM	814.7	6	0	6.04	<=13	Pass
	819	6	0	5.87	<=13	Pass
	823.3	6	0	6.03	<=13	Pass

5.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	5.36	<=13	Pass
	819	15	0	5.10	<=13	Pass
	822.5	15	0	5.24	<=13	Pass
16QAM	815.5	15	0	6.14	<=13	Pass
	819	15	0	5.94	<=13	Pass
	822.5	15	0	6.10	<=13	Pass

5.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.45	<=13	Pass
	819	25	0	5.31	<=13	Pass
	821.5	25	0	5.42	<=13	Pass
16QAM	816.5	25	0	6.09	<=13	Pass
	819	25	0	6.06	<=13	Pass
	821.5	25	0	6.14	<=13	Pass

5.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.40	<=13	Pass
16QAM	819	50	0	6.11	<=13	Pass

5.2 Test Graph


5.2.1 B26a_1.4MHz




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6.0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6.0 NTNV



Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




5.2.2 B26a_3MHz


Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTV



Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




5.2.3 B26a_5MHz


Band26a_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTV



Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTV



5.2.4 B26a_10MHz



6. Spurious Emission

6.1 Test Result

6.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	822.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	822.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	821.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	816.5	1	0	Refer To Test Graph		Pass


		25	0	Refer To Test Graph	Pass
	819	1	0	Refer To Test Graph	Pass
	821.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	819	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	819	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	819	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	819	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B26a_1.4MHz




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV



Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	813.000	-38.80	-13	Pass
813	813.963	0.1	CHP	2	813.910	-26.43	-13	Pass
813.963	814	0.013	CHP	3	813.995	-34.83	-20	Pass
814	817	0.013	CHP	/	/	/	/	/


Band26a 1.4MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK MCH 819MHz RB 1 0 NTV




Band26a 1.4MHz QPSK MCH 819MHz RB 1 0 NTV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 5 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTV



Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	813.000	-40.50	-13	Pass
813	813.963	0.1	CHP	2	813.910	-27.11	-13	Pass
813.963	814	0.013	CHP	3	813.975	-34.74	-20	Pass
814	817	0.013	CHP	/	/	/	/	/


Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTV



Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 5 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




6.2.2 B26a_3MHz


Band26a_3MHz_QPSK_LCH_815.5MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_1_0_NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV



Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.950	-33.12	-13	Pass
813	813.963	0.1	CHP	2	813.910	-29.65	-13	Pass
813.963	814	0.03	/	3	813.964	-32.71	-20	Pass
814	817	0.03	/	/	/	/	/	/


Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 1 0 NTV




Band26a 3MHz QPSK HCH 822.5MHz RB 1 0 NTV




Band26a 3MHz QPSK HCH 822.5MHz RB 1 0 NTV




Band26a 3MHz QPSK HCH 822.5MHz RB 1 0 NTV




Band26a 3MHz QPSK HCH 822.5MHz RB 1 14 NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV



Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.866	-34.18	-13	Pass
813	813.963	0.1	CHP	2	813.862	-30.45	-13	Pass
813.963	814	0.03	/	3	813.988	-33.17	-20	Pass
814	817	0.03	/	/	/	/	/	/


Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV



Band26a 3MHz 16QAM HCH 822.5MHz RB 1 14 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




6.2.3 B26a_5MHz

Band26a_5MHz_QPSK_LCH_816.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.164	-43.95	-13	Pass
813	813.963	0.1	CHP	2	813.911	-28.72	-13	Pass
813.963	814	0.003	/	3	813.998	-33.61	-20	Pass
814	819	0.003	/	/	/	/	/	/


Band26a_5MHz_QPSK_LCH_816.5MHz_RB_1_0_NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV



Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.710	-35.67	-13	Pass
813	813.963	0.1	CHP	2	813.910	-32.47	-13	Pass
813.963	814	0.051	CHP	3	813.990	-32.15	-20	Pass
814	819	0.051	CHP	/	/	/	/	/


Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 5MHz QPSK HCH 821.5MHz RB 1 0 NTV




Band26a 5MHz QPSK HCH 821.5MHz RB 1 0 NTV




Band26a 5MHz QPSK HCH 821.5MHz RB 1 0 NTV




Band26a 5MHz QPSK HCH 821.5MHz RB 1 0 NTV




Band26a 5MHz QPSK HCH 821.5MHz RB 1 24 NTNV



Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.170	-44.52	-13	Pass
813	813.963	0.1	CHP	2	813.911	-30.66	-13	Pass
813.963	814	0.003	/	3	813.995	-36.19	-20	Pass
814	819	0.003	/	/	/	/	/	/


Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV



Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.890	-36.00	-13	Pass
813	813.963	0.1	CHP	2	813.910	-33.44	-13	Pass
813.963	814	0.05	CHP	3	813.990	-31.97	-20	Pass
814	819	0.05	CHP	/	/	/	/	/


Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV



Band26a 5MHz 16QAM HCH 821.5MHz RB 1 24 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV




6.2.4 B26a_10MHz


Band26a_10MHz_QPSK_LCH_819MHz_RB_1_0_NTNV




Band26a_10MHz_QPSK_LCH_819MHz_RB_1_0_NTNV




Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV




Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV



Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV




Band26a 10MHz QPSK LCH 819MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
804	813	0.1	/	1	812.960	-38.39	-13	Pass
813	813.963	0.1	/	2	813.180	-36.52	-13	Pass
813.963	814	0.101	/	3	813.980	-36.87	-20	Pass
814	824	0.101	CHP	/	/	/	/	/


Band26a 10MHz QPSK HCH 819MHz RB 1 49 NTNV




Band26a 10MHz QPSK HCH 819MHz RB 50 0 NTNV




Band26a 10MHz 16QAM LCH 819MHz RB 1 0 NTV




Band26a 10MHz 16QAM LCH 819MHz RB 1 0 NTV




Band26a 10MHz 16QAM LCH 819MHz RB 1 0 NTNV




Band26a 10MHz 16QAM LCH 819MHz RB 1 0 NTNV



Band26a 10MHz 16QAM LCH 819MHz RB 1 0 NTNV




Band26a 10MHz 16QAM LCH 819MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
804	813	0.1	/	1	812.920	-37.90	-13	Pass
813	813.963	0.1	/	2	813.940	-35.87	-13	Pass
813.963	814	0.101	/	3	813.980	-35.14	-20	Pass
814	824	0.101	CHP	/	/	/	/	/

Band26a 10MHz 16QAM HCH 819MHz RB 1 49 NTNV



Band26a 10MHz 16QAM HCH 819MHz RB 50 0 NTNV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26a	1.4	814.7	823.3	0.1774	0.0022	ppm	1M11G7D	/	22.49
26a	1.4	814.7	823.3	0.1514	0.0020	ppm	1M11W7D	/	21.80
26a	3	815.5	822.5	0.1671	0.0018	ppm	2M73G7D	/	22.23
26a	3	815.5	822.5	0.1563	0.0011	ppm	2M72W7D	/	21.94
26a	5	816.5	821.5	0.1698	0.0009	ppm	4M56G7D	/	22.30
26a	5	816.5	821.5	0.1253	0.0012	ppm	4M58W7D	/	20.98
26a	10	819	819	0.1633	0.0011	ppm	9M06G7D	/	22.13
26a	10	819	819	0.1396	0.0009	ppm	9M08W7D	/	21.45

7.1.2 Form731_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26a	1.4	814.7	823.3	0.0771	0.0022	ppm	1M11G7D	/	18.87
26a	1.4	814.7	823.3	0.0658	0.0020	ppm	1M11W7D	/	18.18
26a	3	815.5	822.5	0.0726	0.0018	ppm	2M73G7D	/	18.61
26a	3	815.5	822.5	0.0679	0.0011	ppm	2M72W7D	/	18.32
26a	5	816.5	821.5	0.0738	0.0009	ppm	4M56G7D	/	18.68
26a	5	816.5	821.5	0.0545	0.0012	ppm	4M58W7D	/	17.36
26a	10	819	819	0.0710	0.0011	ppm	9M06G7D	/	18.51
26a	10	819	819	0.0607	0.0009	ppm	9M08W7D	/	17.83