

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.63	-1.47	19.01	<=38.45	Pass
			2	22.54	-1.47	18.92	<=38.45	Pass
			5	22.57	-1.47	18.95	<=38.45	Pass
		3	0	22.46	-1.47	18.84	<=38.45	Pass
			2	22.44	-1.47	18.82	<=38.45	Pass
			3	22.40	-1.47	18.78	<=38.45	Pass
		6	0	21.42	-1.47	17.80	<=38.45	Pass
	836.5	1	0	22.45	-1.47	18.83	<=38.45	Pass
			2	22.46	-1.47	18.84	<=38.45	Pass
			5	22.49	-1.47	18.87	<=38.45	Pass
		3	0	22.56	-1.47	18.94	<=38.45	Pass
			2	22.53	-1.47	18.91	<=38.45	Pass
			3	22.53	-1.47	18.91	<=38.45	Pass
		6	0	21.54	-1.47	17.92	<=38.45	Pass
	848.3	1	0	22.23	-1.47	18.61	<=38.45	Pass
			2	22.18	-1.47	18.56	<=38.45	Pass
			5	22.22	-1.47	18.60	<=38.45	Pass
		3	0	22.10	-1.47	18.48	<=38.45	Pass
			2	22.06	-1.47	18.44	<=38.45	Pass
			3	22.06	-1.47	18.44	<=38.45	Pass
		6	0	21.06	-1.47	17.44	<=38.45	Pass
16QAM	824.7	1	0	21.03	-1.47	17.41	<=38.45	Pass
			2	21.10	-1.47	17.48	<=38.45	Pass
			5	21.17	-1.47	17.55	<=38.45	Pass
		3	0	21.28	-1.47	17.66	<=38.45	Pass
			2	21.23	-1.47	17.61	<=38.45	Pass
			3	21.25	-1.47	17.63	<=38.45	Pass
		6	0	20.49	-1.47	16.87	<=38.45	Pass
	836.5	1	0	22.31	-1.47	18.69	<=38.45	Pass
			2	21.70	-1.47	18.08	<=38.45	Pass
			5	21.68	-1.47	18.06	<=38.45	Pass
		3	0	21.54	-1.47	17.92	<=38.45	Pass
			2	21.53	-1.47	17.91	<=38.45	Pass
			3	21.47	-1.47	17.85	<=38.45	Pass
		6	0	20.54	-1.47	16.92	<=38.45	Pass
	848.3	1	0	20.66	-1.47	17.04	<=38.45	Pass
			2	21.28	-1.47	17.66	<=38.45	Pass
			5	21.28	-1.47	17.66	<=38.45	Pass
		3	0	21.07	-1.47	17.45	<=38.45	Pass
			2	21.04	-1.47	17.42	<=38.45	Pass
			3	21.09	-1.47	17.47	<=38.45	Pass
		6	0	20.06	-1.47	16.44	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.37	-1.47	18.75	<=38.45	Pass
			7	22.36	-1.47	18.74	<=38.45	Pass
			14	22.29	-1.47	18.67	<=38.45	Pass
		8	0	21.38	-1.47	17.76	<=38.45	Pass
			4	21.38	-1.47	17.76	<=38.45	Pass
			7	21.38	-1.47	17.76	<=38.45	Pass
		15	0	21.42	-1.47	17.80	<=38.45	Pass
	836.5	1	0	22.48	-1.47	18.86	<=38.45	Pass
			7	22.48	-1.47	18.86	<=38.45	Pass
			14	22.49	-1.47	18.87	<=38.45	Pass
		8	0	21.43	-1.47	17.81	<=38.45	Pass
			4	21.48	-1.47	17.86	<=38.45	Pass
			7	21.46	-1.47	17.84	<=38.45	Pass
		15	0	21.48	-1.47	17.86	<=38.45	Pass
	847.5	1	0	22.12	-1.47	18.50	<=38.45	Pass
			7	22.12	-1.47	18.50	<=38.45	Pass
			14	22.03	-1.47	18.41	<=38.45	Pass
		8	0	21.13	-1.47	17.51	<=38.45	Pass
			4	21.12	-1.47	17.50	<=38.45	Pass
			7	21.10	-1.47	17.48	<=38.45	Pass
		15	0	21.04	-1.47	17.42	<=38.45	Pass
16QAM	825.5	1	0	21.77	-1.47	18.15	<=38.45	Pass
			7	21.74	-1.47	18.12	<=38.45	Pass
			14	21.73	-1.47	18.11	<=38.45	Pass
		8	0	20.61	-1.47	16.99	<=38.45	Pass
			4	20.66	-1.47	17.04	<=38.45	Pass
			7	20.64	-1.47	17.02	<=38.45	Pass
		15	0	20.52	-1.47	16.90	<=38.45	Pass
	836.5	1	0	21.41	-1.47	17.79	<=38.45	Pass
			7	21.25	-1.47	17.63	<=38.45	Pass
			14	21.40	-1.47	17.78	<=38.45	Pass
		8	0	20.73	-1.47	17.11	<=38.45	Pass
			4	20.73	-1.47	17.11	<=38.45	Pass
			7	20.66	-1.47	17.04	<=38.45	Pass
		15	0	20.50	-1.47	16.88	<=38.45	Pass
	847.5	1	0	21.39	-1.47	17.77	<=38.45	Pass
			7	21.38	-1.47	17.76	<=38.45	Pass
			14	21.37	-1.47	17.75	<=38.45	Pass
		8	0	20.25	-1.47	16.63	<=38.45	Pass
			4	20.27	-1.47	16.65	<=38.45	Pass
			7	20.28	-1.47	16.66	<=38.45	Pass
		15	0	20.10	-1.47	16.48	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.35	-1.47	18.73	<=38.45	Pass
			13	22.29	-1.47	18.67	<=38.45	Pass
			24	22.30	-1.47	18.68	<=38.45	Pass
		12	0	21.44	-1.47	17.82	<=38.45	Pass
			6	21.42	-1.47	17.80	<=38.45	Pass
			13	21.36	-1.47	17.74	<=38.45	Pass

16QAM	836.5	25	0	21.44	-1.47	17.82	<=38.45	Pass
		1	0	22.44	-1.47	18.82	<=38.45	Pass
			13	22.43	-1.47	18.81	<=38.45	Pass
			24	22.34	-1.47	18.72	<=38.45	Pass
		12	0	21.44	-1.47	17.82	<=38.45	Pass
			6	21.44	-1.47	17.82	<=38.45	Pass
			13	21.44	-1.47	17.82	<=38.45	Pass
		25	0	21.45	-1.47	17.83	<=38.45	Pass
	846.5	1	0	22.13	-1.47	18.51	<=38.45	Pass
			13	22.11	-1.47	18.49	<=38.45	Pass
			24	22.08	-1.47	18.46	<=38.45	Pass
		12	0	21.10	-1.47	17.48	<=38.45	Pass
			6	21.12	-1.47	17.50	<=38.45	Pass
			13	21.10	-1.47	17.48	<=38.45	Pass
		25	0	21.09	-1.47	17.47	<=38.45	Pass
	826.5	1	0	21.29	-1.47	17.67	<=38.45	Pass
			13	21.24	-1.47	17.62	<=38.45	Pass
			24	21.17	-1.47	17.55	<=38.45	Pass
		12	0	20.44	-1.47	16.82	<=38.45	Pass
			6	20.39	-1.47	16.77	<=38.45	Pass
			13	20.35	-1.47	16.73	<=38.45	Pass
		25	0	20.39	-1.47	16.77	<=38.45	Pass
	836.5	1	0	20.80	-1.47	17.18	<=38.45	Pass
			13	20.77	-1.47	17.15	<=38.45	Pass
			24	20.74	-1.47	17.12	<=38.45	Pass
		12	0	20.49	-1.47	16.87	<=38.45	Pass
			6	20.47	-1.47	16.85	<=38.45	Pass
			13	20.51	-1.47	16.89	<=38.45	Pass
		25	0	20.56	-1.47	16.94	<=38.45	Pass
	846.5	1	0	20.76	-1.47	17.14	<=38.45	Pass
			13	20.74	-1.47	17.12	<=38.45	Pass
			24	20.75	-1.47	17.13	<=38.45	Pass
		12	0	20.13	-1.47	16.51	<=38.45	Pass
			6	20.08	-1.47	16.46	<=38.45	Pass
			13	20.06	-1.47	16.44	<=38.45	Pass
		25	0	20.06	-1.47	16.44	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.39	-1.47	18.77	<=38.45	Pass
			25	22.36	-1.47	18.74	<=38.45	Pass
			49	22.48	-1.47	18.86	<=38.45	Pass
		25	0	21.39	-1.47	17.77	<=38.45	Pass
			13	21.41	-1.47	17.79	<=38.45	Pass
			25	21.54	-1.47	17.92	<=38.45	Pass
		50	0	21.36	-1.47	17.74	<=38.45	Pass
	836.5	1	0	22.46	-1.47	18.84	<=38.45	Pass
			25	22.43	-1.47	18.81	<=38.45	Pass
			49	22.13	-1.47	18.51	<=38.45	Pass
		25	0	21.50	-1.47	17.88	<=38.45	Pass
			13	21.46	-1.47	17.84	<=38.45	Pass
			25	21.48	-1.47	17.86	<=38.45	Pass
		50	0	21.49	-1.47	17.87	<=38.45	Pass

16QAM	844	1	0	22.17	-1.47	18.55	<=38.45	Pass
			25	22.10	-1.47	18.48	<=38.45	Pass
			49	22.13	-1.47	18.51	<=38.45	Pass
		25	0	21.05	-1.47	17.43	<=38.45	Pass
			13	21.01	-1.47	17.39	<=38.45	Pass
			25	21.09	-1.47	17.47	<=38.45	Pass
		50	0	21.07	-1.47	17.45	<=38.45	Pass
	829	1	0	21.31	-1.47	17.69	<=38.45	Pass
			25	21.20	-1.47	17.58	<=38.45	Pass
			49	21.33	-1.47	17.71	<=38.45	Pass
		25	0	20.61	-1.47	16.99	<=38.45	Pass
			13	20.57	-1.47	16.95	<=38.45	Pass
			25	20.68	-1.47	17.06	<=38.45	Pass
		50	0	20.51	-1.47	16.89	<=38.45	Pass
	836.5	1	0	21.79	-1.47	18.17	<=38.45	Pass
			25	21.78	-1.47	18.16	<=38.45	Pass
			49	21.35	-1.47	17.73	<=38.45	Pass
		25	0	20.60	-1.47	16.98	<=38.45	Pass
			13	20.57	-1.47	16.95	<=38.45	Pass
			25	20.49	-1.47	16.87	<=38.45	Pass
		50	0	20.58	-1.47	16.96	<=38.45	Pass
	844	1	0	21.28	-1.47	17.66	<=38.45	Pass
			25	21.22	-1.47	17.60	<=38.45	Pass
			49	21.20	-1.47	17.58	<=38.45	Pass
		25	0	20.14	-1.47	16.52	<=38.45	Pass
			13	20.11	-1.47	16.49	<=38.45	Pass
			25	20.14	-1.47	16.52	<=38.45	Pass
		50	0	20.11	-1.47	16.49	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	22.35	-1.47	18.73	<=38.45	Pass
			38	22.42	-1.47	18.80	<=38.45	Pass
			74	22.44	-1.47	18.82	<=38.45	Pass
		36	0	21.41	-1.47	17.79	<=38.45	Pass
			18	21.53	-1.47	17.91	<=38.45	Pass
			39	21.54	-1.47	17.92	<=38.45	Pass
		75	0	21.50	-1.47	17.88	<=38.45	Pass
	836.5	1	0	22.50	-1.47	18.88	<=38.45	Pass
			38	22.48	-1.47	18.86	<=38.45	Pass
			74	22.10	-1.47	18.48	<=38.45	Pass
		36	0	21.51	-1.47	17.89	<=38.45	Pass
			18	21.51	-1.47	17.89	<=38.45	Pass
			39	21.14	-1.47	17.52	<=38.45	Pass
		75	0	21.45	-1.47	17.83	<=38.45	Pass
	841.5	1	0	22.55	-1.47	18.93	<=38.45	Pass
			38	22.16	-1.47	18.54	<=38.45	Pass
			74	22.17	-1.47	18.55	<=38.45	Pass
		36	0	21.47	-1.47	17.85	<=38.45	Pass
			18	21.12	-1.47	17.50	<=38.45	Pass
			39	21.12	-1.47	17.50	<=38.45	Pass
		75	0	21.12	-1.47	17.50	<=38.45	Pass
16QAM	831.5	1	0	21.59	-1.47	17.97	<=38.45	Pass

		36	38	21.63	-1.47	18.01	<=38.45	Pass
			74	21.59	-1.47	17.97	<=38.45	Pass
			0	20.48	-1.47	16.86	<=38.45	Pass
			18	20.55	-1.47	16.93	<=38.45	Pass
			39	20.56	-1.47	16.94	<=38.45	Pass
			75	20.53	-1.47	16.91	<=38.45	Pass
		1	0	22.30	-1.47	18.68	<=38.45	Pass
			38	22.30	-1.47	18.68	<=38.45	Pass
			74	21.85	-1.47	18.23	<=38.45	Pass
			0	20.46	-1.47	16.84	<=38.45	Pass
			18	20.47	-1.47	16.85	<=38.45	Pass
			39	20.13	-1.47	16.51	<=38.45	Pass
	841.5	75	0	20.58	-1.47	16.96	<=38.45	Pass
			0	21.70	-1.47	18.08	<=38.45	Pass
			38	21.23	-1.47	17.61	<=38.45	Pass
			74	21.22	-1.47	17.60	<=38.45	Pass
			0	20.61	-1.47	16.99	<=38.45	Pass
			18	20.25	-1.47	16.63	<=38.45	Pass
		36	39	20.21	-1.47	16.59	<=38.45	Pass
			0	20.16	-1.47	16.54	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	1.116	0.0014	-2.5 to 2.5	Pass
					3.85	0.329	0.0004	-2.5 to 2.5	Pass
					4.43	0.944	0.0011	-2.5 to 2.5	Pass
				-30	3.85	1.030	0.0012	-2.5 to 2.5	Pass
					3.85	0.987	0.0012	-2.5 to 2.5	Pass
					3.85	0.873	0.0011	-2.5 to 2.5	Pass
				0	3.85	0.815	0.0010	-2.5 to 2.5	Pass
					3.85	1.202	0.0015	-2.5 to 2.5	Pass
					3.85	0.873	0.0011	-2.5 to 2.5	Pass
				40	3.85	0.787	0.0010	-2.5 to 2.5	Pass
					3.85	0.858	0.0010	-2.5 to 2.5	Pass
					3.85	0.858	0.0010	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-0.300	-0.0004	-2.5 to 2.5	Pass
					3.85	0.014	0.0000	-2.5 to 2.5	Pass
					4.43	0.114	0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
					3.85	0.114	0.0001	-2.5 to 2.5	Pass
					3.85	0.114	0.0001	-2.5 to 2.5	Pass
				0	3.85	0.329	0.0004	-2.5 to 2.5	Pass
					3.85	0.486	0.0006	-2.5 to 2.5	Pass
					3.85	1.116	0.0013	-2.5 to 2.5	Pass
				40	3.85	0.372	0.0004	-2.5 to 2.5	Pass
					3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	0.029	0.0000	-2.5 to 2.5	Pass
					3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
					4.43	-0.057	-0.0001	-2.5 to 2.5	Pass

16QAM	824.7	6	0	-30	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				0	3.85	0.372	0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				30	3.85	0.114	0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
				50	3.85	0.386	0.0005	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	0.072	0.0001	-2.5 to 2.5	Pass
					3.85	-1.230	-0.0015	-2.5 to 2.5	Pass
					4.43	-0.916	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				20	3.27	-0.358	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
					4.43	-0.114	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.272	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.472	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	0.458	0.0005	-2.5 to 2.5	Pass
					3.85	0.830	0.0010	-2.5 to 2.5	Pass
					4.43	0.114	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.672	0.0008	-2.5 to 2.5	Pass
				-20	3.85	0.544	0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.443	0.0005	-2.5 to 2.5	Pass
				0	3.85	0.601	0.0007	-2.5 to 2.5	Pass
				10	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.873	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-1.187	-0.0014	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	-0.257	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.386	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.443	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.415	0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				40	3.85	0.014	0.0000	-2.5 to 2.5	Pass

	836.5	15	0	50	3.85	0.086	0.0001	-2.5 to 2.5	Pass
				20	3.27	-0.701	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
					4.43	0.186	0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				10	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
	847.5	15	0	40	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				20	3.27	0.443	0.0005	-2.5 to 2.5	Pass
					3.85	0.701	0.0008	-2.5 to 2.5	Pass
					4.43	0.272	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
16QAM	825.5	15	0	30	3.85	0.172	0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				20	3.27	-0.286	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
					4.43	0.401	0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
	836.5	15	0	10	3.85	-1.101	-0.0013	-2.5 to 2.5	Pass
				30	3.85	-0.672	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				20	3.27	0.086	0.0001	-2.5 to 2.5	Pass
					3.85	0.343	0.0004	-2.5 to 2.5	Pass
					4.43	0.401	0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.544	0.0007	-2.5 to 2.5	Pass
				-20	3.85	0.172	0.0002	-2.5 to 2.5	Pass
				-10	3.85	0.687	0.0008	-2.5 to 2.5	Pass
	847.5	15	0	0	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.200	0.0002	-2.5 to 2.5	Pass
				30	3.85	1.030	0.0012	-2.5 to 2.5	Pass
				40	3.85	0.515	0.0006	-2.5 to 2.5	Pass
				50	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				20	3.27	0.916	0.0011	-2.5 to 2.5	Pass
					3.85	0.587	0.0007	-2.5 to 2.5	Pass
					4.43	0.973	0.0011	-2.5 to 2.5	Pass
				-30	3.85	0.629	0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	0.901	0.0011	-2.5 to 2.5	Pass
				0	3.85	0.501	0.0006	-2.5 to 2.5	Pass
				10	3.85	0.544	0.0006	-2.5 to 2.5	Pass
				30	3.85	0.973	0.0011	-2.5 to 2.5	Pass
				40	3.85	0.443	0.0005	-2.5 to 2.5	Pass
				50	3.85	0.672	0.0008	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	0.215	0.0003	-2.5 to 2.5	Pass
					3.85	0.086	0.0001	-2.5 to 2.5	Pass
					4.43	0.529	0.0006	-2.5 to 2.5	Pass
				-30	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				-20	3.85	1.059	0.0013	-2.5 to 2.5	Pass
				-10	3.85	1.016	0.0012	-2.5 to 2.5	Pass
				0	3.85	0.944	0.0011	-2.5 to 2.5	Pass
				10	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				40	3.85	0.343	0.0004	-2.5 to 2.5	Pass
				50	3.85	0.572	0.0007	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	0.358	0.0004	-2.5 to 2.5	Pass
					3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
					4.43	0.200	0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				40	3.85	0.172	0.0002	-2.5 to 2.5	Pass
				50	3.85	0.172	0.0002	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-0.601	-0.0007	-2.5 to 2.5	Pass
					3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
					4.43	-0.129	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.544	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	0.215	0.0003	-2.5 to 2.5	Pass
					3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.072	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.415	0.0005	-2.5 to 2.5	Pass
				10	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
				40	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				50	3.85	0.200	0.0002	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	0.243	0.0003	-2.5 to 2.5	Pass
					3.85	0.043	0.0001	-2.5 to 2.5	Pass
					4.43	0.243	0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.472	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.85	0.129	0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
				30	3.85	0.257	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.401	0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-0.858	-0.0010	-2.5 to 2.5	Pass

					3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
					4.43	-0.286	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.801	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-0.658	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.372	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.873	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.815	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-0.858	-0.0010	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-0.358	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.629	-0.0008	-2.5 to 2.5	Pass
					4.43	0.043	0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	-0.830	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.443	-0.0005	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-0.029	0.0000	-2.5 to 2.5	Pass
					3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
					4.43	-0.443	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.286	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.286	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				-10	3.85	0.358	0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass

				30	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.315	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	0.286	0.0003	-2.5 to 2.5	Pass
					3.85	0.257	0.0003	-2.5 to 2.5	Pass
					4.43	-0.229	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.587	0.0007	-2.5 to 2.5	Pass
				0	3.85	0.114	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.472	0.0006	-2.5 to 2.5	Pass
				30	3.85	0.257	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				50	3.85	0.014	0.0000	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-0.372	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
					4.43	-0.587	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-0.844	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-0.544	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.701	-0.0008	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	-0.730	-0.0009	-2.5 to 2.5	Pass
					3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.157	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.415	0.0005	-2.5 to 2.5	Pass
				0	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	-0.257	-0.0003	-2.5 to 2.5	Pass
					3.85	0.114	0.0001	-2.5 to 2.5	Pass
					4.43	-0.172	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.329	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	-0.730	-0.0009	-2.5 to 2.5	Pass
					3.85	-0.873	-0.0010	-2.5 to 2.5	Pass
					4.43	-0.486	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-1.187	-0.0014	-2.5 to 2.5	Pass

16QAM	831.5	75	0	-20	3.85	-0.787	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-0.873	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-0.443	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-0.772	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-0.372	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.672	-0.0008	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	0.086	0.0001	-2.5 to 2.5	Pass
					3.85	0.329	0.0004	-2.5 to 2.5	Pass
					4.43	1.001	0.0012	-2.5 to 2.5	Pass
				-30	3.85	0.529	0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				30	3.85	0.572	0.0007	-2.5 to 2.5	Pass
				40	3.85	0.257	0.0003	-2.5 to 2.5	Pass
				50	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				20	3.27	-0.587	-0.0007	-2.5 to 2.5	Pass
					3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.644	-0.0008	-2.5 to 2.5	Pass
	841.5	75	0	-30	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-0.443	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				10	3.85	0.186	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.443	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				50	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				20	3.27	-0.658	-0.0008	-2.5 to 2.5	Pass
					3.85	-0.744	-0.0009	-2.5 to 2.5	Pass
					4.43	-0.372	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-0.629	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-0.715	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	75	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz





3.2.2 B26b_3MHz





3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.105	/	Pass
		836.5	6	0	1.102	/	Pass
		848.3	6	0	1.102	/	Pass
	16QAM	824.7	6	0	1.104	/	Pass
		836.5	6	0	1.099	/	Pass
		848.3	6	0	1.107	/	Pass
3	QPSK	825.5	15	0	2.720	/	Pass
		836.5	15	0	2.715	/	Pass
		847.5	15	0	2.709	/	Pass
	16QAM	825.5	15	0	2.698	/	Pass
		836.5	15	0	2.706	/	Pass
		847.5	15	0	2.709	/	Pass
5	QPSK	826.5	25	0	4.551	/	Pass
		836.5	25	0	4.534	/	Pass
		846.5	25	0	4.566	/	Pass
	16QAM	826.5	25	0	4.545	/	Pass
		836.5	25	0	4.556	/	Pass
		846.5	25	0	4.567	/	Pass
10	QPSK	829	50	0	9.067	/	Pass
		836.5	50	0	9.051	/	Pass
		844	50	0	9.064	/	Pass
	16QAM	829	50	0	9.073	/	Pass
		836.5	50	0	9.039	/	Pass
		844	50	0	9.038	/	Pass
15	QPSK	831.5	75	0	13.538	/	Pass
		836.5	75	0	13.534	/	Pass
		841.5	75	0	13.579	/	Pass
	16QAM	831.5	75	0	13.602	/	Pass
		836.5	75	0	13.510	/	Pass
		841.5	75	0	13.541	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.254	/	Pass
		836.5	6	0	1.264	/	Pass
		848.3	6	0	1.272	/	Pass
	16QAM	824.7	6	0	1.269	/	Pass
		836.5	6	0	1.260	/	Pass
		848.3	6	0	1.275	/	Pass
3	QPSK	825.5	15	0	2.982	/	Pass
		836.5	15	0	2.970	/	Pass
		847.5	15	0	2.967	/	Pass


	16QAM	825.5	15	0	2.967	/	Pass
		836.5	15	0	2.982	/	Pass
		847.5	15	0	2.971	/	Pass
5	QPSK	826.5	25	0	5.052	/	Pass
		836.5	25	0	5.075	/	Pass
		846.5	25	0	5.058	/	Pass
	16QAM	826.5	25	0	5.086	/	Pass
		836.5	25	0	5.042	/	Pass
		846.5	25	0	5.030	/	Pass
10	QPSK	829	50	0	9.985	/	Pass
		836.5	50	0	10.082	/	Pass
		844	50	0	10.049	/	Pass
	16QAM	829	50	0	10.038	/	Pass
		836.5	50	0	10.043	/	Pass
		844	50	0	10.030	/	Pass
15	QPSK	831.5	75	0	15.217	/	Pass
		836.5	75	0	15.104	/	Pass
		841.5	75	0	15.163	/	Pass
	16QAM	831.5	75	0	15.207	/	Pass
		836.5	75	0	15.076	/	Pass
		841.5	75	0	15.224	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




Band26b 10MHz QPSK LCH 829MHz RB 50 0 NTNV




Band26b 10MHz QPSK MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 50 0 NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 75.0 NTNV




Band26b 15MHz QPSK MCH 836.5MHz RB 75.0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTNV




Band26b 15MHz 16QAM LCH 831.5MHz RB 75 0 NTNV




Band26b 15MHz 16QAM MCH 836.5MHz RB 75 0 NTNV




Band26b 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNV




4.2.2 Band26b_XDB




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




Band26b 10MHz QPSK LCH 829MHz RB 50 0 NTNV




Band26b 10MHz QPSK MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 50 0 NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 75.0 NTNV




Band26b 15MHz QPSK MCH 836.5MHz RB 75.0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTN




Band26b 15MHz 16QAM LCH 831.5MHz RB 75 0 NTN



Band26b 15MHz 16QAM MCH 836.5MHz RB 75 0 NTNV



Band26b 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.29	<=13	Pass
	836.5	6	0	5.08	<=13	Pass
	848.3	6	0	5.27	<=13	Pass
16QAM	824.7	6	0	6.07	<=13	Pass
	836.5	6	0	6.00	<=13	Pass
	848.3	6	0	6.06	<=13	Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.37	<=13	Pass
	836.5	15	0	5.16	<=13	Pass
	847.5	15	0	5.49	<=13	Pass
16QAM	825.5	15	0	6.21	<=13	Pass
	836.5	15	0	6.03	<=13	Pass
	847.5	15	0	6.27	<=13	Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.56	<=13	Pass
	836.5	25	0	5.38	<=13	Pass
	846.5	25	0	5.59	<=13	Pass
16QAM	826.5	25	0	6.23	<=13	Pass
	836.5	25	0	6.15	<=13	Pass
	846.5	25	0	6.33	<=13	Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.51	<=13	Pass
	836.5	50	0	5.39	<=13	Pass
	844	50	0	5.54	<=13	Pass
16QAM	829	50	0	6.22	<=13	Pass
	836.5	50	0	6.17	<=13	Pass


	844	50	0	6.33	<=13	Pass
--	-----	----	---	------	------	------

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	5.60	<=13	Pass
	836.5	75	0	5.55	<=13	Pass
	841.5	75	0	5.75	<=13	Pass
16QAM	831.5	75	0	6.14	<=13	Pass
	836.5	75	0	6.13	<=13	Pass
	841.5	75	0	6.26	<=13	Pass

5.2 Test Graph


5.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6.0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6.0 NTNV



Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




5.2.2 B26b_3MHz


Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV



Band26b 3MHz 16QAM MCH 836.5MHz RB 15.0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15.0 NTNV




5.2.3 B26b_5MHz


Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV



Band26b 5MHz 16QAM MCH 836.5MHz RB 25.0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 25.0 NTNV




5.2.4 B26b_10MHz


Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 50 0 NTNV



Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTV




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTV




5.2.5 B26b_15MHz


Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTN




Band26b 15MHz 16QAM LCH 831.5MHz RB 75 0 NTN



Band26b 15MHz 16QAM MCH 836.5MHz RB 75 0 NTV



Band26b 15MHz 16QAM HCH 841.5MHz RB 75 0 NTV



6. Spurious Emission

6.1 Test Result

6.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	826.5	1	0	Refer To Test Graph		Pass

	836.5	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK LCH 824.7MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK LCH 824.7MHz RB 1 0 NTNV



Band26b 1.4MHz QPSK LCH 824.7MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-41.66	-13	Pass
823	824	0.013	CHP	2	823.990	-33.64	-13	Pass
824	827	0.013	CHP	/	/	/	/	/


Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTV



Band26b 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-41.65	-13	Pass
823	824	0.013	CHP	2	823.965	-34.00	-13	Pass
824	827	0.013	CHP	/	/	/	/	/


Band26b 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTNV



Band26b 1.4MHz 16QAM HCH 848.3MHz RB 1 5 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




6.2.2 B26b_3MHz


Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b 3MHz QPSK LCH 825.5MHz RB 1 0 NTNV




Band26b 3MHz QPSK LCH 825.5MHz RB 1 0 NTNV



Band26b 3MHz QPSK LCH 825.5MHz RB 1 0 NTNV




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.710	-32.34	-13	Pass
823	824	0.03	/	2	823.982	-31.60	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band26b 3MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 3MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 3MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 1 0 NTV




Band26b 3MHz QPSK HCH 847.5MHz RB 1 0 NTV




Band26b 3MHz QPSK HCH 847.5MHz RB 1 0 NTV




Band26b 3MHz QPSK HCH 847.5MHz RB 1 0 NTV




Band26b 3MHz QPSK HCH 847.5MHz RB 1 14 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 1 0 NTNV



Band26b 3MHz 16QAM LCH 825.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.926	-32.35	-13	Pass
823	824	0.03	/	2	823.790	-33.09	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTV




Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTV




Band26b 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV



Band26b 3MHz 16QAM HCH 847.5MHz RB 1 14 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




6.2.3 B26b_5MHz


Band26b_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 1 0 NTNV



Band26b 5MHz QPSK LCH 826.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.870	-33.05	-13	Pass
823	824	0.051	CHP	2	823.990	-30.75	-13	Pass
824	829	0.051	CHP	/	/	/	/	/


Band26b 5MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 1 24 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV



Band26b 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.940	-33.51	-13	Pass
823	824	0.051	CHP	2	823.990	-31.85	-13	Pass
824	829	0.051	CHP	/	/	/	/	/


Band26b 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTNV



Band26b 5MHz 16QAM HCH 846.5MHz RB 1 24 NTNV




Band26b 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




6.2.4 B26b_10MHz


Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26b 10MHz QPSK LCH 829MHz RB 1 0 NTNV




Band26b 10MHz QPSK LCH 829MHz RB 1 0 NTNV



Band26b 10MHz QPSK LCH 829MHz RB 1 0 NTNV




Band26b 10MHz QPSK LCH 829MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.960	-33.63	-13	Pass
823	824	0.1	/	2	823.980	-31.45	-13	Pass
824	834	0.1	/	/	/	/	/	/


Band26b 10MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 10MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 10MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 10MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 10MHz QPSK HCH 844MHz RB 1 0 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 1 0 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 1 0 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 1 0 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 1 49 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 1 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 1 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 1 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 1 0 NTNV



Band26b 10MHz 16QAM LCH 829MHz RB 1 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.000	-35.04	-13	Pass
823	824	0.1	/	2	823.840	-33.14	-13	Pass
824	834	0.1	/	/	/	/	/	/


Band26b 10MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 1 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 1 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 1 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 1 0 NTNV



Band26b 10MHz 16QAM HCH 844MHz RB 1 49 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




6.2.5 B26b_15MHz


Band26b_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 1 0 NTV




Band26b 15MHz QPSK LCH 831.5MHz RB 1 0 NTV



Band26b 15MHz QPSK LCH 831.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.560	-36.85	-13	Pass
823	824	0.152	CHP	2	823.970	-32.51	-13	Pass
824	839	0.152	CHP	/	/	/	/	/


Band26b 15MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK MCH 836.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 15MHz QPSK MCH 836.5MHz RB 1 0 NTV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 74 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTNV




Band26b 15MHz 16QAM LCH 831.5MHz RB 1 0 NTNV




Band26b 15MHz 16QAM LCH 831.5MHz RB 1 0 NTNV




Band26b 15MHz 16QAM LCH 831.5MHz RB 1 0 NTV




Band26b 15MHz 16QAM LCH 831.5MHz RB 1 0 NTV



Band26b 15MHz 16QAM LCH 831.5MHz RB 1 0 NTNV




Band26b 15MHz 16QAM LCH 831.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	821.390	-36.79	-13	Pass
823	824	0.152	CHP	2	823.970	-33.90	-13	Pass
824	839	0.152	CHP	/	/	/	/	/


Band26b 15MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 15MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 15MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 15MHz 16QAM MCH 836.5MHz RB 1 0 NTNV




Band26b 15MHz 16QAM HCH 841.5MHz RB 1 0 NTV




Band26b 15MHz 16QAM HCH 841.5MHz RB 1 0 NTV




Band26b 15MHz 16QAM HCH 841.5MHz RB 1 0 NTNV




Band26b 15MHz 16QAM HCH 841.5MHz RB 1 0 NTNV



Band26b 15MHz 16QAM HCH 841.5MHz RB 1 74 NTNV



Band26b 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26b	1.4	824.7	848.3	0.1832	0.0015	ppm	1M10G7D	/	22.63
26b	1.4	824.7	848.3	0.1702	0.0015	ppm	1M11W7D	/	22.31
26b	3	825.5	847.5	0.1774	0.0008	ppm	2M72G7D	/	22.49
26b	3	825.5	847.5	0.1503	0.0013	ppm	2M71W7D	/	21.77
26b	5	826.5	846.5	0.1754	0.0013	ppm	4M57G7D	/	22.44
26b	5	826.5	846.5	0.1346	0.0010	ppm	4M57W7D	/	21.29
26b	10	829	844	0.1770	0.0012	ppm	9M07G7D	/	22.48
26b	10	829	844	0.1510	0.0010	ppm	9M07W7D	/	21.79
26b	15	831.5	841.5	0.1799	0.0014	ppm	13M6G7D	/	22.55
26b	15	831.5	841.5	0.1698	0.0012	ppm	13M6W7D	/	22.30

7.1.2 Form731_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26b	1.4	824.7	848.3	0.0796	0.0015	ppm	1M10G7D	/	19.01
26b	1.4	824.7	848.3	0.0740	0.0015	ppm	1M11W7D	/	18.69
26b	3	825.5	847.5	0.0771	0.0008	ppm	2M72G7D	/	18.87
26b	3	825.5	847.5	0.0653	0.0013	ppm	2M71W7D	/	18.15
26b	5	826.5	846.5	0.0762	0.0013	ppm	4M57G7D	/	18.82
26b	5	826.5	846.5	0.0585	0.0010	ppm	4M57W7D	/	17.67
26b	10	829	844	0.0769	0.0012	ppm	9M07G7D	/	18.86
26b	10	829	844	0.0656	0.0010	ppm	9M07W7D	/	18.17
26b	15	831.5	841.5	0.0782	0.0014	ppm	13M6G7D	/	18.93
26b	15	831.5	841.5	0.0738	0.0012	ppm	13M6W7D	/	18.68