

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.22	-2.21	20.01	<=33.01	Pass
			2	22.26	-2.21	20.05	<=33.01	Pass
			5	22.20	-2.21	19.99	<=33.01	Pass
		3	0	22.16	-2.21	19.95	<=33.01	Pass
			2	22.23	-2.21	20.02	<=33.01	Pass
			3	22.15	-2.21	19.94	<=33.01	Pass
		6	0	21.14	-2.21	18.93	<=33.01	Pass
	1880	1	0	22.01	-2.21	19.80	<=33.01	Pass
			2	22.08	-2.21	19.87	<=33.01	Pass
			5	21.98	-2.21	19.77	<=33.01	Pass
		3	0	22.09	-2.21	19.88	<=33.01	Pass
			2	22.10	-2.21	19.89	<=33.01	Pass
			3	22.02	-2.21	19.81	<=33.01	Pass
		6	0	21.02	-2.21	18.81	<=33.01	Pass
	1909.3	1	0	21.88	-2.21	19.67	<=33.01	Pass
			2	21.99	-2.21	19.78	<=33.01	Pass
			5	21.94	-2.21	19.73	<=33.01	Pass
		3	0	21.99	-2.21	19.78	<=33.01	Pass
			2	21.98	-2.21	19.77	<=33.01	Pass
			3	22.00	-2.21	19.79	<=33.01	Pass
		6	0	20.95	-2.21	18.74	<=33.01	Pass
16QAM	1850.7	1	0	21.35	-2.21	19.14	<=33.01	Pass
			2	21.33	-2.21	19.12	<=33.01	Pass
			5	21.39	-2.21	19.18	<=33.01	Pass
		3	0	21.38	-2.21	19.17	<=33.01	Pass
			2	21.30	-2.21	19.09	<=33.01	Pass
			3	21.32	-2.21	19.11	<=33.01	Pass
		6	0	20.42	-2.21	18.21	<=33.01	Pass
	1880	1	0	21.04	-2.21	18.83	<=33.01	Pass
			2	21.09	-2.21	18.88	<=33.01	Pass
			5	21.01	-2.21	18.80	<=33.01	Pass
		3	0	20.99	-2.21	18.78	<=33.01	Pass
			2	21.02	-2.21	18.81	<=33.01	Pass
			3	20.98	-2.21	18.77	<=33.01	Pass
		6	0	19.95	-2.21	17.74	<=33.01	Pass
	1909.3	1	0	20.50	-2.21	18.29	<=33.01	Pass
			2	20.47	-2.21	18.26	<=33.01	Pass
			5	20.47	-2.21	18.26	<=33.01	Pass
		3	0	20.77	-2.21	18.56	<=33.01	Pass
			2	20.75	-2.21	18.54	<=33.01	Pass
			3	20.78	-2.21	18.57	<=33.01	Pass
		6	0	19.98	-2.21	17.77	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.12	-2.21	19.91	<=33.01	Pass
			7	22.13	-2.21	19.92	<=33.01	Pass
			14	22.21	-2.21	20.00	<=33.01	Pass
		8	0	21.09	-2.21	18.88	<=33.01	Pass
			4	21.05	-2.21	18.84	<=33.01	Pass
			7	21.14	-2.21	18.93	<=33.01	Pass
		15	0	21.15	-2.21	18.94	<=33.01	Pass
	1880	1	0	21.93	-2.21	19.72	<=33.01	Pass
			7	21.98	-2.21	19.77	<=33.01	Pass
			14	21.90	-2.21	19.69	<=33.01	Pass
		8	0	21.02	-2.21	18.81	<=33.01	Pass
			4	21.03	-2.21	18.82	<=33.01	Pass
			7	20.98	-2.21	18.77	<=33.01	Pass
		15	0	21.02	-2.21	18.81	<=33.01	Pass
	1908.5	1	0	22.06	-2.21	19.85	<=33.01	Pass
			7	22.01	-2.21	19.80	<=33.01	Pass
			14	21.98	-2.21	19.77	<=33.01	Pass
		8	0	21.01	-2.21	18.80	<=33.01	Pass
			4	21.00	-2.21	18.79	<=33.01	Pass
			7	20.92	-2.21	18.71	<=33.01	Pass
		15	0	20.98	-2.21	18.77	<=33.01	Pass
16QAM	1851.5	1	0	20.63	-2.21	18.42	<=33.01	Pass
			7	20.72	-2.21	18.51	<=33.01	Pass
			14	20.59	-2.21	18.38	<=33.01	Pass
		8	0	20.37	-2.21	18.16	<=33.01	Pass
			4	20.36	-2.21	18.15	<=33.01	Pass
			7	20.30	-2.21	18.09	<=33.01	Pass
		15	0	20.26	-2.21	18.05	<=33.01	Pass
	1880	1	0	21.51	-2.21	19.30	<=33.01	Pass
			7	21.48	-2.21	19.27	<=33.01	Pass
			14	21.41	-2.21	19.20	<=33.01	Pass
		8	0	20.00	-2.21	17.79	<=33.01	Pass
			4	20.12	-2.21	17.91	<=33.01	Pass
			7	20.06	-2.21	17.85	<=33.01	Pass
		15	0	19.97	-2.21	17.76	<=33.01	Pass
	1908.5	1	0	21.39	-2.21	19.18	<=33.01	Pass
			7	21.39	-2.21	19.18	<=33.01	Pass
			14	21.36	-2.21	19.15	<=33.01	Pass
		8	0	20.50	-2.21	18.29	<=33.01	Pass
			4	20.30	-2.21	18.09	<=33.01	Pass
			7	20.26	-2.21	18.05	<=33.01	Pass
		15	0	20.06	-2.21	17.85	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	21.26	-2.21	19.05	<=33.01	Pass
			13	21.17	-2.21	18.96	<=33.01	Pass
			24	21.16	-2.21	18.95	<=33.01	Pass
		12	0	21.14	-2.21	18.93	<=33.01	Pass
			6	21.12	-2.21	18.91	<=33.01	Pass
			13	21.10	-2.21	18.89	<=33.01	Pass

16QAM	1880	25	0	21.09	-2.21	18.88	<=33.01	Pass
		1	0	21.02	-2.21	18.81	<=33.01	Pass
			13	21.02	-2.21	18.81	<=33.01	Pass
			24	21.03	-2.21	18.82	<=33.01	Pass
		12	0	21.03	-2.21	18.82	<=33.01	Pass
			6	21.03	-2.21	18.82	<=33.01	Pass
			13	21.03	-2.21	18.82	<=33.01	Pass
		25	0	21.04	-2.21	18.83	<=33.01	Pass
	1907.5	1	0	21.04	-2.21	18.83	<=33.01	Pass
			13	21.02	-2.21	18.81	<=33.01	Pass
			24	21.10	-2.21	18.89	<=33.01	Pass
		12	0	21.11	-2.21	18.90	<=33.01	Pass
			6	21.10	-2.21	18.89	<=33.01	Pass
			13	21.10	-2.21	18.89	<=33.01	Pass
		25	0	21.10	-2.21	18.89	<=33.01	Pass
	1852.5	1	0	21.08	-2.21	18.87	<=33.01	Pass
			13	21.10	-2.21	18.89	<=33.01	Pass
			24	21.14	-2.21	18.93	<=33.01	Pass
		12	0	21.20	-2.21	18.99	<=33.01	Pass
			6	21.18	-2.21	18.97	<=33.01	Pass
			13	21.19	-2.21	18.98	<=33.01	Pass
		25	0	21.19	-2.21	18.98	<=33.01	Pass
	1880	1	0	21.03	-2.21	18.82	<=33.01	Pass
			13	21.04	-2.21	18.83	<=33.01	Pass
			24	21.04	-2.21	18.83	<=33.01	Pass
		12	0	21.04	-2.21	18.83	<=33.01	Pass
			6	21.04	-2.21	18.83	<=33.01	Pass
			13	21.04	-2.21	18.83	<=33.01	Pass
		25	0	21.05	-2.21	18.84	<=33.01	Pass
	1907.5	1	0	21.10	-2.21	18.89	<=33.01	Pass
			13	21.09	-2.21	18.88	<=33.01	Pass
			24	21.08	-2.21	18.87	<=33.01	Pass
		12	0	21.08	-2.21	18.87	<=33.01	Pass
			6	21.08	-2.21	18.87	<=33.01	Pass
			13	21.08	-2.21	18.87	<=33.01	Pass
		25	0	21.07	-2.21	18.86	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.14	-2.21	19.93	<=33.01	Pass
			25	22.22	-2.21	20.01	<=33.01	Pass
			49	22.08	-2.21	19.87	<=33.01	Pass
		25	0	21.26	-2.21	19.05	<=33.01	Pass
			13	21.17	-2.21	18.96	<=33.01	Pass
			25	21.23	-2.21	19.02	<=33.01	Pass
		50	0	21.20	-2.21	18.99	<=33.01	Pass
	1880	1	0	22.05	-2.21	19.84	<=33.01	Pass
			25	22.09	-2.21	19.88	<=33.01	Pass
			49	22.01	-2.21	19.80	<=33.01	Pass
		25	0	21.05	-2.21	18.84	<=33.01	Pass
			13	21.07	-2.21	18.86	<=33.01	Pass
			25	21.06	-2.21	18.85	<=33.01	Pass
		50	0	21.13	-2.21	18.92	<=33.01	Pass

16QAM	1905	1	0	22.12	-2.21	19.91	<=33.01	Pass
			25	22.16	-2.21	19.95	<=33.01	Pass
			49	22.11	-2.21	19.90	<=33.01	Pass
		25	0	21.07	-2.21	18.86	<=33.01	Pass
			13	20.97	-2.21	18.76	<=33.01	Pass
			25	21.07	-2.21	18.86	<=33.01	Pass
		50	0	21.05	-2.21	18.84	<=33.01	Pass
	1855	1	0	21.61	-2.21	19.40	<=33.01	Pass
			25	21.60	-2.21	19.39	<=33.01	Pass
			49	21.59	-2.21	19.38	<=33.01	Pass
		25	0	20.18	-2.21	17.97	<=33.01	Pass
			13	20.48	-2.21	18.27	<=33.01	Pass
			25	20.22	-2.21	18.01	<=33.01	Pass
		50	0	20.47	-2.21	18.26	<=33.01	Pass
	1880	1	0	20.60	-2.21	18.39	<=33.01	Pass
			25	20.67	-2.21	18.46	<=33.01	Pass
			49	20.67	-2.21	18.46	<=33.01	Pass
		25	0	20.20	-2.21	17.99	<=33.01	Pass
			13	20.13	-2.21	17.92	<=33.01	Pass
			25	20.19	-2.21	17.98	<=33.01	Pass
		50	0	20.00	-2.21	17.79	<=33.01	Pass
	1905	1	0	21.17	-2.21	18.96	<=33.01	Pass
			25	21.27	-2.21	19.06	<=33.01	Pass
			49	21.20	-2.21	18.99	<=33.01	Pass
		25	0	20.15	-2.21	17.94	<=33.01	Pass
			13	20.17	-2.21	17.96	<=33.01	Pass
			25	20.40	-2.21	18.19	<=33.01	Pass
		50	0	20.10	-2.21	17.89	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.03	-2.21	19.82	<=33.01	Pass
			38	22.11	-2.21	19.90	<=33.01	Pass
			74	22.08	-2.21	19.87	<=33.01	Pass
		36	0	21.20	-2.21	18.99	<=33.01	Pass
			18	21.16	-2.21	18.95	<=33.01	Pass
			39	21.12	-2.21	18.91	<=33.01	Pass
		75	0	21.17	-2.21	18.96	<=33.01	Pass
	1880	1	0	21.94	-2.21	19.73	<=33.01	Pass
			38	21.90	-2.21	19.69	<=33.01	Pass
			74	21.98	-2.21	19.77	<=33.01	Pass
		36	0	20.93	-2.21	18.72	<=33.01	Pass
			18	21.07	-2.21	18.86	<=33.01	Pass
			39	20.95	-2.21	18.74	<=33.01	Pass
		75	0	21.12	-2.21	18.91	<=33.01	Pass
	1902.5	1	0	21.99	-2.21	19.78	<=33.01	Pass
			38	22.05	-2.21	19.84	<=33.01	Pass
			74	22.03	-2.21	19.82	<=33.01	Pass
		36	0	21.06	-2.21	18.85	<=33.01	Pass
			18	21.05	-2.21	18.84	<=33.01	Pass
			39	20.98	-2.21	18.77	<=33.01	Pass
		75	0	21.09	-2.21	18.88	<=33.01	Pass
16QAM	1857.5	1	0	21.28	-2.21	19.07	<=33.01	Pass

		36	38	21.39	-2.21	19.18	<=33.01	Pass
			74	21.29	-2.21	19.08	<=33.01	Pass
			0	20.43	-2.21	18.22	<=33.01	Pass
			18	20.19	-2.21	17.98	<=33.01	Pass
			39	20.52	-2.21	18.31	<=33.01	Pass
		75	0	20.14	-2.21	17.93	<=33.01	Pass
	1880	1	0	21.18	-2.21	18.97	<=33.01	Pass
			38	21.20	-2.21	18.99	<=33.01	Pass
			74	21.23	-2.21	19.02	<=33.01	Pass
		36	0	20.10	-2.21	17.89	<=33.01	Pass
			18	20.03	-2.21	17.82	<=33.01	Pass
			39	20.06	-2.21	17.85	<=33.01	Pass
		75	0	19.99	-2.21	17.78	<=33.01	Pass
	1902.5	1	0	21.21	-2.21	19.00	<=33.01	Pass
			38	21.21	-2.21	19.00	<=33.01	Pass
			74	21.18	-2.21	18.97	<=33.01	Pass
		36	0	20.42	-2.21	18.21	<=33.01	Pass
			18	20.22	-2.21	18.01	<=33.01	Pass
			39	20.38	-2.21	18.17	<=33.01	Pass
		75	0	20.14	-2.21	17.93	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.22	-2.21	20.01	<=33.01	Pass
			50	22.23	-2.21	20.02	<=33.01	Pass
			99	22.20	-2.21	19.99	<=33.01	Pass
		50	0	21.22	-2.21	19.01	<=33.01	Pass
			25	21.21	-2.21	19.00	<=33.01	Pass
			50	21.14	-2.21	18.93	<=33.01	Pass
		100	0	21.25	-2.21	19.04	<=33.01	Pass
	1880	1	0	22.19	-2.21	19.98	<=33.01	Pass
			50	22.12	-2.21	19.91	<=33.01	Pass
			99	22.12	-2.21	19.91	<=33.01	Pass
		50	0	21.08	-2.21	18.87	<=33.01	Pass
			25	21.20	-2.21	18.99	<=33.01	Pass
			50	21.02	-2.21	18.81	<=33.01	Pass
		100	0	21.03	-2.21	18.82	<=33.01	Pass
	1900	1	0	22.06	-2.21	19.85	<=33.01	Pass
			50	22.17	-2.21	19.96	<=33.01	Pass
			99	22.16	-2.21	19.95	<=33.01	Pass
		50	0	21.06	-2.21	18.85	<=33.01	Pass
			25	21.03	-2.21	18.82	<=33.01	Pass
			50	21.03	-2.21	18.82	<=33.01	Pass
		100	0	21.02	-2.21	18.81	<=33.01	Pass
16QAM	1860	1	0	21.90	-2.21	19.69	<=33.01	Pass
			50	21.88	-2.21	19.67	<=33.01	Pass
			99	21.82	-2.21	19.61	<=33.01	Pass
		50	0	20.46	-2.21	18.25	<=33.01	Pass
			25	20.41	-2.21	18.20	<=33.01	Pass
			50	20.17	-2.21	17.96	<=33.01	Pass
		100	0	20.47	-2.21	18.26	<=33.01	Pass
	1880	1	0	21.07	-2.21	18.86	<=33.01	Pass
			50	21.08	-2.21	18.87	<=33.01	Pass

		50	99	20.96	-2.21	18.75	<=33.01	Pass
			0	20.41	-2.21	18.20	<=33.01	Pass
			25	20.14	-2.21	17.93	<=33.01	Pass
			50	20.07	-2.21	17.86	<=33.01	Pass
	1900	100	0	20.08	-2.21	17.87	<=33.01	Pass
			0	21.03	-2.21	18.82	<=33.01	Pass
			50	20.98	-2.21	18.77	<=33.01	Pass
		1	99	21.06	-2.21	18.85	<=33.01	Pass
			0	20.20	-2.21	17.99	<=33.01	Pass
			25	20.39	-2.21	18.18	<=33.01	Pass
		50	50	20.10	-2.21	17.89	<=33.01	Pass
			0	20.39	-2.21	18.18	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	3.519	0.0019	-2.5 to 2.5	Pass
					3.85	24.791	0.0134	-2.5 to 2.5	Pass
					4.43	16.909	0.0091	-2.5 to 2.5	Pass
				-30	3.85	10.586	0.0057	-2.5 to 2.5	Pass
				-20	3.85	47.393	0.0256	-2.5 to 2.5	Pass
				-10	3.85	30.112	0.0163	-2.5 to 2.5	Pass
				0	3.85	8.826	0.0048	-2.5 to 2.5	Pass
				10	3.85	30.441	0.0164	-2.5 to 2.5	Pass
				30	3.85	50.039	0.0270	-2.5 to 2.5	Pass
				40	3.85	30.227	0.0163	-2.5 to 2.5	Pass
				50	3.85	45.490	0.0246	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	15.178	0.0081	-2.5 to 2.5	Pass
					3.85	10.657	0.0057	-2.5 to 2.5	Pass
					4.43	12.531	0.0067	-2.5 to 2.5	Pass
				-30	3.85	15.306	0.0081	-2.5 to 2.5	Pass
				-20	3.85	17.238	0.0092	-2.5 to 2.5	Pass
				-10	3.85	23.990	0.0128	-2.5 to 2.5	Pass
				0	3.85	33.016	0.0176	-2.5 to 2.5	Pass
				10	3.85	41.685	0.0222	-2.5 to 2.5	Pass
				30	3.85	49.524	0.0263	-2.5 to 2.5	Pass
				40	3.85	56.334	0.0300	-2.5 to 2.5	Pass
				50	3.85	11.616	0.0062	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	3.591	0.0019	-2.5 to 2.5	Pass
					3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
					4.43	8.469	0.0044	-2.5 to 2.5	Pass
				-30	3.85	16.751	0.0088	-2.5 to 2.5	Pass
				-20	3.85	24.905	0.0130	-2.5 to 2.5	Pass
				-10	3.85	31.185	0.0163	-2.5 to 2.5	Pass
				0	3.85	35.062	0.0184	-2.5 to 2.5	Pass
				10	3.85	39.210	0.0205	-2.5 to 2.5	Pass
				30	3.85	42.672	0.0223	-2.5 to 2.5	Pass
				40	3.85	45.161	0.0237	-2.5 to 2.5	Pass
				50	3.85	47.636	0.0249	-2.5 to 2.5	Pass

16QAM	1850.7	6	0	20	3.27	-2.575	-0.0014	-2.5 to 2.5	Pass
					3.85	9.828	0.0053	-2.5 to 2.5	Pass
					4.43	16.851	0.0091	-2.5 to 2.5	Pass
				-30	3.85	24.419	0.0132	-2.5 to 2.5	Pass
				-20	3.85	30.656	0.0166	-2.5 to 2.5	Pass
				-10	3.85	36.664	0.0198	-2.5 to 2.5	Pass
				0	3.85	43.602	0.0236	-2.5 to 2.5	Pass
				10	3.85	11.559	0.0062	-2.5 to 2.5	Pass
				30	3.85	18.196	0.0098	-2.5 to 2.5	Pass
				40	3.85	23.017	0.0124	-2.5 to 2.5	Pass
				50	3.85	28.167	0.0152	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	16.222	0.0086	-2.5 to 2.5	Pass
					3.85	21.772	0.0116	-2.5 to 2.5	Pass
					4.43	23.561	0.0125	-2.5 to 2.5	Pass
				-30	3.85	25.306	0.0135	-2.5 to 2.5	Pass
				-20	3.85	26.507	0.0141	-2.5 to 2.5	Pass
				-10	3.85	28.882	0.0154	-2.5 to 2.5	Pass
				0	3.85	30.785	0.0164	-2.5 to 2.5	Pass
				10	3.85	31.657	0.0168	-2.5 to 2.5	Pass
				30	3.85	33.631	0.0179	-2.5 to 2.5	Pass
				40	3.85	35.334	0.0188	-2.5 to 2.5	Pass
				50	3.85	36.764	0.0196	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	49.253	0.0258	-2.5 to 2.5	Pass
					3.85	3.061	0.0016	-2.5 to 2.5	Pass
					4.43	2.375	0.0012	-2.5 to 2.5	Pass
				-30	3.85	0.515	0.0003	-2.5 to 2.5	Pass
				-20	3.85	1.631	0.0009	-2.5 to 2.5	Pass
				-10	3.85	1.273	0.0007	-2.5 to 2.5	Pass
				0	3.85	0.873	0.0005	-2.5 to 2.5	Pass
				10	3.85	1.001	0.0005	-2.5 to 2.5	Pass
				30	3.85	2.060	0.0011	-2.5 to 2.5	Pass
				40	3.85	2.246	0.0012	-2.5 to 2.5	Pass
				50	3.85	3.276	0.0017	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	11.258	0.0061	-2.5 to 2.5	Pass
					3.85	9.599	0.0052	-2.5 to 2.5	Pass
					4.43	22.917	0.0124	-2.5 to 2.5	Pass
				-30	3.85	22.073	0.0119	-2.5 to 2.5	Pass
				-20	3.85	24.505	0.0132	-2.5 to 2.5	Pass
				-10	3.85	8.812	0.0048	-2.5 to 2.5	Pass
				0	3.85	31.571	0.0171	-2.5 to 2.5	Pass
				10	3.85	0.973	0.0005	-2.5 to 2.5	Pass
				30	3.85	13.833	0.0075	-2.5 to 2.5	Pass
				40	3.85	25.406	0.0137	-2.5 to 2.5	Pass
				50	3.85	33.245	0.0180	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	-6.881	-0.0037	-2.5 to 2.5	Pass
					3.85	-15.478	-0.0082	-2.5 to 2.5	Pass
					4.43	-11.187	-0.0060	-2.5 to 2.5	Pass
				-30	3.85	-8.469	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-7.682	-0.0041	-2.5 to 2.5	Pass
				-10	3.85	-6.080	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-4.621	-0.0025	-2.5 to 2.5	Pass

				10	3.85	-4.063	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-3.619	-0.0019	-2.5 to 2.5	Pass
				40	3.85	-2.275	-0.0012	-2.5 to 2.5	Pass
				50	3.85	-1.631	-0.0009	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	11.215	0.0059	-2.5 to 2.5	Pass
					3.85	10.142	0.0053	-2.5 to 2.5	Pass
					4.43	15.907	0.0083	-2.5 to 2.5	Pass
				-30	3.85	20.771	0.0109	-2.5 to 2.5	Pass
				-20	3.85	25.535	0.0134	-2.5 to 2.5	Pass
				-10	3.85	29.397	0.0154	-2.5 to 2.5	Pass
				0	3.85	32.730	0.0171	-2.5 to 2.5	Pass
				10	3.85	33.002	0.0173	-2.5 to 2.5	Pass
				30	3.85	35.033	0.0184	-2.5 to 2.5	Pass
				40	3.85	35.248	0.0185	-2.5 to 2.5	Pass
				50	3.85	36.306	0.0190	-2.5 to 2.5	Pass
	16QAM	1851.5	15	20	3.27	41.971	0.0227	-2.5 to 2.5	Pass
					3.85	11.988	0.0065	-2.5 to 2.5	Pass
					4.43	14.548	0.0079	-2.5 to 2.5	Pass
				-30	3.85	15.979	0.0086	-2.5 to 2.5	Pass
				-20	3.85	18.454	0.0100	-2.5 to 2.5	Pass
				-10	3.85	20.313	0.0110	-2.5 to 2.5	Pass
				0	3.85	21.744	0.0117	-2.5 to 2.5	Pass
				10	3.85	23.003	0.0124	-2.5 to 2.5	Pass
				30	3.85	24.977	0.0135	-2.5 to 2.5	Pass
				40	3.85	27.394	0.0148	-2.5 to 2.5	Pass
				50	3.85	28.381	0.0153	-2.5 to 2.5	Pass
		1880	15	20	3.27	-0.544	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.486	-0.0003	-2.5 to 2.5	Pass
					4.43	-5.450	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-9.727	-0.0052	-2.5 to 2.5	Pass
				-20	3.85	-13.175	-0.0070	-2.5 to 2.5	Pass
				-10	3.85	-14.791	-0.0079	-2.5 to 2.5	Pass
				0	3.85	-15.192	-0.0081	-2.5 to 2.5	Pass
				10	3.85	-15.249	-0.0081	-2.5 to 2.5	Pass
				30	3.85	-15.135	-0.0081	-2.5 to 2.5	Pass
				40	3.85	-12.903	-0.0069	-2.5 to 2.5	Pass
				50	3.85	-12.059	-0.0064	-2.5 to 2.5	Pass
		1908.5	15	20	3.27	37.565	0.0197	-2.5 to 2.5	Pass
					3.85	38.681	0.0203	-2.5 to 2.5	Pass
					4.43	33.417	0.0175	-2.5 to 2.5	Pass
				-30	3.85	29.097	0.0152	-2.5 to 2.5	Pass
				-20	3.85	25.849	0.0135	-2.5 to 2.5	Pass
				-10	3.85	24.991	0.0131	-2.5 to 2.5	Pass
				0	3.85	24.562	0.0129	-2.5 to 2.5	Pass
				10	3.85	26.836	0.0141	-2.5 to 2.5	Pass
				30	3.85	26.865	0.0141	-2.5 to 2.5	Pass
				40	3.85	27.809	0.0146	-2.5 to 2.5	Pass
				50	3.85	29.182	0.0153	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	17.424	0.0094	-2.5 to 2.5	Pass
					3.85	2.432	0.0013	-2.5 to 2.5	Pass
					4.43	13.947	0.0075	-2.5 to 2.5	Pass

				-30	3.85	36.492	0.0197	-2.5 to 2.5	Pass
				-20	3.85	10.085	0.0054	-2.5 to 2.5	Pass
				-10	3.85	36.693	0.0198	-2.5 to 2.5	Pass
				0	3.85	19.569	0.0106	-2.5 to 2.5	Pass
				10	3.85	34.904	0.0188	-2.5 to 2.5	Pass
				30	3.85	-14.791	-0.0080	-2.5 to 2.5	Pass
				40	3.85	-6.266	-0.0034	-2.5 to 2.5	Pass
				50	3.85	0.873	0.0005	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	8.569	0.0046	-2.5 to 2.5	Pass
					3.85	-4.792	-0.0025	-2.5 to 2.5	Pass
					4.43	-2.275	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	2.890	0.0015	-2.5 to 2.5	Pass
				-20	3.85	5.994	0.0032	-2.5 to 2.5	Pass
				-10	3.85	6.595	0.0035	-2.5 to 2.5	Pass
				0	3.85	8.469	0.0045	-2.5 to 2.5	Pass
				10	3.85	9.069	0.0048	-2.5 to 2.5	Pass
				30	3.85	10.285	0.0055	-2.5 to 2.5	Pass
				40	3.85	11.330	0.0060	-2.5 to 2.5	Pass
				50	3.85	11.315	0.0060	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-6.824	-0.0036	-2.5 to 2.5	Pass
					3.85	-4.048	-0.0021	-2.5 to 2.5	Pass
					4.43	11.373	0.0060	-2.5 to 2.5	Pass
				-30	3.85	17.023	0.0089	-2.5 to 2.5	Pass
				-20	3.85	23.160	0.0121	-2.5 to 2.5	Pass
				-10	3.85	27.180	0.0142	-2.5 to 2.5	Pass
				0	3.85	31.643	0.0166	-2.5 to 2.5	Pass
				10	3.85	33.860	0.0178	-2.5 to 2.5	Pass
				30	3.85	36.206	0.0190	-2.5 to 2.5	Pass
				40	3.85	38.137	0.0200	-2.5 to 2.5	Pass
				50	3.85	39.840	0.0209	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	7.381	0.0040	-2.5 to 2.5	Pass
					3.85	12.202	0.0066	-2.5 to 2.5	Pass
					4.43	14.291	0.0077	-2.5 to 2.5	Pass
				-30	3.85	15.664	0.0085	-2.5 to 2.5	Pass
				-20	3.85	16.651	0.0090	-2.5 to 2.5	Pass
				-10	3.85	18.353	0.0099	-2.5 to 2.5	Pass
				0	3.85	19.083	0.0103	-2.5 to 2.5	Pass
				10	3.85	19.226	0.0104	-2.5 to 2.5	Pass
				30	3.85	20.742	0.0112	-2.5 to 2.5	Pass
				40	3.85	22.545	0.0122	-2.5 to 2.5	Pass
				50	3.85	24.047	0.0130	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	12.360	0.0066	-2.5 to 2.5	Pass
					3.85	10.858	0.0058	-2.5 to 2.5	Pass
					4.43	4.392	0.0023	-2.5 to 2.5	Pass
				-30	3.85	-1.044	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-4.778	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	-7.925	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-9.413	-0.0050	-2.5 to 2.5	Pass
				10	3.85	-9.899	-0.0053	-2.5 to 2.5	Pass
				30	3.85	-10.557	-0.0056	-2.5 to 2.5	Pass
				40	3.85	-11.430	-0.0061	-2.5 to 2.5	Pass
				50	3.85	-11.344	-0.0060	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	14.806	0.0078	-2.5 to 2.5	Pass
					3.85	4.563	0.0024	-2.5 to 2.5	Pass
					4.43	4.034	0.0021	-2.5 to 2.5	Pass
				-30	3.85	2.518	0.0013	-2.5 to 2.5	Pass
				-20	3.85	2.031	0.0011	-2.5 to 2.5	Pass
				-10	3.85	1.788	0.0009	-2.5 to 2.5	Pass
				0	3.85	1.631	0.0009	-2.5 to 2.5	Pass

				10	3.85	1.402	0.0007	-2.5 to 2.5	Pass
				30	3.85	1.216	0.0006	-2.5 to 2.5	Pass
				40	3.85	1.802	0.0009	-2.5 to 2.5	Pass
				50	3.85	2.403	0.0013	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	17.710	0.0095	-2.5 to 2.5	Pass
					3.85	26.450	0.0143	-2.5 to 2.5	Pass
					4.43	20.142	0.0109	-2.5 to 2.5	Pass
				-30	3.85	12.832	0.0069	-2.5 to 2.5	Pass
				-20	3.85	42.429	0.0229	-2.5 to 2.5	Pass
				-10	3.85	14.119	0.0076	-2.5 to 2.5	Pass
				0	3.85	28.596	0.0154	-2.5 to 2.5	Pass
				10	3.85	38.896	0.0210	-2.5 to 2.5	Pass
				30	3.85	45.934	0.0248	-2.5 to 2.5	Pass
				40	3.85	52.528	0.0283	-2.5 to 2.5	Pass
				50	3.85	7.482	0.0040	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	1.545	0.0008	-2.5 to 2.5	Pass
					3.85	-9.799	-0.0052	-2.5 to 2.5	Pass
					4.43	-1.988	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	3.948	0.0021	-2.5 to 2.5	Pass
				-20	3.85	5.779	0.0031	-2.5 to 2.5	Pass
				-10	3.85	6.838	0.0036	-2.5 to 2.5	Pass
				0	3.85	7.896	0.0042	-2.5 to 2.5	Pass
				10	3.85	8.926	0.0047	-2.5 to 2.5	Pass
				30	3.85	9.027	0.0048	-2.5 to 2.5	Pass
				40	3.85	10.357	0.0055	-2.5 to 2.5	Pass
				50	3.85	11.158	0.0059	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-5.693	-0.0030	-2.5 to 2.5	Pass
					3.85	1.073	0.0006	-2.5 to 2.5	Pass
					4.43	22.316	0.0117	-2.5 to 2.5	Pass
				-30	3.85	31.672	0.0166	-2.5 to 2.5	Pass
				-20	3.85	35.234	0.0185	-2.5 to 2.5	Pass
				-10	3.85	38.638	0.0203	-2.5 to 2.5	Pass
				0	3.85	4.377	0.0023	-2.5 to 2.5	Pass
				10	3.85	6.108	0.0032	-2.5 to 2.5	Pass
				30	3.85	7.124	0.0037	-2.5 to 2.5	Pass
				40	3.85	8.969	0.0047	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	11.702	0.0063	-2.5 to 2.5	Pass
					3.85	14.420	0.0078	-2.5 to 2.5	Pass
					4.43	14.777	0.0080	-2.5 to 2.5	Pass
				-30	3.85	14.949	0.0081	-2.5 to 2.5	Pass
				-20	3.85	16.179	0.0087	-2.5 to 2.5	Pass
				-10	3.85	16.108	0.0087	-2.5 to 2.5	Pass
				0	3.85	17.610	0.0095	-2.5 to 2.5	Pass
				10	3.85	18.096	0.0098	-2.5 to 2.5	Pass
				30	3.85	19.197	0.0103	-2.5 to 2.5	Pass
				40	3.85	20.127	0.0109	-2.5 to 2.5	Pass
				50	3.85	20.785	0.0112	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	12.031	0.0064	-2.5 to 2.5	Pass
					3.85	6.266	0.0033	-2.5 to 2.5	Pass
					4.43	-2.089	-0.0011	-2.5 to 2.5	Pass

				-30	3.85	-8.297	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-12.116	-0.0064	-2.5 to 2.5	Pass
				-10	3.85	-16.265	-0.0087	-2.5 to 2.5	Pass
				0	3.85	-17.066	-0.0091	-2.5 to 2.5	Pass
				10	3.85	-18.368	-0.0098	-2.5 to 2.5	Pass
				30	3.85	-19.813	-0.0105	-2.5 to 2.5	Pass
				40	3.85	-20.342	-0.0108	-2.5 to 2.5	Pass
				50	3.85	-20.814	-0.0111	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	11.487	0.0060	-2.5 to 2.5	Pass
					3.85	2.489	0.0013	-2.5 to 2.5	Pass
					4.43	-7.153	-0.0038	-2.5 to 2.5	Pass
				-30	3.85	-14.477	-0.0076	-2.5 to 2.5	Pass
				-20	3.85	-19.040	-0.0100	-2.5 to 2.5	Pass
				-10	3.85	-22.244	-0.0117	-2.5 to 2.5	Pass
				0	3.85	-24.018	-0.0126	-2.5 to 2.5	Pass
				10	3.85	-26.078	-0.0137	-2.5 to 2.5	Pass
				30	3.85	-26.879	-0.0141	-2.5 to 2.5	Pass
				40	3.85	-26.622	-0.0140	-2.5 to 2.5	Pass
				50	3.85	-26.965	-0.0142	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	19.670	0.0106	-2.5 to 2.5	Pass
					3.85	43.116	0.0232	-2.5 to 2.5	Pass
					4.43	9.913	0.0053	-2.5 to 2.5	Pass
				-30	3.85	19.927	0.0107	-2.5 to 2.5	Pass
				-20	3.85	50.297	0.0271	-2.5 to 2.5	Pass
				-10	3.85	21.915	0.0118	-2.5 to 2.5	Pass
				0	3.85	36.807	0.0198	-2.5 to 2.5	Pass
				10	3.85	-1.373	-0.0007	-2.5 to 2.5	Pass
				30	3.85	7.696	0.0041	-2.5 to 2.5	Pass
				40	3.85	13.747	0.0074	-2.5 to 2.5	Pass
				50	3.85	18.868	0.0102	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	1.044	0.0006	-2.5 to 2.5	Pass
					3.85	-0.572	-0.0003	-2.5 to 2.5	Pass
					4.43	4.792	0.0025	-2.5 to 2.5	Pass
				-30	3.85	7.768	0.0041	-2.5 to 2.5	Pass
				-20	3.85	10.500	0.0056	-2.5 to 2.5	Pass
				-10	3.85	12.331	0.0066	-2.5 to 2.5	Pass
				0	3.85	13.304	0.0071	-2.5 to 2.5	Pass
				10	3.85	14.691	0.0078	-2.5 to 2.5	Pass
				30	3.85	15.292	0.0081	-2.5 to 2.5	Pass
				40	3.85	16.966	0.0090	-2.5 to 2.5	Pass
				50	3.85	17.467	0.0093	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-12.417	-0.0065	-2.5 to 2.5	Pass
					3.85	-3.633	-0.0019	-2.5 to 2.5	Pass
					4.43	11.530	0.0061	-2.5 to 2.5	Pass
				-30	3.85	16.794	0.0088	-2.5 to 2.5	Pass
				-20	3.85	19.698	0.0104	-2.5 to 2.5	Pass
				-10	3.85	21.830	0.0115	-2.5 to 2.5	Pass
				0	3.85	23.389	0.0123	-2.5 to 2.5	Pass
				10	3.85	24.905	0.0131	-2.5 to 2.5	Pass
				30	3.85	25.978	0.0137	-2.5 to 2.5	Pass
				40	3.85	27.394	0.0144	-2.5 to 2.5	Pass

16QAM	1857.5	75	0	50	3.85	27.266	0.0143	-2.5 to 2.5	Pass
				20	3.27	24.705	0.0133	-2.5 to 2.5	Pass
					3.85	25.291	0.0136	-2.5 to 2.5	Pass
					4.43	25.477	0.0137	-2.5 to 2.5	Pass
				-30	3.85	25.005	0.0135	-2.5 to 2.5	Pass
				-20	3.85	26.622	0.0143	-2.5 to 2.5	Pass
				-10	3.85	26.979	0.0145	-2.5 to 2.5	Pass
				0	3.85	27.123	0.0146	-2.5 to 2.5	Pass
				10	3.85	28.739	0.0155	-2.5 to 2.5	Pass
				30	3.85	30.298	0.0163	-2.5 to 2.5	Pass
	1880	75	0	40	3.85	30.828	0.0166	-2.5 to 2.5	Pass
				50	3.85	31.757	0.0171	-2.5 to 2.5	Pass
				20	3.27	19.927	0.0106	-2.5 to 2.5	Pass
					3.85	13.361	0.0071	-2.5 to 2.5	Pass
					4.43	4.950	0.0026	-2.5 to 2.5	Pass
				-30	3.85	-0.644	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-4.249	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-5.965	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-7.238	-0.0039	-2.5 to 2.5	Pass
				10	3.85	-6.981	-0.0037	-2.5 to 2.5	Pass
	1902.5	75	0	30	3.85	-6.666	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-5.593	-0.0030	-2.5 to 2.5	Pass
				50	3.85	-3.676	-0.0020	-2.5 to 2.5	Pass
				20	3.27	29.511	0.0155	-2.5 to 2.5	Pass
					3.85	20.328	0.0107	-2.5 to 2.5	Pass
					4.43	12.059	0.0063	-2.5 to 2.5	Pass
				-30	3.85	5.751	0.0030	-2.5 to 2.5	Pass
				-20	3.85	1.845	0.0010	-2.5 to 2.5	Pass
				-10	3.85	-0.958	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-3.648	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-4.663	-0.0025	-2.5 to 2.5	Pass
				30	3.85	-6.051	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-5.236	-0.0028	-2.5 to 2.5	Pass
				50	3.85	-5.322	-0.0028	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	16.680	0.0090	-2.5 to 2.5	Pass
					3.85	7.524	0.0040	-2.5 to 2.5	Pass
					4.43	40.069	0.0215	-2.5 to 2.5	Pass
				-30	3.85	43.688	0.0235	-2.5 to 2.5	Pass
				-20	3.85	20.213	0.0109	-2.5 to 2.5	Pass
				-10	3.85	37.179	0.0200	-2.5 to 2.5	Pass
				0	3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
				10	3.85	8.440	0.0045	-2.5 to 2.5	Pass
				30	3.85	14.591	0.0078	-2.5 to 2.5	Pass
				40	3.85	18.840	0.0101	-2.5 to 2.5	Pass
	1880	100	0	50	3.85	23.274	0.0125	-2.5 to 2.5	Pass
				20	3.27	-8.283	-0.0044	-2.5 to 2.5	Pass
					3.85	-2.332	-0.0012	-2.5 to 2.5	Pass
					4.43	1.760	0.0009	-2.5 to 2.5	Pass
				-30	3.85	5.450	0.0029	-2.5 to 2.5	Pass
				-20	3.85	7.868	0.0042	-2.5 to 2.5	Pass
				-10	3.85	9.799	0.0052	-2.5 to 2.5	Pass

				0	3.85	12.474	0.0066	-2.5 to 2.5	Pass
				10	3.85	13.061	0.0069	-2.5 to 2.5	Pass
				30	3.85	14.577	0.0078	-2.5 to 2.5	Pass
				40	3.85	16.594	0.0088	-2.5 to 2.5	Pass
				50	3.85	17.080	0.0091	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-7.224	-0.0038	-2.5 to 2.5	Pass
					3.85	1.459	0.0008	-2.5 to 2.5	Pass
					4.43	19.255	0.0101	-2.5 to 2.5	Pass
				-30	3.85	28.968	0.0152	-2.5 to 2.5	Pass
				-20	3.85	31.328	0.0165	-2.5 to 2.5	Pass
				-10	3.85	34.089	0.0179	-2.5 to 2.5	Pass
				0	3.85	34.590	0.0182	-2.5 to 2.5	Pass
				10	3.85	35.248	0.0186	-2.5 to 2.5	Pass
				30	3.85	35.906	0.0189	-2.5 to 2.5	Pass
				40	3.85	36.078	0.0190	-2.5 to 2.5	Pass
				50	3.85	36.020	0.0190	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	27.781	0.0149	-2.5 to 2.5	Pass
					3.85	27.838	0.0150	-2.5 to 2.5	Pass
					4.43	28.210	0.0152	-2.5 to 2.5	Pass
				-30	3.85	29.197	0.0157	-2.5 to 2.5	Pass
				-20	3.85	29.712	0.0160	-2.5 to 2.5	Pass
				-10	3.85	31.857	0.0171	-2.5 to 2.5	Pass
				0	3.85	32.716	0.0176	-2.5 to 2.5	Pass
				10	3.85	33.417	0.0180	-2.5 to 2.5	Pass
				30	3.85	35.205	0.0189	-2.5 to 2.5	Pass
				40	3.85	36.864	0.0198	-2.5 to 2.5	Pass
				50	3.85	37.122	0.0200	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	20.084	0.0107	-2.5 to 2.5	Pass
					3.85	9.499	0.0051	-2.5 to 2.5	Pass
					4.43	-0.587	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-6.266	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-9.198	-0.0049	-2.5 to 2.5	Pass
				-10	3.85	-11.058	-0.0059	-2.5 to 2.5	Pass
				0	3.85	-10.242	-0.0054	-2.5 to 2.5	Pass
				10	3.85	-10.328	-0.0055	-2.5 to 2.5	Pass
				30	3.85	-9.971	-0.0053	-2.5 to 2.5	Pass
				40	3.85	-8.798	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-7.582	-0.0040	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	37.365	0.0197	-2.5 to 2.5	Pass
					3.85	28.996	0.0153	-2.5 to 2.5	Pass
					4.43	22.774	0.0120	-2.5 to 2.5	Pass
				-30	3.85	19.684	0.0104	-2.5 to 2.5	Pass
				-20	3.85	17.910	0.0094	-2.5 to 2.5	Pass
				-10	3.85	17.452	0.0092	-2.5 to 2.5	Pass
				0	3.85	17.438	0.0092	-2.5 to 2.5	Pass
				10	3.85	20.628	0.0109	-2.5 to 2.5	Pass
				30	3.85	22.931	0.0121	-2.5 to 2.5	Pass
				40	3.85	25.349	0.0133	-2.5 to 2.5	Pass
				50	3.85	28.195	0.0148	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.114	/	Pass
		1880	6	0	1.109	/	Pass
		1909.3	6	0	1.116	/	Pass
	16QAM	1850.7	6	0	1.117	/	Pass
		1880	6	0	1.108	/	Pass
		1909.3	6	0	1.116	/	Pass
3	QPSK	1851.5	15	0	2.757	/	Pass
		1880	15	0	2.745	/	Pass
		1908.5	15	0	2.746	/	Pass
	16QAM	1851.5	15	0	2.763	/	Pass
		1880	15	0	2.749	/	Pass
		1908.5	15	0	2.739	/	Pass
5	QPSK	1852.5	25	0	4.557	/	Pass
		1880	25	0	4.555	/	Pass
		1907.5	25	0	4.569	/	Pass
	16QAM	1852.5	25	0	4.559	/	Pass
		1880	25	0	4.571	/	Pass
		1907.5	25	0	4.556	/	Pass
10	QPSK	1855	50	0	9.078	/	Pass
		1880	50	0	9.053	/	Pass
		1905	50	0	9.053	/	Pass
	16QAM	1855	50	0	9.080	/	Pass
		1880	50	0	9.084	/	Pass
		1905	50	0	9.069	/	Pass
15	QPSK	1857.5	75	0	13.592	/	Pass
		1880	75	0	13.564	/	Pass
		1902.5	75	0	13.598	/	Pass
	16QAM	1857.5	75	0	13.612	/	Pass
		1880	75	0	13.615	/	Pass
		1902.5	75	0	13.583	/	Pass
20	QPSK	1860	100	0	18.147	/	Pass
		1880	100	0	18.157	/	Pass
		1900	100	0	18.117	/	Pass
	16QAM	1860	100	0	18.140	/	Pass
		1880	100	0	18.167	/	Pass
		1900	100	0	18.221	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.267	/	Pass
		1880	6	0	1.264	/	Pass
		1909.3	6	0	1.270	/	Pass


	16QAM	1850.7	6	0	1.273	/	Pass
		1880	6	0	1.271	/	Pass
		1909.3	6	0	1.279	/	Pass
3	QPSK	1851.5	15	0	3.105	/	Pass
		1880	15	0	3.093	/	Pass
		1908.5	15	0	3.102	/	Pass
	16QAM	1851.5	15	0	3.112	/	Pass
		1880	15	0	3.104	/	Pass
		1908.5	15	0	3.092	/	Pass
5	QPSK	1852.5	25	0	5.050	/	Pass
		1880	25	0	5.067	/	Pass
		1907.5	25	0	5.046	/	Pass
	16QAM	1852.5	25	0	5.087	/	Pass
		1880	25	0	5.080	/	Pass
		1907.5	25	0	5.064	/	Pass
10	QPSK	1855	50	0	10.038	/	Pass
		1880	50	0	10.015	/	Pass
		1905	50	0	9.980	/	Pass
	16QAM	1855	50	0	10.010	/	Pass
		1880	50	0	10.049	/	Pass
		1905	50	0	10.023	/	Pass
15	QPSK	1857.5	75	0	15.170	/	Pass
		1880	75	0	15.170	/	Pass
		1902.5	75	0	15.232	/	Pass
	16QAM	1857.5	75	0	15.158	/	Pass
		1880	75	0	15.336	/	Pass
		1902.5	75	0	15.117	/	Pass
20	QPSK	1860	100	0	20.081	/	Pass
		1880	100	0	20.079	/	Pass
		1900	100	0	19.930	/	Pass
	16QAM	1860	100	0	19.898	/	Pass
		1880	100	0	19.957	/	Pass
		1900	100	0	20.175	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




4.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTNV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTNV




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.64	<=13	Pass
	1880	6	0	5.37	<=13	Pass
	1909.3	6	0	5.41	<=13	Pass
16QAM	1850.7	6	0	6.33	<=13	Pass
	1880	6	0	6.25	<=13	Pass
	1909.3	6	0	6.21	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.66	<=13	Pass
	1880	15	0	5.40	<=13	Pass
	1908.5	15	0	5.52	<=13	Pass
16QAM	1851.5	15	0	6.43	<=13	Pass
	1880	15	0	6.27	<=13	Pass
	1908.5	15	0	6.35	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.61	<=13	Pass
	1880	25	0	5.54	<=13	Pass
	1907.5	25	0	5.50	<=13	Pass
16QAM	1852.5	25	0	6.39	<=13	Pass
	1880	25	0	6.27	<=13	Pass
	1907.5	25	0	6.17	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.61	<=13	Pass
	1880	50	0	5.56	<=13	Pass
	1905	50	0	5.45	<=13	Pass
16QAM	1855	50	0	6.33	<=13	Pass
	1880	50	0	6.34	<=13	Pass

	1905	50	0	6.17	<=13	Pass
--	------	----	---	------	------	------

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.83	<=13	Pass
	1880	75	0	5.75	<=13	Pass
	1902.5	75	0	5.45	<=13	Pass
16QAM	1857.5	75	0	6.32	<=13	Pass
	1880	75	0	6.30	<=13	Pass
	1902.5	75	0	6.01	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.60	<=13	Pass
	1880	100	0	5.61	<=13	Pass
	1900	100	0	5.32	<=13	Pass
16QAM	1860	100	0	6.25	<=13	Pass
	1880	100	0	6.31	<=13	Pass
	1900	100	0	6.00	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




5.2.2 B2_3MHz




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




5.2.3 B2_5MHz




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTN




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




5.2.4 B2_10MHz




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTN




Band2 10MHz 16QAM LCH 1855MHz RB 50 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




5.2.5 B2_15MHz




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV



Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV




5.2.6 B2_20MHz


Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass

	1880	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1860	1	0	Refer To Test Graph		Pass


		100	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1900	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B2_1.4MHz




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-31.72	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-37.22	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-31.57	-13	Pass
1911	1913	1	CHP	2	1911.500	-39.92	-13	Pass


Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV



Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-33.76	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-39.63	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTNV



Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTV



Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTV

