



1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26B_1.4MHz_ERP

Band: 26B / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.12	-4.92	15.05	<=34.77	Pass
			2	22.05	-4.92	14.98	<=34.77	Pass
			5	22.14	-4.92	15.07	<=34.77	Pass
		3	0	22.13	-4.92	15.06	<=34.77	Pass
			2	22.01	-4.92	14.94	<=34.77	Pass
			3	21.98	-4.92	14.91	<=34.77	Pass
		6	0	21.00	-4.92	13.93	<=34.77	Pass
	836.5	1	0	21.99	-4.92	14.92	<=34.77	Pass
			2	22.00	-4.92	14.93	<=34.77	Pass
			5	22.05	-4.92	14.98	<=34.77	Pass
		3	0	22.15	-4.92	15.08	<=34.77	Pass
			2	22.15	-4.92	15.08	<=34.77	Pass
			3	22.18	-4.92	15.11	<=34.77	Pass
		6	0	21.07	-4.92	14.00	<=34.77	Pass
	848.3	1	0	22.01	-4.92	14.94	<=34.77	Pass
			2	22.19	-4.92	15.12	<=34.77	Pass
			5	22.19	-4.92	15.12	<=34.77	Pass
		3	0	22.07	-4.92	15.00	<=34.77	Pass
			2	22.11	-4.92	15.04	<=34.77	Pass
			3	22.13	-4.92	15.06	<=34.77	Pass
		6	0	21.09	-4.92	14.02	<=34.77	Pass
16QAM	824.7	1	0	20.62	-4.92	13.55	<=34.77	Pass
			2	20.61	-4.92	13.54	<=34.77	Pass
			5	20.64	-4.92	13.57	<=34.77	Pass
		3	0	20.81	-4.92	13.74	<=34.77	Pass
			2	20.78	-4.92	13.71	<=34.77	Pass
			3	20.80	-4.92	13.73	<=34.77	Pass
		6	0	20.47	-4.92	13.40	<=34.77	Pass
	836.5	1	0	21.15	-4.92	14.08	<=34.77	Pass
			2	21.14	-4.92	14.07	<=34.77	Pass
			5	21.15	-4.92	14.08	<=34.77	Pass
		3	0	20.85	-4.92	13.78	<=34.77	Pass
			2	20.86	-4.92	13.79	<=34.77	Pass
			3	20.90	-4.92	13.83	<=34.77	Pass
		6	0	20.09	-4.92	13.02	<=34.77	Pass
	848.3	1	0	20.60	-4.92	13.53	<=34.77	Pass
			2	20.67	-4.92	13.60	<=34.77	Pass
			5	20.60	-4.92	13.53	<=34.77	Pass
		3	0	20.80	-4.92	13.73	<=34.77	Pass
			2	20.79	-4.92	13.72	<=34.77	Pass
			3	20.78	-4.92	13.71	<=34.77	Pass
		6	0	20.64	-4.92	13.57	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26B_3MHz_ERP

Band: 26B / Bandwidth: 3MHz / NTNV



Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.10	-4.92	15.03	<=34.77	Pass
			7	22.11	-4.92	15.04	<=34.77	Pass
			14	22.06	-4.92	14.99	<=34.77	Pass
		8	0	21.17	-4.92	14.10	<=34.77	Pass
			4	21.02	-4.92	13.95	<=34.77	Pass
			7	20.92	-4.92	13.85	<=34.77	Pass
		15	0	21.20	-4.92	14.13	<=34.77	Pass
	836.5	1	0	22.06	-4.92	14.99	<=34.77	Pass
			7	22.06	-4.92	14.99	<=34.77	Pass
			14	22.06	-4.92	14.99	<=34.77	Pass
		8	0	21.08	-4.92	14.01	<=34.77	Pass
			4	21.08	-4.92	14.01	<=34.77	Pass
			7	21.00	-4.92	13.93	<=34.77	Pass
		15	0	21.04	-4.92	13.97	<=34.77	Pass
	847.5	1	0	22.06	-4.92	14.99	<=34.77	Pass
			7	22.07	-4.92	15.00	<=34.77	Pass
			14	22.09	-4.92	15.02	<=34.77	Pass
		8	0	21.15	-4.92	14.08	<=34.77	Pass
			4	21.15	-4.92	14.08	<=34.77	Pass
			7	21.07	-4.92	14.00	<=34.77	Pass
		15	0	21.10	-4.92	14.03	<=34.77	Pass
16QAM	825.5	1	0	20.59	-4.92	13.52	<=34.77	Pass
			7	20.64	-4.92	13.57	<=34.77	Pass
			14	20.48	-4.92	13.41	<=34.77	Pass
		8	0	20.57	-4.92	13.50	<=34.77	Pass
			4	20.56	-4.92	13.49	<=34.77	Pass
			7	20.57	-4.92	13.50	<=34.77	Pass
		15	0	20.50	-4.92	13.43	<=34.77	Pass
	836.5	1	0	21.79	-4.92	14.72	<=34.77	Pass
			7	21.79	-4.92	14.72	<=34.77	Pass
			14	21.81	-4.92	14.74	<=34.77	Pass
		8	0	20.03	-4.92	12.96	<=34.77	Pass
			4	20.19	-4.92	13.12	<=34.77	Pass
			7	20.12	-4.92	13.05	<=34.77	Pass
		15	0	20.12	-4.92	13.05	<=34.77	Pass
	847.5	1	0	21.34	-4.92	14.27	<=34.77	Pass
			7	21.33	-4.92	14.26	<=34.77	Pass
			14	21.25	-4.92	14.18	<=34.77	Pass
		8	0	20.37	-4.92	13.30	<=34.77	Pass
			4	20.39	-4.92	13.32	<=34.77	Pass
			7	20.80	-4.92	13.73	<=34.77	Pass
		15	0	20.14	-4.92	13.07	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26B_5MHz_ERP

Band: 26B / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	21.95	-4.92	14.88	<=34.77	Pass
			13	21.90	-4.92	14.83	<=34.77	Pass
			24	21.99	-4.92	14.92	<=34.77	Pass
		12	0	21.07	-4.92	14.00	<=34.77	Pass
			6	20.86	-4.92	13.79	<=34.77	Pass
			13	20.94	-4.92	13.87	<=34.77	Pass



16QAM	836.5	25	0	20.95	-4.92	13.88	<=34.77	Pass
		1	0	22.05	-4.92	14.98	<=34.77	Pass
			13	22.05	-4.92	14.98	<=34.77	Pass
			24	22.14	-4.92	15.07	<=34.77	Pass
		12	0	21.17	-4.92	14.10	<=34.77	Pass
			6	21.08	-4.92	14.01	<=34.77	Pass
			13	21.09	-4.92	14.02	<=34.77	Pass
		25	0	21.09	-4.92	14.02	<=34.77	Pass
	846.5	1	0	22.16	-4.92	15.09	<=34.77	Pass
			13	22.09	-4.92	15.02	<=34.77	Pass
			24	22.11	-4.92	15.04	<=34.77	Pass
		12	0	21.04	-4.92	13.97	<=34.77	Pass
			6	21.13	-4.92	14.06	<=34.77	Pass
			13	21.11	-4.92	14.04	<=34.77	Pass
		25	0	21.07	-4.92	14.00	<=34.77	Pass
	826.5	1	0	21.11	-4.92	14.04	<=34.77	Pass
			13	20.93	-4.92	13.86	<=34.77	Pass
			24	21.06	-4.92	13.99	<=34.77	Pass
		12	0	20.45	-4.92	13.38	<=34.77	Pass
			6	20.44	-4.92	13.37	<=34.77	Pass
			13	20.48	-4.92	13.41	<=34.77	Pass
		25	0	20.56	-4.92	13.49	<=34.77	Pass
	836.5	1	0	21.11	-4.92	14.04	<=34.77	Pass
			13	21.08	-4.92	14.01	<=34.77	Pass
			24	21.14	-4.92	14.07	<=34.77	Pass
		12	0	20.09	-4.92	13.02	<=34.77	Pass
			6	20.03	-4.92	12.96	<=34.77	Pass
			13	20.09	-4.92	13.02	<=34.77	Pass
		25	0	20.01	-4.92	12.94	<=34.77	Pass
	846.5	1	0	20.18	-4.92	13.11	<=34.77	Pass
			13	20.17	-4.92	13.10	<=34.77	Pass
			24	20.10	-4.92	13.03	<=34.77	Pass
		12	0	20.54	-4.92	13.47	<=34.77	Pass
			6	20.11	-4.92	13.04	<=34.77	Pass
			13	20.04	-4.92	12.97	<=34.77	Pass
		25	0	20.22	-4.92	13.15	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26B_10MHz_ERP

Band: 26B / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	21.95	-4.92	14.88	<=34.77	Pass
			25	22.08	-4.92	15.01	<=34.77	Pass
			49	22.06	-4.92	14.99	<=34.77	Pass
		25	0	21.07	-4.92	14.00	<=34.77	Pass
			13	21.03	-4.92	13.96	<=34.77	Pass
			25	20.96	-4.92	13.89	<=34.77	Pass
		50	0	21.12	-4.92	14.05	<=34.77	Pass
	836.5	1	0	22.23	-4.92	15.16	<=34.77	Pass
			25	22.26	-4.92	15.19	<=34.77	Pass
			49	22.22	-4.92	15.15	<=34.77	Pass
		25	0	21.08	-4.92	14.01	<=34.77	Pass
			13	21.12	-4.92	14.05	<=34.77	Pass
			25	21.08	-4.92	14.01	<=34.77	Pass
		50	0	21.07	-4.92	14.00	<=34.77	Pass



16QAM	844	1	0	22.01	-4.92	14.94	<=34.77	Pass	
			25	22.03	-4.92	14.96	<=34.77	Pass	
			49	22.02	-4.92	14.95	<=34.77	Pass	
		25	0	21.04	-4.92	13.97	<=34.77	Pass	
			13	21.16	-4.92	14.09	<=34.77	Pass	
			25	21.17	-4.92	14.10	<=34.77	Pass	
		50	0	20.98	-4.92	13.91	<=34.77	Pass	
	829	1	0	20.73	-4.92	13.66	<=34.77	Pass	
			25	20.77	-4.92	13.70	<=34.77	Pass	
			49	20.77	-4.92	13.70	<=34.77	Pass	
		25	0	20.63	-4.92	13.56	<=34.77	Pass	
			13	20.70	-4.92	13.63	<=34.77	Pass	
			25	20.73	-4.92	13.66	<=34.77	Pass	
		50	0	20.51	-4.92	13.44	<=34.77	Pass	
		836.5	1	0	21.15	-4.92	14.08	<=34.77	Pass
				25	21.23	-4.92	14.16	<=34.77	Pass
				49	21.34	-4.92	14.27	<=34.77	Pass
	25		0	20.10	-4.92	13.03	<=34.77	Pass	
			13	20.24	-4.92	13.17	<=34.77	Pass	
			25	20.21	-4.92	13.14	<=34.77	Pass	
	50	0	20.15	-4.92	13.08	<=34.77	Pass		
	844	1	0	21.23	-4.92	14.16	<=34.77	Pass	
			25	21.33	-4.92	14.26	<=34.77	Pass	
			49	21.26	-4.92	14.19	<=34.77	Pass	
		25	0	20.09	-4.92	13.02	<=34.77	Pass	
			13	20.18	-4.92	13.11	<=34.77	Pass	
			25	20.21	-4.92	13.14	<=34.77	Pass	
		50	0	20.25	-4.92	13.18	<=34.77	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.5 B26B_15MHz_ERP

Band: 26B / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	21.88	-4.92	14.81	<=34.77	Pass
			38	21.95	-4.92	14.88	<=34.77	Pass
			74	22.03	-4.92	14.96	<=34.77	Pass
		36	0	20.99	-4.92	13.92	<=34.77	Pass
			18	20.96	-4.92	13.89	<=34.77	Pass
			39	21.27	-4.92	14.20	<=34.77	Pass
		75	0	21.07	-4.92	14.00	<=34.77	Pass
	836.5	1	0	22.20	-4.92	15.13	<=34.77	Pass
			38	22.23	-4.92	15.16	<=34.77	Pass
			74	22.25	-4.92	15.18	<=34.77	Pass
		36	0	21.10	-4.92	14.03	<=34.77	Pass
			18	21.06	-4.92	13.99	<=34.77	Pass
			39	21.14	-4.92	14.07	<=34.77	Pass
		75	0	21.15	-4.92	14.08	<=34.77	Pass
	841.5	1	0	22.00	-4.92	14.93	<=34.77	Pass
			38	22.06	-4.92	14.99	<=34.77	Pass
			74	21.99	-4.92	14.92	<=34.77	Pass
		36	0	21.19	-4.92	14.12	<=34.77	Pass
			18	21.08	-4.92	14.01	<=34.77	Pass
			39	21.13	-4.92	14.06	<=34.77	Pass
		75	0	21.17	-4.92	14.10	<=34.77	Pass
16QAM	831.5	1	0	21.06	-4.92	13.99	<=34.77	Pass



			38	21.17	-4.92	14.10	<=34.77	Pass	
			74	21.28	-4.92	14.21	<=34.77	Pass	
		36	0	20.58	-4.92	13.51	<=34.77	Pass	
			18	20.56	-4.92	13.49	<=34.77	Pass	
			39	20.02	-4.92	12.95	<=34.77	Pass	
			75	0	20.53	-4.92	13.46	<=34.77	Pass
		836.5	1	0	21.13	-4.92	14.06	<=34.77	Pass
				38	21.24	-4.92	14.17	<=34.77	Pass
	74			21.30	-4.92	14.23	<=34.77	Pass	
	36		0	20.09	-4.92	13.02	<=34.77	Pass	
			18	20.24	-4.92	13.17	<=34.77	Pass	
			39	20.25	-4.92	13.18	<=34.77	Pass	
	75		0	20.22	-4.92	13.15	<=34.77	Pass	
	841.5		1	0	21.27	-4.92	14.20	<=34.77	Pass
		38		21.33	-4.92	14.26	<=34.77	Pass	
		74		21.26	-4.92	14.19	<=34.77	Pass	
		36	0	20.13	-4.92	13.06	<=34.77	Pass	
			18	20.27	-4.92	13.20	<=34.77	Pass	
			39	20.60	-4.92	13.53	<=34.77	Pass	
		75	0	20.11	-4.92	13.04	<=34.77	Pass	
		Note1: ERP=Conducted Power+Antenna Gain-2.15							

2. Frequency Stability

2.1 Test Result

2.1.1 B26B_1.4MHz

Band: 26B / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	-3.719	-0.0045	-2.5 to 2.5	Pass
					3.85	-3.362	-0.0041	-2.5 to 2.5	Pass
					4.43	9.170	0.0111	-2.5 to 2.5	Pass
				-30	3.85	24.734	0.0300	-2.5 to 2.5	Pass
				-20	3.85	36.750	0.0446	-2.5 to 2.5	Pass
				-10	3.85	45.333	0.0550	-2.5 to 2.5	Pass
				0	3.85	2.460	0.0030	-2.5 to 2.5	Pass
				10	3.85	7.682	0.0093	-2.5 to 2.5	Pass
				30	3.85	11.358	0.0138	-2.5 to 2.5	Pass
				40	3.85	14.505	0.0176	-2.5 to 2.5	Pass
				50	3.85	16.866	0.0205	-2.5 to 2.5	Pass
				20	3.27	-3.905	-0.0047	-2.5 to 2.5	Pass
					3.85	-8.798	-0.0105	-2.5 to 2.5	Pass
					4.43	-6.251	-0.0075	-2.5 to 2.5	Pass
				-30	3.85	-3.834	-0.0046	-2.5 to 2.5	Pass
	836.5	6	0	-20	3.85	-1.774	-0.0021	-2.5 to 2.5	Pass
				-10	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				0	3.85	0.987	0.0012	-2.5 to 2.5	Pass
				10	3.85	2.747	0.0033	-2.5 to 2.5	Pass
				30	3.85	3.605	0.0043	-2.5 to 2.5	Pass
				40	3.85	4.678	0.0056	-2.5 to 2.5	Pass
				50	3.85	5.407	0.0065	-2.5 to 2.5	Pass
				20	3.27	-4.106	-0.0048	-2.5 to 2.5	Pass
					3.85	6.523	0.0077	-2.5 to 2.5	Pass
					4.43	29.397	0.0347	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	-4.106	-0.0048	-2.5 to 2.5	Pass
					3.85	6.523	0.0077	-2.5 to 2.5	Pass
					4.43	29.397	0.0347	-2.5 to 2.5	Pass



				-30	3.85	49.667	0.0585	-2.5 to 2.5	Pass
				-20	3.85	19.784	0.0233	-2.5 to 2.5	Pass
				-10	3.85	33.360	0.0393	-2.5 to 2.5	Pass
				0	3.85	43.588	0.0514	-2.5 to 2.5	Pass
				10	3.85	1.616	0.0019	-2.5 to 2.5	Pass
				30	3.85	7.839	0.0092	-2.5 to 2.5	Pass
				40	3.85	13.018	0.0153	-2.5 to 2.5	Pass
16QAM	824.7	6	0	50	3.85	16.966	0.0200	-2.5 to 2.5	Pass
				20	3.27	19.784	0.0240	-2.5 to 2.5	Pass
					3.85	20.943	0.0254	-2.5 to 2.5	Pass
					4.43	21.901	0.0266	-2.5 to 2.5	Pass
				-30	3.85	22.259	0.0270	-2.5 to 2.5	Pass
				-20	3.85	23.232	0.0282	-2.5 to 2.5	Pass
				-10	3.85	23.074	0.0280	-2.5 to 2.5	Pass
				0	3.85	23.460	0.0284	-2.5 to 2.5	Pass
				10	3.85	23.661	0.0287	-2.5 to 2.5	Pass
				30	3.85	24.118	0.0292	-2.5 to 2.5	Pass
	836.5	6	0	40	3.85	24.319	0.0295	-2.5 to 2.5	Pass
				50	3.85	24.362	0.0295	-2.5 to 2.5	Pass
				20	3.27	6.666	0.0080	-2.5 to 2.5	Pass
					3.85	7.238	0.0087	-2.5 to 2.5	Pass
					4.43	6.337	0.0076	-2.5 to 2.5	Pass
				-30	3.85	5.651	0.0068	-2.5 to 2.5	Pass
				-20	3.85	5.136	0.0061	-2.5 to 2.5	Pass
				-10	3.85	4.292	0.0051	-2.5 to 2.5	Pass
				0	3.85	4.249	0.0051	-2.5 to 2.5	Pass
				10	3.85	4.406	0.0053	-2.5 to 2.5	Pass
	848.3	6	0	30	3.85	5.136	0.0061	-2.5 to 2.5	Pass
				40	3.85	5.794	0.0069	-2.5 to 2.5	Pass
				50	3.85	5.722	0.0068	-2.5 to 2.5	Pass
				20	3.27	20.957	0.0247	-2.5 to 2.5	Pass
					3.85	24.061	0.0284	-2.5 to 2.5	Pass
					4.43	26.379	0.0311	-2.5 to 2.5	Pass
				-30	3.85	27.866	0.0328	-2.5 to 2.5	Pass
				-20	3.85	29.268	0.0345	-2.5 to 2.5	Pass
				-10	3.85	30.112	0.0355	-2.5 to 2.5	Pass
				0	3.85	31.199	0.0368	-2.5 to 2.5	Pass
				10	3.85	31.714	0.0374	-2.5 to 2.5	Pass
				30	3.85	33.002	0.0389	-2.5 to 2.5	Pass
				40	3.85	33.846	0.0399	-2.5 to 2.5	Pass
				50	3.85	34.375	0.0405	-2.5 to 2.5	Pass

2.1.2 B26B_3MHz

Band: 26B / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	-14.048	-0.0170	-2.5 to 2.5	Pass
					3.85	-21.672	-0.0263	-2.5 to 2.5	Pass
					4.43	-12.903	-0.0156	-2.5 to 2.5	Pass
				-30	3.85	-0.944	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	8.225	0.0100	-2.5 to 2.5	Pass
				-10	3.85	16.408	0.0199	-2.5 to 2.5	Pass
				0	3.85	22.573	0.0273	-2.5 to 2.5	Pass
				10	3.85	27.580	0.0334	-2.5 to 2.5	Pass
				30	3.85	31.271	0.0379	-2.5 to 2.5	Pass
				40	3.85	34.246	0.0415	-2.5 to 2.5	Pass



	836.5	15	0	50	3.85	36.807	0.0446	-2.5 to 2.5	Pass
				20	3.27	-1.516	-0.0018	-2.5 to 2.5	Pass
					3.85	-6.437	-0.0077	-2.5 to 2.5	Pass
				-30	4.43	-2.975	-0.0036	-2.5 to 2.5	Pass
					3.85	-1.216	-0.0015	-2.5 to 2.5	Pass
				-20	3.85	1.230	0.0015	-2.5 to 2.5	Pass
				-10	3.85	2.575	0.0031	-2.5 to 2.5	Pass
				0	3.85	4.849	0.0058	-2.5 to 2.5	Pass
				10	3.85	5.865	0.0070	-2.5 to 2.5	Pass
				30	3.85	7.925	0.0095	-2.5 to 2.5	Pass
	847.5	15	0	40	3.85	20.528	0.0245	-2.5 to 2.5	Pass
				50	3.85	41.800	0.0500	-2.5 to 2.5	Pass
				20	3.27	1.173	0.0014	-2.5 to 2.5	Pass
					3.85	0.587	0.0007	-2.5 to 2.5	Pass
				-30	4.43	3.347	0.0039	-2.5 to 2.5	Pass
					3.85	7.625	0.0090	-2.5 to 2.5	Pass
				-20	3.85	11.830	0.0140	-2.5 to 2.5	Pass
				-10	3.85	15.106	0.0178	-2.5 to 2.5	Pass
				0	3.85	18.740	0.0221	-2.5 to 2.5	Pass
				10	3.85	21.744	0.0257	-2.5 to 2.5	Pass
16QAM	825.5	15	0	30	3.85	25.091	0.0296	-2.5 to 2.5	Pass
				40	3.85	27.366	0.0323	-2.5 to 2.5	Pass
				50	3.85	29.340	0.0346	-2.5 to 2.5	Pass
				20	3.27	38.810	0.0470	-2.5 to 2.5	Pass
					3.85	40.598	0.0492	-2.5 to 2.5	Pass
				-30	4.43	40.684	0.0493	-2.5 to 2.5	Pass
					3.85	40.870	0.0495	-2.5 to 2.5	Pass
				-20	3.85	41.099	0.0498	-2.5 to 2.5	Pass
				-10	3.85	41.113	0.0498	-2.5 to 2.5	Pass
				0	3.85	41.327	0.0501	-2.5 to 2.5	Pass
	836.5	15	0	10	3.85	41.513	0.0503	-2.5 to 2.5	Pass
				30	3.85	41.599	0.0504	-2.5 to 2.5	Pass
				40	3.85	41.542	0.0503	-2.5 to 2.5	Pass
				50	3.85	41.943	0.0508	-2.5 to 2.5	Pass
				20	3.27	13.862	0.0166	-2.5 to 2.5	Pass
					3.85	32.544	0.0389	-2.5 to 2.5	Pass
				-30	4.43	5.736	0.0069	-2.5 to 2.5	Pass
					3.85	17.538	0.0210	-2.5 to 2.5	Pass
				-20	3.85	26.708	0.0319	-2.5 to 2.5	Pass
				-10	3.85	34.003	0.0406	-2.5 to 2.5	Pass
	847.5	15	0	0	3.85	40.011	0.0478	-2.5 to 2.5	Pass
				10	3.85	44.532	0.0532	-2.5 to 2.5	Pass
				30	3.85	-5.150	-0.0062	-2.5 to 2.5	Pass
				40	3.85	-1.659	-0.0020	-2.5 to 2.5	Pass
				50	3.85	1.101	0.0013	-2.5 to 2.5	Pass
				20	3.27	30.899	0.0365	-2.5 to 2.5	Pass
					3.85	32.873	0.0388	-2.5 to 2.5	Pass
				-30	4.43	32.716	0.0386	-2.5 to 2.5	Pass
					3.85	33.159	0.0391	-2.5 to 2.5	Pass
				-20	3.85	32.973	0.0389	-2.5 to 2.5	Pass
				-10	3.85	33.274	0.0393	-2.5 to 2.5	Pass
				0	3.85	33.860	0.0400	-2.5 to 2.5	Pass
				10	3.85	34.418	0.0406	-2.5 to 2.5	Pass
				30	3.85	34.461	0.0407	-2.5 to 2.5	Pass
				40	3.85	35.377	0.0417	-2.5 to 2.5	Pass
				50	3.85	35.634	0.0420	-2.5 to 2.5	Pass

2.1.3 B26B_5MHz



Band: 26B / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	-6.495	-0.0079	-2.5 to 2.5	Pass
					3.85	-12.589	-0.0152	-2.5 to 2.5	Pass
					4.43	-3.376	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	8.354	0.0101	-2.5 to 2.5	Pass
				-20	3.85	19.441	0.0235	-2.5 to 2.5	Pass
				-10	3.85	27.738	0.0336	-2.5 to 2.5	Pass
				0	3.85	34.261	0.0415	-2.5 to 2.5	Pass
				10	3.85	39.268	0.0475	-2.5 to 2.5	Pass
				30	3.85	43.902	0.0531	-2.5 to 2.5	Pass
				40	3.85	47.765	0.0578	-2.5 to 2.5	Pass
				50	3.85	0.844	0.0010	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	3.662	0.0044	-2.5 to 2.5	Pass
					3.85	0.558	0.0007	-2.5 to 2.5	Pass
					4.43	2.918	0.0035	-2.5 to 2.5	Pass
				-30	3.85	4.921	0.0059	-2.5 to 2.5	Pass
				-20	3.85	6.995	0.0084	-2.5 to 2.5	Pass
				-10	3.85	9.284	0.0111	-2.5 to 2.5	Pass
				0	3.85	10.629	0.0127	-2.5 to 2.5	Pass
				10	3.85	12.245	0.0146	-2.5 to 2.5	Pass
				30	3.85	13.318	0.0159	-2.5 to 2.5	Pass
				40	3.85	13.933	0.0167	-2.5 to 2.5	Pass
				50	3.85	15.106	0.0181	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	3.133	0.0037	-2.5 to 2.5	Pass
					3.85	0.358	0.0004	-2.5 to 2.5	Pass
					4.43	3.233	0.0038	-2.5 to 2.5	Pass
				-30	3.85	5.107	0.0060	-2.5 to 2.5	Pass
				-20	3.85	7.324	0.0087	-2.5 to 2.5	Pass
				-10	3.85	8.669	0.0102	-2.5 to 2.5	Pass
				0	3.85	10.314	0.0122	-2.5 to 2.5	Pass
				10	3.85	11.544	0.0136	-2.5 to 2.5	Pass
				30	3.85	12.746	0.0151	-2.5 to 2.5	Pass
				40	3.85	13.461	0.0159	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	2.947	0.0036	-2.5 to 2.5	Pass
					3.85	5.608	0.0068	-2.5 to 2.5	Pass
					4.43	6.166	0.0075	-2.5 to 2.5	Pass
				-30	3.85	6.695	0.0081	-2.5 to 2.5	Pass
				-20	3.85	7.353	0.0089	-2.5 to 2.5	Pass
				-10	3.85	7.639	0.0092	-2.5 to 2.5	Pass
				0	3.85	7.882	0.0095	-2.5 to 2.5	Pass
				10	3.85	8.583	0.0104	-2.5 to 2.5	Pass
				30	3.85	8.755	0.0106	-2.5 to 2.5	Pass
				40	3.85	9.670	0.0117	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	15.650	0.0187	-2.5 to 2.5	Pass
					3.85	16.637	0.0199	-2.5 to 2.5	Pass
					4.43	15.907	0.0190	-2.5 to 2.5	Pass
				-30	3.85	14.548	0.0174	-2.5 to 2.5	Pass
				-20	3.85	13.661	0.0163	-2.5 to 2.5	Pass
				-10	3.85	12.546	0.0150	-2.5 to 2.5	Pass
				0	3.85	12.188	0.0146	-2.5 to 2.5	Pass
				10	3.85	12.717	0.0152	-2.5 to 2.5	Pass
				30	3.85	12.732	0.0152	-2.5 to 2.5	Pass
				40	3.85	13.461	0.0161	-2.5 to 2.5	Pass
	846.5	25	0	50	3.85	13.762	0.0165	-2.5 to 2.5	Pass
				20	3.27	15.006	0.0177	-2.5 to 2.5	Pass



					3.85	15.092	0.0178	-2.5 to 2.5	Pass
					4.43	14.119	0.0167	-2.5 to 2.5	Pass
				-30	3.85	12.345	0.0146	-2.5 to 2.5	Pass
				-20	3.85	11.258	0.0133	-2.5 to 2.5	Pass
				-10	3.85	9.928	0.0117	-2.5 to 2.5	Pass
				0	3.85	9.785	0.0116	-2.5 to 2.5	Pass
				10	3.85	9.527	0.0113	-2.5 to 2.5	Pass
				30	3.85	9.842	0.0116	-2.5 to 2.5	Pass
				40	3.85	10.400	0.0123	-2.5 to 2.5	Pass
				50	3.85	10.414	0.0123	-2.5 to 2.5	Pass

2.1.4 B26B_10MHz

Band: 26B / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-8.955	-0.0108	-2.5 to 2.5	Pass
					3.85	-8.240	-0.0099	-2.5 to 2.5	Pass
					4.43	9.141	0.0110	-2.5 to 2.5	Pass
				-30	3.85	23.203	0.0280	-2.5 to 2.5	Pass
				-20	3.85	32.086	0.0387	-2.5 to 2.5	Pass
				-10	3.85	38.710	0.0467	-2.5 to 2.5	Pass
				0	3.85	43.273	0.0522	-2.5 to 2.5	Pass
				10	3.85	-3.147	-0.0038	-2.5 to 2.5	Pass
				30	3.85	-0.701	-0.0008	-2.5 to 2.5	Pass
	836.5	50	0	40	3.85	1.216	0.0015	-2.5 to 2.5	Pass
				50	3.85	2.460	0.0030	-2.5 to 2.5	Pass
				20	3.27	-3.762	-0.0045	-2.5 to 2.5	Pass
					3.85	-7.067	-0.0084	-2.5 to 2.5	Pass
					4.43	-2.031	-0.0024	-2.5 to 2.5	Pass
				-30	3.85	0.458	0.0005	-2.5 to 2.5	Pass
				-20	3.85	2.561	0.0031	-2.5 to 2.5	Pass
				-10	3.85	4.063	0.0049	-2.5 to 2.5	Pass
				0	3.85	5.164	0.0062	-2.5 to 2.5	Pass
	844	50	0	10	3.85	6.266	0.0075	-2.5 to 2.5	Pass
				30	3.85	6.709	0.0080	-2.5 to 2.5	Pass
				40	3.85	8.097	0.0097	-2.5 to 2.5	Pass
				50	3.85	8.583	0.0103	-2.5 to 2.5	Pass
				20	3.27	-3.104	-0.0037	-2.5 to 2.5	Pass
					3.85	-5.436	-0.0064	-2.5 to 2.5	Pass
					4.43	0.000	0.0000	-2.5 to 2.5	Pass
				-30	3.85	5.693	0.0067	-2.5 to 2.5	Pass
				-20	3.85	8.712	0.0103	-2.5 to 2.5	Pass
16QAM	829	50	0	-10	3.85	9.956	0.0118	-2.5 to 2.5	Pass
				0	3.85	10.242	0.0121	-2.5 to 2.5	Pass
				10	3.85	10.858	0.0129	-2.5 to 2.5	Pass
				30	3.85	11.559	0.0137	-2.5 to 2.5	Pass
				40	3.85	11.859	0.0141	-2.5 to 2.5	Pass
				50	3.85	12.159	0.0144	-2.5 to 2.5	Pass
				20	3.27	3.433	0.0041	-2.5 to 2.5	Pass
					3.85	4.063	0.0049	-2.5 to 2.5	Pass
					4.43	3.262	0.0039	-2.5 to 2.5	Pass
				-30	3.85	2.246	0.0027	-2.5 to 2.5	Pass
				-20	3.85	1.760	0.0021	-2.5 to 2.5	Pass
				-10	3.85	1.488	0.0018	-2.5 to 2.5	Pass
				0	3.85	1.488	0.0018	-2.5 to 2.5	Pass
				10	3.85	1.388	0.0017	-2.5 to 2.5	Pass



	836.5	50	0	30	3.85	1.860	0.0022	-2.5 to 2.5	Pass
				40	3.85	2.089	0.0025	-2.5 to 2.5	Pass
				50	3.85	2.432	0.0029	-2.5 to 2.5	Pass
				20	3.27	8.998	0.0108	-2.5 to 2.5	Pass
					3.85	7.410	0.0089	-2.5 to 2.5	Pass
					4.43	4.749	0.0057	-2.5 to 2.5	Pass
				-30	3.85	1.917	0.0023	-2.5 to 2.5	Pass
				-20	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass
	844	50	0	0	3.85	-0.944	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-1.416	-0.0017	-2.5 to 2.5	Pass
				30	3.85	-1.459	-0.0017	-2.5 to 2.5	Pass
				40	3.85	-1.059	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-0.944	-0.0011	-2.5 to 2.5	Pass
				20	3.27	12.131	0.0144	-2.5 to 2.5	Pass
					3.85	11.430	0.0135	-2.5 to 2.5	Pass
					4.43	8.383	0.0099	-2.5 to 2.5	Pass
				-30	3.85	6.022	0.0071	-2.5 to 2.5	Pass
				-20	3.85	4.563	0.0054	-2.5 to 2.5	Pass
				-10	3.85	3.204	0.0038	-2.5 to 2.5	Pass
				0	3.85	2.375	0.0028	-2.5 to 2.5	Pass
				10	3.85	2.017	0.0024	-2.5 to 2.5	Pass
				30	3.85	1.588	0.0019	-2.5 to 2.5	Pass
				40	3.85	1.316	0.0016	-2.5 to 2.5	Pass
				50	3.85	1.388	0.0016	-2.5 to 2.5	Pass

2.1.5 B26B_15MHz

Band: 26B / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	-12.417	-0.0149	-2.5 to 2.5	Pass
					3.85	-8.540	-0.0103	-2.5 to 2.5	Pass
					4.43	9.041	0.0109	-2.5 to 2.5	Pass
				-30	3.85	22.917	0.0276	-2.5 to 2.5	Pass
				-20	3.85	32.144	0.0387	-2.5 to 2.5	Pass
				-10	3.85	39.454	0.0474	-2.5 to 2.5	Pass
				0	3.85	44.117	0.0531	-2.5 to 2.5	Pass
				10	3.85	46.978	0.0565	-2.5 to 2.5	Pass
				30	3.85	0.458	0.0006	-2.5 to 2.5	Pass
				40	3.85	2.117	0.0025	-2.5 to 2.5	Pass
				50	3.85	3.848	0.0046	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	-2.317	-0.0028	-2.5 to 2.5	Pass
					3.85	-5.336	-0.0064	-2.5 to 2.5	Pass
					4.43	-1.216	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				-20	3.85	1.416	0.0017	-2.5 to 2.5	Pass
				-10	3.85	2.704	0.0032	-2.5 to 2.5	Pass
				0	3.85	3.662	0.0044	-2.5 to 2.5	Pass
				10	3.85	4.349	0.0052	-2.5 to 2.5	Pass
				30	3.85	5.035	0.0060	-2.5 to 2.5	Pass
				40	3.85	5.364	0.0064	-2.5 to 2.5	Pass
				50	3.85	5.479	0.0065	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	-0.830	-0.0010	-2.5 to 2.5	Pass
					3.85	-1.516	-0.0018	-2.5 to 2.5	Pass
					4.43	4.692	0.0056	-2.5 to 2.5	Pass
				-30	3.85	10.042	0.0119	-2.5 to 2.5	Pass



				-20	3.85	14.992	0.0178	-2.5 to 2.5	Pass
				-10	3.85	15.879	0.0189	-2.5 to 2.5	Pass
				0	3.85	16.451	0.0195	-2.5 to 2.5	Pass
				10	3.85	17.195	0.0204	-2.5 to 2.5	Pass
				30	3.85	17.667	0.0210	-2.5 to 2.5	Pass
				40	3.85	17.867	0.0212	-2.5 to 2.5	Pass
				50	3.85	18.368	0.0218	-2.5 to 2.5	Pass
16QAM	831.5	75	0	20	3.27	5.150	0.0062	-2.5 to 2.5	Pass
					3.85	5.622	0.0068	-2.5 to 2.5	Pass
					4.43	5.007	0.0060	-2.5 to 2.5	Pass
				-30	3.85	4.735	0.0057	-2.5 to 2.5	Pass
				-20	3.85	4.807	0.0058	-2.5 to 2.5	Pass
				-10	3.85	5.021	0.0060	-2.5 to 2.5	Pass
				0	3.85	4.964	0.0060	-2.5 to 2.5	Pass
				10	3.85	5.450	0.0066	-2.5 to 2.5	Pass
				30	3.85	5.965	0.0072	-2.5 to 2.5	Pass
				40	3.85	5.779	0.0070	-2.5 to 2.5	Pass
	836.5	75	0	50	3.85	6.351	0.0076	-2.5 to 2.5	Pass
				20	3.27	6.466	0.0077	-2.5 to 2.5	Pass
					3.85	4.163	0.0050	-2.5 to 2.5	Pass
					4.43	0.815	0.0010	-2.5 to 2.5	Pass
				-30	3.85	-1.903	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-4.463	-0.0053	-2.5 to 2.5	Pass
				-10	3.85	-5.865	-0.0070	-2.5 to 2.5	Pass
				0	3.85	-7.138	-0.0085	-2.5 to 2.5	Pass
				10	3.85	-7.195	-0.0086	-2.5 to 2.5	Pass
				30	3.85	-7.954	-0.0095	-2.5 to 2.5	Pass
	841.5	75	0	40	3.85	-8.211	-0.0098	-2.5 to 2.5	Pass
				50	3.85	-8.125	-0.0097	-2.5 to 2.5	Pass
				20	3.27	18.768	0.0223	-2.5 to 2.5	Pass
					3.85	16.050	0.0191	-2.5 to 2.5	Pass
					4.43	12.217	0.0145	-2.5 to 2.5	Pass
				-30	3.85	9.184	0.0109	-2.5 to 2.5	Pass
				-20	3.85	7.281	0.0087	-2.5 to 2.5	Pass
				-10	3.85	5.522	0.0066	-2.5 to 2.5	Pass
				0	3.85	4.292	0.0051	-2.5 to 2.5	Pass
				10	3.85	2.990	0.0036	-2.5 to 2.5	Pass
				30	3.85	1.845	0.0022	-2.5 to 2.5	Pass
				40	3.85	1.273	0.0015	-2.5 to 2.5	Pass
				50	3.85	0.973	0.0012	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26B_1.4MHz

Band: 26B / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26B_3MHz



Band: 26B / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26B_5MHz

Band: 26B / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26B_10MHz

Band: 26B / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26B_15MHz


Band: 26B / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	75	0	Refer To Test Graph		Pass




3.2 Test Graph

3.2.1 B26B_1.4MHz

Band26B 1.4MHz QPSK MCH 836.5MHz RB 6_0 NTN




Band26B 1.4MHz 16QAM MCH 836.5MHz RB 6_0 NTN






3.2.2 B26B_3MHz






3.2.3 B26B_5MHz

Band26B_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26B_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV






3.2.4 B26B_10MHz






3.2.5 B26B_15MHz

Band26B_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV



Band26B_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV





4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26B_OBW

Band: 26B / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.111	/	Pass
		836.5	6	0	1.109	/	Pass
		848.3	6	0	1.113	/	Pass
	16QAM	824.7	6	0	1.114	/	Pass
		836.5	6	0	1.108	/	Pass
		848.3	6	0	1.116	/	Pass
3	QPSK	825.5	15	0	2.756	/	Pass
		836.5	15	0	2.753	/	Pass
		847.5	15	0	2.754	/	Pass
	16QAM	825.5	15	0	2.764	/	Pass
		836.5	15	0	2.742	/	Pass
		847.5	15	0	2.748	/	Pass
5	QPSK	826.5	25	0	4.543	/	Pass
		836.5	25	0	4.548	/	Pass
		846.5	25	0	4.560	/	Pass
	16QAM	826.5	25	0	4.567	/	Pass
		836.5	25	0	4.557	/	Pass
		846.5	25	0	4.551	/	Pass
10	QPSK	829	50	0	9.058	/	Pass
		836.5	50	0	9.073	/	Pass
		844	50	0	9.068	/	Pass
	16QAM	829	50	0	9.077	/	Pass
		836.5	50	0	9.062	/	Pass
		844	50	0	9.044	/	Pass
15	QPSK	831.5	75	0	13.607	/	Pass
		836.5	75	0	13.587	/	Pass
		841.5	75	0	13.569	/	Pass
	16QAM	831.5	75	0	13.604	/	Pass
		836.5	75	0	13.619	/	Pass
		841.5	75	0	13.617	/	Pass

4.1.2 Band26B_XDB

Band: 26B / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.271	/	Pass
		836.5	6	0	1.274	/	Pass
		848.3	6	0	1.274	/	Pass
	16QAM	824.7	6	0	1.274	/	Pass
		836.5	6	0	1.271	/	Pass
		848.3	6	0	1.271	/	Pass
3	QPSK	825.5	15	0	3.091	/	Pass
		836.5	15	0	3.087	/	Pass
		847.5	15	0	3.102	/	Pass




	16QAM	825.5	15	0	3.137	/	Pass
		836.5	15	0	3.109	/	Pass
		847.5	15	0	3.099	/	Pass
5	QPSK	826.5	25	0	5.047	/	Pass
		836.5	25	0	5.066	/	Pass
		846.5	25	0	5.022	/	Pass
	16QAM	826.5	25	0	5.055	/	Pass
		836.5	25	0	5.046	/	Pass
		846.5	25	0	5.031	/	Pass
10	QPSK	829	50	0	10.082	/	Pass
		836.5	50	0	10.034	/	Pass
		844	50	0	10.032	/	Pass
	16QAM	829	50	0	10.021	/	Pass
		836.5	50	0	10.085	/	Pass
		844	50	0	10.014	/	Pass
15	QPSK	831.5	75	0	15.159	/	Pass
		836.5	75	0	15.050	/	Pass
		841.5	75	0	15.135	/	Pass
	16QAM	831.5	75	0	15.101	/	Pass
		836.5	75	0	15.256	/	Pass
		841.5	75	0	15.153	/	Pass




4.2 Test Graph

4.2.1 Band26B_OBW






Band26B_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26B_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV






Band26B_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26B_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV






Band26B_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26B_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV






Band26B_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26B_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV






Band26B_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26B_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV






Band26B_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26B_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV






Band26B_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26B_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV






Band26B_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26B_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV






Band26B_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26B_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV






Band26B_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26B_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV






Band26B_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26B_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV






Band26B_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26B_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV






Band26B_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26B_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV






Band26B_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26B_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV






4.2.2 Band26B_XDB






Band26B_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26B_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV






Band26B_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26B_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV






Band26B_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26B_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV






Band26B_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26B_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV






Band26B_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26B_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV






Band26B_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26B_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV






Band26B_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26B_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV






Band26B_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26B_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV






Band26B_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26B_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV






Band26B_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26B_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV






Band26B_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26B_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV






Band26B_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26B_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV






Band26B_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26B_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV






Band26B_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26B_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV





5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26B_1.4MHz

Band: 26B / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.52	<=13	Pass
	836.5	6	0	5.76	<=13	Pass
	848.3	6	0	5.58	<=13	Pass
16QAM	824.7	6	0	6.14	<=13	Pass
	836.5	6	0	6.48	<=13	Pass
	848.3	6	0	6.17	<=13	Pass

5.1.2 B26B_3MHz

Band: 26B / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.54	<=13	Pass
	836.5	15	0	5.71	<=13	Pass
	847.5	15	0	5.58	<=13	Pass
16QAM	825.5	15	0	6.25	<=13	Pass
	836.5	15	0	6.54	<=13	Pass
	847.5	15	0	6.42	<=13	Pass

5.1.3 B26B_5MHz

Band: 26B / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.59	<=13	Pass
	836.5	25	0	5.77	<=13	Pass
	846.5	25	0	5.58	<=13	Pass
16QAM	826.5	25	0	6.27	<=13	Pass
	836.5	25	0	6.47	<=13	Pass
	846.5	25	0	6.27	<=13	Pass

5.1.4 B26B_10MHz

Band: 26B / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.67	<=13	Pass
	836.5	50	0	5.76	<=13	Pass
	844	50	0	5.56	<=13	Pass
16QAM	829	50	0	6.34	<=13	Pass
	836.5	50	0	6.51	<=13	Pass



	844	50	0	6.25	<=13	Pass
--	-----	----	---	------	------	------


5.1.5 B26B_15MHz

Band: 26B / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	5.97	<=13	Pass
	836.5	75	0	6.01	<=13	Pass
	841.5	75	0	5.96	<=13	Pass
16QAM	831.5	75	0	6.36	<=13	Pass
	836.5	75	0	6.51	<=13	Pass
	841.5	75	0	6.43	<=13	Pass




5.2 Test Graph

5.2.1 B26B_1.4MHz






Band26B_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26B_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV






Band26B_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26B_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV






5.2.2 B26B_3MHz






Band26B_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26B_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV






Band26B_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26B_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV






5.2.3 B26B_5MHz






Band26B_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26B_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV






Band26B_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26B_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV






5.2.4 B26B_10MHz

Band26B_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26B_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV






Band26B_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26B_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV






Band26B_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26B_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV






5.2.5 B26B_15MHz

Band26B_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26B_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV






Band26B_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26B_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV






Band26B_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26B_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV





6. Spurious Emission

6.1 Test Result

6.1.1 B26B_1.4MHz

Band: 26B / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.2 B26B_3MHz

Band: 26B / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.1.3 B26B_5MHz

Band: 26B / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	826.5	1	0	Refer To Test Graph		Pass



	836.5	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26B_10MHz

Band: 26B / Bandwidth: 10MHz / NTN/V						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B26B_15MHz


Band: 26B / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass



6.2 Test Graph


6.2.1 B26B_1.4MHz

Band26B_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-52.98	-13	Pass
823	824	0.003	/	2	823.999	-42.48	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26B_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV






Band26B_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26B_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV






Band26B_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26B_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-40.53	-13	Pass
823	824	0.013	CHP	2	823.995	-41.13	-13	Pass
824	827	0.013	CHP	/	/	/	/	/



Band26B_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26B_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV






Band26B_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26B_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV






Band26B_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-37.36	-13	Pass
850	852	0.1	CHP	2	850.052	-51.80	-13	Pass


Band26B_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-40.78	-13	Pass
850	852	0.1	CHP	2	850.055	-39.17	-13	Pass




Band26B_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-54.03	-13	Pass
823	824	0.003	/	2	823.990	-43.52	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26B_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV






Band26B_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26B_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV






Band26B_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26B_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.940	-40.61	-13	Pass
823	824	0.013	CHP	2	823.920	-41.27	-13	Pass
824	827	0.013	CHP	/	/	/	/	/



Band26B_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26B_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV






Band26B_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26B_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV






Band26B_1.4MHz_16QAM_HCH_848.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.015	-42.91	-13	Pass
850	852	0.1	CHP	2	850.052	-53.74	-13	Pass

Band26B_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.010	-42.09	-13	Pass
850	852	0.1	CHP	2	850.075	-40.09	-13	Pass




6.2.2 B26B_3MHz

Band26B_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.932	-53.18	-13	Pass
823	824	0.003	/	2	823.999	-26.79	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26B_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV






Band26B_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26B_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV






Band26B_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26B_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.734	-40.11	-13	Pass
823	824	0.031	CHP	2	823.994	-27.19	-13	Pass
824	827	0.031	CHP	/	/	/	/	/



Band26B_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26B_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV






Band26B_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26B_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV






Band26B_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-27.03	-13	Pass
850	852	0.1	CHP	2	851.288	-51.49	-13	Pass


Band26B_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-30.05	-13	Pass
850	852	0.1	CHP	2	850.056	-39.92	-13	Pass




Band26B_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-53.46	-13	Pass
823	824	0.003	/	2	823.999	-26.26	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26B_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV






Band26B_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26B_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV






Band26B_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26B_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.770	-38.96	-13	Pass
823	824	0.031	CHP	2	823.994	-28.14	-13	Pass
824	827	0.031	CHP	/	/	/	/	/



Band26B_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV




Band26B_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV






Band26B_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV




Band26B_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV






Band26B_3MHz_16QAM_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.010	-28.91	-13	Pass
850	852	0.1	CHP	2	851.330	-53.62	-13	Pass

Band26B_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-31.02	-13	Pass
850	852	0.1	CHP	2	850.164	-40.24	-13	Pass




6.2.3 B26B_5MHz

Band26B_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.950	-54.36	-13	Pass
823	824	0.003	/	2	823.999	-34.25	-13	Pass
824	829	0.003	/	/	/	/	/	/

Band26B_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV






Band26B_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV




Band26B_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV






Band26B_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV




Band26B_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.900	-41.40	-13	Pass
823	824	0.05	CHP	2	823.990	-33.19	-13	Pass
824	829	0.05	CHP	/	/	/	/	/



Band26B_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26B_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV






Band26B_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26B_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV






Band26B_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Band26B_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV






Band26B_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.950	-54.87	-13	Pass
823	824	0.003	/	2	823.999	-35.02	-13	Pass
824	829	0.003	/	/	/	/	/	/

Band26B_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV






Band26B_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26B_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV






Band26B_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26B_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.910	-41.43	-13	Pass
823	824	0.051	CHP	2	823.990	-33.99	-13	Pass
824	829	0.051	CHP	/	/	/	/	/



Band26B_5MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_5MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_5MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_5MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_5MHz_16QAM_HCH_846.5MHz_RB_1_0_NTNV




Band26B_5MHz_16QAM_HCH_846.5MHz_RB_1_0_NTNV






Band26B_5MHz_16QAM_HCH_846.5MHz_RB_1_0_NTNV




Band26B_5MHz_16QAM_HCH_846.5MHz_RB_1_0_NTNV






Band26B_5MHz_16QAM_HCH_846.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-36.10	-13	Pass
850	854	0.1	CHP	2	850.052	-55.39	-13	Pass

Band26B_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05	CHP	/	/	/	/	/
849	850	0.05	CHP	1	849.010	-37.38	-13	Pass
850	854	0.1	CHP	2	850.060	-40.62	-13	Pass




6.2.4 B26B_10MHz

Band26B_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	815.809	-55.45	-13	Pass
823	824	0.003	/	2	823.998	-39.70	-13	Pass
824	834	0.003	/	/	/	/	/	/

Band26B_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV






Band26B_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26B_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV






Band26B_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26B_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.600	-44.06	-13	Pass
823	824	0.101	CHP	2	823.980	-34.48	-13	Pass
824	834	0.101	CHP	/	/	/	/	/



Band26B_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26B_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV






Band26B_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26B_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV






Band26B_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.011	-39.40	-13	Pass
850	859	0.1	CHP	2	850.084	-54.68	-13	Pass


Band26B_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	850	0.1	/	1	849.020	-35.34	-13	Pass
850	859	0.1	/	2	850.120	-39.85	-13	Pass



Band26B_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band26B_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV






Band26B_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band26B_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV






Band26B_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band26B_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.680	-43.42	-13	Pass
823	824	0.1	/	2	823.980	-35.35	-13	Pass
824	834	0.1	/	/	/	/	/	/



Band26B_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Band26B_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV






Band26B_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Band26B_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV






Band26B_10MHz_16QAM_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-39.76	-13	Pass
850	859	0.1	CHP	2	850.051	-56.12	-13	Pass

Band26B_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	850	0.1	/	1	849.020	-36.55	-13	Pass
850	859	0.1	/	2	850.640	-40.24	-13	Pass




6.2.5 B26B_15MHz

Band26B_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	CHP	1	818.189	-54.58	-13	Pass
823	824	0.003	/	2	823.986	-40.70	-13	Pass
824	839	0.003	/	/	/	/	/	/

Band26B_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV






Band26B_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV




Band26B_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV






Band26B_15MHz_QPSK_LCH_831.5MHz_RB_1_0_NTNV




Band26B_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.860	-43.85	-13	Pass
823	824	0.152	CHP	2	823.970	-35.05	-13	Pass
824	839	0.152	CHP	/	/	/	/	/



Band26B_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26B_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Band26B_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26B_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV






Band26B_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26B_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV






Band26B_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.012	-41.09	-13	Pass
850	864	0.1	CHP	2	850.080	-56.72	-13	Pass


Band26B_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.151	CHP	/	/	/	/	/
849	850	0.151	CHP	1	849.030	-36.37	-13	Pass
850	864	0.1	/	2	850.740	-40.62	-13	Pass




Band26B_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	CHP	1	818.180	-54.54	-13	Pass
823	824	0.003	/	2	823.997	-39.56	-13	Pass
824	839	0.003	/	/	/	/	/	/

Band26B_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV






Band26B_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV




Band26B_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV






Band26B_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV




Band26B_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.170	-44.71	-13	Pass
823	824	0.151	CHP	2	823.970	-36.78	-13	Pass
824	839	0.151	CHP	/	/	/	/	/



Band26B_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26B_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26B_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV




Band26B_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV






Band26B_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV




Band26B_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV






Band26B_15MHz_16QAM_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.019	-41.50	-13	Pass
850	864	0.1	CHP	2	850.077	-57.91	-13	Pass

Band26B_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.152	CHP	/	/	/	/	/
849	850	0.152	CHP	1	849.060	-38.72	-13	Pass
850	864	0.1	/	2	850.110	-42.00	-13	Pass



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26B	1.4	824.7	848.3	0.1656	0.0585	ppm	1M11G7D	/	22.19
26B	1.4	824.7	848.3	0.1303	0.0405	ppm	1M12W7D	/	21.15
26B	3	825.5	847.5	0.1626	0.0500	ppm	2M76G7D	/	22.11
26B	3	825.5	847.5	0.1517	0.0532	ppm	2M76W7D	/	21.81
26B	5	826.5	846.5	0.1644	0.0578	ppm	4M56G7D	/	22.16
26B	5	826.5	846.5	0.1300	0.0199	ppm	4M57W7D	/	21.14
26B	10	829	844	0.1683	0.0522	ppm	9M07G7D	/	22.26
26B	10	829	844	0.1361	0.0144	ppm	9M08W7D	/	21.34
26B	15	831.5	841.5	0.1679	0.0565	ppm	13M6G7D	/	22.25
26B	15	831.5	841.5	0.1358	0.0223	ppm	13M6W7D	/	21.33

7.1.2 Form731_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26B	1.4	824.7	848.3	0.0325	0.0585	ppm	1M11G7D	/	15.12
26B	1.4	824.7	848.3	0.0256	0.0405	ppm	1M12W7D	/	14.08
26B	3	825.5	847.5	0.0319	0.0500	ppm	2M76G7D	/	15.04
26B	3	825.5	847.5	0.0298	0.0532	ppm	2M76W7D	/	14.74
26B	5	826.5	846.5	0.0323	0.0578	ppm	4M56G7D	/	15.09
26B	5	826.5	846.5	0.0255	0.0199	ppm	4M57W7D	/	14.07
26B	10	829	844	0.0330	0.0522	ppm	9M07G7D	/	15.19
26B	10	829	844	0.0267	0.0144	ppm	9M08W7D	/	14.27
26B	15	831.5	841.5	0.0330	0.0565	ppm	13M6G7D	/	15.18
26B	15	831.5	841.5	0.0267	0.0223	ppm	13M6W7D	/	14.26