

Appendix N: Test Data for E-UTRA Band 26 824-849

Product Name: mobile phone

Trade Mark: Purism

Test Model: Librem 5

Environmental Conditions

Temperature:	24.6° C
Relative Humidity:	53.7%
ATM Pressure:	100.0 kPa
Test Engineer:	Ken He
Supervised by:	LI HUAN

N.1 Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	24.62	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	24.88	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	24.85	PASS
Band26	1.4MHz	QPSK	26797	3RB#0	24.59	PASS
Band26	1.4MHz	QPSK	26797	3RB#1	24.72	PASS
Band26	1.4MHz	QPSK	26797	3RB#3	24.62	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	23.81	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	24.98	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	24.85	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	24.99	PASS
Band26	1.4MHz	QPSK	26915	3RB#0	24.70	PASS
Band26	1.4MHz	QPSK	26915	3RB#1	24.68	PASS
Band26	1.4MHz	QPSK	26915	3RB#3	24.78	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	23.83	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	24.85	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	24.54	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	24.96	PASS
Band26	1.4MHz	QPSK	27033	3RB#0	24.59	PASS
Band26	1.4MHz	QPSK	27033	3RB#1	24.65	PASS
Band26	1.4MHz	QPSK	27033	3RB#3	24.81	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	23.82	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	24.16	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	24.20	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	23.98	PASS
Band26	1.4MHz	16QAM	26797	3RB#1	23.67	PASS
Band26	1.4MHz	16QAM	26797	3RB#0	23.63	PASS
Band26	1.4MHz	16QAM	26797	3RB#3	23.54	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	22.75	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	24.16	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	24.23	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	24.03	PASS
Band26	1.4MHz	16QAM	26915	3RB#3	23.55	PASS
Band26	1.4MHz	16QAM	26915	3RB#0	23.64	PASS

Band26	1.4MHz	16QAM	26915	3RB#1	23.52	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	22.83	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	23.78	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	23.47	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	23.61	PASS
Band26	1.4MHz	16QAM	27033	3RB#0	23.68	PASS
Band26	1.4MHz	16QAM	27033	3RB#1	23.71	PASS
Band26	1.4MHz	16QAM	27033	3RB#3	23.85	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	22.72	PASS
Band26	3MHz	QPSK	26805	1RB#8	24.64	PASS
Band26	3MHz	QPSK	26805	1RB#14	24.66	PASS
Band26	3MHz	QPSK	26805	1RB#0	24.93	PASS
Band26	3MHz	QPSK	26805	8RB#0	23.91	PASS
Band26	3MHz	QPSK	26805	8RB#4	23.94	PASS
Band26	3MHz	QPSK	26805	8RB#7	24.00	PASS
Band26	3MHz	QPSK	26805	15RB#0	23.94	PASS
Band26	3MHz	QPSK	26915	1RB#0	24.83	PASS
Band26	3MHz	QPSK	26915	1RB#14	24.81	PASS
Band26	3MHz	QPSK	26915	1RB#8	24.89	PASS
Band26	3MHz	QPSK	26915	8RB#7	23.91	PASS
Band26	3MHz	QPSK	26915	8RB#0	23.87	PASS
Band26	3MHz	QPSK	26915	8RB#4	23.86	PASS
Band26	3MHz	QPSK	26915	15RB#0	23.90	PASS
Band26	3MHz	QPSK	27025	1RB#8	24.46	PASS
Band26	3MHz	QPSK	27025	1RB#0	24.63	PASS
Band26	3MHz	QPSK	27025	1RB#14	24.47	PASS
Band26	3MHz	QPSK	27025	8RB#0	23.94	PASS
Band26	3MHz	QPSK	27025	8RB#7	23.81	PASS
Band26	3MHz	QPSK	27025	8RB#4	23.87	PASS
Band26	3MHz	QPSK	27025	15RB#0	23.87	PASS
Band26	3MHz	16QAM	26805	1RB#14	23.62	PASS
Band26	3MHz	16QAM	26805	1RB#0	23.70	PASS
Band26	3MHz	16QAM	26805	1RB#8	23.71	PASS
Band26	3MHz	16QAM	26805	8RB#7	23.04	PASS
Band26	3MHz	16QAM	26805	8RB#4	23.21	PASS
Band26	3MHz	16QAM	26805	8RB#0	22.93	PASS
Band26	3MHz	16QAM	26805	15RB#0	22.91	PASS
Band26	3MHz	16QAM	26915	1RB#14	23.63	PASS

Band26	3MHz	16QAM	26915	1RB#0	24.01	PASS
Band26	3MHz	16QAM	26915	1RB#8	24.07	PASS
Band26	3MHz	16QAM	26915	8RB#7	22.73	PASS
Band26	3MHz	16QAM	26915	8RB#0	22.91	PASS
Band26	3MHz	16QAM	26915	8RB#4	22.72	PASS
Band26	3MHz	16QAM	26915	15RB#0	22.71	PASS
Band26	3MHz	16QAM	27025	1RB#8	23.55	PASS
Band26	3MHz	16QAM	27025	1RB#0	23.83	PASS
Band26	3MHz	16QAM	27025	1RB#14	23.64	PASS
Band26	3MHz	16QAM	27025	8RB#0	23.06	PASS
Band26	3MHz	16QAM	27025	8RB#4	23.05	PASS
Band26	3MHz	16QAM	27025	8RB#7	22.80	PASS
Band26	3MHz	16QAM	27025	15RB#0	22.75	PASS
Band26	5MHz	QPSK	26815	1RB#0	24.09	PASS
Band26	5MHz	QPSK	26815	1RB#12	24.40	PASS
Band26	5MHz	QPSK	26815	1RB#24	24.61	PASS
Band26	5MHz	QPSK	26815	12RB#0	23.95	PASS
Band26	5MHz	QPSK	26815	12RB#6	23.91	PASS
Band26	5MHz	QPSK	26815	12RB#13	24.19	PASS
Band26	5MHz	QPSK	26815	25RB#0	23.98	PASS
Band26	5MHz	QPSK	26915	1RB#0	24.60	PASS
Band26	5MHz	QPSK	26915	1RB#24	24.60	PASS
Band26	5MHz	QPSK	26915	1RB#12	24.91	PASS
Band26	5MHz	QPSK	26915	12RB#0	24.05	PASS
Band26	5MHz	QPSK	26915	12RB#6	24.06	PASS
Band26	5MHz	QPSK	26915	12RB#13	23.99	PASS
Band26	5MHz	QPSK	26915	25RB#0	23.92	PASS
Band26	5MHz	QPSK	27015	1RB#24	24.08	PASS
Band26	5MHz	QPSK	27015	1RB#0	24.79	PASS
Band26	5MHz	QPSK	27015	1RB#12	24.71	PASS
Band26	5MHz	QPSK	27015	12RB#0	23.97	PASS
Band26	5MHz	QPSK	27015	12RB#6	23.90	PASS
Band26	5MHz	QPSK	27015	12RB#13	23.85	PASS
Band26	5MHz	QPSK	27015	25RB#0	24.00	PASS
Band26	5MHz	16QAM	26815	1RB#0	23.29	PASS
Band26	5MHz	16QAM	26815	1RB#12	23.60	PASS
Band26	5MHz	16QAM	26815	1RB#24	23.76	PASS
Band26	5MHz	16QAM	26815	12RB#6	23.03	PASS

Band26	5MHz	16QAM	26815	12RB#0	23.06	PASS
Band26	5MHz	16QAM	26815	12RB#13	23.15	PASS
Band26	5MHz	16QAM	26815	25RB#0	22.93	PASS
Band26	5MHz	16QAM	26915	1RB#0	23.57	PASS
Band26	5MHz	16QAM	26915	1RB#12	23.96	PASS
Band26	5MHz	16QAM	26915	1RB#24	23.63	PASS
Band26	5MHz	16QAM	26915	12RB#13	22.79	PASS
Band26	5MHz	16QAM	26915	12RB#0	22.92	PASS
Band26	5MHz	16QAM	26915	12RB#6	22.83	PASS
Band26	5MHz	16QAM	26915	25RB#0	22.90	PASS
Band26	5MHz	16QAM	27015	1RB#12	23.78	PASS
Band26	5MHz	16QAM	27015	1RB#0	23.50	PASS
Band26	5MHz	16QAM	27015	1RB#24	23.12	PASS
Band26	5MHz	16QAM	27015	12RB#0	22.85	PASS
Band26	5MHz	16QAM	27015	12RB#6	22.86	PASS
Band26	5MHz	16QAM	27015	12RB#13	22.81	PASS
Band26	5MHz	16QAM	27015	25RB#0	22.67	PASS
Band26	10MHz	QPSK	26840	1RB#49	24.69	PASS
Band26	10MHz	QPSK	26840	1RB#24	25.50	PASS
Band26	10MHz	QPSK	26840	1RB#0	24.01	PASS
Band26	10MHz	QPSK	26840	25RB#0	24.00	PASS
Band26	10MHz	QPSK	26840	25RB#12	24.01	PASS
Band26	10MHz	QPSK	26840	25RB#25	24.02	PASS
Band26	10MHz	QPSK	26840	50RB#0	24.08	PASS
Band26	10MHz	QPSK	26915	1RB#0	24.45	PASS
Band26	10MHz	QPSK	26915	1RB#49	24.40	PASS
Band26	10MHz	QPSK	26915	1RB#24	25.14	PASS
Band26	10MHz	QPSK	26915	25RB#25	24.04	PASS
Band26	10MHz	QPSK	26915	25RB#0	23.94	PASS
Band26	10MHz	QPSK	26915	25RB#12	23.93	PASS
Band26	10MHz	QPSK	26915	50RB#0	23.90	PASS
Band26	10MHz	QPSK	26990	1RB#24	25.24	PASS
Band26	10MHz	QPSK	26990	1RB#0	24.34	PASS
Band26	10MHz	QPSK	26990	1RB#49	23.72	PASS
Band26	10MHz	QPSK	26990	25RB#0	23.99	PASS
Band26	10MHz	QPSK	26990	25RB#25	23.84	PASS
Band26	10MHz	QPSK	26990	25RB#12	23.89	PASS
Band26	10MHz	QPSK	26990	50RB#0	23.88	PASS



Band26	10MHz	16QAM	26840	1RB#49	23.85	PASS
Band26	10MHz	16QAM	26840	1RB#0	23.39	PASS
Band26	10MHz	16QAM	26840	1RB#24	24.72	PASS
Band26	10MHz	16QAM	26840	25RB#25	23.02	PASS
Band26	10MHz	16QAM	26840	25RB#12	23.15	PASS
Band26	10MHz	16QAM	26840	25RB#0	23.10	PASS
Band26	10MHz	16QAM	26840	50RB#0	23.17	PASS
Band26	10MHz	16QAM	26915	1RB#49	23.59	PASS
Band26	10MHz	16QAM	26915	1RB#0	23.61	PASS
Band26	10MHz	16QAM	26915	1RB#24	24.14	PASS
Band26	10MHz	16QAM	26915	25RB#25	22.97	PASS
Band26	10MHz	16QAM	26915	25RB#0	22.96	PASS
Band26	10MHz	16QAM	26915	25RB#12	23.06	PASS
Band26	10MHz	16QAM	26915	50RB#0	22.93	PASS
Band26	10MHz	16QAM	26990	1RB#24	24.10	PASS
Band26	10MHz	16QAM	26990	1RB#0	23.50	PASS
Band26	10MHz	16QAM	26990	1RB#49	22.90	PASS
Band26	10MHz	16QAM	26990	25RB#0	22.72	PASS
Band26	10MHz	16QAM	26990	25RB#12	22.90	PASS
Band26	10MHz	16QAM	26990	25RB#25	22.79	PASS
Band26	10MHz	16QAM	26990	50RB#0	22.78	PASS


N.2 Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	5.18	13	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	5.17	13	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	4.90	13	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	6.07	13	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	6.15	13	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	5.79	13	PASS
Band26	3MHz	QPSK	26805	15RB#0	5.37	13	PASS
Band26	3MHz	QPSK	26915	15RB#0	5.40	13	PASS
Band26	3MHz	QPSK	27025	15RB#0	5.06	13	PASS
Band26	3MHz	16QAM	26805	15RB#0	6.25	13	PASS
Band26	3MHz	16QAM	26915	15RB#0	6.20	13	PASS
Band26	3MHz	16QAM	27025	15RB#0	5.87	13	PASS
Band26	5MHz	QPSK	26815	25RB#0	5.34	13	PASS
Band26	5MHz	QPSK	26915	25RB#0	5.32	13	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.98	13	PASS
Band26	5MHz	16QAM	26815	25RB#0	6.12	13	PASS
Band26	5MHz	16QAM	26915	25RB#0	6.10	13	PASS
Band26	5MHz	16QAM	27015	25RB#0	5.84	13	PASS
Band26	10MHz	QPSK	26840	50RB#0	5.11	13	PASS
Band26	10MHz	QPSK	26915	50RB#0	5.23	13	PASS
Band26	10MHz	QPSK	26990	50RB#0	5.01	13	PASS
Band26	10MHz	16QAM	26840	50RB#0	5.97	13	PASS
Band26	10MHz	16QAM	26915	50RB#0	6.06	13	PASS
Band26	10MHz	16QAM	26990	50RB#0	5.89	13	PASS
Band26	15MHz	QPSK	26865	75RB#0	5.00	13	PASS
Band26	15MHz	QPSK	26915	75RB#0	5.14	13	PASS
Band26	15MHz	QPSK	26965	75RB#0	5.00	13	PASS
Band26	15MHz	16QAM	26865	75RB#0	5.94	13	PASS
Band26	15MHz	16QAM	26915	75RB#0	6.08	13	PASS
Band26	15MHz	16QAM	26965	75RB#0	5.99	13	PASS

Test Graphs


Band26-1.4MHz-QPSK-26797-6RB#0**Band26-1.4MHz-QPSK-26915-6RB#0****Band26-1.4MHz-QPSK-27033-6RB#0**




Band26-1.4MHz-16QAM-26797-6RB#0




Band26-1.4MHz-16QAM-26915-6RB#0




Band26-1.4MHz-16QAM-27033-6RB#0




Band26-3MHz-QPSK-26805-15RB#0




Band26-3MHz-QPSK-26915-15RB#0




Band26-3MHz-QPSK-27025-15RB#0




Band26-3MHz-16QAM-26805-15RB#0




Band26-3MHz-16QAM-26915-15RB#0




Band26-3MHz-16QAM-27025-15RB#0




Band26-5MHz-QPSK-26815-25RB#0




Band26-5MHz-QPSK-26915-25RB#0




Band26-5MHz-QPSK-27015-25RB#0




Band26-5MHz-16QAM-26815-25RB#0




Band26-5MHz-16QAM-26915-25RB#0




Band26-5MHz-16QAM-27015-25RB#0




Band26-10MHz-QPSK-26840-50RB#0




Band26-10MHz-QPSK-26915-50RB#0




Band26-10MHz-QPSK-26990-50RB#0




Band26-10MHz-16QAM-26840-50RB#0




Band26-10MHz-16QAM-26915-50RB#0




Band26-10MHz-16QAM-26990-50RB#0




Band26-15MHz-QPSK-26865-75RB#0




Band26-15MHz-QPSK-26915-75RB#0




Band26-15MHz-QPSK-26965-75RB#0




Band26-15MHz-16QAM-26865-75RB#0



Band26-15MHz-16QAM-26915-75RB#0



Band26-15MHz-16QAM-26965-75RB#0




N.3 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	1.0882	1.230	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	1.0844	1.250	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	1.0878	1.274	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	1.0908	1.262	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	1.0903	1.262	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	1.0872	1.265	PASS
Band26	3MHz	QPSK	26805	15RB#0	2.6998	2.915	PASS
Band26	3MHz	QPSK	26915	15RB#0	2.6870	2.919	PASS
Band26	3MHz	QPSK	27025	15RB#0	2.6930	2.922	PASS
Band26	3MHz	16QAM	26805	15RB#0	2.6908	2.884	PASS
Band26	3MHz	16QAM	26915	15RB#0	2.6870	2.919	PASS
Band26	3MHz	16QAM	27025	15RB#0	2.6873	2.906	PASS
Band26	5MHz	QPSK	26815	25RB#0	4.5089	4.889	PASS
Band26	5MHz	QPSK	26915	25RB#0	4.4966	4.852	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.4946	4.881	PASS
Band26	5MHz	16QAM	26815	25RB#0	4.5028	4.835	PASS
Band26	5MHz	16QAM	26915	25RB#0	4.4966	4.852	PASS
Band26	5MHz	16QAM	27015	25RB#0	4.4967	4.841	PASS
Band26	10MHz	QPSK	26840	50RB#0	8.9549	9.538	PASS
Band26	10MHz	QPSK	26915	50RB#0	8.9615	9.563	PASS
Band26	10MHz	QPSK	26990	50RB#0	8.9429	9.513	PASS
Band26	10MHz	16QAM	26840	50RB#0	8.9393	9.508	PASS
Band26	10MHz	16QAM	26915	50RB#0	8.9492	9.519	PASS
Band26	10MHz	16QAM	26990	50RB#0	8.9433	9.510	PASS
Band26	15MHz	QPSK	26865	75RB#0	13.420	14.23	PASS
Band26	15MHz	QPSK	26915	75RB#0	13.440	14.29	PASS
Band26	15MHz	QPSK	26965	75RB#0	13.408	14.28	PASS
Band26	15MHz	16QAM	26865	75RB#0	13.385	14.21	PASS
Band26	15MHz	16QAM	26915	75RB#0	13.456	14.25	PASS
Band26	15MHz	16QAM	26965	75RB#0	13.405	14.23	PASS

Test Graphs


Band26-1.4MHz-QPSK-26797-6RB#0




Band26-1.4MHz-QPSK-26915-6RB#0




Band26-1.4MHz-QPSK-27033-6RB#0




Band26-1.4MHz-16QAM-26797-6RB#0




Band26-1.4MHz-16QAM-26915-6RB#0




Band26-1.4MHz-16QAM-27033-6RB#0




Band26-3MHz-QPSK-26805-15RB#0




Band26-3MHz-QPSK-26915-15RB#0




Band26-3MHz-QPSK-27025-15RB#0




Band26-3MHz-16QAM-26805-15RB#0




Band26-3MHz-16QAM-26915-15RB#0




Band26-3MHz-16QAM-27025-15RB#0




Band26-5MHz-QPSK-26815-25RB#0




Band26-5MHz-QPSK-26915-25RB#0




Band26-5MHz-QPSK-27015-25RB#0




Band26-5MHz-16QAM-26815-25RB#0




Band26-5MHz-16QAM-26915-25RB#0




Band26-5MHz-16QAM-27015-25RB#0




Band26-10MHz-QPSK-26840-50RB#0




Band26-10MHz-QPSK-26915-50RB#0




Band26-10MHz-QPSK-26990-50RB#0




Band26-10MHz-16QAM-26840-50RB#0




Band26-10MHz-16QAM-26915-50RB#0




Band26-10MHz-16QAM-26990-50RB#0



Band26-15MHz-QPSK-26865-75RB#0




Band26-15MHz-QPSK-26915-75RB#0



Band26-15MHz-QPSK-26965-75RB#0




Band26-15MHz-16QAM-26865-75RB#0



Band26-15MHz-16QAM-26915-75RB#0



Band26-15MHz-16QAM-26965-75RB#0



N.4 Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	6RB#0	-23.74	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	-23.93	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	-24.96	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	-24.85	PASS
Band26	3MHz	QPSK	26805	15RB#0	-20.50	PASS
Band26	3MHz	QPSK	27025	15RB#0	-21.09	PASS
Band26	3MHz	16QAM	26805	15RB#0	-23.17	PASS
Band26	3MHz	16QAM	27025	15RB#0	-23.28	PASS
Band26	5MHz	QPSK	26815	25RB#0	-20.62	PASS
Band26	5MHz	QPSK	27015	25RB#0	-20.81	PASS
Band26	5MHz	16QAM	26815	25RB#0	-22.93	PASS
Band26	5MHz	16QAM	27015	25RB#0	-21.93	PASS
Band26	10MHz	QPSK	26840	50RB#0	-24.78	PASS
Band26	10MHz	QPSK	26990	50RB#0	-26.96	PASS
Band26	10MHz	16QAM	26840	50RB#0	-28.18	PASS
Band26	10MHz	16QAM	26990	50RB#0	-26.51	PASS
Band26	15MHz	QPSK	26865	75RB#0	-28.31	PASS
Band26	15MHz	QPSK	26965	75RB#0	-28.23	PASS
Band26	15MHz	16QAM	26865	75RB#0	-29.70	PASS
Band26	15MHz	16QAM	26965	75RB#0	-29.88	PASS

Test Graphs


Band26-1.4MHz-QPSK-26797-6RB#0




Band26-1.4MHz-QPSK-27033-6RB#0




Band26-1.4MHz-16QAM-26797-6RB#0




Band26-1.4MHz-16QAM-27033-6RB#0




Band26-3MHz-QPSK-26805-15RB#0




Band26-3MHz-QPSK-27025-15RB#0




Band26-3MHz-16QAM-26805-15RB#0




Band26-3MHz-16QAM-27025-15RB#0




Band26-5MHz-QPSK-26815-25RB#0




Band26-5MHz-QPSK-27015-25RB#0




Band26-5MHz-16QAM-26815-25RB#0




Band26-5MHz-16QAM-27015-25RB#0



Band26-10MHz-QPSK-26840-50RB#0




Band26-10MHz-QPSK-26990-50RB#0




Band26-10MHz-16QAM-26840-50RB#0




Band26-10MHz-16QAM-26990-50RB#0




Band26-15MHz-QPSK-26865-75RB#0




Band26-15MHz-QPSK-26965-75RB#0



Band26-15MHz-16QAM-26865-75RB#0




Band26-15MHz-16QAM-26965-75RB#0




N.5 Conducted Spurious Emission

Test Graphs


Band26-1.4MHz-QPSK-26797-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-26797-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-QPSK-27033-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-27033-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-26797-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26797-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-27033-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-27033-1RB#0-Range2:1000~10000MHz




Band26-3MHz-QPSK-26805-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-26805-1RB#0-Range2:1000~10000MHz




Band26-3MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-3MHz-QPSK-27025-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-27025-1RB#0-Range2:1000~10000MHz




Band26-3MHz-16QAM-26805-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-26805-1RB#0-Range2:1000~10000MHz




Band26-3MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-3MHz-16QAM-27025-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-27025-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-26815-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-26815-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-27015-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-27015-1RB#0-Range2:1000~10000MHz




Band26-5MHz-16QAM-26815-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-26815-1RB#0-Range2:1000~10000MHz




Band26-5MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-5MHz-16QAM-27015-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-27015-1RB#0-Range2:1000~10000MHz




Band26-10MHz-QPSK-26840-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26840-1RB#0-Range2:1000~10000MHz




Band26-10MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-10MHz-QPSK-26990-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26990-1RB#0-Range2:1000~10000MHz




Band26-10MHz-16QAM-26840-1RB#0-Range1:30~1000MHz




Band26-10MHz-16QAM-26840-1RB#0-Range2:1000~10000MHz




Band26-10MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-10MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz




Band26-10MHz-16QAM-26990-1RB#0-Range1:30~1000MHz




Band26-10MHz-16QAM-26990-1RB#0-Range2:1000~10000MHz




Band26-15MHz-QPSK-26865-1RB#0-Range1:30~1000MHz




Band26-15MHz-QPSK-26865-1RB#0-Range2:1000~10000MHz




Band26-15MHz-QPSK-26915-1RB#0-Range1:30~1000MHz




Band26-15MHz-QPSK-26915-1RB#0-Range2:1000~10000MHz




Band26-15MHz-QPSK-26965-1RB#0-Range1:30~1000MHz




Band26-15MHz-QPSK-26965-1RB#0-Range2:1000~10000MHz




Band26-15MHz-16QAM-26865-1RB#0-Range1:30~1000MHz




Band26-15MHz-16QAM-26865-1RB#0-Range2:1000~10000MHz




Band26-15MHz-16QAM-26915-1RB#0-Range1:30~1000MHz




Band26-15MHz-16QAM-26915-1RB#0-Range2:1000~10000MHz



Band26-15MHz-16QAM-26965-1RB#0-Range1:30~1000MHz



Band26-15MHz-16QAM-26965-1RB#0-Range2:1000~10000MHz



Note: Not recorded test plots from 9 KHz to 30 MHz as emission levels 20dB lower than emission limit.