

Appendix for Band 26

Report No.: BCTC2506476417-5E

Applicant: Shanghai TUGE Data Technologies Co., Ltd.

Product Name: Smart Car Holder with Charging & WiFi

Test Model: TC10

Tested Date: 2025-06-24 to 2025-07-30


Issued Date: 2025-09-03

Shenzhen BCTC Testing Co., Ltd.



Contents

Appendix 1. Conducted output power	3
Appendix 2. Frequency stability.....	7
Appendix 3. Peak-to-Average Ratio	18
Appendix 4. Occupied bandwidth	29
Appendix 5. Band edge	40
Appendix 6. Out-of-band emissions	48




Appendix 1. Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	23.20	PASS
Band26(814-824)	1.4	26697	1	#Mid	QPSK	23.32	PASS
Band26(814-824)	1.4	26697	1	#Max	QPSK	23.26	PASS
Band26(814-824)	1.4	26697	3	#0	QPSK	23.16	PASS
Band26(814-824)	1.4	26697	3	#Mid	QPSK	23.16	PASS
Band26(814-824)	1.4	26697	3	#Max	QPSK	23.13	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	22.02	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	23.10	PASS
Band26(814-824)	1.4	26697	1	#Mid	16QAM	23.17	PASS
Band26(814-824)	1.4	26697	1	#Max	16QAM	23.16	PASS
Band26(814-824)	1.4	26697	3	#0	16QAM	22.26	PASS
Band26(814-824)	1.4	26697	3	#Mid	16QAM	22.26	PASS
Band26(814-824)	1.4	26697	3	#Max	16QAM	22.26	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	21.57	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	22.96	PASS
Band26(814-824)	1.4	26740	1	#Mid	QPSK	22.99	PASS
Band26(814-824)	1.4	26740	1	#Max	QPSK	22.91	PASS
Band26(814-824)	1.4	26740	3	#0	QPSK	23.04	PASS
Band26(814-824)	1.4	26740	3	#Mid	QPSK	22.83	PASS
Band26(814-824)	1.4	26740	3	#Max	QPSK	23.02	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	21.91	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	22.45	PASS
Band26(814-824)	1.4	26740	1	#Mid	16QAM	22.39	PASS
Band26(814-824)	1.4	26740	1	#Max	16QAM	22.46	PASS
Band26(814-824)	1.4	26740	3	#0	16QAM	22.08	PASS
Band26(814-824)	1.4	26740	3	#Mid	16QAM	22.12	PASS
Band26(814-824)	1.4	26740	3	#Max	16QAM	22.06	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	21.22	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	22.89	PASS
Band26(814-824)	1.4	26783	1	#Mid	QPSK	22.95	PASS
Band26(814-824)	1.4	26783	1	#Max	QPSK	22.87	PASS
Band26(814-824)	1.4	26783	3	#0	QPSK	22.80	PASS
Band26(814-824)	1.4	26783	3	#Mid	QPSK	22.87	PASS
Band26(814-824)	1.4	26783	3	#Max	QPSK	22.79	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	21.78	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	22.71	PASS
Band26(814-824)	1.4	26783	1	#Mid	16QAM	22.68	PASS
Band26(814-824)	1.4	26783	1	#Max	16QAM	22.69	PASS
Band26(814-824)	1.4	26783	3	#0	16QAM	22.24	PASS

Band26(814-824)	1.4	26783	3	#Mid	16QAM	22.19	PASS
Band26(814-824)	1.4	26783	3	#Max	16QAM	22.20	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	21.33	PASS
Band26(814-824)	3	26705	1	#0	QPSK	23.11	PASS
Band26(814-824)	3	26705	1	#Mid	QPSK	23.08	PASS
Band26(814-824)	3	26705	1	#Max	QPSK	22.93	PASS
Band26(814-824)	3	26705	8	#0	QPSK	22.04	PASS
Band26(814-824)	3	26705	8	#Mid	QPSK	22.11	PASS
Band26(814-824)	3	26705	8	#Max	QPSK	22.05	PASS
Band26(814-824)	3	26705	15	#0	QPSK	22.04	PASS
Band26(814-824)	3	26705	1	#0	16QAM	23.07	PASS
Band26(814-824)	3	26705	1	#Mid	16QAM	22.94	PASS
Band26(814-824)	3	26705	1	#Max	16QAM	22.90	PASS
Band26(814-824)	3	26705	8	#0	16QAM	21.23	PASS
Band26(814-824)	3	26705	8	#Mid	16QAM	21.27	PASS
Band26(814-824)	3	26705	8	#Max	16QAM	21.22	PASS
Band26(814-824)	3	26705	15	#0	16QAM	21.35	PASS
Band26(814-824)	3	26740	1	#0	QPSK	22.94	PASS
Band26(814-824)	3	26740	1	#Mid	QPSK	22.89	PASS
Band26(814-824)	3	26740	1	#Max	QPSK	22.85	PASS
Band26(814-824)	3	26740	8	#0	QPSK	21.94	PASS
Band26(814-824)	3	26740	8	#Mid	QPSK	21.88	PASS
Band26(814-824)	3	26740	8	#Max	QPSK	21.83	PASS
Band26(814-824)	3	26740	15	#0	QPSK	21.87	PASS
Band26(814-824)	3	26740	1	#0	16QAM	22.40	PASS
Band26(814-824)	3	26740	1	#Mid	16QAM	22.40	PASS
Band26(814-824)	3	26740	1	#Max	16QAM	22.36	PASS
Band26(814-824)	3	26740	8	#0	16QAM	21.42	PASS
Band26(814-824)	3	26740	8	#Mid	16QAM	21.39	PASS
Band26(814-824)	3	26740	8	#Max	16QAM	21.43	PASS
Band26(814-824)	3	26740	15	#0	16QAM	21.26	PASS
Band26(814-824)	3	26775	1	#0	QPSK	22.96	PASS
Band26(814-824)	3	26775	1	#Mid	QPSK	22.98	PASS
Band26(814-824)	3	26775	1	#Max	QPSK	22.89	PASS
Band26(814-824)	3	26775	8	#0	QPSK	21.84	PASS
Band26(814-824)	3	26775	8	#Mid	QPSK	21.72	PASS
Band26(814-824)	3	26775	8	#Max	QPSK	21.76	PASS
Band26(814-824)	3	26775	15	#0	QPSK	21.85	PASS
Band26(814-824)	3	26775	1	#0	16QAM	22.70	PASS
Band26(814-824)	3	26775	1	#Mid	16QAM	22.67	PASS
Band26(814-824)	3	26775	1	#Max	16QAM	22.71	PASS
Band26(814-824)	3	26775	8	#0	16QAM	21.09	PASS
Band26(814-824)	3	26775	8	#Mid	16QAM	21.08	PASS
Band26(814-824)	3	26775	8	#Max	16QAM	21.04	PASS

Band26(814-824)	3	26775	15	#0	16QAM	21.13	PASS
Band26(814-824)	5	26715	1	#0	QPSK	23.01	PASS
Band26(814-824)	5	26715	1	#Mid	QPSK	22.94	PASS
Band26(814-824)	5	26715	1	#Max	QPSK	22.88	PASS
Band26(814-824)	5	26715	12	#0	QPSK	22.03	PASS
Band26(814-824)	5	26715	12	#Mid	QPSK	21.97	PASS
Band26(814-824)	5	26715	12	#Max	QPSK	21.91	PASS
Band26(814-824)	5	26715	25	#0	QPSK	21.98	PASS
Band26(814-824)	5	26715	1	#0	16QAM	22.46	PASS
Band26(814-824)	5	26715	1	#Mid	16QAM	22.28	PASS
Band26(814-824)	5	26715	1	#Max	16QAM	22.26	PASS
Band26(814-824)	5	26715	12	#0	16QAM	21.29	PASS
Band26(814-824)	5	26715	12	#Mid	16QAM	21.13	PASS
Band26(814-824)	5	26715	12	#Max	16QAM	21.15	PASS
Band26(814-824)	5	26715	25	#0	16QAM	21.40	PASS
Band26(814-824)	5	26740	1	#0	QPSK	22.94	PASS
Band26(814-824)	5	26740	1	#Mid	QPSK	22.88	PASS
Band26(814-824)	5	26740	1	#Max	QPSK	22.83	PASS
Band26(814-824)	5	26740	12	#0	QPSK	22.00	PASS
Band26(814-824)	5	26740	12	#Mid	QPSK	21.95	PASS
Band26(814-824)	5	26740	12	#Max	QPSK	21.80	PASS
Band26(814-824)	5	26740	25	#0	QPSK	21.97	PASS
Band26(814-824)	5	26740	1	#0	16QAM	21.63	PASS
Band26(814-824)	5	26740	1	#Mid	16QAM	21.59	PASS
Band26(814-824)	5	26740	1	#Max	16QAM	21.56	PASS
Band26(814-824)	5	26740	12	#0	16QAM	21.12	PASS
Band26(814-824)	5	26740	12	#Mid	16QAM	21.14	PASS
Band26(814-824)	5	26740	12	#Max	16QAM	21.04	PASS
Band26(814-824)	5	26740	25	#0	16QAM	21.30	PASS
Band26(814-824)	5	26765	1	#0	QPSK	22.82	PASS
Band26(814-824)	5	26765	1	#Mid	QPSK	22.75	PASS
Band26(814-824)	5	26765	1	#Max	QPSK	22.66	PASS
Band26(814-824)	5	26765	12	#0	QPSK	21.97	PASS
Band26(814-824)	5	26765	12	#Mid	QPSK	21.81	PASS
Band26(814-824)	5	26765	12	#Max	QPSK	21.78	PASS
Band26(814-824)	5	26765	25	#0	QPSK	21.93	PASS
Band26(814-824)	5	26765	1	#0	16QAM	21.89	PASS
Band26(814-824)	5	26765	1	#Mid	16QAM	21.84	PASS
Band26(814-824)	5	26765	1	#Max	16QAM	21.81	PASS
Band26(814-824)	5	26765	12	#0	16QAM	21.14	PASS
Band26(814-824)	5	26765	12	#Mid	16QAM	21.15	PASS
Band26(814-824)	5	26765	12	#Max	16QAM	21.04	PASS
Band26(814-824)	5	26765	25	#0	16QAM	21.13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	22.95	PASS

Band26(814-824)	10	26740	1	#Mid	QPSK	22.75	PASS
Band26(814-824)	10	26740	1	#Max	QPSK	22.68	PASS
Band26(814-824)	10	26740	25	#0	QPSK	21.94	PASS
Band26(814-824)	10	26740	25	#Mid	QPSK	21.95	PASS
Band26(814-824)	10	26740	25	#Max	QPSK	21.85	PASS
Band26(814-824)	10	26740	50	#0	QPSK	21.88	PASS
Band26(814-824)	10	26740	1	#0	16QAM	23.06	PASS
Band26(814-824)	10	26740	1	#Mid	16QAM	23.01	PASS
Band26(814-824)	10	26740	1	#Max	16QAM	22.83	PASS
Band26(814-824)	10	26740	25	#0	16QAM	21.23	PASS
Band26(814-824)	10	26740	25	#Mid	16QAM	21.07	PASS
Band26(814-824)	10	26740	25	#Max	16QAM	21.09	PASS
Band26(814-824)	10	26740	50	#0	16QAM	21.13	PASS



Appendix 2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	High Limit (ppm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	LV	NT	4.45	0.005	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	NT	-3.69	-0.005	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	HV	NT	-11.06	-0.014	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	LV	NT	-17.28	-0.021	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	NT	-22.36	-0.027	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	HV	NT	-29.41	-0.036	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	LV	NT	-2.09	-0.003	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	NT	-8.93	-0.011	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	HV	NT	-15.36	-0.019	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	LV	NT	-21.69	-0.026	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	NT	-28.00	-0.034	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	HV	NT	-32.93	-0.040	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	LV	NT	-0.40	0.000	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	NT	-5.38	-0.007	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	HV	NT	-9.06	-0.011	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	LV	NT	-14.15	-0.017	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	NT	-19.64	-0.024	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	HV	NT	-23.15	-0.030	-2.5	2.5	PASS

-824)		3						39	28			S
Band26(814-824)	3	26705	15	#0	QPSK	LV	NT	2.07	0.003	-2.5	2.5	PAS S
Band26(814-824)	3	26705	15	#0	QPSK	NV	NT	-11.36	-0.014	-2.5	2.5	PAS S
Band26(814-824)	3	26705	15	#0	QPSK	HV	NT	-21.23	-0.026	-2.5	2.5	PAS S
Band26(814-824)	3	26705	15	#0	16QAM	LV	NT	-30.23	-0.037	-2.5	2.5	PAS S
Band26(814-824)	3	26705	15	#0	16QAM	NV	NT	-37.74	-0.046	-2.5	2.5	PAS S
Band26(814-824)	3	26705	15	#0	16QAM	HV	NT	-43.85	-0.054	-2.5	2.5	PAS S
Band26(814-824)	3	26740	15	#0	QPSK	LV	NT	-7.95	-0.010	-2.5	2.5	PAS S
Band26(814-824)	3	26740	15	#0	QPSK	NV	NT	-14.58	-0.018	-2.5	2.5	PAS S
Band26(814-824)	3	26740	15	#0	QPSK	HV	NT	-20.69	-0.025	-2.5	2.5	PAS S
Band26(814-824)	3	26740	15	#0	16QAM	LV	NT	-27.85	-0.034	-2.5	2.5	PAS S
Band26(814-824)	3	26740	15	#0	16QAM	NV	NT	-33.12	-0.040	-2.5	2.5	PAS S
Band26(814-824)	3	26740	15	#0	16QAM	HV	NT	-38.41	-0.047	-2.5	2.5	PAS S
Band26(814-824)	3	26775	15	#0	QPSK	LV	NT	2.27	0.003	-2.5	2.5	PAS S
Band26(814-824)	3	26775	15	#0	QPSK	NV	NT	-3.26	-0.004	-2.5	2.5	PAS S
Band26(814-824)	3	26775	15	#0	QPSK	HV	NT	-8.51	-0.010	-2.5	2.5	PAS S
Band26(814-824)	3	26775	15	#0	16QAM	LV	NT	-13.89	-0.017	-2.5	2.5	PAS S
Band26(814-824)	3	26775	15	#0	16QAM	NV	NT	-18.15	-0.022	-2.5	2.5	PAS S
Band26(814-824)	3	26775	15	#0	16QAM	HV	NT	-22.77	-0.028	-2.5	2.5	PAS S
Band26(814-824)	5	26715	25	#0	QPSK	LV	NT	1.36	0.002	-2.5	2.5	PAS S
Band26(814-824)	5	26715	25	#0	QPSK	NV	NT	-13.12	-0.016	-2.5	2.5	PAS S
Band26(814-824)	5	26715	25	#0	QPSK	HV	NT	-22.65	-0.028	-2.5	2.5	PAS S
Band26(814-824)	5	26715	25	#0	16QAM	LV	NT	-32.	-0.0	-2.5	2.5	PAS

-824)		5						13	39			S
Band26(814-824)	5	26715	25	#0	16QAM	NV	NT	-39.55	-0.048	-2.5	2.5	PAS S
Band26(814-824)	5	26715	25	#0	16QAM	HV	NT	-46.21	-0.057	-2.5	2.5	PAS S
Band26(814-824)	5	26740	25	#0	QPSK	LV	NT	-4.26	-0.005	-2.5	2.5	PAS S
Band26(814-824)	5	26740	25	#0	QPSK	NV	NT	-9.90	-0.012	-2.5	2.5	PAS S
Band26(814-824)	5	26740	25	#0	QPSK	HV	NT	-17.14	-0.021	-2.5	2.5	PAS S
Band26(814-824)	5	26740	25	#0	16QAM	LV	NT	-23.49	-0.029	-2.5	2.5	PAS S
Band26(814-824)	5	26740	25	#0	16QAM	NV	NT	-28.81	-0.035	-2.5	2.5	PAS S
Band26(814-824)	5	26740	25	#0	16QAM	HV	NT	-33.06	-0.040	-2.5	2.5	PAS S
Band26(814-824)	5	26765	25	#0	QPSK	LV	NT	-1.13	-0.001	-2.5	2.5	PAS S
Band26(814-824)	5	26765	25	#0	QPSK	NV	NT	-7.34	-0.009	-2.5	2.5	PAS S
Band26(814-824)	5	26765	25	#0	QPSK	HV	NT	-12.72	-0.015	-2.5	2.5	PAS S
Band26(814-824)	5	26765	25	#0	16QAM	LV	NT	-17.37	-0.021	-2.5	2.5	PAS S
Band26(814-824)	5	26765	25	#0	16QAM	NV	NT	-22.37	-0.027	-2.5	2.5	PAS S
Band26(814-824)	5	26765	25	#0	16QAM	HV	NT	-27.08	-0.033	-2.5	2.5	PAS S
Band26(814-824)	10	26740	50	#0	QPSK	LV	NT	-6.24	-0.008	-2.5	2.5	PAS S
Band26(814-824)	10	26740	50	#0	QPSK	NV	NT	-20.83	-0.025	-2.5	2.5	PAS S
Band26(814-824)	10	26740	50	#0	QPSK	HV	NT	-31.46	-0.038	-2.5	2.5	PAS S
Band26(814-824)	10	26740	50	#0	16QAM	LV	NT	-40.07	-0.049	-2.5	2.5	PAS S
Band26(814-824)	10	26740	50	#0	16QAM	NV	NT	-47.88	-0.058	-2.5	2.5	PAS S
Band26(814-824)	10	26740	50	#0	16QAM	HV	NT	-5.78	-0.007	-2.5	2.5	PAS S

TC
BC
PPR
Report



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	High Limit (ppm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-30	6.81	0.008	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-20	-0.10	0.000	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	0	-6.57	-0.008	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	10	-5.61	-0.007	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	20	-7.30	-0.009	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	30	-5.52	-0.007	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	40	-8.07	-0.010	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	50	-7.07	-0.009	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-30	-7.44	-0.009	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-20	-5.05	-0.006	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	0	-5.52	-0.007	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	10	-4.28	-0.005	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	20	-4.84	-0.006	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	30	-3.81	-0.005	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	40	-6.71	-0.008	-2.5	2.5	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	50	-6.44	-0.008	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-30	-7.24	-0.009	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-20	-8.90	-0.011	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	0	-11.32	-0.014	-2.5	2.5	PASS



Band26(814-824)	1.4	26740	6	#0	QPSK	NV	10	-12.00	-0.015	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	20	-12.56	-0.015	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	30	-18.05	-0.022	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	40	-20.87	-0.025	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	50	-21.97	-0.027	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-30	-21.73	-0.027	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-20	-25.72	-0.031	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	0	-22.52	-0.027	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	10	-24.28	-0.030	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	20	-22.52	-0.027	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	30	-24.55	-0.030	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	40	-25.65	-0.031	-2.5	2.5	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	50	-24.66	-0.030	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-30	-25.02	-0.030	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-20	-23.52	-0.029	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	0	-24.53	-0.030	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	10	-28.07	-0.034	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	20	-29.67	-0.036	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	30	-32.37	-0.039	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	40	-34.26	-0.042	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	50	-35.99	-0.044	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-30	-33.85	-0.041	-2.5	2.5	PASS

STING
ED



Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-20	-31.44	-0.038	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	0	-31.91	-0.039	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	10	-33.22	-0.040	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	20	-31.53	-0.038	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	30	-29.34	-0.036	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	40	-31.27	-0.038	-2.5	2.5	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	50	-25.95	-0.032	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-30	43.90	0.054	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-20	40.04	0.049	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	0	32.89	0.040	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	10	32.00	0.039	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	20	29.81	0.037	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	30	26.28	0.032	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	40	22.46	0.028	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	50	19.08	0.023	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	-30	14.49	0.018	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	-20	15.11	0.019	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	0	12.56	0.015	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	10	10.69	0.013	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	20	9.97	0.012	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	30	9.41	0.012	-2.5	2.5	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	40	9.03	0.011	-2.5	2.5	PASS

Band26(814-824)	3	26705	15	#0	16QAM	NV	50	7.37	0.009	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-30	6.52	0.008	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-20	3.06	0.004	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	0	1.04	0.001	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	10	-1.47	-0.002	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	20	-4.13	-0.005	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	30	-8.54	-0.010	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	40	-6.92	-0.008	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	50	-10.80	-0.013	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-30	-15.86	-0.019	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-20	-17.74	-0.022	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	0	-18.61	-0.023	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	10	-17.38	-0.021	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	20	-19.96	-0.024	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	30	-19.15	-0.023	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	40	-21.11	-0.026	-2.5	2.5	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	50	-22.92	-0.028	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-30	-20.04	-0.024	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-20	-24.52	-0.030	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	0	-23.37	-0.028	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	10	-28.30	-0.034	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	20	-32.59	-0.040	-2.5	2.5	PASS

Band26(814-824)	3	26775	15	#0	QPSK	NV	30	-35.03	-0.043	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	40	-39.42	-0.048	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	50	-38.39	-0.047	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-30	-40.96	-0.050	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-20	-44.53	-0.054	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	0	-46.48	-0.057	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	10	-45.46	-0.055	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	20	-47.46	-0.058	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	30	-52.74	-0.064	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	40	-49.51	-0.060	-2.5	2.5	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	50	-50.64	-0.062	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-30	19.24	0.024	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-20	11.84	0.015	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	0	5.45	0.007	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	10	2.46	0.003	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	20	-0.37	0.000	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	30	-2.92	-0.004	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	40	-6.08	-0.007	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	50	-6.72	-0.008	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	-30	-6.92	-0.008	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	-20	-6.05	-0.007	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	0	-3.52	-0.004	-2.5	2.5	PASS




Band26(814-824)	5	26715	25	#0	16QAM	NV	10	-5.32	-0.007	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	20	-3.96	-0.005	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	30	-8.87	-0.011	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	40	-5.79	-0.007	-2.5	2.5	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	50	-7.15	-0.009	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-30	-7.47	-0.009	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-20	-7.25	-0.009	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	0	-11.62	-0.014	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	10	-13.92	-0.017	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	20	-14.98	-0.018	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	30	-16.44	-0.020	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	40	-18.10	-0.022	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	50	-22.14	-0.027	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-30	-23.66	-0.029	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-20	-20.51	-0.025	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	0	-21.37	-0.026	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	10	-20.21	-0.025	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	20	-17.50	-0.021	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	30	-19.14	-0.023	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	40	-15.51	-0.019	-2.5	2.5	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	50	-14.68	-0.018	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	-30	-11.84	-0.014	-2.5	2.5	PASS



Band26(814-824)	5	26765	25	#0	QPSK	NV	-20	-14.56	-0.018	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	0	-13.79	-0.017	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	10	-17.67	-0.022	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	20	-18.87	-0.023	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	30	-19.03	-0.023	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	40	-19.66	-0.024	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	50	-22.24	-0.027	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-30	-22.75	-0.028	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-20	-20.67	-0.025	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	0	-20.48	-0.025	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	10	-20.43	-0.025	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	20	-20.57	-0.025	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	30	-20.03	-0.024	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	40	-20.26	-0.025	-2.5	2.5	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	50	-15.54	-0.019	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-30	9.74	0.012	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-20	1.22	0.001	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	0	-3.58	-0.004	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	10	-5.38	-0.007	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	20	-8.24	-0.010	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	30	-8.31	-0.010	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	40	-12.10	-0.015	-2.5	2.5	PASS

Band26(814-824)	10	26740	50	#0	QPSK	NV	50	-14.96	-0.018	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	-30	-19.15	-0.023	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	-20	-18.73	-0.023	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	0	-18.55	-0.023	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	10	-15.99	-0.020	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	20	-17.80	-0.022	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	30	-14.89	-0.018	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	40	-11.01	-0.013	-2.5	2.5	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	50	-12.93	-0.016	-2.5	2.5	PASS


STING
ED




Appendix 3. Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	5.39	13	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	6.02	13	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	5.13	13	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	5.84	13	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	5.58	13	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	6.26	13	PASS
Band26(814-824)	3	26705	1	#0	QPSK	5.27	13	PASS
Band26(814-824)	3	26705	1	#0	16QAM	6.30	13	PASS
Band26(814-824)	3	26740	1	#0	QPSK	4.76	13	PASS
Band26(814-824)	3	26740	1	#0	16QAM	5.26	13	PASS
Band26(814-824)	3	26775	1	#0	QPSK	5.71	13	PASS
Band26(814-824)	3	26775	1	#0	16QAM	6.13	13	PASS
Band26(814-824)	5	26715	1	#0	QPSK	5.42	13	PASS
Band26(814-824)	5	26715	1	#0	16QAM	6.05	13	PASS
Band26(814-824)	5	26740	1	#0	QPSK	4.48	13	PASS
Band26(814-824)	5	26740	1	#0	16QAM	5.17	13	PASS
Band26(814-824)	5	26765	1	#0	QPSK	5.49	13	PASS
Band26(814-824)	5	26765	1	#0	16QAM	6.34	13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	5.19	13	PASS
Band26(814-824)	10	26740	1	#0	16QAM	6.19	13	PASS


C.O.LTD




Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0 NVNT




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=1 Position=#0 NVNT




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0 NVNT




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=1 Position=#0 NVNT




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0 NVNT




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=1 Position=#0 NVNT




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0 NVNT




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=1 Position=#0 NVNT




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0 NVNT




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=1 Position=#0 NVNT




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0 NVNT




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=1 Position=#0 NVNT




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0 NVNT




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=1 Position=#0 NVNT




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0 NVNT




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=1 Position=#0 NVNT




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0 NVNT



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=1 Position=#0 NVNT




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0 NVNT




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=1 Position=#0 NVNT

Appendix 4. Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	1.097	1.245	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	1.094	1.242	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	1.101	1.241	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	1.097	1.249	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	1.101	1.250	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	1.106	1.254	PASS
Band26(814-824)	3	26705	15	#0	QPSK	2.702	3.039	PASS
Band26(814-824)	3	26705	15	#0	16QAM	2.701	3.034	PASS
Band26(814-824)	3	26740	15	#0	QPSK	2.721	3.059	PASS
Band26(814-824)	3	26740	15	#0	16QAM	2.711	3.049	PASS
Band26(814-824)	3	26775	15	#0	QPSK	2.719	3.027	PASS
Band26(814-824)	3	26775	15	#0	16QAM	2.723	3.068	PASS
Band26(814-824)	5	26715	25	#0	QPSK	4.503	4.952	PASS
Band26(814-824)	5	26715	25	#0	16QAM	4.517	4.956	PASS
Band26(814-824)	5	26740	25	#0	QPSK	4.501	4.938	PASS
Band26(814-824)	5	26740	25	#0	16QAM	4.519	4.992	PASS
Band26(814-824)	5	26765	25	#0	QPSK	4.518	4.980	PASS
Band26(814-824)	5	26765	25	#0	16QAM	4.518	4.996	PASS
Band26(814-824)	10	26740	50	#0	QPSK	9.010	9.933	PASS
Band26(814-824)	10	26740	50	#0	16QAM	8.988	9.866	PASS




Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0 NVNT




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0 NVNT




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0 NVNT




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0 NVNT




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0 NVNT




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0 NVNT




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0 NVNT




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0 NVNT




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0 NVNT




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0 NVNT




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0 NVNT




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0 NVNT




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0 NVNT




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0 NVNT




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0 NVNT




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0 NVNT




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0 NVNT



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0 NVNT




Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0 NVNT



Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0 NVNT


Appendix 5. Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	815.49	-27.72	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	815.50	-26.76	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	824.04	-30.35	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	824.04	-30.01	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	813.96	-21.11	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	813.94	-24.18	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	820.96	-24.65	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	824.04	-23.06	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	813.96	-32.08	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	813.96	-31.11	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	818.95	-32.84	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	818.96	-31.65	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	824.06	-35.97	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	813.95	-36.80	-13	PASS




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.88565	-28.61	-13
2	813.9625	814	0.3	813.984025	-50.78	-20
3	815.4	815.4375	0.3	815.42805	-48.17	-20
4	815.4375	816.1	100	815.49315	-27.72	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.8213875	-27.62	-13
2	813.9625	814	0.3	813.9891625	-50.01	-20
3	815.4	815.4375	0.3	815.43	-48.03	-20
4	815.4375	816.1	100	815.4958	-26.76	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5572	-31.15	-13
2	822.5625	822.6	0.3	822.5710875	-52.19	-20
3	824	824.0375	0.3	824.0240375	-51.95	-20
4	824.0375	824.7	100	824.0381625	-30.35	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.542625	-30.93	-13
2	822.5625	822.6	0.3	822.584025	-51.76	-20
3	824	824.0375	0.3	824.02805	-50.97	-20
4	824.0375	824.7	100	824.0447875	-30.01	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9625	-21.11	-13
2	813.9625	814	0.3	813.9998875	-41.8	-20
3	817	817.0375	0.3	817.0003375	-39.67	-20
4	817.0375	818.5	100	817.052125	-23.33	-13

Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.942025	-24.18	-13
2	813.9625	814	0.3	813.9960625	-42.16	-20
3	817	817.0375	0.3	817.01005	-43.09	-20
4	817.0375	818.5	100	817.0535875	-24.63	-13

Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9625	-24.65	-13
2	820.9625	821	0.3	820.9999625	-44.05	-20
3	824	824.0375	0.3	824.001275	-42.71	-20
4	824.0375	825.5	100	824.063825	-24.65	-13

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.959575	-24.78	-13
2	820.9625	821	0.3	821	-43.37	-20
3	824	824.0375	0.3	824.0078375	-44.73	-20
4	824.0375	825.5	100	824.040425	-23.06	-13

Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.9625	-32.08	-13
2	813.9625	814	0.3	813.9850375	-49.97	-20
3	819	819.0375	0.3	819.01005	-51.28	-20
4	819.0375	821.5	100	819.04735	-33.72	-13

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.9625	-31.11	-13
2	813.9625	814	0.3	813.991975	-51.46	-20
3	819	819.0375	0.3	819.0114375	-53.09	-20
4	819.0375	821.5	100	819.0547375	-33.23	-13

Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9501875	-32.84	-13
2	818.9625	819	0.3	818.98605	-49.32	-20
3	824	824.0375	0.3	824.0058875	-51.09	-20
4	824.0375	826.5	100	824.0547375	-33.59	-13

Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9625	-31.65	-13
2	818.9625	819	0.3	818.9920125	-51.94	-20
3	824	824.0375	0.3	824.0080625	-51.89	-20
4	824.0375	826.5	100	824.04735	-32.92	-13

Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.952575	-36	-13
2	813.9625	814	0.3	813.9739	-56.65	-20
3	824	824.0375	0.3	824.0165	-57.69	-20
4	824.0375	829	100	824.0623125	-35.97	-13

Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.9476125	-36.8	-13
2	813.9625	814	0.3	813.9883375	-57.27	-20
3	824	824.0375	0.3	824.0033375	-55.87	-20
4	824.0375	829	100	824.0722375	-38.03	-13


Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0 NVNT

Appendix 6. Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	25716.88	-23.32	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	25573.13	-24.11	-13	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	25196.88	-23.64	-13	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	25783.13	-23.73	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	25738.75	-24.23	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	25493.13	-24.28	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	25441.25	-24.08	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	25795.63	-23.65	-13	PASS
Band26(814-824)	3	26740	15	#0	QPSK	25970.00	-24.22	-13	PASS
Band26(814-824)	3	26740	15	#0	16QAM	25816.25	-23.34	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	25628.13	-24.46	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	25376.25	-23.23	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	25821.88	-23.96	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	25303.75	-23.88	-13	PASS
Band26(814-824)	5	26740	25	#0	QPSK	25803.75	-23.73	-13	PASS
Band26(814-824)	5	26740	25	#0	16QAM	25855.00	-24.12	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	25778.75	-23.66	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	25830.63	-23.95	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	25527.50	-23.88	-13	PASS


Band26(814-824)	10	26740	50	#0	16QAM	25742.5 0	-23.9 4	-13	PASS
---------------------	----	-------	----	----	-------	--------------	------------	-----	------






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009891825	-46.03	-13
2	0.15	30	10	6.56401875	-40.72	-13
3	30	1000	100	899.9445	-49.46	-13
4	1000	26000	1000	25716.875	-23.32	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0115944	-46.09	-13
2	0.15	30	10	6.2080575	-40.44	-13
3	30	1000	100	30.3395	-50.12	-13
4	1000	26000	1000	25573.125	-24.11	-13


Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0 NVNT



Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0 NVNT




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00934545	-44.33	-13
2	0.15	30	10	6.3901425	-41.26	-13
3	30	1000	100	483.9115	-50.08	-13
4	1000	26000	1000	25738.75	-24.23	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009920025	-45.42	-13
2	0.15	30	10	6.05358375	-40.68	-13
3	30	1000	100	834.54225	-48.31	-13
4	1000	26000	1000	25493.125	-24.28	-13


Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0 NVNT



Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0 NVNT




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00996585	-45.47	-13
2	0.15	30	10	6.12671625	-41.35	-13
3	30	1000	100	900.0415	-49.97	-13
4	1000	26000	1000	25970	-24.22	-13

Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009969375	-45.1	-13
2	0.15	30	10	6.1095525	-41.06	-13
3	30	1000	100	793.2445	-50.05	-13
4	1000	26000	1000	25816.25	-23.34	-13

Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.114739425	-46.04	-13
2	0.15	30	10	6.06253875	-41.8	-13
3	30	1000	100	319.8845	-50.27	-13
4	1000	26000	1000	25628.125	-24.46	-13

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.114549075	-47.38	-13
2	0.15	30	10	6.13716375	-42.02	-13
3	30	1000	100	797.19725	-50.51	-13
4	1000	26000	1000	25376.25	-23.23	-13

Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.11684385	-46.51	-13
2	0.15	30	10	6.04910625	-42.48	-13
3	30	1000	100	982.1035	-49.77	-13
4	1000	26000	1000	25821.875	-23.96	-13


Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098883	-46.8	-13
2	0.15	30	10	6.13194	-41.49	-13
3	30	1000	100	899.96875	-49.21	-13
4	1000	26000	1000	25303.75	-23.88	-13

Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0 NVNT






Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0 NVNT




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.81	-13
2	0.15	30	10	6.09089625	-42.86	-13
3	30	1000	100	844.29075	-49.95	-13
4	1000	26000	1000	25778.75	-23.66	-13


Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.116953125	-46.56	-13
2	0.15	30	10	6.11477625	-42.87	-13
3	30	1000	100	862.91475	-50.72	-13
4	1000	26000	1000	25830.625	-23.95	-13


Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0 NVNT





Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009680325	-46.77	-13
2	0.15	30	10	6.04836	-43.16	-13
3	30	1000	100	941.2665	-50.64	-13
4	1000	26000	1000	25527.5	-23.88	-13

Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009793125	-45.81	-13
2	0.15	30	10	6.1095525	-42.59	-13
3	30	1000	100	961.5395	-50.75	-13
4	1000	26000	1000	25742.5	-23.94	-13

Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0 NVNT

CO., LTD