


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-56.02	-13	Pass	401
0.15	30	0.01	Peak	0.23	-53.89	-13	Pass	2985
30	500	0.1	Peak	468.893	-43.4	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.17	-13	N/A	5000
1000	10000	1	Peak	9066.985	-20.21	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.34	-13	Pass	2985
30	500	0.1	Peak	358.47	-42.82	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.28	-13	N/A	5000
1000	10000	1	Peak	7966.85	-20.43	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.84	-13	Pass	401
0.15	30	0.01	Peak	0.59	-53.81	-13	Pass	2985
30	500	0.1	Peak	465.393	-43.24	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.32	-13	N/A	5000
1000	10000	1	Peak	9050.983	-20.38	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.23	-13	Pass	401
0.15	30	0.01	Peak	0.45	-59.77	-13	Pass	2985
30	1000	0.1	Peak	863.219	-48.53	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.25	-13	N/A	2000
3000	20000	1	Peak	19326.993	-41.29	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.83	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.99	-13	Pass	2985
30	1000	0.1	Peak	765.79	-48.5	-13	Pass	9699
1000	3000	1	Peak	1879.44	28.09	-13	N/A	2000
3000	20000	1	Peak	19567.298	-41.62	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-62.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.06	-13	Pass	2985
30	1000	0.1	Peak	978.071	-48.21	-13	Pass	9699
1000	3000	1	Peak	1910.455	28.86	-13	N/A	2000
3000	20000	1	Peak	19834.732	-41.1	-13	Pass	17000




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.61	-13	Pass	401
0.15	30	0.01	Peak	0.33	-53.3	-13	Pass	2985
30	500	0.1	Peak	364.171	-42.39	-13	Pass	4700
500	1000	0.1	Peak	824.165	29.9	-13	N/A	5000
1000	10000	1	Peak	9481.358	-19.84	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-57.16	-13	Pass	401
0.15	30	0.01	Peak	0.22	-52.9	-13	Pass	2985
30	500	0.1	Peak	490.398	-41.96	-13	Pass	4700
500	1000	0.1	Peak	836.667	28.32	-13	N/A	5000
1000	10000	1	Peak	9380.233	-19.27	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.99	-13	Pass	401
0.15	30	0.01	Peak	0.16	-54.14	-13	Pass	2985
30	500	0.1	Peak	489.398	-42.58	-13	Pass	4700
500	1000	0.1	Peak	848.87	29.31	-13	N/A	5000
1000	10000	1	Peak	9475.351	-19.9	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.09	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.6	-13	Pass	2985
30	1000	0.1	Peak	711.783	-48.21	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.3	-13	N/A	2000
3000	20000	1	Peak	19759.61	-41.11	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.28	-13	Pass	401
0.15	30	0.01	Peak	0.61	-59.79	-13	Pass	2985
30	1000	0.1	Peak	724.085	-48.11	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.38	-13	N/A	2000
3000	20000	1	Peak	19821.711	-41.3	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.3	-13	Pass	401
0.15	30	0.01	Peak	0.22	-58.98	-13	Pass	2985
30	1000	0.1	Peak	874.734	-47.71	-13	Pass	9699
1000	3000	1	Peak	1909.455	28.18	-13	N/A	2000
3000	20000	1	Peak	19282.988	-41.45	-13	Pass	17000




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.89	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.26	-13	Pass	2985
30	1000	0.1	Peak	480.155	-52.91	-13	Pass	9699
1000	3000	1	Peak	1851.426	22.86	-13	N/A	2000
3000	20000	1	Peak	19291.989	-20.85	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.45	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.03	-13	Pass	2985
30	1000	0.1	Peak	753.588	-52.79	-13	Pass	9699
1000	3000	1	Peak	1878.439	22.78	-13	N/A	2000
3000	20000	1	Peak	19699.512	-19.74	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.36	-13	Pass	401
0.15	30	0.01	Peak	0.18	-62.56	-13	Pass	2985
30	1000	0.1	Peak	708.283	-53.28	-13	Pass	9699
1000	3000	1	Peak	1906.453	22.73	-13	N/A	2000
3000	20000	1	Peak	19712.533	-20.91	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-68.29	-13	Pass	401
0.15	30	0.01	Peak	0.3	-64.23	-13	Pass	2985
30	1000	0.1	Peak	607.771	-52.93	-13	Pass	9699
1000	3000	1	Peak	1711.356	22.87	-13	N/A	2000
3000	20000	1	Peak	19996.995	-20.57	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.19	-13	Pass	401
0.15	30	0.01	Peak	0.39	-63.35	-13	Pass	2985
30	1000	0.1	Peak	855.709	-51.61	-13	Pass	9699
1000	3000	1	Peak	1731.366	22.67	-13	N/A	2000
3000	20000	1	Peak	19997.997	-20.72	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.5	-13	Pass	401
0.15	30	0.01	Peak	0.25	-62.95	-13	Pass	2985
30	1000	0.1	Peak	426.748	-53.04	-13	Pass	9699
1000	3000	1	Peak	1751.376	22.84	-13	N/A	2000
3000	20000	1	Peak	19663.454	-20.78	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.25	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.48	-13	Pass	2985
30	500	0.1	Peak	488.398	-53.78	-13	Pass	4700
500	1000	0.1	Peak	827.566	16.89	-13	N/A	5000
1000	10000	1	Peak	9963.955	-30.18	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.76	-13	Pass	401
0.15	30	0.01	Peak	0.79	-64.69	-13	Pass	2985
30	500	0.1	Peak	462.692	-52.86	-13	Pass	4700
500	1000	0.1	Peak	835.567	19	-13	N/A	5000
1000	10000	1	Peak	8208.88	-30.95	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.63	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.31	-13	Pass	2985
30	500	0.1	Peak	470.094	-53.61	-13	Pass	4700
500	1000	0.1	Peak	845.769	18.93	-13	N/A	5000
1000	10000	1	Peak	8969.973	-30.27	-13	Pass	9000




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	1000	0.1	RMS	883.646	-62.66	-13	Pass	9699
1000	1840	1	RMS	1840	-51.43	-13	Pass	840
1840	1920	1	RMS	1850.2	22.56	60	Pass	401
1920	3000	1	RMS	2949.954	-48.94	-13	Pass	1080
3000	12000	1	RMS	3700.085	-40.53	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32.03	-13	Pass	8000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2985
30	1000	0.1	RMS	862.618	-62.66	-13	Pass	9699
1000	1840	1	RMS	1840	-51.63	-13	Pass	840
1840	1920	1	RMS	1850.2	21.62	60	Pass	401
1920	3000	1	RMS	2949.954	-48.95	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.83	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	Pass	2985
30	1000	0.1	RMS	862.718	-62.7	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.06	-13	Pass	840
1840	1920	1	RMS	1879.4	22.47	60	Pass	401
1920	3000	1	RMS	2945.95	-48.93	-13	Pass	1080
3000	12000	1	RMS	3759.093	-40.75	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.99	-13	Pass	8000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	Pass	2985
30	1000	0.1	RMS	896.262	-62.68	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.11	-13	Pass	840
1840	1920	1	RMS	1879.4	21.59	60	Pass	401
1920	3000	1	RMS	2945.95	-48.95	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.73	-13	Pass	9000
12000	20000	1	RMS	19703.963	-32.07	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	Pass	2985
30	1000	0.1	RMS	857.311	-62.63	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.14	-13	Pass	840
1840	1920	1	RMS	1908.8	22.34	60	Pass	401
1920	3000	1	RMS	2941.946	-48.98	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.87	-13	Pass	9000
12000	20000	1	RMS	19708.964	-32.05	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	Pass	2985
30	1000	0.1	RMS	857.711	-62.65	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.08	-13	Pass	840
1840	1920	1	RMS	1908.8	21.49	60	Pass	401
1920	3000	1	RMS	2947.952	-48.96	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.73	-13	Pass	9000
12000	20000	1	RMS	19710.964	-32.02	-13	Pass	8000




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2985
30	1000	0.1	RMS	865.522	-62.61	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.33	-13	Pass	840
1840	1920	1	RMS	1850.2	22.61	60	Pass	401
1920	3000	1	RMS	2940.945	-48.93	-13	Pass	1080
3000	12000	1	RMS	3700.085	-40.54	-13	Pass	9000
12000	20000	1	RMS	19708.964	-32.01	-13	Pass	8000




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	Pass	2985
30	1000	0.1	RMS	871.229	-62.62	-13	Pass	9699
1000	1840	1	RMS	1840	-51.47	-13	Pass	840
1840	1920	1	RMS	1850.2	21.8	60	Pass	401
1920	3000	1	RMS	2946.951	-48.95	-13	Pass	1080
3000	12000	1	RMS	12000	-40.81	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.99	-13	Pass	8000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.58	-13	Pass	2985
30	1000	0.1	RMS	897.664	-62.61	-13	Pass	9699
1000	1840	1	RMS	1840	-52.06	-13	Pass	840
1840	1920	1	RMS	1878.6	22.53	60	Pass	401
1920	3000	1	RMS	2943.948	-49	-13	Pass	1080
3000	12000	1	RMS	11992.991	-40.74	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.89	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	1000	0.1	RMS	851.603	-62.6	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.04	-13	Pass	840
1840	1920	1	RMS	1878.6	21.61	60	Pass	401
1920	3000	1	RMS	2949.954	-48.99	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.81	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.9	-13	Pass	8000




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2985
30	1000	0.1	RMS	903.873	-62.55	-13	Pass	9699
1000	1840	1	RMS	1831.99	-52.12	-13	Pass	840
1840	1920	1	RMS	1907.2	22.37	60	Pass	401
1920	3000	1	RMS	2946.951	-48.98	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.83	-13	Pass	9000
12000	20000	1	RMS	19708.964	-32.02	-13	Pass	8000




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2985
30	1000	0.1	RMS	895.561	-62.57	-13	Pass	9699
1000	1840	1	RMS	1835.995	-52.09	-13	Pass	840
1840	1920	1	RMS	1907.2	21.49	60	Pass	401
1920	3000	1	RMS	2943.948	-48.94	-13	Pass	1080
3000	12000	1	RMS	12000	-40.79	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.93	-13	Pass	8000




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2985
30	1000	0.1	RMS	854.707	-62.61	-13	Pass	9699
1000	1840	1	RMS	1840	-51.22	-13	Pass	840
1840	1920	1	RMS	1850.2	22.54	60	Pass	401
1920	3000	1	RMS	2939.944	-48.98	-13	Pass	1080
3000	12000	1	RMS	3701.086	-40.55	-13	Pass	9000
12000	20000	1	RMS	19710.964	-32.02	-13	Pass	8000




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.22	-13	Pass	2985
30	1000	0.1	RMS	880.842	-62.54	-13	Pass	9699
1000	1840	1	RMS	1840	-51.43	-13	Pass	840
1840	1920	1	RMS	1850.2	21.63	60	Pass	401
1920	3000	1	RMS	2946.951	-49	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.75	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.96	-13	Pass	8000




8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	1000	0.1	RMS	896.162	-62.42	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.06	-13	Pass	840
1840	1920	1	RMS	1877.8	22.42	60	Pass	401
1920	3000	1	RMS	2944.949	-48.97	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.7	-13	Pass	9000
12000	20000	1	RMS	19710.964	-31.87	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.62	-71.63	-13	Pass	2985
30	1000	0.1	RMS	854.807	-62.69	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.12	-13	Pass	840
1840	1920	1	RMS	1877.8	21.68	60	Pass	401
1920	3000	1	RMS	2939.944	-49.02	-13	Pass	1080
3000	12000	1	RMS	11993.993	-40.87	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32.05	-13	Pass	8000




8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	1000	0.1	RMS	873.532	-62.66	-13	Pass	9699
1000	1840	1	RMS	1840	-52.12	-13	Pass	840
1840	1920	1	RMS	1905.2	22.27	60	Pass	401
1920	3000	1	RMS	2948.953	-48.93	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.86	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.96	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	Pass	2985
30	1000	0.1	RMS	868.225	-62.66	-13	Pass	9699
1000	1840	1	RMS	1832.992	-52.14	-13	Pass	840
1840	1920	1	RMS	1905.2	21.57	60	Pass	401
1920	3000	1	RMS	2944.949	-49.01	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.79	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.99	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.15	-13	Pass	2985
30	1000	0.1	RMS	896.062	-62.72	-13	Pass	9699
1000	1840	1	RMS	1832.992	-45.65	-13	Pass	840
1840	1920	1	RMS	1850.4	22.55	60	Pass	401
1920	3000	1	RMS	2947.952	-48.95	-13	Pass	1080
3000	12000	1	RMS	3701.086	-39.5	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.97	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.03	-13	Pass	2985
30	1000	0.1	RMS	866.122	-62.62	-13	Pass	9699
1000	1840	1	RMS	1832.992	-46.09	-13	Pass	840
1840	1920	1	RMS	1850.4	21.77	60	Pass	401
1920	3000	1	RMS	2946.951	-48.96	-13	Pass	1080
3000	12000	1	RMS	3701.086	-40.04	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.88	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2985
30	1000	0.1	RMS	865.922	-62.74	-13	Pass	9699
1000	1840	1	RMS	1840	-52.14	-13	Pass	840
1840	1920	1	RMS	1875.4	22.45	60	Pass	401
1920	3000	1	RMS	2946.951	-49.02	-13	Pass	1080
3000	12000	1	RMS	3751.092	-40.73	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32.05	-13	Pass	8000




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.73	-72.49	-13	Pass	2985
30	1000	0.1	RMS	866.823	-62.68	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.09	-13	Pass	840
1840	1920	1	RMS	1875.4	21.51	60	Pass	401
1920	3000	1	RMS	2939.944	-48.98	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.79	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.98	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	Pass	2985
30	1000	0.1	RMS	989.286	-62.65	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.12	-13	Pass	840
1840	1920	1	RMS	1900.4	22.35	60	Pass	401
1920	3000	1	RMS	2943.948	-48.97	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.81	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.92	-13	Pass	8000




8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	858.512	-62.67	-13	Pass	9699
1000	1840	1	RMS	1834.994	-52.12	-13	Pass	840
1840	1920	1	RMS	1900.4	21.49	60	Pass	401
1920	3000	1	RMS	2946.951	-48.98	-13	Pass	1080
3000	12000	1	RMS	12000	-40.74	-13	Pass	9000
12000	20000	1	RMS	19707.963	-32.06	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2985
30	1000	0.1	RMS	872.531	-62.68	-13	Pass	9699
1000	1840	1	RMS	1837.998	-45.57	-13	Pass	840
1840	1920	1	RMS	1850.8	22.54	60	Pass	401
1920	3000	1	RMS	2938.943	-49.03	-13	Pass	1080
3000	12000	1	RMS	3702.086	-40.45	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.95	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	1000	0.1	RMS	888.853	-62.59	-13	Pass	9699
1000	1840	1	RMS	1837.998	-45.95	-13	Pass	840
1840	1920	1	RMS	1850.8	21.71	60	Pass	401
1920	3000	1	RMS	2942.947	-48.95	-13	Pass	1080
3000	12000	1	RMS	12000	-40.67	-13	Pass	9000
12000	20000	1	RMS	19705.963	-32.03	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	Pass	2985
30	1000	0.1	RMS	879.14	-62.61	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.08	-13	Pass	840
1840	1920	1	RMS	1873.2	22.48	60	Pass	401
1920	3000	1	RMS	2948.953	-48.94	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.77	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.99	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.94	-13	Pass	2985
30	1000	0.1	RMS	853.005	-62.52	-13	Pass	9699
1000	1840	1	RMS	1840	-52.11	-13	Pass	840
1840	1920	1	RMS	1873.2	21.57	60	Pass	401
1920	3000	1	RMS	2949.954	-48.95	-13	Pass	1080
3000	12000	1	RMS	12000	-40.69	-13	Pass	9000
12000	20000	1	RMS	19707.963	-31.94	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2985
30	1000	0.1	RMS	860.315	-62.54	-13	Pass	9699
1000	1840	1	RMS	1833.993	-52.12	-13	Pass	840
1840	1920	1	RMS	1895.8	22.38	60	Pass	401
1920	3000	1	RMS	2940.945	-49.01	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.81	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2985
30	1000	0.1	RMS	874.433	-62.42	-13	Pass	9699
1000	1840	1	RMS	1834.994	-52.1	-13	Pass	840
1840	1920	1	RMS	1895.8	21.55	60	Pass	401
1920	3000	1	RMS	2948.953	-48.98	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.74	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.98	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	Pass	2985
30	1000	0.1	RMS	875.635	-62.54	-13	Pass	9699
1000	1840	1	RMS	1832.992	-45.65	-13	Pass	840
1840	1920	1	RMS	1851	22.51	60	Pass	401
1920	3000	1	RMS	2949.954	-48.99	-13	Pass	1080
3000	12000	1	RMS	3702.086	-39.64	-13	Pass	9000
12000	20000	1	RMS	19706.963	-32.02	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.55	-13	Pass	2985
30	1000	0.1	RMS	894.56	-62.75	-13	Pass	9699
1000	1840	1	RMS	1832.992	-47.57	-13	Pass	840
1840	1920	1	RMS	1851	21.7	60	Pass	401
1920	3000	1	RMS	2950.955	-48.98	-13	Pass	1080
3000	12000	1	RMS	3702.086	-39.99	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.96	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-13	Pass	401
0.15	30	0.01	RMS	1.12	-72.39	-13	Pass	2985
30	1000	0.1	RMS	894.861	-62.74	-13	Pass	9699
1000	1840	1	RMS	1834.994	-46.08	-13	Pass	840
1840	1920	1	RMS	1871	22.46	60	Pass	401
1920	3000	1	RMS	2946.951	-48.95	-13	Pass	1080
3000	12000	1	RMS	3742.091	-40.78	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32.04	-13	Pass	8000




8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	Pass	2985
30	1000	0.1	RMS	877.037	-62.66	-13	Pass	9699
1000	1840	1	RMS	1834.994	-48.47	-13	Pass	840
1840	1920	1	RMS	1871	21.49	60	Pass	401
1920	3000	1	RMS	2949.954	-48.98	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.78	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.98	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	Pass	2985
30	1000	0.1	RMS	870.428	-62.69	-13	Pass	9699
1000	1840	1	RMS	1835.995	-52.12	-13	Pass	840
1840	1920	1	RMS	1891	22.37	60	Pass	401
1920	3000	1	RMS	2945.95	-48.98	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.75	-13	Pass	9000
12000	20000	1	RMS	19708.964	-32.01	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	895.561	-62.83	-13	Pass	9699
1000	1840	1	RMS	1807.962	-52.16	-13	Pass	840
1840	1920	1	RMS	1891	21.43	60	Pass	401
1920	3000	1	RMS	2948.953	-48.95	-13	Pass	1080
3000	12000	1	RMS	12000	-40.82	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.98	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.02	-13	Pass	2985
30	1000	0.1	RMS	864.42	-62.62	-13	Pass	9699
1000	1700	1	RMS	1700	-51.8	-13	Pass	700
1700	1765	1	RMS	1710.238	22.38	60	Pass	401
1765	3000	1	RMS	2947.958	-48.99	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.86	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.91	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2985
30	1000	0.1	RMS	868.225	-62.68	-13	Pass	9699
1000	1700	1	RMS	1700	-51.99	-13	Pass	700
1700	1765	1	RMS	1710.238	21.48	60	Pass	401
1765	3000	1	RMS	2947.958	-48.96	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.8	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32.04	-13	Pass	8000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.32	-13	Pass	2985
30	1000	0.1	RMS	859.213	-62.67	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.49	-13	Pass	700
1700	1765	1	RMS	1732.013	22.37	60	Pass	401
1765	3000	1	RMS	2944.955	-48.93	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.78	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.98	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2985
30	1000	0.1	RMS	849.4	-62.74	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.51	-13	Pass	700
1700	1765	1	RMS	1732.013	21.43	60	Pass	401
1765	3000	1	RMS	2947.958	-48.97	-13	Pass	1235
3000	12000	1	RMS	12000	-40.86	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.98	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2985
30	1000	0.1	RMS	877.538	-62.72	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.49	-13	Pass	700
1700	1765	1	RMS	1753.788	22.49	60	Pass	401
1765	3000	1	RMS	2949.959	-48.94	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.78	-13	Pass	9000
12000	20000	1	RMS	19708.964	-32	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-13	Pass	2985
30	1000	0.1	RMS	866.623	-62.71	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.47	-13	Pass	700
1700	1765	1	RMS	1753.788	21.65	60	Pass	401
1765	3000	1	RMS	2947.958	-48.93	-13	Pass	1235
3000	12000	1	RMS	12000	-40.72	-13	Pass	9000
12000	20000	1	RMS	19710.964	-32.05	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	Pass	2985
30	1000	0.1	RMS	886.049	-62.55	-13	Pass	9699
1000	1700	1	RMS	1700	-51.77	-13	Pass	700
1700	1765	1	RMS	1710.238	22.51	60	Pass	401
1765	3000	1	RMS	2944.955	-48.98	-13	Pass	1235
3000	12000	1	RMS	11995.995	-40.8	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	1000	0.1	RMS	868.425	-62.76	-13	Pass	9699
1000	1700	1	RMS	1700	-51.87	-13	Pass	700
1700	1765	1	RMS	1710.075	21.73	60	Pass	401
1765	3000	1	RMS	2944.955	-48.99	-13	Pass	1235
3000	12000	1	RMS	12000	-40.78	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.97	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2985
30	1000	0.1	RMS	866.623	-62.51	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.41	-13	Pass	700
1700	1765	1	RMS	1731.2	22.47	60	Pass	401
1765	3000	1	RMS	2947.958	-48.99	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.86	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.93	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	886.049	-62.73	-13	Pass	9699
1000	1700	1	RMS	1700	-52.53	-13	Pass	700
1700	1765	1	RMS	1731.2	21.52	60	Pass	401
1765	3000	1	RMS	2940.952	-48.93	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.77	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.96	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2985
30	1000	0.1	RMS	880.642	-62.8	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.53	-13	Pass	700
1700	1765	1	RMS	1752.163	22.59	60	Pass	401
1765	3000	1	RMS	2947.958	-49.01	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.9	-13	Pass	9000
12000	20000	1	RMS	19708.964	-32.03	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2985
30	1000	0.1	RMS	871.73	-62.79	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.52	-13	Pass	700
1700	1765	1	RMS	1752.163	21.68	60	Pass	401
1765	3000	1	RMS	2946.957	-48.96	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.85	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.91	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	899.667	-62.75	-13	Pass	9699
1000	1700	1	RMS	1700	-51.01	-13	Pass	700
1700	1765	1	RMS	1710.238	22.43	60	Pass	401
1765	3000	1	RMS	2941.953	-49.05	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.74	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.86	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	Pass	2985
30	1000	0.1	RMS	872.531	-62.76	-13	Pass	9699
1000	1700	1	RMS	1700	-50.8	-13	Pass	700
1700	1765	1	RMS	1710.238	21.5	60	Pass	401
1765	3000	1	RMS	2950.96	-49	-13	Pass	1235
3000	12000	1	RMS	12000	-40.8	-13	Pass	9000
12000	20000	1	RMS	19706.963	-32.03	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	997.997	-62.7	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.54	-13	Pass	700
1700	1765	1	RMS	1730.225	22.35	60	Pass	401
1765	3000	1	RMS	2943.955	-48.99	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.88	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.98	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.04	-13	Pass	2985
30	1000	0.1	RMS	869.727	-62.63	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.45	-13	Pass	700
1700	1765	1	RMS	1730.225	21.62	60	Pass	401
1765	3000	1	RMS	2946.957	-49	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.87	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2985
30	1000	0.1	RMS	993.692	-62.71	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.48	-13	Pass	700
1700	1765	1	RMS	1750.213	22.46	60	Pass	401
1765	3000	1	RMS	2941.953	-48.98	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.88	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.98	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	Pass	2985
30	1000	0.1	RMS	865.922	-62.73	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.54	-13	Pass	700
1700	1765	1	RMS	1750.213	21.71	60	Pass	401
1765	3000	1	RMS	2944.955	-48.97	-13	Pass	1235
3000	12000	1	RMS	11992.991	-40.84	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.85	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.39	-13	Pass	2985
30	1000	0.1	RMS	880.041	-62.54	-13	Pass	9699
1000	1700	1	RMS	1692.99	-44.2	-13	Pass	700
1700	1765	1	RMS	1710.563	22.51	60	Pass	401
1765	3000	1	RMS	2948.959	-48.97	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.76	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.85	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.87	-13	Pass	2985
30	1000	0.1	RMS	863.619	-62.55	-13	Pass	9699
1000	1700	1	RMS	1692.99	-45.23	-13	Pass	700
1700	1765	1	RMS	1710.563	21.71	60	Pass	401
1765	3000	1	RMS	2952.962	-48.98	-13	Pass	1235
3000	12000	1	RMS	12000	-40.73	-13	Pass	9000
12000	20000	1	RMS	19710.964	-32.03	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	Pass	2985
30	1000	0.1	RMS	862.818	-62.66	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.44	-13	Pass	700
1700	1765	1	RMS	1727.95	22.45	60	Pass	401
1765	3000	1	RMS	2940.952	-48.93	-13	Pass	1235
3000	12000	1	RMS	12000	-40.72	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32.03	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	Pass	2985
30	1000	0.1	RMS	870.028	-62.69	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.49	-13	Pass	700
1700	1765	1	RMS	1727.95	21.51	60	Pass	401
1765	3000	1	RMS	2951.961	-48.98	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.73	-13	Pass	9000
12000	20000	1	RMS	19706.963	-32.05	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2985
30	1000	0.1	RMS	887.351	-62.58	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.46	-13	Pass	700
1700	1765	1	RMS	1745.5	22.53	60	Pass	401
1765	3000	1	RMS	2949.959	-48.98	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.89	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32.04	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	Pass	2985
30	1000	0.1	RMS	988.485	-62.78	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.44	-13	Pass	700
1700	1765	1	RMS	1745.5	21.65	60	Pass	401
1765	3000	1	RMS	2949.959	-48.95	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.74	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32.05	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.51	-13	Pass	2985
30	1000	0.1	RMS	984.379	-62.71	-13	Pass	9699
1000	1700	1	RMS	1697.997	-44.05	-13	Pass	700
1700	1765	1	RMS	1710.725	22.45	60	Pass	401
1765	3000	1	RMS	2942.954	-48.96	-13	Pass	1235
3000	12000	1	RMS	12000	-40.79	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.9	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.27	-13	Pass	2985
30	1000	0.1	RMS	901.469	-62.6	-13	Pass	9699
1000	1700	1	RMS	1697.997	-44.94	-13	Pass	700
1700	1765	1	RMS	1710.725	21.68	60	Pass	401
1765	3000	1	RMS	2953.963	-48.97	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.78	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	1000	0.1	RMS	868.926	-62.47	-13	Pass	9699
1000	1700	1	RMS	1698.999	-40.28	-13	Pass	700
1700	1765	1	RMS	1725.838	22.39	60	Pass	401
1765	3000	1	RMS	2948.959	-48.96	-13	Pass	1235
3000	12000	1	RMS	12000	-40.73	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	1000	0.1	RMS	865.822	-62.52	-13	Pass	9699
1000	1700	1	RMS	1698.999	-42.44	-13	Pass	700
1700	1765	1	RMS	1725.838	21.47	60	Pass	401
1765	3000	1	RMS	2954.964	-48.96	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.81	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.92	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	889.554	-62.57	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.51	-13	Pass	700
1700	1765	1	RMS	1740.788	22.48	60	Pass	401
1765	3000	1	RMS	1767.002	-28.5	-13	Pass	1235
3000	12000	1	RMS	12000	-40.78	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.98	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2985
30	1000	0.1	RMS	871.63	-62.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.49	-13	Pass	700
1700	1765	1	RMS	1740.788	21.7	60	Pass	401
1765	3000	1	RMS	1767.002	-29.39	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.88	-13	Pass	9000
12000	20000	1	RMS	19710.964	-31.94	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2985
30	1000	0.1	RMS	877.437	-62.77	-13	Pass	9699
1000	1700	1	RMS	1692.99	-45.58	-13	Pass	700
1700	1765	1	RMS	1711.05	22.41	60	Pass	401
1765	3000	1	RMS	2942.954	-49	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.86	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.93	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2985
30	1000	0.1	RMS	885.949	-62.67	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.56	-13	Pass	700
1700	1765	1	RMS	1711.05	21.65	60	Pass	401
1765	3000	1	RMS	2941.953	-49.01	-13	Pass	1235
3000	12000	1	RMS	11915.896	-40.87	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.96	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	853.305	-62.72	-13	Pass	9699
1000	1700	1	RMS	1687.983	-49.42	-13	Pass	700
1700	1765	1	RMS	1723.563	22.37	60	Pass	401
1765	3000	1	RMS	2939.951	-48.98	-13	Pass	1235
3000	12000	1	RMS	12000	-40.89	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.98	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2985
30	1000	0.1	RMS	872.13	-62.59	-13	Pass	9699
1000	1700	1	RMS	1687.983	-50.78	-13	Pass	700
1700	1765	1	RMS	1723.563	21.46	60	Pass	401
1765	3000	1	RMS	2944.955	-49.02	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.71	-13	Pass	9000
12000	20000	1	RMS	19709.964	-32.05	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2985
30	1000	0.1	RMS	883.646	-62.53	-13	Pass	9699
1000	1700	1	RMS	1700	-44.05	-13	Pass	700
1700	1765	1	RMS	1736.075	22.32	60	Pass	401
1765	3000	1	RMS	1772.006	-27.14	-13	Pass	1235
3000	12000	1	RMS	12000	-40.76	-13	Pass	9000
12000	20000	1	RMS	19710.964	-32.08	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.52	-13	Pass	2985
30	1000	0.1	RMS	885.849	-62.59	-13	Pass	9699
1000	1700	1	RMS	1700	-44.55	-13	Pass	700
1700	1765	1	RMS	1736.075	21.43	60	Pass	401
1765	3000	1	RMS	1772.006	-28.79	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.78	-13	Pass	9000
12000	20000	1	RMS	19707.963	-32.04	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.8	-13	Pass	7840
814	860	0.1	RMS	824.222	20.48	60	Pass	460
860	1000	0.1	RMS	886.619	-62.8	-13	Pass	1400
1000	3000	1	RMS	2947.974	-49.04	-13	Pass	2000
3000	10000	1	RMS	9963.995	-41.95	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.45	-13	Pass	7840
814	860	0.1	RMS	824.222	19.46	60	Pass	460
860	1000	0.1	RMS	893.024	-62.83	-13	Pass	1400
1000	3000	1	RMS	2943.972	-49.07	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42.03	-13	Pass	7000




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.63	-13	Pass	2985
30	814	0.1	RMS	735.39	-63.35	-13	Pass	7840
814	860	0.1	RMS	836.048	20.7	60	Pass	460
860	1000	0.1	RMS	897.527	-63.12	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.82	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.96	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	814	0.1	RMS	727.289	-63.3	-13	Pass	7840
814	860	0.1	RMS	836.048	19.77	60	Pass	460
860	1000	0.1	RMS	883.417	-62.79	-13	Pass	1400
1000	3000	1	RMS	2941.971	-49.07	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42.08	-13	Pass	7000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	814	0.1	RMS	735.19	-63.18	-13	Pass	7840
814	860	0.1	RMS	847.874	20.63	60	Pass	460
860	1000	0.1	RMS	896.626	-62.98	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.72	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.89	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-13	Pass	2985
30	814	0.1	RMS	729.789	-63.15	-13	Pass	7840
814	860	0.1	RMS	847.874	19.69	60	Pass	460
860	1000	0.1	RMS	886.819	-62.78	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.03	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.99	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.24	-13	Pass	7840
814	860	0.1	RMS	824.222	20.77	60	Pass	460
860	1000	0.1	RMS	871.909	-62.92	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.03	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.99	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.42	-13	Pass	7840
814	860	0.1	RMS	824.222	19.92	60	Pass	460
860	1000	0.1	RMS	861.701	-62.73	-13	Pass	1400
1000	3000	1	RMS	2937.969	-49.03	-13	Pass	2000
3000	10000	1	RMS	9483.926	-41.99	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.33	-13	Pass	2985
30	814	0.1	RMS	812	-63.1	-13	Pass	7840
814	860	0.1	RMS	835.246	20.81	60	Pass	460
860	1000	0.1	RMS	892.023	-62.68	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.89	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.96	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2985
30	814	0.1	RMS	744.391	-62.99	-13	Pass	7840
814	860	0.1	RMS	835.246	19.79	60	Pass	460
860	1000	0.1	RMS	885.218	-62.75	-13	Pass	1400
1000	3000	1	RMS	2949.975	-48.99	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.91	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	Pass	2985
30	814	0.1	RMS	741.991	-63.08	-13	Pass	7840
814	860	0.1	RMS	846.27	20.54	60	Pass	460
860	1000	0.1	RMS	901.63	-62.68	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.94	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.91	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.37	-72.78	-13	Pass	2985
30	814	0.1	RMS	485.958	-63.17	-13	Pass	7840
814	860	0.1	RMS	846.27	19.75	60	Pass	460
860	1000	0.1	RMS	860	-59.47	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.04	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.99	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.18	-13	Pass	7840
814	860	0.1	RMS	824.322	20.52	60	Pass	460
860	1000	0.1	RMS	866.705	-62.75	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.77	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.94	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.02	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.25	-13	Pass	7840
814	860	0.1	RMS	824.322	19.6	60	Pass	460
860	1000	0.1	RMS	877.012	-62.77	-13	Pass	1400
1000	3000	1	RMS	2940.97	-49	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.95	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.44	-13	Pass	2985
30	814	0.1	RMS	738.69	-62.96	-13	Pass	7840
814	860	0.1	RMS	834.344	20.64	60	Pass	460
860	1000	0.1	RMS	880.615	-62.8	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.53	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	814	0.1	RMS	745.391	-63.11	-13	Pass	7840
814	860	0.1	RMS	834.344	19.94	60	Pass	460
860	1000	0.1	RMS	872.409	-62.69	-13	Pass	1400
1000	3000	1	RMS	2947.974	-49.02	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.99	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2985
30	814	0.1	RMS	730.689	-63.04	-13	Pass	7840
814	860	0.1	RMS	844.366	20.35	60	Pass	460
860	1000	0.1	RMS	875.311	-62.76	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.58	-13	Pass	2000
3000	10000	1	RMS	9953.993	-42.06	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	814	0.1	RMS	735.29	-63.1	-13	Pass	7840
814	860	0.1	RMS	844.366	19.68	60	Pass	460
860	1000	0.1	RMS	906.533	-62.86	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.06	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42.02	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	814	0.1	RMS	813.9	-61.75	-13	Pass	7840
814	860	0.1	RMS	824.623	20.45	60	Pass	460
860	1000	0.1	RMS	878.213	-62.86	-13	Pass	1400
1000	3000	1	RMS	2942.971	-49.02	-13	Pass	2000
3000	10000	1	RMS	9958.994	-42.05	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.32	-13	Pass	7840
814	860	0.1	RMS	824.623	19.62	60	Pass	460
860	1000	0.1	RMS	982.588	-62.87	-13	Pass	1400
1000	3000	1	RMS	2944.972	-49.09	-13	Pass	2000
3000	10000	1	RMS	9963.995	-42	-13	Pass	7000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2985
30	814	0.1	RMS	742.591	-63.18	-13	Pass	7840
814	860	0.1	RMS	832.139	20.12	60	Pass	460
860	1000	0.1	RMS	876.512	-62.88	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.03	-13	Pass	2000
3000	10000	1	RMS	9960.994	-42.03	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	814	0.1	RMS	735.79	-63.15	-13	Pass	7840
814	860	0.1	RMS	832.139	19.08	60	Pass	460
860	1000	0.1	RMS	887.82	-62.82	-13	Pass	1400
1000	3000	1	RMS	2941.971	-49.05	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	Pass	2985
30	814	0.1	RMS	729.289	-63.15	-13	Pass	7840
814	860	0.1	RMS	839.556	20.33	60	Pass	460
860	1000	0.1	RMS	876.512	-62.73	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.91	-13	Pass	2000
3000	10000	1	RMS	9963.995	-41.99	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	Pass	2985
30	814	0.1	RMS	723.889	-63.16	-13	Pass	7840
814	860	0.1	RMS	839.556	19.55	60	Pass	460
860	1000	0.1	RMS	892.623	-62.83	-13	Pass	1400
1000	3000	1	RMS	2942.971	-48.99	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.98	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-25	Pass	2985
30	1000	0.1	RMS	891.756	-62.73	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.64	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.82	60	Pass	401
2590	3000	1	RMS	2945.868	-49	-25	Pass	410
3000	12000	1	RMS	11584.486	-51.04	-25	Pass	9000
12000	26000	1	RMS	25896.982	-34.64	-25	Pass	14000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-25	Pass	2985
30	1000	0.1	RMS	879.54	-62.77	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.78	-25	Pass	1480
2480	2590	1	RMS	2500.075	20.91	60	Pass	401
2590	3000	1	RMS	2946.87	-49.03	-25	Pass	410
3000	12000	1	RMS	11587.489	-51.06	-25	Pass	9000
12000	26000	1	RMS	25897.982	-34.76	-25	Pass	14000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-25	Pass	2985
30	1000	0.1	RMS	861.717	-62.59	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.82	-25	Pass	1480
2480	2590	1	RMS	2532.8	22	60	Pass	401
2590	3000	1	RMS	2944.866	-49.05	-25	Pass	410
3000	12000	1	RMS	11571.47	-50.99	-25	Pass	9000
12000	26000	1	RMS	25888.981	-34.76	-25	Pass	14000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.31	-25	Pass	401
0.15	30	0.01	RMS	0.51	-72.5	-25	Pass	2985
30	1000	0.1	RMS	881.843	-62.68	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.75	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.2	60	Pass	401
2590	3000	1	RMS	2943.863	-49.05	-25	Pass	410
3000	12000	1	RMS	11583.485	-50.99	-25	Pass	9000
12000	26000	1	RMS	25904.984	-34.78	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-25	Pass	2985
30	1000	0.1	RMS	885.048	-62.94	-25	Pass	9699
1000	2480	1	RMS	2480	-50.75	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.61	60	Pass	401
2590	3000	1	RMS	2946.87	-49.09	-25	Pass	410
3000	12000	1	RMS	11582.483	-51.05	-25	Pass	9000
12000	26000	1	RMS	25900.983	-34.67	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-25	Pass	2985
30	1000	0.1	RMS	880.542	-62.7	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.73	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.02	60	Pass	401
2590	3000	1	RMS	2944.866	-49.03	-25	Pass	410
3000	12000	1	RMS	11579.48	-50.98	-25	Pass	9000
12000	26000	1	RMS	25900.983	-34.59	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-25	Pass	2985
30	1000	0.1	RMS	893.859	-62.84	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.82	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.47	60	Pass	401
2590	3000	1	RMS	2940.856	-49.04	-25	Pass	410
3000	12000	1	RMS	11585.487	-51.04	-25	Pass	9000
12000	26000	1	RMS	25892.982	-34.74	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-25	Pass	2985
30	1000	0.1	RMS	885.548	-62.74	-25	Pass	9699
1000	2480	1	RMS	2475.997	-50.89	-25	Pass	1480
2480	2590	1	RMS	2500.35	20.84	60	Pass	401
2590	3000	1	RMS	2949.878	-49.06	-25	Pass	410
3000	12000	1	RMS	11585.487	-51.1	-25	Pass	9000
12000	26000	1	RMS	25902.983	-34.73	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-25	Pass	2985
30	1000	0.1	RMS	881.343	-62.79	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.86	-25	Pass	1480
2480	2590	1	RMS	2530.6	21.96	60	Pass	401
2590	3000	1	RMS	2947.873	-49.08	-25	Pass	410
3000	12000	1	RMS	11577.477	-51.02	-25	Pass	9000
12000	26000	1	RMS	25890.981	-34.68	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-25	Pass	2985
30	1000	0.1	RMS	997.096	-62.86	-25	Pass	9699
1000	2480	1	RMS	2476.998	-50.89	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.05	60	Pass	401
2590	3000	1	RMS	2947.873	-49.05	-25	Pass	410
3000	12000	1	RMS	11583.485	-51.01	-25	Pass	9000
12000	26000	1	RMS	25884.98	-34.81	-25	Pass	14000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.93	-25	Pass	401
0.15	30	0.01	RMS	0.67	-71.81	-25	Pass	2985
30	1000	0.1	RMS	846.2	-62.89	-25	Pass	9699
1000	2480	1	RMS	2472.995	-50.82	-25	Pass	1480
2480	2590	1	RMS	2560.3	21.48	60	Pass	401
2590	3000	1	RMS	2949.878	-49.03	-25	Pass	410
3000	12000	1	RMS	11577.477	-51	-25	Pass	9000
12000	26000	1	RMS	25910.985	-34.76	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-25	Pass	2985
30	1000	0.1	RMS	880.141	-62.59	-25	Pass	9699
1000	2480	1	RMS	2475.997	-50.79	-25	Pass	1480
2480	2590	1	RMS	2560.575	20.91	60	Pass	401
2590	3000	1	RMS	2946.87	-48.98	-25	Pass	410
3000	12000	1	RMS	11583.485	-51.06	-25	Pass	9000
12000	26000	1	RMS	25900.983	-34.71	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-25	Pass	2985
30	1000	0.1	RMS	891.957	-62.76	-25	Pass	9699
1000	2480	1	RMS	2480	-50.7	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.56	60	Pass	401
2590	3000	1	RMS	2944.866	-49.05	-25	Pass	410
3000	12000	1	RMS	11457.328	-51.03	-25	Pass	9000
12000	26000	1	RMS	25892.982	-34.72	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.4	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-25	Pass	2985
30	1000	0.1	RMS	975.367	-62.86	-25	Pass	9699
1000	2480	1	RMS	2476.998	-50.83	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.15	60	Pass	401
2590	3000	1	RMS	2942.861	-49.01	-25	Pass	410
3000	12000	1	RMS	11582.483	-51.09	-25	Pass	9000
12000	26000	1	RMS	25893.982	-34.69	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-25	Pass	2985
30	1000	0.1	RMS	860.114	-62.82	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.81	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.1	60	Pass	401
2590	3000	1	RMS	2949.878	-49.05	-25	Pass	410
3000	12000	1	RMS	11463.336	-50.99	-25	Pass	9000
12000	26000	1	RMS	25901.983	-34.64	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.78	-25	Pass	401
0.15	30	0.01	RMS	0.65	-72.87	-25	Pass	2985
30	1000	0.1	RMS	888.352	-62.62	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.81	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.12	60	Pass	401
2590	3000	1	RMS	2951.883	-49.04	-25	Pass	410
3000	12000	1	RMS	11580.481	-51.02	-25	Pass	9000
12000	26000	1	RMS	25903.983	-34.67	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-25	Pass	2985
30	1000	0.1	RMS	887.851	-62.85	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.81	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.86	60	Pass	401
2590	3000	1	RMS	2949.878	-48.99	-25	Pass	410
3000	12000	1	RMS	11580.481	-50.91	-25	Pass	9000
12000	26000	1	RMS	25894.982	-34.71	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.56	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-25	Pass	2985
30	1000	0.1	RMS	899.166	-62.8	-25	Pass	9699
1000	2480	1	RMS	2473.996	-50.76	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.09	60	Pass	401
2590	3000	1	RMS	2942.861	-49.05	-25	Pass	410
3000	12000	1	RMS	11576.476	-51.05	-25	Pass	9000
12000	26000	1	RMS	25901.983	-34.59	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-25	Pass	2985
30	1000	0.1	RMS	868.125	-62.82	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.8	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.77	60	Pass	401
2590	3000	1	RMS	2949.878	-49	-25	Pass	410
3000	12000	1	RMS	11583.485	-51.02	-25	Pass	9000
12000	26000	1	RMS	25908.984	-34.72	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-25	Pass	2985
30	1000	0.1	RMS	882.644	-62.8	-25	Pass	9699
1000	2480	1	RMS	2476.998	-50.78	-25	Pass	1480
2480	2590	1	RMS	2500.9	20.98	60	Pass	401
2590	3000	1	RMS	2947.873	-49.03	-25	Pass	410
3000	12000	1	RMS	11579.48	-51.04	-25	Pass	9000
12000	26000	1	RMS	25900.983	-34.73	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	Pass	2985
30	1000	0.1	RMS	904.273	-62.73	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.85	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.05	60	Pass	401
2590	3000	1	RMS	2941.858	-49.06	-25	Pass	410
3000	12000	1	RMS	11583.485	-51.03	-25	Pass	9000
12000	26000	1	RMS	25907.984	-34.73	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-25	Pass	2985
30	1000	0.1	RMS	858.913	-62.93	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.81	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.07	60	Pass	401
2590	3000	1	RMS	2948.875	-49.03	-25	Pass	410
3000	12000	1	RMS	11572.471	-51.09	-25	Pass	9000
12000	26000	1	RMS	25902.983	-34.72	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-25	Pass	2985
30	1000	0.1	RMS	855.608	-62.74	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.83	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.94	60	Pass	401
2590	3000	1	RMS	2949.878	-49.04	-25	Pass	410
3000	12000	1	RMS	11577.477	-51.04	-25	Pass	9000
12000	26000	1	RMS	25884.98	-34.68	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.68	-72.61	-25	Pass	2985
30	1000	0.1	RMS	874.734	-62.96	-25	Pass	9699
1000	2480	1	RMS	2480	-50.85	-25	Pass	1480
2480	2590	1	RMS	2550.95	21	60	Pass	401
2590	3000	1	RMS	2946.87	-49.05	-25	Pass	410
3000	12000	1	RMS	11581.482	-51.02	-25	Pass	9000
12000	26000	1	RMS	25902.983	-34.71	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.63	-72.58	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.89	-13	Pass	6590
689	726	0.1	RMS	699.268	20.32	60	Pass	401
726	1000	0.1	RMS	885.658	-62.59	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.04	-13	Pass	2000
3000	10000	1	RMS	9962.995	-42.07	-13	Pass	7000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.88	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.75	-13	Pass	6590
689	726	0.1	RMS	699.268	19.28	60	Pass	401
726	1000	0.1	RMS	864.25	-62.78	-13	Pass	2740
1000	3000	1	RMS	2946.973	-49.06	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.98	-13	Pass	7000




**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-13	Pass	2985
30	689	0.1	RMS	474.868	-63.3	-13	Pass	6590
689	726	0.1	RMS	707.038	20.36	60	Pass	401
726	1000	0.1	RMS	879.056	-62.62	-13	Pass	2740
1000	3000	1	RMS	2948.974	-49.04	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.09	-13	Pass	2985
30	689	0.1	RMS	477.368	-63.35	-13	Pass	6590
689	726	0.1	RMS	707.038	19.34	60	Pass	401
726	1000	0.1	RMS	890.06	-62.58	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.02	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.95	-13	Pass	7000




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	Pass	2985
30	689	0.1	RMS	475.968	-63.38	-13	Pass	6590
689	726	0.1	RMS	714.808	19.79	60	Pass	401
726	1000	0.1	RMS	895.162	-62.49	-13	Pass	2740
1000	3000	1	RMS	2939.97	-49.03	-13	Pass	2000
3000	10000	1	RMS	9961.995	-42	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	689	0.1	RMS	492.87	-63.42	-13	Pass	6590
689	726	0.1	RMS	714.9	18.79	60	Pass	401
726	1000	0.1	RMS	874.154	-62.6	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.07	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.95	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	689	0.1	RMS	688.5	-62.41	-13	Pass	6590
689	726	0.1	RMS	699.268	20.23	60	Pass	401
726	1000	0.1	RMS	862.75	-62.63	-13	Pass	2740
1000	3000	1	RMS	2947.974	-49.07	-13	Pass	2000
3000	10000	1	RMS	9958.994	-42.01	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	Pass	2985
30	689	0.1	RMS	688.5	-62.61	-13	Pass	6590
689	726	0.1	RMS	699.268	19.4	60	Pass	401
726	1000	0.1	RMS	890.56	-62.65	-13	Pass	2740
1000	3000	1	RMS	2943.972	-49.03	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.96	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	Pass	2985
30	689	0.1	RMS	472.267	-63.43	-13	Pass	6590
689	726	0.1	RMS	706.205	20.03	60	Pass	401
726	1000	0.1	RMS	892.961	-62.62	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.07	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.98	-13	Pass	7000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	689	0.1	RMS	476.368	-63.36	-13	Pass	6590
689	726	0.1	RMS	706.205	19.04	60	Pass	401
726	1000	0.1	RMS	890.86	-62.77	-13	Pass	2740
1000	3000	1	RMS	2940.97	-49.04	-13	Pass	2000
3000	10000	1	RMS	9960.994	-42	-13	Pass	7000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2985
30	689	0.1	RMS	622.49	-63.46	-13	Pass	6590
689	726	0.1	RMS	713.235	20.37	60	Pass	401
726	1000	0.1	RMS	871.553	-62.5	-13	Pass	2740
1000	3000	1	RMS	2942.971	-49.02	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42.01	-13	Pass	7000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	Pass	2985
30	689	0.1	RMS	495.371	-63.52	-13	Pass	6590
689	726	0.1	RMS	713.235	19.41	60	Pass	401
726	1000	0.1	RMS	882.457	-62.66	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.07	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.95	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.75	-13	Pass	6590
689	726	0.1	RMS	699.36	20.02	60	Pass	401
726	1000	0.1	RMS	863.35	-62.7	-13	Pass	2740
1000	3000	1	RMS	2940.97	-49.08	-13	Pass	2000
3000	10000	1	RMS	9958.994	-42.07	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.86	-13	Pass	401
0.15	30	0.01	RMS	1.2	-72.59	-13	Pass	2985
30	689	0.1	RMS	688.7	-63.13	-13	Pass	6590
689	726	0.1	RMS	699.36	19.27	60	Pass	401
726	1000	0.1	RMS	850.245	-62.78	-13	Pass	2740
1000	3000	1	RMS	2945.973	-49.07	-13	Pass	2000
3000	10000	1	RMS	9960.994	-42.01	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	689	0.1	RMS	478.468	-63.41	-13	Pass	6590
689	726	0.1	RMS	705.373	19.99	60	Pass	401
726	1000	0.1	RMS	861.65	-62.76	-13	Pass	2740
1000	3000	1	RMS	2945.973	-49.05	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.99	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2985
30	689	0.1	RMS	478.568	-63.5	-13	Pass	6590
689	726	0.1	RMS	705.373	19.09	60	Pass	401
726	1000	0.1	RMS	903.965	-62.67	-13	Pass	2740
1000	3000	1	RMS	2946.973	-49.09	-13	Pass	2000
3000	10000	1	RMS	9964.995	-42.07	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	689	0.1	RMS	476.668	-63.45	-13	Pass	6590
689	726	0.1	RMS	711.293	19.61	60	Pass	401
726	1000	0.1	RMS	882.257	-62.73	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.04	-13	Pass	2000
3000	10000	1	RMS	9960.994	-42.01	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.71	-13	Pass	2985
30	689	0.1	RMS	482.169	-63.51	-13	Pass	6590
689	726	0.1	RMS	711.385	18.97	60	Pass	401
726	1000	0.1	RMS	866.351	-62.77	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.08	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.97	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	689	0.1	RMS	688.9	-62.11	-13	Pass	6590
689	726	0.1	RMS	699.545	19.75	60	Pass	401
726	1000	0.1	RMS	873.854	-62.82	-13	Pass	2740
1000	3000	1	RMS	2950.975	-49.06	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.98	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.77	-13	Pass	2985
30	689	0.1	RMS	688.9	-62.48	-13	Pass	6590
689	726	0.1	RMS	699.545	18.87	60	Pass	401
726	1000	0.1	RMS	855.947	-62.61	-13	Pass	2740
1000	3000	1	RMS	2947.974	-49.06	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42.03	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-13	Pass	2985
30	689	0.1	RMS	484.369	-63.38	-13	Pass	6590
689	726	0.1	RMS	703.06	20.13	60	Pass	401
726	1000	0.1	RMS	854.647	-62.61	-13	Pass	2740
1000	3000	1	RMS	2944.972	-49.06	-13	Pass	2000
3000	10000	1	RMS	9955.994	-42.05	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	Pass	2985
30	689	0.1	RMS	489.77	-63.49	-13	Pass	6590
689	726	0.1	RMS	703.06	19.1	60	Pass	401
726	1000	0.1	RMS	853.146	-62.66	-13	Pass	2740
1000	3000	1	RMS	2948.974	-49.01	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.98	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	Pass	2985
30	689	0.1	RMS	497.771	-63.37	-13	Pass	6590
689	726	0.1	RMS	706.575	20.37	60	Pass	401
726	1000	0.1	RMS	885.558	-62.57	-13	Pass	2740
1000	3000	1	RMS	2947.974	-49.01	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.96	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.36	-72.03	-13	Pass	2985
30	689	0.1	RMS	475.868	-63.61	-13	Pass	6590
689	726	0.1	RMS	706.575	19.42	60	Pass	401
726	1000	0.1	RMS	858.048	-62.81	-13	Pass	2740
1000	3000	1	RMS	2945.973	-49.06	-13	Pass	2000
3000	10000	1	RMS	9958.994	-42.03	-13	Pass	7000



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.66	-72.22	-13	Pass	2985
30	694	0.1	RMS	693.7	-62.78	-13	Pass	6640
694	726	0.1	RMS	704.32	20.13	60	Pass	401
726	1000	0.1	RMS	903.165	-62.58	-13	Pass	2740
1000	3000	1	RMS	2938.969	-49.03	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42.01	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.79	-13	Pass	2985
30	694	0.1	RMS	693.6	-62.97	-13	Pass	6640
694	726	0.1	RMS	704.32	19.23	60	Pass	401
726	1000	0.1	RMS	993.498	-62.69	-13	Pass	2740
1000	3000	1	RMS	2944.972	-49.04	-13	Pass	2000
3000	10000	1	RMS	9958.994	-42.02	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	694	0.1	RMS	484.869	-63.41	-13	Pass	6640
694	726	0.1	RMS	707.84	20.34	60	Pass	401
726	1000	0.1	RMS	883.758	-62.77	-13	Pass	2740
1000	3000	1	RMS	2947.974	-49.02	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.95	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2985
30	694	0.1	RMS	477.467	-63.43	-13	Pass	6640
694	726	0.1	RMS	707.84	19.49	60	Pass	401
726	1000	0.1	RMS	896.062	-62.59	-13	Pass	2740
1000	3000	1	RMS	2944.972	-49.09	-13	Pass	2000
3000	10000	1	RMS	9480.926	-42.05	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	694	0.1	RMS	484.268	-63.48	-13	Pass	6640
694	726	0.1	RMS	711.36	19.99	60	Pass	401
726	1000	0.1	RMS	878.756	-62.8	-13	Pass	2740
1000	3000	1	RMS	2948.974	-49.1	-13	Pass	2000
3000	10000	1	RMS	9957.994	-42.09	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2985
30	694	0.1	RMS	482.268	-63.55	-13	Pass	6640
694	726	0.1	RMS	711.36	19.47	60	Pass	401
726	1000	0.1	RMS	845.644	-62.48	-13	Pass	2740
1000	3000	1	RMS	2943.972	-49.1	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42.09	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	Pass	2985
30	694	0.1	RMS	693.9	-61.72	-13	Pass	6640
694	726	0.1	RMS	704.56	20.2	60	Pass	401
726	1000	0.1	RMS	894.762	-62.75	-13	Pass	2740
1000	3000	1	RMS	2942.971	-49.1	-13	Pass	2000
3000	10000	1	RMS	9957.994	-41.98	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-13	Pass	2985
30	694	0.1	RMS	693.9	-62.18	-13	Pass	6640
694	726	0.1	RMS	704.56	19.23	60	Pass	401
726	1000	0.1	RMS	864.15	-62.8	-13	Pass	2740
1000	3000	1	RMS	2941.971	-49.02	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.9	-13	Pass	7000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2985
30	694	0.1	RMS	475.667	-63.38	-13	Pass	6640
694	726	0.1	RMS	705.6	20.42	60	Pass	401
726	1000	0.1	RMS	878.456	-62.55	-13	Pass	2740
1000	3000	1	RMS	2942.971	-49.04	-13	Pass	2000
3000	10000	1	RMS	9963.995	-42.05	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	Pass	2985
30	694	0.1	RMS	489.269	-63.33	-13	Pass	6640
694	726	0.1	RMS	705.6	19.39	60	Pass	401
726	1000	0.1	RMS	907.466	-62.62	-13	Pass	2740
1000	3000	1	RMS	2940.97	-49.01	-13	Pass	2000
3000	10000	1	RMS	9963.995	-41.94	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	Pass	2985
30	694	0.1	RMS	477.967	-63.44	-13	Pass	6640
694	726	0.1	RMS	706.56	20.2	60	Pass	401
726	1000	0.1	RMS	861.95	-62.57	-13	Pass	2740
1000	3000	1	RMS	2946.973	-49.09	-13	Pass	2000
3000	10000	1	RMS	9956.994	-42	-13	Pass	7000



**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	Pass	2985
30	694	0.1	RMS	693.3	-63.41	-13	Pass	6640
694	726	0.1	RMS	706.56	19.24	60	Pass	401
726	1000	0.1	RMS	871.553	-62.73	-13	Pass	2740
1000	3000	1	RMS	2945.973	-49.04	-13	Pass	2000
3000	10000	1	RMS	9960.994	-42.02	-13	Pass	7000



14. LTE_Band38


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.99	-25	Pass	2985
30	1000	0.1	RMS	898.866	-60.77	-25	Pass	9699
1000	2550	1	RMS	2495.965	-48.65	-25	Pass	1550
2550	2640	1	RMS	2570.025	20.16	60	Pass	401
2640	3000	1	RMS	2944.2	-47.1	-25	Pass	401
3000	12000	1	RMS	11580.481	-49.02	-25	Pass	9000
12000	26500	1	RMS	25898.905	-32.71	-25	Pass	14500




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.61	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.03	-25	Pass	2985
30	1000	0.1	RMS	865.722	-60.88	-25	Pass	9699
1000	2550	1	RMS	2485.959	-48.73	-25	Pass	1550
2550	2640	1	RMS	2570.025	19.13	60	Pass	401
2640	3000	1	RMS	2947.8	-47.07	-25	Pass	401
3000	12000	1	RMS	11581.482	-49.06	-25	Pass	9000
12000	26500	1	RMS	25909.906	-32.71	-25	Pass	14500




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.59	-25	Pass	2985
30	1000	0.1	RMS	884.447	-60.87	-25	Pass	9699
1000	2550	1	RMS	2486.959	-48.64	-25	Pass	1550
2550	2640	1	RMS	2592.525	20.03	60	Pass	401
2640	3000	1	RMS	2948.7	-47.03	-25	Pass	401
3000	12000	1	RMS	11574.473	-49.05	-25	Pass	9000
12000	26500	1	RMS	25896.904	-32.73	-25	Pass	14500




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.59	-25	Pass	2985
30	1000	0.1	RMS	871.53	-60.92	-25	Pass	9699
1000	2550	1	RMS	2489.961	-48.62	-25	Pass	1550
2550	2640	1	RMS	2592.75	19.09	60	Pass	401
2640	3000	1	RMS	2948.7	-47.02	-25	Pass	401
3000	12000	1	RMS	11597.502	-49.13	-25	Pass	9000
12000	26500	1	RMS	25884.902	-32.73	-25	Pass	14500




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-25	Pass	2985
30	1000	0.1	RMS	740.287	-61.06	-25	Pass	9699
1000	2550	1	RMS	2494.964	-48.75	-25	Pass	1550
2550	2640	1	RMS	2615.25	19.91	60	Pass	401
2640	3000	1	RMS	2949.6	-47.09	-25	Pass	401
3000	12000	1	RMS	11578.478	-49.14	-25	Pass	9000
12000	26500	1	RMS	25903.906	-32.73	-25	Pass	14500




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.9	-25	Pass	2985
30	1000	0.1	RMS	874.433	-60.86	-25	Pass	9699
1000	2550	1	RMS	2488.961	-48.7	-25	Pass	1550
2550	2640	1	RMS	2615.25	19.6	60	Pass	401
2640	3000	1	RMS	2944.2	-47.03	-25	Pass	401
3000	12000	1	RMS	11581.482	-49.1	-25	Pass	9000
12000	26500	1	RMS	25893.904	-32.76	-25	Pass	14500




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-25	Pass	2985
30	1000	0.1	RMS	878.739	-61.01	-25	Pass	9699
1000	2550	1	RMS	2517.979	-48.69	-25	Pass	1550
2550	2640	1	RMS	2570.7	20.15	60	Pass	401
2640	3000	1	RMS	2950.5	-47.1	-25	Pass	401
3000	12000	1	RMS	11583.485	-49.13	-25	Pass	9000
12000	26500	1	RMS	25876.901	-32.77	-25	Pass	14500




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.71	-70.44	-25	Pass	2985
30	1000	0.1	RMS	860.815	-60.81	-25	Pass	9699
1000	2550	1	RMS	2490.962	-48.58	-25	Pass	1550
2550	2640	1	RMS	2570.7	19.2	60	Pass	401
2640	3000	1	RMS	2940.6	-47.04	-25	Pass	401
3000	12000	1	RMS	11585.487	-49.1	-25	Pass	9000
12000	26500	1	RMS	25899.905	-32.74	-25	Pass	14500




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.26	-25	Pass	2985
30	1000	0.1	RMS	869.927	-60.63	-25	Pass	9699
1000	2550	1	RMS	2510.975	-48.58	-25	Pass	1550
2550	2640	1	RMS	2590.5	19.88	60	Pass	401
2640	3000	1	RMS	2947.8	-47.07	-25	Pass	401
3000	12000	1	RMS	11577.477	-49.08	-25	Pass	9000
12000	26500	1	RMS	25896.904	-32.78	-25	Pass	14500




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.23	-25	Pass	2985
30	1000	0.1	RMS	876.737	-60.7	-25	Pass	9699
1000	2550	1	RMS	2487.96	-48.61	-25	Pass	1550
2550	2640	1	RMS	2590.275	18.73	60	Pass	401
2640	3000	1	RMS	2942.4	-47.05	-25	Pass	401
3000	12000	1	RMS	11586.488	-49.02	-25	Pass	9000
12000	26500	1	RMS	25898.905	-32.68	-25	Pass	14500




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.01	-25	Pass	2985
30	1000	0.1	RMS	878.038	-60.93	-25	Pass	9699
1000	2550	1	RMS	2485.959	-48.67	-25	Pass	1550
2550	2640	1	RMS	2610.3	20.3	60	Pass	401
2640	3000	1	RMS	2947.8	-47.05	-25	Pass	401
3000	12000	1	RMS	11582.483	-49.03	-25	Pass	9000
12000	26500	1	RMS	25905.906	-32.71	-25	Pass	14500




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.09	-25	Pass	2985
30	1000	0.1	RMS	891.857	-60.79	-25	Pass	9699
1000	2550	1	RMS	2491.963	-48.61	-25	Pass	1550
2550	2640	1	RMS	2610.525	19.77	60	Pass	401
2640	3000	1	RMS	2938.8	-47.01	-25	Pass	401
3000	12000	1	RMS	11579.48	-49.03	-25	Pass	9000
12000	26500	1	RMS	25901.905	-32.66	-25	Pass	14500




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.59	-25	Pass	2985
30	1000	0.1	RMS	874.033	-60.73	-25	Pass	9699
1000	2550	1	RMS	2547.999	-48.51	-25	Pass	1550
2550	2640	1	RMS	2570.7	20.58	60	Pass	401
2640	3000	1	RMS	2945.1	-47.01	-25	Pass	401
3000	12000	1	RMS	11581.482	-48.98	-25	Pass	9000
12000	26500	1	RMS	25892.904	-32.75	-25	Pass	14500




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.31	-25	Pass	2985
30	1000	0.1	RMS	859.914	-60.63	-25	Pass	9699
1000	2550	1	RMS	2543.996	-48.39	-25	Pass	1550
2550	2640	1	RMS	2570.925	18.83	60	Pass	401
2640	3000	1	RMS	2951.4	-47.01	-25	Pass	401
3000	12000	1	RMS	11576.476	-49.04	-25	Pass	9000
12000	26500	1	RMS	25878.902	-32.68	-25	Pass	14500




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.59	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.92	-25	Pass	2985
30	1000	0.1	RMS	875.635	-60.76	-25	Pass	9699
1000	2550	1	RMS	2484.958	-48.63	-25	Pass	1550
2550	2640	1	RMS	2588.25	20.65	60	Pass	401
2640	3000	1	RMS	2943.3	-47.06	-25	Pass	401
3000	12000	1	RMS	11441.309	-49.07	-25	Pass	9000
12000	26500	1	RMS	25900.905	-32.69	-25	Pass	14500




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.5	-25	Pass	2985
30	1000	0.1	RMS	863.92	-60.76	-25	Pass	9699
1000	2550	1	RMS	2490.962	-48.61	-25	Pass	1550
2550	2640	1	RMS	2588.25	18.87	60	Pass	401
2640	3000	1	RMS	2945.1	-47.02	-25	Pass	401
3000	12000	1	RMS	11910.89	-49	-25	Pass	9000
12000	26500	1	RMS	25896.904	-32.68	-25	Pass	14500




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.51	-25	Pass	2985
30	1000	0.1	RMS	849.4	-60.7	-25	Pass	9699
1000	2550	1	RMS	2506.972	-48.64	-25	Pass	1550
2550	2640	1	RMS	2605.8	20.06	60	Pass	401
2640	3000	1	RMS	2941.5	-47.01	-25	Pass	401
3000	12000	1	RMS	11576.476	-48.99	-25	Pass	9000
12000	26500	1	RMS	25896.904	-32.62	-25	Pass	14500




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-25	Pass	2985
30	1000	0.1	RMS	879.14	-60.77	-25	Pass	9699
1000	2550	1	RMS	2504.971	-48.62	-25	Pass	1550
2550	2640	1	RMS	2605.8	19.45	60	Pass	401
2640	3000	1	RMS	2947.8	-47.04	-25	Pass	401
3000	12000	1	RMS	11578.478	-49.07	-25	Pass	9000
12000	26500	1	RMS	25891.904	-32.69	-25	Pass	14500




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.35	-25	Pass	2985
30	1000	0.1	RMS	876.236	-60.93	-25	Pass	9699
1000	2550	1	RMS	2550	-47.85	-25	Pass	1550
2550	2640	1	RMS	2571.15	20.01	60	Pass	401
2640	3000	1	RMS	2948.7	-47.07	-25	Pass	401
3000	12000	1	RMS	11580.481	-49	-25	Pass	9000
12000	26500	1	RMS	25889.903	-32.73	-25	Pass	14500




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.73	-25	Pass	2985
30	1000	0.1	RMS	877.237	-60.88	-25	Pass	9699
1000	2550	1	RMS	2550	-47.73	-25	Pass	1550
2550	2640	1	RMS	2570.925	18.9	60	Pass	401
2640	3000	1	RMS	2947.8	-47.09	-25	Pass	401
3000	12000	1	RMS	11579.48	-49.05	-25	Pass	9000
12000	26500	1	RMS	25889.903	-32.71	-25	Pass	14500




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.02	-25	Pass	2985
30	1000	0.1	RMS	887.25	-60.85	-25	Pass	9699
1000	2550	1	RMS	2486.959	-48.64	-25	Pass	1550
2550	2640	1	RMS	2586	19.91	60	Pass	401
2640	3000	1	RMS	2947.8	-47.04	-25	Pass	401
3000	12000	1	RMS	11913.893	-49.09	-25	Pass	9000
12000	26500	1	RMS	25886.903	-32.73	-25	Pass	14500




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.77	-25	Pass	2985
30	1000	0.1	RMS	852.404	-60.92	-25	Pass	9699
1000	2550	1	RMS	2492.963	-48.64	-25	Pass	1550
2550	2640	1	RMS	2586	19.53	60	Pass	401
2640	3000	1	RMS	2944.2	-47.07	-25	Pass	401
3000	12000	1	RMS	11581.482	-49.09	-25	Pass	9000
12000	26500	1	RMS	25898.905	-32.71	-25	Pass	14500




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-25	Pass	2985
30	1000	0.1	RMS	887.851	-60.73	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.64	-25	Pass	1550
2550	2640	1	RMS	2601.075	20.22	60	Pass	401
2640	3000	1	RMS	2948.7	-47.05	-25	Pass	401
3000	12000	1	RMS	11587.489	-49.03	-25	Pass	9000
12000	26500	1	RMS	25887.903	-32.73	-25	Pass	14500



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.1	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.47	-25	Pass	2985
30	1000	0.1	RMS	882.945	-60.75	-25	Pass	9699
1000	2550	1	RMS	2487.96	-48.7	-25	Pass	1550
2550	2640	1	RMS	2600.85	19.55	60	Pass	401
2640	3000	1	RMS	2949.6	-47.02	-25	Pass	401
3000	12000	1	RMS	11579.48	-49.01	-25	Pass	9000
12000	26500	1	RMS	25900.905	-32.77	-25	Pass	14500



15. LTE_Band41 full


**15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-25	Pass	2985
30	1000	0.1	RMS	876.036	-60.92	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.27	-25	Pass	1476
2476	2710	1	RMS	2495.89	20.01	60	Pass	401
2710	3000	1	RMS	2947.8	-47.74	-25	Pass	401
3000	12000	1	RMS	11579.48	-49.68	-25	Pass	9000
12000	27000	1	RMS	25900.839	-33.43	-25	Pass	15000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.21	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.68	-25	Pass	2985
30	1000	0.1	RMS	873.833	-60.96	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.34	-25	Pass	1476
2476	2710	1	RMS	2495.89	18.12	60	Pass	401
2710	3000	1	RMS	2949.25	-47.73	-25	Pass	401
3000	12000	1	RMS	11579.48	-49.71	-25	Pass	9000
12000	27000	1	RMS	25883.836	-33.36	-25	Pass	15000




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.01	-25	Pass	2985
30	1000	0.1	RMS	875.335	-60.79	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.38	-25	Pass	1476
2476	2710	1	RMS	2590.66	18.57	60	Pass	401
2710	3000	1	RMS	2949.975	-47.71	-25	Pass	401
3000	12000	1	RMS	11582.483	-49.72	-25	Pass	9000
12000	27000	1	RMS	25891.837	-33.4	-25	Pass	15000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.11	-25	Pass	2985
30	1000	0.1	RMS	869.527	-60.93	-25	Pass	9699
1000	2476	1	RMS	2476	-49.32	-25	Pass	1476
2476	2710	1	RMS	2590.66	18.55	60	Pass	401
2710	3000	1	RMS	2943.45	-47.73	-25	Pass	401
3000	12000	1	RMS	11583.485	-49.7	-25	Pass	9000
12000	27000	1	RMS	25900.839	-33.35	-25	Pass	15000




**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-25	Pass	2985
30	1000	0.1	RMS	856.309	-60.88	-25	Pass	9699
1000	2476	1	RMS	2476	-49.27	-25	Pass	1476
2476	2710	1	RMS	2684.845	19.1	60	Pass	401
2710	3000	1	RMS	2947.075	-47.64	-25	Pass	401
3000	12000	1	RMS	11579.48	-49.69	-25	Pass	9000
12000	27000	1	RMS	25896.838	-33.39	-25	Pass	15000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-25	Pass	2985
30	1000	0.1	RMS	850.902	-60.86	-25	Pass	9699
1000	2476	1	RMS	2464.993	-49.37	-25	Pass	1476
2476	2710	1	RMS	2684.845	18.72	60	Pass	401
2710	3000	1	RMS	2949.975	-47.74	-25	Pass	401
3000	12000	1	RMS	11450.32	-49.73	-25	Pass	9000
12000	27000	1	RMS	25900.839	-33.36	-25	Pass	15000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-25	Pass	2985
30	1000	0.1	RMS	858.412	-60.73	-25	Pass	9699
1000	2476	1	RMS	2476	-49.26	-25	Pass	1476
2476	2710	1	RMS	2495.89	18.83	60	Pass	401
2710	3000	1	RMS	2949.25	-47.74	-25	Pass	401
3000	12000	1	RMS	11580.481	-49.72	-25	Pass	9000
12000	27000	1	RMS	25894.838	-33.44	-25	Pass	15000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.3	-25	Pass	2985
30	1000	0.1	RMS	858.412	-60.68	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.3	-25	Pass	1476
2476	2710	1	RMS	2496.475	18.42	60	Pass	401
2710	3000	1	RMS	2951.425	-47.75	-25	Pass	401
3000	12000	1	RMS	11576.476	-49.71	-25	Pass	9000
12000	27000	1	RMS	25891.837	-33.44	-25	Pass	15000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.78	-25	Pass	2985
30	1000	0.1	RMS	846.7	-60.82	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.3	-25	Pass	1476
2476	2710	1	RMS	2588.32	20.02	60	Pass	401
2710	3000	1	RMS	2949.25	-47.75	-25	Pass	401
3000	12000	1	RMS	11577.477	-49.67	-25	Pass	9000
12000	27000	1	RMS	25895.838	-33.43	-25	Pass	15000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-25	Pass	401
0.15	30	0.01	RMS	0.53	-70.92	-25	Pass	2985
30	1000	0.1	RMS	864.52	-60.92	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.27	-25	Pass	1476
2476	2710	1	RMS	2588.32	18.56	60	Pass	401
2710	3000	1	RMS	2942	-47.73	-25	Pass	401
3000	12000	1	RMS	11583.485	-49.7	-25	Pass	9000
12000	27000	1	RMS	25903.839	-33.35	-25	Pass	15000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-25	Pass	2985
30	1000	0.1	RMS	877.337	-60.74	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.32	-25	Pass	1476
2476	2710	1	RMS	2680.165	19.82	60	Pass	401
2710	3000	1	RMS	2945.625	-47.73	-25	Pass	401
3000	12000	1	RMS	11588.491	-49.58	-25	Pass	9000
12000	27000	1	RMS	25890.837	-33.4	-25	Pass	15000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.33	-25	Pass	2985
30	1000	0.1	RMS	876.536	-61.05	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.27	-25	Pass	1476
2476	2710	1	RMS	2680.165	19.07	60	Pass	401
2710	3000	1	RMS	2947.8	-47.76	-25	Pass	401
3000	12000	1	RMS	11580.481	-49.75	-25	Pass	9000
12000	27000	1	RMS	25899.838	-33.42	-25	Pass	15000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.36	-25	Pass	2985
30	1000	0.1	RMS	858.612	-60.93	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.08	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.33	60	Pass	401
2710	3000	1	RMS	2949.975	-47.7	-25	Pass	401
3000	12000	1	RMS	11586.488	-49.73	-25	Pass	9000
12000	27000	1	RMS	25898.838	-33.29	-25	Pass	15000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.81	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.42	-25	Pass	2985
30	1000	0.1	RMS	851.603	-60.98	-25	Pass	9699
1000	2476	1	RMS	2476	-49.05	-25	Pass	1476
2476	2710	1	RMS	2496.475	17.87	60	Pass	401
2710	3000	1	RMS	2947.8	-47.76	-25	Pass	401
3000	12000	1	RMS	11577.477	-49.77	-25	Pass	9000
12000	27000	1	RMS	25905.839	-33.39	-25	Pass	15000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.86	-25	Pass	2985
30	1000	0.1	RMS	878.239	-60.76	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.35	-25	Pass	1476
2476	2710	1	RMS	2585.98	19.32	60	Pass	401
2710	3000	1	RMS	2951.425	-47.74	-25	Pass	401
3000	12000	1	RMS	11579.48	-49.66	-25	Pass	9000
12000	27000	1	RMS	25896.838	-33.46	-25	Pass	15000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.92	-25	Pass	2985
30	1000	0.1	RMS	897.464	-60.81	-25	Pass	9699
1000	2476	1	RMS	2476	-49.27	-25	Pass	1476
2476	2710	1	RMS	2585.98	18.3	60	Pass	401
2710	3000	1	RMS	2946.35	-47.75	-25	Pass	401
3000	12000	1	RMS	11576.476	-49.72	-25	Pass	9000
12000	27000	1	RMS	25899.838	-33.36	-25	Pass	15000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.22	-25	Pass	2985
30	1000	0.1	RMS	885.849	-60.94	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.35	-25	Pass	1476
2476	2710	1	RMS	2675.485	20	60	Pass	401
2710	3000	1	RMS	2942.725	-47.75	-25	Pass	401
3000	12000	1	RMS	11587.489	-49.77	-25	Pass	9000
12000	27000	1	RMS	25892.837	-33.35	-25	Pass	15000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-25	Pass	2985
30	1000	0.1	RMS	892.157	-61	-25	Pass	9699
1000	2476	1	RMS	2476	-49.39	-25	Pass	1476
2476	2710	1	RMS	2675.485	18.08	60	Pass	401
2710	3000	1	RMS	2947.8	-47.74	-25	Pass	401
3000	12000	1	RMS	11580.481	-49.75	-25	Pass	9000
12000	27000	1	RMS	25885.836	-33.46	-25	Pass	15000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.1	-25	Pass	2985
30	1000	0.1	RMS	837.499	-60.96	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.71	-25	Pass	1476
2476	2710	1	RMS	2496.475	18.91	60	Pass	401
2710	3000	1	RMS	2942.725	-47.71	-25	Pass	401
3000	12000	1	RMS	11580.481	-49.65	-25	Pass	9000
12000	27000	1	RMS	25898.838	-33.34	-25	Pass	15000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-25	Pass	2985
30	1000	0.1	RMS	875.735	-60.84	-25	Pass	9699
1000	2476	1	RMS	2476	-48.56	-25	Pass	1476
2476	2710	1	RMS	2496.475	18.52	60	Pass	401
2710	3000	1	RMS	2940.55	-47.76	-25	Pass	401
3000	12000	1	RMS	11436.302	-49.7	-25	Pass	9000
12000	27000	1	RMS	25898.838	-33.35	-25	Pass	15000




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.28	-25	Pass	2985
30	1000	0.1	RMS	852.404	-60.89	-25	Pass	9699
1000	2476	1	RMS	2476	-49.36	-25	Pass	1476
2476	2710	1	RMS	2583.64	18.89	60	Pass	401
2710	3000	1	RMS	2951.425	-47.76	-25	Pass	401
3000	12000	1	RMS	11582.483	-49.69	-25	Pass	9000
12000	27000	1	RMS	25898.838	-33.33	-25	Pass	15000




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.45	-25	Pass	2985
30	1000	0.1	RMS	865.021	-60.98	-25	Pass	9699
1000	2476	1	RMS	2476	-49.28	-25	Pass	1476
2476	2710	1	RMS	2583.64	18.9	60	Pass	401
2710	3000	1	RMS	2949.25	-47.74	-25	Pass	401
3000	12000	1	RMS	11590.493	-49.76	-25	Pass	9000
12000	27000	1	RMS	25899.838	-33.39	-25	Pass	15000




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.91	-25	Pass	2985
30	1000	0.1	RMS	881.142	-60.91	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.35	-25	Pass	1476
2476	2710	1	RMS	2670.805	19.09	60	Pass	401
2710	3000	1	RMS	2947.8	-47.73	-25	Pass	401
3000	12000	1	RMS	11575.475	-49.76	-25	Pass	9000
12000	27000	1	RMS	25894.838	-33.45	-25	Pass	15000



**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.04	-25	Pass	401
0.15	30	0.01	RMS	0.37	-70.43	-25	Pass	2985
30	1000	0.1	RMS	855.108	-61.05	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.32	-25	Pass	1476
2476	2710	1	RMS	2670.805	19.38	60	Pass	401
2710	3000	1	RMS	2946.35	-47.75	-25	Pass	401
3000	12000	1	RMS	11581.482	-49.62	-25	Pass	9000
12000	27000	1	RMS	25886.836	-33.43	-25	Pass	15000



16. LTE_Band66


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	989.186	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-52.67	-13	Pass	700
1700	1790	1	RMS	1710.125	22.49	60	Pass	401
1790	3000	1	RMS	2944.955	-49.86	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.53	-13	Pass	9000
12000	20000	1	RMS	19704.963	-35.1	-13	Pass	8000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2985
30	1000	0.1	RMS	841.799	-64.62	-13	Pass	9699
1000	1700	1	RMS	1700	-52.87	-13	Pass	700
1700	1790	1	RMS	1710.125	21.62	60	Pass	401
1790	3000	1	RMS	2953.962	-49.87	-13	Pass	1210
3000	12000	1	RMS	12000	-43.49	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.04	-13	Pass	8000




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	1000	0.1	RMS	826.897	-64.72	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.67	-13	Pass	700
1700	1790	1	RMS	1744.55	22.25	60	Pass	401
1790	3000	1	RMS	2950.959	-49.89	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.47	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.06	-13	Pass	8000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.96	-13	Pass	2985
30	1000	0.1	RMS	833.698	-64.76	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.74	-13	Pass	700
1700	1790	1	RMS	1744.55	21.34	60	Pass	401
1790	3000	1	RMS	2943.954	-49.87	-13	Pass	1210
3000	12000	1	RMS	12000	-43.51	-13	Pass	9000
12000	20000	1	RMS	19708.964	-35.03	-13	Pass	8000




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2985
30	1000	0.1	RMS	848.1	-64.64	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.7	-13	Pass	700
1700	1790	1	RMS	1778.75	22.41	60	Pass	401
1790	3000	1	RMS	2952.961	-49.9	-13	Pass	1210
3000	12000	1	RMS	12000	-43.42	-13	Pass	9000
12000	20000	1	RMS	19702.963	-35.05	-13	Pass	8000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.77	-13	Pass	2985
30	1000	0.1	RMS	848.4	-64.7	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.75	-13	Pass	700
1700	1790	1	RMS	1778.75	21.59	60	Pass	401
1790	3000	1	RMS	2950.959	-49.86	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.49	-13	Pass	9000
12000	20000	1	RMS	19707.963	-35.16	-13	Pass	8000




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	Pass	2985
30	1000	0.1	RMS	851.503	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-52.54	-13	Pass	700
1700	1790	1	RMS	1710.125	22.52	60	Pass	401
1790	3000	1	RMS	2951.96	-49.9	-13	Pass	1210
3000	12000	1	RMS	11993.993	-43.51	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.07	-13	Pass	8000




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	845.9	-64.6	-13	Pass	9699
1000	1700	1	RMS	1700	-52.81	-13	Pass	700
1700	1790	1	RMS	1710.125	21.79	60	Pass	401
1790	3000	1	RMS	2956.964	-49.86	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.48	-13	Pass	9000
12000	20000	1	RMS	19706.963	-35.13	-13	Pass	8000




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.21	-73.19	-13	Pass	2985
30	1000	0.1	RMS	830.798	-64.79	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.75	-13	Pass	700
1700	1790	1	RMS	1743.65	22.47	60	Pass	401
1790	3000	1	RMS	2944.955	-49.89	-13	Pass	1210
3000	12000	1	RMS	12000	-43.48	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.04	-13	Pass	8000




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	Pass	2985
30	1000	0.1	RMS	864.62	-64.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.76	-13	Pass	700
1700	1790	1	RMS	1743.65	21.52	60	Pass	401
1790	3000	1	RMS	2951.96	-49.86	-13	Pass	1210
3000	12000	1	RMS	12000	-43.45	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.12	-13	Pass	8000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.18	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.82	-13	Pass	2985
30	1000	0.1	RMS	837.999	-64.78	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.71	-13	Pass	700
1700	1790	1	RMS	1777.175	22.43	60	Pass	401
1790	3000	1	RMS	2952.961	-49.86	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.48	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.01	-13	Pass	8000




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	1000	0.1	RMS	847.6	-64.77	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.73	-13	Pass	700
1700	1790	1	RMS	1777.175	21.6	60	Pass	401
1790	3000	1	RMS	2952.961	-49.85	-13	Pass	1210
3000	12000	1	RMS	11994.994	-43.49	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.16	-13	Pass	8000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	837.199	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-51.24	-13	Pass	700
1700	1790	1	RMS	1710.125	22.29	60	Pass	401
1790	3000	1	RMS	2952.961	-49.87	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.54	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.07	-13	Pass	8000




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	1000	0.1	RMS	848.4	-64.75	-13	Pass	9699
1000	1700	1	RMS	1700	-52.38	-13	Pass	700
1700	1790	1	RMS	1710.125	21.4	60	Pass	401
1790	3000	1	RMS	2948.958	-49.88	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.53	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.07	-13	Pass	8000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.86	-13	Pass	2985
30	1000	0.1	RMS	844.599	-64.8	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.25	-13	Pass	700
1700	1790	1	RMS	1742.75	22.36	60	Pass	401
1790	3000	1	RMS	2950.959	-49.84	-13	Pass	1210
3000	12000	1	RMS	12000	-43.46	-13	Pass	9000
12000	20000	1	RMS	19707.963	-35.15	-13	Pass	8000




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.83	-13	Pass	2985
30	1000	0.1	RMS	854.107	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.26	-13	Pass	700
1700	1790	1	RMS	1742.75	21.58	60	Pass	401
1790	3000	1	RMS	2949.959	-49.86	-13	Pass	1210
3000	12000	1	RMS	12000	-43.36	-13	Pass	9000
12000	20000	1	RMS	19706.963	-35.07	-13	Pass	8000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	Pass	2985
30	1000	0.1	RMS	875.935	-64.8	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.72	-13	Pass	700
1700	1790	1	RMS	1775.15	22.27	60	Pass	401
1790	3000	1	RMS	2943.954	-49.86	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.57	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.09	-13	Pass	8000




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-75.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	Pass	2985
30	1000	0.1	RMS	840.999	-64.68	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.76	-13	Pass	700
1700	1790	1	RMS	1775.15	21.58	60	Pass	401
1790	3000	1	RMS	2947.957	-49.89	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.45	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.01	-13	Pass	8000




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-13	Pass	2985
30	1000	0.1	RMS	842.399	-64.81	-13	Pass	9699
1000	1700	1	RMS	1692.99	-40.88	-13	Pass	700
1700	1790	1	RMS	1710.575	22.44	60	Pass	401
1790	3000	1	RMS	2948.958	-49.9	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.51	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.11	-13	Pass	8000




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.83	-13	Pass	2985
30	1000	0.1	RMS	840.499	-64.67	-13	Pass	9699
1000	1700	1	RMS	1692.99	-42.12	-13	Pass	700
1700	1790	1	RMS	1710.575	21.63	60	Pass	401
1790	3000	1	RMS	2952.961	-49.93	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.47	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.08	-13	Pass	8000




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	Pass	2985
30	1000	0.1	RMS	841.899	-64.79	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.76	-13	Pass	700
1700	1790	1	RMS	1740.5	22.47	60	Pass	401
1790	3000	1	RMS	2949.959	-49.88	-13	Pass	1210
3000	12000	1	RMS	12000	-43.51	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.09	-13	Pass	8000




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	Pass	2985
30	1000	0.1	RMS	848.4	-64.82	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.78	-13	Pass	700
1700	1790	1	RMS	1740.5	21.61	60	Pass	401
1790	3000	1	RMS	2952.961	-49.9	-13	Pass	1210
3000	12000	1	RMS	12000	-43.52	-13	Pass	9000
12000	20000	1	RMS	19707.963	-35.12	-13	Pass	8000




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.99	-13	Pass	2985
30	1000	0.1	RMS	848.7	-64.72	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.77	-13	Pass	700
1700	1790	1	RMS	1770.425	22.45	60	Pass	401
1790	3000	1	RMS	1790	-49.83	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.51	-13	Pass	9000
12000	20000	1	RMS	19708.964	-35.05	-13	Pass	8000




**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	1000	0.1	RMS	834.198	-64.83	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.73	-13	Pass	700
1700	1790	1	RMS	1770.425	21.61	60	Pass	401
1790	3000	1	RMS	2948.958	-49.91	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.49	-13	Pass	9000
12000	20000	1	RMS	19710.964	-35.16	-13	Pass	8000




**16.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.03	-13	Pass	2985
30	1000	0.1	RMS	831.598	-64.76	-13	Pass	9699
1000	1700	1	RMS	1697.997	-43.63	-13	Pass	700
1700	1790	1	RMS	1710.8	22.41	60	Pass	401
1790	3000	1	RMS	2945.955	-49.87	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.59	-13	Pass	9000
12000	20000	1	RMS	19708.964	-35.06	-13	Pass	8000




**16.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.39	-13	Pass	2985
30	1000	0.1	RMS	836.298	-64.5	-13	Pass	9699
1000	1700	1	RMS	1697.997	-44.93	-13	Pass	700
1700	1790	1	RMS	1710.8	21.62	60	Pass	401
1790	3000	1	RMS	2952.961	-49.92	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.54	-13	Pass	9000
12000	20000	1	RMS	19710.964	-35.16	-13	Pass	8000




**16.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.07	-13	Pass	2985
30	1000	0.1	RMS	832.298	-64.72	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.73	-13	Pass	700
1700	1790	1	RMS	1738.25	22.42	60	Pass	401
1790	3000	1	RMS	2954.963	-49.85	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.56	-13	Pass	9000
12000	20000	1	RMS	19707.963	-35.15	-13	Pass	8000




**16.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-13	Pass	2985
30	1000	0.1	RMS	835.198	-64.74	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.76	-13	Pass	700
1700	1790	1	RMS	1738.25	21.53	60	Pass	401
1790	3000	1	RMS	2955.964	-49.94	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.48	-13	Pass	9000
12000	20000	1	RMS	19708.964	-35.05	-13	Pass	8000




**16.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.1	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.89	-13	Pass	2985
30	1000	0.1	RMS	832.298	-64.91	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.71	-13	Pass	700
1700	1790	1	RMS	1765.7	22.45	60	Pass	401
1790	3000	1	RMS	1792.002	-28.41	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.54	-13	Pass	9000
12000	20000	1	RMS	19710.964	-35.14	-13	Pass	8000




**16.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-13	Pass	2985
30	1000	0.1	RMS	839.799	-64.77	-13	Pass	9699
1000	1700	1	RMS	1700	-53.77	-13	Pass	700
1700	1790	1	RMS	1765.7	21.71	60	Pass	401
1790	3000	1	RMS	1792.002	-29.35	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.55	-13	Pass	9000
12000	20000	1	RMS	19708.964	-35.09	-13	Pass	8000




**16.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	865.021	-64.78	-13	Pass	9699
1000	1700	1	RMS	1692.99	-43.31	-13	Pass	700
1700	1790	1	RMS	1711.025	22.34	60	Pass	401
1790	3000	1	RMS	2947.957	-49.9	-13	Pass	1210
3000	12000	1	RMS	12000	-43.58	-13	Pass	9000
12000	20000	1	RMS	19710.964	-35.11	-13	Pass	8000




**16.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	1000	0.1	RMS	861.616	-64.74	-13	Pass	9699
1000	1700	1	RMS	1692.99	-45.31	-13	Pass	700
1700	1790	1	RMS	1711.025	21.63	60	Pass	401
1790	3000	1	RMS	2948.958	-49.91	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.49	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.1	-13	Pass	8000




**16.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2985
30	1000	0.1	RMS	858.112	-64.8	-13	Pass	9699
1000	1700	1	RMS	1700	-47.24	-13	Pass	700
1700	1790	1	RMS	1736	22.36	60	Pass	401
1790	3000	1	RMS	2948.958	-49.9	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.42	-13	Pass	9000
12000	20000	1	RMS	19708.964	-35.09	-13	Pass	8000




**16.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.49	-13	Pass	2985
30	1000	0.1	RMS	857.912	-64.78	-13	Pass	9699
1000	1700	1	RMS	1700	-48.44	-13	Pass	700
1700	1790	1	RMS	1736	21.45	60	Pass	401
1790	3000	1	RMS	2942.953	-49.87	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.55	-13	Pass	9000
12000	20000	1	RMS	19708.964	-35.05	-13	Pass	8000




**16.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.99	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.76	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.72	-13	Pass	700
1700	1790	1	RMS	1760.975	22.41	60	Pass	401
1790	3000	1	RMS	1797.006	-30.42	-13	Pass	1210
3000	12000	1	RMS	12000	-43.58	-13	Pass	9000
12000	20000	1	RMS	19707.963	-35.12	-13	Pass	8000



**16.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	834.598	-64.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.73	-13	Pass	700
1700	1790	1	RMS	1760.975	21.43	60	Pass	401
1790	3000	1	RMS	1797.006	-31.52	-13	Pass	1210
3000	12000	1	RMS	12000	-43.54	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.14	-13	Pass	8000




CA

17. CA_7C


17.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.4	-25	Pass	401
0.15	30	0.01	RMS	1.18	-71.97	-25	Pass	2985
30	1000	0.1	RMS	868.626	-62.84	-25	Pass	9699
1000	2490	1	RMS	2487.999	-47.16	-25	Pass	1490
2490	2580	1	RMS	2518.8	18.7	60	Pass	401
2580	3000	1	RMS	2945.871	-49.7	-25	Pass	420
3000	12000	1	RMS	11583.485	-51.76	-25	Pass	9000
12000	26000	1	RMS	25900.983	-35.46	-25	Pass	14000




**17.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.51	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.25	-25	Pass	2985
30	1000	0.1	RMS	869.827	-62.83	-25	Pass	9699
1000	2490	1	RMS	2487.999	-47.45	-25	Pass	1490
2490	2580	1	RMS	2519.7	17.67	60	Pass	401
2580	3000	1	RMS	2942.864	-49.73	-25	Pass	420
3000	12000	1	RMS	11585.487	-51.77	-25	Pass	9000
12000	26000	1	RMS	25896.982	-35.4	-25	Pass	14000




**17.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-25	Pass	2985
30	1000	0.1	RMS	874.534	-62.69	-25	Pass	9699
1000	2490	1	RMS	2490	-48.71	-25	Pass	1490
2490	2580	1	RMS	2539.95	18.18	60	Pass	401
2580	3000	1	RMS	2940.859	-49.72	-25	Pass	420
3000	12000	1	RMS	11580.481	-51.68	-25	Pass	9000
12000	26000	1	RMS	25899.983	-35.42	-25	Pass	14000




**17.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.5	-25	Pass	401
0.15	30	0.01	RMS	0.53	-72.38	-25	Pass	2985
30	1000	0.1	RMS	887.951	-62.8	-25	Pass	9699
1000	2490	1	RMS	2490	-48.83	-25	Pass	1490
2490	2580	1	RMS	2539.05	17.24	60	Pass	401
2580	3000	1	RMS	2942.864	-49.7	-25	Pass	420
3000	12000	1	RMS	11579.48	-51.73	-25	Pass	9000
12000	26000	1	RMS	25896.982	-35.42	-25	Pass	14000




**17.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-25	Pass	2985
30	1000	0.1	RMS	886.65	-62.85	-25	Pass	9699
1000	2490	1	RMS	2490	-50.67	-25	Pass	1490
2490	2580	1	RMS	2558.85	18.1	60	Pass	401
2580	3000	1	RMS	2580	-48.56	-25	Pass	420
3000	12000	1	RMS	11460.332	-51.68	-25	Pass	9000
12000	26000	1	RMS	25894.982	-35.47	-25	Pass	14000




**17.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.86	-72.19	-25	Pass	2985
30	1000	0.1	RMS	868.926	-62.81	-25	Pass	9699
1000	2490	1	RMS	2490	-50.81	-25	Pass	1490
2490	2580	1	RMS	2558.85	17.2	60	Pass	401
2580	3000	1	RMS	2580	-48.59	-25	Pass	420
3000	12000	1	RMS	11576.476	-51.77	-25	Pass	9000
12000	26000	1	RMS	25901.983	-35.42	-25	Pass	14000




**17.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-25	Pass	2985
30	1000	0.1	RMS	893.058	-62.85	-25	Pass	9699
1000	2490	1	RMS	2488.999	-47.12	-25	Pass	1490
2490	2580	1	RMS	2518.8	18.11	60	Pass	401
2580	3000	1	RMS	2946.874	-49.71	-25	Pass	420
3000	12000	1	RMS	11583.485	-51.7	-25	Pass	9000
12000	26000	1	RMS	25880.98	-35.4	-25	Pass	14000




**17.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-25	Pass	2985
30	1000	0.1	RMS	843.699	-62.72	-25	Pass	9699
1000	2490	1	RMS	2488.999	-47.42	-25	Pass	1490
2490	2580	1	RMS	2518.8	17.07	60	Pass	401
2580	3000	1	RMS	2944.869	-49.72	-25	Pass	420
3000	12000	1	RMS	11578.478	-51.71	-25	Pass	9000
12000	26000	1	RMS	25894.982	-35.45	-25	Pass	14000




**17.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.74	-72.15	-25	Pass	2985
30	1000	0.1	RMS	868.125	-62.64	-25	Pass	9699
1000	2490	1	RMS	2490	-46.43	-25	Pass	1490
2490	2580	1	RMS	2533.875	18.17	60	Pass	401
2580	3000	1	RMS	2580	-47.6	-25	Pass	420
3000	12000	1	RMS	11579.48	-51.66	-25	Pass	9000
12000	26000	1	RMS	25869.978	-35.47	-25	Pass	14000




**17.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-25	Pass	2985
30	1000	0.1	RMS	887.551	-62.73	-25	Pass	9699
1000	2490	1	RMS	2488.999	-47.04	-25	Pass	1490
2490	2580	1	RMS	2533.875	17.22	60	Pass	401
2580	3000	1	RMS	2580	-48.05	-25	Pass	420
3000	12000	1	RMS	11576.476	-51.68	-25	Pass	9000
12000	26000	1	RMS	25882.98	-35.48	-25	Pass	14000




**17.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-25	Pass	2985
30	1000	0.1	RMS	859.614	-62.77	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.16	-25	Pass	1490
2490	2580	1	RMS	2548.95	18.04	60	Pass	401
2580	3000	1	RMS	2588.019	-44.45	-25	Pass	420
3000	12000	1	RMS	11580.481	-51.68	-25	Pass	9000
12000	26000	1	RMS	25900.983	-35.5	-25	Pass	14000



**17.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.71	-25	Pass	401
0.15	30	0.01	RMS	1.3	-72.5	-25	Pass	2985
30	1000	0.1	RMS	864.12	-62.63	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.38	-25	Pass	1490
2490	2580	1	RMS	2548.95	17.14	60	Pass	401
2580	3000	1	RMS	2588.019	-44.71	-25	Pass	420
3000	12000	1	RMS	11585.487	-51.71	-25	Pass	9000
12000	26000	1	RMS	25901.983	-35.43	-25	Pass	14000



18. CA_38C


18.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.54	-25	Pass	2985
30	1000	0.1	RMS	892.758	-58.82	-25	Pass	9699
1000	2560	1	RMS	2554.997	-37.4	-25	Pass	1560
2560	2630	1	RMS	2585.725	19	60	Pass	401
2630	3000	1	RMS	2630.925	-45.59	-25	Pass	401
3000	12000	1	RMS	11582.483	-51.66	-25	Pass	9000
12000	26500	1	RMS	25903.906	-35.17	-25	Pass	14500




**18.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.46	-25	Pass	401
0.15	30	0.01	RMS	1.39	-68.69	-25	Pass	2985
30	1000	0.1	RMS	857.311	-58.93	-25	Pass	9699
1000	2560	1	RMS	2555.997	-36.53	-25	Pass	1560
2560	2630	1	RMS	2584.15	18.06	60	Pass	401
2630	3000	1	RMS	2631.85	-45.63	-25	Pass	401
3000	12000	1	RMS	11580.481	-51.56	-25	Pass	9000
12000	26500	1	RMS	25908.906	-35.16	-25	Pass	14500




**18.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-25	Pass	2985
30	1000	0.1	RMS	996.796	-58.83	-25	Pass	9699
1000	2560	1	RMS	2556.998	-43.43	-25	Pass	1560
2560	2630	1	RMS	2595.7	19.08	60	Pass	401
2630	3000	1	RMS	2632.775	-44.84	-25	Pass	401
3000	12000	1	RMS	11580.481	-51.65	-25	Pass	9000
12000	26500	1	RMS	25886.903	-34.9	-25	Pass	14500




**18.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.7	-25	Pass	2985
30	1000	0.1	RMS	898.766	-58.82	-25	Pass	9699
1000	2560	1	RMS	2556.998	-43.9	-25	Pass	1560
2560	2630	1	RMS	2594.125	17.67	60	Pass	401
2630	3000	1	RMS	2632.775	-44.93	-25	Pass	401
3000	12000	1	RMS	11579.48	-51.68	-25	Pass	9000
12000	26500	1	RMS	25892.904	-35.14	-25	Pass	14500




**18.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.33	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.46	-25	Pass	2985
30	1000	0.1	RMS	844.199	-58.85	-25	Pass	9699
1000	2560	1	RMS	2558.999	-44.71	-25	Pass	1560
2560	2630	1	RMS	2605.675	18.68	60	Pass	401
2630	3000	1	RMS	2633.7	-36.05	-25	Pass	401
3000	12000	1	RMS	11581.482	-51.7	-25	Pass	9000
12000	26500	1	RMS	25891.904	-35.05	-25	Pass	14500




**18.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.69	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.34	-25	Pass	2985
30	1000	0.1	RMS	886.85	-58.72	-25	Pass	9699
1000	2560	1	RMS	2555.997	-44.64	-25	Pass	1560
2560	2630	1	RMS	2605.675	18.19	60	Pass	401
2630	3000	1	RMS	2633.7	-36.96	-25	Pass	401
3000	12000	1	RMS	11580.481	-51.68	-25	Pass	9000
12000	26500	1	RMS	25900.905	-35.06	-25	Pass	14500




**18.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-25	Pass	2985
30	1000	0.1	RMS	985.08	-58.99	-25	Pass	9699
1000	2560	1	RMS	2551.995	-35.91	-25	Pass	1560
2560	2630	1	RMS	2590.8	19.1	60	Pass	401
2630	3000	1	RMS	2630	-42.64	-25	Pass	401
3000	12000	1	RMS	11574.473	-51.7	-25	Pass	9000
12000	26500	1	RMS	25886.903	-35.02	-25	Pass	14500




**18.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.66	-25	Pass	2985
30	1000	0.1	RMS	879.64	-59.01	-25	Pass	9699
1000	2560	1	RMS	2550.994	-38.67	-25	Pass	1560
2560	2630	1	RMS	2588.875	17.92	60	Pass	401
2630	3000	1	RMS	2630	-42.92	-25	Pass	401
3000	12000	1	RMS	11581.482	-51.66	-25	Pass	9000
12000	26500	1	RMS	25902.905	-35.1	-25	Pass	14500




**18.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-25	Pass	2985
30	1000	0.1	RMS	854.908	-58.79	-25	Pass	9699
1000	2560	1	RMS	2556.998	-35.99	-25	Pass	1560
2560	2630	1	RMS	2593.95	18.73	60	Pass	401
2630	3000	1	RMS	2632.775	-36.81	-25	Pass	401
3000	12000	1	RMS	11583.485	-51.63	-25	Pass	9000
12000	26500	1	RMS	25899.905	-35.07	-25	Pass	14500




**18.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.24	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.04	-25	Pass	2985
30	1000	0.1	RMS	862.918	-58.72	-25	Pass	9699
1000	2560	1	RMS	2556.998	-35.73	-25	Pass	1560
2560	2630	1	RMS	2595.875	17.98	60	Pass	401
2630	3000	1	RMS	2632.775	-37.92	-25	Pass	401
3000	12000	1	RMS	11578.478	-51.64	-25	Pass	9000
12000	26500	1	RMS	25889.903	-35.03	-25	Pass	14500




**18.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.29	-25	Pass	2985
30	1000	0.1	RMS	865.822	-58.97	-25	Pass	9699
1000	2560	1	RMS	2558.999	-40.57	-25	Pass	1560
2560	2630	1	RMS	2599.025	19.01	60	Pass	401
2630	3000	1	RMS	2638.325	-35.92	-25	Pass	401
3000	12000	1	RMS	11585.487	-51.62	-25	Pass	9000
12000	26500	1	RMS	25886.903	-35.13	-25	Pass	14500



**18.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.65	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.32	-25	Pass	2985
30	1000	0.1	RMS	871.83	-58.83	-25	Pass	9699
1000	2560	1	RMS	2558.999	-41.76	-25	Pass	1560
2560	2630	1	RMS	2599.025	17.95	60	Pass	401
2630	3000	1	RMS	2638.325	-37.32	-25	Pass	401
3000	12000	1	RMS	11582.483	-51.65	-25	Pass	9000
12000	26500	1	RMS	25901.905	-34.92	-25	Pass	14500



19. CA_41C_full


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.68	-25	Pass	2985
30	1000	0.1	RMS	862.518	-58.87	-25	Pass	9699
1000	2486	1	RMS	2477.995	-36.85	-25	Pass	1486
2486	2700	1	RMS	2514.89	21.47	60	Pass	401
2700	3000	1	RMS	2951.25	-45.77	-25	Pass	401
3000	12000	1	RMS	11578.478	-51.62	-25	Pass	9000
12000	27000	1	RMS	25891.837	-35.08	-25	Pass	15000




**19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.13	-25	Pass	2985
30	1000	0.1	RMS	872.231	-58.87	-25	Pass	9699
1000	2486	1	RMS	2478.995	-35.7	-25	Pass	1486
2486	2700	1	RMS	2514.89	19.82	60	Pass	401
2700	3000	1	RMS	2943.75	-45.74	-25	Pass	401
3000	12000	1	RMS	11578.478	-51.59	-25	Pass	9000
12000	27000	1	RMS	25898.838	-35.11	-25	Pass	15000




**19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.03	-25	Pass	2985
30	1000	0.1	RMS	879.941	-58.81	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.2	-25	Pass	1486
2486	2700	1	RMS	2599.42	21.3	60	Pass	401
2700	3000	1	RMS	2948.25	-45.68	-25	Pass	401
3000	12000	1	RMS	11579.48	-51.69	-25	Pass	9000
12000	27000	1	RMS	25896.838	-35.05	-25	Pass	15000




**19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.52	-25	Pass	2985
30	1000	0.1	RMS	879.841	-58.86	-25	Pass	9699
1000	2486	1	RMS	2486	-47.17	-25	Pass	1486
2486	2700	1	RMS	2599.42	19.93	60	Pass	401
2700	3000	1	RMS	2950.5	-45.71	-25	Pass	401
3000	12000	1	RMS	11577.477	-51.59	-25	Pass	9000
12000	27000	1	RMS	25901.839	-35.03	-25	Pass	15000




**19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.63	-68.25	-25	Pass	2985
30	1000	0.1	RMS	865.221	-58.88	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.17	-25	Pass	1486
2486	2700	1	RMS	2683.95	19.99	60	Pass	401
2700	3000	1	RMS	2710.5	-40.53	-25	Pass	401
3000	12000	1	RMS	11586.488	-51.7	-25	Pass	9000
12000	27000	1	RMS	25902.839	-34.99	-25	Pass	15000




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-25	Pass	2985
30	1000	0.1	RMS	868.125	-58.85	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.23	-25	Pass	1486
2486	2700	1	RMS	2683.95	19.42	60	Pass	401
2700	3000	1	RMS	2711.25	-41.46	-25	Pass	401
3000	12000	1	RMS	11582.483	-51.63	-25	Pass	9000
12000	27000	1	RMS	25891.837	-35.11	-25	Pass	15000




**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.54	-25	Pass	2985
30	1000	0.1	RMS	867.624	-58.84	-25	Pass	9699
1000	2486	1	RMS	2477.995	-39.14	-25	Pass	1486
2486	2700	1	RMS	2516.495	18.99	60	Pass	401
2700	3000	1	RMS	2940	-45.73	-25	Pass	401
3000	12000	1	RMS	11583.485	-51.67	-25	Pass	9000
12000	27000	1	RMS	25893.838	-35.09	-25	Pass	15000




**19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.64	-25	Pass	2985
30	1000	0.1	RMS	852.504	-59.02	-25	Pass	9699
1000	2486	1	RMS	2476.994	-36.84	-25	Pass	1486
2486	2700	1	RMS	2516.495	17.64	60	Pass	401
2700	3000	1	RMS	2946	-45.75	-25	Pass	401
3000	12000	1	RMS	11580.481	-51.65	-25	Pass	9000
12000	27000	1	RMS	25899.838	-35.11	-25	Pass	15000




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.33	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.09	-25	Pass	2985
30	1000	0.1	RMS	861.016	-58.83	-25	Pass	9699
1000	2486	1	RMS	2486	-47.17	-25	Pass	1486
2486	2700	1	RMS	2593.535	18.85	60	Pass	401
2700	3000	1	RMS	2944.5	-45.76	-25	Pass	401
3000	12000	1	RMS	11568.466	-51.71	-25	Pass	9000
12000	27000	1	RMS	25890.837	-35.1	-25	Pass	15000




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.69	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.39	-25	Pass	2985
30	1000	0.1	RMS	887.15	-58.9	-25	Pass	9699
1000	2486	1	RMS	2481.997	-47.22	-25	Pass	1486
2486	2700	1	RMS	2591.93	18	60	Pass	401
2700	3000	1	RMS	2942.25	-45.73	-25	Pass	401
3000	12000	1	RMS	11578.478	-51.68	-25	Pass	9000
12000	27000	1	RMS	25896.838	-35	-25	Pass	15000




**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.68	-25	Pass	2985
30	1000	0.1	RMS	870.328	-58.88	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.21	-25	Pass	1486
2486	2700	1	RMS	2670.575	18.64	60	Pass	401
2700	3000	1	RMS	2708.25	-35.34	-25	Pass	401
3000	12000	1	RMS	11573.472	-51.72	-25	Pass	9000
12000	27000	1	RMS	25900.839	-35.02	-25	Pass	15000



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	Pass	2985
30	1000	0.1	RMS	994.993	-58.92	-25	Pass	9699
1000	2486	1	RMS	2479.996	-47.22	-25	Pass	1486
2486	2700	1	RMS	2670.575	17.4	60	Pass	401
2700	3000	1	RMS	2708.25	-36.73	-25	Pass	401
3000	12000	1	RMS	11575.475	-51.65	-25	Pass	9000
12000	27000	1	RMS	25894.838	-35.1	-25	Pass	15000



END