

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Ant31

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limit	Verdict
N7	15	5	DFT-PI2BPSK	L	1@1	23.30	23.46	33	PASS
N7	15	5	DFT-PI2BPSK	L	1@23	23.19	23.35	33	PASS
N7	15	5	DFT-PI2BPSK	L	25@0	22.74	22.90	33	PASS
N7	15	5	DFT-QPSK	L	1@1	23.14	23.30	33	PASS
N7	15	5	DFT-QPSK	L	1@23	23.09	23.25	33	PASS
N7	15	5	DFT-QPSK	L	25@0	22.53	22.69	33	PASS
N7	15	5	DFT-16QAM	L	1@1	22.64	22.80	33	PASS
N7	15	5	DFT-16QAM	L	1@23	22.59	22.75	33	PASS
N7	15	5	DFT-16QAM	L	25@0	21.68	21.84	33	PASS
N7	15	5	DFT-64QAM	L	1@1	21.13	21.29	33	PASS
N7	15	5	DFT-64QAM	L	1@23	21.08	21.24	33	PASS
N7	15	5	DFT-64QAM	L	25@0	20.96	21.12	33	PASS
N7	15	5	DFT-256QAM	L	1@1	18.74	18.90	33	PASS
N7	15	5	DFT-256QAM	L	1@23	18.74	18.90	33	PASS
N7	15	5	DFT-256QAM	L	25@0	19.17	19.33	33	PASS
N7	15	5	DFT-PI2BPSK	M	1@1	23.16	23.32	33	PASS
N7	15	5	DFT-PI2BPSK	M	1@23	23.20	23.36	33	PASS
N7	15	5	DFT-PI2BPSK	M	25@0	22.68	22.84	33	PASS
N7	15	5	DFT-QPSK	M	1@1	23.09	23.25	33	PASS
N7	15	5	DFT-QPSK	M	1@23	22.99	23.15	33	PASS
N7	15	5	DFT-QPSK	M	25@0	22.49	22.65	33	PASS
N7	15	5	DFT-16QAM	M	1@1	22.59	22.75	33	PASS
N7	15	5	DFT-16QAM	M	1@23	22.58	22.74	33	PASS
N7	15	5	DFT-16QAM	M	25@0	21.67	21.83	33	PASS
N7	15	5	DFT-64QAM	M	1@1	21.14	21.30	33	PASS
N7	15	5	DFT-64QAM	M	1@23	21.06	21.22	33	PASS
N7	15	5	DFT-64QAM	M	25@0	20.96	21.12	33	PASS
N7	15	5	DFT-256QAM	M	1@1	18.62	18.78	33	PASS
N7	15	5	DFT-256QAM	M	1@23	18.69	18.85	33	PASS
N7	15	5	DFT-256QAM	M	25@0	19.09	19.25	33	PASS
N7	15	5	DFT-PI2BPSK	H	1@1	23.35	23.51	33	PASS
N7	15	5	DFT-PI2BPSK	H	1@23	23.33	23.49	33	PASS
N7	15	5	DFT-PI2BPSK	H	25@0	22.81	22.97	33	PASS
N7	15	5	DFT-QPSK	H	1@1	23.29	23.45	33	PASS
N7	15	5	DFT-QPSK	H	1@23	23.29	23.45	33	PASS
N7	15	5	DFT-QPSK	H	25@0	22.66	22.82	33	PASS

N7	15	5	DFT-16QAM	H	1@1	22.70	22.86	33	PASS
N7	15	5	DFT-16QAM	H	1@23	22.69	22.85	33	PASS
N7	15	5	DFT-16QAM	H	25@0	21.79	21.95	33	PASS
N7	15	5	DFT-64QAM	H	1@1	21.19	21.35	33	PASS
N7	15	5	DFT-64QAM	H	1@23	21.24	21.40	33	PASS
N7	15	5	DFT-64QAM	H	25@0	21.05	21.21	33	PASS
N7	15	5	DFT-256QAM	H	1@1	18.85	19.01	33	PASS
N7	15	5	DFT-256QAM	H	1@23	18.83	18.99	33	PASS
N7	15	5	DFT-256QAM	H	25@0	19.34	19.50	33	PASS
N7	15	10	DFT-PI2BPSK	L	1@1	23.19	23.35	33	PASS
N7	15	10	DFT-PI2BPSK	L	1@50	23.13	23.29	33	PASS
N7	15	10	DFT-PI2BPSK	L	50@0	22.63	22.79	33	PASS
N7	15	10	DFT-QPSK	L	1@1	23.00	23.16	33	PASS
N7	15	10	DFT-QPSK	L	1@50	23.05	23.21	33	PASS
N7	15	10	DFT-QPSK	L	50@0	22.40	22.56	33	PASS
N7	15	10	DFT-16QAM	L	1@1	22.59	22.75	33	PASS
N7	15	10	DFT-16QAM	L	1@50	22.62	22.78	33	PASS
N7	15	10	DFT-16QAM	L	50@0	21.49	21.65	33	PASS
N7	15	10	DFT-64QAM	L	1@1	20.99	21.15	33	PASS
N7	15	10	DFT-64QAM	L	1@50	20.93	21.09	33	PASS
N7	15	10	DFT-64QAM	L	50@0	20.88	21.04	33	PASS
N7	15	10	DFT-256QAM	L	1@1	18.60	18.76	33	PASS
N7	15	10	DFT-256QAM	L	1@50	18.56	18.72	33	PASS
N7	15	10	DFT-256QAM	L	50@0	19.10	19.26	33	PASS
N7	15	10	DFT-PI2BPSK	M	1@1	23.31	23.47	33	PASS
N7	15	10	DFT-PI2BPSK	M	1@50	23.09	23.25	33	PASS
N7	15	10	DFT-PI2BPSK	M	50@0	22.63	22.79	33	PASS
N7	15	10	DFT-QPSK	M	1@1	23.19	23.35	33	PASS
N7	15	10	DFT-QPSK	M	1@50	23.07	23.23	33	PASS
N7	15	10	DFT-QPSK	M	50@0	22.46	22.62	33	PASS
N7	15	10	DFT-16QAM	M	1@1	22.59	22.75	33	PASS
N7	15	10	DFT-16QAM	M	1@50	22.65	22.81	33	PASS
N7	15	10	DFT-16QAM	M	50@0	21.70	21.86	33	PASS
N7	15	10	DFT-64QAM	M	1@1	21.09	21.25	33	PASS
N7	15	10	DFT-64QAM	M	1@50	21.11	21.27	33	PASS
N7	15	10	DFT-64QAM	M	50@0	21.05	21.21	33	PASS
N7	15	10	DFT-256QAM	M	1@1	18.65	18.81	33	PASS
N7	15	10	DFT-256QAM	M	1@50	18.63	18.79	33	PASS
N7	15	10	DFT-256QAM	M	50@0	19.17	19.33	33	PASS
N7	15	10	DFT-PI2BPSK	H	1@1	23.29	23.45	33	PASS
N7	15	10	DFT-PI2BPSK	H	1@50	23.39	23.55	33	PASS
N7	15	10	DFT-PI2BPSK	H	50@0	22.74	22.90	33	PASS
N7	15	10	DFT-QPSK	H	1@1	23.14	23.30	33	PASS

N7	15	10	DFT-QPSK	H	1@50	23.10	23.26	33	PASS
N7	15	10	DFT-QPSK	H	50@0	22.55	22.71	33	PASS
N7	15	10	DFT-16QAM	H	1@1	22.54	22.70	33	PASS
N7	15	10	DFT-16QAM	H	1@50	22.70	22.86	33	PASS
N7	15	10	DFT-16QAM	H	50@0	21.73	21.89	33	PASS
N7	15	10	DFT-64QAM	H	1@1	21.11	21.27	33	PASS
N7	15	10	DFT-64QAM	H	1@50	21.22	21.38	33	PASS
N7	15	10	DFT-64QAM	H	50@0	21.05	21.21	33	PASS
N7	15	10	DFT-256QAM	H	1@1	18.77	18.93	33	PASS
N7	15	10	DFT-256QAM	H	1@50	18.79	18.95	33	PASS
N7	15	10	DFT-256QAM	H	50@0	19.23	19.39	33	PASS
N7	15	15	DFT-PI2BPSK	L	1@1	23.30	23.46	33	PASS
N7	15	15	DFT-PI2BPSK	L	1@77	23.23	23.39	33	PASS
N7	15	15	DFT-PI2BPSK	L	75@0	22.60	22.76	33	PASS
N7	15	15	DFT-QPSK	L	1@1	23.15	23.31	33	PASS
N7	15	15	DFT-QPSK	L	1@77	23.14	23.30	33	PASS
N7	15	15	DFT-QPSK	L	75@0	22.47	22.63	33	PASS
N7	15	15	DFT-16QAM	L	1@1	22.55	22.71	33	PASS
N7	15	15	DFT-16QAM	L	1@77	22.70	22.86	33	PASS
N7	15	15	DFT-16QAM	L	75@0	21.71	21.87	33	PASS
N7	15	15	DFT-64QAM	L	1@1	21.15	21.31	33	PASS
N7	15	15	DFT-64QAM	L	1@77	21.19	21.35	33	PASS
N7	15	15	DFT-64QAM	L	75@0	20.99	21.15	33	PASS
N7	15	15	DFT-256QAM	L	1@1	18.65	18.81	33	PASS
N7	15	15	DFT-256QAM	L	1@77	18.69	18.85	33	PASS
N7	15	15	DFT-256QAM	L	75@0	19.12	19.28	33	PASS
N7	15	15	DFT-PI2BPSK	M	1@1	23.28	23.44	33	PASS
N7	15	15	DFT-PI2BPSK	M	1@77	23.14	23.30	33	PASS
N7	15	15	DFT-PI2BPSK	M	75@0	22.76	22.92	33	PASS
N7	15	15	DFT-QPSK	M	1@1	23.18	23.34	33	PASS
N7	15	15	DFT-QPSK	M	1@77	23.07	23.23	33	PASS
N7	15	15	DFT-QPSK	M	75@0	22.51	22.67	33	PASS
N7	15	15	DFT-16QAM	M	1@1	22.66	22.82	33	PASS
N7	15	15	DFT-16QAM	M	1@77	22.64	22.80	33	PASS
N7	15	15	DFT-16QAM	M	75@0	21.78	21.94	33	PASS
N7	15	15	DFT-64QAM	M	1@1	21.20	21.36	33	PASS
N7	15	15	DFT-64QAM	M	1@77	21.12	21.28	33	PASS
N7	15	15	DFT-64QAM	M	75@0	20.98	21.14	33	PASS
N7	15	15	DFT-256QAM	M	1@1	18.71	18.87	33	PASS
N7	15	15	DFT-256QAM	M	1@77	18.69	18.85	33	PASS
N7	15	15	DFT-256QAM	M	75@0	19.23	19.39	33	PASS
N7	15	15	DFT-PI2BPSK	H	1@1	23.47	23.63	33	PASS
N7	15	15	DFT-PI2BPSK	H	1@77	23.50	23.66	33	PASS

N7	15	15	DFT-PI2BPSK	H	75@0	22.96	23.12	33	PASS
N7	15	15	DFT-QPSK	H	1@1	23.30	23.46	33	PASS
N7	15	15	DFT-QPSK	H	1@77	23.29	23.45	33	PASS
N7	15	15	DFT-QPSK	H	75@0	22.69	22.85	33	PASS
N7	15	15	DFT-16QAM	H	1@1	22.72	22.88	33	PASS
N7	15	15	DFT-16QAM	H	1@77	22.85	23.01	33	PASS
N7	15	15	DFT-16QAM	H	75@0	21.95	22.11	33	PASS
N7	15	15	DFT-64QAM	H	1@1	21.23	21.39	33	PASS
N7	15	15	DFT-64QAM	H	1@77	21.30	21.46	33	PASS
N7	15	15	DFT-64QAM	H	75@0	21.21	21.37	33	PASS
N7	15	15	DFT-256QAM	H	1@1	18.87	19.03	33	PASS
N7	15	15	DFT-256QAM	H	1@77	18.90	19.06	33	PASS
N7	15	15	DFT-256QAM	H	75@0	19.44	19.60	33	PASS
N7	15	20	DFT-PI2BPSK	L	1@1	21.15	21.31	33	PASS
N7	15	20	DFT-PI2BPSK	L	1@104	23.44	23.60	33	PASS
N7	15	20	DFT-PI2BPSK	L	100@0	22.82	22.98	33	PASS
N7	15	20	DFT-QPSK	L	1@1	23.13	23.29	33	PASS
N7	15	20	DFT-QPSK	L	1@104	23.21	23.37	33	PASS
N7	15	20	DFT-QPSK	L	100@0	22.52	22.68	33	PASS
N7	15	20	DFT-16QAM	L	1@1	22.73	22.89	33	PASS
N7	15	20	DFT-16QAM	L	1@104	22.71	22.87	33	PASS
N7	15	20	DFT-16QAM	L	100@0	21.68	21.84	33	PASS
N7	15	20	DFT-64QAM	L	1@1	21.14	21.30	33	PASS
N7	15	20	DFT-64QAM	L	1@104	21.27	21.43	33	PASS
N7	15	20	DFT-64QAM	L	100@0	21.01	21.17	33	PASS
N7	15	20	DFT-256QAM	L	1@1	18.57	18.73	33	PASS
N7	15	20	DFT-256QAM	L	1@104	18.72	18.88	33	PASS
N7	15	20	DFT-256QAM	L	100@0	19.19	19.35	33	PASS
N7	15	20	DFT-PI2BPSK	M	1@1	23.27	23.43	33	PASS
N7	15	20	DFT-PI2BPSK	M	1@104	23.25	23.41	33	PASS
N7	15	20	DFT-PI2BPSK	M	100@0	22.65	22.81	33	PASS
N7	15	20	DFT-QPSK	M	1@1	23.20	23.36	33	PASS
N7	15	20	DFT-QPSK	M	1@104	23.09	23.25	33	PASS
N7	15	20	DFT-QPSK	M	100@0	22.57	22.73	33	PASS
N7	15	20	DFT-16QAM	M	1@1	22.66	22.82	33	PASS
N7	15	20	DFT-16QAM	M	1@104	22.65	22.81	33	PASS
N7	15	20	DFT-16QAM	M	100@0	21.69	21.85	33	PASS
N7	15	20	DFT-64QAM	M	1@1	21.25	21.41	33	PASS
N7	15	20	DFT-64QAM	M	1@104	21.05	21.21	33	PASS
N7	15	20	DFT-64QAM	M	100@0	20.97	21.13	33	PASS
N7	15	20	DFT-256QAM	M	1@1	18.64	18.80	33	PASS
N7	15	20	DFT-256QAM	M	1@104	18.69	18.85	33	PASS
N7	15	20	DFT-256QAM	M	100@0	19.23	19.39	33	PASS

N7	15	20	DFT-PI2BPSK	H	1@1	23.34	23.50	33	PASS
N7	15	20	DFT-PI2BPSK	H	1@104	23.38	23.54	33	PASS
N7	15	20	DFT-PI2BPSK	H	100@0	22.83	22.99	33	PASS
N7	15	20	DFT-QPSK	H	1@1	23.26	23.42	33	PASS
N7	15	20	DFT-QPSK	H	1@104	23.32	23.48	33	PASS
N7	15	20	DFT-QPSK	H	100@0	22.65	22.81	33	PASS
N7	15	20	DFT-16QAM	H	1@1	22.74	22.90	33	PASS
N7	15	20	DFT-16QAM	H	1@104	22.83	22.99	33	PASS
N7	15	20	DFT-16QAM	H	100@0	21.78	21.94	33	PASS
N7	15	20	DFT-64QAM	H	1@1	21.19	21.35	33	PASS
N7	15	20	DFT-64QAM	H	1@104	21.27	21.43	33	PASS
N7	15	20	DFT-64QAM	H	100@0	21.07	21.23	33	PASS
N7	15	20	DFT-256QAM	H	1@1	18.66	18.82	33	PASS
N7	15	20	DFT-256QAM	H	1@104	18.88	19.04	33	PASS
N7	15	20	DFT-256QAM	H	100@0	19.40	19.56	33	PASS
N7	15	25	DFT-PI2BPSK	L	1@1	23.40	23.56	33	PASS
N7	15	25	DFT-PI2BPSK	L	1@131	23.37	23.53	33	PASS
N7	15	25	DFT-PI2BPSK	L	128@0	22.75	22.91	33	PASS
N7	15	25	DFT-QPSK	L	1@1	23.27	23.43	33	PASS
N7	15	25	DFT-QPSK	L	1@131	23.31	23.47	33	PASS
N7	15	25	DFT-QPSK	L	128@0	22.51	22.67	33	PASS
N7	15	25	DFT-16QAM	L	1@1	22.69	22.85	33	PASS
N7	15	25	DFT-16QAM	L	1@131	22.84	23.00	33	PASS
N7	15	25	DFT-16QAM	L	128@0	21.76	21.92	33	PASS
N7	15	25	DFT-64QAM	L	1@1	21.23	21.39	33	PASS
N7	15	25	DFT-64QAM	L	1@131	21.19	21.35	33	PASS
N7	15	25	DFT-64QAM	L	128@0	21.08	21.24	33	PASS
N7	15	25	DFT-256QAM	L	1@1	19.38	19.54	33	PASS
N7	15	25	DFT-256QAM	L	1@131	18.94	19.10	33	PASS
N7	15	25	DFT-256QAM	L	128@0	19.29	19.45	33	PASS
N7	15	25	DFT-PI2BPSK	M	1@1	23.31	23.47	33	PASS
N7	15	25	DFT-PI2BPSK	M	1@131	23.25	23.41	33	PASS
N7	15	25	DFT-PI2BPSK	M	128@0	22.66	22.82	33	PASS
N7	15	25	DFT-QPSK	M	1@1	23.17	23.33	33	PASS
N7	15	25	DFT-QPSK	M	1@131	23.15	23.31	33	PASS
N7	15	25	DFT-QPSK	M	128@0	22.47	22.63	33	PASS
N7	15	25	DFT-16QAM	M	1@1	22.72	22.88	33	PASS
N7	15	25	DFT-16QAM	M	1@131	22.66	22.82	33	PASS
N7	15	25	DFT-16QAM	M	128@0	21.69	21.85	33	PASS
N7	15	25	DFT-64QAM	M	1@1	21.16	21.32	33	PASS
N7	15	25	DFT-64QAM	M	1@131	21.09	21.25	33	PASS
N7	15	25	DFT-64QAM	M	128@0	20.91	21.07	33	PASS
N7	15	25	DFT-256QAM	M	1@1	19.29	19.45	33	PASS

N7	15	25	DFT-256QAM	M	1@131	18.81	18.97	33	PASS
N7	15	25	DFT-256QAM	M	128@0	19.27	19.43	33	PASS
N7	15	25	DFT-PI2BPSK	H	1@1	23.28	23.44	33	PASS
N7	15	25	DFT-PI2BPSK	H	1@131	23.53	23.69	33	PASS
N7	15	25	DFT-PI2BPSK	H	128@0	22.74	22.90	33	PASS
N7	15	25	DFT-QPSK	H	1@1	23.20	23.36	33	PASS
N7	15	25	DFT-QPSK	H	1@131	23.25	23.41	33	PASS
N7	15	25	DFT-QPSK	H	128@0	22.53	22.69	33	PASS
N7	15	25	DFT-16QAM	H	1@1	22.68	22.84	33	PASS
N7	15	25	DFT-16QAM	H	1@131	22.74	22.90	33	PASS
N7	15	25	DFT-16QAM	H	128@0	21.79	21.95	33	PASS
N7	15	25	DFT-64QAM	H	1@1	21.21	21.37	33	PASS
N7	15	25	DFT-64QAM	H	1@131	21.36	21.52	33	PASS
N7	15	25	DFT-64QAM	H	128@0	20.99	21.15	33	PASS
N7	15	25	DFT-256QAM	H	1@1	19.28	19.44	33	PASS
N7	15	25	DFT-256QAM	H	1@131	19.03	19.19	33	PASS
N7	15	25	DFT-256QAM	H	128@0	19.34	19.50	33	PASS
N7	15	30	DFT-PI2BPSK	L	1@1	23.18	23.34	33	PASS
N7	15	30	DFT-PI2BPSK	L	1@158	23.21	23.37	33	PASS
N7	15	30	DFT-PI2BPSK	L	160@0	22.64	22.80	33	PASS
N7	15	30	DFT-QPSK	L	1@1	23.08	23.24	33	PASS
N7	15	30	DFT-QPSK	L	1@158	23.20	23.36	33	PASS
N7	15	30	DFT-QPSK	L	160@0	22.46	22.62	33	PASS
N7	15	30	DFT-16QAM	L	1@1	22.47	22.63	33	PASS
N7	15	30	DFT-16QAM	L	1@158	22.67	22.83	33	PASS
N7	15	30	DFT-16QAM	L	160@0	21.60	21.76	33	PASS
N7	15	30	DFT-64QAM	L	1@1	21.02	21.18	33	PASS
N7	15	30	DFT-64QAM	L	1@158	21.10	21.26	33	PASS
N7	15	30	DFT-64QAM	L	160@0	20.86	21.02	33	PASS
N7	15	30	DFT-256QAM	L	1@1	18.60	18.76	33	PASS
N7	15	30	DFT-256QAM	L	1@158	18.76	18.92	33	PASS
N7	15	30	DFT-256QAM	L	160@0	19.11	19.27	33	PASS
N7	15	30	DFT-PI2BPSK	M	1@1	23.20	23.36	33	PASS
N7	15	30	DFT-PI2BPSK	M	1@158	23.20	23.36	33	PASS
N7	15	30	DFT-PI2BPSK	M	160@0	22.63	22.79	33	PASS
N7	15	30	DFT-QPSK	M	1@1	23.12	23.28	33	PASS
N7	15	30	DFT-QPSK	M	1@158	23.07	23.23	33	PASS
N7	15	30	DFT-QPSK	M	160@0	22.41	22.57	33	PASS
N7	15	30	DFT-16QAM	M	1@1	22.67	22.83	33	PASS
N7	15	30	DFT-16QAM	M	1@158	22.56	22.72	33	PASS
N7	15	30	DFT-16QAM	M	160@0	21.61	21.77	33	PASS
N7	15	30	DFT-64QAM	M	1@1	21.11	21.27	33	PASS
N7	15	30	DFT-64QAM	M	1@158	21.08	21.24	33	PASS

N7	15	30	DFT-64QAM	M	160@0	20.98	21.14	33	PASS
N7	15	30	DFT-256QAM	M	1@1	18.71	18.87	33	PASS
N7	15	30	DFT-256QAM	M	1@158	18.66	18.82	33	PASS
N7	15	30	DFT-256QAM	M	160@0	19.07	19.23	33	PASS
N7	15	30	DFT-PI2BPSK	H	1@1	23.24	23.40	33	PASS
N7	15	30	DFT-PI2BPSK	H	1@158	23.31	23.47	33	PASS
N7	15	30	DFT-PI2BPSK	H	160@0	22.70	22.86	33	PASS
N7	15	30	DFT-QPSK	H	1@1	23.07	23.23	33	PASS
N7	15	30	DFT-QPSK	H	1@158	23.23	23.39	33	PASS
N7	15	30	DFT-QPSK	H	160@0	22.45	22.61	33	PASS
N7	15	30	DFT-16QAM	H	1@1	22.46	22.62	33	PASS
N7	15	30	DFT-16QAM	H	1@158	22.69	22.85	33	PASS
N7	15	30	DFT-16QAM	H	160@0	21.70	21.86	33	PASS
N7	15	30	DFT-64QAM	H	1@1	21.01	21.17	33	PASS
N7	15	30	DFT-64QAM	H	1@158	21.19	21.35	33	PASS
N7	15	30	DFT-64QAM	H	160@0	21.02	21.18	33	PASS
N7	15	30	DFT-256QAM	H	1@1	18.60	18.76	33	PASS
N7	15	30	DFT-256QAM	H	1@158	18.81	18.97	33	PASS
N7	15	30	DFT-256QAM	H	160@0	19.22	19.38	33	PASS
N7	15	40	DFT-PI2BPSK	L	1@1	23.25	23.41	33	PASS
N7	15	40	DFT-PI2BPSK	L	1@214	23.09	23.25	33	PASS
N7	15	40	DFT-PI2BPSK	L	216@0	22.79	22.95	33	PASS
N7	15	40	DFT-QPSK	L	1@1	23.21	23.37	33	PASS
N7	15	40	DFT-QPSK	L	1@214	23.10	23.26	33	PASS
N7	15	40	DFT-QPSK	L	216@0	22.58	22.74	33	PASS
N7	15	40	DFT-16QAM	L	1@1	22.54	22.70	33	PASS
N7	15	40	DFT-16QAM	L	1@214	22.70	22.86	33	PASS
N7	15	40	DFT-16QAM	L	216@0	21.66	21.82	33	PASS
N7	15	40	DFT-64QAM	L	1@1	21.15	21.31	33	PASS
N7	15	40	DFT-64QAM	L	1@214	21.07	21.23	33	PASS
N7	15	40	DFT-64QAM	L	216@0	21.02	21.18	33	PASS
N7	15	40	DFT-256QAM	L	1@1	18.72	18.88	33	PASS
N7	15	40	DFT-256QAM	L	1@214	18.76	18.92	33	PASS
N7	15	40	DFT-256QAM	L	216@0	19.21	19.37	33	PASS
N7	15	40	DFT-PI2BPSK	M	1@1	23.23	23.39	33	PASS
N7	15	40	DFT-PI2BPSK	M	1@214	23.22	23.38	33	PASS
N7	15	40	DFT-PI2BPSK	M	216@0	22.59	22.75	33	PASS
N7	15	40	DFT-QPSK	M	1@1	23.14	23.30	33	PASS
N7	15	40	DFT-QPSK	M	1@214	23.14	23.30	33	PASS
N7	15	40	DFT-QPSK	M	216@0	22.33	22.49	33	PASS
N7	15	40	DFT-16QAM	M	1@1	22.53	22.69	33	PASS
N7	15	40	DFT-16QAM	M	1@214	22.65	22.81	33	PASS
N7	15	40	DFT-16QAM	M	216@0	21.57	21.73	33	PASS

N7	15	40	DFT-64QAM	M	1@1	20.99	21.15	33	PASS
N7	15	40	DFT-64QAM	M	1@214	21.15	21.31	33	PASS
N7	15	40	DFT-64QAM	M	216@0	20.87	21.03	33	PASS
N7	15	40	DFT-256QAM	M	1@1	18.68	18.84	33	PASS
N7	15	40	DFT-256QAM	M	1@214	18.68	18.84	33	PASS
N7	15	40	DFT-256QAM	M	216@0	19.20	19.36	33	PASS
N7	15	40	DFT-PI2BPSK	H	1@1	23.37	23.53	33	PASS
N7	15	40	DFT-PI2BPSK	H	1@214	23.35	23.51	33	PASS
N7	15	40	DFT-PI2BPSK	H	216@0	22.72	22.88	33	PASS
N7	15	40	DFT-QPSK	H	1@1	23.27	23.43	33	PASS
N7	15	40	DFT-QPSK	H	1@214	23.18	23.34	33	PASS
N7	15	40	DFT-QPSK	H	216@0	22.61	22.77	33	PASS
N7	15	40	DFT-16QAM	H	1@1	22.68	22.84	33	PASS
N7	15	40	DFT-16QAM	H	1@214	22.76	22.92	33	PASS
N7	15	40	DFT-16QAM	H	216@0	21.72	21.88	33	PASS
N7	15	40	DFT-64QAM	H	1@1	21.23	21.39	33	PASS
N7	15	40	DFT-64QAM	H	1@214	21.23	21.39	33	PASS
N7	15	40	DFT-64QAM	H	216@0	21.07	21.23	33	PASS
N7	15	40	DFT-256QAM	H	1@1	18.73	18.89	33	PASS
N7	15	40	DFT-256QAM	H	1@214	18.89	19.05	33	PASS
N7	15	40	DFT-256QAM	H	216@0	19.23	19.39	33	PASS

Peak-to-Average Ratio(CCDFF)

Test Graphs



1-N7-PC3-15-40-L-1-NS 01-DFT-256QAM-Outer Full-216@0-6.05-PASS



1-N7-PC3-15-40-L-2-NS_01-CP-256QAM-Outer_Full-216@0-6.55-PASS



1-N7-PC3-15-40-M-1-NS_01-DFT-256QAM-Outer_Full-216@0-5.90-PASS



1-N7-PC3-15-40-M-2-NS_01-CP-256QAM-Outer_Full-216@0-7.14-PASS



1-N7-PC3-15-40-H-1-NS_01-DFT-256QAM-Outer_Full-216@0-6.22-PASS



1-N7-PC3-15-40-H-2-NS_01-CP-256QAM-Outer_Full-216@0-6.99-PASS

26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N7	15	5	DFT-QPSK	L	25@0	4.4852	4.966	PASS
N7	15	5	DFT-PI2BPSK	L	25@0	4.4734	5.111	PASS
N7	15	5	DFT-16QAM	L	25@0	4.4862	5.154	PASS
N7	15	5	DFT-64QAM	L	25@0	4.4862	5.086	PASS
N7	15	5	DFT-256QAM	L	25@0	4.4787	5.101	PASS
N7	15	5	CP-QPSK	L	25@0	4.5121	5.209	PASS
N7	15	5	CP-16QAM	L	25@0	4.5370	5.247	PASS
N7	15	5	CP-64QAM	L	25@0	4.5101	5.126	PASS
N7	15	5	CP-256QAM	L	25@0	4.5124	5.197	PASS
N7	15	5	DFT-QPSK	M	25@0	4.4822	5.101	PASS
N7	15	5	DFT-PI2BPSK	M	25@0	4.4726	5.068	PASS
N7	15	5	DFT-16QAM	M	25@0	4.4965	5.107	PASS
N7	15	5	DFT-64QAM	M	25@0	4.4884	5.116	PASS
N7	15	5	DFT-256QAM	M	25@0	4.5082	5.182	PASS
N7	15	5	CP-QPSK	M	25@0	4.5201	5.325	PASS
N7	15	5	CP-16QAM	M	25@0	4.5777	5.372	PASS
N7	15	5	CP-64QAM	M	25@0	4.5301	5.153	PASS
N7	15	5	CP-256QAM	M	25@0	4.5046	5.126	PASS
N7	15	5	DFT-QPSK	H	25@0	4.4926	5.058	PASS
N7	15	5	DFT-PI2BPSK	H	25@0	4.4698	5.119	PASS
N7	15	5	DFT-16QAM	H	25@0	4.4912	5.136	PASS
N7	15	5	DFT-64QAM	H	25@0	4.4787	5.064	PASS
N7	15	5	DFT-256QAM	H	25@0	4.4877	5.117	PASS
N7	15	5	CP-QPSK	H	25@0	4.5069	5.267	PASS
N7	15	5	CP-16QAM	H	25@0	4.5400	5.217	PASS
N7	15	5	CP-64QAM	H	25@0	4.5184	5.106	PASS
N7	15	5	CP-256QAM	H	25@0	4.5027	5.125	PASS
N7	15	10	DFT-QPSK	L	50@0	8.9054	9.601	PASS
N7	15	10	DFT-PI2BPSK	L	50@0	8.8898	9.442	PASS
N7	15	10	DFT-16QAM	L	50@0	8.9352	9.629	PASS
N7	15	10	DFT-64QAM	L	50@0	8.9103	9.605	PASS
N7	15	10	DFT-256QAM	L	50@0	8.9039	9.645	PASS
N7	15	10	CP-QPSK	L	52@0	9.2899	10.07	PASS
N7	15	10	CP-16QAM	L	52@0	9.2787	10.06	PASS
N7	15	10	CP-64QAM	L	52@0	9.2759	10.05	PASS


N7	15	10	CP-256QAM	L	52@0	9.2930	9.990	PASS
N7	15	10	DFT-QPSK	M	50@0	8.9110	9.581	PASS
N7	15	10	DFT-PI2BPSK	M	50@0	8.8949	9.614	PASS
N7	15	10	DFT-16QAM	M	50@0	8.9414	9.727	PASS
N7	15	10	DFT-64QAM	M	50@0	8.9364	9.583	PASS
N7	15	10	DFT-256QAM	M	50@0	8.9051	9.695	PASS
N7	15	10	CP-QPSK	M	52@0	9.2761	10.19	PASS
N7	15	10	CP-16QAM	M	52@0	9.2931	9.999	PASS
N7	15	10	CP-64QAM	M	52@0	9.2628	10.10	PASS
N7	15	10	CP-256QAM	M	52@0	9.3079	10.14	PASS
N7	15	10	DFT-QPSK	H	50@0	8.9068	9.552	PASS
N7	15	10	DFT-PI2BPSK	H	50@0	8.8821	9.635	PASS
N7	15	10	DFT-16QAM	H	50@0	8.9219	9.650	PASS
N7	15	10	DFT-64QAM	H	50@0	8.9147	9.625	PASS
N7	15	10	DFT-256QAM	H	50@0	8.9084	9.546	PASS
N7	15	10	CP-QPSK	H	52@0	9.2740	10.06	PASS
N7	15	10	CP-16QAM	H	52@0	9.2695	10.03	PASS
N7	15	10	CP-64QAM	H	52@0	9.2609	9.865	PASS
N7	15	10	CP-256QAM	H	52@0	9.2880	10.15	PASS
N7	15	15	DFT-QPSK	L	75@0	13.479	14.32	PASS
N7	15	15	DFT-PI2BPSK	L	75@0	13.501	14.46	PASS
N7	15	15	DFT-16QAM	L	75@0	13.471	14.56	PASS
N7	15	15	DFT-64QAM	L	75@0	13.485	14.58	PASS
N7	15	15	DFT-256QAM	L	75@0	13.491	14.53	PASS
N7	15	15	CP-QPSK	L	79@0	14.144	15.05	PASS
N7	15	15	CP-16QAM	L	79@0	14.170	15.23	PASS
N7	15	15	CP-64QAM	L	79@0	14.186	15.50	PASS
N7	15	15	CP-256QAM	L	79@0	14.129	15.06	PASS
N7	15	15	DFT-QPSK	M	75@0	13.473	14.40	PASS
N7	15	15	DFT-PI2BPSK	M	75@0	13.471	14.47	PASS
N7	15	15	DFT-16QAM	M	75@0	13.477	14.45	PASS
N7	15	15	DFT-64QAM	M	75@0	13.459	14.42	PASS
N7	15	15	DFT-256QAM	M	75@0	13.515	14.27	PASS
N7	15	15	CP-QPSK	M	79@0	14.148	15.44	PASS
N7	15	15	CP-16QAM	M	79@0	14.153	16.03	PASS
N7	15	15	CP-64QAM	M	79@0	14.157	15.60	PASS
N7	15	15	CP-256QAM	M	79@0	14.125	15.17	PASS
N7	15	15	DFT-QPSK	H	75@0	13.459	14.45	PASS
N7	15	15	DFT-PI2BPSK	H	75@0	13.469	14.31	PASS
N7	15	15	DFT-16QAM	H	75@0	13.498	14.51	PASS
N7	15	15	DFT-64QAM	H	75@0	13.498	14.40	PASS
N7	15	15	DFT-256QAM	H	75@0	13.508	14.44	PASS
N7	15	15	CP-QPSK	H	79@0	14.163	15.17	PASS

N7	15	15	CP-16QAM	H	79@0	14.173	15.11	PASS
N7	15	15	CP-64QAM	H	79@0	14.187	15.17	PASS
N7	15	15	CP-256QAM	H	79@0	14.146	15.06	PASS
N7	15	20	DFT-QPSK	L	100@0	17.908	18.92	PASS
N7	15	20	DFT-PI2BPSK	L	100@0	17.939	18.92	PASS
N7	15	20	DFT-16QAM	L	100@0	17.913	18.99	PASS
N7	15	20	DFT-64QAM	L	100@0	17.942	19.03	PASS
N7	15	20	DFT-256QAM	L	100@0	17.912	19.89	PASS
N7	15	20	CP-QPSK	L	106@0	18.911	19.99	PASS
N7	15	20	CP-16QAM	L	106@0	18.985	19.83	PASS
N7	15	20	CP-64QAM	L	106@0	18.948	20.39	PASS
N7	15	20	CP-256QAM	L	106@0	18.958	20.10	PASS
N7	15	20	DFT-QPSK	M	100@0	17.880	19.15	PASS
N7	15	20	DFT-PI2BPSK	M	100@0	17.905	18.86	PASS
N7	15	20	DFT-16QAM	M	100@0	17.887	18.77	PASS
N7	15	20	DFT-64QAM	M	100@0	17.907	18.84	PASS
N7	15	20	DFT-256QAM	M	100@0	17.887	19.28	PASS
N7	15	20	CP-QPSK	M	106@0	18.913	19.95	PASS
N7	15	20	CP-16QAM	M	106@0	18.974	20.10	PASS
N7	15	20	CP-64QAM	M	106@0	18.928	19.92	PASS
N7	15	20	CP-256QAM	M	106@0	18.872	21.09	PASS
N7	15	20	DFT-QPSK	H	100@0	17.961	19.87	PASS
N7	15	20	DFT-PI2BPSK	H	100@0	17.956	18.91	PASS
N7	15	20	DFT-16QAM	H	100@0	17.945	18.90	PASS
N7	15	20	DFT-64QAM	H	100@0	17.992	19.08	PASS
N7	15	20	DFT-256QAM	H	100@0	17.947	18.83	PASS
N7	15	20	CP-QPSK	H	106@0	18.957	20.41	PASS
N7	15	20	CP-16QAM	H	106@0	19.025	20.03	PASS
N7	15	20	CP-64QAM	H	106@0	19.004	19.95	PASS
N7	15	20	CP-256QAM	H	106@0	19.022	21.10	PASS
N7	15	25	DFT-QPSK	L	128@0	22.856	24.13	PASS
N7	15	25	DFT-PI2BPSK	L	128@0	22.916	24.01	PASS
N7	15	25	DFT-16QAM	L	128@0	22.938	23.94	PASS
N7	15	25	DFT-64QAM	L	128@0	22.882	23.87	PASS
N7	15	25	DFT-256QAM	L	128@0	22.903	23.85	PASS
N7	15	25	CP-QPSK	L	133@0	23.769	24.89	PASS
N7	15	25	CP-16QAM	L	133@0	23.737	24.74	PASS
N7	15	25	CP-64QAM	L	133@0	23.757	24.90	PASS
N7	15	25	CP-256QAM	L	133@0	23.784	24.79	PASS
N7	15	25	DFT-QPSK	M	128@0	22.829	24.06	PASS
N7	15	25	DFT-PI2BPSK	M	128@0	22.803	23.90	PASS
N7	15	25	DFT-16QAM	M	128@0	22.857	23.98	PASS
N7	15	25	DFT-64QAM	M	128@0	22.868	23.92	PASS


N7	15	25	DFT-256QAM	M	128@0	22.820	23.76	PASS
N7	15	25	CP-QPSK	M	133@0	23.696	24.87	PASS
N7	15	25	CP-16QAM	M	133@0	23.712	24.76	PASS
N7	15	25	CP-64QAM	M	133@0	23.611	25.91	PASS
N7	15	25	CP-256QAM	M	133@0	23.744	24.76	PASS
N7	15	25	DFT-QPSK	H	128@0	22.983	24.22	PASS
N7	15	25	DFT-PI2BPSK	H	128@0	22.951	24.61	PASS
N7	15	25	DFT-16QAM	H	128@0	22.934	24.07	PASS
N7	15	25	DFT-64QAM	H	128@0	22.948	24.01	PASS
N7	15	25	DFT-256QAM	H	128@0	22.922	23.83	PASS
N7	15	25	CP-QPSK	H	133@0	23.767	24.84	PASS
N7	15	25	CP-16QAM	H	133@0	23.788	25.02	PASS
N7	15	25	CP-64QAM	H	133@0	23.845	25.51	PASS
N7	15	25	CP-256QAM	H	133@0	23.795	24.77	PASS
N7	15	30	DFT-QPSK	L	160@0	28.592	31.72	PASS
N7	15	30	DFT-PI2BPSK	L	160@0	28.617	29.52	PASS
N7	15	30	DFT-16QAM	L	160@0	28.616	29.67	PASS
N7	15	30	DFT-64QAM	L	160@0	28.693	29.83	PASS
N7	15	30	DFT-256QAM	L	160@0	28.655	29.78	PASS
N7	15	30	CP-QPSK	L	160@0	28.575	29.99	PASS
N7	15	30	CP-16QAM	L	160@0	28.650	29.72	PASS
N7	15	30	CP-64QAM	L	160@0	28.519	29.72	PASS
N7	15	30	CP-256QAM	L	160@0	28.607	29.75	PASS
N7	15	30	DFT-QPSK	M	160@0	28.516	29.69	PASS
N7	15	30	DFT-PI2BPSK	M	160@0	28.525	29.90	PASS
N7	15	30	DFT-16QAM	M	160@0	28.505	29.50	PASS
N7	15	30	DFT-64QAM	M	160@0	28.536	29.68	PASS
N7	15	30	DFT-256QAM	M	160@0	28.521	29.64	PASS
N7	15	30	CP-QPSK	M	160@0	28.477	29.78	PASS
N7	15	30	CP-16QAM	M	160@0	28.580	29.64	PASS
N7	15	30	CP-64QAM	M	160@0	28.482	29.75	PASS
N7	15	30	CP-256QAM	M	160@0	28.470	29.72	PASS
N7	15	30	DFT-QPSK	H	160@0	28.672	29.69	PASS
N7	15	30	DFT-PI2BPSK	H	160@0	28.623	29.61	PASS
N7	15	30	DFT-16QAM	H	160@0	28.667	29.57	PASS
N7	15	30	DFT-64QAM	H	160@0	28.703	30.42	PASS
N7	15	30	DFT-256QAM	H	160@0	28.685	29.79	PASS
N7	15	30	CP-QPSK	H	160@0	28.605	31.18	PASS
N7	15	30	CP-16QAM	H	160@0	28.746	29.68	PASS
N7	15	30	CP-64QAM	H	160@0	28.649	29.62	PASS
N7	15	30	CP-256QAM	H	160@0	28.706	29.90	PASS
N7	15	40	DFT-QPSK	L	216@0	39.056	41.19	PASS
N7	15	40	DFT-PI2BPSK	L	216@0	38.814	41.17	PASS

N7	15	40	DFT-16QAM	L	216@0	38.914	41.03	PASS
N7	15	40	DFT-64QAM	L	216@0	38.874	40.97	PASS
N7	15	40	DFT-256QAM	L	216@0	38.848	40.88	PASS
N7	15	40	CP-QPSK	L	216@0	38.863	40.99	PASS
N7	15	40	CP-16QAM	L	216@0	38.811	41.01	PASS
N7	15	40	CP-64QAM	L	216@0	38.894	41.17	PASS
N7	15	40	CP-256QAM	L	216@0	38.809	41.02	PASS
N7	15	40	DFT-QPSK	M	216@0	38.791	41.14	PASS
N7	15	40	DFT-PI2BPSK	M	216@0	38.641	41.05	PASS
N7	15	40	DFT-16QAM	M	216@0	38.637	41.02	PASS
N7	15	40	DFT-64QAM	M	216@0	38.613	40.97	PASS
N7	15	40	DFT-256QAM	M	216@0	38.679	40.89	PASS
N7	15	40	CP-QPSK	M	216@0	38.679	40.97	PASS
N7	15	40	CP-16QAM	M	216@0	38.577	40.94	PASS
N7	15	40	CP-64QAM	M	216@0	38.648	40.91	PASS
N7	15	40	CP-256QAM	M	216@0	38.594	40.91	PASS
N7	15	40	DFT-QPSK	H	216@0	38.910	41.84	PASS
N7	15	40	DFT-PI2BPSK	H	216@0	38.887	41.00	PASS
N7	15	40	DFT-16QAM	H	216@0	38.977	41.15	PASS
N7	15	40	DFT-64QAM	H	216@0	38.915	41.01	PASS
N7	15	40	DFT-256QAM	H	216@0	38.869	41.03	PASS
N7	15	40	CP-QPSK	H	216@0	38.912	41.00	PASS
N7	15	40	CP-16QAM	H	216@0	38.849	41.07	PASS
N7	15	40	CP-64QAM	H	216@0	38.889	41.10	PASS
N7	15	40	CP-256QAM	H	216@0	38.809	41.03	PASS


Test Graphs




1-N7-PC3-15-5-L-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.4852-4.966-≤5-PASS




1-N7-PC3-15-5-L-2-DFT-PI2BPSK-Outer_Full-25@0-Ant1-4.4734-5.111-≤5-PASS



1-N7-PC3-15-5-L-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.4862-5.154-≤5-PASS




1-N7-PC3-15-5-L-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.4862-5.086-≤5-PASS



1-N7-PC3-15-5-L-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.4787-5.101-≤5-PASS



1-N7-PC3-15-5-L-6-CP-QPSK-Outer_Full-25@0-Ant1-4.5121-5.209-≤5-PASS




1-N7-PC3-15-5-L-7-CP-16QAM-Outer_Full-25@0-Ant1-4.5370-5.247-≤5-PASS




1-N7-PC3-15-5-L-8-CP-64QAM-Outer_Full-25@0-Ant1-4.5101-5.126-≤5-PASS




1-N7-PC3-15-5-L-9-CP-256QAM-Outer_Full-25@0-Ant1-4.5124-5.197-≤5-PASS




1-N7-PC3-15-5-M-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.4822-5.101-≤5-PASS




1-N7-PC3-15-5-M-2-DFT-PI2BPSK-Outer_Full-25@0-Ant1-4.4726-5.068-≤5-PASS



1-N7-PC3-15-5-M-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.4965-5.107-≤5-PASS




1-N7-PC3-15-5-M-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.4884-5.116-≤5-PASS



1-N7-PC3-15-5-M-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.5082-5.182-≤5-PASS




1-N7-PC3-15-5-M-6-CP-QPSK-Outer_Full-25@0-Ant1-4.5201-5.325-≤5-PASS




1-N7-PC3-15-5-M-7-CP-16QAM-Outer_Full-25@0-Ant1-4.5777-5.372-≤5-PASS




1-N7-PC3-15-5-M-8-CP-64QAM-Outer_Full-25@0-Ant1-4.5301-5.153-≤5-PASS



1-N7-PC3-15-5-M-9-CP-256QAM-Outer_Full-25@0-Ant1-4.5046-5.126-≤5-PASS




1-N7-PC3-15-5-H-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.4926-5.058-≤5-PASS




1-N7-PC3-15-5-H-2-DFT-PI2BPSK-Outer_Full-25@0-Ant1-4.4698-5.119-≤5-PASS



1-N7-PC3-15-5-H-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.4912-5.136-≤5-PASS




1-N7-PC3-15-5-H-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.4787-5.064-≤5-PASS



1-N7-PC3-15-5-H-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.4877-5.117-≤5-PASS



1-N7-PC3-15-5-H-6-CP-QPSK-Outer_Full-25@0-Ant1-4.5069-5.267-≤5-PASS



1-N7-PC3-15-5-H-7-CP-16QAM-Outer_Full-25@0-Ant1-4.5400-5.217-≤5-PASS




1-N7-PC3-15-5-H-8-CP-64QAM-Outer_Full-25@0-Ant1-4.5184-5.106-≤5-PASS



1-N7-PC3-15-5-H-9-CP-256QAM-Outer_Full-25@0-Ant1-4.5027-5.125-≤5-PASS




1-N7-PC3-15-10-L-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.9054-9.601-≤10-PASS




1-N7-PC3-15-10-L-2-DFT-PI2BPSK-Outer_Full-50@0-Ant1-8.8898-9.442-≤10-PASS



1-N7-PC3-15-10-L-3-DFT-16QAM-Outer_Full-50@0-Ant1-8.9352-9.629-≤10-PASS




1-N7-PC3-15-10-L-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.9103-9.605-≤10-PASS



1-N7-PC3-15-10-L-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.9039-9.645-≤10-PASS




1-N7-PC3-15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant1-9.2899-10.07-≤10-PASS




1-N7-PC3-15-10-L-7-CP-16QAM-Outer_Full-52@0-Ant1-9.2787-10.06-≤10-PASS




1-N7-PC3-15-10-L-8-CP-64QAM-Outer_Full-52@0-Ant1-9.2759-10.05-≤10-PASS



1-N7-PC3-15-10-L-9-CP-256QAM-Outer_Full-52@0-Ant1-9.2930-9.990-≤10-PASS




1-N7-PC3-15-10-M-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.9110-9.581-≤10-PASS




1-N7-PC3-15-10-M-2-DFT-PI2BPSK-Outer_Full-50@0-Ant1-8.8949-9.614-≤10-PASS



1-N7-PC3-15-10-M-3-DFT-16QAM-Outer_Full-50@0-Ant1-8.9414-9.727-≤10-PASS




1-N7-PC3-15-10-M-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.9364-9.583-≤10-PASS



1-N7-PC3-15-10-M-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.9051-9.695-≤10-PASS




1-N7-PC3-15-10-M-6-CP-QPSK-Outer_Full-52@0-Ant1-9.2761-10.19-≤10-PASS



1-N7-PC3-15-10-M-7-CP-16QAM-Outer_Full-52@0-Ant1-9.2931-9.999-≤10-PASS




1-N7-PC3-15-10-M-8-CP-64QAM-Outer_Full-52@0-Ant1-9.2628-10.10-≤10-PASS



1-N7-PC3-15-10-M-9-CP-256QAM-Outer_Full-52@0-Ant1-9.3079-10.14-≤10-PASS




1-N7-PC3-15-10-H-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.9068-9.552-≤10-PASS



1-N7-PC3-15-10-H-2-DFT-PI2BPSK-Outer_Full-50@0-Ant1-8.8821-9.635-≤10-PASS



1-N7-PC3-15-10-H-3-DFT-16QAM-Outer_Full-50@0-Ant1-8.9219-9.650-≤10-PASS




1-N7-PC3-15-10-H-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.9147-9.625-≤10-PASS



1-N7-PC3-15-10-H-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.9084-9.546-≤10-PASS



1-N7-PC3-15-10-H-6-CP-QPSK-Outer_Full-52@0-Ant1-9.2740-10.06-≤10-PASS




1-N7-PC3-15-10-H-7-CP-16QAM-Outer_Full-52@0-Ant1-9.2695-10.03-≤10-PASS




1-N7-PC3-15-10-H-8-CP-64QAM-Outer_Full-52@0-Ant1-9.2609-9.865-≤10-PASS



1-N7-PC3-15-10-H-9-CP-256QAM-Outer_Full-52@0-Ant1-9.2880-10.15-≤10-PASS




1-N7-PC3-15-15-L-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.479-14.32-≤15-PASS




1-N7-PC3-15-15-L-2-DFT-PI2BPSK-Outer_Full-75@0-Ant1-13.501-14.46-≤15-PASS




1-N7-PC3-15-15-L-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.471-14.56-≤15-PASS




1-N7-PC3-15-15-L-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.485-14.58-≤15-PASS




1-N7-PC3-15-15-L-5-DFT-256QAM-Outer_Full-75@0-Ant1-13.491-14.53-≤15-PASS




1-N7-PC3-15-15-L-6-CP-QPSK-Outer_Full-79@0-Ant1-14.144-15.05-≤15-PASS




1-N7-PC3-15-15-L-7-CP-16QAM-Outer_Full-79@0-Ant1-14.170-15.23-≤15-PASS




1-N7-PC3-15-15-L-8-CP-64QAM-Outer_Full-79@0-Ant1-14.186-15.50-≤15-PASS




1-N7-PC3-15-15-L-9-CP-256QAM-Outer_Full-79@0-Ant1-14.129-15.06-≤15-PASS




1-N7-PC3-15-15-M-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.473-14.40-≤15-PASS




1-N7-PC3-15-15-M-2-DFT-PI2BPSK-Outer_Full-75@0-Ant1-13.471-14.47-≤15-PASS




1-N7-PC3-15-15-M-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.477-14.45-≤15-PASS




1-N7-PC3-15-15-M-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.459-14.42-≤15-PASS




1-N7-PC3-15-15-M-5-DFT-256QAM-Outer_Full-75@0-Ant1-13.515-14.27-≤15-PASS




1-N7-PC3-15-15-M-6-CP-QPSK-Outer_Full-79@0-Ant1-14.148-15.44-≤15-PASS




1-N7-PC3-15-15-M-7-CP-16QAM-Outer_Full-79@0-Ant1-14.153-16.03-≤15-PASS




1-N7-PC3-15-15-M-8-CP-64QAM-Outer_Full-79@0-Ant1-14.157-15.60-≤15-PASS



1-N7-PC3-15-15-M-9-CP-256QAM-Outer_Full-79@0-Ant1-14.125-15.17-≤15-PASS




1-N7-PC3-15-15-H-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.459-14.45-≤15-PASS




1-N7-PC3-15-15-H-2-DFT-PI2BPSK-Outer_Full-75@0-Ant1-13.469-14.31-≤15-PASS




1-N7-PC3-15-15-H-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.498-14.51-≤15-PASS




1-N7-PC3-15-15-H-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.498-14.40-≤15-PASS




1-N7-PC3-15-15-H-5-DFT-256QAM-Outer_Full-75@0-Ant1-13.508-14.44-≤15-PASS




1-N7-PC3-15-15-H-6-CP-QPSK-Outer_Full-79@0-Ant1-14.163-15.17-≤15-PASS




1-N7-PC3-15-15-H-7-CP-16QAM-Outer_Full-79@0-Ant1-14.173-15.11-≤15-PASS




1-N7-PC3-15-15-H-8-CP-64QAM-Outer_Full-79@0-Ant1-14.187-15.17-≤15-PASS




1-N7-PC3-15-15-H-9-CP-256QAM-Outer_Full-79@0-Ant1-14.146-15.06-≤15-PASS




1-N7-PC3-15-20-L-1-DFT-QPSK-Outer_Full-100@0-Ant1-17.908-18.92-≤20-PASS




1-N7-PC3-15-20-L-2-DFT-PI2BPSK-Outer_Full-100@0-Ant1-17.939-18.92-≤20-PASS



1-N7-PC3-15-20-L-3-DFT-16QAM-Outer_Full-100@0-Ant1-17.913-18.99-≤20-PASS



1-N7-PC3-15-20-L-4-DFT-64QAM-Outer_Full-100@0-Ant1-17.942-19.03-≤20-PASS



1-N7-PC3-15-20-L-5-DFT-256QAM-Outer_Full-100@0-Ant1-17.912-19.89-≤20-PASS