

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Ant 13

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	ERP (dBm)	Limit	Verdict
N26-824-849	15	5	DFT-PI2BPSK	L	1@1	23.96	17.9	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	1@23	23.93	17.87	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	25@0	23.59	17.53	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	1@1	23.96	17.9	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	1@23	23.95	17.89	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	25@0	23.38	17.32	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	1@1	23.68	17.62	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	1@23	23.74	17.68	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	25@0	22.66	16.6	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	1@1	22.04	15.98	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	1@23	22.01	15.95	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	25@0	22.00	15.94	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	1@1	19.68	13.62	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	1@23	19.65	13.59	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	25@0	19.95	13.89	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	1@1	23.99	17.93	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	1@23	24.07	18.01	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	25@0	23.61	17.55	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	1@1	23.94	17.88	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	1@23	23.99	17.93	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	25@0	23.42	17.36	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	1@1	23.66	17.6	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	1@23	23.72	17.66	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	25@0	22.61	16.55	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	1@1	22.11	16.05	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	1@23	22.09	16.03	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	25@0	22.06	16	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	1@1	19.64	13.58	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	1@23	19.76	13.7	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	25@0	19.99	13.93	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	1@1	24.08	18.02	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	1@23	23.94	17.88	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	25@0	23.61	17.55	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	1@1	24.04	17.98	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	1@23	23.94	17.88	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	25@0	23.39	17.33	38.45	PASS

N26-824-849	15	5	DFT-16QAM	H	1@1	23.82	17.76	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	1@23	23.70	17.64	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	25@0	22.60	16.54	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	1@1	22.17	16.11	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	1@23	22.08	16.02	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	25@0	22.03	15.97	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	1@1	19.81	13.75	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	1@23	19.73	13.67	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	25@0	19.98	13.92	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	1@1	23.95	17.89	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	1@50	23.91	17.85	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	50@0	23.60	17.54	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	1@1	23.91	17.85	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	1@50	23.97	17.91	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	50@0	23.40	17.34	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	1@1	23.73	17.67	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	1@50	23.62	17.56	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	50@0	22.65	16.59	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	1@1	22.09	16.03	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	1@50	22.09	16.03	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	50@0	21.98	15.92	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	1@1	19.69	13.63	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	1@50	19.68	13.62	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	50@0	20.02	13.96	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	1@1	23.92	17.86	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	1@50	23.96	17.9	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	50@0	23.71	17.65	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	1@1	23.99	17.93	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	1@50	23.97	17.91	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	50@0	23.48	17.42	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	1@1	23.72	17.66	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	1@50	23.71	17.65	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	50@0	22.61	16.55	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	1@1	22.07	16.01	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	1@50	22.11	16.05	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	50@0	22.01	15.95	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	1@1	19.73	13.67	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	1@50	19.74	13.68	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	50@0	20.07	14.01	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	1@1	23.96	17.9	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	1@50	23.94	17.88	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	50@0	23.64	17.58	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	1@1	23.94	17.88	38.45	PASS

N26-824-849	15	10	DFT-QPSK	H	1@50	23.92	17.86	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	50@0	23.48	17.42	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	1@1	23.67	17.61	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	1@50	23.75	17.69	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	50@0	22.65	16.59	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	1@1	22.11	16.05	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	1@50	22.09	16.03	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	50@0	22.06	16	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	1@1	19.66	13.6	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	1@50	19.66	13.6	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	50@0	20.05	13.99	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	1@1	23.92	17.86	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	1@77	24.03	17.97	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	75@0	23.62	17.56	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	1@1	23.91	17.85	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	1@77	23.99	17.93	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	75@0	23.50	17.44	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	1@1	23.75	17.69	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	1@77	23.78	17.72	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	75@0	22.66	16.6	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	1@1	21.97	15.91	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	1@77	22.05	15.99	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	75@0	22.05	15.99	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	1@1	19.71	13.65	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	1@77	19.88	13.82	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	75@0	20.03	13.97	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	1@1	24.00	17.94	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	1@77	24.16	18.1	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	75@0	23.62	17.56	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	1@1	23.97	17.91	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	1@77	23.97	17.91	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	75@0	23.44	17.38	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	1@1	23.82	17.76	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	1@77	23.78	17.72	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	75@0	22.64	16.58	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	1@1	22.02	15.96	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	1@77	21.99	15.93	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	75@0	22.01	15.95	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	1@1	19.78	13.72	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	1@77	19.84	13.78	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	75@0	20.10	14.04	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	1@1	23.99	17.93	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	1@77	23.97	17.91	38.45	PASS

N26-824-849	15	15	DFT-PI2BPSK	H	75@0	23.64	17.58	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	1@1	23.97	17.91	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	1@77	23.89	17.83	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	75@0	23.53	17.47	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	1@1	23.68	17.62	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	1@77	23.74	17.68	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	75@0	22.73	16.67	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	1@1	22.06	16	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	1@77	22.12	16.06	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	75@0	22.01	15.95	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	1@1	19.70	13.64	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	1@77	19.82	13.76	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	75@0	20.03	13.97	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	1@1	23.90	17.84	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	1@104	24.11	18.05	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	100@0	23.62	17.56	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	1@1	23.85	17.79	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	1@104	23.93	17.87	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	100@0	23.51	17.45	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	1@1	23.74	17.68	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	1@104	23.76	17.7	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	100@0	22.72	16.66	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	1@1	21.88	15.82	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	1@104	21.99	15.93	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	100@0	21.93	15.87	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	1@1	19.73	13.67	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	1@104	19.83	13.77	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	100@0	20.07	14.01	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	1@1	23.96	17.9	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	1@104	24.09	18.03	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	23.66	17.6	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	1@1	23.89	17.83	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	1@104	23.98	17.92	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	23.49	17.43	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	1@1	23.65	17.59	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	1@104	23.83	17.77	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	100@0	22.72	16.66	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	1@1	22.00	15.94	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	1@104	22.14	16.08	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	100@0	21.95	15.89	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	1@1	19.79	13.73	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	1@104	19.98	13.92	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	100@0	20.02	13.96	38.45	PASS

N26-824-849	15	20	DFT-PI2BPSK	H	1@1	24.00	17.94	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	1@104	23.95	17.89	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	100@0	23.74	17.68	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	1@1	24.01	17.95	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	1@104	23.87	17.81	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	100@0	23.52	17.46	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	1@1	23.70	17.64	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	1@104	23.67	17.61	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	100@0	22.74	16.68	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	1@1	21.96	15.9	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	1@104	22.03	15.97	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	100@0	22.06	16	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	1@1	19.82	13.76	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	1@104	19.91	13.85	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	100@0	20.11	14.05	38.45	PASS

Peak-to-Average Ratio for SA

Peak-to-Average Ratio(CCDF)

Test Graphs



1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-256QAM-Outer_Full-100@0-5.67-PASS



1-N26-824-849-PC3-15-20-L-2-NS_01-CP-256QAM-Outer_Full-106@0-6.63-PASS





1-N26-824-849-PC3-15-20-H-2-NS_01-CP-256QAM-Outer_Full-106@0-6.68-PASS

26dB Bandwidth and Occupied Bandwidth for SA


Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N26-824-849	15	5	DFT-QPSK	L	25@0	4.4861	5.139	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	25@0	4.5050	5.027	PASS
N26-824-849	15	5	DFT-16QAM	L	25@0	4.5472	5.303	PASS
N26-824-849	15	5	DFT-64QAM	L	25@0	4.4784	5.166	PASS
N26-824-849	15	5	DFT-256QAM	L	25@0	4.4902	5.057	PASS
N26-824-849	15	5	CP-QPSK	L	25@0	4.4955	5.094	PASS
N26-824-849	15	5	CP-16QAM	L	25@0	4.5091	5.135	PASS
N26-824-849	15	5	CP-64QAM	L	25@0	4.5088	5.130	PASS
N26-824-849	15	5	CP-256QAM	L	25@0	4.5281	5.210	PASS
N26-824-849	15	5	DFT-QPSK	M	25@0	4.4705	5.158	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	25@0	4.4948	5.180	PASS
N26-824-849	15	5	DFT-16QAM	M	25@0	4.5157	5.306	PASS
N26-824-849	15	5	DFT-64QAM	M	25@0	4.5164	5.184	PASS
N26-824-849	15	5	DFT-256QAM	M	25@0	4.5117	5.270	PASS
N26-824-849	15	5	CP-QPSK	M	25@0	4.5046	5.164	PASS
N26-824-849	15	5	CP-16QAM	M	25@0	4.5469	5.393	PASS
N26-824-849	15	5	CP-64QAM	M	25@0	4.4897	5.080	PASS
N26-824-849	15	5	CP-256QAM	M	25@0	4.5221	5.302	PASS
N26-824-849	15	5	DFT-QPSK	H	25@0	4.4871	5.110	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	25@0	4.5029	5.145	PASS
N26-824-849	15	5	DFT-16QAM	H	25@0	4.5003	5.239	PASS
N26-824-849	15	5	DFT-64QAM	H	25@0	4.4952	5.108	PASS
N26-824-849	15	5	DFT-256QAM	H	25@0	4.4736	5.224	PASS
N26-824-849	15	5	CP-QPSK	H	25@0	4.4989	5.047	PASS
N26-824-849	15	5	CP-16QAM	H	25@0	4.5185	5.151	PASS
N26-824-849	15	5	CP-64QAM	H	25@0	4.4978	5.284	PASS
N26-824-849	15	5	CP-256QAM	H	25@0	4.5288	5.183	PASS
N26-824-849	15	10	DFT-QPSK	L	50@0	8.9166	9.668	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	50@0	8.8990	9.482	PASS
N26-824-849	15	10	DFT-16QAM	L	50@0	8.8980	9.526	PASS
N26-824-849	15	10	DFT-64QAM	L	50@0	8.9362	9.623	PASS
N26-824-849	15	10	DFT-256QAM	L	50@0	8.9173	9.678	PASS
N26-824-849	15	10	CP-QPSK	L	52@0	9.3012	10.02	PASS
N26-824-849	15	10	CP-16QAM	L	52@0	9.2965	10.23	PASS
N26-824-849	15	10	CP-64QAM	L	52@0	9.2795	9.967	PASS

N26-824-849	15	10	CP-256QAM	L	52@0	9.2907	10.10	PASS
N26-824-849	15	10	DFT-QPSK	M	50@0	8.9320	9.663	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	50@0	8.9056	9.519	PASS
N26-824-849	15	10	DFT-16QAM	M	50@0	8.9021	9.485	PASS
N26-824-849	15	10	DFT-64QAM	M	50@0	8.9300	9.611	PASS
N26-824-849	15	10	DFT-256QAM	M	50@0	8.9036	9.576	PASS
N26-824-849	15	10	CP-QPSK	M	52@0	9.2703	9.963	PASS
N26-824-849	15	10	CP-16QAM	M	52@0	9.2953	9.968	PASS
N26-824-849	15	10	CP-64QAM	M	52@0	9.2648	9.829	PASS
N26-824-849	15	10	CP-256QAM	M	52@0	9.2851	10.03	PASS
N26-824-849	15	10	DFT-QPSK	H	50@0	8.9362	9.589	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	50@0	8.9142	9.660	PASS
N26-824-849	15	10	DFT-16QAM	H	50@0	8.9066	9.589	PASS
N26-824-849	15	10	DFT-64QAM	H	50@0	8.9424	9.540	PASS
N26-824-849	15	10	DFT-256QAM	H	50@0	8.9004	9.602	PASS
N26-824-849	15	10	CP-QPSK	H	52@0	9.2758	10.09	PASS
N26-824-849	15	10	CP-16QAM	H	52@0	9.3090	10.04	PASS
N26-824-849	15	10	CP-64QAM	H	52@0	9.2745	9.854	PASS
N26-824-849	15	10	CP-256QAM	H	52@0	9.2899	10.11	PASS
N26-824-849	15	15	DFT-QPSK	L	75@0	13.505	14.35	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	75@0	13.470	14.52	PASS
N26-824-849	15	15	DFT-16QAM	L	75@0	13.544	14.54	PASS
N26-824-849	15	15	DFT-64QAM	L	75@0	13.405	14.37	PASS
N26-824-849	15	15	DFT-256QAM	L	75@0	13.461	14.34	PASS
N26-824-849	15	15	CP-QPSK	L	79@0	14.178	15.12	PASS
N26-824-849	15	15	CP-16QAM	L	79@0	14.181	15.17	PASS
N26-824-849	15	15	CP-64QAM	L	79@0	14.171	15.12	PASS
N26-824-849	15	15	CP-256QAM	L	79@0	14.147	15.12	PASS
N26-824-849	15	15	DFT-QPSK	M	75@0	13.459	14.61	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	75@0	13.481	14.46	PASS
N26-824-849	15	15	DFT-16QAM	M	75@0	13.526	14.47	PASS
N26-824-849	15	15	DFT-64QAM	M	75@0	13.459	14.42	PASS
N26-824-849	15	15	DFT-256QAM	M	75@0	13.468	14.37	PASS
N26-824-849	15	15	CP-QPSK	M	79@0	14.160	15.10	PASS
N26-824-849	15	15	CP-16QAM	M	79@0	14.159	15.21	PASS
N26-824-849	15	15	CP-64QAM	M	79@0	14.146	15.18	PASS
N26-824-849	15	15	CP-256QAM	M	79@0	14.127	14.90	PASS
N26-824-849	15	15	DFT-QPSK	H	75@0	13.530	14.47	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	75@0	13.501	14.54	PASS
N26-824-849	15	15	DFT-16QAM	H	75@0	13.524	14.54	PASS
N26-824-849	15	15	DFT-64QAM	H	75@0	13.467	14.43	PASS
N26-824-849	15	15	DFT-256QAM	H	75@0	13.467	14.28	PASS
N26-824-849	15	15	CP-QPSK	H	79@0	14.137	20.69	PASS


N26-824-849	15	15	CP-16QAM	H	79@0	14.131	15.25	PASS
N26-824-849	15	15	CP-64QAM	H	79@0	14.161	15.08	PASS
N26-824-849	15	15	CP-256QAM	H	79@0	14.154	14.92	PASS
N26-824-849	15	20	DFT-QPSK	L	100@0	17.896	18.90	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	100@0	17.873	18.98	PASS
N26-824-849	15	20	DFT-16QAM	L	100@0	17.918	19.04	PASS
N26-824-849	15	20	DFT-64QAM	L	100@0	17.906	19.02	PASS
N26-824-849	15	20	DFT-256QAM	L	100@0	17.927	19.04	PASS
N26-824-849	15	20	CP-QPSK	L	106@0	18.951	20.07	PASS
N26-824-849	15	20	CP-16QAM	L	106@0	18.984	19.86	PASS
N26-824-849	15	20	CP-64QAM	L	106@0	18.961	19.87	PASS
N26-824-849	15	20	CP-256QAM	L	106@0	18.966	20.03	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	17.896	18.87	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	17.874	18.75	PASS
N26-824-849	15	20	DFT-16QAM	M	100@0	17.911	18.92	PASS
N26-824-849	15	20	DFT-64QAM	M	100@0	17.919	18.91	PASS
N26-824-849	15	20	DFT-256QAM	M	100@0	17.888	18.82	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	18.935	19.89	PASS
N26-824-849	15	20	CP-16QAM	M	106@0	18.947	20.10	PASS
N26-824-849	15	20	CP-64QAM	M	106@0	18.891	20.04	PASS
N26-824-849	15	20	CP-256QAM	M	106@0	18.923	20.00	PASS
N26-824-849	15	20	DFT-QPSK	H	100@0	17.920	18.99	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	100@0	17.948	18.97	PASS
N26-824-849	15	20	DFT-16QAM	H	100@0	17.921	18.97	PASS
N26-824-849	15	20	DFT-64QAM	H	100@0	17.962	19.02	PASS
N26-824-849	15	20	DFT-256QAM	H	100@0	17.886	19.03	PASS
N26-824-849	15	20	CP-QPSK	H	106@0	18.948	20.02	PASS
N26-824-849	15	20	CP-16QAM	H	106@0	18.980	19.96	PASS
N26-824-849	15	20	CP-64QAM	H	106@0	18.927	20.10	PASS
N26-824-849	15	20	CP-256QAM	H	106@0	18.998	19.97	PASS

Test Graphs





1-N26-824-849-PC3-15-5-L-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.5472-5.303-≤5-PASS




1-N26-824-849-PC3-15-5-L-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.4784-5.166-≤5-PASS



1-N26-824-849-PC3-15-5-L-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.4902-5.057-≤5-PASS




1-N26-824-849-PC3-15-5-L-6-CP-QPSK-Outer_Full-25@0-Ant1-4.4955-5.094-≤5-PASS




1-N26-824-849-PC3-15-5-L-7-CP-16QAM-Outer_Full-25@0-Ant1-4.5091-5.135-≤5-PASS



1-N26-824-849-PC3-15-5-L-8-CP-64QAM-Outer_Full-25@0-Ant1-4.5088-5.130-≤5-PASS



1-N26-824-849-PC3-15-5-L-9-CP-256QAM-Outer_Full-25@0-Ant1-4.5281-5.210-≤5-PASS




1-N26-824-849-PC3-15-5-M-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.4705-5.158-≤5-PASS



1-N26-824-849-PC3-15-5-M-2-DFT-PI2BPSK-Outer_Full-25@0-Ant1-4.4948-5.180-≤5-PASS



1-N26-824-849-PC3-15-5-M-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.5157-5.306-≤5-PASS




1-N26-824-849-PC3-15-5-M-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.5164-5.184-≤5-PASS




1-N26-824-849-PC3-15-5-M-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.5117-5.270-≤5-PASS



1-N26-824-849-PC3-15-5-M-6-CP-QPSK-Outer_Full-25@0-Ant1-4.5046-5.164-≤5-PASS




1-N26-824-849-PC3-15-5-M-7-CP-16QAM-Outer_Full-25@0-Ant1-4.5469-5.393-≤5-PASS



1-N26-824-849-PC3-15-5-M-8-CP-64QAM-Outer_Full-25@0-Ant1-4.4897-5.080-≤5-PASS



1-N26-824-849-PC3-15-5-M-9-CP-25QAM-Outer_Full-25@0-Ant1-4.5221-5.302-≤5-PASS




1-N26-824-849-PC3-15-5-H-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.4871-5.110-≤5-PASS



1-N26-824-849-PC3-15-5-H-2-DFT-PI2BPSK-Outer_Full-25@0-Ant1-4.5029-5.145-≤5-PASS



1-N26-824-849-PC3-15-5-H-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.5003-5.239-≤5-PASS




1-N26-824-849-PC3-15-5-H-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.4952-5.108-≤5-PASS



1-N26-824-849-PC3-15-5-H-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.4736-5.224-≤5-PASS



1-N26-824-849-PC3-15-5-H-6-CP-QPSK-Outer_Full-25@0-Ant1-4.4989-5.047-≤5-PASS




1-N26-824-849-PC3-15-5-H-7-CP-16QAM-Outer_Full-25@0-Ant1-4.5185-5.151-≤5-PASS



1-N26-824-849-PC3-15-5-H-8-CP-64QAM-Outer_Full-25@0-Ant1-4.4978-5.284-≤5-PASS



1-N26-824-849-PC3-15-5-H-9-CP-256QAM-Outer_Full-25@0-Ant1-4.5288-5.183-≤5-PASS




1-N26-824-849-PC3-15-10-L-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.9166-9.668-≤10-PASS




1-N26-824-849-PC3-15-10-L-2-DFT-PI2BPSK-Outer_Full-50@0-Ant1-8.8990-9.482-≤10-PASS



1-N26-824-849-PC3-15-10-L-3-DFT-16QAM-Outer_Full-50@0-Ant1-8.8980-9.526-≤10-PASS




1-N26-824-849-PC3-15-10-L-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.9362-9.623-≤10-PASS



1-N26-824-849-PC3-15-10-L-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.9173-9.678-≤10-PASS



1-N26-824-849-PC3-15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant1-9.3012-10.02-≤10-PASS




1-N26-824-849-PC3-15-10-L-7-CP-16QAM-Outer_Full-52@0-Ant1-9.2965-10.23-≤10-PASS




1-N26-824-849-PC3-15-10-L-8-CP-64QAM-Outer_Full-52@0-Ant1-9.2795-9.967-≤10-PASS



1-N26-824-849-PC3-15-10-L-9-CP-256QAM-Outer_Full-52@0-Ant1-9.2907-10.10-≤10-PASS



1-N26-824-849-PC3-15-10-M-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.9320-9.663-≤10-PASS




1-N26-824-849-PC3-15-10-M-2-DFT-PI2BPSK-Outer_Full-50@0-Ant1-8.9056-9.519-≤10-PASS



1-N26-824-849-PC3-15-10-M-3-DFT-16QAM-Outer_Full-50@0-Ant1-8.9021-9.485-≤10-PASS




1-N26-824-849-PC3-15-10-M-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.9300-9.611-≤10-PASS



1-N26-824-849-PC3-15-10-M-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.9036-9.576-≤10-PASS



1-N26-824-849-PC3-15-10-M-6-CP-QPSK-Outer_Full-52@0-Ant1-9.2703-9.963-≤10-PASS




1-N26-824-849-PC3-15-10-M-7-CP-16QAM-Outer_Full-52@0-Ant1-9.2953-9.968-≤10-PASS



1-N26-824-849-PC3-15-10-M-8-CP-64QAM-Outer_Full-52@0-Ant1-9.2648-9.829-≤10-PASS



1-N26-824-849-PC3-15-10-M-9-CP-256QAM-Outer_Full-52@0-Ant1-9.2851-10.03-≤10-PASS




1-N26-824-849-PC3-15-10-H-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.9362-9.589-≤10-PASS




1-N26-824-849-PC3-15-10-H-2-DFT-PI2BPSK-Outer_Full-50@0-Ant1-8.9142-9.660-≤10-PASS



1-N26-824-849-PC3-15-10-H-3-DFT-16QAM-Outer_Full-50@0-Ant1-8.9066-9.589-≤10-PASS




1-N26-824-849-PC3-15-10-H-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.9424-9.540-≤10-PASS



1-N26-824-849-PC3-15-10-H-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.9004-9.602-≤10-PASS



1-N26-824-849-PC3-15-10-H-6-CP-QPSK-Outer_Full-52@0-Ant1-9.2758-10.09-≤10-PASS




1-N26-824-849-PC3-15-10-H-7-CP-16QAM-Outer_Full-52@0-Ant1-9.3090-10.04-≤10-PASS




1-N26-824-849-PC3-15-10-H-8-CP-64QAM-Outer_Full-52@0-Ant1-9.2745-9.854-≤10-PASS




1-N26-824-849-PC3-15-10-H-9-CP-256QAM-Outer_Full-52@0-Ant1-9.2899-10.11-≤10-PASS




1-N26-824-849-PC3-15-15-L-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.505-14.35-≤15-PASS




1-N26-824-849-PC3-15-15-L-2-DFT-PI2BPSK-Outer_Full-75@0-Ant1-13.470-14.52-≤15-PASS




1-N26-824-849-PC3-15-15-L-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.544-14.54-≤15-PASS




1-N26-824-849-PC3-15-15-L-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.405-14.37-≤15-PASS




1-N26-824-849-PC3-15-15-L-5-DFT-256QAM-Outer_Full-75@0-Ant1-13.461-14.34-≤15-PASS




1-N26-824-849-PC3-15-15-L-6-CP-QPSK-Outer_Full-79@0-Ant1-14.178-15.12≤15-PASS




1-N26-824-849-PC3-15-15-L-7-CP-16QAM-Outer_Full-79@0-Ant1-14.181-15.17≤15-PASS



1-N26-824-849-PC3-15-15-L-8-CP-64QAM-Outer_Full-79@0-Ant1-14.171-15.12≤15-PASS




1-N26-824-849-PC3-15-15-L-9-CP-256QAM-Outer_Full-79@0-Ant1-14.147-15.12≤15-PASS




1-N26-824-849-PC3-15-15-M-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.459-14.61≤15-PASS




1-N26-824-849-PC3-15-15-M-2-DFT-PI2BPSK-Outer_Full-75@0-Ant1-13.481-14.46≤15-PASS




1-N26-824-849-PC3-15-15-M-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.526-14.47-≤15-PASS




1-N26-824-849-PC3-15-15-M-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.459-14.42-≤15-PASS




1-N26-824-849-PC3-15-15-M-5-DFT-256QAM-Outer_Full-75@0-Ant1-13.468-14.37-≤15-PASS




1-N26-824-849-PC3-15-15-M-6-CP-QPSK-Outer_Full-79@0-Ant1-14.160-15.10-≤15-PASS



1-N26-824-849-PC3-15-15-M-7-CP-16QAM-Outer_Full-79@0-Ant1-14.159-15.21-≤15-PASS



1-N26-824-849-PC3-15-15-M-8-CP-64QAM-Outer_Full-79@0-Ant1-14.146-15.18-≤15-PASS



1-N26-824-849-PC3-15-15-M-9-CP-256QAM-Outer_Full-79@0-Ant1-14.127-14.90-≤15-PASS



1-N26-824-849-PC3-15-15-H-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.530-14.47-≤15-PASS




1-N26-824-849-PC3-15-15-H-2-DFT-PI2BPSK-Outer_Full-75@0-Ant1-13.501-14.54-≤15-PASS



1-N26-824-849-PC3-15-15-H-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.524-14.54-≤15-PASS




1-N26-824-849-PC3-15-15-H-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.467-14.43-≤15-PASS



1-N26-824-849-PC3-15-15-H-5-DFT-256QAM-Outer_Full-75@0-Ant1-13.467-14.28-≤15-PASS



1-N26-824-849-PC3-15-15-H-6-CP-QPSK-Outer_Full-79@0-Ant1-14.137-20.69-≤15-PASS




1-N26-824-849-PC3-15-15-H-7-CP-16QAM-Outer_Full-79@0-Ant1-14.131-15.25-≤15-PASS



1-N26-824-849-PC3-15-15-H-8-CP-64QAM-Outer_Full-79@0-Ant1-14.161-15.08-≤15-PASS




1-N26-824-849-PC3-15-15-H-9-CP-256QAM-Outer_Full-79@0-Ant1-14.154-14.92-≤15-PASS




1-N26-824-849-PC3-15-20-L-1-DFT-QPSK-Outer_Full-100@0-Ant1-17.896-18.90-≤20-PASS




1-N26-824-849-PC3-15-20-L-2-DFT-PI2BPSK-Outer_Full-100@0-Ant1-17.873-18.98-≤20-PASS




1-N26-824-849-PC3-15-20-L-3-DFT-16QAM-Outer_Full-100@0-Ant1-17.918-19.04-≤20-PASS




1-N26-824-849-PC3-15-20-L-4-DFT-64QAM-Outer_Full-100@0-Ant1-17.906-19.02-≤20-PASS




1-N26-824-849-PC3-15-20-L-5-DFT-256QAM-Outer_Full-100@0-Ant1-17.927-19.04-≤20-PASS




1-N26-824-849-PC3-15-20-L-6-CP-QPSK-Outer_Full-106@0-Ant1-18.951-20.07-≤20-PASS



1-N26-824-849-PC3-15-20-L-7-CP-16QAM-Outer_Full-106@0-Ant1-18.984-19.86-≤20-PASS



1-N26-824-849-PC3-15-20-L-8-CP-64QAM-Outer_Full-106@0-Ant1-18.961-19.87-≤20-PASS



1-N26-824-849-PC3-15-20-L-9-CP-256QAM-Outer_Full-106@0-Ant1-18.966-20.03-≤20-PASS



1-N26-824-849-PC3-15-20-M-1-DFT-QPSK-Outer_Full-100@0-Ant1-17.896-18.87-≤20-PASS



1-N26-824-849-PC3-15-20-M-2-DFT-PI2BPSK-Outer_Full-100@0-Ant1-17.874-18.75-≤20-PASS



1-N26-824-849-PC3-15-20-M-3-DFT-16QAM-Outer_Full-100@0-Ant1-17.911-18.92-≤20-PASS




1-N26-824-849-PC3-15-20-M-4-DFT-64QAM-Outer_Full-100@0-Ant1-17.919-18.91-≤20-PASS



1-N26-824-849-PC3-15-20-M-5-DFT-256QAM-Outer_Full-100@0-Ant1-17.888-18.82-≤20-PASS



1-N26-824-849-PC3-15-20-M-6-CP-QPSK-Outer_Full-106@0-Ant1-18.935-19.89-≤20-PASS




1-N26-824-849-PC3-15-20-M-7-CP-16QAM-Outer_Full-106@0-Ant1-18.947-20.10-≤20-PASS



1-N26-824-849-PC3-15-20-M-8-CP-64QAM-Outer_Full-106@0-Ant1-18.891-20.04-≤20-PASS



1-N26-824-849-PC3-15-20-M-9-CP-256QAM-Outer_Full-106@0-Ant1-18.923-20.00-≤20-PASS



1-N26-824-849-PC3-15-20-H-1-DFT-QPSK-Outer_Full-100@0-Ant1-17.920-18.99-≤20-PASS




1-N26-824-849-PC3-15-20-H-2-DFT-PI2BPSK-Outer_Full-100@0-Ant1-17.948-18.97-≤20-PASS



1-N26-824-849-PC3-15-20-H-3-DFT-16QAM-Outer_Full-100@0-Ant1-17.921-18.97-≤20-PASS




1-N26-824-849-PC3-15-20-H-4-DFT-64QAM-Outer_Full-100@0-Ant1-17.962-19.02-≤20-PASS



1-N26-824-849-PC3-15-20-H-5-DFT-256QAM-Outer_Full-100@0-Ant1-17.886-19.03-≤20-PASS



1-N26-824-849-PC3-15-20-H-6-CP-QPSK-Outer_Full-106@0-Ant1-18.948-20.02-≤20-PASS



1-N26-824-849-PC3-15-20-H-7-CP-16QAM-Outer_Full-106@0-Ant1-18.980-19.96-≤20-PASS




1-N26-824-849-PC3-15-20-H-8-CP-64QAM-Outer_Full-106@0-Ant1-18.927-20.10-≤20-PASS




1-N26-824-849-PC3-15-20-H-9-CP-256QAM-Outer_Full-106@0-Ant1-18.998-19.97-≤20-PASS


Band Edge for SA

Test Graphs







1-N26-824-849-PC3-15-5-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-819.00-11.56--24.56-PASS




1-N26-824-849-PC3-15-5-L-6-CP-QPSK-Outer_Full-25@0-Ant1-819.00-15.46--28.46-PASS




1-N26-824-849-PC3-15-5-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@24-Ant1-849.00-10.30--23.30-PASS




1-N26-824-849-PC3-15-5-H-3-DFT-PI2BPSK-Outer_Full-25@0-Ant1-849.01-12.37--25.37-PASS




1-N26-824-849-PC3-15-5-H-5-CP-QPSK-Edge_1RB_Right-1@24-Ant1-849.01-11.42--24.42-PASS




1-N26-824-849-PC3-15-5-H-6-CP-QPSK-Outer_Full-25@0-Ant1-849.00-11.96--24.96-PASS




1-N26-824-849-PC3-15-10-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant1-824.00-13.27--26.27-PASS




1-N26-824-849-PC3-15-10-L-3-DFT-PI2BPSK-Outer_Full-50@0-Ant1-823.98-16.33--29.33-PASS




1-N26-824-849-PC3-15-10-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-824.00-16.60--29.60-PASS




1-N26-824-849-PC3-15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant1-823.98-16.43--29.43-PASS




1-N26-824-849-PC3-15-10-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@51-Ant1-849.00-13.33--26.33-PASS




1-N26-824-849-PC3-15-10-H-3-DFT-PI2BPSK-Outer_Full-50@0-Ant1-849.06-16.49--29.49-PASS




1-N26-824-849-PC3-15-10-H-5-CP-QPSK-Edge_1RB_Right-1@51-Ant1-849.00-16.71--29.71-PASS




1-N26-824-849-PC3-15-10-H-6-CP-QPSK-Outer_Full-52@0-Ant1-849.00-14.35--27.35-PASS




1-N26-824-849-PC3-15-15-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant1-824.00-16.21--29.21-PASS




1-N26-824-849-PC3-15-15-L-3-DFT-PI2BPSK-Outter_Full-75@0-Ant1-823.88-16.79--29.79-PASS




1-N26-824-849-PC3-15-15-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-824.00-20.15--33.15-PASS




1-N26-824-849-PC3-15-15-L-6-CP-QPSK-Outter_Full-79@0-Ant1-824.00-16.83--29.83-PASS




1-N26-824-849-PC3-15-15-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@78-Ant1-849.01-16.99--29.99-PASS




1-N26-824-849-PC3-15-15-H-3-DFT-PI2BPSK-Outer_Full-75@0-Ant1-849.10-17.27--30.27-PASS




1-N26-824-849-PC3-15-15-H-5-CP-QPSK-Edge_1RB_Right-1@78-Ant1-849.00-19.85--32.85-PASS




1-N26-824-849-PC3-15-15-H-6-CP-QPSK-Outer_Full-79@0-Ant1-849.01-15.77--28.77-PASS




1-N26-824-849-PC3-15-20-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant1-824.00-18.43--31.43-PASS




1-N26-824-849-PC3-15-20-L-3-DFT-PI2BPSK-Outer_Full-100@0-Ant1-824.00-16.36--29.36-PASS




1-N26-824-849-PC3-15-20-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-824.00-22.38--35.38-PASS




1-N26-824-849-PC3-15-20-L-6-CP-QPSK-Outer_Full-106@0-Ant1-824.00-17.32--30.32-PASS




1-N26-824-849-PC3-15-20-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@105-Ant1-849.00-19.43--32.43-PASS



1-N26-824-849-PC3-15-20-H-3-DFT-PI2BPSK-Outter_Full-100@0-Ant1-849.27-18.50--31.50-PASS



1-N26-824-849-PC3-15-20-H-5-CP-QPSK-Edge_1RB_Right-1@105-Ant1-849.00-22.27--35.27-PASS




1-N26-824-849-PC3-15-20-H-6-CP-QPSK-Outter_Full-106@0-Ant1-849.10-16.39--29.39-PASS

Conducted Spurious Emission for SA


Test Result

Band	SCS	Bandwidth	Modulation	Channel	StartFreq	StopFreq	RB Config	Result	Limit	Verdict
N26-824-849	15	20	DFT-PI2BPSK	L	0.009	0.15	1@1	-64.95	-33	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	0.15	30	1@1	-60.66	-23	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	30	1000	1@1	-52.77	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	1000	3000	1@1	-38.13	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	3000	12000	1@1	-46.58	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	12000	20000	1@1	-43.83	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	0.009	0.15	1@1	-65.23	-33	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	0.15	30	1@1	-61.56	-23	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	30	1000	1@1	-52.74	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	1000	3000	1@1	-38.09	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	3000	12000	1@1	-46.78	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	12000	20000	1@1	-43.83	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	0.009	0.15	1@1	-65.17	-33	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	0.15	30	1@1	-61.85	-23	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	30	1000	1@1	-53.19	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	1000	3000	1@1	-38.15	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	3000	12000	1@1	-46.84	-13	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	12000	20000	1@1	-43.72	-13	PASS

Test Graphs



1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.009-0.15-Ant1-0.01--64.95--3
3-PASS



1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant1-0.15--60.66--23-P
ASS



1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-30-1000-Ant1-874.77--52.77--1
3-PASS




1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-1000-3000-Ant1-2671.60--38.1
3--13-PASS



1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant1-5815.65--46.58--13-PASS



1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-12000-20000-Ant1-18796.00--43.83--13-PASS




1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.009-0.15-Ant1-0.01--65.23--3

3-PASS



1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant1-0.15--61.56--23-PASS



1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-30-1000-Ant1-877.97--52.74--13-PASS



1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-1000-3000-Ant1-2675.00--38.0
9--13-PASS




1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant1-5439.45--46.
78--13-PASS




1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-12000-20000-Ant1-18740.80--
43.83--13-PASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.009-0.15-Ant1-0.01--65.17--3
 3-PASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant1-0.15--61.85--23-P
 ASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-30-1000-Ant1-891.55--53.19--1

3-PASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-1000-3000-Ant1-2684.60--38.1

5--13-PASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant1-5824.65--46.

84--13-PASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-PI2BPSK-Inner_1RB_Left-1@1-12000-20000-Ant1-18760.80--4
3.72--13-PASS

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage											
Band	SCS	Band width	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	VN	NT	-10.10	-0.01	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	VL	NT	-5.50	-0.01	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	VH	NT	-7.30	-0.01	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	VN	NT	-3.90	0.00	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	VL	NT	-2.00	0.00	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	VH	NT	-6.90	-0.01	±2.5	PASS

Frequency Error VS. Temperature

Temperature											
Band	SCS	Band width	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	20	-7.100000	-0.008488	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	50	-12.800000	-0.015302	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	40	-8.900000	-0.010640	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	-10	-12.200000	-0.014585	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	10	-8.500000	-0.010161	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	30	-13.400000	-0.016019	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	-30	-7.300000	-0.008727	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	0	-14.400000	-0.017215	±2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	100@0	NV	-20	-8.600000	-0.010281	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	0	-4.900000	-0.005858	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	-10	-6.000000	-0.007173	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	10	-4.500000	-0.005380	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	20	-6.700000	-0.008010	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	50	-4.400000	-0.005260	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	-30	-3.600000	-0.004304	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	30	-4.000000	-0.004782	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	40	-2.700000	-0.003228	±2.5	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	-20	-3.000000	-0.003586	±2.5	PASS

Field Strength of Spurious Radiation

SA Band 26 824-849 ANT31-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1650.0	-70.99	-13	-57.99	-73.87	2.62	5.5	Horizontal	Pass
2475.0	-69.33	-13	-56.33	-72.03	3.06	5.76	Horizontal	Pass
3300.0	-67.03	-13	-54.03	-71.4	3.3	7.67	Horizontal	Pass
1650.0	-71.0	-13	-58.0	-73.88	2.62	5.5	Vertical	Pass
2475.0	-68.8	-13	-55.8	-71.5	3.06	5.76	Vertical	Pass
3300.0	-66.58	-13	-53.58	-70.95	3.3	7.67	Vertical	Pass

SA Band 26 824-849 ANT31-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1655.0	-71.31	-13	-58.31	-74.18	2.62	5.49	Horizontal	Pass
2482.5	-69.84	-13	-56.84	-72.55	3.07	5.78	Horizontal	Pass
3310.0	-68.11	-13	-55.11	-72.51	3.3	7.7	Horizontal	Pass
1655.0	-71.61	-13	-58.61	-74.48	2.62	5.49	Vertical	Pass
2482.5	-70.17	-13	-57.17	-72.88	3.07	5.78	Vertical	Pass
3310.0	-67.84	-13	-54.84	-72.24	3.3	7.7	Vertical	Pass

SA Band 26 824-849 ANT31-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1660.0	-71.86	-13	-58.86	-74.72	2.62	5.48	Horizontal	Pass
2490.0	-69.33	-13	-56.33	-72.06	3.07	5.8	Horizontal	Pass
3320.0	-67.77	-13	-54.77	-72.18	3.31	7.72	Horizontal	Pass
1660.0	-71.85	-13	-58.85	-74.71	2.62	5.48	Vertical	Pass
2490.0	-69.61	-13	-56.61	-72.34	3.07	5.8	Vertical	Pass
3320.0	-67.2	-13	-54.2	-71.61	3.31	7.72	Vertical	Pass

Remark:

- 1) The field strength is calculated by adding the S.G.Power, Antenna Gain & Cable Loss. The basic equation with a sample calculation is as follows:

$$\text{EIRP} = \text{S.G. Power} + \text{Antenna Gain} - \text{Cable Loss}$$

$$\text{Over Limit} = \text{Limit} - \text{EIRP}$$
- 2) All antennas of RSE are tested, and only the worst data is presented.

---End of Attachment---