

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_7C_NTNV_EIRP

Band: CA_7C / NTNV										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	24.26	-38.89	24.26	0.05	24.31	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	12.12	10.72	12.74	0.05	12.79	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	20.75	12.22	21.32	0.05	21.37	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	21.48	17.05	22.75	0.05	22.80	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	21.55	16.95	22.81	0.05	22.86	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	24.34	-38.78	24.34	0.05	24.39	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	11.94	10.56	12.57	0.05	12.62	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	20.65	12.20	21.23	0.05	21.28	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	21.45	17.03	22.71	0.05	22.76	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	22.06	14.22	22.67	0.05	22.72	<=33.01	Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	23.66	-38.84	23.66	0.05	23.71	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	11.95	10.58	12.57	0.05	12.62	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	20.74	12.06	21.29	0.05	21.34	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	22.05	14.24	22.63	0.05	22.68	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	22.13	14.01	22.72	0.05	22.77	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	23.55	-38.85	23.55	0.05	23.60	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	12.77	11.26	13.28	0.05	13.33	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	20.53	13.36	21.29	0.05	21.34	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	21.25	13.37	21.82	0.05	21.87	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	21.23	13.13	21.81	0.05	21.86	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	23.24	-38.75	23.24	0.05	23.29	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	12.71	11.41	13.26	0.05	13.31	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	20.76	12.26	21.34	0.05	21.39	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	21.17	13.58	21.77	0.05	21.82	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	21.19	13.21	21.78	0.05	21.83	<=33.01	Pass

		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	23.93	-38.76	23.93	0.05	23.98	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	12.43	10.99	12.98	0.05	13.03	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	20.74	12.17	21.31	0.05	21.36	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	21.14	13.37	21.73	0.05	21.78	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	21.17	13.06	21.76	0.05	21.81	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	22.49	-38.94	22.49	0.05	22.54	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	12.52	11.03	13.10	0.05	13.15	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	20.71	12.32	21.30	0.05	21.35	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	21.21	13.45	21.80	0.05	21.85	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	21.28	13.18	21.87	0.05	21.92	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	21.87	-38.91	21.87	0.05	21.92	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	12.39	10.99	12.95	0.05	13.00	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	18.50	17.94	21.24	0.05	21.29	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	20.41	16.07	21.69	0.05	21.74	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	21.20	13.26	21.79	0.05	21.84	<=33.01	Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	22.67	-38.88	22.67	0.05	22.72	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	12.35	10.94	12.90	0.05	12.95	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	18.59	17.77	21.21	0.05	21.26	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	21.10	13.15	21.66	0.05	21.71	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	19.57	17.69	21.71	0.05	21.76	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	19.55	-25.72	19.55	0.05	19.60	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	18.85	18.28	20.02	0.05	20.07	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	18.51	11.48	19.29	0.05	19.34	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	19.19	11.23	19.76	0.05	19.81	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	19.17	11.08	19.76	0.05	19.81	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	19.51	-22.27	19.51	0.05	19.56	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	19.17	17.77	19.76	0.05	19.81	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	18.47	11.42	19.25	0.05	19.30	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	18.42	14.04	19.69	0.05	19.74	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	19.14	11.20	19.73	0.05	19.78	<=33.01	Pass

		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	19.61	-25.17	19.61	0.05	19.66	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	19.28	17.94	19.87	0.05	19.92	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	18.74	10.21	19.31	0.05	19.36	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	19.14	11.42	19.74	0.05	19.79	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	19.15	11.02	19.73	0.05	19.78	<=33.01	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	23.55	-41.83	23.55	0.05	23.60	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	24.02	15.65	24.59	0.05	24.64	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	20.64	12.32	21.23	0.05	21.28	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	21.43	16.77	22.71	0.05	22.76	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	22.19	13.89	22.79	0.05	22.84	<=33.01	Pass
		CC1:2530.3 CC2:2542.3	CC1: 1@0 CC2: 0@0	24.29	-41.56	24.29	0.05	24.34	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.93	15.51	24.49	0.05	24.54	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	20.64	12.37	21.24	0.05	21.29	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	22.05	13.80	22.66	0.05	22.71	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	22.12	13.87	22.73	0.05	22.78	<=33.01	Pass
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	24.32	-41.46	24.32	0.05	24.37	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.37	18.67	24.60	0.05	24.65	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	20.62	12.14	21.20	0.05	21.25	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	21.48	16.74	22.74	0.05	22.79	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	22.15	13.68	22.73	0.05	22.78	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	23.10	-41.84	23.10	0.05	23.15	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.59	14.63	24.09	0.05	24.14	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	20.64	12.40	21.25	0.05	21.30	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	20.46	15.80	21.74	0.05	21.79	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	21.17	12.85	21.76	0.05	21.81	<=33.01	Pass
CC1:2530.3 CC2:2542.3		CC1: 1@0 CC2: 0@0	22.96	-41.67	22.96	0.05	23.01	<=33.01	Pass	
		CC1: 1@74 CC2: 1@0	22.01	19.56	23.90	0.05	23.95	<=33.01	Pass	
		CC1: 36@0 CC2: 25@25	20.69	12.45	21.29	0.05	21.34	<=33.01	Pass	
		CC1: 36@39 CC2: 25@0	21.18	12.89	21.78	0.05	21.83	<=33.01	Pass	
		CC1: 75@0 CC2: 50@0	21.09	12.94	21.71	0.05	21.76	<=33.01	Pass	

		CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	23.84	-41.51	23.84	0.05	23.89	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.82	18.03	24.02	0.05	24.07	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	20.67	12.19	21.24	0.05	21.29	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	20.46	15.79	21.73	0.05	21.78	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	21.14	12.93	21.75	0.05	21.80	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	23.63	-41.76	23.63	0.05	23.68	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.07	13.56	22.62	0.05	22.67	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	20.45	13.48	21.25	0.05	21.30	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	21.08	12.84	21.69	0.05	21.74	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	20.53	15.81	21.79	0.05	21.84	<=33.01	Pass
		CC1:2530.3 CC2:2542.3	CC1: 1@0 CC2: 0@0	22.63	-41.71	22.63	0.05	22.68	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.60	16.67	22.77	0.05	22.82	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	20.73	12.34	21.32	0.05	21.37	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	21.13	12.95	21.74	0.05	21.79	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	20.74	15.15	21.79	0.05	21.84	<=33.01	Pass
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	22.13	-41.61	22.13	0.05	22.18	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	20.83	18.52	22.77	0.05	22.82	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	20.70	12.26	21.28	0.05	21.33	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	20.43	15.72	21.69	0.05	21.74	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	20.19	16.37	21.69	0.05	21.74	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	19.65	-41.79	19.65	0.05	19.70	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.42	10.96	19.97	0.05	20.02	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	18.50	11.54	19.29	0.05	19.34	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	19.13	10.85	19.73	0.05	19.78	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	19.23	10.73	19.80	0.05	19.85	<=33.01	Pass
		CC1:2530.3 CC2:2542.3	CC1: 1@0 CC2: 0@0	19.51	-41.48	19.51	0.05	19.56	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.43	10.77	19.96	0.05	20.01	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	18.69	10.37	19.28	0.05	19.33	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	19.11	10.87	19.71	0.05	19.76	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	19.01	10.82	19.63	0.05	19.68	<=33.01	Pass

		CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	19.70	-41.43	19.70	0.05	19.75	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	18.47	13.58	19.65	0.05	19.70	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	18.48	11.41	19.26	0.05	19.31	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	18.58	13.73	19.81	0.05	19.86	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	19.12	10.71	19.71	0.05	19.76	<=33.01	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	24.27	-40.05	24.27	0.05	24.32	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.05	14.67	23.64	0.05	23.69	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	20.77	12.38	21.36	0.05	21.41	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	23.13	14.85	23.73	0.05	23.78	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	22.13	13.79	22.73	0.05	22.78	<=33.01	Pass
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	24.39	-39.88	24.39	0.05	24.44	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.04	14.65	23.63	0.05	23.68	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	20.56	12.27	21.16	0.05	21.21	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	23.09	14.81	23.69	0.05	23.74	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	22.07	13.83	22.67	0.05	22.72	<=33.01	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	23.67	-39.99	23.67	0.05	23.72	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.90	14.51	23.48	0.05	23.53	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	20.74	12.15	21.30	0.05	21.35	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	20.45	20.78	23.63	0.05	23.68	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	22.14	13.70	22.72	0.05	22.77	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	22.00	-40.21	22.00	0.05	22.05	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.11	19.94	24.17	0.05	24.22	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	20.68	12.33	21.27	0.05	21.32	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	21.51	16.78	22.77	0.05	22.82	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	21.16	12.88	21.77	0.05	21.82	<=33.01	Pass
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	23.11	-39.93	23.11	0.05	23.16	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.97	18.41	24.27	0.05	24.32	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	20.74	12.26	21.31	0.05	21.36	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	22.13	13.86	22.73	0.05	22.78	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	21.20	13.03	21.81	0.05	21.86	<=33.01	Pass

		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	23.96	-39.92	23.96	0.05	24.01	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.61	14.76	24.14	0.05	24.19	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	20.68	12.19	21.26	0.05	21.31	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	22.06	13.54	22.63	0.05	22.68	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	21.14	12.75	21.73	0.05	21.78	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	23.44	-40.09	23.44	0.05	23.49	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.23	12.51	21.78	0.05	21.83	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	20.77	12.27	21.35	0.05	21.40	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	21.15	12.84	21.75	0.05	21.80	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.14	18.39	21.79	0.05	21.84	<=33.01	Pass
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	22.57	-40.02	22.57	0.05	22.62	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.50	14.00	23.08	0.05	23.13	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	20.72	12.34	21.31	0.05	21.36	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	20.39	15.74	21.67	0.05	21.72	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	20.71	15.02	21.75	0.05	21.80	<=33.01	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.00	-40.10	22.00	0.05	22.05	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.76	13.10	22.31	0.05	22.36	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	20.73	12.22	21.30	0.05	21.35	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	21.00	12.65	21.59	0.05	21.64	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	21.41	12.78	21.97	0.05	22.02	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	19.06	-30.47	19.06	0.05	19.11	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.17	10.70	19.75	0.05	19.80	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	18.68	10.37	19.28	0.05	19.33	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	19.16	10.83	19.75	0.05	19.80	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.19	10.85	19.79	0.05	19.84	<=33.01	Pass
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	19.49	-25.25	19.49	0.05	19.54	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.32	10.76	19.88	0.05	19.93	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	18.44	11.51	19.24	0.05	19.29	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	19.07	10.86	19.68	0.05	19.73	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.11	10.80	19.71	0.05	19.76	<=33.01	Pass

		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	19.63	-27.93	19.63	0.05	19.68	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.26	10.60	19.81	0.05	19.86	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	18.72	10.16	19.28	0.05	19.33	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	17.36	15.62	19.59	0.05	19.64	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	18.42	13.68	19.67	0.05	19.72	<=33.01	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	24.44	-38.92	24.44	0.05	24.49	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.07	14.75	23.67	0.05	23.72	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	20.65	12.19	21.23	0.05	21.28	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	22.14	13.75	22.73	0.05	22.78	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	22.15	13.75	22.74	0.05	22.79	<=33.01	Pass
		CC1:2525.2 CC2:2542.3	CC1: 1@0 CC2: 0@0	24.23	-38.81	24.23	0.05	24.28	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.48	15.12	24.07	0.05	24.12	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	20.43	13.43	21.22	0.05	21.27	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	22.14	13.75	22.73	0.05	22.78	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	22.14	13.86	22.74	0.05	22.79	<=33.01	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 0@0	23.68	-38.90	23.68	0.05	23.73	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.99	14.56	23.57	0.05	23.62	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	20.68	12.18	21.26	0.05	21.31	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	22.08	13.67	22.67	0.05	22.72	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	21.50	16.71	22.75	0.05	22.80	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	23.85	-38.96	23.85	0.05	23.90	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.56	14.89	24.11	0.05	24.16	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.59	16.48	21.32	0.05	21.37	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	21.22	12.80	21.80	0.05	21.85	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	20.58	15.73	21.81	0.05	21.86	<=33.01	Pass
		CC1:2525.2 CC2:2542.3	CC1: 1@0 CC2: 0@0	23.83	-38.82	23.83	0.05	23.88	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.94	17.84	24.11	0.05	24.16	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	20.59	13.49	21.37	0.05	21.42	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	20.45	15.82	21.73	0.05	21.78	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	19.52	17.74	21.73	0.05	21.78	<=33.01	Pass

		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 0@0	23.75	-38.88	23.75	0.05	23.80	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	23.31	14.72	23.87	0.05	23.92	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	20.53	13.28	21.28	0.05	21.33	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	21.13	12.70	21.72	0.05	21.77	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	21.21	12.80	21.79	0.05	21.84	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	22.67	-39.01	22.67	0.05	22.72	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.13	12.64	21.70	0.05	21.75	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	20.62	12.34	21.22	0.05	21.27	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	21.15	12.84	21.75	0.05	21.80	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	18.85	18.42	21.65	0.05	21.70	<=33.01	Pass
		CC1:2525.2 CC2:2542.3	CC1: 1@0 CC2: 0@0	22.71	-38.88	22.71	0.05	22.76	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.53	14.37	23.15	0.05	23.20	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	20.70	12.33	21.29	0.05	21.34	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.44	17.75	21.69	0.05	21.74	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	20.76	15.04	21.79	0.05	21.84	<=33.01	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 0@0	21.96	-38.99	21.96	0.05	22.01	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.74	12.97	22.28	0.05	22.33	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	20.75	12.22	21.32	0.05	21.37	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	20.45	15.71	21.70	0.05	21.75	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	21.23	12.77	21.81	0.05	21.86	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	19.50	-25.31	19.50	0.05	19.55	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.36	10.66	19.91	0.05	19.96	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	18.76	10.36	19.35	0.05	19.40	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.28	10.77	19.85	0.05	19.90	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	19.18	10.89	19.78	0.05	19.83	<=33.01	Pass
		CC1:2525.2 CC2:2542.3	CC1: 1@0 CC2: 0@0	19.44	-22.40	19.44	0.05	19.49	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.24	10.75	19.82	0.05	19.87	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	18.47	11.43	19.25	0.05	19.30	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.14	10.60	19.71	0.05	19.76	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	19.17	10.78	19.76	0.05	19.81	<=33.01	Pass

		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 0@0	19.63	-25.60	19.63	0.05	19.68	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	18.59	13.62	19.79	0.05	19.84	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	18.52	11.33	19.28	0.05	19.33	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.13	10.65	19.71	0.05	19.76	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	18.50	13.69	19.74	0.05	19.79	<=33.01	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	24.28	-41.98	24.28	0.05	24.33	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	12.42	3.83	12.67	0.05	12.72	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	21.49	14.43	22.27	0.05	22.32	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	21.64	13.19	22.21	0.05	22.26	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	21.69	13.24	22.26	0.05	22.31	<=33.01	Pass
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	24.27	-41.88	24.27	0.05	24.32	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	12.39	3.80	12.65	0.05	12.70	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	21.70	13.41	22.30	0.05	22.35	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	21.67	13.34	22.25	0.05	22.30	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	21.65	13.45	22.25	0.05	22.30	<=33.01	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	24.29	-41.88	24.29	0.05	24.34	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	12.24	3.60	12.48	0.05	12.53	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	21.58	13.27	22.18	0.05	22.23	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	21.38	14.36	22.15	0.05	22.20	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	21.64	13.18	22.21	0.05	22.26	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	23.94	-41.94	23.94	0.05	23.99	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	12.93	3.84	13.15	0.05	13.20	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.60	17.97	21.31	0.05	21.36	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	21.09	12.88	21.69	0.05	21.74	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	21.15	12.87	21.74	0.05	21.79	<=33.01	Pass
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	23.17	-41.64	23.17	0.05	23.22	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	12.98	3.68	13.19	0.05	13.24	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	20.68	12.35	21.28	0.05	21.33	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	20.55	15.80	21.78	0.05	21.83	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	21.16	12.98	21.77	0.05	21.82	<=33.01	Pass

		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	23.31	-41.84	23.31	0.05	23.36	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	12.71	3.60	12.93	0.05	12.98	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	19.48	16.33	21.19	0.05	21.24	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	21.02	12.68	21.60	0.05	21.65	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	20.42	15.57	21.64	0.05	21.69	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	22.62	-42.03	22.62	0.05	22.67	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	12.61	3.66	12.84	0.05	12.89	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	21.74	13.00	22.28	0.05	22.33	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	20.39	15.68	21.63	0.05	21.68	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	21.21	12.89	21.80	0.05	21.85	<=33.01	Pass
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	22.72	-41.90	22.72	0.05	22.77	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	12.95	3.80	13.16	0.05	13.21	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	20.69	12.29	21.28	0.05	21.33	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	21.14	12.90	21.73	0.05	21.78	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	21.25	13.20	21.88	0.05	21.93	<=33.01	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	22.60	-41.92	22.60	0.05	22.65	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	12.68	3.58	12.91	0.05	12.96	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.58	17.78	21.21	0.05	21.26	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	20.99	12.60	21.57	0.05	21.62	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	21.12	12.75	21.70	0.05	21.75	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	19.55	-41.80	19.55	0.05	19.60	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.58	10.72	19.81	0.05	19.86	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.71	10.36	19.30	0.05	19.35	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	19.12	10.74	19.70	0.05	19.75	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	19.14	10.85	19.74	0.05	19.79	<=33.01	Pass
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	19.39	-41.72	19.39	0.05	19.44	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.71	10.82	19.95	0.05	20.00	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.71	10.43	19.31	0.05	19.36	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	19.17	10.81	19.75	0.05	19.80	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	19.14	10.81	19.73	0.05	19.78	<=33.01	Pass

		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	18.78	-41.85	18.78	0.05	18.83	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.53	10.71	19.78	0.05	19.83	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.65	10.08	19.22	0.05	19.27	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	19.01	10.62	19.58	0.05	19.63	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	18.43	13.67	19.67	0.05	19.72	<=33.01	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 0@0	24.27	-40.28	24.27	0.05	24.32	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.82	14.51	23.42	0.05	23.47	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	19.36	16.29	21.10	0.05	21.15	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	21.34	16.60	22.60	0.05	22.65	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	21.40	16.74	22.68	0.05	22.73	<=33.01	Pass
		CC1:2527.7 CC2:2544.8	CC1: 1@0 CC2: 0@0	24.22	-40.20	24.22	0.05	24.27	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	23.10	14.83	23.70	0.05	23.75	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	20.65	12.26	21.24	0.05	21.29	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	21.50	16.81	22.77	0.05	22.82	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	22.16	13.74	22.74	0.05	22.79	<=33.01	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 0@0	24.20	-40.20	24.20	0.05	24.25	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.98	14.65	23.57	0.05	23.62	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	20.70	12.14	21.27	0.05	21.32	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	22.08	13.63	22.66	0.05	22.71	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	22.13	13.65	22.70	0.05	22.75	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 0@0	23.72	-40.28	23.72	0.05	23.77	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.73	17.50	23.87	0.05	23.92	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	20.66	13.56	21.43	0.05	21.48	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	20.93	12.65	21.53	0.05	21.58	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	21.10	12.82	21.70	0.05	21.75	<=33.01	Pass
		CC1:2527.7 CC2:2544.8	CC1: 1@0 CC2: 0@0	23.73	-40.01	23.73	0.05	23.78	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	23.46	14.14	23.94	0.05	23.99	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	20.45	12.21	21.06	0.05	21.11	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	21.05	12.84	21.66	0.05	21.71	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	20.99	12.71	21.60	0.05	21.65	<=33.01	Pass

		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.19	-40.25	22.19	0.05	22.24	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	23.49	14.55	24.01	0.05	24.06	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	20.70	12.08	21.26	0.05	21.31	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	20.36	15.54	21.59	0.05	21.64	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	21.07	12.73	21.67	0.05	21.72	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 0@0	23.56	-40.27	23.56	0.05	23.61	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.99	13.31	22.54	0.05	22.59	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	20.66	12.17	21.24	0.05	21.29	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	21.07	12.81	21.68	0.05	21.73	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	21.09	12.66	21.67	0.05	21.72	<=33.01	Pass
		CC1:2527.7 CC2:2544.8	CC1: 1@0 CC2: 0@0	21.99	-40.30	21.99	0.05	22.04	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.42	13.54	22.95	0.05	23.00	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	20.49	13.44	21.27	0.05	21.32	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	20.97	12.78	21.58	0.05	21.63	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	21.13	12.75	21.72	0.05	21.77	<=33.01	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.54	-40.25	22.54	0.05	22.59	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.77	13.08	22.32	0.05	22.37	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	20.46	13.25	21.22	0.05	21.27	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	20.99	12.49	21.56	0.05	21.61	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	21.16	12.75	21.75	0.05	21.80	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 0@0	19.04	-40.24	19.04	0.05	19.09	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.33	10.65	19.88	0.05	19.93	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	18.69	10.35	19.29	0.05	19.34	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	19.08	10.75	19.67	0.05	19.72	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	19.09	10.73	19.68	0.05	19.73	<=33.01	Pass
		CC1:2527.7 CC2:2544.8	CC1: 1@0 CC2: 0@0	18.51	-40.17	18.51	0.05	18.56	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.15	10.73	19.74	0.05	19.79	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	18.70	10.31	19.28	0.05	19.33	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	19.05	10.77	19.65	0.05	19.70	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	19.12	10.82	19.72	0.05	19.77	<=33.01	Pass

CC1:20 CC2:20		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 0@0	19.65	-40.15	19.65	0.05	19.70	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.26	10.64	19.82	0.05	19.87	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	18.72	10.14	19.28	0.05	19.33	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	19.07	10.51	19.64	0.05	19.69	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	19.17	10.56	19.73	0.05	19.78	<=33.01	Pass
	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	23.58	-39.11	23.58	0.05	23.63	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	23.03	14.66	23.62	0.05	23.67	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.54	16.42	21.27	0.05	21.32	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	23.80	15.22	24.36	0.05	24.41	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.52	19.87	22.71	0.05	22.76	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	24.26	-39.02	24.26	0.05	24.31	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.95	14.44	23.52	0.05	23.57	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	18.59	17.86	21.25	0.05	21.30	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	23.10	14.73	23.69	0.05	23.74	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	22.18	13.76	22.76	0.05	22.81	<=33.01	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	24.26	-38.99	24.26	0.05	24.31	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.38	17.80	23.68	0.05	23.73	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	20.68	12.15	21.25	0.05	21.30	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	23.10	14.74	23.69	0.05	23.74	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	22.12	13.71	22.71	0.05	22.76	<=33.01	Pass
CC1:20 CC2:20	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	23.70	-39.02	23.70	0.05	23.75	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	23.57	14.60	24.09	0.05	24.14	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	20.69	13.62	21.47	0.05	21.52	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	22.13	13.62	22.71	0.05	22.76	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	21.16	12.85	21.75	0.05	21.80	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	22.20	-39.07	22.20	0.05	22.25	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.90	19.83	23.99	0.05	24.04	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	20.65	12.22	21.23	0.05	21.28	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	22.19	13.74	22.77	0.05	22.82	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	20.50	15.81	21.77	0.05	21.82	<=33.01	Pass

		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	23.21	-39.00	23.21	0.05	23.26	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.87	17.46	23.97	0.05	24.02	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	20.76	12.08	21.31	0.05	21.36	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	22.17	13.71	22.75	0.05	22.80	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	20.54	15.71	21.77	0.05	21.82	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	23.55	-39.12	23.55	0.05	23.60	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.41	12.70	21.96	0.05	22.01	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	20.67	12.24	21.25	0.05	21.30	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	20.94	12.73	21.55	0.05	21.60	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	21.21	12.82	21.80	0.05	21.85	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	22.68	-39.08	22.68	0.05	22.73	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.33	13.55	22.87	0.05	22.92	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.52	16.43	21.25	0.05	21.30	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	21.34	13.02	21.94	0.05	21.99	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	21.09	12.84	21.70	0.05	21.75	<=33.01	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	21.91	-39.09	21.91	0.05	21.96	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.65	12.98	22.21	0.05	22.26	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	20.55	13.40	21.32	0.05	21.37	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	21.13	12.77	21.72	0.05	21.77	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	21.20	12.73	21.78	0.05	21.83	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	19.56	-24.80	19.56	0.05	19.61	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.30	11.02	19.90	0.05	19.95	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	18.52	10.22	19.12	0.05	19.17	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	19.08	10.68	19.66	0.05	19.71	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.18	10.80	19.77	0.05	19.82	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	19.06	-21.85	19.06	0.05	19.11	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.70	13.71	19.90	0.05	19.95	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	18.68	10.23	19.26	0.05	19.31	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	19.16	10.82	19.75	0.05	19.80	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	18.78	10.63	19.40	0.05	19.45	<=33.01	Pass

		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	19.59	-25.21	19.59	0.05	19.64	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.22	10.75	19.80	0.05	19.85	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	18.71	10.23	19.28	0.05	19.33	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	19.20	10.72	19.78	0.05	19.83	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.19	10.80	19.78	0.05	19.83	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain										

2. 99% & 26dB Bandwidth

2.1 Test Result

2.1.1 CA_7C_NTNV_OBW

Band: CA_7C / NTN						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	99% Occupied Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	28.17	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	28.04	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	28.07	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	27.94	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	28.09	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	27.96	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	28.10	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	28.02	/	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.39	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.33	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.41	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.27	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.40	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.29	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.33	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.24	/	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.70	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.55	/	Pass
	CC1:	CC1:2507.5	CC1: 75@0	28.67	/	Pass

	16QAM CC2: 16QAM	CC2:2522.5	CC2: 75@0			
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.49	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.71	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.55	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.67	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.61	/	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	33.12	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	33.03	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	33.15	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.95	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	33.10	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	33.03	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	33.05	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.94	/	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	28.18	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	28.03	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	28.13	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	28.00	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	28.13	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	28.01	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	28.11	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	28.02	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	33.06	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.99	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	33.16	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.94	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	33.11	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.96	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	33.03	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	33.00	/	Pass
CC1:20	CC1:	CC1:2510	CC1: 100@0	38.02	/	Pass

CC2:20	QPSK CC2: QPSK	CC2:2529.8	CC2: 100@0			
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	38.09	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.89	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	38.01	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.97	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	38.01	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.95	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.88	/	Pass

2.1.2 CA_7C_NTNV_XDB


Band: CA_7C / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	29.99	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	29.92	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	29.89	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	29.89	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	30.04	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	29.80	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	29.91	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	29.88	/	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	25.22	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	25.23	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	25.16	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	25.31	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	25.21	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	25.15	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	25.21	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	25.05	/	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	30.87	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	30.76	/	Pass
	CC1: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	30.79	/	Pass

	CC2: 16QAM	CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	30.57	/	Pass
	CC1: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	31.14	/	Pass
	CC2: 64QAM	CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	30.70	/	Pass
	CC1: 256QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	30.62	/	Pass
	CC2: 256QAM	CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	30.64	/	Pass
CC1:15 CC2:20	CC1: QPSK	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.43	/	Pass
	CC2: QPSK	CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.16	/	Pass
	CC1: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.36	/	Pass
	CC2: 16QAM	CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.26	/	Pass
	CC1: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.39	/	Pass
	CC2: 64QAM	CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.38	/	Pass
	CC1: 256QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.35	/	Pass
	CC2: 256QAM	CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.18	/	Pass
CC1:20 CC2:10	CC1: QPSK	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	30.28	/	Pass
	CC2: QPSK	CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	30.27	/	Pass
	CC1: 16QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	30.38	/	Pass
	CC2: 16QAM	CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	30.86	/	Pass
	CC1: 64QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	30.29	/	Pass
	CC2: 64QAM	CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	30.19	/	Pass
	CC1: 256QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	30.21	/	Pass
	CC2: 256QAM	CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	30.27	/	Pass
CC1:20 CC2:15	CC1: QPSK	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.38	/	Pass
	CC2: QPSK	CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.51	/	Pass
	CC1: 16QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.61	/	Pass
	CC2: 16QAM	CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.45	/	Pass
	CC1: 64QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.48	/	Pass
	CC2: 64QAM	CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.30	/	Pass
	CC1: 256QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.50	/	Pass
	CC2: 256QAM	CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.37	/	Pass
CC1:20 CC2:20	CC1: QPSK	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.83	/	Pass


	CC2: QPSK	CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	49.20	/	Pass
	CC1: 16QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.65	/	Pass
	CC2: 16QAM	CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	51.93	/	Pass
	CC1: 64QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.65	/	Pass
	CC2: 64QAM	CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.47	/	Pass
	CC1: 256QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.51	/	Pass
	CC2: 256QAM	CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.49	/	Pass

2.2 Test Graph


2.2.1 CA_7C_NTNV_OBW




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0



CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2524.4MHz CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2550.6 CC2:2565MHz CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2527.1MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2545.4 CC2:2562.5MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0

Level (dBm)

Frequency (MHz)

Trace

Trace

CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0

CENT: 2514.7 MHz
Span: 90 MHz
RBW: 910 kHz
VBW: 3 MHz
Detector: Peak
Trace Type: MAX Hold
Sweep Point: 1001
Sweep Time: 1 ms
Sweep: Continue

-26dB BW/29.987MHz
Marker:
1. 2499.368 MHz
-4.27 dBm
2. 2502.730 MHz
21.73 dBm
3. 2529.355 MHz
-4.27 dBm

CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0

Level (dBm)

Frequency (MHz)



Trace

Trace


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0

CENT: 2555.3 MHz
Span: 90 MHz
RBW: 910 kHz
VBW: 3 MHz
Detector: Peak
Trace Type: MAX Hold
Sweep Point: 1001
Sweep Time: 1 ms
Sweep: Continue


-26dB BW/29.920MHz
Marker:
1. 2539.924 MHz
-4.02 dBm
2. 2543.510 MHz
21.98 dBm
3. 2569.844 MHz
-4.02 dBm




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2524.4MHz CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2550.6 CC2:2565MHz CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2527.1MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2545.4 CC2:2562.5MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0



3. Spurious Emission

3.1 Test Result


3.1.1 CA_7C_NTNV

Band: CA_7C / NTN								
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
				CC1	CC2	Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@49 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph				Pass
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@74 CC2: 1@49	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph				Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@74 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph				Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph				Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@99 CC2: 1@49	Refer To Test Graph				Pass


			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass

3.2 Test Graph


3.2.1 CA_7C_NTNV




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.828	-32.18	-25	Pass
2490.5	2496	1	CHP	2	2495.996	-28.23	-13	Pass
2496	2499	1	CHP	3	2498.365	-26.40	-10	Pass
2499	2500	0.6	CHP	4	2499.662	-26.78	-10	Pass
2500	2529.7	0.1	/	/	/	/	/	/


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 1@49 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540.3	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.155	-53.21	-10	Pass
2571	2575	1	CHP	2	2571.500	-50.92	-10	Pass
2575	2599.92	1	CHP	3	2587.780	-50.93	-13	Pass
2599.92	2605	1	CHP	4	2602.035	-55.19	-25	Pass

CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz CC1: 50@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540.3	2570	0.1	/	/	/	/	/	/
2570	2571	0.598	CHP	1	2570.350	-35.90	-10	Pass
2571	2575	1	CHP	2	2571.500	-35.05	-10	Pass
2575	2599.92	1	CHP	3	2575.050	-37.32	-13	Pass
2599.92	2605	1	CHP	4	2603.750	-57.34	-25	Pass


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.446	-31.35	-25	Pass
2490.5	2496	1	CHP	2	2495.772	-28.05	-13	Pass
2496	2499	1	CHP	3	2498.396	-26.73	-10	Pass
2499	2500	0.504	CHP	4	2499.747	-28.51	-10	Pass
2500	2524.75	0.1	/	/	/	/	/	/


CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 1@74 CC2: 1@49



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2545.25	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.015	-46.18	-10	Pass
2571	2575	1	CHP	2	2571.515	-47.26	-10	Pass
2575	2595.233	1	CHP	3	2579.095	-28.72	-13	Pass
2595.233	2600	1	CHP	4	2595.555	-55.26	-25	Pass

CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0


CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2:
50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2545.25	2570	0.1	/	/	/	/	/	/
2570	2571	0.505	CHP	1	2570.300	-34.14	-10	Pass
2571	2575	1	CHP	2	2572.400	-32.28	-10	Pass
2575	2595.233	1	CHP	3	2575.200	-32.94	-13	Pass
2595.233	2600	1	CHP	4	2596.450	-57.37	-25	Pass

CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0


CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2:
50@0



CA_7C_SISO_NTNV_CC1:15 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2553 CC2:2565MHz CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2553 CC2:2565MHz CC1: 75@0 CC2: 50@0



CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.750	-30.57	-25	Pass
2490.5	2496	1	CHP	2	2495.825	-54.65	-13	Pass
2496	2499	1	CHP	3	2498.500	-47.17	-10	Pass
2499	2500	0.02	CHP	4	2499.990	-41.35	-10	Pass
2500	2530	0.02	CHP	/	/	/	/	/

CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.490	-31.06	-25	Pass
2490.5	2496	1	CHP	2	2495.980	-28.29	-13	Pass
2496	2499	1	CHP	3	2498.410	-27.27	-10	Pass
2499	2500	0.617	CHP	4	2499.670	-29.11	-10	Pass
2500	2530	0.1	/	/	/	/	/	/


CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK CC1:2547.5 CC2:2562.5MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK CC1:2547.5 CC2:2562.5MHz_CC1: 1@74 CC2: 1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.055	-49.92	-10	Pass
2571	2575	1	CHP	2	2571.500	-46.76	-10	Pass
2575	2600.764	1	CHP	3	2584.025	-35.16	-13	Pass
2600.764	2605	1	CHP	4	2602.835	-55.26	-25	Pass

CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2570	0.1	/	/	/	/	/	/
2570	2571	0.615	CHP	1	2570.350	-35.86	-10	Pass
2571	2575	1	CHP	2	2571.500	-33.88	-10	Pass
2575	2600.764	1	CHP	3	2575.050	-34.87	-13	Pass
2600.764	2605	1	CHP	4	2601.200	-57.76	-25	Pass


CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0



CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0



CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.950	-30.41	-25	Pass
2490.5	2496	1	CHP	2	2495.980	-54.57	-13	Pass
2496	2499	1	CHP	3	2498.500	-47.19	-10	Pass
2499	2500	0.02	CHP	4	2499.990	-41.35	-10	Pass
2500	2534.8	0.02	CHP	/	/	/	/	/

CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2542.9 CC2:2560MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2542.9 CC2:2560MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2542.9 CC2:2560MHz CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2542.9 CC2:2560MHz CC1: 1@74 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2535.2	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.015	-51.87	-10	Pass
2571	2575	1	CHP	2	2571.500	-51.08	-10	Pass
2575	2605.506	1	CHP	3	2588.180	-48.40	-13	Pass
2605.506	2610	1	CHP	4	2607.440	-55.17	-25	Pass

CA_7C_SISO_NTNV_CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2542.9 CC2:2560MHz CC1: 75@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2535.2	2570	0.1	/	/	/	/	/	/
2570	2571	0.703	CHP	1	2570.374	-35.37	-10	Pass
2571	2575	1	CHP	2	2571.624	-34.63	-10	Pass
2575	2605.165	1	CHP	3	2575.077	-35.88	-13	Pass
2605.165	2610	1	CHP	4	2608.949	-57.55	-25	Pass


CA_7C_SISO_NTNV_CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2542.9 CC2:2560MHz CC1: 75@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2542.9 CC2:2560MHz CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2542.9 CC2:2560MHz CC1: 75@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 1@0 CC2:
1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.115	-57.59	-25	Pass
2490.5	2496	1	CHP	2	2495.850	-56.27	-13	Pass
2496	2499	1	CHP	3	2498.500	-51.99	-10	Pass
2499	2500	0.02	CHP	4	2499.985	-46.71	-10	Pass
2500	2529.7	0.02	CHP	/	/	/	/	/

CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 1@0 CC2:
1@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2: 50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.498	-31.73	-25	Pass
2490.5	2496	1	CHP	2	2495.996	-28.73	-13	Pass
2496	2499	1	CHP	3	2498.365	-28.48	-10	Pass
2499	2500	0.606	CHP	4	2499.662	-29.74	-10	Pass
2500	2529.7	0.1	/	/	/	/	/	/


CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2524.4MHz CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2524.4MHz CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2550.6 CC2:2565MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2550.6 CC2:2565MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2550.6 CC2:2565MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2550.6 CC2:2565MHz_CC1: 1@99 CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540.3	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.035	-50.03	-10	Pass
2571	2575	1	CHP	2	2571.560	-48.04	-10	Pass
2575	2600.274	1	CHP	3	2579.215	-27.84	-13	Pass
2600.274	2605	1	CHP	4	2601.395	-55.16	-25	Pass

CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2550.6 CC2:2565MHz CC1: 100@0 CC2: 50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540.3	2570	0.1	/	/	/	/	/	/
2570	2571	0.605	CHP	1	2570.350	-34.45	-10	Pass
2571	2575	1	CHP	2	2571.650	-33.42	-10	Pass
2575	2600.274	1	CHP	3	2576.800	-33.64	-13	Pass
2600.274	2605	1	CHP	4	2601.650	-57.44	-25	Pass


CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2550.6 CC2:2565MHz CC1: 100@0 CC2: 50@0



CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2550.6 CC2:2565MHz CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2550.6 CC2:2565MHz CC1: 100@0 CC2: 50@0



CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.020	-57.49	-25	Pass
2490.5	2496	1	CHP	2	2495.990	-55.92	-13	Pass
2496	2499	1	CHP	3	2498.500	-49.62	-10	Pass
2499	2500	0.02	CHP	4	2499.990	-44.49	-10	Pass
2500	2534.8	0.02	CHP	/	/	/	/	/

CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.478	-32.01	-25	Pass
2490.5	2496	1	CHP	2	2495.956	-29.49	-13	Pass
2496	2499	1	CHP	3	2498.247	-28.71	-10	Pass
2499	2500	0.708	CHP	4	2499.641	-28.99	-10	Pass
2500	2534.8	0.1	/	/	/	/	/	/


CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2527.1MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2527.1MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK CC1:2545.4 CC2:2562.5MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK CC1:2545.4 CC2:2562.5MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2545.4 CC2:2562.5MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2545.4 CC2:2562.5MHz_CC1: 1@99 CC2: 1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2535.2	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.010	-47.20	-10	Pass
2571	2575	1	CHP	2	2571.970	-46.96	-10	Pass
2575	2605.165	1	CHP	3	2583.905	-37.11	-13	Pass
2605.165	2610	1	CHP	4	2605.780	-55.33	-25	Pass


CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2: 75@0



CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2: 75@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-55.28	-25	Pass
2490.5	2496	1	CHP	2	2495.900	-53.58	-13	Pass
2496	2499	1	CHP	3	2498.500	-47.90	-10	Pass
2499	2500	0.02	CHP	4	2499.990	-43.02	-10	Pass
2500	2539.9	0.02	CHP	/	/	/	/	/

CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-31.18	-25	Pass
2490.5	2496	1	CHP	2	2495.600	-28.83	-13	Pass
2496	2499	1	CHP	3	2498.500	-28.11	-10	Pass
2499	2500	0.817	CHP	4	2499.550	-29.04	-10	Pass
2500	2539.9	0.1	/	/	/	/	/	/


CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2540.2 CC2:2560MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2540.2 CC2:2560MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2540.2 CC2:2560MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK_CC1:2540.2 CC2:2560MHz_CC1: 1@99 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2530.1	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.005	-51.27	-10	Pass
2571	2575	1	CHP	2	2571.500	-49.90	-10	Pass
2575	2615	1	CHP	3	2588.525	-46.32	-13	Pass

CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2530.1	2570	0.1	/	/	/	/	/	/
2570	2571	0.984	CHP	1	2570.500	-33.67	-10	Pass
2571	2575	1	CHP	2	2572.800	-33.77	-10	Pass
2575	2615	1	CHP	3	2578.150	-34.68	-13	Pass


CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0



4. Field Strength of Spurious Radiation

CA_7C-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.0	-62.5	-25	-37.5	-68.07	4.57	10.14	Horizontal	Pass
7503.0	-60.6	-25	-35.6	-67.4	4.94	11.74	Horizontal	Pass
10004.0	-57.01	-25	-32.01	-64.58	5.46	13.03	Horizontal	Pass
5002.0	-62.21	-25	-37.21	-67.78	4.57	10.14	Vertical	Pass
7503.0	-60.58	-25	-35.58	-67.38	4.94	11.74	Vertical	Pass
10004.0	-57.24	-25	-32.24	-64.81	5.46	13.03	Vertical	Pass

CA_7C-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5032.2	-62.52	-25	-37.52	-68.1	4.58	10.16	Horizontal	Pass
7548.3	-59.99	-25	-34.99	-66.85	4.94	11.8	Horizontal	Pass
10004.0	-57.32	-25	-32.32	-64.89	5.46	13.03	Horizontal	Pass
5032.2	-62.75	-25	-37.75	-68.33	4.58	10.16	Vertical	Pass
7548.3	-59.97	-25	-34.97	-66.83	4.94	11.8	Vertical	Pass
10004.0	-57.15	-25	-32.15	-64.72	5.46	13.03	Vertical	Pass

CA_7C-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5062.2	-62.86	-25	-37.86	-68.45	4.59	10.18	Horizontal	Pass
7693.2	-60.26	-25	-35.26	-67.27	4.96	11.97	Horizontal	Pass
10124.4	-56.41	-25	-31.41	-63.98	5.48	13.05	Horizontal	Pass
5062.2	-63.37	-25	-38.37	-68.96	4.59	10.18	Vertical	Pass
7693.2	-59.91	-25	-34.91	-66.92	4.96	11.97	Vertical	Pass
10124.4	-57.26	-25	-32.26	-64.83	5.48	13.05	Vertical	Pass