


Annex A.6 Band Edge

1. GSM_GSM850


1.1. GSM Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.7	-43.14	-13	30.14	Pass	401
823	824	0.003	RMS	823.998	-19.69	-13	6.69	Pass	401
824	824.5	0.01	RMS	824.188	22.33	35	12.67	Pass	401



1.2. GSM Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.82	22.98	35	12.02	Pass	401
849	850	0.003	RMS	849.023	-18.43	-13	5.43	Pass	401
850	855	0.1	RMS	850.45	-42.69	-13	29.69	Pass	401



2. GSM_PCS


2.1. GSM Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.66	-13	19.66	Pass	5
1849	1850	0.003	RMS	1849.98	-21.48	-13	8.48	Pass	401
1850	1851	0.01	RMS	1850.193	19.59	35	15.41	Pass	401



2.2. GSM Band Edge_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.785	19.95	35	15.05	Pass	401
1910	1911	0.003	RMS	1910.033	-20.22	-13	7.22	Pass	401
1911	1915	1	RMS	1911	-32.25	-13	19.25	Pass	5



1. EGPRS_GSM850


1.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
823	824	0.003	RMS	823.973	-26.34	-13	13.34	Pass	401
824	824.5	0.01	RMS	824.201	16.79	35	18.21	Pass	401



1.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.781	16.77	35	18.23	Pass	401
849	850	0.003	RMS	849.03	-27.82	-13	14.82	Pass	401
850	855	0.1	RMS	850.25	-43.63	-13	30.63	Pass	401



2. EGPRS_PCS


2.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.96	-13	19.96	Pass	5
1849	1850	0.003	RMS	1849.975	-27.58	-13	14.58	Pass	401
1850	1851	0.01	RMS	1850.208	15.41	35	19.59	Pass	401



2.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.798	15.32	35	19.68	Pass	401
1910	1911	0.003	RMS	1910.045	-27.62	-13	14.62	Pass	401
1911	1915	1	RMS	1911	-32.69	-13	19.69	Pass	5



1. WCDMA_Band2


1.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-26.4	-13	13.4	Pass	5
1849	1850	0.051	RMS	1850	-26.22	-13	13.22	Pass	401
1850	1855	0.1	RMS	1853.775	8.57	35	26.43	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.05	8.73	35	26.27	Pass	401
1910	1911	0.051	RMS	1910	-23.83	-13	10.83	Pass	401
1911	1915	1	RMS	1911	-25.48	-13	12.48	Pass	5



2. WCDMA_Band4


2.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-24.72	-13	11.72	Pass	5
1709	1710	0.051	RMS	1710	-22.9	-13	9.9	Pass	401
1710	1715	0.1	RMS	1711.488	8.53	35	26.47	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.713	8.33	35	26.67	Pass	401
1755	1756	0.051	RMS	1755	-22.86	-13	9.86	Pass	401
1756	1760	1	RMS	1756	-24.93	-13	11.93	Pass	5



3. WCDMA_Band5


3.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.805	-32.76	-13	19.76	Pass	401
823	824	0.051	RMS	824	-24.89	-13	11.89	Pass	401
824	829	0.1	RMS	825.525	9	35	26	Pass	401



3.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.725	9.37	35	25.63	Pass	401
849	850	0.051	RMS	849	-24.73	-13	11.73	Pass	401
850	855	0.1	RMS	850.15	-31.47	-13	18.47	Pass	401



1. LTE_Band2


1.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-44.16	-13	31.16	Pass	401
1848	1849	1	RMS	1849	-36.12	-13	23.12	Pass	2
1849	1850	0.02	RMS	1850	-19.93	-13	6.93	Pass	401
1850	1852	0.1	RMS	1850.25	20.83	30	9.17	Pass	401




1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.64	-13	18.64	Pass	401
1848	1849	1	RMS	1849	-22.78	-13	9.78	Pass	2
1849	1850	0.02	RMS	1849.998	-25.51	-13	12.51	Pass	401
1850	1852	0.1	RMS	1850.325	12.41	30	17.59	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-44.22	-13	31.22	Pass	401
1848	1849	1	RMS	1849	-36.61	-13	23.61	Pass	2
1849	1850	0.02	RMS	1849.998	-20.26	-13	7.26	Pass	401
1850	1852	0.1	RMS	1850.265	20.18	30	9.82	Pass	401




1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-33.72	-13	20.72	Pass	401
1848	1849	1	RMS	1849	-24.72	-13	11.72	Pass	2
1849	1850	0.02	RMS	1850	-25.78	-13	12.78	Pass	401
1850	1852	0.1	RMS	1850.705	11.39	30	18.61	Pass	401




1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.75	20.55	30	9.45	Pass	401
1910	1911	0.02	RMS	1910.003	-18.88	-13	5.88	Pass	401
1911	1912	1	RMS	1911	-36.14	-13	23.14	Pass	2
1912	1920	1	RMS	1912	-44.47	-13	31.47	Pass	401




1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.06	12.21	30	17.79	Pass	401
1910	1911	0.02	RMS	1910	-24.66	-13	11.66	Pass	401
1911	1912	1	RMS	1911	-23.84	-13	10.84	Pass	2
1912	1920	1	RMS	1912	-31.56	-13	18.56	Pass	401



1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	19.9	30	10.1	Pass	401
1910	1911	0.02	RMS	1910	-19.04	-13	6.04	Pass	401
1911	1912	1	RMS	1911	-36.71	-13	23.71	Pass	2
1912	1920	1	RMS	1912.04	-43.22	-13	30.22	Pass	401




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.87	11.26	30	18.74	Pass	401
1910	1911	0.02	RMS	1910.003	-25.18	-13	12.18	Pass	401
1911	1912	1	RMS	1911	-25.23	-13	12.23	Pass	2
1912	1920	1	RMS	1912	-33.57	-13	20.57	Pass	401




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-43.74	-13	30.74	Pass	401
1848	1849	1	RMS	1849	-35.79	-13	22.79	Pass	2
1849	1850	0.002	RMS	1850	-32.61	-13	19.61	Pass	501
1850	1853	0.1	RMS	1850.248	20.81	30	9.19	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.27	-13	12.27	Pass	401
1848	1849	1	RMS	1849	-23.61	-13	10.61	Pass	2
1849	1850	0.03	RMS	1850	-26.41	-13	13.41	Pass	401
1850	1853	0.1	RMS	1852.535	8.49	30	21.51	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-42.88	-13	29.88	Pass	401
1848	1849	1	RMS	1849	-36.03	-13	23.03	Pass	2
1849	1850	0.002	RMS	1849.998	-31.96	-13	18.96	Pass	501
1850	1853	0.1	RMS	1850.24	20.03	30	9.97	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.73	-13	14.73	Pass	401
1848	1849	1	RMS	1849	-25.74	-13	12.74	Pass	2
1849	1850	0.03	RMS	1849.998	-27.27	-13	14.27	Pass	401
1850	1853	0.1	RMS	1852.655	7.48	30	22.52	Pass	401



1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	20.69	30	9.31	Pass	401
1910	1911	0.002	RMS	1910	-31.44	-13	18.44	Pass	501
1911	1912	1	RMS	1911	-35.36	-13	22.36	Pass	2
1912	1920	1	RMS	1912.02	-43.91	-13	30.91	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.465	8.44	30	21.56	Pass	401
1910	1911	0.03	RMS	1910.003	-25.08	-13	12.08	Pass	401
1911	1912	1	RMS	1911	-26.19	-13	13.19	Pass	2
1912	1920	1	RMS	1912	-27.07	-13	14.07	Pass	401



1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	19.96	30	10.04	Pass	401
1910	1911	0.002	RMS	1910	-31.05	-13	18.05	Pass	501
1911	1912	1	RMS	1911	-35.85	-13	22.85	Pass	2
1912	1920	1	RMS	1912	-43.06	-13	30.06	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.593	7.39	30	22.61	Pass	401
1910	1911	0.03	RMS	1910	-26.26	-13	13.26	Pass	401
1911	1912	1	RMS	1911	-25.95	-13	12.95	Pass	2
1912	1920	1	RMS	1912	-28.16	-13	15.16	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.84	-13	30.84	Pass	401
1848	1849	1	RMS	1849	-37.61	-13	24.61	Pass	2
1849	1850	0.051	RMS	1850	-22.18	-13	9.18	Pass	401
1850	1855	0.1	RMS	1850.35	20.82	30	9.18	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.32	-13	14.32	Pass	401
1848	1849	1	RMS	1849	-26.59	-13	13.59	Pass	2
1849	1850	0.051	RMS	1850	-27.36	-13	14.36	Pass	401
1850	1855	0.1	RMS	1851.813	6.33	30	23.67	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.86	-41.57	-13	28.57	Pass	401
1848	1849	1	RMS	1849	-37.53	-13	24.53	Pass	2
1849	1850	0.051	RMS	1849.995	-22.48	-13	9.48	Pass	401
1850	1855	0.1	RMS	1850.363	19.94	30	10.06	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-29.02	-13	16.02	Pass	401
1848	1849	1	RMS	1849	-27.99	-13	14.99	Pass	2
1849	1850	0.051	RMS	1850	-28.12	-13	15.12	Pass	401
1850	1855	0.1	RMS	1853.138	5.23	30	24.77	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	20.6	30	9.4	Pass	401
1910	1911	0.051	RMS	1910	-21.19	-13	8.19	Pass	401
1911	1912	1	RMS	1911	-37.32	-13	24.32	Pass	2
1912	1920	1	RMS	1912	-43.14	-13	30.14	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1905.375	6.41	30	23.59	Pass	401
1910	1911	0.051	RMS	1910	-26.53	-13	13.53	Pass	401
1911	1912	1	RMS	1911	-27.71	-13	14.71	Pass	2
1912	1920	1	RMS	1912.02	-28.97	-13	15.97	Pass	401




1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	19.87	30	10.13	Pass	401
1910	1911	0.051	RMS	1910.003	-21.37	-13	8.37	Pass	401
1911	1912	1	RMS	1911	-37.74	-13	24.74	Pass	2
1912	1920	1	RMS	1912.08	-40.93	-13	27.93	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1905.475	5.36	30	24.64	Pass	401
1910	1911	0.051	RMS	1910.005	-28.14	-13	15.14	Pass	401
1911	1912	1	RMS	1911	-28.05	-13	15.05	Pass	2
1912	1920	1	RMS	1912.04	-28.9	-13	15.9	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-45.73	-13	32.73	Pass	401
1848	1849	1	RMS	1849	-40.26	-13	27.26	Pass	2
1849	1850	0.1	RMS	1850	-30.44	-13	17.44	Pass	401
1850	1860	0.1	RMS	1850.6	20.72	30	9.28	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.88	-30.04	-13	17.04	Pass	401
1848	1849	1	RMS	1849	-29.66	-13	16.66	Pass	2
1849	1850	0.1	RMS	1849.988	-31.59	-13	18.59	Pass	401
1850	1860	0.1	RMS	1858.65	3.2	30	26.8	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.84	-44.01	-13	31.01	Pass	401
1848	1849	1	RMS	1849	-40.14	-13	27.14	Pass	2
1849	1850	0.1	RMS	1849.99	-29.97	-13	16.97	Pass	401
1850	1860	0.1	RMS	1850.575	20.01	30	9.99	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-31.3	-13	18.3	Pass	401
1848	1849	1	RMS	1849	-30.7	-13	17.7	Pass	2
1849	1850	0.1	RMS	1849.993	-32.71	-13	19.71	Pass	401
1850	1860	0.1	RMS	1850.75	2.2	30	27.8	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	20.53	30	9.47	Pass	401
1910	1911	0.1	RMS	1910.003	-28.82	-13	15.82	Pass	401
1911	1912	1	RMS	1911	-39.74	-13	26.74	Pass	2
1912	1920	1	RMS	1912.42	-46.16	-13	33.16	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1901.075	3.77	30	26.23	Pass	401
1910	1911	0.1	RMS	1910.005	-31.9	-13	18.9	Pass	401
1911	1912	1	RMS	1911	-29.19	-13	16.19	Pass	2
1912	1920	1	RMS	1912.08	-29.29	-13	16.29	Pass	401



1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	19.85	30	10.15	Pass	401
1910	1911	0.1	RMS	1910	-29.68	-13	16.68	Pass	401
1911	1912	1	RMS	1911	-40.46	-13	27.46	Pass	2
1912	1920	1	RMS	1912.02	-42.62	-13	29.62	Pass	401




1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1900.975	2.77	30	27.23	Pass	401
1910	1911	0.1	RMS	1910	-32.75	-13	19.75	Pass	401
1911	1912	1	RMS	1911	-30.86	-13	17.86	Pass	2
1912	1920	1	RMS	1912.06	-31.16	-13	18.16	Pass	401




1.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-46.34	-13	33.34	Pass	401
1848	1849	1	RMS	1849	-39.05	-13	26.05	Pass	2
1849	1850	0.15	RMS	1849.998	-27.23	-13	14.23	Pass	401
1850	1865	0.1	RMS	1850.863	20.47	30	9.53	Pass	401




1.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-32.45	-13	19.45	Pass	401
1848	1849	1	RMS	1849	-32.26	-13	19.26	Pass	2
1849	1850	0.15	RMS	1850	-34.45	-13	21.45	Pass	401
1850	1865	0.1	RMS	1854.763	1.37	30	28.63	Pass	401




1.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.36	-43.54	-13	30.54	Pass	401
1848	1849	1	RMS	1849	-39.07	-13	26.07	Pass	2
1849	1850	0.15	RMS	1850	-27.36	-13	14.36	Pass	401
1850	1865	0.1	RMS	1850.825	19.64	30	10.36	Pass	401




1.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-33.03	-13	20.03	Pass	401
1848	1849	1	RMS	1849	-32.68	-13	19.68	Pass	2
1849	1850	0.15	RMS	1850	-35.12	-13	22.12	Pass	401
1850	1865	0.1	RMS	1864.025	0.52	30	29.48	Pass	401




1.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.26	30	9.74	Pass	401
1910	1911	0.15	RMS	1910.003	-27.24	-13	14.24	Pass	401
1911	1912	1	RMS	1911	-39.18	-13	26.18	Pass	2
1912	1920	1	RMS	1912.14	-45.79	-13	32.79	Pass	401




1.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1896.313	1.94	30	28.06	Pass	401
1910	1911	0.15	RMS	1910.003	-34.52	-13	21.52	Pass	401
1911	1912	1	RMS	1911	-32.75	-13	19.75	Pass	2
1912	1920	1	RMS	1912.2	-32.42	-13	19.42	Pass	401




1.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.53	30	10.47	Pass	401
1910	1911	0.15	RMS	1910.008	-27.48	-13	14.48	Pass	401
1911	1912	1	RMS	1911	-39.08	-13	26.08	Pass	2
1912	1920	1	RMS	1912.46	-42.14	-13	29.14	Pass	401




1.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1896.95	0.69	30	29.31	Pass	401
1910	1911	0.15	RMS	1910.003	-35.81	-13	22.81	Pass	401
1911	1912	1	RMS	1911	-33.08	-13	20.08	Pass	2
1912	1920	1	RMS	1912.34	-33.19	-13	20.19	Pass	401




1.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-46.04	-13	33.04	Pass	401
1848	1849	1	RMS	1849	-39.31	-13	26.31	Pass	2
1849	1850	0.2	RMS	1850	-27.35	-13	14.35	Pass	401
1850	1870	0.1	RMS	1851.1	20.83	30	9.17	Pass	401




1.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.76	-13	20.76	Pass	401
1848	1849	1	RMS	1849	-33.86	-13	20.86	Pass	2
1849	1850	0.2	RMS	1849.995	-36.14	-13	23.14	Pass	401
1850	1870	0.1	RMS	1868.45	0.58	30	29.42	Pass	401




1.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1840.98	-44.94	-13	31.94	Pass	401
1848	1849	1	RMS	1849	-38.79	-13	25.79	Pass	2
1849	1850	0.2	RMS	1849.995	-27.37	-13	14.37	Pass	401
1850	1870	0.1	RMS	1851.05	19.69	30	10.31	Pass	401




1.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.88	-34.06	-13	21.06	Pass	401
1848	1849	1	RMS	1849	-33.57	-13	20.57	Pass	2
1849	1850	0.2	RMS	1849.98	-36.44	-13	23.44	Pass	401
1850	1870	0.1	RMS	1868.75	-0.57	30	30.57	Pass	401



1.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.62	30	9.38	Pass	401
1910	1911	0.2	RMS	1910	-28.03	-13	15.03	Pass	401
1911	1912	1	RMS	1911	-39.23	-13	26.23	Pass	2
1912	1920	1	RMS	1912.02	-45.24	-13	32.24	Pass	401




1.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1892.25	0.41	30	29.59	Pass	401
1910	1911	0.2	RMS	1910.015	-36.76	-13	23.76	Pass	401
1911	1912	1	RMS	1911	-34.34	-13	21.34	Pass	2
1912	1920	1	RMS	1912.4	-34.04	-13	21.04	Pass	401




1.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.62	30	10.38	Pass	401
1910	1911	0.2	RMS	1910.003	-27.98	-13	14.98	Pass	401
1911	1912	1	RMS	1911	-39.55	-13	26.55	Pass	2
1912	1920	1	RMS	1913.98	-44.73	-13	31.73	Pass	401



1.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.5	-0.49	30	30.49	Pass	401
1910	1911	0.2	RMS	1910.028	-37.12	-13	24.12	Pass	401
1911	1912	1	RMS	1911	-34.13	-13	21.13	Pass	2
1912	1920	1	RMS	1912.08	-34.26	-13	21.26	Pass	401



2. LTE_Band4


2.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.37	-13	31.37	Pass	401
1708	1709	1	RMS	1709	-35.66	-13	22.66	Pass	2
1709	1710	0.02	RMS	1710	-17.91	-13	4.91	Pass	401
1710	1712	0.1	RMS	1710.25	20.92	30	9.08	Pass	401




2.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-30.86	-13	17.86	Pass	401
1708	1709	1	RMS	1709	-20.21	-13	7.21	Pass	2
1709	1710	0.02	RMS	1709.998	-23.31	-13	10.31	Pass	401
1710	1712	0.1	RMS	1710.4	12.52	30	17.48	Pass	401




2.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.24	-13	31.24	Pass	401
1708	1709	1	RMS	1709	-36.18	-13	23.18	Pass	2
1709	1710	0.02	RMS	1710	-18.7	-13	5.7	Pass	401
1710	1712	0.1	RMS	1710.24	20.39	30	9.61	Pass	401




2.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.52	-13	19.52	Pass	401
1708	1709	1	RMS	1709	-22.7	-13	9.7	Pass	2
1709	1710	0.02	RMS	1709.998	-24.06	-13	11.06	Pass	401
1710	1712	0.1	RMS	1710.33	11.59	30	18.41	Pass	401



2.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.775	20.59	30	9.41	Pass	401
1755	1756	0.02	RMS	1755	-18.5	-13	5.5	Pass	401
1756	1757	1	RMS	1756	-36.2	-13	23.2	Pass	2
1757	1765	1	RMS	1757.02	-44.66	-13	31.66	Pass	401




2.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.02	12.4	30	17.6	Pass	401
1755	1756	0.02	RMS	1755	-23.58	-13	10.58	Pass	401
1756	1757	1	RMS	1756	-22.24	-13	9.24	Pass	2
1757	1765	1	RMS	1757	-31.71	-13	18.71	Pass	401



2.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.745	20.09	30	9.91	Pass	401
1755	1756	0.02	RMS	1755	-18.38	-13	5.38	Pass	401
1756	1757	1	RMS	1756	-36.65	-13	23.65	Pass	2
1757	1765	1	RMS	1757	-44.42	-13	31.42	Pass	401




2.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.45	11.34	30	18.66	Pass	401
1755	1756	0.02	RMS	1755.005	-25.05	-13	12.05	Pass	401
1756	1757	1	RMS	1756	-24.59	-13	11.59	Pass	2
1757	1765	1	RMS	1757	-33.42	-13	20.42	Pass	401




2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-43.72	-13	30.72	Pass	401
1708	1709	1	RMS	1709	-36.14	-13	23.14	Pass	2
1709	1710	0.002	RMS	1710	-30.49	-13	17.49	Pass	501
1710	1713	0.1	RMS	1710.248	20.95	30	9.05	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-22.39	-13	9.39	Pass	401
1708	1709	1	RMS	1709	-19.78	-13	6.78	Pass	2
1709	1710	0.03	RMS	1709.998	-24.26	-13	11.26	Pass	401
1710	1713	0.1	RMS	1710.675	8.64	30	21.36	Pass	401




2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-42.71	-13	29.71	Pass	401
1708	1709	1	RMS	1709	-36.39	-13	23.39	Pass	2
1709	1710	0.002	RMS	1710	-29.49	-13	16.49	Pass	501
1710	1713	0.1	RMS	1710.27	20.21	30	9.79	Pass	401




2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-25.25	-13	12.25	Pass	401
1708	1709	1	RMS	1709	-22.62	-13	9.62	Pass	2
1709	1710	0.03	RMS	1710	-26.27	-13	13.27	Pass	401
1710	1713	0.1	RMS	1712.138	7.8	30	22.2	Pass	401




2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	20.74	30	9.26	Pass	401
1755	1756	0.002	RMS	1755	-30.23	-13	17.23	Pass	501
1756	1757	1	RMS	1756	-35.29	-13	22.29	Pass	2
1757	1765	1	RMS	1757	-43.91	-13	30.91	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.743	8.55	30	21.45	Pass	401
1755	1756	0.03	RMS	1755.008	-24.84	-13	11.84	Pass	401
1756	1757	1	RMS	1756	-21.12	-13	8.12	Pass	2
1757	1765	1	RMS	1757.04	-23.97	-13	10.97	Pass	401



2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	20.03	30	9.97	Pass	401
1755	1756	0.002	RMS	1755.002	-30.15	-13	17.15	Pass	501
1756	1757	1	RMS	1756	-35.59	-13	22.59	Pass	2
1757	1765	1	RMS	1757.2	-43.44	-13	30.44	Pass	401




2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.503	7.47	30	22.53	Pass	401
1755	1756	0.03	RMS	1755.003	-25.87	-13	12.87	Pass	401
1756	1757	1	RMS	1756	-23.98	-13	10.98	Pass	2
1757	1765	1	RMS	1757.02	-26.71	-13	13.71	Pass	401




2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.04	-13	31.04	Pass	401
1708	1709	1	RMS	1709	-37.27	-13	24.27	Pass	2
1709	1710	0.051	RMS	1710	-20.45	-13	7.45	Pass	401
1710	1715	0.1	RMS	1710.35	20.9	30	9.1	Pass	401




2.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-23.41	-13	10.41	Pass	401
1708	1709	1	RMS	1709	-22.42	-13	9.42	Pass	2
1709	1710	0.051	RMS	1710	-25.9	-13	12.9	Pass	401
1710	1715	0.1	RMS	1711.788	6.41	30	23.59	Pass	401




2.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-41.55	-13	28.55	Pass	401
1708	1709	1	RMS	1709	-37.12	-13	24.12	Pass	2
1709	1710	0.051	RMS	1709.998	-20.03	-13	7.03	Pass	401
1710	1715	0.1	RMS	1710.325	20.33	30	9.67	Pass	401




2.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-26.24	-13	13.24	Pass	401
1708	1709	1	RMS	1709	-25	-13	12	Pass	2
1709	1710	0.051	RMS	1710	-27.55	-13	14.55	Pass	401
1710	1715	0.1	RMS	1711.75	5.48	30	24.52	Pass	401



2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.675	20.69	30	9.31	Pass	401
1755	1756	0.051	RMS	1755	-20.98	-13	7.98	Pass	401
1756	1757	1	RMS	1756	-37.6	-13	24.6	Pass	2
1757	1765	1	RMS	1757	-42.66	-13	29.66	Pass	401




2.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.675	6.17	30	23.83	Pass	401
1755	1756	0.051	RMS	1755.008	-26.3	-13	13.3	Pass	401
1756	1757	1	RMS	1756	-23.41	-13	10.41	Pass	2
1757	1765	1	RMS	1757	-24.47	-13	11.47	Pass	401



2.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	20.01	30	9.99	Pass	401
1755	1756	0.051	RMS	1755	-20.38	-13	7.38	Pass	401
1756	1757	1	RMS	1756	-37.5	-13	24.5	Pass	2
1757	1765	1	RMS	1757.06	-41.33	-13	28.33	Pass	401




2.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.9	5.17	30	24.83	Pass	401
1755	1756	0.051	RMS	1755.005	-27.46	-13	14.46	Pass	401
1756	1757	1	RMS	1756	-25.9	-13	12.9	Pass	2
1757	1765	1	RMS	1757.02	-26.92	-13	13.92	Pass	401




2.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.62	-13	32.62	Pass	401
1708	1709	1	RMS	1709	-40.08	-13	27.08	Pass	2
1709	1710	0.1	RMS	1710	-28.52	-13	15.52	Pass	401
1710	1720	0.1	RMS	1710.6	20.92	30	9.08	Pass	401




2.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.82	-25.44	-13	12.44	Pass	401
1708	1709	1	RMS	1709	-25.5	-13	12.5	Pass	2
1709	1710	0.1	RMS	1709.99	-30.08	-13	17.08	Pass	401
1710	1720	0.1	RMS	1719.225	3.55	30	26.45	Pass	401




2.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.54	-13	30.54	Pass	401
1708	1709	1	RMS	1709	-39.93	-13	26.93	Pass	2
1709	1710	0.1	RMS	1709.998	-28.46	-13	15.46	Pass	401
1710	1720	0.1	RMS	1710.6	20.02	30	9.98	Pass	401




2.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.9	-28.26	-13	15.26	Pass	401
1708	1709	1	RMS	1709	-27.96	-13	14.96	Pass	2
1709	1710	0.1	RMS	1709.993	-31.33	-13	18.33	Pass	401
1710	1720	0.1	RMS	1717.125	2.52	30	27.48	Pass	401




2.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	20.68	30	9.32	Pass	401
1755	1756	0.1	RMS	1755	-28	-13	15	Pass	401
1756	1757	1	RMS	1756	-40.18	-13	27.18	Pass	2
1757	1765	1	RMS	1758.8	-45.55	-13	32.55	Pass	401




2.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1748.225	3.31	30	26.69	Pass	401
1755	1756	0.1	RMS	1755.005	-29.56	-13	16.56	Pass	401
1756	1757	1	RMS	1756	-25.32	-13	12.32	Pass	2
1757	1765	1	RMS	1757.02	-25.28	-13	12.28	Pass	401




2.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	19.92	30	10.08	Pass	401
1755	1756	0.1	RMS	1755	-28.97	-13	15.97	Pass	401
1756	1757	1	RMS	1756	-40.68	-13	27.68	Pass	2
1757	1765	1	RMS	1759.22	-43.4	-13	30.4	Pass	401




2.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.075	2.32	30	27.68	Pass	401
1755	1756	0.1	RMS	1755.005	-31.44	-13	18.44	Pass	401
1756	1757	1	RMS	1756	-27.86	-13	14.86	Pass	2
1757	1765	1	RMS	1757.18	-27.95	-13	14.95	Pass	401




2.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.17	-13	33.17	Pass	401
1708	1709	1	RMS	1709	-38.89	-13	25.89	Pass	2
1709	1710	0.15	RMS	1709.995	-26.31	-13	13.31	Pass	401
1710	1725	0.1	RMS	1710.825	20.71	30	9.29	Pass	401




2.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.74	-29.3	-13	16.3	Pass	401
1708	1709	1	RMS	1709	-29.65	-13	16.65	Pass	2
1709	1710	0.15	RMS	1709.99	-33.09	-13	20.09	Pass	401
1710	1725	0.1	RMS	1723.875	1.76	30	28.24	Pass	401




2.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.56	-43.63	-13	30.63	Pass	401
1708	1709	1	RMS	1709	-38.77	-13	25.77	Pass	2
1709	1710	0.15	RMS	1710	-25.94	-13	12.94	Pass	401
1710	1725	0.1	RMS	1710.825	19.9	30	10.1	Pass	401




2.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-30.94	-13	17.94	Pass	401
1708	1709	1	RMS	1709	-30.97	-13	17.97	Pass	2
1709	1710	0.15	RMS	1709.995	-34.23	-13	21.23	Pass	401
1710	1725	0.1	RMS	1723.8	0.73	30	29.27	Pass	401




2.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.5	30	9.5	Pass	401
1755	1756	0.15	RMS	1755.005	-26.93	-13	13.93	Pass	401
1756	1757	1	RMS	1756	-38.97	-13	25.97	Pass	2
1757	1765	1	RMS	1757	-46.05	-13	33.05	Pass	401




2.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1747.8	1.43	30	28.57	Pass	401
1755	1756	0.15	RMS	1755	-32.47	-13	19.47	Pass	401
1756	1757	1	RMS	1756	-28.14	-13	15.14	Pass	2
1757	1765	1	RMS	1757.26	-27.95	-13	14.95	Pass	401




2.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.59	30	10.41	Pass	401
1755	1756	0.15	RMS	1755.005	-26.97	-13	13.97	Pass	401
1756	1757	1	RMS	1756	-39.03	-13	26.03	Pass	2
1757	1765	1	RMS	1757.7	-42.81	-13	29.81	Pass	401




2.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.063	0.41	30	29.59	Pass	401
1755	1756	0.15	RMS	1755.003	-33.53	-13	20.53	Pass	401
1756	1757	1	RMS	1756	-30.05	-13	17.05	Pass	2
1757	1765	1	RMS	1757.16	-30.03	-13	17.03	Pass	401




2.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.86	-13	32.86	Pass	401
1708	1709	1	RMS	1709	-38.92	-13	25.92	Pass	2
1709	1710	0.2	RMS	1710	-27.23	-13	14.23	Pass	401
1710	1730	0.1	RMS	1711.1	20.78	30	9.22	Pass	401




2.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.82	-30.82	-13	17.82	Pass	401
1708	1709	1	RMS	1709	-30.89	-13	17.89	Pass	2
1709	1710	0.2	RMS	1710	-34.29	-13	21.29	Pass	401
1710	1730	0.1	RMS	1728.75	0.62	30	29.38	Pass	401




2.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1705.9	-42.51	-13	29.51	Pass	401
1708	1709	1	RMS	1709	-38.54	-13	25.54	Pass	2
1709	1710	0.2	RMS	1709.99	-27.21	-13	14.21	Pass	401
1710	1730	0.1	RMS	1711.1	19.76	30	10.24	Pass	401




2.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.64	-32.14	-13	19.14	Pass	401
1708	1709	1	RMS	1709	-32.15	-13	19.15	Pass	2
1709	1710	0.2	RMS	1709.973	-35.47	-13	22.47	Pass	401
1710	1730	0.1	RMS	1728.35	-0.47	30	30.47	Pass	401




2.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.49	30	9.51	Pass	401
1755	1756	0.2	RMS	1755	-27.21	-13	14.21	Pass	401
1756	1757	1	RMS	1756	-38.96	-13	25.96	Pass	2
1757	1765	1	RMS	1757	-45.56	-13	32.56	Pass	401




2.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.8	0.25	30	29.75	Pass	401
1755	1756	0.2	RMS	1755.03	-33.2	-13	20.2	Pass	401
1756	1757	1	RMS	1756	-29.17	-13	16.17	Pass	2
1757	1765	1	RMS	1757.14	-28.55	-13	15.55	Pass	401




2.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.58	30	10.42	Pass	401
1755	1756	0.2	RMS	1755	-27.42	-13	14.42	Pass	401
1756	1757	1	RMS	1756	-39.35	-13	26.35	Pass	2
1757	1765	1	RMS	1759.28	-42.91	-13	29.91	Pass	401



2.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.85	-0.61	30	30.61	Pass	401
1755	1756	0.2	RMS	1755.005	-34.77	-13	21.77	Pass	401
1756	1757	1	RMS	1756	-30.83	-13	17.83	Pass	2
1757	1765	1	RMS	1757.24	-30.7	-13	17.7	Pass	401



3. LTE_Band5


3.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.7	-13	36.7	Pass	401
823	824	0.02	RMS	824	-18.47	-13	5.47	Pass	401
824	826	0.1	RMS	824.255	21.69	30	8.31	Pass	401




3.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.55	-13	19.55	Pass	401
823	824	0.02	RMS	824	-23.33	-13	10.33	Pass	401
824	826	0.1	RMS	825.075	13.29	30	16.71	Pass	401




3.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-50.06	-13	37.06	Pass	401
823	824	0.02	RMS	823.993	-19.16	-13	6.16	Pass	401
824	826	0.1	RMS	824.23	21	30	9	Pass	401




3.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.92	-13	21.92	Pass	401
823	824	0.02	RMS	823.993	-24.69	-13	11.69	Pass	401
824	826	0.1	RMS	824.76	12.35	30	17.65	Pass	401




3.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	21.82	30	8.18	Pass	401
849	850	0.002	RMS	849.002	-24.58	-13	11.58	Pass	501
850	860	0.1	RMS	850.1	-47.76	-13	34.76	Pass	401




3.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.145	13.44	30	16.56	Pass	401
849	850	0.02	RMS	849	-19.74	-13	6.74	Pass	401
850	860	0.1	RMS	850	-32.14	-13	19.14	Pass	401




3.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.73	20.88	30	9.12	Pass	401
849	850	0.02	RMS	849.003	-16.4	-13	3.4	Pass	401
850	860	0.1	RMS	850.15	-48.6	-13	35.6	Pass	401




3.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.96	12.44	30	17.56	Pass	401
849	850	0.02	RMS	849.01	-22.44	-13	9.44	Pass	401
850	860	0.1	RMS	850	-33.76	-13	20.76	Pass	401




3.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-44.84	-13	31.84	Pass	401
823	824	0.002	RMS	824	-30.34	-13	17.34	Pass	501
824	827	0.1	RMS	824.248	21.69	30	8.31	Pass	401




3.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-28.2	-13	15.2	Pass	401
823	824	0.03	RMS	824	-24.43	-13	11.43	Pass	401
824	827	0.1	RMS	826.61	9.44	30	20.56	Pass	401




3.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.45	-13	32.45	Pass	401
823	824	0.03	RMS	824	-20.23	-13	7.23	Pass	35
824	827	0.1	RMS	824.24	20.84	30	9.16	Pass	401




3.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-30.86	-13	17.86	Pass	401
823	824	0.03	RMS	824	-25.41	-13	12.41	Pass	401
824	827	0.1	RMS	826.58	8.41	30	21.59	Pass	401



3.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.63	30	8.37	Pass	401
849	850	0.002	RMS	849	-25.88	-13	12.88	Pass	501
850	860	0.1	RMS	850.025	-38.77	-13	25.77	Pass	401




3.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.315	9.74	30	20.26	Pass	401
849	850	0.03	RMS	849	-23.37	-13	10.37	Pass	401
850	860	0.1	RMS	850.2	-25.3	-13	12.3	Pass	401



3.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.738	20.9	30	9.1	Pass	401
849	850	0.002	RMS	849	-27.02	-13	14.02	Pass	501
850	860	0.1	RMS	850.05	-39.95	-13	26.95	Pass	401




3.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.435	8.73	30	21.27	Pass	401
849	850	0.03	RMS	849.008	-25.05	-13	12.05	Pass	401
850	860	0.1	RMS	850	-28.07	-13	15.07	Pass	401




3.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.02	-45.1	-13	32.1	Pass	401
823	824	0.051	RMS	824	-21.37	-13	8.37	Pass	401
824	829	0.1	RMS	824.35	21.59	30	8.41	Pass	401




3.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-30.32	-13	17.32	Pass	401
823	824	0.051	RMS	823.995	-25.82	-13	12.82	Pass	401
824	829	0.1	RMS	828.388	7.2	30	22.8	Pass	401




3.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820	-45.58	-13	32.58	Pass	401
823	824	0.051	RMS	824	-21.06	-13	8.06	Pass	401
824	829	0.1	RMS	824.338	20.96	30	9.04	Pass	401




3.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-33.23	-13	20.23	Pass	401
823	824	0.051	RMS	823.998	-26.91	-13	13.91	Pass	401
824	829	0.1	RMS	828.263	6.24	30	23.76	Pass	401



3.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.57	30	8.43	Pass	401
849	850	0.051	RMS	849	-19.56	-13	6.56	Pass	401
850	860	0.1	RMS	850	-48.76	-13	35.76	Pass	401




3.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.65	7.49	30	22.51	Pass	401
849	850	0.051	RMS	849	-25.76	-13	12.76	Pass	401
850	860	0.1	RMS	850	-29.21	-13	16.21	Pass	401



3.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.638	20.93	30	9.07	Pass	401
849	850	0.051	RMS	849	-19.72	-13	6.72	Pass	401
850	860	0.1	RMS	850.025	-49.08	-13	36.08	Pass	401




3.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.838	6.38	30	23.62	Pass	401
849	850	0.051	RMS	849.003	-27.17	-13	14.17	Pass	401
850	860	0.1	RMS	850	-32.16	-13	19.16	Pass	401




3.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.54	-13	39.54	Pass	401
823	824	0.1	RMS	824	-29.63	-13	16.63	Pass	401
824	834	0.1	RMS	824.575	21.59	30	8.41	Pass	401




3.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.16	-34.78	-13	21.78	Pass	401
823	824	0.1	RMS	823.995	-29.77	-13	16.77	Pass	401
824	834	0.1	RMS	833.3	4.66	30	25.34	Pass	401




3.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-50.2	-13	37.2	Pass	401
823	824	0.1	RMS	823.998	-28.32	-13	15.32	Pass	401
824	834	0.1	RMS	824.6	20.8	30	9.2	Pass	401




3.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-36.89	-13	23.89	Pass	401
823	824	0.1	RMS	823.998	-31.47	-13	18.47	Pass	401
824	834	0.1	RMS	833.3	3.49	30	26.51	Pass	401




3.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.58	30	8.42	Pass	401
849	850	0.1	RMS	849	-26.68	-13	13.68	Pass	401
850	860	0.1	RMS	850	-52.61	-13	39.61	Pass	401




3.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.825	4.42	30	25.58	Pass	401
849	850	0.1	RMS	849.023	-29.36	-13	16.36	Pass	401
850	860	0.1	RMS	850.05	-33.17	-13	20.17	Pass	401




3.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.77	30	9.23	Pass	401
849	850	0.1	RMS	849	-27.24	-13	14.24	Pass	401
850	860	0.1	RMS	850.85	-50.75	-13	37.75	Pass	401



3.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	841.175	3.37	30	26.63	Pass	401
849	850	0.1	RMS	849.003	-30.95	-13	17.95	Pass	401
850	860	0.1	RMS	850	-35.43	-13	22.43	Pass	401



4. LTE_Band7


4.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-49.57	-25	24.57	Pass	401
2494	2496	1	RMS	2495.96	-48.67	-13	35.67	Pass	401
2496	2499	1	RMS	2499	-37.36	-10	27.36	Pass	4
2499	2500	0.1	RMS	2500	-18.03	-10	8.03	Pass	401
2500	2505	0.1	RMS	2500.35	20.37	30	9.63	Pass	401




4.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-36.69	-25	11.69	Pass	401
2494	2496	1	RMS	2495.995	-26.38	-13	13.38	Pass	401
2496	2499	1	RMS	2499	-23.65	-10	13.65	Pass	4
2499	2500	0.1	RMS	2499.995	-24.46	-10	14.46	Pass	401
2500	2505	0.1	RMS	2502.713	5.87	30	24.13	Pass	401




4.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2493.715	-48.51	-25	23.51	Pass	401
2494	2496	1	RMS	2495.985	-43.92	-13	30.92	Pass	401
2496	2499	1	RMS	2499	-37.67	-10	27.67	Pass	4
2499	2500	0.1	RMS	2500	-18.59	-10	8.59	Pass	401
2500	2505	0.1	RMS	2500.35	19.65	30	10.35	Pass	401




4.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.16	-25	13.16	Pass	401
2494	2496	1	RMS	2495.995	-29.99	-13	16.99	Pass	401
2496	2499	1	RMS	2499	-25.53	-10	15.53	Pass	4
2499	2500	0.1	RMS	2500	-25.46	-10	15.46	Pass	401
2500	2505	0.1	RMS	2503.838	4.91	30	25.09	Pass	401



4.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	20.3	30	9.7	Pass	401
2570	2571	0.051	RMS	2570	-22.19	-10	12.19	Pass	401
2571	2575	1	RMS	2571	-36.42	-10	26.42	Pass	5
2575	2576	1	RMS	2575.055	-48.8	-13	35.8	Pass	401
2576	2595	1	RMS	2576.143	-49.31	-25	24.31	Pass	401




4.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2565.713	5.73	30	24.27	Pass	401
2570	2571	0.1	RMS	2570.013	-24.67	-10	14.67	Pass	401
2571	2575	1	RMS	2571	-26.26	-10	16.26	Pass	5
2575	2576	1	RMS	2575.023	-33.42	-13	20.42	Pass	401
2576	2595	1	RMS	2576.048	-38.28	-25	13.28	Pass	401



4.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.675	19.61	30	10.39	Pass	401
2570	2571	0.1	RMS	2570.003	-19.06	-10	9.06	Pass	401
2571	2575	1	RMS	2571	-37.15	-10	27.15	Pass	5
2575	2576	1	RMS	2575.115	-47.4	-13	34.4	Pass	401
2576	2595	1	RMS	2578.28	-48.44	-25	23.44	Pass	401




4.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2565.738	4.75	30	25.25	Pass	401
2570	2571	0.1	RMS	2570	-24.74	-10	14.74	Pass	401
2571	2575	1	RMS	2571	-25.72	-10	15.72	Pass	5
2575	2576	1	RMS	2575.01	-35.95	-13	22.95	Pass	401
2576	2595	1	RMS	2576	-39.85	-25	14.85	Pass	401




4.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-49.57	-25	24.57	Pass	401
2490	2496	1	RMS	2496	-48.7	-13	35.7	Pass	401
2496	2499	1	RMS	2499	-39.83	-10	29.83	Pass	4
2499	2500	0.2	RMS	2499.998	-23.97	-10	13.97	Pass	401
2500	2510	0.1	RMS	2500.6	20.27	30	9.73	Pass	401




4.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.9	-25	10.9	Pass	401
2490	2496	1	RMS	2495.73	-28.66	-13	15.66	Pass	401
2496	2499	1	RMS	2499	-26.72	-10	16.72	Pass	4
2499	2500	0.2	RMS	2499.995	-27.91	-10	17.91	Pass	401
2500	2510	0.1	RMS	2508.775	2.95	30	27.05	Pass	401




4.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-48.93	-25	23.93	Pass	401
2490	2496	1	RMS	2495.79	-43.5	-13	30.5	Pass	401
2496	2499	1	RMS	2499	-40.12	-10	30.12	Pass	4
2499	2500	0.2	RMS	2500	-23.75	-10	13.75	Pass	401
2500	2510	0.1	RMS	2500.625	19.48	30	10.52	Pass	401




4.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.95	-25	12.95	Pass	401
2490	2496	1	RMS	2495.985	-30.43	-13	17.43	Pass	401
2496	2499	1	RMS	2499	-28.12	-10	18.12	Pass	4
2499	2500	0.2	RMS	2500	-28.96	-10	18.96	Pass	401
2500	2510	0.1	RMS	2508.625	1.94	30	28.06	Pass	401




4.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.32	30	9.68	Pass	401
2570	2571	0.2	RMS	2570	-24.21	-10	14.21	Pass	401
2571	2575	1	RMS	2571	-39.06	-10	29.06	Pass	5
2575	2580	1	RMS	2575	-49.03	-13	36.03	Pass	401
2580	2595	1	RMS	2580	-49.88	-25	24.88	Pass	401




4.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561.45	2.85	30	27.15	Pass	401
2570	2571	0.2	RMS	2570.005	-28.36	-10	18.36	Pass	401
2571	2575	1	RMS	2571	-28.57	-10	18.57	Pass	5
2575	2580	1	RMS	2577.75	-31.31	-13	18.31	Pass	401
2580	2595	1	RMS	2580.038	-37.95	-25	12.95	Pass	401



4.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	19.48	30	10.52	Pass	401
2570	2571	0.2	RMS	2570	-24.26	-10	14.26	Pass	401
2571	2575	1	RMS	2571	-39.61	-10	29.61	Pass	5
2575	2580	1	RMS	2577.225	-45.97	-13	32.97	Pass	401
2580	2595	1	RMS	2582.138	-49.03	-25	24.03	Pass	401




4.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561.5	1.81	30	28.19	Pass	401
2570	2571	0.2	RMS	2570.01	-29.14	-10	19.14	Pass	401
2571	2575	1	RMS	2571	-28.2	-10	18.2	Pass	5
2575	2580	1	RMS	2575.013	-31.73	-13	18.73	Pass	401
2580	2595	1	RMS	2580	-39.69	-25	14.69	Pass	401




4.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-49.8	-25	24.8	Pass	401
2490	2496	1	RMS	2495.835	-48.88	-13	35.88	Pass	401
2496	2499	1	RMS	2499	-38.53	-10	28.53	Pass	4
2499	2500	0.3	RMS	2499.995	-22.45	-10	12.45	Pass	401
2500	2515	0.1	RMS	2500.863	19.99	30	10.01	Pass	401




4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.975	-32.42	-25	7.42	Pass	401
2490	2496	1	RMS	2496	-31.07	-13	18.07	Pass	401
2496	2499	1	RMS	2499	-30.13	-10	20.13	Pass	4
2499	2500	0.3	RMS	2500	-30.61	-10	20.61	Pass	401
2500	2515	0.1	RMS	2511.7	1.02	30	28.98	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-49.93	-25	24.93	Pass	401
2490	2496	1	RMS	2493.69	-48.19	-13	35.19	Pass	401
2496	2499	1	RMS	2499	-38.8	-10	28.8	Pass	4
2499	2500	0.3	RMS	2500	-22.88	-10	12.88	Pass	401
2500	2515	0.1	RMS	2500.863	19.32	30	10.68	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-35.23	-25	10.23	Pass	401
2490	2496	1	RMS	2495.97	-31.62	-13	18.62	Pass	401
2496	2499	1	RMS	2499	-30.39	-10	20.39	Pass	4
2499	2500	0.3	RMS	2499.975	-31.4	-10	21.4	Pass	401
2500	2515	0.1	RMS	2510.425	0.05	30	29.95	Pass	401



4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20	30	10	Pass	401
2570	2571	0.3	RMS	2570	-22.87	-10	12.87	Pass	401
2571	2575	1	RMS	2571	-38.36	-10	28.36	Pass	5
2575	2585	1	RMS	2575.075	-49.05	-13	36.05	Pass	401
2585	2595	1	RMS	2585.025	-50.12	-25	25.12	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2556.238	1.18	30	28.82	Pass	401
2570	2571	0.3	RMS	2570.008	-30.97	-10	20.97	Pass	401
2571	2575	1	RMS	2571	-30.54	-10	20.54	Pass	5
2575	2585	1	RMS	2575.175	-33.07	-13	20.07	Pass	401
2585	2595	1	RMS	2585.025	-41.94	-25	16.94	Pass	401




4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.138	19.19	30	10.81	Pass	401
2570	2571	0.3	RMS	2570	-22.45	-10	12.45	Pass	401
2571	2575	1	RMS	2571	-38.56	-10	28.56	Pass	5
2575	2585	1	RMS	2576.5	-48.09	-13	35.09	Pass	401
2585	2595	1	RMS	2585.125	-50.05	-25	25.05	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2556.5	0.14	30	29.86	Pass	401
2570	2571	0.3	RMS	2570.003	-31.04	-10	21.04	Pass	401
2571	2575	1	RMS	2571	-30.08	-10	20.08	Pass	5
2575	2585	1	RMS	2575.075	-32.28	-13	19.28	Pass	401
2585	2595	1	RMS	2585.025	-43.53	-25	18.53	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-50.07	-25	25.07	Pass	401
2490	2496	1	RMS	2495.97	-48.84	-13	35.84	Pass	401
2496	2499	1	RMS	2499	-38.55	-10	28.55	Pass	4
2499	2500	0.51	RMS	2499.998	-20.24	-10	10.24	Pass	401
2500	2520	0.1	RMS	2501.1	19.93	30	10.07	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.32	-25	10.32	Pass	16
2490	2496	1	RMS	2495.925	-32.17	-13	19.17	Pass	401
2496	2499	1	RMS	2499	-31.25	-10	21.25	Pass	4
2499	2500	0.51	RMS	2499.973	-30.49	-10	20.49	Pass	401
2500	2520	0.1	RMS	2513.1	-0.29	30	30.29	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2485.538	-46.88	-25	21.88	Pass	401
2490	2496	1	RMS	2495.7	-43.65	-13	30.65	Pass	401
2496	2499	1	RMS	2499	-38.9	-10	28.9	Pass	4
2499	2500	0.51	RMS	2499.995	-20.21	-10	10.21	Pass	401
2500	2520	0.1	RMS	2501.1	19.38	30	10.62	Pass	401




4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-35.47	-25	10.47	Pass	401
2490	2496	1	RMS	2496	-32.27	-13	19.27	Pass	401
2496	2499	1	RMS	2499	-31.33	-10	21.33	Pass	4
2499	2500	0.51	RMS	2499.993	-30.83	-10	20.83	Pass	401
2500	2520	0.1	RMS	2518.8	-1.29	30	31.29	Pass	401




4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.94	30	10.06	Pass	401
2570	2571	0.51	RMS	2570.008	-20.53	-10	10.53	Pass	401
2571	2575	1	RMS	2571	-38.41	-10	28.41	Pass	5
2575	2590	1	RMS	2575.038	-49.09	-13	36.09	Pass	401
2590	2595	1	RMS	2590.7	-50.17	-25	25.17	Pass	401




4.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2551.55	0.05	30	29.95	Pass	401
2570	2571	0.51	RMS	2570.005	-30.99	-10	20.99	Pass	401
2571	2575	1	RMS	2571	-32.19	-10	22.19	Pass	5
2575	2590	1	RMS	2575.338	-33.67	-13	20.67	Pass	401
2590	2595	1	RMS	2590.038	-45.83	-25	20.83	Pass	401




4.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.13	30	10.87	Pass	401
2570	2571	0.51	RMS	2570.008	-20.39	-10	10.39	Pass	401
2571	2575	1	RMS	2571	-38.75	-10	28.75	Pass	5
2575	2590	1	RMS	2578.9	-44.94	-13	31.94	Pass	401
2590	2595	1	RMS	2590.088	-49.94	-25	24.94	Pass	401



4.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2551.55	-1.16	30	31.16	Pass	401
2570	2571	0.51	RMS	2570.005	-31.17	-10	21.17	Pass	401
2571	2575	1	RMS	2571	-31.67	-10	21.67	Pass	5
2575	2590	1	RMS	2575.075	-33.06	-13	20.06	Pass	401
2590	2595	1	RMS	2590.038	-46.55	-25	21.55	Pass	401



5. LTE_Band12


5.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.07	-13	7.07	Pass	401
698.9	699	0.03	RMS	698.999	-16.3	-13	3.3	Pass	401
699	701	0.1	RMS	699.255	21.62	30	8.38	Pass	401




5.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-19.93	-13	6.93	Pass	401
698.9	699	0.03	RMS	699	-21.27	-13	8.27	Pass	401
699	701	0.1	RMS	699.61	13.21	30	16.79	Pass	401




5.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-21.01	-13	8.01	Pass	401
698.9	699	0.03	RMS	699	-16.62	-13	3.62	Pass	401
699	701	0.1	RMS	699.24	20.89	30	9.11	Pass	401




5.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-21.47	-13	8.47	Pass	401
698.9	699	0.03	RMS	698.999	-22.26	-13	9.26	Pass	401
699	701	0.1	RMS	699.37	12.29	30	17.71	Pass	401



5.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.75	21.62	30	8.38	Pass	401
716	716.1	0.03	RMS	716	-16.01	-13	3.01	Pass	401
716.1	725	0.1	RMS	716.1	-19.75	-13	6.75	Pass	401




5.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.04	13.39	30	16.61	Pass	401
716	716.1	0.03	RMS	716.001	-21.28	-13	8.28	Pass	401
716.1	725	0.1	RMS	716.1	-20.38	-13	7.38	Pass	401



5.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.755	20.96	30	9.04	Pass	401
716	716.1	0.03	RMS	716.003	-16.65	-13	3.65	Pass	401
716.1	725	0.1	RMS	716.1	-20.39	-13	7.39	Pass	401




5.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	714.985	12.35	30	17.65	Pass	401
716	716.1	0.03	RMS	716.006	-22.58	-13	9.58	Pass	401
716.1	725	0.1	RMS	716.1	-21.67	-13	8.67	Pass	401




5.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.03	-13	9.03	Pass	401
698.9	699	0.03	RMS	698.998	-18.06	-13	5.06	Pass	401
699	702	0.1	RMS	699.225	21.53	30	8.47	Pass	401




5.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.42	-13	9.42	Pass	401
698.9	699	0.03	RMS	698.998	-23.86	-13	10.86	Pass	401
699	702	0.1	RMS	699.93	9.29	30	20.71	Pass	401




5.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.92	-13	9.92	Pass	401
698.9	699	0.03	RMS	698.999	-18.73	-13	5.73	Pass	401
699	702	0.1	RMS	699.255	20.8	30	9.2	Pass	401




5.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.94	-13	11.94	Pass	401
698.9	699	0.03	RMS	698.991	-25.08	-13	12.08	Pass	401
699	702	0.1	RMS	699.968	8.32	30	21.68	Pass	401



5.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.738	21.6	30	8.4	Pass	401
716	716.1	0.03	RMS	716	-19.4	-13	6.4	Pass	5
716.1	725	0.1	RMS	716.1	-22.23	-13	9.23	Pass	401




5.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.013	9.41	30	20.59	Pass	401
716	716.1	0.03	RMS	716.001	-23.87	-13	10.87	Pass	401
716.1	725	0.1	RMS	716.1	-23.36	-13	10.36	Pass	401



5.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.738	20.67	30	9.33	Pass	401
716	716.1	0.03	RMS	716.002	-19.97	-13	6.97	Pass	401
716.1	725	0.1	RMS	716.1	-24.04	-13	11.04	Pass	401




5.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	713.525	8.41	30	21.59	Pass	401
716	716.1	0.03	RMS	716.002	-25.4	-13	12.4	Pass	401
716.1	725	0.1	RMS	716.1	-25.52	-13	12.52	Pass	401




5.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.6	-13	14.6	Pass	401
698.9	699	0.03	RMS	699	-24.03	-13	11.03	Pass	401
699	704	0.1	RMS	699.338	21.56	30	8.44	Pass	401




5.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-24.46	-13	11.46	Pass	401
698.9	699	0.03	RMS	698.993	-27.09	-13	14.09	Pass	401
699	704	0.1	RMS	700.075	7.06	30	22.94	Pass	401




5.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.04	-13	15.04	Pass	401
698.9	699	0.03	RMS	699	-23.77	-13	10.77	Pass	401
699	704	0.1	RMS	699.363	20.72	30	9.28	Pass	401




5.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.47	-13	13.47	Pass	401
698.9	699	0.03	RMS	698.999	-28.57	-13	15.57	Pass	401
699	704	0.1	RMS	701.238	6.05	30	23.95	Pass	401



5.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	21.54	30	8.46	Pass	401
716	716.1	0.03	RMS	716	-23.58	-13	10.58	Pass	401
716.1	725	0.1	RMS	716.1	-26.14	-13	13.14	Pass	401




5.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.338	7.21	30	22.79	Pass	401
716	716.1	0.03	RMS	716.005	-27.8	-13	14.8	Pass	401
716.1	725	0.1	RMS	716.1	-25.95	-13	12.95	Pass	401



5.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.675	20.93	30	9.07	Pass	401
716	716.1	0.03	RMS	716	-23.27	-13	10.27	Pass	401
716.1	725	0.1	RMS	716.1	-26.81	-13	13.81	Pass	401




5.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.363	6.11	30	23.89	Pass	401
716	716.1	0.03	RMS	716.004	-28.74	-13	15.74	Pass	401
716.1	725	0.1	RMS	716.1	-27.04	-13	14.04	Pass	401




5.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.3	-13	22.3	Pass	401
698.9	699	0.03	RMS	698.999	-35.7	-13	22.7	Pass	401
699	709	0.1	RMS	699.6	21.61	30	8.39	Pass	401




5.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-30.03	-13	17.03	Pass	401
698.9	699	0.03	RMS	698.998	-33.25	-13	20.25	Pass	401
699	709	0.1	RMS	705.85	4.22	30	25.78	Pass	401




5.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-35.82	-13	22.82	Pass	401
698.9	699	0.03	RMS	699	-34.05	-13	21.05	Pass	401
699	709	0.1	RMS	699.575	20.69	30	9.31	Pass	401




5.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.48	-13	18.48	Pass	401
698.9	699	0.03	RMS	698.991	-34.91	-13	21.91	Pass	401
699	709	0.1	RMS	705.7	3.25	30	26.75	Pass	401




5.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	21.49	30	8.51	Pass	401
716	716.1	0.03	RMS	716	-34.5	-13	21.5	Pass	401
716.1	725	0.1	RMS	716.1	-35.34	-13	22.34	Pass	401




5.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.525	4.25	30	25.75	Pass	401
716	716.1	0.03	RMS	716.009	-33.9	-13	20.9	Pass	401
716.1	725	0.1	RMS	716.145	-29.92	-13	16.92	Pass	401




5.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	20.75	30	9.25	Pass	401
716	716.1	0.03	RMS	716.001	-34.75	-13	21.75	Pass	401
716.1	725	0.1	RMS	716.1	-36.72	-13	23.72	Pass	401



5.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	706.95	3.28	30	26.72	Pass	401
716	716.1	0.03	RMS	716.003	-35.42	-13	22.42	Pass	401
716.1	725	0.1	RMS	716.1	-31.9	-13	18.9	Pass	401



6. LTE_Band13


6.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.69	-63.29	-35	28.29	Pass	1201
775	775.9	0.1	RMS	775.896	-52.66	-13	39.66	Pass	401
775.9	776	0.03	RMS	775.991	-56.71	-13	43.71	Pass	401
776	788	0.1	RMS	777.35	21.07	30	8.93	Pass	401




6.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.62	-41.91	-35	6.91	Pass	1201
775	775.9	0.1	RMS	775.806	-31.53	-13	18.53	Pass	401
775.9	776	0.03	RMS	775.933	-36.33	-13	23.33	Pass	401
776	788	0.1	RMS	781.37	6.67	30	23.33	Pass	401




6.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	773.14	-59.23	-35	24.23	Pass	1201
775	775.9	0.1	RMS	775.059	-49.66	-13	36.66	Pass	401
775.9	776	0.03	RMS	775.976	-54.47	-13	41.47	Pass	401
776	788	0.1	RMS	777.32	20.16	30	9.84	Pass	401




6.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.58	-43.19	-35	8.19	Pass	1201
775	775.9	0.1	RMS	775.839	-32.68	-13	19.68	Pass	401
775.9	776	0.03	RMS	775.973	-37.29	-13	24.29	Pass	401
776	788	0.1	RMS	781.52	5.74	30	24.26	Pass	401




6.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	21.16	30	8.84	Pass	401
788	788.1	0.03	RMS	788.001	-56.29	-13	43.29	Pass	401
788.1	793	0.1	RMS	788.1	-52.26	-13	39.26	Pass	401
793	805	0.01	RMS	793.13	-72.09	-35	37.09	Pass	1201




6.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	782.69	6.62	30	23.38	Pass	401
788	788.1	0.03	RMS	788.013	-38.48	-13	25.48	Pass	401
788.1	793	0.1	RMS	788.161	-33.94	-13	20.94	Pass	401
793	805	0.01	RMS	793.05	-56.3	-35	21.3	Pass	1201




6.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.68	30	9.32	Pass	401
788	788.1	0.03	RMS	788.003	-54.51	-13	41.51	Pass	401
788.1	793	0.1	RMS	788.627	-50.54	-13	37.54	Pass	401
793	805	0.01	RMS	793.14	-66.05	-35	31.05	Pass	1201




6.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	783.68	5.66	30	24.34	Pass	401
788	788.1	0.03	RMS	788.083	-39.96	-13	26.96	Pass	401
788.1	793	0.1	RMS	788.1	-34.99	-13	21.99	Pass	401
793	805	0.01	RMS	793.04	-58.88	-35	23.88	Pass	1201




6.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.79	-61.5	-35	26.5	Pass	1201
775	775.9	0.1	RMS	775.884	-53.93	-13	40.93	Pass	401
775.9	776	0.03	RMS	775.977	-58.13	-13	45.13	Pass	401
776	788	0.1	RMS	777.59	21.23	30	8.77	Pass	401




6.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.84	-45.84	-35	10.84	Pass	1201
775	775.9	0.1	RMS	775.734	-35.66	-13	22.66	Pass	401
775.9	776	0.03	RMS	775.991	-40.44	-13	27.44	Pass	401
776	788	0.1	RMS	783.41	3.9	30	26.1	Pass	401




6.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.87	-59.66	-35	24.66	Pass	1201
775	775.9	0.1	RMS	775.277	-48.97	-13	35.97	Pass	401
775.9	776	0.03	RMS	775.979	-57.78	-13	44.78	Pass	401
776	788	0.1	RMS	777.59	20.15	30	9.85	Pass	401




6.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.95	-47.86	-35	12.86	Pass	1201
775	775.9	0.1	RMS	775.608	-37.58	-13	24.58	Pass	401
775.9	776	0.03	RMS	775.985	-42.41	-13	29.41	Pass	401
776	788	0.1	RMS	785.21	2.76	30	27.24	Pass	401




6.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	21.18	30	8.82	Pass	401
788	788.1	0.03	RMS	788.005	-57.8	-13	44.8	Pass	401
788.1	793	0.1	RMS	788.1	-53.46	-13	40.46	Pass	401
793	805	0.01	RMS	793.1	-71.89	-35	36.89	Pass	1201




6.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	784.22	3.64	30	26.36	Pass	401
788	788.1	0.03	RMS	788.042	-40.84	-13	27.84	Pass	401
788.1	793	0.1	RMS	788.1	-36.05	-13	23.05	Pass	401
793	805	0.01	RMS	793.3	-49.36	-35	14.36	Pass	1201




6.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.18	30	9.82	Pass	401
788	788.1	0.03	RMS	788.012	-57.86	-13	44.86	Pass	401
788.1	793	0.1	RMS	791.273	-49.29	-13	36.29	Pass	401
793	805	0.01	RMS	794.37	-62.33	-35	27.33	Pass	1201



6.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	784.58	2.69	30	27.31	Pass	401
788	788.1	0.03	RMS	788.015	-41.84	-13	28.84	Pass	401
788.1	793	0.1	RMS	788.21	-37.14	-13	24.14	Pass	401
793	805	0.01	RMS	793.29	-50.39	-35	15.39	Pass	1201



7. LTE_Band17


7.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.94	-13	13.94	Pass	401
703.9	704	0.03	RMS	703.999	-23.97	-13	10.97	Pass	401
704	709	0.1	RMS	704.35	21.57	30	8.43	Pass	401




7.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-25.87	-13	12.87	Pass	401
703.9	704	0.03	RMS	704	-28.14	-13	15.14	Pass	401
704	709	0.1	RMS	707.3	7.14	30	22.86	Pass	401




7.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-27.58	-13	14.58	Pass	401
703.9	704	0.03	RMS	703.999	-23.89	-13	10.89	Pass	401
704	709	0.1	RMS	704.325	21	30	9	Pass	401




7.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-27.16	-13	14.16	Pass	401
703.9	704	0.03	RMS	703.999	-29.15	-13	16.15	Pass	401
704	709	0.1	RMS	705.688	6.08	30	23.92	Pass	401



7.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.675	21.56	30	8.44	Pass	401
716	716.1	0.03	RMS	716	-23.37	-13	10.37	Pass	401
716.1	725	0.1	RMS	716.1	-26.57	-13	13.57	Pass	401




7.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.063	7.22	30	22.78	Pass	401
716	716.1	0.03	RMS	716.003	-27.57	-13	14.57	Pass	401
716.1	725	0.1	RMS	716.1	-25.2	-13	12.2	Pass	401




7.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.77	30	9.23	Pass	401
716	716.1	0.03	RMS	716.001	-23.64	-13	10.64	Pass	401
716.1	725	0.1	RMS	716.1	-27.14	-13	14.14	Pass	401




7.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.438	6.24	30	23.76	Pass	401
716	716.1	0.03	RMS	716.005	-28.68	-13	15.68	Pass	401
716.1	725	0.1	RMS	716.1	-26.52	-13	13.52	Pass	401




7.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.48	-13	22.48	Pass	401
703.9	704	0.03	RMS	703.999	-36	-13	23	Pass	401
704	714	0.1	RMS	704.6	21.56	30	8.44	Pass	401




7.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.3	-13	17.3	Pass	401
703.9	704	0.03	RMS	703.993	-34.04	-13	21.04	Pass	401
704	714	0.1	RMS	706.375	4.27	30	25.73	Pass	401




7.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.49	-13	22.49	Pass	401
703.9	704	0.03	RMS	703.995	-35.45	-13	22.45	Pass	401
704	714	0.1	RMS	704.575	20.81	30	9.19	Pass	401




7.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.2	-13	19.2	Pass	401
703.9	704	0.03	RMS	703.996	-35.66	-13	22.66	Pass	401
704	714	0.1	RMS	705.125	3.22	30	26.78	Pass	401




7.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	21.47	30	8.53	Pass	401
716	716.1	0.03	RMS	716.001	-34.74	-13	21.74	Pass	401
716.1	725	0.1	RMS	716.1	-35.49	-13	22.49	Pass	401




7.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.15	4.32	30	25.68	Pass	401
716	716.1	0.03	RMS	716.001	-33.67	-13	20.67	Pass	401
716.1	725	0.1	RMS	716.1	-29.72	-13	16.72	Pass	401




**7.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800,
Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.72	30	9.28	Pass	401
716	716.1	0.03	RMS	716.001	-35.46	-13	22.46	Pass	401
716.1	725	0.1	RMS	716.1	-35.17	-13	22.17	Pass	401



7.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	709.65	3.27	30	26.73	Pass	401
716	716.1	0.03	RMS	716.01	-35.6	-13	22.6	Pass	401
716.1	725	0.1	RMS	716.1	-32.13	-13	19.13	Pass	401



8. LTE_Band26(part22)


8.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-49.43	-13	36.43	Pass	401
823	824	0.02	RMS	824	-18.44	-13	5.44	Pass	401
824	826	0.1	RMS	824.26	21.56	30	8.44	Pass	401




8.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-31.89	-13	18.89	Pass	401
823	824	0.02	RMS	823.998	-23.52	-13	10.52	Pass	401
824	826	0.1	RMS	824.375	13.23	30	16.77	Pass	401




8.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-49.78	-13	36.78	Pass	401
823	824	0.02	RMS	824	-19.28	-13	6.28	Pass	401
824	826	0.1	RMS	824.255	20.9	30	9.1	Pass	401




8.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.38	-13	22.38	Pass	401
823	824	0.02	RMS	824	-24.19	-13	11.19	Pass	401
824	826	0.1	RMS	824.545	12.3	30	17.7	Pass	401




8.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.77	21.64	30	8.36	Pass	401
849	850	0.02	RMS	849	-16.04	-13	3.04	Pass	401
850	860	0.1	RMS	850.05	-48.28	-13	35.28	Pass	401




8.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848	13.43	30	16.57	Pass	401
849	850	0.02	RMS	849.005	-20.36	-13	7.36	Pass	401
850	860	0.1	RMS	850	-32.29	-13	19.29	Pass	401



8.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	20.92	30	9.08	Pass	401
849	850	0.02	RMS	849	-16.73	-13	3.73	Pass	401
850	860	0.1	RMS	850.1	-48.75	-13	35.75	Pass	401




8.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.86	12.36	30	17.64	Pass	401
849	850	0.02	RMS	849.003	-21.96	-13	8.96	Pass	401
850	860	0.1	RMS	850	-34.18	-13	21.18	Pass	401




8.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-49.57	-13	36.57	Pass	401
823	824	0.03	RMS	824	-19.15	-13	6.15	Pass	401
824	827	0.1	RMS	824.248	21.58	30	8.42	Pass	401




8.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-28.01	-13	15.01	Pass	401
823	824	0.03	RMS	823.998	-24.06	-13	11.06	Pass	401
824	827	0.1	RMS	826.34	9.45	30	20.55	Pass	401




8.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-50.53	-13	37.53	Pass	401
823	824	0.03	RMS	824	-19.45	-13	6.45	Pass	401
824	827	0.1	RMS	824.233	20.91	30	9.09	Pass	401




8.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-30.59	-13	17.59	Pass	401
823	824	0.03	RMS	824	-25.36	-13	12.36	Pass	401
824	827	0.1	RMS	825.905	8.39	30	21.61	Pass	401



8.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	21.58	30	8.42	Pass	401
849	850	0.002	RMS	849	-26.53	-13	13.53	Pass	501
850	860	0.1	RMS	850.05	-47.84	-13	34.84	Pass	401




8.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.315	9.66	30	20.34	Pass	401
849	850	0.03	RMS	849	-23.4	-13	10.4	Pass	401
850	860	0.1	RMS	850.1	-25.34	-13	12.34	Pass	401



8.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	21.05	30	8.95	Pass	401
849	850	0.03	RMS	849	-16.79	-13	3.79	Pass	35
850	860	0.1	RMS	850.1	-48.49	-13	35.49	Pass	401




8.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.608	8.67	30	21.33	Pass	401
849	850	0.03	RMS	849.008	-25.53	-13	12.53	Pass	401
850	860	0.1	RMS	850	-28.47	-13	15.47	Pass	401




8.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.33	-13	38.33	Pass	401
823	824	0.051	RMS	824	-21.09	-13	8.09	Pass	401
824	829	0.1	RMS	824.338	21.62	30	8.38	Pass	401




8.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-30.58	-13	17.58	Pass	401
823	824	0.051	RMS	823.998	-25.42	-13	12.42	Pass	401
824	829	0.1	RMS	828.463	7.15	30	22.85	Pass	401




8.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.24	-46.98	-13	33.98	Pass	401
823	824	0.051	RMS	824	-21.53	-13	8.53	Pass	401
824	829	0.1	RMS	824.325	20.87	30	9.13	Pass	401




8.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-32.76	-13	19.76	Pass	401
823	824	0.051	RMS	824	-26.86	-13	13.86	Pass	401
824	829	0.1	RMS	828.488	6.25	30	23.75	Pass	401



8.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	21.56	30	8.44	Pass	401
849	850	0.051	RMS	849.003	-18.94	-13	5.94	Pass	401
850	860	0.1	RMS	850.025	-48.87	-13	35.87	Pass	401




8.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.488	7.44	30	22.56	Pass	401
849	850	0.051	RMS	849.015	-25.59	-13	12.59	Pass	401
850	860	0.1	RMS	850.025	-28.8	-13	15.8	Pass	401



8.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.86	30	9.14	Pass	401
849	850	0.051	RMS	849.003	-19.86	-13	6.86	Pass	401
850	860	0.1	RMS	850	-49.36	-13	36.36	Pass	401




8.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.438	6.41	30	23.59	Pass	401
849	850	0.051	RMS	849	-27.35	-13	14.35	Pass	401
850	860	0.1	RMS	850	-31.81	-13	18.81	Pass	401




8.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-52.73	-13	39.73	Pass	401
823	824	0.1	RMS	824	-29.33	-13	16.33	Pass	401
824	834	0.1	RMS	824.6	21.66	30	8.34	Pass	401




8.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.08	-35.11	-13	22.11	Pass	401
823	824	0.1	RMS	823.993	-30.01	-13	17.01	Pass	401
824	834	0.1	RMS	833.025	4.4	30	25.6	Pass	401




8.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.12	-51.1	-13	38.1	Pass	401
823	824	0.1	RMS	824	-28.7	-13	15.7	Pass	401
824	834	0.1	RMS	824.575	20.87	30	9.13	Pass	401




8.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-36.83	-13	23.83	Pass	401
823	824	0.1	RMS	823.998	-31.74	-13	18.74	Pass	401
824	834	0.1	RMS	833	3.47	30	26.53	Pass	401




8.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	21.5	30	8.5	Pass	401
849	850	0.1	RMS	849.003	-26.87	-13	13.87	Pass	401
850	860	0.1	RMS	850	-52.47	-13	39.47	Pass	401




8.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	841.275	4.32	30	25.68	Pass	401
849	850	0.1	RMS	849.005	-29.33	-13	16.33	Pass	401
850	860	0.1	RMS	850.05	-33.61	-13	20.61	Pass	401




8.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.66	30	9.34	Pass	401
849	850	0.1	RMS	849	-27.62	-13	14.62	Pass	401
850	860	0.1	RMS	850.8	-52.54	-13	39.54	Pass	401




8.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	841.25	3.22	30	26.78	Pass	401
849	850	0.1	RMS	849.01	-31.58	-13	18.58	Pass	401
850	860	0.1	RMS	850.05	-36.01	-13	23.01	Pass	401




8.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-53.48	-13	40.48	Pass	401
823	824	0.15	RMS	824	-26.51	-13	13.51	Pass	401
824	839	0.1	RMS	824.863	21.18	30	8.82	Pass	401




8.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.44	-39.08	-13	26.08	Pass	401
823	824	0.15	RMS	824	-33.12	-13	20.12	Pass	401
824	839	0.1	RMS	835.325	2.56	30	27.44	Pass	401




8.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.26	-50.67	-13	37.67	Pass	401
823	824	0.15	RMS	824	-26.34	-13	13.34	Pass	401
824	839	0.1	RMS	824.863	20.47	30	9.53	Pass	401




8.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-40.88	-13	27.88	Pass	401
823	824	0.15	RMS	823.993	-34.09	-13	21.09	Pass	401
824	839	0.1	RMS	836.413	1.57	30	28.43	Pass	401




8.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.07	30	8.93	Pass	401
849	850	0.15	RMS	849	-26.54	-13	13.54	Pass	401
850	860	0.1	RMS	850	-53.71	-13	40.71	Pass	401




8.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	835.275	2.56	30	27.44	Pass	401
849	850	0.15	RMS	849.013	-31.66	-13	18.66	Pass	401
850	860	0.1	RMS	850.5	-36.76	-13	23.76	Pass	401




8.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.138	20.71	30	9.29	Pass	401
849	850	0.15	RMS	849.008	-23.38	-13	10.38	Pass	401
850	860	0.1	RMS	851.625	-52.02	-13	39.02	Pass	401



8.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.888	1.56	30	28.44	Pass	401
849	850	0.15	RMS	849.038	-33.67	-13	20.67	Pass	401
850	860	0.1	RMS	850.1	-38.68	-13	25.68	Pass	401



1. LTE_Band26(part90)


1.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-16.08	-13	3.08	Pass	51
813.9625	814	0.002	RMS	813.994	-26.63	-20	6.63	Pass	401
814	819	0.1	RMS	814.263	21.52	30	8.48	Pass	401




1.2. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.86	-13	6.86	Pass	401
813.9625	814	0.02	RMS	813.997	-24.19	-20	4.19	Pass	401
814	819	0.1	RMS	814.975	13.26	30	16.74	Pass	401




1.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-16.37	-13	3.37	Pass	51
813.9625	814	0.002	RMS	813.994	-27.18	-20	7.18	Pass	401
814	819	0.1	RMS	814.25	20.95	30	9.05	Pass	401




1.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.8	-13	6.8	Pass	401
813.9625	814	0.02	RMS	813.999	-24.77	-20	4.77	Pass	401
814	819	0.1	RMS	814.75	12.31	30	17.69	Pass	401




1.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	21.64	30	8.36	Pass	401
824	824.0375	0.002	RMS	824.006	-26.1	-20	6.1	Pass	401
824.0875	829	0.1	RMS	824.088	-21.38	-13	8.38	Pass	51




1.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.975	13.13	30	16.87	Pass	401
824	824.0375	0.02	RMS	824.001	-23	-20	3	Pass	401
824.0375	829	0.1	RMS	824.038	-17.6	-13	4.6	Pass	401




1.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.6	30	9.4	Pass	401
824	824.0375	0.002	RMS	824.006	-27.78	-20	7.78	Pass	401
824.0375	829	0.1	RMS	824.038	-16.64	-13	3.64	Pass	51




1.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	12.28	30	17.72	Pass	401
824	824.0375	0.02	RMS	824.003	-23.92	-20	3.92	Pass	401
824.0375	829	0.1	RMS	824.038	-18.96	-13	5.96	Pass	401




1.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.89	-13	8.89	Pass	401
813.9625	814	0.03	RMS	814	-24.83	-20	4.83	Pass	401
814	819	0.1	RMS	815.375	9.32	30	20.68	Pass	401




1.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.29	-13	9.29	Pass	51
813.9625	814	0.002	RMS	814	-34.68	-20	14.68	Pass	20
814	819	0.1	RMS	814.25	20.73	30	9.27	Pass	401




1.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.05	-13	10.05	Pass	401
813.9625	814	0.03	RMS	813.999	-25.67	-20	5.67	Pass	401
814	819	0.1	RMS	815.113	8.41	30	21.59	Pass	401




1.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	21.56	30	8.44	Pass	401
824	824.0375	0.002	RMS	824.002	-31.21	-20	11.21	Pass	20
824.0375	829	0.1	RMS	824.038	-18.24	-13	5.24	Pass	51




1.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.7	9.3	30	20.7	Pass	401
824	824.0375	0.03	RMS	824.002	-23.5	-20	3.5	Pass	401
824.0375	829	0.1	RMS	824.038	-20.48	-13	7.48	Pass	401




1.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.6	30	9.4	Pass	401
824	824.0375	0.002	RMS	824	-31.95	-20	11.95	Pass	401
824.0375	829	0.1	RMS	824.038	-17.28	-13	4.28	Pass	401




1.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.013	8.33	30	21.67	Pass	401
824	824.0375	0.03	RMS	824	-25.18	-20	5.18	Pass	401
824.0375	829	0.1	RMS	824.038	-22.02	-13	9.02	Pass	401




1.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.58	-13	8.58	Pass	401
813.9625	814	0.002	RMS	813.998	-33.15	-20	13.15	Pass	401
814	819	0.1	RMS	814.338	21.69	30	8.31	Pass	401




1.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.79	-13	11.79	Pass	401
813.9625	814	0.051	RMS	814	-25.88	-20	5.88	Pass	401
814	819	0.1	RMS	817.25	7.11	30	22.89	Pass	401




1.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.89	-13	8.89	Pass	401
813.9625	814	0.002	RMS	814	-33.99	-20	13.99	Pass	401
814	819	0.1	RMS	814.325	21.05	30	8.95	Pass	401




1.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.96	-13	12.96	Pass	401
813.9625	814	0.051	RMS	814	-26.98	-20	6.98	Pass	401
814	819	0.1	RMS	818.325	6.09	30	23.91	Pass	401




1.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	21.56	30	8.44	Pass	401
824	824.0375	0.002	RMS	824	-34.1	-20	14.1	Pass	401
824.0375	829	0.1	RMS	824.038	-20.89	-13	7.89	Pass	401




1.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.7	7.14	30	22.86	Pass	401
824	824.0375	0.051	RMS	824.002	-24.97	-20	4.97	Pass	401
824.0375	829	0.1	RMS	824.038	-23.61	-13	10.61	Pass	401




1.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	20.76	30	9.24	Pass	401
824	824.0375	0.002	RMS	824	-32.98	-20	12.98	Pass	401
824.0375	829	0.1	RMS	824.038	-21.3	-13	8.3	Pass	401




1.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.513	6.16	30	23.84	Pass	401
824	824.0375	0.051	RMS	824	-26.73	-20	6.73	Pass	401
824.0375	829	0.1	RMS	824.038	-25.17	-13	12.17	Pass	401




1.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.68	-13	20.68	Pass	401
813.9625	814	0.02	RMS	814	-38.75	-20	18.75	Pass	401
814	819	0.1	RMS	814.588	21.73	30	8.27	Pass	401




1.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.43	-13	17.43	Pass	401
813.9625	814	0.1	RMS	813.997	-29.36	-20	9.36	Pass	401
814	819	0.1	RMS	816.438	4.19	30	25.81	Pass	401




1.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.9	-13	19.9	Pass	401
813.9625	814	0.02	RMS	814	-37.75	-20	17.75	Pass	401
814	819	0.1	RMS	814.588	20.88	30	9.12	Pass	401




1.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.925	-31.84	-13	18.84	Pass	401
813.9625	814	0.1	RMS	813.998	-30.69	-20	10.69	Pass	401
814	819	0.1	RMS	817.575	3.19	30	26.81	Pass	401




1.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.425	21.55	30	8.45	Pass	401
824	824.0375	0.02	RMS	824	-37.51	-20	17.51	Pass	401
824.0375	829	0.1	RMS	824.038	-32.83	-13	19.83	Pass	401




1.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.163	4.03	30	25.97	Pass	401
824	824.0375	0.1	RMS	824.002	-28.85	-20	8.85	Pass	401
824.0375	829	0.1	RMS	824.038	-29.85	-13	16.85	Pass	401




1.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	20.94	30	9.06	Pass	401
824	824.0375	0.02	RMS	824.001	-37.41	-20	17.41	Pass	401
824.0375	829	0.1	RMS	824.038	-33.43	-13	20.43	Pass	401



1.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.163	3.07	30	26.93	Pass	401
824	824.0375	0.1	RMS	824.001	-30.45	-20	10.45	Pass	401
824.0375	829	0.1	RMS	824.038	-31.09	-13	18.09	Pass	401



9. LTE_Band66


9.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.27	-13	31.27	Pass	401
1708	1709	1	RMS	1709	-35.51	-13	22.51	Pass	2
1709	1710	0.02	RMS	1710	-17.58	-13	4.58	Pass	401
1710	1712	0.1	RMS	1710.26	21.1	30	8.9	Pass	401




9.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.59	-13	17.59	Pass	401
1708	1709	1	RMS	1709	-19.71	-13	6.71	Pass	2
1709	1710	0.02	RMS	1709.998	-23.09	-13	10.09	Pass	401
1710	1712	0.1	RMS	1710.7	12.65	30	17.35	Pass	401




9.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-44.32	-13	31.32	Pass	401
1708	1709	1	RMS	1709	-36.19	-13	23.19	Pass	2
1709	1710	0.02	RMS	1709.99	-17.96	-13	4.96	Pass	401
1710	1712	0.1	RMS	1710.26	20.39	30	9.61	Pass	401




9.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.48	-13	19.48	Pass	401
1708	1709	1	RMS	1709	-22.23	-13	9.23	Pass	2
1709	1710	0.02	RMS	1710	-24.05	-13	11.05	Pass	401
1710	1712	0.1	RMS	1711.115	11.81	30	18.19	Pass	401




9.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	20.89	30	9.11	Pass	401
1780	1781	0.02	RMS	1780.003	-18.53	-13	5.53	Pass	401
1781	1782	1	RMS	1781	-35.91	-13	22.91	Pass	2
1782	1790	1	RMS	1782.02	-44.49	-13	31.49	Pass	401




9.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.905	12.56	30	17.44	Pass	401
1780	1781	0.02	RMS	1780.003	-23.91	-13	10.91	Pass	401
1781	1782	1	RMS	1781	-22.79	-13	9.79	Pass	2
1782	1790	1	RMS	1782	-31.92	-13	18.92	Pass	401




9.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	20.2	30	9.8	Pass	401
1780	1781	0.02	RMS	1780	-18.91	-13	5.91	Pass	401
1781	1782	1	RMS	1781	-36.37	-13	23.37	Pass	2
1782	1790	1	RMS	1782.02	-44.68	-13	31.68	Pass	401




9.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.43	11.61	30	18.39	Pass	401
1780	1781	0.02	RMS	1780	-24.25	-13	11.25	Pass	401
1781	1782	1	RMS	1781	-24.91	-13	11.91	Pass	2
1782	1790	1	RMS	1782	-33.6	-13	20.6	Pass	401




9.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-43.58	-13	30.58	Pass	401
1708	1709	1	RMS	1709	-35.91	-13	22.91	Pass	2
1709	1710	0.002	RMS	1710	-29.19	-13	16.19	Pass	501
1710	1713	0.1	RMS	1710.24	21.05	30	8.95	Pass	401




9.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-21.57	-13	8.57	Pass	401
1708	1709	1	RMS	1709	-18.79	-13	5.79	Pass	2
1709	1710	0.03	RMS	1709.995	-24.56	-13	11.56	Pass	401
1710	1713	0.1	RMS	1711.118	8.88	30	21.12	Pass	401




9.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-42.42	-13	29.42	Pass	401
1708	1709	1	RMS	1709	-36.02	-13	23.02	Pass	2
1709	1710	0.002	RMS	1710	-28.6	-13	15.6	Pass	501
1710	1713	0.1	RMS	1710.248	20.31	30	9.69	Pass	401




9.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-24.63	-13	11.63	Pass	401
1708	1709	1	RMS	1709	-22.01	-13	9.01	Pass	2
1709	1710	0.03	RMS	1710	-25.14	-13	12.14	Pass	401
1710	1713	0.1	RMS	1710.983	7.83	30	22.17	Pass	401




9.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	20.8	30	9.2	Pass	401
1780	1781	0.002	RMS	1780	-30.36	-13	17.36	Pass	501
1781	1782	1	RMS	1781	-34.86	-13	21.86	Pass	2
1782	1790	1	RMS	1782.02	-43.68	-13	30.68	Pass	401




9.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.743	8.68	30	21.32	Pass	401
1780	1781	0.03	RMS	1780.003	-24.74	-13	11.74	Pass	401
1781	1782	1	RMS	1781	-22.68	-13	9.68	Pass	2
1782	1790	1	RMS	1782.06	-24.99	-13	11.99	Pass	401




9.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.768	20.21	30	9.79	Pass	401
1780	1781	0.002	RMS	1780	-31.3	-13	18.3	Pass	501
1781	1782	1	RMS	1781	-35.34	-13	22.34	Pass	2
1782	1790	1	RMS	1782	-43.15	-13	30.15	Pass	401




9.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.703	7.7	30	22.3	Pass	401
1780	1781	0.03	RMS	1780.003	-26.13	-13	13.13	Pass	401
1781	1782	1	RMS	1781	-25.46	-13	12.46	Pass	2
1782	1790	1	RMS	1782.02	-27.81	-13	14.81	Pass	401



9.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.87	-13	30.87	Pass	401
1708	1709	1	RMS	1709	-37.15	-13	24.15	Pass	2
1709	1710	0.01	RMS	1710	-27.98	-13	14.98	Pass	401
1710	1715	0.1	RMS	1710.35	21.01	30	8.99	Pass	401



9.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-22.84	-13	9.84	Pass	401
1708	1709	1	RMS	1709	-21.68	-13	8.68	Pass	2
1709	1710	0.051	RMS	1709.993	-25.95	-13	12.95	Pass	401
1710	1715	0.1	RMS	1712.338	6.61	30	23.39	Pass	401

