



9.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.87	-13	30.87	Pass	401
1708	1709	1	RMS	1709	-37.15	-13	24.15	Pass	2
1709	1710	0.01	RMS	1710	-27.98	-13	14.98	Pass	401
1710	1715	0.1	RMS	1710.35	21.01	30	8.99	Pass	401




9.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-22.84	-13	9.84	Pass	401
1708	1709	1	RMS	1709	-21.68	-13	8.68	Pass	2
1709	1710	0.051	RMS	1709.993	-25.95	-13	12.95	Pass	401
1710	1715	0.1	RMS	1712.338	6.61	30	23.39	Pass	401




9.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.78	-41.62	-13	28.62	Pass	401
1708	1709	1	RMS	1709	-37.37	-13	24.37	Pass	2
1709	1710	0.01	RMS	1710	-27.79	-13	14.79	Pass	401
1710	1715	0.1	RMS	1710.363	20.39	30	9.61	Pass	401




9.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.76	-25.49	-13	12.49	Pass	401
1708	1709	1	RMS	1709	-24.3	-13	11.3	Pass	2
1709	1710	0.051	RMS	1710	-26.76	-13	13.76	Pass	401
1710	1715	0.1	RMS	1711.525	5.53	30	24.47	Pass	401



9.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.675	20.85	30	9.15	Pass	401
1780	1781	0.01	RMS	1780	-27.77	-13	14.77	Pass	401
1781	1782	1	RMS	1781	-36.99	-13	23.99	Pass	2
1782	1790	1	RMS	1782	-42.5	-13	29.5	Pass	401




9.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.175	6.47	30	23.53	Pass	401
1780	1781	0.051	RMS	1780.005	-26.73	-13	13.73	Pass	401
1781	1782	1	RMS	1781	-25.26	-13	12.26	Pass	2
1782	1790	1	RMS	1782.06	-26.45	-13	13.45	Pass	401



9.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.675	20.17	30	9.83	Pass	401
1780	1781	0.01	RMS	1780	-28.06	-13	15.06	Pass	401
1781	1782	1	RMS	1781	-37.37	-13	24.37	Pass	2
1782	1790	1	RMS	1782.02	-40.72	-13	27.72	Pass	401




9.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.438	5.56	30	24.44	Pass	401
1780	1781	0.051	RMS	1780.003	-27.71	-13	14.71	Pass	401
1781	1782	1	RMS	1781	-27.45	-13	14.45	Pass	2
1782	1790	1	RMS	1782.06	-28.27	-13	15.27	Pass	401




9.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.5	-13	32.5	Pass	401
1708	1709	1	RMS	1709	-39.94	-13	26.94	Pass	2
1709	1710	0.1	RMS	1710	-28.36	-13	15.36	Pass	401
1710	1720	0.1	RMS	1710.6	21.05	30	8.95	Pass	401




9.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-24.92	-13	11.92	Pass	401
1708	1709	1	RMS	1709	-24.85	-13	11.85	Pass	2
1709	1710	0.1	RMS	1710	-29.47	-13	16.47	Pass	401
1710	1720	0.1	RMS	1718.95	3.69	30	26.31	Pass	401




9.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.8	-42.62	-13	29.62	Pass	401
1708	1709	1	RMS	1709	-39.83	-13	26.83	Pass	2
1709	1710	0.1	RMS	1709.995	-28.64	-13	15.64	Pass	401
1710	1720	0.1	RMS	1710.6	20.21	30	9.79	Pass	401




9.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-27.69	-13	14.69	Pass	401
1708	1709	1	RMS	1709	-27.32	-13	14.32	Pass	2
1709	1710	0.1	RMS	1709.998	-31.29	-13	18.29	Pass	401
1710	1720	0.1	RMS	1710.95	2.69	30	27.31	Pass	401




9.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	20.82	30	9.18	Pass	401
1780	1781	0.1	RMS	1780	-30.36	-13	17.36	Pass	11
1781	1782	1	RMS	1781	-39.63	-13	26.63	Pass	2
1782	1790	1	RMS	1783.82	-45.8	-13	32.8	Pass	401




9.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1771.825	3.6	30	26.4	Pass	401
1780	1781	0.1	RMS	1780.003	-30.17	-13	17.17	Pass	401
1781	1782	1	RMS	1781	-27.81	-13	14.81	Pass	2
1782	1790	1	RMS	1782.04	-27.85	-13	14.85	Pass	401




9.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.96	30	10.04	Pass	401
1780	1781	0.1	RMS	1780	-29.13	-13	16.13	Pass	401
1781	1782	1	RMS	1781	-40.45	-13	27.45	Pass	2
1782	1790	1	RMS	1782.16	-42.02	-13	29.02	Pass	401




9.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1770.675	2.57	30	27.43	Pass	401
1780	1781	0.1	RMS	1780.013	-32.05	-13	19.05	Pass	401
1781	1782	1	RMS	1781	-29.83	-13	16.83	Pass	2
1782	1790	1	RMS	1782.28	-30.41	-13	17.41	Pass	401




9.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-45.99	-13	32.99	Pass	401
1708	1709	1	RMS	1709	-38.79	-13	25.79	Pass	2
1709	1710	0.15	RMS	1710	-26.04	-13	13.04	Pass	401
1710	1725	0.1	RMS	1710.825	20.7	30	9.3	Pass	401




9.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.46	-28.98	-13	15.98	Pass	401
1708	1709	1	RMS	1709	-29.12	-13	16.12	Pass	2
1709	1710	0.15	RMS	1709.998	-32.64	-13	19.64	Pass	401
1710	1725	0.1	RMS	1722.75	1.66	30	28.34	Pass	401




9.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.42	-43.91	-13	30.91	Pass	401
1708	1709	1	RMS	1709	-38.53	-13	25.53	Pass	2
1709	1710	0.15	RMS	1709.998	-26.73	-13	13.73	Pass	401
1710	1725	0.1	RMS	1710.825	19.95	30	10.05	Pass	401




9.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-30.81	-13	17.81	Pass	401
1708	1709	1	RMS	1709	-30.7	-13	17.7	Pass	2
1709	1710	0.15	RMS	1709.998	-33.65	-13	20.65	Pass	401
1710	1725	0.1	RMS	1722.6	0.76	30	29.24	Pass	401




9.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.68	30	9.32	Pass	401
1780	1781	0.15	RMS	1780	-26.66	-13	13.66	Pass	401
1781	1782	1	RMS	1781	-38.88	-13	25.88	Pass	2
1782	1790	1	RMS	1782.02	-45.65	-13	32.65	Pass	401




9.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1768	1.64	30	28.36	Pass	401
1780	1781	0.15	RMS	1780.008	-34.01	-13	21.01	Pass	401
1781	1782	1	RMS	1781	-31.44	-13	18.44	Pass	2
1782	1790	1	RMS	1782.12	-30.99	-13	17.99	Pass	401




9.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.94	30	10.06	Pass	401
1780	1781	0.15	RMS	1780	-26.63	-13	13.63	Pass	401
1781	1782	1	RMS	1781	-38.98	-13	25.98	Pass	2
1782	1790	1	RMS	1782.9	-45.15	-13	32.15	Pass	401




9.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1766.688	0.68	30	29.32	Pass	401
1780	1781	0.15	RMS	1780	-34.63	-13	21.63	Pass	401
1781	1782	1	RMS	1781	-32.23	-13	19.23	Pass	2
1782	1790	1	RMS	1782.04	-32.05	-13	19.05	Pass	401




9.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.68	-13	32.68	Pass	401
1708	1709	1	RMS	1709	-38.76	-13	25.76	Pass	2
1709	1710	0.2	RMS	1710	-26.93	-13	13.93	Pass	401
1710	1730	0.1	RMS	1711.1	20.72	30	9.28	Pass	401




9.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-30.42	-13	17.42	Pass	401
1708	1709	1	RMS	1709	-30.5	-13	17.5	Pass	2
1709	1710	0.2	RMS	1709.98	-33.95	-13	20.95	Pass	401
1710	1730	0.1	RMS	1728.75	0.5	30	29.5	Pass	401




9.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.08	-41.37	-13	28.37	Pass	401
1708	1709	1	RMS	1709	-38.48	-13	25.48	Pass	2
1709	1710	0.2	RMS	1709.995	-26.93	-13	13.93	Pass	401
1710	1730	0.1	RMS	1711.1	20.14	30	9.86	Pass	401




9.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.72	-32.04	-13	19.04	Pass	401
1708	1709	1	RMS	1709	-31.88	-13	18.88	Pass	2
1709	1710	0.2	RMS	1709.995	-35.41	-13	22.41	Pass	401
1710	1730	0.1	RMS	1728.7	-0.47	30	30.47	Pass	401




9.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.5	30	9.5	Pass	401
1780	1781	0.2	RMS	1780	-27.5	-13	14.5	Pass	401
1781	1782	1	RMS	1781	-39.02	-13	26.02	Pass	2
1782	1790	1	RMS	1782	-45.39	-13	32.39	Pass	401




9.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1762.1	0.4	30	29.6	Pass	401
1780	1781	0.2	RMS	1780.038	-35.05	-13	22.05	Pass	401
1781	1782	1	RMS	1781	-32.02	-13	19.02	Pass	2
1782	1790	1	RMS	1782.1	-31.69	-13	18.69	Pass	401




9.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.65	30	10.35	Pass	401
1780	1781	0.2	RMS	1780.015	-27.66	-13	14.66	Pass	401
1781	1782	1	RMS	1781	-39.39	-13	26.39	Pass	2
1782	1790	1	RMS	1783.86	-41.86	-13	28.86	Pass	401



9.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1761.55	-0.51	30	30.51	Pass	401
1780	1781	0.2	RMS	1780.018	-36.06	-13	23.06	Pass	401
1781	1782	1	RMS	1781	-33.1	-13	20.1	Pass	2
1782	1790	1	RMS	1782.04	-33.23	-13	20.23	Pass	401



10. LTE_Band38


10.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2563.905	-39.55	-25	14.55	Pass	401
2564	2565	1	RMS	2564.968	-38.81	-13	25.81	Pass	401
2565	2569	1	RMS	2569	-26.22	-10	16.22	Pass	5
2569	2570	0.051	RMS	2569.998	-19.4	-10	9.4	Pass	401
2570	2575	0.1	RMS	2570.325	21.47	30	8.53	Pass	401




10.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-36.78	-25	11.78	Pass	20
2564	2565	1	RMS	2565	-35.58	-13	22.58	Pass	2
2565	2569	1	RMS	2569	-28.67	-10	18.67	Pass	5
2569	2570	0.1	RMS	2569.993	-22.22	-10	12.22	Pass	401
2570	2575	0.1	RMS	2573.525	7.52	30	22.48	Pass	401




10.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2563.24	-40.18	-25	15.18	Pass	401
2564	2565	1	RMS	2564.648	-38.58	-13	25.58	Pass	401
2565	2569	1	RMS	2569	-27.56	-10	17.56	Pass	5
2569	2570	0.051	RMS	2570	-19.36	-10	9.36	Pass	401
2570	2575	0.1	RMS	2570.35	20.65	30	9.35	Pass	401




10.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-37.7	-25	12.7	Pass	20
2564	2565	1	RMS	2565	-36.35	-13	23.35	Pass	2
2565	2569	1	RMS	2569	-28.91	-10	18.91	Pass	5
2569	2570	0.1	RMS	2570	-23.28	-10	13.28	Pass	401
2570	2575	0.1	RMS	2573.688	6.13	30	23.87	Pass	401




10.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.65	21.2	30	8.8	Pass	401
2620	2621	0.051	RMS	2620.003	-19.4	-10	9.4	Pass	401
2621	2625	1	RMS	2621	-26.55	-10	16.55	Pass	5
2625	2626	1	RMS	2625	-38.66	-13	25.66	Pass	401
2626	2645	1	RMS	2626	-39.98	-25	14.98	Pass	401




10.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2617.8	6.97	30	23.03	Pass	401
2620	2621	0.1	RMS	2620.01	-22.21	-10	12.21	Pass	401
2621	2625	1	RMS	2621	-28.41	-10	18.41	Pass	5
2625	2626	1	RMS	2625.028	-34.75	-13	21.75	Pass	401
2626	2645	1	RMS	2626	-36.31	-25	11.31	Pass	20




10.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.65	20.37	30	9.63	Pass	401
2620	2621	0.051	RMS	2620	-19.74	-10	9.74	Pass	401
2621	2625	1	RMS	2621	-27.94	-10	17.94	Pass	5
2625	2626	1	RMS	2625.005	-39.01	-13	26.01	Pass	401
2626	2645	1	RMS	2626.19	-40.28	-25	15.28	Pass	401




10.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2617.463	5.62	30	24.38	Pass	401
2620	2621	0.1	RMS	2620	-24.07	-10	14.07	Pass	401
2621	2625	1	RMS	2621	-29.18	-10	19.18	Pass	5
2625	2626	1	RMS	2625.143	-34.16	-13	21.16	Pass	401
2626	2645	1	RMS	2626	-36.93	-25	11.93	Pass	20




10.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-42.21	-25	17.21	Pass	401
2560	2565	1	RMS	2564.913	-37.39	-13	24.39	Pass	401
2565	2569	1	RMS	2569	-27.26	-10	17.26	Pass	5
2569	2570	0.2	RMS	2569.998	-20	-10	10	Pass	401
2570	2580	0.1	RMS	2570.6	21.38	30	8.62	Pass	401




10.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-37.73	-25	12.73	Pass	401
2560	2565	1	RMS	2564.925	-34.43	-13	21.43	Pass	401
2565	2569	1	RMS	2569	-31.08	-10	21.08	Pass	5
2569	2570	0.2	RMS	2569.993	-27.07	-10	17.07	Pass	401
2570	2580	0.1	RMS	2579.35	4.48	30	25.52	Pass	401




10.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.738	-42.05	-25	17.05	Pass	401
2560	2565	1	RMS	2564.738	-36.47	-13	23.47	Pass	401
2565	2569	1	RMS	2569	-28.95	-10	18.95	Pass	5
2569	2570	0.2	RMS	2570	-21.03	-10	11.03	Pass	401
2570	2580	0.1	RMS	2570.6	21.12	30	8.88	Pass	401




10.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-38.01	-25	13.01	Pass	401
2560	2565	1	RMS	2564.838	-35.17	-13	22.17	Pass	401
2565	2569	1	RMS	2569	-31.73	-10	21.73	Pass	5
2569	2570	0.2	RMS	2570	-27.9	-10	17.9	Pass	401
2570	2580	0.1	RMS	2579.275	3.67	30	26.33	Pass	401




10.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.43	30	8.57	Pass	401
2620	2621	0.1	RMS	2620	-25.08	-10	15.08	Pass	401
2621	2625	1	RMS	2621	-27.21	-10	17.21	Pass	5
2625	2630	1	RMS	2625.038	-37.91	-13	24.91	Pass	401
2630	2645	1	RMS	2630.075	-42.15	-25	17.15	Pass	401




10.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2610.975	3.96	30	26.04	Pass	401
2620	2621	0.2	RMS	2620.008	-27.06	-10	17.06	Pass	401
2621	2625	1	RMS	2621	-30.8	-10	20.8	Pass	5
2625	2630	1	RMS	2625.013	-33.26	-13	20.26	Pass	401
2630	2645	1	RMS	2630.15	-37.68	-25	12.68	Pass	401




10.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	20.6	30	9.4	Pass	401
2620	2621	0.2	RMS	2620.003	-20.6	-10	10.6	Pass	401
2621	2625	1	RMS	2621	-28.63	-10	18.63	Pass	5
2625	2630	1	RMS	2625.013	-37.97	-13	24.97	Pass	401
2630	2645	1	RMS	2630.713	-41.86	-25	16.86	Pass	401




10.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.175	2.81	30	27.19	Pass	401
2620	2621	0.2	RMS	2620.003	-27.76	-10	17.76	Pass	401
2621	2625	1	RMS	2621	-31.68	-10	21.68	Pass	5
2625	2630	1	RMS	2625.325	-34.62	-13	21.62	Pass	401
2630	2645	1	RMS	2630.113	-37.4	-25	12.4	Pass	401




10.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.95	-43.8	-25	18.8	Pass	401
2555	2565	1	RMS	2564.975	-37.44	-13	24.44	Pass	401
2565	2569	1	RMS	2569	-27.44	-10	17.44	Pass	5
2569	2570	0.3	RMS	2569.995	-19.77	-10	9.77	Pass	401
2570	2585	0.1	RMS	2570.825	21.21	30	8.79	Pass	401




10.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.85	-40.04	-25	15.04	Pass	401
2555	2565	1	RMS	2564.75	-36.45	-13	23.45	Pass	401
2565	2569	1	RMS	2569	-34.24	-10	24.24	Pass	5
2569	2570	0.3	RMS	2569.995	-29.55	-10	19.55	Pass	401
2570	2585	0.1	RMS	2583.988	2.14	30	27.86	Pass	401




10.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.175	-43.54	-25	18.54	Pass	401
2555	2565	1	RMS	2564.8	-37.98	-13	24.98	Pass	401
2565	2569	1	RMS	2569	-28.73	-10	18.73	Pass	5
2569	2570	0.3	RMS	2569.993	-20.18	-10	10.18	Pass	401
2570	2585	0.1	RMS	2570.825	20.67	30	9.33	Pass	401




10.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.6	-40.42	-25	15.42	Pass	401
2555	2565	1	RMS	2564.95	-35.82	-13	22.82	Pass	401
2565	2569	1	RMS	2569	-34.1	-10	24.1	Pass	5
2569	2570	0.3	RMS	2569.985	-30.53	-10	20.53	Pass	401
2570	2585	0.1	RMS	2583.875	1.59	30	28.41	Pass	401




10.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	20.99	30	9.01	Pass	401
2620	2621	0.3	RMS	2620.008	-19.98	-10	9.98	Pass	401
2621	2625	1	RMS	2621	-27.5	-10	17.5	Pass	5
2625	2635	1	RMS	2625.025	-37.46	-13	24.46	Pass	401
2635	2645	1	RMS	2635.1	-43.67	-25	18.67	Pass	401




10.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2617.975	2.45	30	27.55	Pass	401
2620	2621	0.3	RMS	2620.003	-29.74	-10	19.74	Pass	401
2621	2625	1	RMS	2621	-34.12	-10	24.12	Pass	5
2625	2635	1	RMS	2625.6	-35.36	-13	22.36	Pass	401
2635	2645	1	RMS	2635.2	-39.8	-25	14.8	Pass	401




10.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	19.91	30	10.09	Pass	401
2620	2621	0.3	RMS	2620.005	-20.51	-10	10.51	Pass	401
2621	2625	1	RMS	2621	-28.95	-10	18.95	Pass	5
2625	2635	1	RMS	2625.25	-37.15	-13	24.15	Pass	401
2635	2645	1	RMS	2635.15	-43.56	-25	18.56	Pass	401




10.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2605.938	0.94	30	29.06	Pass	401
2620	2621	0.3	RMS	2620.003	-30.99	-10	20.99	Pass	401
2621	2625	1	RMS	2621	-34.15	-10	24.15	Pass	5
2625	2635	1	RMS	2625.325	-36.13	-13	23.13	Pass	401
2635	2645	1	RMS	2635.35	-39.87	-25	14.87	Pass	401




10.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.838	-44.87	-25	19.87	Pass	401
2550	2565	1	RMS	2564.85	-37.37	-13	24.37	Pass	401
2565	2569	1	RMS	2569	-28.17	-10	18.17	Pass	5
2569	2570	0.51	RMS	2570	-18.35	-10	8.35	Pass	401
2570	2590	0.1	RMS	2571.05	21.05	30	8.95	Pass	401




10.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.575	-40.28	-25	15.28	Pass	401
2550	2565	1	RMS	2564.888	-35.77	-13	22.77	Pass	401
2565	2569	1	RMS	2569	-34.4	-10	24.4	Pass	5
2569	2570	0.51	RMS	2569.99	-30.15	-10	20.15	Pass	401
2570	2590	0.1	RMS	2588.75	1.01	30	28.99	Pass	401




10.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.438	-44.75	-25	19.75	Pass	401
2550	2565	1	RMS	2564.963	-38.06	-13	25.06	Pass	401
2565	2569	1	RMS	2569	-29.71	-10	19.71	Pass	5
2569	2570	0.51	RMS	2570	-18.46	-10	8.46	Pass	401
2570	2590	0.1	RMS	2571.1	20.69	30	9.31	Pass	401




10.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.888	-40.87	-25	15.87	Pass	401
2550	2565	1	RMS	2564.625	-36.75	-13	23.75	Pass	401
2565	2569	1	RMS	2569	-35.1	-10	25.1	Pass	5
2569	2570	0.51	RMS	2569.995	-30.2	-10	20.2	Pass	401
2570	2590	0.1	RMS	2583.95	-0.01	30	30.01	Pass	401




10.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.51	30	9.49	Pass	401
2620	2621	0.51	RMS	2620	-18.24	-10	8.24	Pass	401
2621	2625	1	RMS	2621	-28.28	-10	18.28	Pass	5
2625	2640	1	RMS	2625	-37.64	-13	24.64	Pass	401
2640	2645	1	RMS	2640.225	-44.54	-25	19.54	Pass	401




10.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.65	0.68	30	29.32	Pass	401
2620	2621	0.51	RMS	2620.058	-30.76	-10	20.76	Pass	401
2621	2625	1	RMS	2621	-33.98	-10	23.98	Pass	5
2625	2640	1	RMS	2625.188	-35.52	-13	22.52	Pass	401
2640	2645	1	RMS	2641.313	-40.59	-25	15.59	Pass	401




10.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.11	30	9.89	Pass	401
2620	2621	0.51	RMS	2620.003	-19.38	-10	9.38	Pass	401
2621	2625	1	RMS	2621	-29.65	-10	19.65	Pass	5
2625	2640	1	RMS	2625.225	-38.35	-13	25.35	Pass	401
2640	2645	1	RMS	2640.125	-44.42	-25	19.42	Pass	401



10.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2603.05	0.3	30	29.7	Pass	401
2620	2621	0.51	RMS	2620	-31.2	-10	21.2	Pass	401
2621	2625	1	RMS	2621	-35.12	-10	25.12	Pass	5
2625	2640	1	RMS	2625	-36.66	-13	23.66	Pass	401
2640	2645	1	RMS	2640.013	-40.59	-25	15.59	Pass	401



11. LTE_Band41 full


11.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-40.46	-25	15.46	Pass	401
2490	2495	1	RMS	2495	-26.95	-13	13.95	Pass	6
2495	2496	0.05	RMS	2496	-22.46	-13	9.46	Pass	21
2496	2501	0.1	RMS	2496.363	21.05	30	8.95	Pass	401




11.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-37.58	-25	12.58	Pass	401
2490	2495	1	RMS	2495	-25.64	-13	12.64	Pass	6
2495	2496	0.051	RMS	2496	-26.33	-13	13.33	Pass	401
2496	2501	0.1	RMS	2499.763	7.14	30	22.86	Pass	401




11.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-40.45	-25	15.45	Pass	401
2490	2495	1	RMS	2495	-28.35	-13	15.35	Pass	6
2495	2496	0.05	RMS	2496	-22.46	-13	9.46	Pass	21
2496	2501	0.1	RMS	2496.338	20.49	30	9.51	Pass	401




11.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.71	-25	13.71	Pass	401
2490	2495	1	RMS	2495	-25.72	-13	12.72	Pass	6
2495	2496	0.051	RMS	2496	-26.94	-13	13.94	Pass	401
2496	2501	0.1	RMS	2500.563	5.96	30	24.04	Pass	401




11.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.675	21.75	30	8.25	Pass	401
2690	2691	0.05	RMS	2690	-21.83	-10	11.83	Pass	21
2691	2695	1	RMS	2691	-26.43	-10	16.43	Pass	5
2695	2696	1	RMS	2695.005	-38.8	-13	25.8	Pass	401
2696	2715	1	RMS	2696	-40.19	-25	15.19	Pass	401




11.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.688	6.77	30	23.23	Pass	401
2690	2691	0.1	RMS	2690.003	-21.67	-10	11.67	Pass	401
2691	2695	1	RMS	2691	-24.73	-10	14.73	Pass	5
2695	2696	1	RMS	2695.628	-34.53	-13	21.53	Pass	401
2696	2715	1	RMS	2696.57	-34.58	-25	9.58	Pass	401




11.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	21.17	30	8.83	Pass	401
2690	2691	0.051	RMS	2690	-19.32	-10	9.32	Pass	401
2691	2695	1	RMS	2691	-27.81	-10	17.81	Pass	5
2695	2696	1	RMS	2695.025	-39.14	-13	26.14	Pass	401
2696	2715	1	RMS	2696.333	-41.05	-25	16.05	Pass	401




11.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.825	6.37	30	23.63	Pass	401
2690	2691	0.1	RMS	2690.003	-23.49	-10	13.49	Pass	401
2691	2695	1	RMS	2691	-25.45	-10	15.45	Pass	5
2695	2696	1	RMS	2695.038	-34.46	-13	21.46	Pass	401
2696	2715	1	RMS	2696.095	-35.29	-25	10.29	Pass	401




11.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.89	-25	14.89	Pass	401
2490	2495	1	RMS	2495	-27.46	-13	14.46	Pass	6
2495	2496	0.1	RMS	2495.998	-26.1	-13	13.1	Pass	401
2496	2506	0.1	RMS	2496.6	21.72	30	8.28	Pass	401




11.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.3	-25	9.3	Pass	16
2490	2495	1	RMS	2495	-27.8	-13	14.8	Pass	6
2495	2496	0.1	RMS	2495.988	-30.45	-13	17.45	Pass	401
2496	2506	0.1	RMS	2505.15	4.04	30	25.96	Pass	401




11.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-38.94	-25	13.94	Pass	401
2490	2495	1	RMS	2495	-29.08	-13	16.08	Pass	6
2495	2496	0.1	RMS	2495.968	-26.28	-13	13.28	Pass	401
2496	2506	0.1	RMS	2496.575	20.57	30	9.43	Pass	401




11.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.05	-25	10.05	Pass	16
2490	2495	1	RMS	2495	-28.57	-13	15.57	Pass	6
2495	2496	0.1	RMS	2495.97	-31.37	-13	18.37	Pass	401
2496	2506	0.1	RMS	2505.075	3.48	30	26.52	Pass	401




11.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	21.72	30	8.28	Pass	401
2690	2691	0.2	RMS	2690	-21.77	-10	11.77	Pass	6
2691	2695	1	RMS	2691	-26.99	-10	16.99	Pass	5
2695	2700	1	RMS	2695.1	-38.01	-13	25.01	Pass	401
2700	2715	1	RMS	2700	-42.07	-25	17.07	Pass	401




11.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2681.75	3.96	30	26.04	Pass	401
2690	2691	0.2	RMS	2690.013	-26.29	-10	16.29	Pass	401
2691	2695	1	RMS	2691	-26.54	-10	16.54	Pass	5
2695	2700	1	RMS	2695.013	-29.28	-13	16.28	Pass	401
2700	2715	1	RMS	2703.263	-37.82	-25	12.82	Pass	401




11.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	21.12	30	8.88	Pass	401
2690	2691	0.2	RMS	2690.013	-20.72	-10	10.72	Pass	401
2691	2695	1	RMS	2691	-28.44	-10	18.44	Pass	5
2695	2700	1	RMS	2695.025	-37.45	-13	24.45	Pass	401
2700	2715	1	RMS	2700.15	-42.72	-25	17.72	Pass	401




11.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2680.6	3.08	30	26.92	Pass	401
2690	2691	0.2	RMS	2690	-27.87	-10	17.87	Pass	401
2691	2695	1	RMS	2691	-28.04	-10	18.04	Pass	5
2695	2700	1	RMS	2695.163	-31.15	-13	18.15	Pass	401
2700	2715	1	RMS	2700.075	-37.25	-25	12.25	Pass	401




11.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-39.42	-25	14.42	Pass	401
2490	2495	1	RMS	2495	-27.65	-13	14.65	Pass	6
2495	2496	0.15	RMS	2495.998	-24.39	-13	11.39	Pass	401
2496	2511	0.1	RMS	2496.863	20.79	30	9.21	Pass	401




11.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.62	-25	9.62	Pass	16
2490	2495	1	RMS	2495	-30.44	-13	17.44	Pass	6
2495	2496	0.15	RMS	2495.998	-32.2	-13	19.2	Pass	401
2496	2511	0.1	RMS	2509.913	2.89	30	27.11	Pass	401




11.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.738	-39.39	-25	14.39	Pass	401
2490	2495	1	RMS	2495	-29.1	-13	16.1	Pass	6
2495	2496	0.15	RMS	2495.998	-25.44	-13	12.44	Pass	401
2496	2511	0.1	RMS	2496.863	20.83	30	9.17	Pass	401




11.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.62	-25	9.62	Pass	16
2490	2495	1	RMS	2495	-30.68	-13	17.68	Pass	6
2495	2496	0.15	RMS	2495.998	-33.74	-13	20.74	Pass	401
2496	2511	0.1	RMS	2510.1	1.78	30	28.22	Pass	401




11.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	21.78	30	8.22	Pass	401
2690	2691	0.3	RMS	2690.003	-19.4	-10	9.4	Pass	401
2691	2695	1	RMS	2691	-27.41	-10	17.41	Pass	5
2695	2705	1	RMS	2695.15	-37.7	-13	24.7	Pass	401
2705	2715	1	RMS	2705.1	-44.16	-25	19.16	Pass	401




11.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2677.288	2.06	30	27.94	Pass	401
2690	2691	0.3	RMS	2690.015	-29.19	-10	19.19	Pass	401
2691	2695	1	RMS	2691	-29.23	-10	19.23	Pass	5
2695	2705	1	RMS	2695.15	-31.06	-13	18.06	Pass	401
2705	2715	1	RMS	2709.35	-39.98	-25	14.98	Pass	401




11.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	20.41	30	9.59	Pass	401
2690	2691	0.3	RMS	2690.008	-19.68	-10	9.68	Pass	401
2691	2695	1	RMS	2691	-28.8	-10	18.8	Pass	5
2695	2705	1	RMS	2695.1	-36.84	-13	23.84	Pass	401
2705	2715	1	RMS	2705.475	-44.23	-25	19.23	Pass	401




11.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2676.313	1.59	30	28.41	Pass	401
2690	2691	0.3	RMS	2690.013	-30.53	-10	20.53	Pass	401
2691	2695	1	RMS	2691	-30.71	-10	20.71	Pass	5
2695	2705	1	RMS	2695.05	-33.04	-13	20.04	Pass	401
2705	2715	1	RMS	2705.525	-39.64	-25	14.64	Pass	401




11.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.38	-25	14.38	Pass	401
2490	2495	1	RMS	2495	-28.34	-13	15.34	Pass	6
2495	2496	0.2	RMS	2495.998	-25.63	-13	12.63	Pass	401
2496	2516	0.1	RMS	2497.1	20.52	30	9.48	Pass	401




11.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.93	-25	9.93	Pass	16
2490	2495	1	RMS	2495	-31.12	-13	18.12	Pass	6
2495	2496	0.2	RMS	2495.983	-33.68	-13	20.68	Pass	401
2496	2516	0.1	RMS	2514.7	1.71	30	28.29	Pass	401




11.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-37.27	-25	12.27	Pass	401
2490	2495	1	RMS	2495	-29.5	-13	16.5	Pass	6
2495	2496	0.2	RMS	2496	-25.61	-13	12.61	Pass	401
2496	2516	0.1	RMS	2497.1	20.79	30	9.21	Pass	401




11.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.43	-25	10.43	Pass	16
2490	2495	1	RMS	2494.95	-30.93	-13	17.93	Pass	401
2495	2496	0.2	RMS	2495.995	-34.89	-13	21.89	Pass	401
2496	2516	0.1	RMS	2514.4	0.52	30	29.48	Pass	401




11.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	21.26	30	8.74	Pass	401
2690	2691	0.51	RMS	2690.013	-17.44	-10	7.44	Pass	401
2691	2695	1	RMS	2691	-28.16	-10	18.16	Pass	5
2695	2710	1	RMS	2695.263	-37.71	-13	24.71	Pass	401
2710	2715	1	RMS	2710.213	-44.89	-25	19.89	Pass	401




11.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2672.75	1.5	30	28.5	Pass	401
2690	2691	0.51	RMS	2690.01	-28.58	-10	18.58	Pass	401
2691	2695	1	RMS	2691	-30.12	-10	20.12	Pass	5
2695	2710	1	RMS	2695.075	-31.61	-13	18.61	Pass	401
2710	2715	1	RMS	2714.963	-41.39	-25	16.39	Pass	401




11.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.25	30	9.75	Pass	401
2690	2691	0.51	RMS	2690	-18.21	-10	8.21	Pass	401
2691	2695	1	RMS	2691	-29.61	-10	19.61	Pass	5
2695	2710	1	RMS	2695	-37.63	-13	24.63	Pass	401
2710	2715	1	RMS	2711.588	-44.64	-25	19.64	Pass	401



11.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2671.95	0.53	30	29.47	Pass	401
2690	2691	0.51	RMS	2690.005	-29.88	-10	19.88	Pass	401
2691	2695	1	RMS	2691	-31.91	-10	21.91	Pass	5
2695	2710	1	RMS	2695.075	-33	-13	20	Pass	401
2710	2715	1	RMS	2710.35	-40.51	-25	15.51	Pass	401



1. CA_7C


1.1. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.125	-29.33	-25	Pass	401
2490	2496	1	RMS	2495.985	-49.87	-13	Pass	401
2496	2499	1	RMS	2499	-47.03	-10	Pass	401
2499	2500	1	RMS	2500	-30.57	-10	Pass	2
2500	2530	0.1	RMS	2501.05	5.18	30	Pass	401




1.2. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.338	-49.95	-25	Pass	401
2490	2496	1	RMS	2495.715	-50.2	-13	Pass	401
2496	2499	1	RMS	2499	-47.03	-10	Pass	401
2499	2500	1	RMS	2500	-30.54	-10	Pass	2
2500	2530	0.1	RMS	2528.8	5.48	30	Pass	401




1.3. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-32.45	-25	Pass	401
2490	2496	1	RMS	2495.805	-30.9	-13	Pass	401
2496	2499	1	RMS	2499	-30.12	-10	Pass	401
2499	2500	1	RMS	2500	-28.26	-10	Pass	2
2500	2530	0.1	RMS	2528.575	-0.23	30	Pass	401




1.4. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.275	-29.28	-25	Pass	401
2490	2496	1	RMS	2495.85	-49.9	-13	Pass	401
2496	2499	1	RMS	2499	-46.93	-10	Pass	401
2499	2500	1	RMS	2500	-30.21	-10	Pass	2
2500	2530	0.1	RMS	2501.05	5.17	30	Pass	401




1.5. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.113	-49.96	-25	Pass	401
2490	2496	1	RMS	2495.805	-50.18	-13	Pass	401
2496	2499	1	RMS	2499	-46.71	-10	Pass	401
2499	2500	1	RMS	2500	-30.2	-10	Pass	2
2500	2530	0.1	RMS	2528.8	5.47	30	Pass	401




1.6. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.17	-25	Pass	401
2490	2496	1	RMS	2495.97	-32.27	-13	Pass	401
2496	2499	1	RMS	2499	-31.34	-10	Pass	401
2499	2500	1	RMS	2500	-29.46	-10	Pass	2
2500	2530	0.1	RMS	2520.475	-1.23	30	Pass	401




1.7. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	5.3	30	Pass	401
2570	2571	1	RMS	2570	-43.82	-10	Pass	2
2571	2575	1	RMS	2571	-48.9	-10	Pass	401
2575	2600	1	RMS	2596.688	-35.75	-13	Pass	401
2600	2615	1	RMS	2612.488	-49.95	-25	Pass	401



1.8. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	5.19	30	Pass	401
2570	2571	1	RMS	2570	-43.82	-10	Pass	2
2571	2575	1	RMS	2571	-48.86	-10	Pass	401
2575	2600	1	RMS	2578.813	-26.48	-13	Pass	401
2600	2615	1	RMS	2609.563	-49.95	-25	Pass	401




1.9. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2560.55	-0.22	30	Pass	401
2570	2571	1	RMS	2570	-29.77	-10	Pass	2
2571	2575	1	RMS	2571.05	-31.11	-10	Pass	401
2575	2600	1	RMS	2575.688	-31.69	-13	Pass	401
2600	2615	1	RMS	2600.038	-49.56	-25	Pass	401




1.10. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	5.31	30	Pass	401
2570	2571	1	RMS	2570	-43.96	-10	Pass	2
2571	2575	1	RMS	2571.01	-48.99	-10	Pass	401
2575	2600	1	RMS	2596.688	-35.92	-13	Pass	401
2600	2615	1	RMS	2613.238	-49.97	-25	Pass	401




1.11. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	5.16	30	Pass	401
2570	2571	1	RMS	2570	-43.84	-10	Pass	2
2571	2575	1	RMS	2571	-48.95	-10	Pass	401
2575	2600	1	RMS	2578.688	-29.04	-13	Pass	401
2600	2615	1	RMS	2614.213	-49.95	-25	Pass	401




1.12. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2560.4	-1.13	30	Pass	401
2570	2571	1	RMS	2570	-30.63	-10	Pass	2
2571	2575	1	RMS	2571.1	-31.94	-10	Pass	401
2575	2600	1	RMS	2575	-32.5	-13	Pass	401
2600	2615	1	RMS	2600	-49.69	-25	Pass	401




1.13. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.338	-30.21	-25	Pass	401
2490	2496	1	RMS	2490.27	-49.91	-13	Pass	401
2496	2499	1	RMS	2498.993	-47.07	-10	Pass	401
2499	2500	1	RMS	2500	-30.42	-10	Pass	2
2500	2540	0.1	RMS	2501.1	5.28	30	Pass	401




1.14. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.2	-50.16	-25	Pass	401
2490	2496	1	RMS	2491.2	-49.81	-13	Pass	401
2496	2499	1	RMS	2499	-46.72	-10	Pass	401
2499	2500	1	RMS	2500	-30.29	-10	Pass	2
2500	2540	0.1	RMS	2538.7	5.25	30	Pass	401




1.15. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.37	-25	Pass	16
2490	2496	1	RMS	2495.835	-30.9	-13	Pass	401
2496	2499	1	RMS	2498.963	-30.23	-10	Pass	401
2499	2500	1	RMS	2500	-28.35	-10	Pass	2
2500	2540	0.1	RMS	2538.6	-2.98	30	Pass	401




1.16. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.3	-30.06	-25	Pass	401
2490	2496	1	RMS	2495.67	-50.21	-13	Pass	401
2496	2499	1	RMS	2499	-47.03	-10	Pass	401
2499	2500	1	RMS	2500	-30.25	-10	Pass	2
2500	2540	0.1	RMS	2501.1	5.19	30	Pass	401




1.17. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.238	-50.21	-25	Pass	401
2490	2496	1	RMS	2495.655	-50.25	-13	Pass	401
2496	2499	1	RMS	2498.993	-46.95	-10	Pass	401
2499	2500	1	RMS	2500	-30.1	-10	Pass	2
2500	2540	0.1	RMS	2538.7	5.19	30	Pass	401




1.18. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-33.75	-25	Pass	401
2490	2496	1	RMS	2495.835	-32.61	-13	Pass	401
2496	2499	1	RMS	2498.985	-32.02	-10	Pass	401
2499	2500	1	RMS	2500	-29.86	-10	Pass	2
2500	2540	0.1	RMS	2538.4	-3.71	30	Pass	401




1.19. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	5.34	30	Pass	401
2570	2571	1	RMS	2570	-30.04	-10	Pass	2
2571	2575	1	RMS	2571	-46.52	-10	Pass	401
2575	2610	1	RMS	2606.588	-49.8	-13	Pass	401
2610	2735	1	RMS	2734.063	-49.81	-25	Pass	401




1.20. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	5.36	30	Pass	401
2570	2571	1	RMS	2570	-29.86	-10	Pass	2
2571	2575	1	RMS	2571	-46.53	-10	Pass	401
2575	2610	1	RMS	2588.65	-31.19	-13	Pass	401
2610	2735	1	RMS	2735	-49.79	-25	Pass	401




1.21. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2548.2	-3.03	30	Pass	401
2570	2571	1	RMS	2570	-28.76	-10	Pass	2
2571	2575	1	RMS	2571.12	-30.98	-10	Pass	401
2575	2610	1	RMS	2575.175	-31.92	-13	Pass	401
2610	2735	1	RMS	2733.438	-49.79	-25	Pass	401




1.22. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	5.4	30	Pass	401
2570	2571	1	RMS	2570	-30.05	-10	Pass	2
2571	2575	1	RMS	2571	-46.62	-10	Pass	401
2575	2610	1	RMS	2606.5	-49.72	-13	Pass	401
2610	2735	1	RMS	2733.438	-49.81	-25	Pass	401




1.23. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	5.56	30	Pass	401
2570	2571	1	RMS	2570	-29.97	-10	Pass	2
2571	2575	1	RMS	2571	-46.48	-10	Pass	401
2575	2610	1	RMS	2588.65	-33.72	-13	Pass	401
2610	2735	1	RMS	2733.438	-49.8	-25	Pass	401



1.24. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2548.8	-4	30	Pass	401
2570	2571	1	RMS	2570	-30.17	-10	Pass	2
2571	2575	1	RMS	2571.03	-32.7	-10	Pass	401
2575	2610	1	RMS	2575	-33.47	-13	Pass	401
2610	2735	1	RMS	2733.125	-49.77	-25	Pass	401



2. CA_41C_full


2.1. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.638	-40.54	-25	Pass	401
2490	2495	1	RMS	2495	-42.44	-13	Pass	6
2495	2496	0.3	RMS	2496	-38.78	-13	Pass	401
2496	2521	0.1	RMS	2515.563	5.64	30	Pass	401




2.2. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-44.55	-25	Pass	401
2490	2495	1	RMS	2495	-42.35	-13	Pass	6
2495	2496	0.3	RMS	2495.99	-38.58	-13	Pass	401
2496	2521	0.1	RMS	2497.063	5.51	30	Pass	401




2.3. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.88	-25	Pass	401
2490	2495	1	RMS	2495	-32.83	-13	Pass	6
2495	2496	0.3	RMS	2495.99	-35.09	-13	Pass	401
2496	2521	0.1	RMS	2516.625	3.78	30	Pass	401




2.4. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.675	-40.21	-25	Pass	401
2490	2495	1	RMS	2495	-42.5	-13	Pass	6
2495	2496	0.3	RMS	2495.993	-38.22	-13	Pass	401
2496	2521	0.1	RMS	2515.563	4.93	30	Pass	401




2.5. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475.038	-44.85	-25	Pass	401
2490	2495	1	RMS	2495	-42.57	-13	Pass	6
2495	2496	0.3	RMS	2495.995	-38.36	-13	Pass	401
2496	2521	0.1	RMS	2497.063	5.11	30	Pass	401




2.6. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-35.39	-25	Pass	401
2490	2495	1	RMS	2495	-33.81	-13	Pass	6
2495	2496	0.3	RMS	2495.99	-36.19	-13	Pass	401
2496	2521	0.1	RMS	2519.625	2.35	30	Pass	401




2.7. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	5.01	30	Pass	401
2690	2691	0.51	RMS	2690.01	-42.04	-10	Pass	401
2691	2695	1	RMS	2691	-41.26	-10	Pass	5
2695	2715	3	RMS	2711.75	-28.25	-13	Pass	401
2715	2735	1	RMS	2734.45	-41.54	-25	Pass	401




2.8. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	5.04	30	Pass	401
2690	2691	0.51	RMS	2690.055	-42.28	-10	Pass	401
2691	2695	1	RMS	2694	-27.77	-10	Pass	5
2695	2715	3	RMS	2695.05	-29.37	-13	Pass	401
2715	2735	1	RMS	2734.6	-45.94	-25	Pass	401




2.9. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2685.438	3.26	30	Pass	401
2690	2691	0.51	RMS	2690.03	-30.64	-10	Pass	401
2691	2695	1	RMS	2691	-29.29	-10	Pass	5
2695	2715	3	RMS	2695.25	-24.96	-13	Pass	401
2715	2735	1	RMS	2715.2	-39.33	-25	Pass	401




2.10. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	4.8	30	Pass	401
2690	2691	0.51	RMS	2690.01	-41.75	-10	Pass	401
2691	2695	1	RMS	2691	-41.26	-10	Pass	5
2695	2715	3	RMS	2711.6	-28.8	-13	Pass	401
2715	2735	1	RMS	2734.4	-40.79	-25	Pass	401




2.11. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	5.6	30	Pass	401
2690	2691	0.51	RMS	2690.048	-41.38	-10	Pass	401
2691	2695	1	RMS	2694	-28	-10	Pass	5
2695	2715	3	RMS	2695	-29.82	-13	Pass	401
2715	2735	1	RMS	2733.2	-45.95	-25	Pass	401




2.12. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2684.813	3	30	Pass	401
2690	2691	0.51	RMS	2690.053	-32.52	-10	Pass	401
2691	2695	1	RMS	2691	-31.56	-10	Pass	5
2695	2715	3	RMS	2695.25	-27.39	-13	Pass	401
2715	2735	1	RMS	2715.05	-40.25	-25	Pass	401




2.13. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.25	-40.76	-25	Pass	401
2490	2495	1	RMS	2495	-42.48	-13	Pass	6
2495	2496	0.51	RMS	2496	-34.41	-13	Pass	401
2496	2536	0.1	RMS	2516.9	4.82	30	Pass	401




2.14. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-45.99	-25	Pass	401
2490	2495	1	RMS	2495	-42.28	-13	Pass	6
2495	2496	0.51	RMS	2495.988	-34.28	-13	Pass	401
2496	2536	0.1	RMS	2534.7	5.2	30	Pass	401




2.15. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-33.85	-25	Pass	401
2490	2495	1	RMS	2495	-33.59	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-32.41	-13	Pass	401
2496	2536	0.1	RMS	2532.5	-2.52	30	Pass	401




2.16. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.213	-40.9	-25	Pass	401
2490	2495	1	RMS	2495	-42.49	-13	Pass	6
2495	2496	0.51	RMS	2495.99	-33.86	-13	Pass	401
2496	2536	0.1	RMS	2497.1	5.63	30	Pass	401




2.17. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-46.02	-25	Pass	401
2490	2495	1	RMS	2495	-42.31	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-33.67	-13	Pass	401
2496	2536	0.1	RMS	2534.7	5.48	30	Pass	401




2.18. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.7	-34.97	-25	Pass	401
2490	2495	1	RMS	2495	-34.37	-13	Pass	6
2495	2496	0.51	RMS	2495.993	-33.54	-13	Pass	401
2496	2536	0.1	RMS	2534.3	-2.99	30	Pass	401




2.19. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	5.6	30	Pass	401
2690	2691	1	RMS	2690	-29.52	-10	Pass	2
2691	2695	1	RMS	2691	-40.33	-10	Pass	5
2695	2730	3	RMS	2726.413	-28.13	-13	Pass	401
2730	2735	1	RMS	2734.65	-45.92	-25	Pass	401




2.20. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	4.96	30	Pass	401
2690	2691	1	RMS	2690	-29.57	-10	Pass	2
2691	2695	1	RMS	2691	-40.3	-10	Pass	5
2695	2730	3	RMS	2708.388	-28.59	-13	Pass	401
2730	2735	1	RMS	2733.988	-45.93	-25	Pass	401




2.21. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2680.4	-2.27	30	Pass	401
2690	2691	1	RMS	2690	-13.96	-10	Pass	401
2691	2695	1	RMS	2691	-31.83	-10	Pass	5
2695	2730	3	RMS	2695.263	-27.07	-13	Pass	401
2730	2735	1	RMS	2730.05	-40.5	-25	Pass	401




2.22. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	5.7	30	Pass	401
2690	2691	1	RMS	2690	-29.47	-10	Pass	2
2691	2695	1	RMS	2691	-40.24	-10	Pass	5
2695	2730	3	RMS	2726.413	-28.63	-13	Pass	401
2730	2735	1	RMS	2734.213	-45.93	-25	Pass	401




2.23. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	5.06	30	Pass	401
2690	2691	1	RMS	2690	-29.38	-10	Pass	2
2691	2695	1	RMS	2691	-40.16	-10	Pass	5
2695	2730	3	RMS	2708.913	-28.61	-13	Pass	401
2730	2735	1	RMS	2731.188	-45.93	-25	Pass	401



2.24. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2681.9	-3.45	30	Pass	401
2690	2691	1	RMS	2690	-15.49	-10	Pass	401
2691	2695	1	RMS	2691	-34.37	-10	Pass	5
2695	2730	3	RMS	2695.088	-30.03	-13	Pass	401
2730	2735	1	RMS	2731.463	-41.77	-25	Pass	401



1. CA_66C


1.1. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1692.61	-44.45	-13	Pass	401
1709	1710	0.3	RMS	1709.995	-39.76	-13	Pass	401
1710	1735	0.1	RMS	1711.063	5.16	30	Pass	401




1.2. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-47.16	-13	Pass	401
1709	1710	0.3	RMS	1709.998	-39.69	-13	Pass	401
1710	1735	0.1	RMS	1733.875	5.34	30	Pass	401




1.3. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-29.95	-13	Pass	401
1709	1710	0.3	RMS	1710	-33.21	-13	Pass	401
1710	1735	0.1	RMS	1732.938	2.77	30	Pass	401




1.4. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1692.61	-45.14	-13	Pass	401
1709	1710	0.3	RMS	1710	-39.72	-13	Pass	401
1710	1735	0.1	RMS	1729.563	5.12	30	Pass	401




1.5. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-46.99	-13	Pass	401
1709	1710	0.3	RMS	1710	-39.76	-13	Pass	401
1710	1735	0.1	RMS	1733.875	5.33	30	Pass	401




1.6. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-32.32	-13	Pass	401
1709	1710	0.3	RMS	1709.998	-35.72	-13	Pass	401
1710	1735	0.1	RMS	1733.688	1.88	30	Pass	401




1.7. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1755	1780	0.1	RMS	1778.875	5.31	30	Pass	401
1780	1781	0.3	RMS	1780	-52.19	-13	Pass	5
1781	1825	1	RMS	1783.86	-35.16	-13	Pass	401




1.8. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1755	1780	0.1	RMS	1778.875	5.37	30	Pass	401
1780	1781	0.3	RMS	1780	-52.1	-13	Pass	5
1781	1825	1	RMS	1781	-50.33	-13	Pass	401




1.9. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1755	1780	0.1	RMS	1775.75	2.88	30	Pass	401
1780	1781	0.3	RMS	1780.25	-34.37	-13	Pass	5
1781	1825	1	RMS	1781.11	-29.03	-13	Pass	401




1.10. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1755	1780	0.1	RMS	1778.875	5.33	30	Pass	401
1780	1781	0.3	RMS	1780	-52.32	-13	Pass	5
1781	1825	1	RMS	1783.86	-36.01	-13	Pass	401




1.11. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1755	1780	0.1	RMS	1778.875	5.22	30	Pass	401
1780	1781	0.3	RMS	1780	-52.12	-13	Pass	5
1781	1825	1	RMS	1781	-50.35	-13	Pass	401




1.12. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1755	1780	0.1	RMS	1775.5	1.86	30	Pass	401
1780	1781	0.3	RMS	1780	-37.24	-13	Pass	5
1781	1825	1	RMS	1781.22	-31.75	-13	Pass	401




1.13. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1691.29	-45.77	-13	Pass	401
1709	1710	0.51	RMS	1709.993	-34.82	-13	Pass	401
1710	1750	0.1	RMS	1711.1	5.09	30	Pass	401




1.14. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-47.19	-13	Pass	401
1709	1710	0.51	RMS	1709.998	-34.76	-13	Pass	401
1710	1750	0.1	RMS	1711.1	5.16	30	Pass	401




1.15. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-30.37	-13	Pass	401
1709	1710	0.51	RMS	1709.985	-31.29	-13	Pass	401
1710	1750	0.1	RMS	1747.7	-3.14	30	Pass	401




1.16. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1691.29	-46.26	-13	Pass	401
1709	1710	0.51	RMS	1710	-34.43	-13	Pass	401
1710	1750	0.1	RMS	1711.1	5.06	30	Pass	401




1.17. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-46.84	-13	Pass	401
1709	1710	0.51	RMS	1709.99	-34.33	-13	Pass	401
1710	1750	0.1	RMS	1748.7	5.17	30	Pass	401




1.18. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-33.43	-13	Pass	401
1709	1710	0.51	RMS	1709.995	-33.74	-13	Pass	401
1710	1750	0.1	RMS	1748.6	-4.11	30	Pass	401




1.19. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	5.12	30	Pass	401
1780	1781	0.5	RMS	1780	-37.38	-13	Pass	3
1781	1825	1	RMS	1781	-46.86	-13	Pass	401



1.20. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	5.13	30	Pass	401
1780	1781	0.5	RMS	1780	-37.83	-13	Pass	3
1781	1825	1	RMS	1781	-45.81	-13	Pass	401




1.21. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	0.1	RMS	1761.5	-3.14	30	Pass	401
1780	1781	0.5	RMS	1780	-31.51	-13	Pass	3
1781	1825	1	RMS	1781.22	-29.79	-13	Pass	401




1.22. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	5.11	30	Pass	401
1780	1781	0.5	RMS	1780	-37.42	-13	Pass	3
1781	1825	1	RMS	1781	-46.98	-13	Pass	401




1.23. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	5.15	30	Pass	401
1780	1781	0.5	RMS	1780	-37.36	-13	Pass	3
1781	1825	1	RMS	1781	-46.84	-13	Pass	401



1.24. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	0.1	RMS	1773.1	-4.2	30	Pass	401
1780	1781	0.5	RMS	1780	-34.03	-13	Pass	3
1781	1825	1	RMS	1781	-32.71	-13	Pass	401



1. n2 15kHz


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-27.6	-13	14.6	Pass	401
1849	1850	0.051	RMS	1850	-17.47	-13	4.47	Pass	401
1850	1855	1	RMS	1850.3	20.9	30	9.1	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.458	-21.97	-13	8.97	Pass	401
1849	1850	0.051	RMS	1850	-27.75	-13	14.75	Pass	401
1850	1855	1	RMS	1853.7	14.63	30	15.37	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.663	20.52	30	9.48	Pass	401
1910	1911	0.02	RMS	1910.008	-23.32	-13	10.32	Pass	401
1911.5	1920	1	RMS	1911.5	-29.89	-13	16.89	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.338	14.28	30	15.72	Pass	401
1910	1911	0.051	RMS	1910	-28.03	-13	15.03	Pass	401
1911.5	1920	1	RMS	1911.5	-26.07	-13	13.07	Pass	401



1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-31.42	-13	18.42	Pass	401
1849	1850	0.051	RMS	1850	-22.69	-13	9.69	Pass	401
1850	1865	1	RMS	1850.45	20.95	30	9.05	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-24.45	-13	11.45	Pass	401
1849	1850	0.15	RMS	1850	-31.51	-13	18.51	Pass	401
1850	1865	1	RMS	1863.5	9.63	30	20.37	Pass	401



1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1909.475	20.43	30	9.57	Pass	401
1910	1911	0.051	RMS	1910	-24.8	-13	11.8	Pass	401
1911.5	1930	1	RMS	1911.546	-32.16	-13	19.16	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1896.575	9.55	30	20.45	Pass	401
1910	1911	0.15	RMS	1910	-31.02	-13	18.02	Pass	401
1911	1930	1	RMS	1911	-26.84	-13	13.84	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.441	-31.06	-13	18.06	Pass	401
1849	1850	0.2	RMS	1850	-18.69	-13	5.69	Pass	401
1850	1870	1	RMS	1850.5	20.85	30	9.15	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-28.03	-13	15.03	Pass	401
1849	1850	0.2	RMS	1850	-33.02	-13	20.02	Pass	401
1850	1870	1	RMS	1868.35	8.57	30	21.43	Pass	401



1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.4	20.44	30	9.56	Pass	401
1910	1911	0.2	RMS	1910	-20.52	-13	7.52	Pass	401
1911.5	1935	1	RMS	1911.735	-31.99	-13	18.99	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1891.4	8.48	30	21.52	Pass	401
1910	1911	0.2	RMS	1910	-33.15	-13	20.15	Pass	401
1911	1935	1	RMS	1911	-29.8	-13	16.8	Pass	401



2. n5


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.145	-43.63	-13	30.63	Pass	401
823	824	0.02	RMS	824	-21.1	-13	8.1	Pass	401
824	829	0.1	RMS	824.338	18.77	30	11.23	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.955	-28.82	-13	15.82	Pass	401
823	824	0.051	RMS	823.978	-25.28	-13	12.28	Pass	401
824	829	0.1	RMS	825.113	4.99	30	25.01	Pass	401



2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.72	30	11.28	Pass	401
849	850	0.02	RMS	849	-23.51	-13	10.51	Pass	401
850	859	0.1	RMS	850.81	-45.19	-13	32.19	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.075	5.17	30	24.83	Pass	401
849	850	0.051	RMS	849.003	-27.53	-13	14.53	Pass	401
850	859	0.1	RMS	850	-31.38	-13	18.38	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.62	-44.07	-13	31.07	Pass	401
823	824	0.02	RMS	823.998	-26.2	-13	13.2	Pass	401
824	839	0.1	RMS	824.45	18.72	30	11.28	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.525	-36.77	-13	23.77	Pass	401
823	824	0.15	RMS	824	-30.46	-13	17.46	Pass	401
824	839	0.1	RMS	836.413	0.44	30	29.56	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.61	30	11.39	Pass	401
849	850	0.02	RMS	849.005	-29.06	-13	16.06	Pass	401
850	869	0.1	RMS	850.333	-46.29	-13	33.29	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	835.35	0.13	30	29.87	Pass	401
849	850	0.15	RMS	849.008	-31.38	-13	18.38	Pass	401
850	869	0.1	RMS	850.095	-36.88	-13	23.88	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-44.3	-13	31.3	Pass	401
823	824	0.02	RMS	824	-29.42	-13	16.42	Pass	401
824	844	0.1	RMS	824.55	18.75	30	11.25	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.4	-37.8	-13	24.8	Pass	401
823	824	0.2	RMS	824	-31.11	-13	18.11	Pass	401
824	844	0.1	RMS	837.45	-0.92	30	30.92	Pass	401




2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.68	30	11.32	Pass	401
849	850	0.02	RMS	849	-32.02	-13	19.02	Pass	401
850	874	0.1	RMS	850.48	-45.2	-13	32.2	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	833.15	-1.02	30	31.02	Pass	401
849	850	0.2	RMS	849.003	-32.26	-13	19.26	Pass	401
850	874	0.1	RMS	850	-39.09	-13	26.09	Pass	401



3. n7


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.405	-53.09	-25	28.09	Pass	401
2490.5	2496	1	RMS	2495.973	-39.09	-13	26.09	Pass	401
2496	2498.5	1	RMS	2498.5	-29.26	-10	19.26	Pass	4
2499	2500	0.051	RMS	2500	-17.25	-10	7.25	Pass	401
2500	2505	1	RMS	2500.325	20.24	30	9.76	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.494	-49.92	-25	24.92	Pass	401
2490.5	2496	1	RMS	2496	-31.43	-13	18.43	Pass	401
2496	2498.5	1	RMS	2498.5	-23.25	-10	13.25	Pass	401
2499	2500	0.1	RMS	2499.995	-25.22	-10	15.22	Pass	401
2500	2505	1	RMS	2503.638	13.98	30	16.02	Pass	401




3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.6	20.21	30	9.79	Pass	401
2570	2571	0.051	RMS	2570.003	-19.94	-10	9.94	Pass	401
2571.5	2575	1	RMS	2571.553	-26.3	-10	16.3	Pass	401
2575	2576	1	RMS	2575.233	-42.51	-13	29.51	Pass	401
2576	2580	1	RMS	2576.06	-46.59	-25	21.59	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2566.3	13.88	30	16.12	Pass	401
2570	2571	0.1	RMS	2570	-25.98	-10	15.98	Pass	401
2571	2575	1	RMS	2571	-26.59	-10	16.59	Pass	5
2575	2576	1	RMS	2575.008	-36.57	-13	23.57	Pass	401
2576	2580	1	RMS	2576.03	-40.67	-25	15.67	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2489.936	-52.55	-25	27.55	Pass	401
2490.5	2496	1	RMS	2495.904	-41.65	-13	28.65	Pass	401
2496	2499	1	RMS	2499	-29.97	-10	19.97	Pass	4
2499	2500	0.051	RMS	2500	-29.59	-10	19.59	Pass	401
2500	2525	1	RMS	2500.563	20.39	30	9.61	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2490.449	-32.73	-25	7.73	Pass	401
2490.5	2496	1	RMS	2495.973	-30.71	-13	17.71	Pass	401
2496	2499	1	RMS	2499	-29.04	-10	19.04	Pass	401
2499	2500	0.51	RMS	2500	-18.2	-10	8.2	Pass	401
2500	2525	1	RMS	2516.938	6.86	30	23.14	Pass	401




3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2569.375	20.27	30	9.73	Pass	401
2570	2571	0.051	RMS	2570	-33.36	-10	23.36	Pass	401
2571	2575	1	RMS	2571	-17.38	-10	7.38	Pass	401
2575	2595	1	RMS	2575.05	-44.68	-13	31.68	Pass	401
2595	2600	1	RMS	2596.275	-54.33	-25	29.33	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2560.688	6.88	30	23.12	Pass	401
2570	2571	0.51	RMS	2570	-19.05	-10	9.05	Pass	401
2571	2575	1	RMS	2571.01	-28.34	-10	18.34	Pass	401
2575	2595	1	RMS	2575.35	-30.32	-13	17.32	Pass	401
2595	2600	1	RMS	2595.038	-48.75	-25	23.75	Pass	401




3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2455	2490.5	1	RMS	2490.145	-52.31	-25	27.31	Pass	401
2490.5	2496	1	RMS	2495.863	-40.87	-13	27.87	Pass	401
2496	2499	1	RMS	2499	-17.76	-10	7.76	Pass	401
2499	2500	0.051	RMS	2500	-31.49	-10	21.49	Pass	401
2500	2540	1	RMS	2500.6	20.27	30	9.73	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2455	2490.5	1	RMS	2490.323	-33.79	-25	8.79	Pass	401
2490.5	2496	1	RMS	2496	-32.59	-13	19.59	Pass	401
2496	2499	1	RMS	2498.978	-30.7	-10	20.7	Pass	401
2499	2499.6	0.82	RMS	2499.6	-22.45	-10	12.45	Pass	401
2500	2540	1	RMS	2518.6	4.77	30	25.23	Pass	401



3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	1	RMS	2569.3	20.17	30	9.83	Pass	401
2570	2571	0.051	RMS	2570.005	-34.01	-10	24.01	Pass	401
2571	2575	1	RMS	2571	-19.14	-10	9.14	Pass	401
2575	2610	1	RMS	2575.263	-45.01	-13	32.01	Pass	401
2610	2615	1	RMS	2612.6	-54.38	-25	29.38	Pass	401



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	1	RMS	2564.2	4.89	30	25.11	Pass	401
2570.4	2571	0.82	RMS	2570.4	-22.79	-10	12.79	Pass	401
2571	2575	1	RMS	2571	-30.03	-10	20.03	Pass	401
2575	2610	1	RMS	2575	-32.31	-13	19.31	Pass	401
2610	2615	1	RMS	2611.5	-54.39	-25	29.39	Pass	401



4. n26 15kHz(824-849)


4.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.348	-44.34	-13	31.34	Pass	401
823	824	0.05	RMS	824	-17.02	-13	4.02	Pass	21
824	829	0.1	RMS	824.325	18.85	30	11.15	Pass	401




4.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.955	-28.68	-13	15.68	Pass	401
823	824	0.051	RMS	823.983	-25.23	-13	12.23	Pass	401
824	829	0.1	RMS	827.813	5.08	30	24.92	Pass	401



4.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.638	19.02	30	10.98	Pass	401
849	850	0.051	RMS	849	-18.97	-13	5.97	Pass	401
850	859	0.1	RMS	850.653	-45.08	-13	32.08	Pass	401




4.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.075	5.56	30	24.44	Pass	401
849	850	0.051	RMS	849	-27.07	-13	14.07	Pass	401
850	859	0.1	RMS	850.023	-30.37	-13	17.37	Pass	401




4.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-44.78	-13	31.78	Pass	401
823	824	0.15	RMS	824	-17.57	-13	4.57	Pass	8
824	839	0.1	RMS	824.488	18.85	30	11.15	Pass	401




4.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.525	-36.45	-13	23.45	Pass	401
823	824	0.15	RMS	824	-29.88	-13	16.88	Pass	401
824	839	0.1	RMS	836.225	0.65	30	29.35	Pass	401




4.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.93	30	11.07	Pass	401
849	850	0.15	RMS	849.003	-18.83	-13	5.83	Pass	401
850	869	0.1	RMS	850.38	-46.37	-13	33.37	Pass	401




4.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	835.35	0.44	30	29.56	Pass	401
849	850	0.15	RMS	849	-30.81	-13	17.81	Pass	401
850	869	0.1	RMS	850.048	-35.98	-13	22.98	Pass	401




4.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-45.13	-13	32.13	Pass	401
823	824	0.2	RMS	824	-17.77	-13	4.77	Pass	401
824	844	0.1	RMS	824.55	18.81	30	11.19	Pass	401




4.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.4	-37.38	-13	24.38	Pass	401
823	824	0.2	RMS	824	-30.95	-13	17.95	Pass	401
824	844	0.1	RMS	837.4	-0.74	30	30.74	Pass	401




4.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.94	30	11.06	Pass	401
849	850	0.2	RMS	849.003	-19.8	-13	6.8	Pass	401
850	874	0.1	RMS	850.48	-46	-13	33	Pass	401



4.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	833.15	-0.86	30	30.86	Pass	401
849	850	0.2	RMS	849.003	-31.95	-13	18.95	Pass	401
850	874	0.1	RMS	850	-38.66	-13	25.66	Pass	401



1. n26 15kHz(814-824)


1.1. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-19.22	-13	6.22	Pass	401
813.9625	814	0.002	RMS	813.994	-27.93	-20	7.93	Pass	401
814	819	0.1	RMS	814.338	18.6	30	11.4	Pass	401




1.2. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-29.31	-13	16.31	Pass	401
813.9625	814	0.051	RMS	814	-28.25	-20	8.25	Pass	401
814	819	0.1	RMS	817.913	5.09	30	24.91	Pass	401




1.3. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	18.59	30	11.41	Pass	401
824	824.0375	0.002	RMS	824.007	-30.93	-20	10.93	Pass	401
824.0375	829	0.051	RMS	824.038	-20.65	-13	7.65	Pass	401




1.4. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.025	5.16	30	24.84	Pass	401
824	824.0375	0.051	RMS	824	-26.83	-20	6.83	Pass	401
824.0375	829	0.051	RMS	824.038	-27.5	-13	14.5	Pass	401




1.5. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-17.69	-13	4.69	Pass	401
813.9625	814	0.002	RMS	813.994	-30.84	-20	10.84	Pass	401
814	824	0.1	RMS	814.4	18.55	30	11.45	Pass	401




1.6. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-29.67	-13	16.67	Pass	401
813.9625	814	0.1	RMS	813.998	-28.69	-20	8.69	Pass	401
814	824	0.1	RMS	816	1.89	30	28.11	Pass	401




1.7. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	18.6	30	11.4	Pass	401
824	824.0375	0.002	RMS	824.007	-33.29	-20	13.29	Pass	401
824.0375	834	0.1	RMS	824.038	-19.5	-13	6.5	Pass	401



1.8. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	815.975	1.87	30	28.13	Pass	401
824	824.0375	0.1	RMS	824	-29.32	-20	9.32	Pass	401
824.0375	834	0.1	RMS	824.038	-30	-13	17	Pass	401



3. n66 15kHz


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-27.29	-13	14.29	Pass	401
1709	1709.975	0.051	RMS	1709.975	-17.32	-13	4.32	Pass	401
1710	1715	1	RMS	1710.3	20.99	30	9.01	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-18.11	-13	5.11	Pass	401
1709	1710	0.051	RMS	1709.965	-25.27	-13	12.27	Pass	401
1710	1715	1	RMS	1711.388	14.46	30	15.54	Pass	401




3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.625	20.53	30	9.47	Pass	401
1780	1781	0.051	RMS	1780	-19.03	-13	6.03	Pass	401
1781.5	1790	1	RMS	1781.543	-29.38	-13	16.38	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.288	14.08	30	15.92	Pass	401
1780	1781	0.051	RMS	1780	-27.84	-13	14.84	Pass	401
1781.5	1790	1	RMS	1781.521	-24.31	-13	11.31	Pass	401



3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.383	-30.37	-13	17.37	Pass	401
1709	1710	0.2	RMS	1710	-16.98	-13	3.98	Pass	401
1710	1730	1	RMS	1710.5	20.88	30	9.12	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-25.87	-13	12.87	Pass	401
1709	1710	0.2	RMS	1710	-29.68	-13	16.68	Pass	401
1710	1730	1	RMS	1728.45	8.58	30	21.42	Pass	401



3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	20.5	30	9.5	Pass	401
1780	1781	0.2	RMS	1780	-20.03	-13	7.03	Pass	401
1781.5	1805	1	RMS	1781.559	-31.11	-13	18.11	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1761.5	8.41	30	21.59	Pass	401
1780	1781	0.2	RMS	1780.005	-31.26	-13	18.26	Pass	401
1781.5	1805	1	RMS	1781.559	-27.3	-13	14.3	Pass	401



3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.283	-31.48	-13	18.48	Pass	401
1709	1709.8	0.39	RMS	1709.798	-24.13	-13	11.13	Pass	401
1710	1750	1	RMS	1710.6	20.71	30	9.29	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-27.48	-13	14.48	Pass	401
1709	1710	0.39	RMS	1710	-29	-13	16	Pass	401
1710	1750	1	RMS	1735.5	5.25	30	24.75	Pass	401



3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.3	20.4	30	9.6	Pass	401
1780.2	1781	0.39	RMS	1780.2	-27.91	-13	14.91	Pass	401
1781	1825	1	RMS	1781	-32.84	-13	19.84	Pass	45



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1744.1	5	30	25	Pass	401
1780	1781	0.39	RMS	1780	-30.12	-13	17.12	Pass	401
1781	1825	1	RMS	1781	-28.16	-13	15.16	Pass	401



5. n38_PC3


5.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.925	-50.19	-25	25.19	Pass	401
2560	2565	1	RMS	2564.788	-45.27	-13	32.27	Pass	401
2565	2569	1	RMS	2568.92	-22.53	-10	12.53	Pass	401
2569	2570	0.051	RMS	2570	-23.82	-10	13.82	Pass	401
2570	2580	1	RMS	2570.85	20.63	30	9.37	Pass	401




5.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.988	-41.92	-25	16.92	Pass	401
2560	2565	1	RMS	2565	-33.13	-13	20.13	Pass	401
2565	2569	1	RMS	2569	-26.59	-10	16.59	Pass	401
2569	2570	0.2	RMS	2570	-26.83	-10	16.83	Pass	401
2570	2580	1	RMS	2577.9	11.84	30	18.16	Pass	401



5.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2619.15	21.04	30	8.96	Pass	401
2620	2621	0.051	RMS	2620	-24.64	-10	14.64	Pass	401
2621	2625	1	RMS	2621	-20.84	-10	10.84	Pass	401
2625	2630	1	RMS	2625	-42.18	-13	29.18	Pass	401
2630	2635	1	RMS	2630.275	-49.86	-25	24.86	Pass	401




5.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2612.225	12	30	18	Pass	401
2620	2621	0.2	RMS	2620	-25.17	-10	15.17	Pass	401
2621	2625	1	RMS	2621.05	-25.52	-10	15.52	Pass	401
2625	2630	1	RMS	2625	-32.57	-13	19.57	Pass	401
2630	2635	1	RMS	2630	-40.96	-25	15.96	Pass	401




5.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.125	-50.39	-25	25.39	Pass	401
2550	2565	1	RMS	2565	-44.61	-13	31.61	Pass	401
2565	2569	1	RMS	2568.95	-24.06	-10	14.06	Pass	401
2569	2570	0.051	RMS	2569.998	-25.94	-10	15.94	Pass	401
2570	2590	1	RMS	2571	20.62	30	9.38	Pass	401




5.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-41.04	-25	16.04	Pass	401
2550	2565	1	RMS	2564.963	-31.17	-13	18.17	Pass	401
2565	2569	1	RMS	2569	-29.04	-10	19.04	Pass	401
2569	2570	0.39	RMS	2570	-27.64	-10	17.64	Pass	401
2570	2590	1	RMS	2587.85	8.92	30	21.08	Pass	401




5.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2618.95	20.93	30	9.07	Pass	401
2620	2621	0.051	RMS	2620	-27.58	-10	17.58	Pass	401
2621	2625	1	RMS	2621.15	-22.9	-10	12.9	Pass	401
2625	2640	1	RMS	2625.188	-44.24	-13	31.24	Pass	401
2640	2645	1	RMS	2642.6	-50.23	-25	25.23	Pass	401




5.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2617.55	8.88	30	21.12	Pass	401
2620	2621	0.39	RMS	2620.013	-27.69	-10	17.69	Pass	401
2621	2625	1	RMS	2621.1	-28.61	-10	18.61	Pass	401
2625	2640	1	RMS	2625	-31.19	-13	18.19	Pass	401
2640	2645	1	RMS	2640.038	-42.86	-25	17.86	Pass	401




5.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2526.85	-50.36	-25	25.36	Pass	401
2530	2565	1	RMS	2564.3	-45.96	-13	32.96	Pass	401
2565	2569	1	RMS	2568.98	-22.91	-10	12.91	Pass	401
2569	2570	0.051	RMS	2569.988	-30.89	-10	20.89	Pass	401
2570	2610	1	RMS	2571.1	20.68	30	9.32	Pass	401




5.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.888	-43.39	-25	18.39	Pass	401
2530	2565	1	RMS	2564.913	-32.3	-13	19.3	Pass	401
2565	2569	1	RMS	2568.95	-30.84	-10	20.84	Pass	401
2569	2570	0.82	RMS	2570	-19.5	-10	9.5	Pass	401
2570	2610	1	RMS	2607.8	5.88	30	24.12	Pass	401



5.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	20.9	30	9.1	Pass	401
2620	2621	0.051	RMS	2620.005	-29.5	-10	19.5	Pass	401
2621	2625	1	RMS	2621.21	-25.32	-10	15.32	Pass	401
2625	2660	1	RMS	2625	-47.05	-13	34.05	Pass	401
2660	2665	1	RMS	2660.363	-50.38	-25	25.38	Pass	401



5.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2617.8	5.76	30	24.24	Pass	401
2620	2621	0.82	RMS	2620	-19.96	-10	9.96	Pass	401
2621	2625	1	RMS	2621.01	-30.61	-10	20.61	Pass	401
2625	2660	1	RMS	2625	-33.1	-13	20.1	Pass	401
2660	2665	1	RMS	2660.075	-44.86	-25	19.86	Pass	401



6. n41


6.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490.5	1	RMS	2490.453	-48.13	-25	23.13	Pass	401
2490.5	2495	1	RMS	2495	-21.87	-13	8.87	Pass	401
2495	2496	0.051	RMS	2495.993	-25.36	-13	12.36	Pass	401
2496	2506	1	RMS	2496.85	21.63	40	18.37	Pass	401




6.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490	1	RMS	2489.978	-36.34	-25	11.34	Pass	401
2490.5	2495	1	RMS	2495	-26.96	-13	13.96	Pass	401
2495	2496	0.2	RMS	2495.995	-26.62	-13	13.62	Pass	401
2496	2506	1	RMS	2504.15	13.36	40	26.64	Pass	401



6.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2689.15	21.32	40	18.68	Pass	401
2690	2691	0.051	RMS	2690	-23.69	-10	13.69	Pass	401
2691	2695	1	RMS	2691.01	-20.95	-10	10.95	Pass	401
2695	2700	1	RMS	2695.125	-46.34	-13	33.34	Pass	401
2700	2705	1	RMS	2700.075	-52.92	-25	27.92	Pass	401




6.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2681.675	12.89	40	27.11	Pass	401
2690	2691	0.2	RMS	2690.008	-23.88	-10	13.88	Pass	401
2691	2695	1	RMS	2691.02	-22.43	-10	12.43	Pass	401
2695	2700	1	RMS	2695	-29.65	-13	16.65	Pass	401
2700	2705	1	RMS	2700	-41.31	-25	16.31	Pass	401




6.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2490.054	-50.02	-25	25.02	Pass	401
2490.5	2495	1	RMS	2494.899	-23.24	-13	10.24	Pass	401
2495	2496	0.051	RMS	2496	-27.42	-13	14.42	Pass	401
2496	2556	1	RMS	2497.05	21.56	40	18.44	Pass	401




6.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490	1	RMS	2489.558	-37.64	-25	12.64	Pass	401
2490.5	2495	1	RMS	2495	-33.49	-13	20.49	Pass	401
2495	2495.4	1.2	RMS	2495.399	-21.56	-13	8.56	Pass	401
2496	2556	1	RMS	2553.9	5.26	40	34.74	Pass	401




6.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	21.25	40	18.75	Pass	401
2690	2691	0.051	RMS	2690.008	-28.41	-10	18.41	Pass	401
2691	2695	1	RMS	2691.05	-23.38	-10	13.38	Pass	401
2695	2750	1	RMS	2695	-46.3	-13	33.3	Pass	401
2750	2755	1	RMS	2752.738	-53.79	-25	28.79	Pass	401




6.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2632.4	5.07	40	34.93	Pass	401
2690.6	2691	1.2	RMS	2690.601	-21.88	-10	11.88	Pass	401
2691	2695	1	RMS	2691.05	-28.71	-10	18.71	Pass	401
2695	2750	1	RMS	2695	-31.44	-13	18.44	Pass	401
2750	2755	1	RMS	2750.35	-51.68	-25	26.68	Pass	401




6.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2489.505	-49.46	-25	24.46	Pass	401
2490.5	2495	1	RMS	2494.888	-23.25	-13	10.25	Pass	401
2495	2496	0.051	RMS	2496	-25.77	-13	12.77	Pass	401
2496	2596	1	RMS	2497	21.5	40	18.5	Pass	401




6.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490	1	RMS	2488.763	-39.07	-25	14.07	Pass	401
2490.5	2495	1	RMS	2495	-36.1	-13	23.1	Pass	401
2495	2495.5	1	RMS	2495.493	-30.86	-13	17.86	Pass	401
2496	2596	1	RMS	2593.5	3.41	40	36.59	Pass	401




6.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.2	40	18.8	Pass	401
2690	2691	0.051	RMS	2690	-28.65	-10	18.65	Pass	401
2691	2695	1	RMS	2691	-24.08	-10	14.08	Pass	401
2695	2790	1	RMS	2695	-45.08	-13	32.08	Pass	401
2790	2795	1	RMS	2790.013	-53.74	-25	28.74	Pass	401



6.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2597	2.84	40	37.16	Pass	401
2690.5	2691	1	RMS	2690.5	-29.38	-10	19.38	Pass	401
2691	2695	1	RMS	2691.03	-32.13	-10	22.13	Pass	401
2695	2790	1	RMS	2695	-33.84	-13	20.84	Pass	401
2790	2795	1	RMS	2792.988	-53.7	-25	28.7	Pass	401



1. n77(3450-3550)


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-42.47	-13	29.47	Pass	401
3445	3449	0.62	RMS	3448.06	-30.56	-13	17.56	Pass	401
3449	3450	0.2	RMS	3450	-18.82	-13	5.82	Pass	401
3450	3460	1	RMS	3450.9	19.58	40	20.42	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.95	-34.91	-13	21.91	Pass	401
3445	3449	0.62	RMS	3449	-31.12	-13	18.12	Pass	401
3449	3450	0.2	RMS	3449.988	-28.45	-13	15.45	Pass	401
3450	3460	1	RMS	3451.675	10.72	40	29.28	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.1	19.86	40	20.14	Pass	401
3550	3551	0.2	RMS	3550	-21.15	-13	8.15	Pass	401
3551	3555	0.62	RMS	3552.25	-28.24	-13	15.24	Pass	401
3555	3565	1	RMS	3555.025	-39.11	-13	26.11	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3541.75	11.04	40	28.96	Pass	401
3550	3551	0.2	RMS	3550.003	-27.09	-13	14.09	Pass	401
3551	3555	0.62	RMS	3551.25	-31.36	-13	18.36	Pass	401
3555	3565	1	RMS	3555	-36.8	-13	23.8	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3444.75	-42.92	-13	29.92	Pass	401
3445	3449	0.62	RMS	3448.51	-31.42	-13	18.42	Pass	401
3449	3450	0.2	RMS	3450	-28.31	-13	15.31	Pass	401
3450	3500	1	RMS	3451.25	19.26	40	20.74	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-35.81	-13	22.81	Pass	401
3445	3449	0.62	RMS	3448.92	-35.44	-13	22.44	Pass	401
3449	3450	0.2	RMS	3449.99	-38.31	-13	25.31	Pass	401
3450	3500	1	RMS	3452.625	3.09	40	36.91	Pass	401



1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	19.66	40	20.34	Pass	401
3550	3551	0.2	RMS	3550.008	-29.18	-13	16.18	Pass	401
3551	3555	0.62	RMS	3552.27	-29.19	-13	16.19	Pass	401
3555	3605	1	RMS	3555.125	-40.91	-13	27.91	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3547.5	3.45	40	36.55	Pass	401
3550	3551	0.2	RMS	3550.003	-38.15	-13	25.15	Pass	401
3551	3555	0.62	RMS	3551.02	-35.53	-13	22.53	Pass	401
3555	3605	1	RMS	3555	-35.98	-13	22.98	Pass	401



1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-41.78	-13	28.78	Pass	401
3445	3449	0.62	RMS	3447.53	-30.33	-13	17.33	Pass	401
3449	3450	0.051	RMS	3449.988	-29.81	-13	16.81	Pass	401
3450	3550	1	RMS	3451	19.13	40	20.87	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-37.73	-13	24.73	Pass	401
3445	3449	0.62	RMS	3448.28	-38.12	-13	25.12	Pass	401
3449	3450	0.2	RMS	3450	-38.97	-13	25.97	Pass	401
3450	3550	1	RMS	3531.5	0.03	40	39.97	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.51	40	20.49	Pass	401
3550	3551	0.2	RMS	3550.003	-23.68	-13	10.68	Pass	401
3551	3555	0.62	RMS	3552.44	-34.43	-13	21.43	Pass	401
3555	3655	1	RMS	3555.25	-43.99	-13	30.99	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3531	-0.02	40	40.02	Pass	401
3550	3551	0.2	RMS	3550.005	-38.68	-13	25.68	Pass	401
3551	3555	0.62	RMS	3551.02	-38.34	-13	25.34	Pass	401
3555	3655	1	RMS	3555.75	-37.72	-13	24.72	Pass	401



2. n78 30kHz(3450-3550)


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-41.65	-13	28.65	Pass	401
3445	3449	0.62	RMS	3448.78	-28.65	-13	15.65	Pass	401
3449	3450	0.2	RMS	3450	-17.23	-13	4.23	Pass	401
3450	3460	1	RMS	3450.875	21.14	40	18.86	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-32.73	-13	19.73	Pass	401
3445	3449	0.62	RMS	3449	-28.98	-13	15.98	Pass	401
3449	3450	0.2	RMS	3449.993	-26.06	-13	13.06	Pass	401
3450	3460	1	RMS	3451.9	12.6	40	27.4	Pass	401




2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.1	21.35	40	18.65	Pass	401
3550	3551	0.2	RMS	3550.003	-18.14	-13	5.14	Pass	401
3551	3555	0.62	RMS	3552.83	-27.79	-13	14.79	Pass	401
3555	3565	1	RMS	3555.025	-39.48	-13	26.48	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3548.125	12.93	40	27.07	Pass	401
3550	3551	0.2	RMS	3550.003	-24.89	-13	11.89	Pass	401
3551	3555	0.62	RMS	3551.05	-29.66	-13	16.66	Pass	401
3555	3565	1	RMS	3555.05	-35.04	-13	22.04	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3444.875	-42.45	-13	29.45	Pass	401
3445	3449	0.62	RMS	3448.7	-29.91	-13	16.91	Pass	401
3449	3450	0.2	RMS	3449.998	-26.79	-13	13.79	Pass	401
3450	3500	1	RMS	3451.25	20.82	40	19.18	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-34.47	-13	21.47	Pass	401
3445	3449	0.62	RMS	3448.92	-34.43	-13	21.43	Pass	401
3449	3450	0.2	RMS	3449.995	-37.01	-13	24.01	Pass	401
3450	3500	1	RMS	3452.875	5.04	40	34.96	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	21.13	40	18.87	Pass	401
3550	3551	0.2	RMS	3550.005	-25.95	-13	12.95	Pass	401
3551	3555	0.62	RMS	3551.98	-27.27	-13	14.27	Pass	401
3555	3605	1	RMS	3555.375	-40.51	-13	27.51	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3547.375	5.47	40	34.53	Pass	401
3550	3551	0.2	RMS	3550.008	-36.2	-13	23.2	Pass	401
3551	3555	0.62	RMS	3551.13	-33.52	-13	20.52	Pass	401
3555	3605	1	RMS	3555.25	-34.24	-13	21.24	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3402	-43.36	-13	30.36	Pass	401
3445	3449	0.62	RMS	3447.67	-29.71	-13	16.71	Pass	401
3449	3450	0.051	RMS	3449.988	-28.38	-13	15.38	Pass	401
3450	3550	1	RMS	3451	20.75	40	19.25	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-37.31	-13	24.31	Pass	401
3445	3449	0.62	RMS	3448.38	-37.88	-13	24.88	Pass	401
3449	3450	0.2	RMS	3450	-37.66	-13	24.66	Pass	401
3450	3550	1	RMS	3531	2.2	40	37.8	Pass	401




2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	21.04	40	18.96	Pass	401
3550	3551	0.2	RMS	3550	-22.12	-13	9.12	Pass	401
3551	3555	0.62	RMS	3552.12	-34.22	-13	21.22	Pass	401
3555	3655	1	RMS	3555.5	-43.54	-13	30.54	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3531	2.1	40	37.9	Pass	401
3550	3551	0.2	RMS	3550.015	-37.21	-13	24.21	Pass	401
3551	3555	0.62	RMS	3551.09	-37.16	-13	24.16	Pass	401
3555	3655	1	RMS	3555.5	-35.81	-13	22.81	Pass	401



1. n77 30kHz(3700-3980)


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.875	-41.76	-13	28.76	Pass	401
3695	3699	0.62	RMS	3698.93	-29.06	-13	16.06	Pass	401
3699	3700	0.051	RMS	3699.993	-24.78	-13	11.78	Pass	401
3700	3710	1	RMS	3700.875	20.03	40	19.97	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.95	-36.92	-13	23.92	Pass	401
3695	3699	0.62	RMS	3699	-31.92	-13	18.92	Pass	401
3699	3700	0.39	RMS	3699.988	-24.03	-13	11.03	Pass	401
3700	3710	1	RMS	3707.925	11.22	40	28.78	Pass	401



1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.15	19.16	40	20.84	Pass	401
3980	3981	0.051	RMS	3980	-27.77	-13	14.77	Pass	401
3981	3985	0.62	RMS	3981.14	-30.01	-13	17.01	Pass	401
3985	3995	1	RMS	3985.025	-39.93	-13	26.93	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3971.975	10.34	40	29.66	Pass	401
3980	3981	0.39	RMS	3980	-22.94	-13	9.94	Pass	401
3981	3985	0.62	RMS	3981.02	-26.28	-13	13.28	Pass	401
3985	3995	1	RMS	3985	-31.28	-13	18.28	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.75	-42.24	-13	29.24	Pass	401
3695	3699	0.62	RMS	3698.3	-30.29	-13	17.29	Pass	401
3699	3700	0.39	RMS	3700	-22.84	-13	9.84	Pass	401
3700	3750	1	RMS	3701.25	20.07	40	19.93	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-36.79	-13	23.79	Pass	401
3695	3699	0.62	RMS	3698.66	-35.96	-13	22.96	Pass	401
3699	3700	0.39	RMS	3699.995	-35.3	-13	22.3	Pass	401
3700	3750	1	RMS	3747.5	3.99	40	36.01	Pass	401



1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.75	19.02	40	20.98	Pass	401
3980	3981	0.39	RMS	3980.005	-23.84	-13	10.84	Pass	401
3981	3985	0.62	RMS	3981	-31.66	-13	18.66	Pass	401
3985	4035	1	RMS	3985.375	-42.94	-13	29.94	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3932.25	3.46	40	36.54	Pass	401
3980	3981	0.39	RMS	3980.005	-32.75	-13	19.75	Pass	401
3981	3985	0.62	RMS	3981.07	-31.58	-13	18.58	Pass	401
3985	4035	1	RMS	3985	-31.8	-13	18.8	Pass	401



1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-39.67	-13	26.67	Pass	401
3695	3699	0.62	RMS	3697.72	-27.97	-13	14.97	Pass	401
3699	3700	0.051	RMS	3699.988	-28.6	-13	15.6	Pass	401
3700	3800	1	RMS	3701	19.98	40	20.02	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-38.69	-13	25.69	Pass	401
3695	3699	0.62	RMS	3698.78	-38.57	-13	25.57	Pass	401
3699	3700	0.39	RMS	3700	-35.7	-13	22.7	Pass	401
3700	3800	1	RMS	3726	0.66	40	39.34	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	18.81	40	21.19	Pass	401
3980	3981	0.051	RMS	3980.003	-29.25	-13	16.25	Pass	401
3981	3985	0.62	RMS	3981.72	-32.92	-13	19.92	Pass	401
3985	4085	1	RMS	3986.25	-44.33	-13	31.33	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3883.75	0.23	40	39.77	Pass	401
3980	3981	0.39	RMS	3980	-34.88	-13	21.88	Pass	401
3981	3985	0.62	RMS	3981.04	-35.69	-13	22.69	Pass	401
3985	4085	1	RMS	3986.25	-34.55	-13	21.55	Pass	401



2. n78 30kHz(3700-3800)


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.95	-39.98	-13	26.98	Pass	401
3695	3699	0.62	RMS	3697.82	-28.95	-13	15.95	Pass	401
3699	3700	0.051	RMS	3699.998	-23.41	-13	10.41	Pass	401
3700	3710	1	RMS	3700.85	21.85	40	18.15	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-32.98	-13	19.98	Pass	401
3695	3699	0.62	RMS	3698.98	-28.58	-13	15.58	Pass	401
3699	3700	0.39	RMS	3699.983	-21.49	-13	8.49	Pass	401
3700	3710	1	RMS	3707.625	13.53	40	26.47	Pass	401




2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3799.125	20.98	40	19.02	Pass	401
3800	3801	0.051	RMS	3800.008	-25.16	-13	12.16	Pass	401
3801	3805	0.62	RMS	3801.01	-29.19	-13	16.19	Pass	401
3805	3815	1	RMS	3805	-38.79	-13	25.79	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3791.925	12.62	40	27.38	Pass	401
3800	3801	0.39	RMS	3800	-21.55	-13	8.55	Pass	401
3801	3805	0.62	RMS	3801.01	-26.2	-13	13.2	Pass	401
3805	3815	1	RMS	3805.05	-30.98	-13	17.98	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.375	-41.14	-13	28.14	Pass	401
3695	3699	0.62	RMS	3698.78	-27.57	-13	14.57	Pass	401
3699	3700	0.39	RMS	3700	-21.23	-13	8.23	Pass	401
3700	3750	1	RMS	3701.25	21.61	40	18.39	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.75	-34.03	-13	21.03	Pass	401
3695	3699	0.62	RMS	3698.92	-34.51	-13	21.51	Pass	401
3699	3700	0.39	RMS	3699.983	-33.69	-13	20.69	Pass	401
3700	3750	1	RMS	3747.375	6.27	40	33.73	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	20.89	40	19.11	Pass	401
3800	3801	0.39	RMS	3800.005	-22.92	-13	9.92	Pass	401
3801	3805	0.62	RMS	3802.28	-27.1	-13	14.1	Pass	401
3805	3855	1	RMS	3805.125	-38.15	-13	25.15	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3752.5	5.9	40	34.1	Pass	401
3800	3801	0.39	RMS	3800.003	-32.68	-13	19.68	Pass	401
3801	3805	0.62	RMS	3801.07	-32.31	-13	19.31	Pass	401
3805	3855	1	RMS	3805	-32.05	-13	19.05	Pass	401



2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-39.11	-13	26.11	Pass	401
3695	3699	0.62	RMS	3697.58	-27.25	-13	14.25	Pass	401
3699	3700	0.051	RMS	3699.988	-27.44	-13	14.44	Pass	401
3700	3800	1	RMS	3701	21.54	40	18.46	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-35.1	-13	22.1	Pass	401
3695	3699	0.62	RMS	3698.97	-35.1	-13	22.1	Pass	401
3699	3700	0.39	RMS	3700	-33.01	-13	20.01	Pass	401
3700	3800	1	RMS	3726.5	2.87	40	37.13	Pass	401




2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.75	40	19.25	Pass	401
3800	3801	0.051	RMS	3800.008	-28.69	-13	15.69	Pass	401
3801	3805	0.62	RMS	3802.52	-30.23	-13	17.23	Pass	401
3805	3905	1	RMS	3805	-39.7	-13	26.7	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3724	2.88	40	37.12	Pass	401
3800	3801	0.39	RMS	3800	-33.37	-13	20.37	Pass	401
3801	3805	0.62	RMS	3801.62	-35.1	-13	22.1	Pass	401
3805	3905	1	RMS	3805.75	-34.34	-13	21.34	Pass	401



--BLANK BELOW--