


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.94	-13	Pass	401
0.15	30	0.01	Peak	0.24	-54.05	-13	Pass	2985
30	500	0.1	Peak	366.172	-42.68	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.22	-13	N/A	5000
1000	10000	1	Peak	7040.737	-20.59	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-55.68	-13	Pass	401
0.15	30	0.01	Peak	0.3	-53.58	-13	Pass	2985
30	500	0.1	Peak	182.332	-41.98	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.48	-13	N/A	5000
1000	10000	1	Peak	8016.857	-21.08	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.67	-13	Pass	401
0.15	30	0.01	Peak	0.23	-53.36	-13	Pass	2985
30	500	0.1	Peak	468.793	-42.93	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.54	-13	N/A	5000
1000	10000	1	Peak	8003.855	-21.66	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.43	-13	Pass	401
0.15	30	0.01	Peak	0.22	-59.25	-13	Pass	2985
30	1000	0.1	Peak	818.896	-47.82	-13	Pass	9699
1000	3000	1	Peak	1849.425	27.38	-13	N/A	2000
3000	20000	1	Peak	19980.969	-20.45	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-60.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.78	-13	Pass	2985
30	1000	0.1	Peak	863.519	-47.62	-13	Pass	9699
1000	3000	1	Peak	1879.44	28.35	-13	N/A	2000
3000	20000	1	Peak	19990.985	-20.6	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.06	-13	Pass	2985
30	1000	0.1	Peak	885.148	-48.16	-13	Pass	9699
1000	3000	1	Peak	1909.455	28.08	-13	N/A	2000
3000	20000	1	Peak	19828.722	-20	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.55	-13	Pass	2985
30	500	0.1	Peak	363.171	-43.18	-13	Pass	4700
500	1000	0.1	Peak	824.265	29.25	-13	N/A	5000
1000	10000	1	Peak	7935.847	-21.65	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.7	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.07	-13	Pass	2985
30	500	0.1	Peak	437.687	-43.04	-13	Pass	4700
500	1000	0.1	Peak	836.667	28.81	-13	N/A	5000
1000	10000	1	Peak	9646.563	-20.89	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.95	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.48	-13	Pass	2985
30	500	0.1	Peak	430.785	-43.23	-13	Pass	4700
500	1000	0.1	Peak	848.77	29.5	-13	N/A	5000
1000	10000	1	Peak	9716.649	-21.59	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.03	-13	Pass	401
0.15	30	0.01	Peak	0.23	-58.14	-13	Pass	2985
30	1000	0.1	Peak	690.381	-47.65	-13	Pass	9699
1000	3000	1	Peak	1850.425	24.11	-13	N/A	2000
3000	20000	1	Peak	19784.65	-20.28	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.65	-13	Pass	401
0.15	30	0.01	Peak	0.16	-59.1	-13	Pass	2985
30	1000	0.1	Peak	882.744	-48.13	-13	Pass	9699
1000	3000	1	Peak	1879.44	27.91	-13	N/A	2000
3000	20000	1	Peak	19634.407	-20.44	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.6	-13	Pass	401
0.15	30	0.01	Peak	7.863	-59.72	-13	Pass	2985
30	1000	0.1	Peak	699.382	-47.35	-13	Pass	9699
1000	3000	1	Peak	1909.455	26.37	-13	N/A	2000
3000	20000	1	Peak	19349.996	-20.25	-13	Pass	17000



5. WCDMA_Band5


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.54	-13	Pass	401
0.15	30	0.01	Peak	1.991	-63.05	-13	Pass	2985
30	500	0.1	Peak	398.578	-52.89	-13	Pass	4700
500	1000	0.1	Peak	827.365	16.31	-13	N/A	5000
1000	10000	1	Peak	6990.731	-31.31	-13	Pass	9000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.49	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.03	-13	Pass	2985
30	500	0.1	Peak	452.19	-52.72	-13	Pass	4700
500	1000	0.1	Peak	837.668	15.88	-13	N/A	5000
1000	10000	1	Peak	8757.947	-29.79	-13	Pass	9000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.29	-13	Pass	401
0.15	30	0.01	Peak	2.821	-64.73	-13	Pass	2985
30	500	0.1	Peak	475.695	-52.47	-13	Pass	4700
500	1000	0.1	Peak	845.669	15.69	-13	N/A	5000
1000	10000	1	Peak	9740.679	-31.44	-13	Pass	9000



6. LTE_Band5


6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.37	-13	Pass	7840
814	860	0.1	RMS	824.222	19.6	60	Pass	460
860	1000	0.1	RMS	868.706	-63.21	-13	Pass	1400
1000	3000	1	RMS	2759.88	-49.01	-13	Pass	2000
3000	10000	1	RMS	7104.586	-40.64	-13	Pass	7000




**6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.46	-13	Pass	7840
814	860	0.1	RMS	824.222	18.61	60	Pass	460
860	1000	0.1	RMS	871.909	-63.26	-13	Pass	1400
1000	3000	1	RMS	2840.92	-49	-13	Pass	2000
3000	10000	1	RMS	8000.714	-43.67	-13	Pass	7000




**6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	814	0.1	RMS	739.691	-63.49	-13	Pass	7840
814	860	0.1	RMS	836.048	19.83	60	Pass	460
860	1000	0.1	RMS	872.809	-63.3	-13	Pass	1400
1000	3000	1	RMS	2507.754	-48.39	-13	Pass	2000
3000	10000	1	RMS	7086.584	-41.18	-13	Pass	7000




6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.45	-72.94	-13	Pass	2985
30	814	0.1	RMS	479.757	-64.09	-13	Pass	7840
814	860	0.1	RMS	836.048	18.96	60	Pass	460
860	1000	0.1	RMS	880.214	-63.83	-13	Pass	1400
1000	3000	1	RMS	2507.754	-49.08	-13	Pass	2000
3000	10000	1	RMS	8791.827	-44.03	-13	Pass	7000




**6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.73	-13	Pass	2985
30	814	0.1	RMS	726.189	-64	-13	Pass	7840
814	860	0.1	RMS	847.874	19.55	60	Pass	460
860	1000	0.1	RMS	999.3	-63.86	-13	Pass	1400
1000	3000	1	RMS	2542.771	-48.05	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.01	-13	Pass	7000




6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.95	-13	Pass	2985
30	814	0.1	RMS	787.497	-63.97	-13	Pass	7840
814	860	0.1	RMS	847.874	18.76	60	Pass	460
860	1000	0.1	RMS	903.131	-63.82	-13	Pass	1400
1000	3000	1	RMS	2542.771	-48.67	-13	Pass	2000
3000	10000	1	RMS	8800.829	-44.02	-13	Pass	7000




6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.7	-13	Pass	7840
814	860	0.1	RMS	824.222	19.88	60	Pass	460
860	1000	0.1	RMS	878.413	-63.66	-13	Pass	1400
1000	3000	1	RMS	2846.923	-49.28	-13	Pass	2000
3000	10000	1	RMS	7997.714	-44	-13	Pass	7000




6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.4	-13	Pass	7840
814	860	0.1	RMS	824.222	18.9	60	Pass	460
860	1000	0.1	RMS	881.015	-63.79	-13	Pass	1400
1000	3000	1	RMS	2762.881	-49.34	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.01	-13	Pass	7000




6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	814	0.1	RMS	730.489	-64.09	-13	Pass	7840
814	860	0.1	RMS	835.246	19.91	60	Pass	460
860	1000	0.1	RMS	878.613	-63.74	-13	Pass	1400
1000	3000	1	RMS	2844.922	-49.33	-13	Pass	2000
3000	10000	1	RMS	7081.583	-41.85	-13	Pass	7000




**6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-13	Pass	2985
30	814	0.1	RMS	724.289	-64.12	-13	Pass	7840
814	860	0.1	RMS	835.246	18.96	60	Pass	460
860	1000	0.1	RMS	889.621	-63.72	-13	Pass	1400
1000	3000	1	RMS	2845.923	-49.35	-13	Pass	2000
3000	10000	1	RMS	7995.714	-44.05	-13	Pass	7000




**6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.43	-13	Pass	2985
30	814	0.1	RMS	480.057	-63.82	-13	Pass	7840
814	860	0.1	RMS	846.27	19.5	60	Pass	460
860	1000	0.1	RMS	871.909	-63.65	-13	Pass	1400
1000	3000	1	RMS	2537.769	-49.21	-13	Pass	2000
3000	10000	1	RMS	7998.714	-43.93	-13	Pass	7000




6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.22	-13	Pass	2985
30	814	0.1	RMS	620.075	-63.94	-13	Pass	7840
814	860	0.1	RMS	846.27	18.69	60	Pass	460
860	1000	0.1	RMS	863.603	-63.65	-13	Pass	1400
1000	3000	1	RMS	2848.924	-49.31	-13	Pass	2000
3000	10000	1	RMS	8000.714	-43.99	-13	Pass	7000




6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.39	-13	Pass	7840
814	860	0.1	RMS	824.322	19.65	60	Pass	460
860	1000	0.1	RMS	899.929	-63.69	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.03	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.04	-13	Pass	7000




**6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.78	-13	Pass	7840
814	860	0.1	RMS	824.322	18.71	60	Pass	460
860	1000	0.1	RMS	899.528	-63.73	-13	Pass	1400
1000	3000	1	RMS	2838.919	-49.34	-13	Pass	2000
3000	10000	1	RMS	7996.714	-44.05	-13	Pass	7000




**6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2985
30	814	0.1	RMS	732.09	-63.92	-13	Pass	7840
814	860	0.1	RMS	834.344	19.8	60	Pass	460
860	1000	0.1	RMS	989.192	-63.62	-13	Pass	1400
1000	3000	1	RMS	2843.922	-49.34	-13	Pass	2000
3000	10000	1	RMS	7078.583	-41.34	-13	Pass	7000




**6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.05	-13	Pass	2985
30	814	0.1	RMS	740.791	-63.88	-13	Pass	7840
814	860	0.1	RMS	834.344	19.02	60	Pass	460
860	1000	0.1	RMS	885.318	-63.76	-13	Pass	1400
1000	3000	1	RMS	2846.923	-49.3	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.02	-13	Pass	7000




**6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.2	-13	Pass	2985
30	814	0.1	RMS	725.989	-64.1	-13	Pass	7840
814	860	0.1	RMS	844.366	19.39	60	Pass	460
860	1000	0.1	RMS	891.523	-63.73	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.8	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.02	-13	Pass	7000




**6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-13	Pass	2985
30	814	0.1	RMS	757.693	-64.08	-13	Pass	7840
814	860	0.1	RMS	844.366	18.84	60	Pass	460
860	1000	0.1	RMS	997.999	-63.67	-13	Pass	1400
1000	3000	1	RMS	2836.918	-49.33	-13	Pass	2000
3000	10000	1	RMS	8801.829	-44.11	-13	Pass	7000




**6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.97	-13	Pass	7840
814	860	0.1	RMS	824.623	19.49	60	Pass	460
860	1000	0.1	RMS	981.987	-63.74	-13	Pass	1400
1000	3000	1	RMS	2843.922	-49.33	-13	Pass	2000
3000	10000	1	RMS	7101.586	-44.01	-13	Pass	7000




**6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.54	-13	Pass	7840
814	860	0.1	RMS	824.623	18.78	60	Pass	460
860	1000	0.1	RMS	883.217	-63.69	-13	Pass	1400
1000	3000	1	RMS	2840.92	-49.3	-13	Pass	2000
3000	10000	1	RMS	7103.586	-44.01	-13	Pass	7000




**6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.89	-13	Pass	2985
30	814	0.1	RMS	799.898	-63.99	-13	Pass	7840
814	860	0.1	RMS	832.139	19.2	60	Pass	460
860	1000	0.1	RMS	864.703	-63.65	-13	Pass	1400
1000	3000	1	RMS	2845.923	-49.29	-13	Pass	2000
3000	10000	1	RMS	7084.584	-40.99	-13	Pass	7000




**6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	814	0.1	RMS	727.089	-63.74	-13	Pass	7840
814	860	0.1	RMS	832.139	18.27	60	Pass	460
860	1000	0.1	RMS	878.813	-63.71	-13	Pass	1400
1000	3000	1	RMS	2839.92	-49.28	-13	Pass	2000
3000	10000	1	RMS	8786.827	-44.03	-13	Pass	7000




**6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2985
30	814	0.1	RMS	477.657	-63.99	-13	Pass	7840
814	860	0.1	RMS	839.556	19.47	60	Pass	460
860	1000	0.1	RMS	880.415	-63.72	-13	Pass	1400
1000	3000	1	RMS	2518.759	-48.75	-13	Pass	2000
3000	10000	1	RMS	7113.588	-44.04	-13	Pass	7000



**6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2985
30	814	0.1	RMS	727.789	-64.06	-13	Pass	7840
814	860	0.1	RMS	839.556	18.66	60	Pass	460
860	1000	0.1	RMS	893.024	-63.71	-13	Pass	1400
1000	3000	1	RMS	2518.759	-49.07	-13	Pass	2000
3000	10000	1	RMS	7110.587	-43.98	-13	Pass	7000



7. LTE_Band41 120M


7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-25	Pass	691
0.15	30	0.01	RMS	28.319	-65.08	-25	Pass	2985
30	1000	0.1	RMS	991.399	-54.15	-25	Pass	9700
1000	2525	1	RMS	2525	-43.65	-25	Pass	1525
2525	2665	1	RMS	2535.348	18.99	60	Pass	691
2665	3000	1	RMS	2730.543	-42.04	-25	Pass	691
3000	12000	1	RMS	6930.437	-36.5	-25	Pass	9000
12000	27000	1	RMS	26795.986	-30.7	-25	Pass	15000




7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-25	Pass	691
0.15	30	0.01	RMS	22.277	-65.36	-25	Pass	2985
30	1000	0.1	RMS	993.799	-54.14	-25	Pass	9700
1000	2525	1	RMS	2521.998	-43.67	-25	Pass	1525
2525	2665	1	RMS	2535.348	18.62	60	Pass	691
2665	3000	1	RMS	2746.08	-42.1	-25	Pass	691
3000	12000	1	RMS	6924.436	-36.51	-25	Pass	9000
12000	27000	1	RMS	26814.988	-30.64	-25	Pass	15000




7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.07	-25	Pass	691
0.15	30	0.01	RMS	28.279	-65.4	-25	Pass	2985
30	1000	0.1	RMS	992.099	-54.2	-25	Pass	9700
1000	2525	1	RMS	2518.996	-43.72	-25	Pass	1525
2525	2665	1	RMS	2592.971	19.08	60	Pass	691
2665	3000	1	RMS	2750.449	-42.1	-25	Pass	691
3000	12000	1	RMS	6937.437	-36.49	-25	Pass	9000
12000	27000	1	RMS	26792.986	-30.65	-25	Pass	15000




7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.15	-25	Pass	691
0.15	30	0.01	RMS	22.217	-65.39	-25	Pass	2985
30	1000	0.1	RMS	995.2	-54.1	-25	Pass	9700
1000	2525	1	RMS	2523.999	-43.74	-25	Pass	1525
2525	2665	1	RMS	2592.768	17.7	60	Pass	691
2665	3000	1	RMS	2720.348	-42.11	-25	Pass	691
3000	12000	1	RMS	6905.434	-36.48	-25	Pass	9000
12000	27000	1	RMS	26789.986	-30.65	-25	Pass	15000




7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-25	Pass	691
0.15	30	0.01	RMS	27.319	-64.82	-25	Pass	2985
30	1000	0.1	RMS	978.698	-54.16	-25	Pass	9700
1000	2525	1	RMS	2522.999	-43.71	-25	Pass	1525
2525	2665	1	RMS	2650.391	19.77	60	Pass	691
2665	3000	1	RMS	2746.08	-42.09	-25	Pass	691
3000	12000	1	RMS	6914.435	-36.51	-25	Pass	9000
12000	27000	1	RMS	26824.988	-30.68	-25	Pass	15000




7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-25	Pass	691
0.15	30	0.01	RMS	28.299	-64.76	-25	Pass	2985
30	1000	0.1	RMS	978.698	-54.3	-25	Pass	9700
1000	2525	1	RMS	2521.998	-43.68	-25	Pass	1525
2525	2665	1	RMS	2650.594	18.09	60	Pass	691
2665	3000	1	RMS	2737.826	-42.07	-25	Pass	691
3000	12000	1	RMS	6924.436	-36.42	-25	Pass	9000
12000	27000	1	RMS	26791.986	-30.67	-25	Pass	15000




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-25	Pass	691
0.15	30	0.01	RMS	22.267	-64.8	-25	Pass	2985
30	1000	0.1	RMS	983.698	-54.05	-25	Pass	9700
1000	2525	1	RMS	2518.996	-43	-25	Pass	1525
2525	2665	1	RMS	2535.551	19.43	60	Pass	691
2665	3000	1	RMS	2749.964	-42.09	-25	Pass	691
3000	12000	1	RMS	6929.437	-36.44	-25	Pass	9000
12000	27000	1	RMS	26798.987	-30.64	-25	Pass	15000




7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.15	-25	Pass	691
0.15	30	0.01	RMS	22.177	-64.72	-25	Pass	2985
30	1000	0.1	RMS	997	-54.14	-25	Pass	9700
1000	2525	1	RMS	2518.996	-43.51	-25	Pass	1525
2525	2665	1	RMS	2535.348	17.7	60	Pass	691
2665	3000	1	RMS	2752.391	-42.08	-25	Pass	691
3000	12000	1	RMS	6934.437	-36.51	-25	Pass	9000
12000	27000	1	RMS	26793.986	-30.69	-25	Pass	15000




**7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-25	Pass	691
0.15	30	0.01	RMS	28.059	-65.18	-25	Pass	2985
30	1000	0.1	RMS	968.497	-54.2	-25	Pass	9700
1000	2525	1	RMS	2520.997	-43.66	-25	Pass	1525
2525	2665	1	RMS	2590.536	19.35	60	Pass	691
2665	3000	1	RMS	2731.514	-42.08	-25	Pass	691
3000	12000	1	RMS	6933.437	-36.57	-25	Pass	9000
12000	27000	1	RMS	26787.986	-30.67	-25	Pass	15000




**7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-25	Pass	691
0.15	30	0.01	RMS	22.217	-65.17	-25	Pass	2985
30	1000	0.1	RMS	960.996	-54.21	-25	Pass	9700
1000	2525	1	RMS	2521.998	-43.62	-25	Pass	1525
2525	2665	1	RMS	2590.739	17.78	60	Pass	691
2665	3000	1	RMS	2720.348	-42.07	-25	Pass	691
3000	12000	1	RMS	6928.436	-36.51	-25	Pass	9000
12000	27000	1	RMS	26811.987	-30.71	-25	Pass	15000




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-25	Pass	691
0.15	30	0.01	RMS	22.037	-65.52	-25	Pass	2985
30	1000	0.1	RMS	993.899	-54.11	-25	Pass	9700
1000	2525	1	RMS	2520.997	-43.71	-25	Pass	1525
2525	2665	1	RMS	2645.522	19.19	60	Pass	691
2665	3000	1	RMS	2745.109	-42.09	-25	Pass	691
3000	12000	1	RMS	6921.436	-36.56	-25	Pass	9000
12000	27000	1	RMS	26799.987	-30.7	-25	Pass	15000




**7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-25	Pass	691
0.15	30	0.01	RMS	24.318	-64.91	-25	Pass	2985
30	1000	0.1	RMS	969.097	-54.2	-25	Pass	9700
1000	2525	1	RMS	2518.996	-43.74	-25	Pass	1525
2525	2665	1	RMS	2645.725	18.52	60	Pass	691
2665	3000	1	RMS	2749.478	-42.09	-25	Pass	691
3000	12000	1	RMS	6923.436	-36.42	-25	Pass	9000
12000	27000	1	RMS	26803.987	-30.67	-25	Pass	15000




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-25	Pass	691
0.15	30	0.01	RMS	22.327	-64.74	-25	Pass	2985
30	1000	0.1	RMS	999.4	-54.04	-25	Pass	9700
1000	2525	1	RMS	2522.999	-42.37	-25	Pass	1525
2525	2665	1	RMS	2535.754	19.3	60	Pass	691
2665	3000	1	RMS	2719.862	-42.07	-25	Pass	691
3000	12000	1	RMS	6947.439	-36.51	-25	Pass	9000
12000	27000	1	RMS	26795.986	-30.67	-25	Pass	15000




**7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.76	-25	Pass	691
0.15	30	0.01	RMS	27.299	-65.12	-25	Pass	2985
30	1000	0.1	RMS	991.099	-54.12	-25	Pass	9700
1000	2525	1	RMS	2522.999	-42.78	-25	Pass	1525
2525	2665	1	RMS	2535.957	17.15	60	Pass	691
2665	3000	1	RMS	2746.08	-42.08	-25	Pass	691
3000	12000	1	RMS	6949.439	-36.51	-25	Pass	9000
12000	27000	1	RMS	26813.988	-30.69	-25	Pass	15000




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-25	Pass	691
0.15	30	0.01	RMS	24.248	-65.31	-25	Pass	2985
30	1000	0.1	RMS	995.6	-54.11	-25	Pass	9700
1000	2525	1	RMS	2511.991	-43.76	-25	Pass	1525
2525	2665	1	RMS	2588.304	19.5	60	Pass	691
2665	3000	1	RMS	2749.964	-42.09	-25	Pass	691
3000	12000	1	RMS	6917.435	-36.48	-25	Pass	9000
12000	27000	1	RMS	26781.985	-30.69	-25	Pass	15000




**7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-25	Pass	691
0.15	30	0.01	RMS	29.94	-65.03	-25	Pass	2985
30	1000	0.1	RMS	953.195	-54.17	-25	Pass	9700
1000	2525	1	RMS	2522.999	-43.58	-25	Pass	1525
2525	2665	1	RMS	2588.304	17.9	60	Pass	691
2665	3000	1	RMS	2733.942	-42.09	-25	Pass	691
3000	12000	1	RMS	6932.437	-36.51	-25	Pass	9000
12000	27000	1	RMS	26795.986	-30.58	-25	Pass	15000




**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-25	Pass	691
0.15	30	0.01	RMS	28.229	-65.22	-25	Pass	2985
30	1000	0.1	RMS	944.794	-54.22	-25	Pass	9700
1000	2525	1	RMS	2520.997	-43.7	-25	Pass	1525
2525	2665	1	RMS	2641.058	18.58	60	Pass	691
2665	3000	1	RMS	2666.942	-29.11	-25	Pass	691
3000	12000	1	RMS	6922.436	-36.49	-25	Pass	9000
12000	27000	1	RMS	26799.987	-30.58	-25	Pass	15000




**7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-25	Pass	691
0.15	30	0.01	RMS	27.319	-65.19	-25	Pass	2985
30	1000	0.1	RMS	991.899	-54.07	-25	Pass	9700
1000	2525	1	RMS	2514.993	-43.76	-25	Pass	1525
2525	2665	1	RMS	2640.855	18.65	60	Pass	691
2665	3000	1	RMS	2667.428	-30.04	-25	Pass	691
3000	12000	1	RMS	6916.435	-36.46	-25	Pass	9000
12000	27000	1	RMS	26812.988	-30.69	-25	Pass	15000




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-25	Pass	691
0.15	30	0.01	RMS	24.238	-65.15	-25	Pass	2985
30	1000	0.1	RMS	995.9	-54.15	-25	Pass	9700
1000	2525	1	RMS	2523.999	-42.62	-25	Pass	1525
2525	2665	1	RMS	2535.957	19.02	60	Pass	691
2665	3000	1	RMS	2748.507	-42.1	-25	Pass	691
3000	12000	1	RMS	6930.437	-36.53	-25	Pass	9000
12000	27000	1	RMS	26793.986	-30.67	-25	Pass	15000




**7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-25	Pass	691
0.15	30	0.01	RMS	24.298	-65.12	-25	Pass	2985
30	1000	0.1	RMS	994.099	-54.17	-25	Pass	9700
1000	2525	1	RMS	2525	-42.1	-25	Pass	1525
2525	2665	1	RMS	2536.159	17.54	60	Pass	691
2665	3000	1	RMS	2754.333	-42.1	-25	Pass	691
3000	12000	1	RMS	6933.437	-36.54	-25	Pass	9000
12000	27000	1	RMS	26797.987	-30.72	-25	Pass	15000




**7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-25	Pass	691
0.15	30	0.01	RMS	24.298	-65.04	-25	Pass	2985
30	1000	0.1	RMS	996.2	-54.09	-25	Pass	9700
1000	2525	1	RMS	2518.996	-43.63	-25	Pass	1525
2525	2665	1	RMS	2586.275	18.64	60	Pass	691
2665	3000	1	RMS	2749.964	-42.09	-25	Pass	691
3000	12000	1	RMS	6926.436	-36.49	-25	Pass	9000
12000	27000	1	RMS	26761.984	-30.54	-25	Pass	15000




**7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-25	Pass	691
0.15	30	0.01	RMS	22.297	-64.65	-25	Pass	2985
30	1000	0.1	RMS	998.9	-54.07	-25	Pass	9700
1000	2525	1	RMS	2523.999	-43.7	-25	Pass	1525
2525	2665	1	RMS	2586.072	17.48	60	Pass	691
2665	3000	1	RMS	2755.79	-42.1	-25	Pass	691
3000	12000	1	RMS	6933.437	-36.53	-25	Pass	9000
12000	27000	1	RMS	26789.986	-30.65	-25	Pass	15000




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.69	-25	Pass	691
0.15	30	0.01	RMS	28.319	-65.37	-25	Pass	2985
30	1000	0.1	RMS	990.399	-54.21	-25	Pass	9700
1000	2525	1	RMS	2514.993	-43.71	-25	Pass	1525
2525	2665	1	RMS	2636.188	19.49	60	Pass	691
2665	3000	1	RMS	2671.797	-31.6	-25	Pass	691
3000	12000	1	RMS	6926.436	-36.54	-25	Pass	9000
12000	27000	1	RMS	26816.988	-30.72	-25	Pass	15000



**7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-25	Pass	691
0.15	30	0.01	RMS	24.058	-65.09	-25	Pass	2985
30	1000	0.1	RMS	990.899	-54.21	-25	Pass	9700
1000	2525	1	RMS	2519.997	-43.71	-25	Pass	1525
2525	2665	1	RMS	2636.188	18.72	60	Pass	691
2665	3000	1	RMS	2671.312	-32.38	-25	Pass	691
3000	12000	1	RMS	6929.437	-36.51	-25	Pass	9000
12000	27000	1	RMS	26811.987	-30.7	-25	Pass	15000



END