


EXHIBIT C. Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.084	-54.11	-13	Pass	601
0.15	30	0.01	Peak	0.15	-46.64	-13	Pass	2985
30	500	0.1	Peak	499.2	-42.41	-13	Pass	4700
500	1000	0.1	Peak	824.265	32.14	-13	N/A	5000
1000	10000	1	Peak	6036.56	-23.7	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-54.34	-13	Pass	601
0.15	30	0.01	Peak	0.16	-46.77	-13	Pass	2985
30	500	0.1	Peak	499.2	-41.63	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.18	-13	N/A	5000
1000	10000	1	Peak	9615.957	-23.91	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.088	-54.19	-13	Pass	601
0.15	30	0.01	Peak	0.17	-46.99	-13	Pass	2985
30	500	0.1	Peak	499.4	-42.29	-13	Pass	4700
500	1000	0.1	Peak	848.67	32.1	-13	N/A	5000
1000	10000	1	Peak	9906.99	-23.94	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.149	-60.9	-13	Pass	601
0.15	30	0.01	Peak	0.16	-52.4	-13	Pass	2985
30	1000	0.1	Peak	861.186	-48.32	-13	Pass	9700
1000	3000	1	Peak	1850.425	30.73	-13	N/A	2000
3000	20000	1	Peak	19226.955	-21.23	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.093	-60.27	-13	Pass	601
0.15	30	0.01	Peak	0.16	-51.27	-13	Pass	2985
30	1000	0.1	Peak	899.69	-47.48	-13	Pass	9700
1000	3000	1	Peak	1879.44	30.01	-13	N/A	2000
3000	20000	1	Peak	19384.964	-20.78	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.122	-60.38	-13	Pass	601
0.15	30	0.01	Peak	0.15	-52.12	-13	Pass	2985
30	1000	0.1	Peak	860.686	-47.41	-13	Pass	9700
1000	3000	1	Peak	1909.455	29.98	-13	N/A	2000
3000	20000	1	Peak	19679.981	-20.56	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.146	-54.9	-13	Pass	601
0.15	30	0.01	Peak	0.16	-47.35	-13	Pass	2985
30	500	0.1	Peak	499.2	-41.48	-13	Pass	4700
500	1000	0.1	Peak	824.265	27.68	-13	N/A	5000
1000	10000	1	Peak	9760.973	-24.4	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.146	-54.46	-13	Pass	601
0.15	30	0.01	Peak	0.15	-46.17	-13	Pass	2985
30	500	0.1	Peak	499.2	-42.25	-13	Pass	4700
500	1000	0.1	Peak	836.667	26.47	-13	N/A	5000
1000	10000	1	Peak	9627.959	-23.79	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.109	-54.34	-13	Pass	601
0.15	30	0.01	Peak	0.17	-46.18	-13	Pass	2985
30	500	0.1	Peak	499.3	-43.08	-13	Pass	4700
500	1000	0.1	Peak	848.87	26.1	-13	N/A	5000
1000	10000	1	Peak	9994.999	-24.51	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-60.49	-13	Pass	601
0.15	30	0.01	Peak	0.16	-52.84	-13	Pass	2985
30	1000	0.1	Peak	877.087	-47.62	-13	Pass	9700
1000	3000	1	Peak	1850.425	28.39	-13	N/A	2000
3000	20000	1	Peak	19685.982	-21.27	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.14	-60.11	-13	Pass	601
0.15	30	0.01	Peak	0.15	-51.77	-13	Pass	2985
30	1000	0.1	Peak	924.892	-47.77	-13	Pass	9700
1000	3000	1	Peak	1880.44	28.3	-13	N/A	2000
3000	20000	1	Peak	19267.957	-20.97	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.138	-59.61	-13	Pass	601
0.15	30	0.01	Peak	0.15	-51.55	-13	Pass	2985
30	1000	0.1	Peak	953.295	-47.91	-13	Pass	9700
1000	3000	1	Peak	1909.455	28.26	-13	N/A	2000
3000	20000	1	Peak	19660.98	-20.26	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.139	-64.28	-13	Pass	601
0.15	30	0.01	Peak	0.16	-58.4	-13	Pass	2985
30	1000	0.1	Peak	889.289	-51.67	-13	Pass	9700
1000	3000	1	Peak	1853.427	22.04	-13	N/A	2000
3000	20000	1	Peak	19288.958	-25.04	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.11	-64.66	-13	Pass	601
0.15	30	0.01	Peak	0.16	-57.04	-13	Pass	2985
30	1000	0.1	Peak	916.391	-52.18	-13	Pass	9700
1000	3000	1	Peak	1878.439	22.12	-13	N/A	2000
3000	20000	1	Peak	19355.962	-25.16	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.111	-65.36	-13	Pass	601
0.15	30	0.01	Peak	0.18	-56.29	-13	Pass	2985
30	1000	0.1	Peak	936.893	-52.27	-13	Pass	9700
1000	3000	1	Peak	1906.453	22.52	-13	N/A	2000
3000	20000	1	Peak	19659.98	-25.33	-13	Pass	17000



6. WCDMA_Band5


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.087	-65.37	-13	Pass	601
0.15	30	0.01	Peak	0.17	-58.58	-13	Pass	2985
30	500	0.1	Peak	461.992	-53.83	-13	Pass	4700
500	1000	0.1	Peak	826.065	16.83	-13	N/A	5000
1000	10000	1	Peak	4137.349	-26.04	-13	Pass	9000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.142	-64.45	-13	Pass	601
0.15	30	0.01	Peak	0.15	-57.88	-13	Pass	2985
30	500	0.1	Peak	446.189	-53.17	-13	Pass	4700
500	1000	0.1	Peak	837.668	16.56	-13	N/A	5000
1000	10000	1	Peak	4188.354	-27.09	-13	Pass	9000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.084	-65.68	-13	Pass	601
0.15	30	0.01	Peak	0.16	-59.03	-13	Pass	2985
30	500	0.1	Peak	472.194	-53.3	-13	Pass	4700
500	1000	0.1	Peak	845.769	18.24	-13	N/A	5000
1000	10000	1	Peak	4228.359	-25.62	-13	Pass	9000



7. CDMA BC0


7.1. Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.111	-54.76	-13	Pass	601
0.15	30	0.01	Peak	0.15	-47.52	-13	Pass	2985
30	500	0.1	Peak	464.793	-43.07	-13	Pass	4700
500	1000	0.1	Peak	824.365	21.22	-13	N/A	5000
1000	10000	1	Peak	4124.347	-21.85	-13	Pass	9000




7.2. Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.131	-55.79	-13	Pass	601
0.15	30	0.01	Peak	0.15	-46.92	-13	Pass	2985
30	500	0.1	Peak	408.781	-44.04	-13	Pass	4700
500	1000	0.1	Peak	836.867	21.23	-13	N/A	5000
1000	10000	1	Peak	4183.354	-20.41	-13	Pass	9000



7.3. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.134	-54.12	-13	Pass	601
0.15	30	0.01	Peak	0.15	-47.04	-13	Pass	2985
30	500	0.1	Peak	454.79	-43.89	-13	Pass	4700
500	1000	0.1	Peak	848.27	20.93	-13	N/A	5000
1000	10000	1	Peak	4240.36	-20.04	-13	Pass	9000



8. EVDO BC0


8.1. Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.132	-54.59	-13	Pass	601
0.15	30	0.01	Peak	0.15	-47.58	-13	Pass	2985
30	500	0.1	Peak	411.781	-43.08	-13	Pass	4700
500	1000	0.1	Peak	824.365	21.09	-13	N/A	5000
1000	10000	1	Peak	4125.347	-21.08	-13	Pass	9000




8.2. Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.127	-54.61	-13	Pass	601
0.15	30	0.01	Peak	0.17	-47.84	-13	Pass	2985
30	500	0.1	Peak	454.29	-43.22	-13	Pass	4700
500	1000	0.1	Peak	836.867	20.9	-13	N/A	5000
1000	10000	1	Peak	4181.353	-19.77	-13	Pass	9000



8.3. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.083	-55.02	-13	Pass	601
0.15	30	0.01	Peak	0.16	-46.14	-13	Pass	2985
30	500	0.1	Peak	491.598	-44.02	-13	Pass	4700
500	1000	0.1	Peak	848.57	21.43	-13	N/A	5000
1000	10000	1	Peak	4243.36	-19.44	-13	Pass	9000



9. LTE_Band2


**9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-71.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.82	-13	Pass	2985
30	1000	0.1	RMS	903.79	-62.98	-13	Pass	9700
1000	1840	1	RMS	1840	-52.05	-13	Pass	840
1840	1920	1	RMS	1850.267	22.93	60	Pass	601
1920	3000	1	RMS	2707.729	-49.67	-13	Pass	1080
3000	12000	1	RMS	5550.283	-38.62	-13	Pass	9000
12000	20000	1	RMS	19312.914	-36.72	-13	Pass	8000




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-71.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.45	-13	Pass	2985
30	1000	0.1	RMS	912.491	-63.16	-13	Pass	9700
1000	1840	1	RMS	1840	-52.17	-13	Pass	840
1840	1920	1	RMS	1850.267	22.01	60	Pass	601
1920	3000	1	RMS	2703.726	-49.74	-13	Pass	1080
3000	12000	1	RMS	5550.283	-39.76	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.7	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-71.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.64	-13	Pass	2985
30	1000	0.1	RMS	897.289	-62.98	-13	Pass	9700
1000	1840	1	RMS	1834.994	-52.61	-13	Pass	840
1840	1920	1	RMS	1879.6	22.56	60	Pass	601
1920	3000	1	RMS	2690.714	-49.7	-13	Pass	1080
3000	12000	1	RMS	5638.293	-38.6	-13	Pass	9000
12000	20000	1	RMS	19316.915	-36.71	-13	Pass	8000




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.104	-71.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.9	-13	Pass	2985
30	1000	0.1	RMS	906.39	-63.05	-13	Pass	9700
1000	1840	1	RMS	1840	-52.65	-13	Pass	840
1840	1920	1	RMS	1879.6	21.86	60	Pass	601
1920	3000	1	RMS	2704.727	-49.57	-13	Pass	1080
3000	12000	1	RMS	5638.293	-39.47	-13	Pass	9000
12000	20000	1	RMS	19286.911	-36.76	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-71.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.29	-13	Pass	2985
30	1000	0.1	RMS	915.191	-62.9	-13	Pass	9700
1000	1840	1	RMS	1831.99	-52.67	-13	Pass	840
1840	1920	1	RMS	1908.8	22.82	60	Pass	601
1920	3000	1	RMS	2699.722	-49.69	-13	Pass	1080
3000	12000	1	RMS	5726.303	-36.16	-13	Pass	9000
12000	20000	1	RMS	19316.915	-36.76	-13	Pass	8000




9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-71.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.82	-13	Pass	2985
30	1000	0.1	RMS	899.59	-63.07	-13	Pass	9700
1000	1840	1	RMS	1837.998	-52.69	-13	Pass	840
1840	1920	1	RMS	1908.8	22.12	60	Pass	601
1920	3000	1	RMS	2693.716	-49.64	-13	Pass	1080
3000	12000	1	RMS	5726.303	-37.01	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.72	-13	Pass	8000




9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-72.1	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.71	-13	Pass	2985
30	1000	0.1	RMS	991.499	-63.17	-13	Pass	9700
1000	1840	1	RMS	1840	-51.97	-13	Pass	840
1840	1920	1	RMS	1850.267	22.99	60	Pass	601
1920	3000	1	RMS	2704.727	-49.7	-13	Pass	1080
3000	12000	1	RMS	5550.283	-38.43	-13	Pass	9000
12000	20000	1	RMS	19320.915	-36.75	-13	Pass	8000




9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-72.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.83	-13	Pass	2985
30	1000	0.1	RMS	904.09	-63.18	-13	Pass	9700
1000	1840	1	RMS	1840	-52.19	-13	Pass	840
1840	1920	1	RMS	1850.267	21.74	60	Pass	601
1920	3000	1	RMS	2693.716	-49.68	-13	Pass	1080
3000	12000	1	RMS	5550.283	-39.58	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.77	-13	Pass	8000




9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.127	-72.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.45	-13	Pass	2985
30	1000	0.1	RMS	918.292	-63.17	-13	Pass	9700
1000	1840	1	RMS	1840	-52.53	-13	Pass	840
1840	1920	1	RMS	1878.8	22.68	60	Pass	601
1920	3000	1	RMS	2706.728	-49.67	-13	Pass	1080
3000	12000	1	RMS	5636.293	-37.56	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.82	-13	Pass	8000




9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-71.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.41	-13	Pass	2985
30	1000	0.1	RMS	904.59	-63.14	-13	Pass	9700
1000	1840	1	RMS	1840	-52.57	-13	Pass	840
1840	1920	1	RMS	1878.667	22.28	60	Pass	601
1920	3000	1	RMS	2694.717	-49.68	-13	Pass	1080
3000	12000	1	RMS	5636.293	-38.27	-13	Pass	9000
12000	20000	1	RMS	19321.915	-36.76	-13	Pass	8000




9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-71.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.1	-13	Pass	2985
30	1000	0.1	RMS	909.791	-63.02	-13	Pass	9700
1000	1840	1	RMS	1833.993	-52.62	-13	Pass	840
1840	1920	1	RMS	1907.2	22.84	60	Pass	601
1920	3000	1	RMS	2686.71	-49.7	-13	Pass	1080
3000	12000	1	RMS	5721.302	-37.69	-13	Pass	9000
12000	20000	1	RMS	19323.915	-36.69	-13	Pass	8000




9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-71.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.2	-13	Pass	2985
30	1000	0.1	RMS	914.391	-63.11	-13	Pass	9700
1000	1840	1	RMS	1840	-52.68	-13	Pass	840
1840	1920	1	RMS	1907.2	21.82	60	Pass	601
1920	3000	1	RMS	2706.728	-49.64	-13	Pass	1080
3000	12000	1	RMS	5721.302	-39.04	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.72	-13	Pass	8000




9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-71.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.11	-13	Pass	2985
30	1000	0.1	RMS	917.792	-63.2	-13	Pass	9700
1000	1840	1	RMS	1840	-51.79	-13	Pass	840
1840	1920	1	RMS	1850.267	22.86	60	Pass	601
1920	3000	1	RMS	2695.718	-49.71	-13	Pass	1080
3000	12000	1	RMS	5551.283	-37.67	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.72	-13	Pass	8000




9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.49	-13	Pass	2985
30	1000	0.1	RMS	939.794	-63.16	-13	Pass	9700
1000	1840	1	RMS	1840	-52.06	-13	Pass	840
1840	1920	1	RMS	1850.4	21.4	60	Pass	601
1920	3000	1	RMS	2704.727	-49.68	-13	Pass	1080
3000	12000	1	RMS	5551.283	-30.31	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.78	-13	Pass	8000




9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-71.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.1	-13	Pass	2985
30	1000	0.1	RMS	917.692	-63.13	-13	Pass	9700
1000	1840	1	RMS	1838.999	-52.5	-13	Pass	840
1840	1920	1	RMS	1877.867	22.61	60	Pass	601
1920	3000	1	RMS	2695.718	-49.7	-13	Pass	1080
3000	12000	1	RMS	5633.293	-38.17	-13	Pass	9000
12000	20000	1	RMS	19314.914	-36.73	-13	Pass	8000




9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-71.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.2	-13	Pass	2985
30	1000	0.1	RMS	901.29	-63.07	-13	Pass	9700
1000	1840	1	RMS	1838.999	-52.54	-13	Pass	840
1840	1920	1	RMS	1877.867	21.31	60	Pass	601
1920	3000	1	RMS	2704.727	-49.75	-13	Pass	1080
3000	12000	1	RMS	5633.293	-39.78	-13	Pass	9000
12000	20000	1	RMS	19320.915	-36.69	-13	Pass	8000




9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-71.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.83	-13	Pass	2985
30	1000	0.1	RMS	901.69	-63.18	-13	Pass	9700
1000	1840	1	RMS	1836.996	-52.67	-13	Pass	840
1840	1920	1	RMS	1905.333	22.32	60	Pass	601
1920	3000	1	RMS	2693.716	-49.73	-13	Pass	1080
3000	12000	1	RMS	5716.302	-30.22	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.75	-13	Pass	8000




9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-71.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.83	-13	Pass	2985
30	1000	0.1	RMS	916.191	-63.13	-13	Pass	9700
1000	1840	1	RMS	1836.996	-52.67	-13	Pass	840
1840	1920	1	RMS	1905.333	21.05	60	Pass	601
1920	3000	1	RMS	2695.718	-49.7	-13	Pass	1080
3000	12000	1	RMS	5716.302	-40.27	-13	Pass	9000
12000	20000	1	RMS	19322.915	-36.73	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-71.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.06	-13	Pass	2985
30	1000	0.1	RMS	906.29	-63.09	-13	Pass	9700
1000	1840	1	RMS	1832.992	-41.67	-13	Pass	840
1840	1920	1	RMS	1850.533	22.99	60	Pass	601
1920	3000	1	RMS	2697.72	-49.7	-13	Pass	1080
3000	12000	1	RMS	5551.283	-38.57	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.69	-13	Pass	8000




9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-72.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.58	-13	Pass	2985
30	1000	0.1	RMS	879.488	-63.14	-13	Pass	9700
1000	1840	1	RMS	1832.992	-43.75	-13	Pass	840
1840	1920	1	RMS	1850.533	21.78	60	Pass	601
1920	3000	1	RMS	2700.723	-49.71	-13	Pass	1080
3000	12000	1	RMS	5551.283	-39.85	-13	Pass	9000
12000	20000	1	RMS	19321.915	-36.76	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.5	-13	Pass	2985
30	1000	0.1	RMS	877.987	-63.04	-13	Pass	9700
1000	1840	1	RMS	1836.996	-52.5	-13	Pass	840
1840	1920	1	RMS	1875.6	22.92	60	Pass	601
1920	3000	1	RMS	2705.728	-49.67	-13	Pass	1080
3000	12000	1	RMS	5626.292	-39.38	-13	Pass	9000
12000	20000	1	RMS	19321.915	-36.72	-13	Pass	8000




9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-72.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.09	-13	Pass	2985
30	1000	0.1	RMS	874.087	-63.13	-13	Pass	9700
1000	1840	1	RMS	1836.996	-52.53	-13	Pass	840
1840	1920	1	RMS	1875.6	22.49	60	Pass	601
1920	3000	1	RMS	2689.713	-49.69	-13	Pass	1080
3000	12000	1	RMS	5626.292	-40.05	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.69	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-71.95	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.55	-13	Pass	2985
30	1000	0.1	RMS	911.091	-63.08	-13	Pass	9700
1000	1840	1	RMS	1837.998	-52.67	-13	Pass	840
1840	1920	1	RMS	1900.533	22.74	60	Pass	601
1920	3000	1	RMS	2696.719	-49.68	-13	Pass	1080
3000	12000	1	RMS	5701.3	-39.24	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.71	-13	Pass	8000




9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-71.8	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.41	-13	Pass	2985
30	1000	0.1	RMS	893.089	-63.08	-13	Pass	9700
1000	1840	1	RMS	1833.993	-52.69	-13	Pass	840
1840	1920	1	RMS	1900.533	21.82	60	Pass	601
1920	3000	1	RMS	2705.728	-49.61	-13	Pass	1080
3000	12000	1	RMS	5701.3	-40.12	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.6	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-71.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.47	-13	Pass	2985
30	1000	0.1	RMS	899.69	-63.1	-13	Pass	9700
1000	1840	1	RMS	1836.996	-42.35	-13	Pass	840
1840	1920	1	RMS	1850.8	22.87	60	Pass	601
1920	3000	1	RMS	2691.715	-49.64	-13	Pass	1080
3000	12000	1	RMS	5552.284	-37.5	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.73	-13	Pass	8000




9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-71.95	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.49	-13	Pass	2985
30	1000	0.1	RMS	908.091	-63.1	-13	Pass	9700
1000	1840	1	RMS	1837.998	-46.28	-13	Pass	840
1840	1920	1	RMS	1850.8	21.68	60	Pass	601
1920	3000	1	RMS	2710.732	-49.67	-13	Pass	1080
3000	12000	1	RMS	5552.284	-38.62	-13	Pass	9000
12000	20000	1	RMS	19323.915	-36.74	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.88	-13	Pass	2985
30	1000	0.1	RMS	915.091	-63	-13	Pass	9700
1000	1840	1	RMS	1834.994	-52.39	-13	Pass	840
1840	1920	1	RMS	1873.333	23.01	60	Pass	601
1920	3000	1	RMS	2687.711	-49.57	-13	Pass	1080
3000	12000	1	RMS	5620.291	-38.31	-13	Pass	9000
12000	20000	1	RMS	19658.957	-36.7	-13	Pass	8000




9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-71.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.98	-13	Pass	2985
30	1000	0.1	RMS	919.592	-63.11	-13	Pass	9700
1000	1840	1	RMS	1834.994	-52.58	-13	Pass	840
1840	1920	1	RMS	1873.333	22.06	60	Pass	601
1920	3000	1	RMS	2703.726	-49.67	-13	Pass	1080
3000	12000	1	RMS	5620.291	-39.28	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.74	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-71.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.42	-13	Pass	2985
30	1000	0.1	RMS	889.489	-63.16	-13	Pass	9700
1000	1840	1	RMS	1834.994	-52.62	-13	Pass	840
1840	1920	1	RMS	1895.867	22.71	60	Pass	601
1920	3000	1	RMS	2706.728	-49.67	-13	Pass	1080
3000	12000	1	RMS	5687.299	-37.3	-13	Pass	9000
12000	20000	1	RMS	19321.915	-36.67	-13	Pass	8000




9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-71.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.18	-13	Pass	2985
30	1000	0.1	RMS	899.99	-63.12	-13	Pass	9700
1000	1840	1	RMS	1831.99	-52.71	-13	Pass	840
1840	1920	1	RMS	1895.867	21.35	60	Pass	601
1920	3000	1	RMS	2701.724	-49.76	-13	Pass	1080
3000	12000	1	RMS	5687.299	-38.63	-13	Pass	9000
12000	20000	1	RMS	19663.958	-36.72	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-71.65	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.85	-13	Pass	2985
30	1000	0.1	RMS	888.789	-63.06	-13	Pass	9700
1000	1840	1	RMS	1832.992	-42.87	-13	Pass	840
1840	1920	1	RMS	1851.067	22.99	60	Pass	601
1920	3000	1	RMS	2704.727	-49.69	-13	Pass	1080
3000	12000	1	RMS	5553.284	-37.06	-13	Pass	9000
12000	20000	1	RMS	19323.915	-36.76	-13	Pass	8000




9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-71.65	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.77	-13	Pass	2985
30	1000	0.1	RMS	879.888	-63.2	-13	Pass	9700
1000	1840	1	RMS	1832.992	-44.02	-13	Pass	840
1840	1920	1	RMS	1851.067	22.19	60	Pass	601
1920	3000	1	RMS	2705.728	-49.72	-13	Pass	1080
3000	12000	1	RMS	5553.284	-37.71	-13	Pass	9000
12000	20000	1	RMS	19316.915	-36.7	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-71.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.87	-13	Pass	2985
30	1000	0.1	RMS	887.888	-62.86	-13	Pass	9700
1000	1840	1	RMS	1834.994	-45.07	-13	Pass	840
1840	1920	1	RMS	1871.067	22.93	60	Pass	601
1920	3000	1	RMS	2700.723	-49.7	-13	Pass	1080
3000	12000	1	RMS	5613.29	-37.64	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.67	-13	Pass	8000




9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-71.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.34	-13	Pass	2985
30	1000	0.1	RMS	906.79	-63.08	-13	Pass	9700
1000	1840	1	RMS	1834.994	-47.42	-13	Pass	840
1840	1920	1	RMS	1871.067	21.58	60	Pass	601
1920	3000	1	RMS	2693.716	-49.71	-13	Pass	1080
3000	12000	1	RMS	5613.29	-39.23	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.78	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-71.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.44	-13	Pass	2985
30	1000	0.1	RMS	873.287	-63.14	-13	Pass	9700
1000	1840	1	RMS	1836.996	-52.54	-13	Pass	840
1840	1920	1	RMS	1891.067	22.98	60	Pass	601
1920	3000	1	RMS	2694.717	-49.71	-13	Pass	1080
3000	12000	1	RMS	5673.297	-36.49	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.68	-13	Pass	8000



9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-72.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.03	-13	Pass	2985
30	1000	0.1	RMS	919.492	-63.07	-13	Pass	9700
1000	1840	1	RMS	1837.998	-52.59	-13	Pass	840
1840	1920	1	RMS	1891.067	22.01	60	Pass	601
1920	3000	1	RMS	2705.728	-49.73	-13	Pass	1080
3000	12000	1	RMS	5673.297	-37.06	-13	Pass	9000
12000	20000	1	RMS	19320.915	-36.74	-13	Pass	8000



10. LTE_Band4


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-71.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.79	-13	Pass	2985
30	1000	0.1	RMS	914.091	-63.13	-13	Pass	9700
1000	1700	1	RMS	1700	-52.85	-13	Pass	700
1700	1765	1	RMS	1710.292	23.25	60	Pass	601
1765	3000	1	RMS	2712.767	-49.78	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.39	-13	Pass	9000
12000	20000	1	RMS	19309.914	-37.04	-13	Pass	8000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-71.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.31	-13	Pass	2985
30	1000	0.1	RMS	895.689	-63.15	-13	Pass	9700
1000	1700	1	RMS	1700	-53.01	-13	Pass	700
1700	1765	1	RMS	1710.292	21.95	60	Pass	601
1765	3000	1	RMS	2708.764	-49.86	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.27	-13	Pass	9000
12000	20000	1	RMS	19658.957	-36.85	-13	Pass	8000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-71.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.25	-13	Pass	2985
30	1000	0.1	RMS	920.392	-63.25	-13	Pass	9700
1000	1700	1	RMS	1657.94	-53.04	-13	Pass	700
1700	1765	1	RMS	1732.067	23.27	60	Pass	601
1765	3000	1	RMS	2705.762	-49.84	-13	Pass	1235
3000	12000	1	RMS	3464.052	-41.9	-13	Pass	9000
12000	20000	1	RMS	19323.915	-36.93	-13	Pass	8000




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-71.75	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.57	-13	Pass	2985
30	1000	0.1	RMS	897.489	-63.16	-13	Pass	9700
1000	1700	1	RMS	1657.94	-53.11	-13	Pass	700
1700	1765	1	RMS	1732.067	22.59	60	Pass	601
1765	3000	1	RMS	2701.759	-49.86	-13	Pass	1235
3000	12000	1	RMS	3464.052	-42.51	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.88	-13	Pass	8000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-71.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.62	-13	Pass	2985
30	1000	0.1	RMS	903.09	-63.16	-13	Pass	9700
1000	1700	1	RMS	1614.878	-52.25	-13	Pass	700
1700	1765	1	RMS	1753.842	23.75	60	Pass	601
1765	3000	1	RMS	2706.763	-49.76	-13	Pass	1235
3000	12000	1	RMS	11518.947	-44.29	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.86	-13	Pass	8000




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-71.52	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.78	-13	Pass	2985
30	1000	0.1	RMS	906.19	-63.08	-13	Pass	9700
1000	1700	1	RMS	1614.878	-52.52	-13	Pass	700
1700	1765	1	RMS	1753.842	22.77	60	Pass	601
1765	3000	1	RMS	2701.759	-49.69	-13	Pass	1235
3000	12000	1	RMS	11522.947	-44.27	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.91	-13	Pass	8000




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-70.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.79	-13	Pass	2985
30	1000	0.1	RMS	904.09	-63.08	-13	Pass	9700
1000	1700	1	RMS	1700	-52.57	-13	Pass	700
1700	1765	1	RMS	1710.183	23.33	60	Pass	601
1765	3000	1	RMS	2688.748	-49.74	-13	Pass	1235
3000	12000	1	RMS	11514.946	-44.16	-13	Pass	9000
12000	20000	1	RMS	19320.915	-36.84	-13	Pass	8000




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-71.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.53	-13	Pass	2985
30	1000	0.1	RMS	897.189	-63.23	-13	Pass	9700
1000	1700	1	RMS	1700	-52.88	-13	Pass	700
1700	1765	1	RMS	1710.292	22.36	60	Pass	601
1765	3000	1	RMS	2692.751	-49.76	-13	Pass	1235
3000	12000	1	RMS	11519.947	-44.22	-13	Pass	9000
12000	20000	1	RMS	19320.915	-36.89	-13	Pass	8000




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-71.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.04	-13	Pass	2985
30	1000	0.1	RMS	906.09	-63.1	-13	Pass	9700
1000	1700	1	RMS	1659.943	-53.01	-13	Pass	700
1700	1765	1	RMS	1731.2	23.79	60	Pass	601
1765	3000	1	RMS	2695.754	-49.75	-13	Pass	1235
3000	12000	1	RMS	3462.051	-42.26	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.87	-13	Pass	8000




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.083	-70.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.58	-13	Pass	2985
30	1000	0.1	RMS	914.791	-63.07	-13	Pass	9700
1000	1700	1	RMS	1658.941	-53.06	-13	Pass	700
1700	1765	1	RMS	1731.2	23.14	60	Pass	601
1765	3000	1	RMS	2705.762	-49.69	-13	Pass	1235
3000	12000	1	RMS	3462.051	-42.97	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.84	-13	Pass	8000




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-70.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.44	-13	Pass	2985
30	1000	0.1	RMS	902.79	-63.03	-13	Pass	9700
1000	1700	1	RMS	1617.883	-52.3	-13	Pass	700
1700	1765	1	RMS	1752.217	23.68	60	Pass	601
1765	3000	1	RMS	2686.746	-49.67	-13	Pass	1235
3000	12000	1	RMS	11519.947	-44.34	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.77	-13	Pass	8000




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-70.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.77	-13	Pass	2985
30	1000	0.1	RMS	868.486	-63.13	-13	Pass	9700
1000	1700	1	RMS	1617.883	-52.6	-13	Pass	700
1700	1765	1	RMS	1752.217	22.99	60	Pass	601
1765	3000	1	RMS	2690.75	-49.7	-13	Pass	1235
3000	12000	1	RMS	11526.947	-44.28	-13	Pass	9000
12000	20000	1	RMS	19316.915	-36.86	-13	Pass	8000




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-71.46	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.62	-13	Pass	2985
30	1000	0.1	RMS	918.992	-63.11	-13	Pass	9700
1000	1700	1	RMS	1700	-52.16	-13	Pass	700
1700	1765	1	RMS	1710.292	23.17	60	Pass	601
1765	3000	1	RMS	2696.754	-49.73	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.21	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.79	-13	Pass	8000




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-71.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.46	-13	Pass	2985
30	1000	0.1	RMS	886.388	-63.14	-13	Pass	9700
1000	1700	1	RMS	1700	-52.6	-13	Pass	700
1700	1765	1	RMS	1710.292	22.09	60	Pass	601
1765	3000	1	RMS	2703.76	-49.67	-13	Pass	1235
3000	12000	1	RMS	11518.947	-44.27	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.84	-13	Pass	8000




10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-72.01	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.54	-13	Pass	2985
30	1000	0.1	RMS	884.188	-63.02	-13	Pass	9700
1000	1700	1	RMS	1661.946	-52.98	-13	Pass	700
1700	1765	1	RMS	1730.333	23.6	60	Pass	601
1765	3000	1	RMS	2697.755	-49.71	-13	Pass	1235
3000	12000	1	RMS	3461.051	-42.96	-13	Pass	9000
12000	20000	1	RMS	19661.958	-36.82	-13	Pass	8000




10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-71.78	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.23	-13	Pass	2985
30	1000	0.1	RMS	927.293	-63.14	-13	Pass	9700
1000	1700	1	RMS	1623.891	-53.05	-13	Pass	700
1700	1765	1	RMS	1730.333	22.88	60	Pass	601
1765	3000	1	RMS	2695.754	-49.71	-13	Pass	1235
3000	12000	1	RMS	3461.051	-43.3	-13	Pass	9000
12000	20000	1	RMS	19321.915	-36.87	-13	Pass	8000




10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.08	-71.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.72	-13	Pass	2985
30	1000	0.1	RMS	901.59	-63.14	-13	Pass	9700
1000	1700	1	RMS	1621.888	-52.33	-13	Pass	700
1700	1765	1	RMS	1750.375	23.31	60	Pass	601
1765	3000	1	RMS	2697.755	-49.65	-13	Pass	1235
3000	12000	1	RMS	11514.946	-44.26	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.75	-13	Pass	8000




10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-71.41	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.55	-13	Pass	2985
30	1000	0.1	RMS	915.091	-63.17	-13	Pass	9700
1000	1700	1	RMS	1621.888	-52.6	-13	Pass	700
1700	1765	1	RMS	1750.483	22.4	60	Pass	601
1765	3000	1	RMS	2707.763	-49.72	-13	Pass	1235
3000	12000	1	RMS	11518.947	-44.29	-13	Pass	9000
12000	20000	1	RMS	19311.914	-36.82	-13	Pass	8000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-71.68	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.18	-13	Pass	2985
30	1000	0.1	RMS	845.784	-63.08	-13	Pass	9700
1000	1700	1	RMS	1692.99	-47.04	-13	Pass	700
1700	1765	1	RMS	1710.617	23.55	60	Pass	601
1765	3000	1	RMS	2696.754	-49.68	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.25	-13	Pass	9000
12000	20000	1	RMS	19319.915	-36.82	-13	Pass	8000




10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-71.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.11	-13	Pass	2985
30	1000	0.1	RMS	896.689	-63.13	-13	Pass	9700
1000	1700	1	RMS	1692.99	-47.61	-13	Pass	700
1700	1765	1	RMS	1710.617	23.02	60	Pass	601
1765	3000	1	RMS	2705.762	-49.66	-13	Pass	1235
3000	12000	1	RMS	11523.947	-44.2	-13	Pass	9000
12000	20000	1	RMS	19317.915	-36.86	-13	Pass	8000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-71.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.29	-13	Pass	2985
30	1000	0.1	RMS	863.786	-63.13	-13	Pass	9700
1000	1700	1	RMS	1666.953	-52.92	-13	Pass	700
1700	1765	1	RMS	1728.058	23.61	60	Pass	601
1765	3000	1	RMS	2696.754	-49.65	-13	Pass	1235
3000	12000	1	RMS	3456.051	-41.38	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.75	-13	Pass	8000




10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-71.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.44	-13	Pass	2985
30	1000	0.1	RMS	914.591	-63.07	-13	Pass	9700
1000	1700	1	RMS	1666.953	-52.97	-13	Pass	700
1700	1765	1	RMS	1728.058	23.08	60	Pass	601
1765	3000	1	RMS	2704.761	-49.69	-13	Pass	1235
3000	12000	1	RMS	3456.051	-41.99	-13	Pass	9000
12000	20000	1	RMS	19322.915	-36.72	-13	Pass	8000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-71.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.04	-13	Pass	2985
30	1000	0.1	RMS	921.592	-63.15	-13	Pass	9700
1000	1700	1	RMS	1630.901	-52.63	-13	Pass	700
1700	1765	1	RMS	1745.608	23.55	60	Pass	601
1765	3000	1	RMS	2705.762	-49.68	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.18	-13	Pass	9000
12000	20000	1	RMS	19658.957	-36.75	-13	Pass	8000




10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-71.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.67	-13	Pass	2985
30	1000	0.1	RMS	882.488	-63.19	-13	Pass	9700
1000	1700	1	RMS	1630.901	-52.72	-13	Pass	700
1700	1765	1	RMS	1745.717	22.22	60	Pass	601
1765	3000	1	RMS	2689.749	-49.75	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.17	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.67	-13	Pass	8000




**10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.69	-13	Pass	2985
30	1000	0.1	RMS	893.689	-63.25	-13	Pass	9700
1000	1700	1	RMS	1697.997	-43.34	-13	Pass	700
1700	1765	1	RMS	1710.833	23.46	60	Pass	601
1765	3000	1	RMS	2705.762	-49.74	-13	Pass	1235
3000	12000	1	RMS	11516.946	-44.13	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.7	-13	Pass	8000




10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-71.62	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.72	-13	Pass	2985
30	1000	0.1	RMS	914.391	-63.05	-13	Pass	9700
1000	1700	1	RMS	1697.997	-44.74	-13	Pass	700
1700	1765	1	RMS	1710.833	22.61	60	Pass	601
1765	3000	1	RMS	2691.75	-49.74	-13	Pass	1235
3000	12000	1	RMS	11523.947	-44.25	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.74	-13	Pass	8000




**10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.129	-70.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.18	-13	Pass	2985
30	1000	0.1	RMS	896.289	-63.09	-13	Pass	9700
1000	1700	1	RMS	1698.999	-43.07	-13	Pass	700
1700	1765	1	RMS	1725.783	23.51	60	Pass	601
1765	3000	1	RMS	2685.746	-49.72	-13	Pass	1235
3000	12000	1	RMS	3452.05	-42.63	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.72	-13	Pass	8000




10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-71.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.96	-13	Pass	2985
30	1000	0.1	RMS	918.892	-63.21	-13	Pass	9700
1000	1700	1	RMS	1698.999	-44.08	-13	Pass	700
1700	1765	1	RMS	1725.783	23.25	60	Pass	601
1765	3000	1	RMS	2696.754	-49.73	-13	Pass	1235
3000	12000	1	RMS	3452.05	-42.32	-13	Pass	9000
12000	20000	1	RMS	19321.915	-36.69	-13	Pass	8000




10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-72.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.18	-13	Pass	2985
30	1000	0.1	RMS	914.191	-62.99	-13	Pass	9700
1000	1700	1	RMS	1640.916	-52.65	-13	Pass	700
1700	1765	1	RMS	1740.842	23.52	60	Pass	601
1765	3000	1	RMS	1767.002	-31.36	-13	Pass	1235
3000	12000	1	RMS	11513.946	-44.1	-13	Pass	9000
12000	20000	1	RMS	19316.915	-36.66	-13	Pass	8000




10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-71.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.67	-13	Pass	2985
30	1000	0.1	RMS	902.49	-63.17	-13	Pass	9700
1000	1700	1	RMS	1640.916	-52.86	-13	Pass	700
1700	1765	1	RMS	1740.842	22.59	60	Pass	601
1765	3000	1	RMS	1767.002	-32.57	-13	Pass	1235
3000	12000	1	RMS	11521.947	-44.09	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.65	-13	Pass	8000




**10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-72.32	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.74	-13	Pass	2985
30	1000	0.1	RMS	909.991	-63.22	-13	Pass	9700
1000	1700	1	RMS	1692.99	-46.95	-13	Pass	700
1700	1765	1	RMS	1711.05	23.41	60	Pass	601
1765	3000	1	RMS	2687.747	-49.78	-13	Pass	1235
3000	12000	1	RMS	11519.947	-44.17	-13	Pass	9000
12000	20000	1	RMS	19322.915	-36.68	-13	Pass	8000




10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-71.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.68	-13	Pass	2985
30	1000	0.1	RMS	867.986	-63.23	-13	Pass	9700
1000	1700	1	RMS	1692.99	-47.2	-13	Pass	700
1700	1765	1	RMS	1711.158	22.97	60	Pass	601
1765	3000	1	RMS	2694.753	-49.74	-13	Pass	1235
3000	12000	1	RMS	11508.945	-44.14	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.68	-13	Pass	8000




10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-72.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.1	-13	Pass	2985
30	1000	0.1	RMS	898.089	-63.09	-13	Pass	9700
1000	1700	1	RMS	1687.983	-51.66	-13	Pass	700
1700	1765	1	RMS	1723.617	24.13	60	Pass	601
1765	3000	1	RMS	1780.012	-31.96	-13	Pass	1235
3000	12000	1	RMS	3447.05	-41.35	-13	Pass	9000
12000	20000	1	RMS	19659.957	-36.78	-13	Pass	8000




10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-71.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.11	-13	Pass	2985
30	1000	0.1	RMS	922.692	-63.11	-13	Pass	9700
1000	1700	1	RMS	1687.983	-52.53	-13	Pass	700
1700	1765	1	RMS	1723.617	22.29	60	Pass	601
1765	3000	1	RMS	2688.748	-49.76	-13	Pass	1235
3000	12000	1	RMS	3447.05	-43.38	-13	Pass	9000
12000	20000	1	RMS	19318.915	-36.65	-13	Pass	8000




**10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.142	-71.79	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.15	-13	Pass	2985
30	1000	0.1	RMS	920.292	-63.16	-13	Pass	9700
1000	1700	1	RMS	1700	-41.77	-13	Pass	700
1700	1765	1	RMS	1736.075	23.56	60	Pass	601
1765	3000	1	RMS	1772.006	-30.29	-13	Pass	1235
3000	12000	1	RMS	3472.052	-42.49	-13	Pass	9000
12000	20000	1	RMS	19660.958	-36.64	-13	Pass	8000



10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-71.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.5	-13	Pass	2985
30	1000	0.1	RMS	840.384	-63.22	-13	Pass	9700
1000	1700	1	RMS	1700	-43.14	-13	Pass	700
1700	1765	1	RMS	1735.967	23.15	60	Pass	601
1765	3000	1	RMS	1772.006	-31.63	-13	Pass	1235
3000	12000	1	RMS	3472.052	-43.34	-13	Pass	9000
12000	20000	1	RMS	19326.916	-36.77	-13	Pass	8000



11. LTE_Band5


**11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.129	-70.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.78	-13	Pass	2985
30	814	0.1	RMS	608.474	-63.01	-13	Pass	7840
814	860	0.1	RMS	824.273	20.19	60	Pass	601
860	1000	0.1	RMS	868.106	-63.89	-13	Pass	1400
1000	3000	1	RMS	1648.324	-41.94	-13	Pass	2000
3000	10000	1	RMS	4121.16	-26.99	-13	Pass	7000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-71.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.01	-13	Pass	2985
30	814	0.1	RMS	809.499	-63.33	-13	Pass	7840
814	860	0.1	RMS	824.273	19.11	60	Pass	601
860	1000	0.1	RMS	875.811	-63.85	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.03	-13	Pass	2000
3000	10000	1	RMS	4121.16	-28.27	-13	Pass	7000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-72.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.66	-13	Pass	2985
30	814	0.1	RMS	809.499	-63.31	-13	Pass	7840
814	860	0.1	RMS	836.08	19.91	60	Pass	601
860	1000	0.1	RMS	872.409	-63.8	-13	Pass	1400
1000	3000	1	RMS	1672.336	-46.61	-13	Pass	2000
3000	10000	1	RMS	4180.169	-26.71	-13	Pass	7000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-72.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.13	-13	Pass	2985
30	814	0.1	RMS	809.099	-63.41	-13	Pass	7840
814	860	0.1	RMS	836.08	19.2	60	Pass	601
860	1000	0.1	RMS	898.327	-63.91	-13	Pass	1400
1000	3000	1	RMS	1672.336	-47.16	-13	Pass	2000
3000	10000	1	RMS	4180.169	-27.1	-13	Pass	7000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-71.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.87	-13	Pass	2985
30	814	0.1	RMS	794.398	-63.28	-13	Pass	7840
814	860	0.1	RMS	847.81	19.75	60	Pass	601
860	1000	0.1	RMS	903.631	-63.83	-13	Pass	1400
1000	3000	1	RMS	2543.772	-49.12	-13	Pass	2000
3000	10000	1	RMS	4239.177	-25.48	-13	Pass	7000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.103	-71.85	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.67	-13	Pass	2985
30	814	0.1	RMS	778.695	-63.37	-13	Pass	7840
814	860	0.1	RMS	847.887	18.75	60	Pass	601
860	1000	0.1	RMS	923.846	-63.87	-13	Pass	1400
1000	3000	1	RMS	2709.855	-49.27	-13	Pass	2000
3000	10000	1	RMS	4239.177	-26.89	-13	Pass	7000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.23	-13	Pass	2985
30	814	0.1	RMS	608.474	-63.07	-13	Pass	7840
814	860	0.1	RMS	824.273	19.85	60	Pass	601
860	1000	0.1	RMS	976.083	-63.71	-13	Pass	1400
1000	3000	1	RMS	1648.324	-41.93	-13	Pass	2000
3000	10000	1	RMS	4121.16	-26.95	-13	Pass	7000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-71.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.19	-13	Pass	2985
30	814	0.1	RMS	784.296	-63.29	-13	Pass	7840
814	860	0.1	RMS	824.273	18.79	60	Pass	601
860	1000	0.1	RMS	968.277	-63.87	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.44	-13	Pass	2000
3000	10000	1	RMS	4121.16	-28.35	-13	Pass	7000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-72.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.98	-13	Pass	2985
30	814	0.1	RMS	751.492	-63.32	-13	Pass	7840
814	860	0.1	RMS	835.237	20.2	60	Pass	601
860	1000	0.1	RMS	896.626	-63.68	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.43	-13	Pass	2000
3000	10000	1	RMS	4176.168	-26.33	-13	Pass	7000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-71.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.3	-13	Pass	2985
30	814	0.1	RMS	777.695	-63.37	-13	Pass	7840
814	860	0.1	RMS	835.237	19.86	60	Pass	601
860	1000	0.1	RMS	900.629	-63.85	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.8	-13	Pass	2000
3000	10000	1	RMS	4176.168	-26.77	-13	Pass	7000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-70.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.01	-13	Pass	2985
30	814	0.1	RMS	802.999	-63.34	-13	Pass	7840
814	860	0.1	RMS	846.277	19.98	60	Pass	601
860	1000	0.1	RMS	892.723	-51.34	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.76	-13	Pass	2000
3000	10000	1	RMS	4231.176	-25.41	-13	Pass	7000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-71.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.1	-13	Pass	2985
30	814	0.1	RMS	791.497	-63.31	-13	Pass	7840
814	860	0.1	RMS	846.277	18.7	60	Pass	601
860	1000	0.1	RMS	902.13	-63.93	-13	Pass	1400
1000	3000	1	RMS	2704.852	-49.26	-13	Pass	2000
3000	10000	1	RMS	4231.176	-26.75	-13	Pass	7000




11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-72.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.53	-13	Pass	2985
30	814	0.1	RMS	608.374	-63.17	-13	Pass	7840
814	860	0.1	RMS	824.35	19.87	60	Pass	601
860	1000	0.1	RMS	995.096	-63.85	-13	Pass	1400
1000	3000	1	RMS	1648.324	-42.72	-13	Pass	2000
3000	10000	1	RMS	4122.16	-28.54	-13	Pass	7000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-71.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.21	-13	Pass	2985
30	814	0.1	RMS	781.096	-63.31	-13	Pass	7840
814	860	0.1	RMS	824.35	18.83	60	Pass	601
860	1000	0.1	RMS	870.508	-63.92	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.02	-13	Pass	2000
3000	10000	1	RMS	4122.16	-30.21	-13	Pass	7000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-71.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.92	-13	Pass	2985
30	814	0.1	RMS	786.997	-63.32	-13	Pass	7840
814	860	0.1	RMS	834.317	19.91	60	Pass	601
860	1000	0.1	RMS	908.034	-63.88	-13	Pass	1400
1000	3000	1	RMS	2705.853	-49.26	-13	Pass	2000
3000	10000	1	RMS	4172.167	-27.58	-13	Pass	7000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-72.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.54	-13	Pass	2985
30	814	0.1	RMS	809.299	-63.33	-13	Pass	7840
814	860	0.1	RMS	834.317	19.16	60	Pass	601
860	1000	0.1	RMS	918.642	-63.92	-13	Pass	1400
1000	3000	1	RMS	2705.853	-49.28	-13	Pass	2000
3000	10000	1	RMS	4172.167	-28.61	-13	Pass	7000




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-71.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.96	-13	Pass	2985
30	814	0.1	RMS	779.596	-63.54	-13	Pass	7840
814	860	0.1	RMS	844.36	19.72	60	Pass	601
860	1000	0.1	RMS	901.93	-63.77	-13	Pass	1400
1000	3000	1	RMS	1688.344	-45.53	-13	Pass	2000
3000	10000	1	RMS	4222.175	-26.89	-13	Pass	7000




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.085	-72.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.32	-13	Pass	2985
30	814	0.1	RMS	799.298	-63.43	-13	Pass	7840
814	860	0.1	RMS	844.36	19.05	60	Pass	601
860	1000	0.1	RMS	890.622	-63.88	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.58	-13	Pass	2000
3000	10000	1	RMS	4222.175	-27.96	-13	Pass	7000




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-71.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.16	-13	Pass	2985
30	814	0.1	RMS	608.074	-63.06	-13	Pass	7840
814	860	0.1	RMS	824.58	20.2	60	Pass	601
860	1000	0.1	RMS	920.343	-63.88	-13	Pass	1400
1000	3000	1	RMS	1649.325	-41.99	-13	Pass	2000
3000	10000	1	RMS	4123.16	-27.15	-13	Pass	7000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.14	-13	Pass	2985
30	814	0.1	RMS	803.199	-63.37	-13	Pass	7840
814	860	0.1	RMS	824.58	19.06	60	Pass	601
860	1000	0.1	RMS	904.031	-63.88	-13	Pass	1400
1000	3000	1	RMS	1649.325	-43.2	-13	Pass	2000
3000	10000	1	RMS	4123.16	-28.71	-13	Pass	7000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-71.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.29	-13	Pass	2985
30	814	0.1	RMS	806.599	-63.33	-13	Pass	7840
814	860	0.1	RMS	832.093	20.11	60	Pass	601
860	1000	0.1	RMS	878.013	-63.86	-13	Pass	1400
1000	3000	1	RMS	2496.748	-48.66	-13	Pass	2000
3000	10000	1	RMS	4160.166	-25.77	-13	Pass	7000




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-72.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.26	-13	Pass	2985
30	814	0.1	RMS	807.199	-63.31	-13	Pass	7840
814	860	0.1	RMS	832.093	18.73	60	Pass	601
860	1000	0.1	RMS	865.804	-63.99	-13	Pass	1400
1000	3000	1	RMS	2695.848	-49.29	-13	Pass	2000
3000	10000	1	RMS	4160.166	-27.12	-13	Pass	7000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.142	-71.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.86	-13	Pass	2985
30	814	0.1	RMS	792.197	-63.21	-13	Pass	7840
814	860	0.1	RMS	839.607	20.39	60	Pass	601
860	1000	0.1	RMS	983.588	-63.6	-13	Pass	1400
1000	3000	1	RMS	1679.34	-42.65	-13	Pass	2000
3000	10000	1	RMS	4198.171	-26.38	-13	Pass	7000



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.25	-13	Pass	2985
30	814	0.1	RMS	807.899	-63.37	-13	Pass	7840
814	860	0.1	RMS	839.607	19.59	60	Pass	601
860	1000	0.1	RMS	896.326	-63.72	-13	Pass	1400
1000	3000	1	RMS	1679.34	-43.54	-13	Pass	2000
3000	10000	1	RMS	4198.171	-26.64	-13	Pass	7000



12. LTE_Band7


**12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-71.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.36	-25	Pass	2985
30	1000	0.1	RMS	975.697	-63.18	-25	Pass	9700
1000	2490	1	RMS	2490	-49.81	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.32	60	Pass	601
2580	3000	1	RMS	2704.6	-49.6	-25	Pass	601
3000	12000	1	RMS	11517.946	-53.88	-25	Pass	9000
12000	27000	1	RMS	25259.884	-40.74	-25	Pass	15000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-71.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.13	-25	Pass	2985
30	1000	0.1	RMS	899.69	-63.02	-25	Pass	9700
1000	2490	1	RMS	2490	-50.03	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.49	60	Pass	601
2580	3000	1	RMS	2708.8	-49.62	-25	Pass	601
3000	12000	1	RMS	11521.947	-53.9	-25	Pass	9000
12000	27000	1	RMS	25249.883	-40.61	-25	Pass	15000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.078	-71.18	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.8	-25	Pass	2985
30	1000	0.1	RMS	915.591	-63.06	-25	Pass	9700
1000	2490	1	RMS	2455.977	-50.2	-25	Pass	1490
2490	2580	1	RMS	2532.9	22.16	60	Pass	601
2580	3000	1	RMS	2705.3	-49.59	-25	Pass	601
3000	12000	1	RMS	11515.946	-53.88	-25	Pass	9000
12000	27000	1	RMS	25251.883	-40.62	-25	Pass	15000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-71.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.41	-25	Pass	2985
30	1000	0.1	RMS	911.891	-63.15	-25	Pass	9700
1000	2490	1	RMS	2453.976	-50.19	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.43	60	Pass	601
2580	3000	1	RMS	2702.5	-49.65	-25	Pass	601
3000	12000	1	RMS	11529.948	-53.97	-25	Pass	9000
12000	27000	1	RMS	25242.883	-40.62	-25	Pass	15000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-71.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.11	-25	Pass	2985
30	1000	0.1	RMS	907.59	-63.12	-25	Pass	9700
1000	2490	1	RMS	2455.977	-50.27	-25	Pass	1490
2490	2580	1	RMS	2565.3	21.6	60	Pass	601
2580	3000	1	RMS	2702.5	-49.62	-25	Pass	601
3000	12000	1	RMS	10261.807	-53.72	-25	Pass	9000
12000	27000	1	RMS	25249.883	-40.71	-25	Pass	15000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-72.18	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.49	-25	Pass	2985
30	1000	0.1	RMS	899.59	-63.11	-25	Pass	9700
1000	2490	1	RMS	2442.968	-50.18	-25	Pass	1490
2490	2580	1	RMS	2565.3	21.06	60	Pass	601
2580	3000	1	RMS	2688.5	-49.64	-25	Pass	601
3000	12000	1	RMS	10261.807	-53.64	-25	Pass	9000
12000	27000	1	RMS	25246.883	-40.68	-25	Pass	15000




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.134	-72.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.76	-25	Pass	2985
30	1000	0.1	RMS	975.998	-63.08	-25	Pass	9700
1000	2490	1	RMS	2482.995	-45.54	-25	Pass	1490
2490	2580	1	RMS	2500.65	21.89	60	Pass	601
2580	3000	1	RMS	2694.8	-49.64	-25	Pass	601
3000	12000	1	RMS	11515.946	-53.91	-25	Pass	9000
12000	27000	1	RMS	25244.883	-40.61	-25	Pass	15000




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-72.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-65.25	-25	Pass	2985
30	1000	0.1	RMS	915.791	-63.17	-25	Pass	9700
1000	2490	1	RMS	2482.995	-46.67	-25	Pass	1490
2490	2580	1	RMS	2500.5	21.34	60	Pass	601
2580	3000	1	RMS	2692.7	-49.63	-25	Pass	601
3000	12000	1	RMS	11520.947	-53.86	-25	Pass	9000
12000	27000	1	RMS	25252.884	-40.7	-25	Pass	15000




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-71.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-65.09	-25	Pass	2985
30	1000	0.1	RMS	887.788	-63.11	-25	Pass	9700
1000	2490	1	RMS	2457.979	-50.19	-25	Pass	1490
2490	2580	1	RMS	2530.65	21.92	60	Pass	601
2580	3000	1	RMS	2696.2	-49.61	-25	Pass	601
3000	12000	1	RMS	11518.947	-53.84	-25	Pass	9000
12000	27000	1	RMS	25261.884	-40.68	-25	Pass	15000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-72.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.17	-25	Pass	2985
30	1000	0.1	RMS	959.696	-63.06	-25	Pass	9700
1000	2490	1	RMS	2447.972	-50.2	-25	Pass	1490
2490	2580	1	RMS	2530.65	21.19	60	Pass	601
2580	3000	1	RMS	2709.5	-49.65	-25	Pass	601
3000	12000	1	RMS	11525.947	-53.84	-25	Pass	9000
12000	27000	1	RMS	25245.883	-40.61	-25	Pass	15000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-71.98	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.33	-25	Pass	2985
30	1000	0.1	RMS	865.586	-63.05	-25	Pass	9700
1000	2490	1	RMS	2456.978	-50.17	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.42	60	Pass	601
2580	3000	1	RMS	2687.1	-49.6	-25	Pass	601
3000	12000	1	RMS	10242.805	-53.81	-25	Pass	9000
12000	27000	1	RMS	25269.885	-40.7	-25	Pass	15000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.087	-71.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.99	-25	Pass	2985
30	1000	0.1	RMS	914.391	-62.96	-25	Pass	9700
1000	2490	1	RMS	2455.977	-50.22	-25	Pass	1490
2490	2580	1	RMS	2560.65	20.7	60	Pass	601
2580	3000	1	RMS	2688.5	-49.65	-25	Pass	601
3000	12000	1	RMS	11516.946	-53.87	-25	Pass	9000
12000	27000	1	RMS	25261.884	-40.67	-25	Pass	15000




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-70.97	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.12	-25	Pass	2985
30	1000	0.1	RMS	976.198	-63.01	-25	Pass	9700
1000	2490	1	RMS	2486.998	-49.01	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.95	60	Pass	601
2580	3000	1	RMS	2703.2	-49.63	-25	Pass	601
3000	12000	1	RMS	11530.948	-53.92	-25	Pass	9000
12000	27000	1	RMS	25252.884	-40.65	-25	Pass	15000




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-72.03	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.46	-25	Pass	2985
30	1000	0.1	RMS	919.892	-63.11	-25	Pass	9700
1000	2490	1	RMS	2487.999	-49.25	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.25	60	Pass	601
2580	3000	1	RMS	2704.6	-38.11	-25	Pass	601
3000	12000	1	RMS	11519.947	-53.91	-25	Pass	9000
12000	27000	1	RMS	25250.883	-40.7	-25	Pass	15000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-70.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-65.21	-25	Pass	2985
30	1000	0.1	RMS	973.197	-62.95	-25	Pass	9700
1000	2490	1	RMS	2459.98	-50.17	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.81	60	Pass	601
2580	3000	1	RMS	2708.1	-49.63	-25	Pass	601
3000	12000	1	RMS	11517.946	-53.83	-25	Pass	9000
12000	27000	1	RMS	25249.883	-40.63	-25	Pass	15000




12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-72.29	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.39	-25	Pass	2985
30	1000	0.1	RMS	877.687	-63	-25	Pass	9700
1000	2490	1	RMS	2451.974	-50.22	-25	Pass	1490
2490	2580	1	RMS	2528.4	21.08	60	Pass	601
2580	3000	1	RMS	2706	-49.59	-25	Pass	601
3000	12000	1	RMS	11518.947	-53.86	-25	Pass	9000
12000	27000	1	RMS	25248.883	-40.68	-25	Pass	15000




12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-71.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-65.17	-25	Pass	2985
30	1000	0.1	RMS	893.489	-63.13	-25	Pass	9700
1000	2490	1	RMS	2438.966	-50.22	-25	Pass	1490
2490	2580	1	RMS	2555.85	21.49	60	Pass	601
2580	3000	1	RMS	2582.8	-37.08	-25	Pass	601
3000	12000	1	RMS	11516.946	-53.9	-25	Pass	9000
12000	27000	1	RMS	25262.884	-40.64	-25	Pass	15000




12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-71.63	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.24	-25	Pass	2985
30	1000	0.1	RMS	883.788	-63.15	-25	Pass	9700
1000	2490	1	RMS	2438.966	-50.21	-25	Pass	1490
2490	2580	1	RMS	2555.85	20.85	60	Pass	601
2580	3000	1	RMS	2582.1	-37.9	-25	Pass	601
3000	12000	1	RMS	11518.947	-53.94	-25	Pass	9000
12000	27000	1	RMS	25254.884	-40.7	-25	Pass	15000




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-71.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.59	-25	Pass	2985
30	1000	0.1	RMS	912.591	-63.14	-25	Pass	9700
1000	2490	1	RMS	2482.995	-48.47	-25	Pass	1490
2490	2580	1	RMS	2501.1	21.26	60	Pass	601
2580	3000	1	RMS	2692.7	-49.64	-25	Pass	601
3000	12000	1	RMS	11515.946	-53.8	-25	Pass	9000
12000	27000	1	RMS	25251.883	-40.5	-25	Pass	15000




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-72.09	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.48	-25	Pass	2985
30	1000	0.1	RMS	902.39	-63.01	-25	Pass	9700
1000	2490	1	RMS	2482.995	-48.89	-25	Pass	1490
2490	2580	1	RMS	2501.1	20.61	60	Pass	601
2580	3000	1	RMS	2703.9	-49.63	-25	Pass	601
3000	12000	1	RMS	11513.946	-53.97	-25	Pass	9000
12000	27000	1	RMS	25256.884	-40.63	-25	Pass	15000




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-72.13	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.04	-25	Pass	2985
30	1000	0.1	RMS	899.19	-63.08	-25	Pass	9700
1000	2490	1	RMS	2490	-49.68	-25	Pass	1490
2490	2580	1	RMS	2526.15	20.98	60	Pass	601
2580	3000	1	RMS	2702.5	-49.64	-25	Pass	601
3000	12000	1	RMS	11518.947	-53.95	-25	Pass	9000
12000	27000	1	RMS	25246.883	-40.74	-25	Pass	15000




12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.15	-71.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.99	-25	Pass	2985
30	1000	0.1	RMS	882.788	-63.18	-25	Pass	9700
1000	2490	1	RMS	2490	-50.07	-25	Pass	1490
2490	2580	1	RMS	2526.15	20.24	60	Pass	601
2580	3000	1	RMS	2708.1	-49.67	-25	Pass	601
3000	12000	1	RMS	11517.946	-53.81	-25	Pass	9000
12000	27000	1	RMS	25255.884	-40.64	-25	Pass	15000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-71.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.69	-25	Pass	2985
30	1000	0.1	RMS	890.989	-63.06	-25	Pass	9700
1000	2490	1	RMS	2450.974	-50.2	-25	Pass	1490
2490	2580	1	RMS	2551.05	20.93	60	Pass	601
2580	3000	1	RMS	2587	-43.19	-25	Pass	601
3000	12000	1	RMS	11511.946	-53.92	-25	Pass	9000
12000	27000	1	RMS	25246.883	-40.61	-25	Pass	15000



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-71.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.64	-25	Pass	2985
30	1000	0.1	RMS	936.393	-62.96	-25	Pass	9700
1000	2490	1	RMS	2442.968	-50.24	-25	Pass	1490
2490	2580	1	RMS	2551.05	25.35	60	Pass	601
2580	3000	1	RMS	2587	-43.99	-25	Pass	601
3000	12000	1	RMS	11516.946	-53.9	-25	Pass	9000
12000	27000	1	RMS	25249.883	-40.63	-25	Pass	15000




END

13. LTE_Band17


**13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-71.37	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.76	-13	Pass	2985
30	694	0.1	RMS	461.665	-63.99	-13	Pass	6640
694	726	0.1	RMS	704.347	20.38	60	Pass	601
726	1000	0.1	RMS	768.415	-59.95	-13	Pass	2740
1000	3000	1	RMS	1408.204	-41.81	-13	Pass	2000
3000	10000	1	RMS	3522.075	-44.1	-13	Pass	7000




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-71.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.58	-13	Pass	2985
30	694	0.1	RMS	460.065	-64.04	-13	Pass	6640
694	726	0.1	RMS	704.347	19.32	60	Pass	601
726	1000	0.1	RMS	768.415	-60.59	-13	Pass	2740
1000	3000	1	RMS	1408.204	-43.21	-13	Pass	2000
3000	10000	1	RMS	3522.075	-45.81	-13	Pass	7000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-71.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.86	-13	Pass	2985
30	694	0.1	RMS	467.266	-63.87	-13	Pass	6640
694	726	0.1	RMS	707.867	20.44	60	Pass	601
726	1000	0.1	RMS	763.714	-59.29	-13	Pass	2740
1000	3000	1	RMS	2830.915	-45.78	-13	Pass	2000
3000	10000	1	RMS	3539.077	-43.51	-13	Pass	7000




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-71.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.65	-13	Pass	2985
30	694	0.1	RMS	459.865	-63.86	-13	Pass	6640
694	726	0.1	RMS	707.867	19.51	60	Pass	601
726	1000	0.1	RMS	763.714	-60.15	-13	Pass	2740
1000	3000	1	RMS	2830.915	-46.28	-13	Pass	2000
3000	10000	1	RMS	3539.077	-44.43	-13	Pass	7000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-70.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.61	-13	Pass	2985
30	694	0.1	RMS	692.1	-62.95	-13	Pass	6640
694	726	0.1	RMS	711.333	20.53	60	Pass	601
726	1000	0.1	RMS	891.36	-45.95	-13	Pass	2740
1000	3000	1	RMS	1422.211	-43.77	-13	Pass	2000
3000	10000	1	RMS	3557.08	-44.72	-13	Pass	7000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-71.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.13	-13	Pass	2985
30	694	0.1	RMS	692.1	-63.14	-13	Pass	6640
694	726	0.1	RMS	711.333	19.4	60	Pass	601
726	1000	0.1	RMS	759.012	-60.63	-13	Pass	2740
1000	3000	1	RMS	1422.211	-45.93	-13	Pass	2000
3000	10000	1	RMS	9993.999	-46.13	-13	Pass	7000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-71.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.77	-13	Pass	2985
30	694	0.1	RMS	487.469	-63.89	-13	Pass	6640
694	726	0.1	RMS	704.613	20.62	60	Pass	601
726	1000	0.1	RMS	768.015	-59.79	-13	Pass	2740
1000	3000	1	RMS	1409.205	-40.3	-13	Pass	2000
3000	10000	1	RMS	3523.075	-43.3	-13	Pass	7000




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-71.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.99	-13	Pass	2985
30	694	0.1	RMS	440.862	-63.98	-13	Pass	6640
694	726	0.1	RMS	704.613	19.52	60	Pass	601
726	1000	0.1	RMS	768.015	-60.18	-13	Pass	2740
1000	3000	1	RMS	1409.205	-41.44	-13	Pass	2000
3000	10000	1	RMS	3523.075	-44.37	-13	Pass	7000




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-70.92	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.58	-13	Pass	2985
30	694	0.1	RMS	472.167	-63.91	-13	Pass	6640
694	726	0.1	RMS	705.573	20.64	60	Pass	601
726	1000	0.1	RMS	766.715	-59.57	-13	Pass	2740
1000	3000	1	RMS	1411.206	-41.74	-13	Pass	2000
3000	10000	1	RMS	3528.075	-43.25	-13	Pass	7000




13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-71.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.09	-13	Pass	2985
30	694	0.1	RMS	455.164	-63.94	-13	Pass	6640
694	726	0.1	RMS	705.573	19.69	60	Pass	601
726	1000	0.1	RMS	766.715	-60.2	-13	Pass	2740
1000	3000	1	RMS	1411.206	-42.64	-13	Pass	2000
3000	10000	1	RMS	3528.075	-44.55	-13	Pass	7000



13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.26	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.6	-13	Pass	2985
30	694	0.1	RMS	494.57	-63.86	-13	Pass	6640
694	726	0.1	RMS	706.587	20.98	60	Pass	601
726	1000	0.1	RMS	765.314	-59.59	-13	Pass	2740
1000	3000	1	RMS	1413.207	-42.9	-13	Pass	2000
3000	10000	1	RMS	3533.076	-43.14	-13	Pass	7000



13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.135	-71.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.87	-13	Pass	2985
30	694	0.1	RMS	469.766	-63.92	-13	Pass	6640
694	726	0.1	RMS	706.587	19.66	60	Pass	601
726	1000	0.1	RMS	765.414	-60.2	-13	Pass	2740
1000	3000	1	RMS	1413.207	-44.2	-13	Pass	2000
3000	10000	1	RMS	3533.076	-44.78	-13	Pass	7000

