

















Test Mode	Antenna	Frequency [MHz]	Set Power	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	---	9.40	≤23.98	1.54	10.94	---	PASS
11A	Ant2	5180	---	7.68	≤23.98	2.70	10.38	---	PASS
11A	Ant1	5200	---	9.38	≤23.98	1.54	10.92	---	PASS
11A	Ant2	5200	---	7.71	≤23.98	2.70	10.41	---	PASS
11A	Ant1	5240	---	9.35	≤23.98	1.54	10.96	---	PASS
11A	Ant2	5240	---	7.70	≤23.98	2.70	10.48	---	PASS
11A	Ant1	5745	---	10.22	≤30.00	1.54	12.24	---	PASS
11A	Ant2	5745	---	7.54	≤30.00	2.70	10.24	---	PASS
11A	Ant1	5785	---	10.36	≤30.00	1.54	11.90	---	PASS
11A	Ant2	5785	---	7.52	≤30.00	2.70	10.22	---	PASS
11A	Ant1	5825	---	10.70	≤30.00	1.54	11.76	---	PASS
11A	Ant2	5825	---	7.47	≤30.00	2.70	10.17	---	PASS
11N20SISO	Ant1	5180	---	8.37	≤23.98	1.54	9.91	---	PASS
11N20SISO	Ant2	5180	---	6.98	≤23.98	2.70	9.68	---	PASS
11N20SISO	Ant1	5200	---	8.55	≤23.98	1.54	10.09	---	PASS
11N20SISO	Ant2	5200	---	6.94	≤23.98	2.70	9.64	---	PASS
11N20SISO	Ant1	5240	---	8.54	≤23.98	1.54	10.08	---	PASS
11N20SISO	Ant2	5240	---	7.04	≤23.98	2.70	9.74	---	PASS
11N20SISO	Ant1	5745	---	9.82	≤30.00	1.54	11.36	---	PASS
11N20SISO	Ant2	5745	---	6.79	≤30.00	2.70	9.49	---	PASS
11N20SISO	Ant1	5785	---	9.54	≤30.00	1.54	11.08	---	PASS
11N20SISO	Ant2	5785	---	6.71	≤30.00	2.70	9.41	---	PASS
11N20SISO	Ant1	5825	---	9.45	≤30.00	1.54	10.99	---	PASS
11N20SISO	Ant2	5825	---	6.67	≤30.00	2.70	9.37	---	PASS
11N20MIMO	Ant1	5180	---	6.20	≤23.98	1.54	7.74	---	PASS
11N20MIMO	Ant2	5180	---	5.53	≤23.98	2.70	8.23	---	PASS
11N20MIMO	total	5180	---	8.89	≤23.98	---	11.00	---	PASS
11N20MIMO	Ant1	5200	---	6.27	≤23.98	1.54	7.81	---	PASS
11N20MIMO	Ant2	5200	---	5.58	≤23.98	2.70	8.28	---	PASS
11N20MIMO	total	5200	---	8.95	≤23.98	---	11.06	---	PASS
11N20MIMO	Ant1	5240	---	6.24	≤23.98	1.54	7.78	---	PASS
11N20MIMO	Ant2	5240	---	5.59	≤23.98	2.70	8.29	---	PASS
11N20MIMO	total	5240	---	8.94	≤23.98	---	11.05	---	PASS
11N20MIMO	Ant1	5745	---	5.73	≤30.00	1.54	7.27	---	PASS
11N20MIMO	Ant2	5745	---	5.04	≤30.00	2.70	7.74	---	PASS
11N20MIMO	total	5745	---	8.41	≤30.00	---	10.52	---	PASS

11N20MIMO	Ant1	5785	---	5.49	≤30.00	1.54	7.03	---	PASS
11N20MIMO	Ant2	5785	---	5.08	≤30.00	2.70	7.78	---	PASS
11N20MIMO	total	5785	---	8.30	≤30.00	---	10.43	---	PASS
11N20MIMO	Ant1	5825	---	5.38	≤30.00	1.54	6.92	---	PASS
11N20MIMO	Ant2	5825	---	5.00	≤30.00	2.70	7.70	---	PASS
11N20MIMO	total	5825	---	8.20	≤30.00	---	10.34	---	PASS
11N40SISO	Ant1	5190	---	8.87	≤23.98	1.54	10.41	---	PASS
11N40SISO	Ant2	5190	---	7.35	≤23.98	2.70	10.05	---	PASS
11N40SISO	Ant1	5230	---	9.05	≤23.98	1.54	10.59	---	PASS
11N40SISO	Ant2	5230	---	7.35	≤23.98	2.70	10.05	---	PASS
11N40SISO	Ant1	5755	---	10.13	≤30.00	1.54	11.67	---	PASS
11N40SISO	Ant2	5755	---	7.23	≤30.00	2.70	9.93	---	PASS
11N40SISO	Ant1	5795	---	9.99	≤30.00	1.54	11.53	---	PASS
11N40SISO	Ant2	5795	---	7.12	≤30.00	2.70	9.82	---	PASS
11N40MIMO	Ant1	5190	---	6.41	≤23.98	1.54	7.95	---	PASS
11N40MIMO	Ant2	5190	---	5.87	≤23.98	2.70	8.57	---	PASS
11N40MIMO	total	5190	---	9.16	≤23.98	---	11.28	---	PASS
11N40MIMO	Ant1	5230	---	6.61	≤23.98	1.54	8.15	---	PASS
11N40MIMO	Ant2	5230	---	5.94	≤23.98	2.70	8.64	---	PASS
11N40MIMO	total	5230	---	9.30	≤23.98	---	11.41	---	PASS
11N40MIMO	Ant1	5755	---	5.95	≤30.00	1.54	7.49	---	PASS
11N40MIMO	Ant2	5755	---	5.43	≤30.00	2.70	8.13	---	PASS
11N40MIMO	total	5755	---	8.71	≤30.00	---	10.83	---	PASS
11N40MIMO	Ant1	5795	---	5.77	≤30.00	1.54	7.31	---	PASS
11N40MIMO	Ant2	5795	---	5.46	≤30.00	2.70	8.16	---	PASS
11N40MIMO	total	5795	---	8.63	≤30.00	---	10.77	---	PASS
11AC20SISO	Ant1	5180	---	8.47	≤23.98	1.54	10.01	---	PASS
11AC20SISO	Ant2	5180	---	6.89	≤23.98	2.70	9.59	---	PASS
11AC20SISO	Ant1	5200	---	8.57	≤23.98	1.54	10.11	---	PASS
11AC20SISO	Ant2	5200	---	6.93	≤23.98	2.70	9.63	---	PASS
11AC20SISO	Ant1	5240	---	8.56	≤23.98	1.54	10.10	---	PASS
11AC20SISO	Ant2	5240	---	6.94	≤23.98	2.70	9.64	---	PASS
11AC20SISO	Ant1	5745	---	9.75	≤30.00	1.54	11.29	---	PASS
11AC20SISO	Ant2	5745	---	6.72	≤30.00	2.70	9.42	---	PASS
11AC20SISO	Ant1	5785	---	9.70	≤30.00	1.54	11.24	---	PASS
11AC20SISO	Ant2	5785	---	6.69	≤30.00	2.70	9.39	---	PASS
11AC20SISO	Ant1	5825	---	9.46	≤30.00	1.54	11.00	---	PASS
11AC20SISO	Ant2	5825	---	6.66	≤30.00	2.70	9.36	---	PASS
11AC20MIMO	Ant1	5180	---	6.23	≤23.98	1.54	7.77	---	PASS
11AC20MIMO	Ant2	5180	---	5.84	≤23.98	2.70	8.54	---	PASS
11AC20MIMO	total	5180	---	9.05	≤23.98	---	11.18	---	PASS
11AC20MIMO	Ant1	5200	---	6.43	≤23.98	1.54	7.97	---	PASS

11AC20MIMO	Ant2	5200	---	5.76	≤23.98	2.70	8.46	---	PASS
11AC20MIMO	total	5200	---	9.12	≤23.98	---	11.23	---	PASS
11AC20MIMO	Ant1	5240	---	6.36	≤23.98	1.54	7.90	---	PASS
11AC20MIMO	Ant2	5240	---	5.92	≤23.98	2.70	8.62	---	PASS
11AC20MIMO	total	5240	---	9.16	≤23.98	---	11.29	---	PASS
11AC20MIMO	Ant1	5745	---	5.82	≤30.00	1.54	7.36	---	PASS
11AC20MIMO	Ant2	5745	---	5.33	≤30.00	2.70	8.03	---	PASS
11AC20MIMO	total	5745	---	8.59	≤30.00	---	10.72	---	PASS
11AC20MIMO	Ant1	5785	---	5.76	≤30.00	1.54	7.30	---	PASS
11AC20MIMO	Ant2	5785	---	5.33	≤30.00	2.70	8.03	---	PASS
11AC20MIMO	total	5785	---	8.56	≤30.00	---	10.69	---	PASS
11AC20MIMO	Ant1	5825	---	5.50	≤30.00	1.54	7.04	---	PASS
11AC20MIMO	Ant2	5825	---	5.21	≤30.00	2.70	7.91	---	PASS
11AC20MIMO	total	5825	---	8.37	≤30.00	---	10.51	---	PASS
11AC40SISO	Ant1	5190	---	8.82	≤23.98	1.54	10.36	---	PASS
11AC40SISO	Ant2	5190	---	7.23	≤23.98	2.70	9.93	---	PASS
11AC40SISO	Ant1	5230	---	8.99	≤23.98	1.54	10.53	---	PASS
11AC40SISO	Ant2	5230	---	7.25	≤23.98	2.70	9.95	---	PASS
11AC40SISO	Ant1	5755	---	10.19	≤30.00	1.54	11.73	---	PASS
11AC40SISO	Ant2	5755	---	7.02	≤30.00	2.70	9.72	---	PASS
11AC40SISO	Ant1	5795	---	9.94	≤30.00	1.54	11.48	---	PASS
11AC40SISO	Ant2	5795	---	7.01	≤30.00	2.70	9.71	---	PASS
11AC40MIMO	Ant1	5190	---	6.14	≤23.98	1.54	7.68	---	PASS
11AC40MIMO	Ant2	5190	---	5.74	≤23.98	2.70	8.44	---	PASS
11AC40MIMO	total	5190	---	8.95	≤23.98	---	11.09	---	PASS
11AC40MIMO	Ant1	5230	---	6.26	≤23.98	1.54	7.80	---	PASS
11AC40MIMO	Ant2	5230	---	5.77	≤23.98	2.70	8.47	---	PASS
11AC40MIMO	total	5230	---	9.03	≤23.98	---	11.16	---	PASS
11AC40MIMO	Ant1	5755	---	5.56	≤30.00	1.54	7.10	---	PASS
11AC40MIMO	Ant2	5755	---	5.23	≤30.00	2.70	7.93	---	PASS
11AC40MIMO	total	5755	---	8.41	≤30.00	---	10.55	---	PASS
11AC40MIMO	Ant1	5795	---	5.50	≤30.00	1.54	7.04	---	PASS
11AC40MIMO	Ant2	5795	---	5.20	≤30.00	2.70	7.90	---	PASS
11AC40MIMO	total	5795	---	8.36	≤30.00	---	10.50	---	PASS
11AC80SISO	Ant1	5210	---	8.94	≤23.98	1.54	10.48	---	PASS
11AC80SISO	Ant2	5210	---	7.12	≤23.98	2.70	9.82	---	PASS
11AC80SISO	Ant1	5775	---	9.90	≤30.00	1.54	11.44	---	PASS
11AC80SISO	Ant2	5775	---	6.96	≤30.00	2.70	9.66	---	PASS
11AC80MIMO	Ant1	5210	---	6.01	≤23.98	1.54	7.55	---	PASS
11AC80MIMO	Ant2	5210	---	5.62	≤23.98	2.70	8.32	---	PASS
11AC80MIMO	total	5210	---	8.83	≤23.98	---	10.96	---	PASS
11AC80MIMO	Ant1	5775	---	5.32	≤30.00	1.54	6.86	---	PASS

11AC80MIMO	Ant2	5775	---	5.22	≤30.00	2.70	7.92	---	PASS
11AC80MIMO	total	5775	---	8.28	≤30.00	---	10.43	---	PASS
11AX20SISO	Ant1	5180	---	8.52	≤23.98	1.54	10.06	---	PASS
11AX20SISO	Ant2	5180	---	6.86	≤23.98	2.70	9.56	---	PASS
11AX20SISO	Ant1	5200	---	8.69	≤23.98	1.54	10.23	---	PASS
11AX20SISO	Ant2	5200	---	6.89	≤23.98	2.70	9.59	---	PASS
11AX20SISO	Ant1	5240	---	8.72	≤23.98	1.54	10.26	---	PASS
11AX20SISO	Ant2	5240	---	6.91	≤23.98	2.70	9.61	---	PASS
11AX20SISO	Ant1	5745	---	9.91	≤30.00	1.54	11.45	---	PASS
11AX20SISO	Ant2	5745	---	6.72	≤30.00	2.70	9.42	---	PASS
11AX20SISO	Ant1	5785	---	9.63	≤30.00	1.54	11.17	---	PASS
11AX20SISO	Ant2	5785	---	6.69	≤30.00	2.70	9.39	---	PASS
11AX20SISO	Ant1	5825	---	9.51	≤30.00	1.54	11.05	---	PASS
11AX20SISO	Ant2	5825	---	6.66	≤30.00	2.70	9.36	---	PASS
11AX20MIMO	Ant1	5180	---	5.91	≤23.98	1.54	7.45	---	PASS
11AX20MIMO	Ant2	5180	---	5.61	≤23.98	2.70	8.31	---	PASS
11AX20MIMO	total	5180	---	8.77	≤23.98	---	10.91	---	PASS
11AX20MIMO	Ant1	5200	---	6.11	≤23.98	1.54	7.65	---	PASS
11AX20MIMO	Ant2	5200	---	5.58	≤23.98	2.70	8.28	---	PASS
11AX20MIMO	total	5200	---	8.86	≤23.98	---	10.99	---	PASS
11AX20MIMO	Ant1	5240	---	6.26	≤23.98	1.54	7.80	---	PASS
11AX20MIMO	Ant2	5240	---	5.78	≤23.98	2.70	8.48	---	PASS
11AX20MIMO	total	5240	---	9.04	≤23.98	---	11.16	---	PASS
11AX20MIMO	Ant1	5745	---	5.54	≤30.00	1.54	7.08	---	PASS
11AX20MIMO	Ant2	5745	---	5.12	≤30.00	2.70	7.82	---	PASS
11AX20MIMO	total	5745	---	8.35	≤30.00	---	10.48	---	PASS
11AX20MIMO	Ant1	5785	---	5.39	≤30.00	1.54	6.93	---	PASS
11AX20MIMO	Ant2	5785	---	5.13	≤30.00	2.70	7.83	---	PASS
11AX20MIMO	total	5785	---	8.27	≤30.00	---	10.41	---	PASS
11AX20MIMO	Ant1	5825	---	5.27	≤30.00	1.54	6.81	---	PASS
11AX20MIMO	Ant2	5825	---	5.02	≤30.00	2.70	7.72	---	PASS
11AX20MIMO	total	5825	---	8.16	≤30.00	---	10.30	---	PASS
11AX40SISO	Ant1	5190	---	8.65	≤23.98	1.54	10.19	---	PASS
11AX40SISO	Ant2	5190	---	6.98	≤23.98	2.70	9.68	---	PASS
11AX40SISO	Ant1	5230	---	8.75	≤23.98	1.54	10.29	---	PASS
11AX40SISO	Ant2	5230	---	6.98	≤23.98	2.70	9.68	---	PASS
11AX40SISO	Ant1	5755	---	9.98	≤30.00	1.54	11.52	---	PASS
11AX40SISO	Ant2	5755	---	6.84	≤30.00	2.70	9.54	---	PASS
11AX40SISO	Ant1	5795	---	9.70	≤30.00	1.54	11.24	---	PASS
11AX40SISO	Ant2	5795	---	6.87	≤30.00	2.70	9.57	---	PASS
11AX40MIMO	Ant1	5190	---	6.24	≤23.98	1.54	7.78	---	PASS
11AX40MIMO	Ant2	5190	---	5.94	≤23.98	2.70	8.64	---	PASS

11AX40MIMO	total	5190	---	9.10	≤23.98	---	11.24	---	PASS
11AX40MIMO	Ant1	5230	---	6.43	≤23.98	1.54	7.97	---	PASS
11AX40MIMO	Ant2	5230	---	5.91	≤23.98	2.70	8.61	---	PASS
11AX40MIMO	total	5230	---	9.19	≤23.98	---	11.31	---	PASS
11AX40MIMO	Ant1	5755	---	5.68	≤30.00	1.54	7.22	---	PASS
11AX40MIMO	Ant2	5755	---	5.40	≤30.00	2.70	8.10	---	PASS
11AX40MIMO	total	5755	---	8.55	≤30.00	---	10.69	---	PASS
11AX40MIMO	Ant1	5795	---	5.51	≤30.00	1.54	7.05	---	PASS
11AX40MIMO	Ant2	5795	---	5.36	≤30.00	2.70	8.06	---	PASS
11AX40MIMO	total	5795	---	8.45	≤30.00	---	10.59	---	PASS
11AX80SISO	Ant1	5210	---	8.72	≤23.98	1.54	10.26	---	PASS
11AX80SISO	Ant2	5210	---	6.89	≤23.98	2.70	9.59	---	PASS
11AX80SISO	Ant1	5775	---	9.67	≤30.00	1.54	11.21	---	PASS
11AX80SISO	Ant2	5775	---	6.76	≤30.00	2.70	9.46	---	PASS
11AX80MIMO	Ant1	5210	---	6.04	≤23.98	1.54	7.58	---	PASS
11AX80MIMO	Ant2	5210	---	5.92	≤23.98	2.70	8.62	---	PASS
11AX80MIMO	total	5210	---	8.99	≤23.98	---	11.14	---	PASS
11AX80MIMO	Ant1	5775	---	5.31	≤30.00	1.54	6.85	---	PASS
11AX80MIMO	Ant2	5775	---	5.46	≤30.00	2.70	8.16	---	PASS
11AX80MIMO	total	5775	---	8.40	≤30.00	---	10.56	---	PASS

Maximum Conducted Output Power

Test Mode	Antenna	Frequency [MHz]	Set Power	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	---	9.40	≤23.98	1.54	10.94	---	PASS
11A	Ant2	5180	---	7.68	≤23.98	2.70	10.38	---	PASS
11A	Ant1	5200	---	9.38	≤23.98	1.54	10.92	---	PASS
11A	Ant2	5200	---	7.71	≤23.98	2.70	10.41	---	PASS
11A	Ant1	5240	---	9.35	≤23.98	1.54	10.96	---	PASS
11A	Ant2	5240	---	7.70	≤23.98	2.70	10.48	---	PASS
11A	Ant1	5745	---	10.22	≤30.00	1.54	12.24	---	PASS
11A	Ant2	5745	---	7.54	≤30.00	2.70	10.24	---	PASS
11A	Ant1	5785	---	10.36	≤30.00	1.54	11.90	---	PASS
11A	Ant2	5785	---	7.52	≤30.00	2.70	10.22	---	PASS
11A	Ant1	5825	---	10.70	≤30.00	1.54	11.76	---	PASS
11A	Ant2	5825	---	7.47	≤30.00	2.70	10.17	---	PASS
11N20SISO	Ant1	5180	---	8.37	≤23.98	1.54	9.91	---	PASS
11N20SISO	Ant2	5180	---	6.98	≤23.98	2.70	9.68	---	PASS
11N20SISO	Ant1	5200	---	8.55	≤23.98	1.54	10.09	---	PASS
11N20SISO	Ant2	5200	---	6.94	≤23.98	2.70	9.64	---	PASS
11N20SISO	Ant1	5240	---	8.54	≤23.98	1.54	10.08	---	PASS

11N20SISO	Ant2	5240	---	7.04	≤23.98	2.70	9.74	---	PASS
11N20SISO	Ant1	5745	---	9.82	≤30.00	1.54	11.36	---	PASS
11N20SISO	Ant2	5745	---	6.79	≤30.00	2.70	9.49	---	PASS
11N20SISO	Ant1	5785	---	9.54	≤30.00	1.54	11.08	---	PASS
11N20SISO	Ant2	5785	---	6.71	≤30.00	2.70	9.41	---	PASS
11N20SISO	Ant1	5825	---	9.45	≤30.00	1.54	10.99	---	PASS
11N20SISO	Ant2	5825	---	6.67	≤30.00	2.70	9.37	---	PASS
11N20MIMO	Ant1	5180	---	6.20	≤23.98	1.54	7.74	---	PASS
11N20MIMO	Ant2	5180	---	5.53	≤23.98	2.70	8.23	---	PASS
11N20MIMO	total	5180	---	8.89	≤23.98	---	11.00	---	PASS
11N20MIMO	Ant1	5200	---	6.27	≤23.98	1.54	7.81	---	PASS
11N20MIMO	Ant2	5200	---	5.58	≤23.98	2.70	8.28	---	PASS
11N20MIMO	total	5200	---	8.95	≤23.98	---	11.06	---	PASS
11N20MIMO	Ant1	5240	---	6.24	≤23.98	1.54	7.78	---	PASS
11N20MIMO	Ant2	5240	---	5.59	≤23.98	2.70	8.29	---	PASS
11N20MIMO	total	5240	---	8.94	≤23.98	---	11.05	---	PASS
11N20MIMO	Ant1	5745	---	5.73	≤30.00	1.54	7.27	---	PASS
11N20MIMO	Ant2	5745	---	5.04	≤30.00	2.70	7.74	---	PASS
11N20MIMO	total	5745	---	8.41	≤30.00	---	10.52	---	PASS
11N20MIMO	Ant1	5785	---	5.49	≤30.00	1.54	7.03	---	PASS
11N20MIMO	Ant2	5785	---	5.08	≤30.00	2.70	7.78	---	PASS
11N20MIMO	total	5785	---	8.30	≤30.00	---	10.43	---	PASS
11N20MIMO	Ant1	5825	---	5.38	≤30.00	1.54	6.92	---	PASS
11N20MIMO	Ant2	5825	---	5.00	≤30.00	2.70	7.70	---	PASS
11N20MIMO	total	5825	---	8.20	≤30.00	---	10.34	---	PASS
11N40SISO	Ant1	5190	---	8.87	≤23.98	1.54	10.41	---	PASS
11N40SISO	Ant2	5190	---	7.35	≤23.98	2.70	10.05	---	PASS
11N40SISO	Ant1	5230	---	9.05	≤23.98	1.54	10.59	---	PASS
11N40SISO	Ant2	5230	---	7.35	≤23.98	2.70	10.05	---	PASS
11N40SISO	Ant1	5755	---	10.13	≤30.00	1.54	11.67	---	PASS
11N40SISO	Ant2	5755	---	7.23	≤30.00	2.70	9.93	---	PASS
11N40SISO	Ant1	5795	---	9.99	≤30.00	1.54	11.53	---	PASS
11N40SISO	Ant2	5795	---	7.12	≤30.00	2.70	9.82	---	PASS
11N40MIMO	Ant1	5190	---	6.41	≤23.98	1.54	7.95	---	PASS
11N40MIMO	Ant2	5190	---	5.87	≤23.98	2.70	8.57	---	PASS
11N40MIMO	total	5190	---	9.16	≤23.98	---	11.28	---	PASS
11N40MIMO	Ant1	5230	---	6.61	≤23.98	1.54	8.15	---	PASS
11N40MIMO	Ant2	5230	---	5.94	≤23.98	2.70	8.64	---	PASS
11N40MIMO	total	5230	---	9.30	≤23.98	---	11.41	---	PASS
11N40MIMO	Ant1	5755	---	5.95	≤30.00	1.54	7.49	---	PASS
11N40MIMO	Ant2	5755	---	5.43	≤30.00	2.70	8.13	---	PASS
11N40MIMO	total	5755	---	8.71	≤30.00	---	10.83	---	PASS

11N40MIMO	Ant1	5795	---	5.77	≤30.00	1.54	7.31	---	PASS
11N40MIMO	Ant2	5795	---	5.46	≤30.00	2.70	8.16	---	PASS
11N40MIMO	total	5795	---	8.63	≤30.00	---	10.77	---	PASS
11AC20SISO	Ant1	5180	---	8.47	≤23.98	1.54	10.01	---	PASS
11AC20SISO	Ant2	5180	---	6.89	≤23.98	2.70	9.59	---	PASS
11AC20SISO	Ant1	5200	---	8.57	≤23.98	1.54	10.11	---	PASS
11AC20SISO	Ant2	5200	---	6.93	≤23.98	2.70	9.63	---	PASS
11AC20SISO	Ant1	5240	---	8.56	≤23.98	1.54	10.10	---	PASS
11AC20SISO	Ant2	5240	---	6.94	≤23.98	2.70	9.64	---	PASS
11AC20SISO	Ant1	5745	---	9.75	≤30.00	1.54	11.29	---	PASS
11AC20SISO	Ant2	5745	---	6.72	≤30.00	2.70	9.42	---	PASS
11AC20SISO	Ant1	5785	---	9.70	≤30.00	1.54	11.24	---	PASS
11AC20SISO	Ant2	5785	---	6.69	≤30.00	2.70	9.39	---	PASS
11AC20SISO	Ant1	5825	---	9.46	≤30.00	1.54	11.00	---	PASS
11AC20SISO	Ant2	5825	---	6.66	≤30.00	2.70	9.36	---	PASS
11AC20MIMO	Ant1	5180	---	6.23	≤23.98	1.54	7.77	---	PASS
11AC20MIMO	Ant2	5180	---	5.84	≤23.98	2.70	8.54	---	PASS
11AC20MIMO	total	5180	---	9.05	≤23.98	---	11.18	---	PASS
11AC20MIMO	Ant1	5200	---	6.43	≤23.98	1.54	7.97	---	PASS
11AC20MIMO	Ant2	5200	---	5.76	≤23.98	2.70	8.46	---	PASS
11AC20MIMO	total	5200	---	9.12	≤23.98	---	11.23	---	PASS
11AC20MIMO	Ant1	5240	---	6.36	≤23.98	1.54	7.90	---	PASS
11AC20MIMO	Ant2	5240	---	5.92	≤23.98	2.70	8.62	---	PASS
11AC20MIMO	total	5240	---	9.16	≤23.98	---	11.29	---	PASS
11AC20MIMO	Ant1	5745	---	5.82	≤30.00	1.54	7.36	---	PASS
11AC20MIMO	Ant2	5745	---	5.33	≤30.00	2.70	8.03	---	PASS
11AC20MIMO	total	5745	---	8.59	≤30.00	---	10.72	---	PASS
11AC20MIMO	Ant1	5785	---	5.76	≤30.00	1.54	7.30	---	PASS
11AC20MIMO	Ant2	5785	---	5.33	≤30.00	2.70	8.03	---	PASS
11AC20MIMO	total	5785	---	8.56	≤30.00	---	10.69	---	PASS
11AC20MIMO	Ant1	5825	---	5.50	≤30.00	1.54	7.04	---	PASS
11AC20MIMO	Ant2	5825	---	5.21	≤30.00	2.70	7.91	---	PASS
11AC20MIMO	total	5825	---	8.37	≤30.00	---	10.51	---	PASS
11AC40SISO	Ant1	5190	---	8.82	≤23.98	1.54	10.36	---	PASS
11AC40SISO	Ant2	5190	---	7.23	≤23.98	2.70	9.93	---	PASS
11AC40SISO	Ant1	5230	---	8.99	≤23.98	1.54	10.53	---	PASS
11AC40SISO	Ant2	5230	---	7.25	≤23.98	2.70	9.95	---	PASS
11AC40SISO	Ant1	5755	---	10.19	≤30.00	1.54	11.73	---	PASS
11AC40SISO	Ant2	5755	---	7.02	≤30.00	2.70	9.72	---	PASS
11AC40SISO	Ant1	5795	---	9.94	≤30.00	1.54	11.48	---	PASS
11AC40SISO	Ant2	5795	---	7.01	≤30.00	2.70	9.71	---	PASS
11AC40MIMO	Ant1	5190	---	6.14	≤23.98	1.54	7.68	---	PASS

11AC40MIMO	Ant2	5190	---	5.74	≤23.98	2.70	8.44	---	PASS
11AC40MIMO	total	5190	---	8.95	≤23.98	---	11.09	---	PASS
11AC40MIMO	Ant1	5230	---	6.26	≤23.98	1.54	7.80	---	PASS
11AC40MIMO	Ant2	5230	---	5.77	≤23.98	2.70	8.47	---	PASS
11AC40MIMO	total	5230	---	9.03	≤23.98	---	11.16	---	PASS
11AC40MIMO	Ant1	5755	---	5.56	≤30.00	1.54	7.10	---	PASS
11AC40MIMO	Ant2	5755	---	5.23	≤30.00	2.70	7.93	---	PASS
11AC40MIMO	total	5755	---	8.41	≤30.00	---	10.55	---	PASS
11AC40MIMO	Ant1	5795	---	5.50	≤30.00	1.54	7.04	---	PASS
11AC40MIMO	Ant2	5795	---	5.20	≤30.00	2.70	7.90	---	PASS
11AC40MIMO	total	5795	---	8.36	≤30.00	---	10.50	---	PASS
11AC80SISO	Ant1	5210	---	8.94	≤23.98	1.54	10.48	---	PASS
11AC80SISO	Ant2	5210	---	7.12	≤23.98	2.70	9.82	---	PASS
11AC80SISO	Ant1	5775	---	9.90	≤30.00	1.54	11.44	---	PASS
11AC80SISO	Ant2	5775	---	6.96	≤30.00	2.70	9.66	---	PASS
11AC80MIMO	Ant1	5210	---	6.01	≤23.98	1.54	7.55	---	PASS
11AC80MIMO	Ant2	5210	---	5.62	≤23.98	2.70	8.32	---	PASS
11AC80MIMO	total	5210	---	8.83	≤23.98	---	10.96	---	PASS
11AC80MIMO	Ant1	5775	---	5.32	≤30.00	1.54	6.86	---	PASS
11AC80MIMO	Ant2	5775	---	5.22	≤30.00	2.70	7.92	---	PASS
11AC80MIMO	total	5775	---	8.28	≤30.00	---	10.43	---	PASS
11AX20SISO	Ant1	5180	---	8.52	≤23.98	1.54	10.06	---	PASS
11AX20SISO	Ant2	5180	---	6.86	≤23.98	2.70	9.56	---	PASS
11AX20SISO	Ant1	5200	---	8.69	≤23.98	1.54	10.23	---	PASS
11AX20SISO	Ant2	5200	---	6.89	≤23.98	2.70	9.59	---	PASS
11AX20SISO	Ant1	5240	---	8.72	≤23.98	1.54	10.26	---	PASS
11AX20SISO	Ant2	5240	---	6.91	≤23.98	2.70	9.61	---	PASS
11AX20SISO	Ant1	5745	---	9.91	≤30.00	1.54	11.45	---	PASS
11AX20SISO	Ant2	5745	---	6.72	≤30.00	2.70	9.42	---	PASS
11AX20SISO	Ant1	5785	---	9.63	≤30.00	1.54	11.17	---	PASS
11AX20SISO	Ant2	5785	---	6.69	≤30.00	2.70	9.39	---	PASS
11AX20SISO	Ant1	5825	---	9.51	≤30.00	1.54	11.05	---	PASS
11AX20SISO	Ant2	5825	---	6.66	≤30.00	2.70	9.36	---	PASS
11AX20MIMO	Ant1	5180	---	5.91	≤23.98	1.54	7.45	---	PASS
11AX20MIMO	Ant2	5180	---	5.61	≤23.98	2.70	8.31	---	PASS
11AX20MIMO	total	5180	---	8.77	≤23.98	---	10.91	---	PASS
11AX20MIMO	Ant1	5200	---	6.11	≤23.98	1.54	7.65	---	PASS
11AX20MIMO	Ant2	5200	---	5.58	≤23.98	2.70	8.28	---	PASS
11AX20MIMO	total	5200	---	8.86	≤23.98	---	10.99	---	PASS
11AX20MIMO	Ant1	5240	---	6.26	≤23.98	1.54	7.80	---	PASS
11AX20MIMO	Ant2	5240	---	5.78	≤23.98	2.70	8.48	---	PASS
11AX20MIMO	total	5240	---	9.04	≤23.98	---	11.16	---	PASS

11AX20MIMO	Ant1	5745	---	5.54	≤30.00	1.54	7.08	---	PASS
11AX20MIMO	Ant2	5745	---	5.12	≤30.00	2.70	7.82	---	PASS
11AX20MIMO	total	5745	---	8.35	≤30.00	---	10.48	---	PASS
11AX20MIMO	Ant1	5785	---	5.39	≤30.00	1.54	6.93	---	PASS
11AX20MIMO	Ant2	5785	---	5.13	≤30.00	2.70	7.83	---	PASS
11AX20MIMO	total	5785	---	8.27	≤30.00	---	10.41	---	PASS
11AX20MIMO	Ant1	5825	---	5.27	≤30.00	1.54	6.81	---	PASS
11AX20MIMO	Ant2	5825	---	5.02	≤30.00	2.70	7.72	---	PASS
11AX20MIMO	total	5825	---	8.16	≤30.00	---	10.30	---	PASS
11AX40SISO	Ant1	5190	---	8.65	≤23.98	1.54	10.19	---	PASS
11AX40SISO	Ant2	5190	---	6.98	≤23.98	2.70	9.68	---	PASS
11AX40SISO	Ant1	5230	---	8.75	≤23.98	1.54	10.29	---	PASS
11AX40SISO	Ant2	5230	---	6.98	≤23.98	2.70	9.68	---	PASS
11AX40SISO	Ant1	5755	---	9.98	≤30.00	1.54	11.52	---	PASS
11AX40SISO	Ant2	5755	---	6.84	≤30.00	2.70	9.54	---	PASS
11AX40SISO	Ant1	5795	---	9.70	≤30.00	1.54	11.24	---	PASS
11AX40SISO	Ant2	5795	---	6.87	≤30.00	2.70	9.57	---	PASS
11AX40MIMO	Ant1	5190	---	6.24	≤23.98	1.54	7.78	---	PASS
11AX40MIMO	Ant2	5190	---	5.94	≤23.98	2.70	8.64	---	PASS
11AX40MIMO	total	5190	---	9.10	≤23.98	---	11.24	---	PASS
11AX40MIMO	Ant1	5230	---	6.43	≤23.98	1.54	7.97	---	PASS
11AX40MIMO	Ant2	5230	---	5.91	≤23.98	2.70	8.61	---	PASS
11AX40MIMO	total	5230	---	9.19	≤23.98	---	11.31	---	PASS
11AX40MIMO	Ant1	5755	---	5.68	≤30.00	1.54	7.22	---	PASS
11AX40MIMO	Ant2	5755	---	5.40	≤30.00	2.70	8.10	---	PASS
11AX40MIMO	total	5755	---	8.55	≤30.00	---	10.69	---	PASS
11AX40MIMO	Ant1	5795	---	5.51	≤30.00	1.54	7.05	---	PASS
11AX40MIMO	Ant2	5795	---	5.36	≤30.00	2.70	8.06	---	PASS
11AX40MIMO	total	5795	---	8.45	≤30.00	---	10.59	---	PASS
11AX80SISO	Ant1	5210	---	8.72	≤23.98	1.54	10.26	---	PASS
11AX80SISO	Ant2	5210	---	6.89	≤23.98	2.70	9.59	---	PASS
11AX80SISO	Ant1	5775	---	9.67	≤30.00	1.54	11.21	---	PASS
11AX80SISO	Ant2	5775	---	6.76	≤30.00	2.70	9.46	---	PASS
11AX80MIMO	Ant1	5210	---	6.04	≤23.98	1.54	7.58	---	PASS
11AX80MIMO	Ant2	5210	---	5.92	≤23.98	2.70	8.62	---	PASS
11AX80MIMO	total	5210	---	8.99	≤23.98	---	11.14	---	PASS
11AX80MIMO	Ant1	5775	---	5.31	≤30.00	1.54	6.85	---	PASS
11AX80MIMO	Ant2	5775	---	5.46	≤30.00	2.70	8.16	---	PASS
11AX80MIMO	total	5775	---	8.40	≤30.00	---	10.56	---	PASS

-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	11A	5180	Ant1	23.589	0.5	Pass
NVNT	11A	5200	Ant1	23.412	0.5	Pass
NVNT	11A	5240	Ant1	24.381	0.5	Pass
NVNT	11A	5180	Ant2	23.67	0.5	Pass
NVNT	11A	5200	Ant2	23.427	0.5	Pass
NVNT	11A	5240	Ant2	24.192	0.5	Pass
NVNT	11AC20SISO	5180	Ant1	24.447	0.5	Pass
NVNT	11AC20SISO	5200	Ant1	24.405	0.5	Pass
NVNT	11AC20SISO	5240	Ant1	24.648	0.5	Pass
NVNT	11AC20SISO	5180	Ant2	25.089	0.5	Pass
NVNT	11AC20SISO	5200	Ant2	24.57	0.5	Pass
NVNT	11AC20SISO	5240	Ant2	24.627	0.5	Pass
NVNT	11AC40SISO	5190	Ant1	42.066	0.5	Pass
NVNT	11AC40SISO	5230	Ant1	42.372	0.5	Pass
NVNT	11AC40SISO	5190	Ant2	41.838	0.5	Pass
NVNT	11AC40SISO	5230	Ant2	42.27	0.5	Pass
NVNT	11AC80SISO	5210	Ant1	86.004	0.5	Pass
NVNT	11AC80SISO	5210	Ant2	84.42	0.5	Pass
NVNT	11AX20SISO	5180	Ant1	24.564	0.5	Pass
NVNT	11AX20SISO	5200	Ant1	24.168	0.5	Pass
NVNT	11AX20SISO	5240	Ant1	24.456	0.5	Pass
NVNT	11AX20SISO	5180	Ant2	23.826	0.5	Pass
NVNT	11AX20SISO	5200	Ant2	24.012	0.5	Pass
NVNT	11AX20SISO	5240	Ant2	24.663	0.5	Pass
NVNT	11AX40SISO	5190	Ant1	42.738	0.5	Pass
NVNT	11AX40SISO	5230	Ant1	42.672	0.5	Pass
NVNT	11AX40SISO	5190	Ant2	42.144	0.5	Pass
NVNT	11AX40SISO	5230	Ant2	42.342	0.5	Pass
NVNT	11AX80SISO	5210	Ant1	81.852	0.5	Pass
NVNT	11AX80SISO	5210	Ant2	82.8	0.5	Pass
NVNT	11N20SISO	5180	Ant1	23.262	0.5	Pass
NVNT	11N20SISO	5200	Ant1	24.282	0.5	Pass
NVNT	11N20SISO	5240	Ant1	23.367	0.5	Pass
NVNT	11N20SISO	5180	Ant2	24.333	0.5	Pass
NVNT	11N20SISO	5200	Ant2	23.925	0.5	Pass
NVNT	11N20SISO	5240	Ant2	23.955	0.5	Pass
NVNT	11N40SISO	5190	Ant1	43.878	0.5	Pass
NVNT	11N40SISO	5230	Ant1	42.42	0.5	Pass

NVNT	11N40SISO	5190	Ant2	42.75	0.5	Pass
NVNT	11N40SISO	5230	Ant2	42.45	0.5	Pass



