


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.22	-13	Pass	401
0.15	30	0.01	Peak	0.61	-54.39	-13	Pass	2985
30	500	0.1	Peak	407.98	-44.16	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.5	-13	N/A	5000
1000	10000	1	Peak	7774.827	-22.67	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.8	-13	Pass	2985
30	500	0.1	Peak	393.077	-44.02	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.53	-13	N/A	5000
1000	10000	1	Peak	7222.76	-22.46	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.44	-13	Pass	2985
30	500	0.1	Peak	498.1	-44.26	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.24	-13	N/A	5000
1000	10000	1	Peak	7204.757	-22.75	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.02	-13	Pass	401
0.15	30	0.01	Peak	0.18	-60.29	-13	Pass	2985
30	1000	0.1	Peak	701.682	-49.66	-13	Pass	9699
1000	3000	1	Peak	1849.425	24.25	-13	N/A	2000
3000	20000	1	Peak	19511.207	-21.32	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.34	-13	Pass	401
0.15	30	0.01	Peak	0.2	-60.48	-13	Pass	2985
30	1000	0.1	Peak	871.93	-49.57	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.06	-13	N/A	2000
3000	20000	1	Peak	19989.984	-21.46	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-63.48	-13	Pass	401
0.15	30	0.01	Peak	0.18	-60.46	-13	Pass	2985
30	1000	0.1	Peak	857.211	-49.45	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.28	-13	N/A	2000
3000	20000	1	Peak	19536.247	-21.57	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.71	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.48	-13	Pass	2985
30	500	0.1	Peak	432.486	-43.74	-13	Pass	4700
500	1000	0.1	Peak	824.265	29.27	-13	N/A	5000
1000	10000	1	Peak	6942.725	-22.23	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.09	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.1	-13	Pass	2985
30	500	0.1	Peak	344.767	-44.2	-13	Pass	4700
500	1000	0.1	Peak	836.567	29.7	-13	N/A	5000
1000	10000	1	Peak	7391.78	-23.14	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.13	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.6	-13	Pass	2985
30	500	0.1	Peak	418.883	-43.97	-13	Pass	4700
500	1000	0.1	Peak	848.87	29.04	-13	N/A	5000
1000	10000	1	Peak	7829.834	-22.65	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.48	-13	Pass	401
0.15	30	0.01	Peak	0.29	-60.86	-13	Pass	2985
30	1000	0.1	Peak	675.279	-49.22	-13	Pass	9699
1000	3000	1	Peak	1850.425	26.39	-13	N/A	2000
3000	20000	1	Peak	19680.481	-21.13	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.03	-13	Pass	401
0.15	30	0.01	Peak	0.49	-61.02	-13	Pass	2985
30	1000	0.1	Peak	895.061	-49.4	-13	Pass	9699
1000	3000	1	Peak	1879.44	28.45	-13	N/A	2000
3000	20000	1	Peak	19550.27	-20.98	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.61	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.92	-13	Pass	2985
30	1000	0.1	Peak	725.385	-48.15	-13	Pass	9699
1000	3000	1	Peak	1909.455	27.64	-13	N/A	2000
3000	20000	1	Peak	19542.257	-20.78	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.35	-13	Pass	401
0.15	30	0.01	Peak	0.34	-64.55	-13	Pass	2985
30	1000	0.1	Peak	851.703	-53.64	-13	Pass	9699
1000	3000	1	Peak	1853.427	23.7	-13	N/A	2000
3000	20000	1	Peak	19456.117	-25.28	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.72	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.18	-13	Pass	2985
30	1000	0.1	Peak	942.824	-53.42	-13	Pass	9699
1000	3000	1	Peak	1881.441	23.92	-13	N/A	2000
3000	20000	1	Peak	19552.273	-25.47	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.32	-13	Pass	2985
30	1000	0.1	Peak	432.149	-53.56	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.73	-13	N/A	2000
3000	20000	1	Peak	19326.993	-25.19	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.98	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.95	-13	Pass	2985
30	1000	0.1	Peak	820.296	-53.47	-13	Pass	9699
1000	3000	1	Peak	1713.357	23.69	-13	N/A	2000
3000	20000	1	Peak	19528.234	-24.98	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.84	-13	Pass	401
0.15	30	0.01	Peak	0.61	-65.75	-13	Pass	2985
30	1000	0.1	Peak	840.299	-53.21	-13	Pass	9699
1000	3000	1	Peak	1733.367	23.54	-13	N/A	2000
3000	20000	1	Peak	19530.237	-25.26	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.21	-13	Pass	401
0.15	30	0.01	Peak	0.36	-64.21	-13	Pass	2985
30	1000	0.1	Peak	913.886	-53.41	-13	Pass	9699
1000	3000	1	Peak	1753.377	23.54	-13	N/A	2000
3000	20000	1	Peak	19548.267	-25.47	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.86	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.33	-13	Pass	2985
30	500	0.1	Peak	493.599	-53.81	-13	Pass	4700
500	1000	0.1	Peak	827.666	18.41	-13	N/A	5000
1000	10000	1	Peak	7369.778	-33	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.73	-13	Pass	401
0.15	30	0.01	Peak	0.4	-64.42	-13	Pass	2985
30	500	0.1	Peak	403.479	-54.47	-13	Pass	4700
500	1000	0.1	Peak	837.067	18.27	-13	N/A	5000
1000	10000	1	Peak	7447.787	-33.22	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.57	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.26	-13	Pass	2985
30	500	0.1	Peak	293.156	-54.79	-13	Pass	4700
500	1000	0.1	Peak	848.07	17.76	-13	N/A	5000
1000	10000	1	Peak	7445.787	-33.13	-13	Pass	9000



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2985
30	1000	0.1	RMS	841.299	-64.55	-13	Pass	9699
1000	1840	1	RMS	1840	-52.85	-13	Pass	840
1840	1920	1	RMS	1850.2	22.92	60	Pass	401
1920	3000	1	RMS	2949.954	-49.9	-13	Pass	1080
3000	12000	1	RMS	11998.999	-44.24	-13	Pass	9000
12000	20000	1	RMS	20000	-36.56	-13	Pass	8000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	Pass	2985
30	1000	0.1	RMS	846.3	-64.64	-13	Pass	9699
1000	1840	1	RMS	1840	-52.96	-13	Pass	840
1840	1920	1	RMS	1850.2	21.91	60	Pass	401
1920	3000	1	RMS	2948.953	-49.89	-13	Pass	1080
3000	12000	1	RMS	11996.996	-44.26	-13	Pass	9000
12000	20000	1	RMS	20000	-36.58	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	Pass	2985
30	1000	0.1	RMS	844.699	-64.62	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.37	-13	Pass	840
1840	1920	1	RMS	1879.4	22.78	60	Pass	401
1920	3000	1	RMS	2949.954	-49.92	-13	Pass	1080
3000	12000	1	RMS	12000	-44.33	-13	Pass	9000
12000	20000	1	RMS	19998	-36.51	-13	Pass	8000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	1000	0.1	RMS	843.899	-64.55	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.4	-13	Pass	840
1840	1920	1	RMS	1879.4	21.8	60	Pass	401
1920	3000	1	RMS	2948.953	-49.91	-13	Pass	1080
3000	12000	1	RMS	12000	-44.27	-13	Pass	9000
12000	20000	1	RMS	20000	-36.49	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2985
30	1000	0.1	RMS	817.596	-64.57	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.36	-13	Pass	840
1840	1920	1	RMS	1908.8	22.84	60	Pass	401
1920	3000	1	RMS	2945.95	-49.9	-13	Pass	1080
3000	12000	1	RMS	11997.998	-44.25	-13	Pass	9000
12000	20000	1	RMS	19990.999	-36.64	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2985
30	1000	0.1	RMS	846.7	-64.64	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.4	-13	Pass	840
1840	1920	1	RMS	1908.8	21.98	60	Pass	401
1920	3000	1	RMS	2951.956	-49.93	-13	Pass	1080
3000	12000	1	RMS	11998.999	-44.27	-13	Pass	9000
12000	20000	1	RMS	19999	-36.66	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	842.899	-64.58	-13	Pass	9699
1000	1840	1	RMS	1840	-52.47	-13	Pass	840
1840	1920	1	RMS	1850.2	22.77	60	Pass	401
1920	3000	1	RMS	2951.956	-49.88	-13	Pass	1080
3000	12000	1	RMS	12000	-44.29	-13	Pass	9000
12000	20000	1	RMS	19996	-36.62	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	1000	0.1	RMS	841.799	-64.68	-13	Pass	9699
1000	1840	1	RMS	1840	-52.75	-13	Pass	840
1840	1920	1	RMS	1850.2	21.88	60	Pass	401
1920	3000	1	RMS	2943.948	-49.9	-13	Pass	1080
3000	12000	1	RMS	11994.994	-44.25	-13	Pass	9000
12000	20000	1	RMS	19996	-36.63	-13	Pass	8000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.08	-13	Pass	2985
30	1000	0.1	RMS	853.606	-64.58	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.3	-13	Pass	840
1840	1920	1	RMS	1878.6	22.65	60	Pass	401
1920	3000	1	RMS	2950.955	-49.88	-13	Pass	1080
3000	12000	1	RMS	11997.998	-44.21	-13	Pass	9000
12000	20000	1	RMS	19986.998	-36.56	-13	Pass	8000




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.7	-13	Pass	2985
30	1000	0.1	RMS	833.698	-64.6	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.42	-13	Pass	840
1840	1920	1	RMS	1878.6	21.68	60	Pass	401
1920	3000	1	RMS	2946.951	-49.84	-13	Pass	1080
3000	12000	1	RMS	12000	-44.24	-13	Pass	9000
12000	20000	1	RMS	20000	-36.61	-13	Pass	8000




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.82	-13	Pass	2985
30	1000	0.1	RMS	850.502	-64.65	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.35	-13	Pass	840
1840	1920	1	RMS	1907.2	22.67	60	Pass	401
1920	3000	1	RMS	2947.952	-49.89	-13	Pass	1080
3000	12000	1	RMS	12000	-44.28	-13	Pass	9000
12000	20000	1	RMS	19991.999	-36.62	-13	Pass	8000




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.62	-13	Pass	2985
30	1000	0.1	RMS	843.499	-64.65	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.35	-13	Pass	840
1840	1920	1	RMS	1907.2	21.77	60	Pass	401
1920	3000	1	RMS	2945.95	-49.91	-13	Pass	1080
3000	12000	1	RMS	11996.996	-44.19	-13	Pass	9000
12000	20000	1	RMS	19999	-36.63	-13	Pass	8000




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.67	-13	Pass	2985
30	1000	0.1	RMS	882.744	-64.61	-13	Pass	9699
1000	1840	1	RMS	1840	-52.74	-13	Pass	840
1840	1920	1	RMS	1850.2	23.02	60	Pass	401
1920	3000	1	RMS	2945.95	-49.88	-13	Pass	1080
3000	12000	1	RMS	12000	-44.21	-13	Pass	9000
12000	20000	1	RMS	19999	-36.63	-13	Pass	8000




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	Pass	2985
30	1000	0.1	RMS	841.999	-64.54	-13	Pass	9699
1000	1840	1	RMS	1840	-52.89	-13	Pass	840
1840	1920	1	RMS	1850.2	22.03	60	Pass	401
1920	3000	1	RMS	2951.956	-49.94	-13	Pass	1080
3000	12000	1	RMS	12000	-44.18	-13	Pass	9000
12000	20000	1	RMS	19991.999	-36.64	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	842.899	-64.68	-13	Pass	9699
1000	1840	1	RMS	1833.993	-53.35	-13	Pass	840
1840	1920	1	RMS	1877.8	22.86	60	Pass	401
1920	3000	1	RMS	2953.957	-49.92	-13	Pass	1080
3000	12000	1	RMS	11997.998	-44.2	-13	Pass	9000
12000	20000	1	RMS	19987.999	-36.7	-13	Pass	8000




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	838.099	-64.61	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.3	-13	Pass	840
1840	1920	1	RMS	1877.8	22.02	60	Pass	401
1920	3000	1	RMS	2946.951	-49.92	-13	Pass	1080
3000	12000	1	RMS	11997.998	-44.19	-13	Pass	9000
12000	20000	1	RMS	19997	-36.64	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2985
30	1000	0.1	RMS	855.508	-64.57	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.39	-13	Pass	840
1840	1920	1	RMS	1905.2	22.88	60	Pass	401
1920	3000	1	RMS	2946.951	-49.9	-13	Pass	1080
3000	12000	1	RMS	11996.996	-44.21	-13	Pass	9000
12000	20000	1	RMS	20000	-36.59	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2985
30	1000	0.1	RMS	844.199	-64.46	-13	Pass	9699
1000	1840	1	RMS	1840	-53.38	-13	Pass	840
1840	1920	1	RMS	1905.2	22.17	60	Pass	401
1920	3000	1	RMS	2947.952	-49.9	-13	Pass	1080
3000	12000	1	RMS	12000	-44.3	-13	Pass	9000
12000	20000	1	RMS	19999	-36.66	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2985
30	1000	0.1	RMS	854.207	-64.54	-13	Pass	9699
1000	1840	1	RMS	1840	-49.34	-13	Pass	840
1840	1920	1	RMS	1850.4	23.01	60	Pass	401
1920	3000	1	RMS	2947.952	-49.85	-13	Pass	1080
3000	12000	1	RMS	11992.991	-44.26	-13	Pass	9000
12000	20000	1	RMS	19998	-36.58	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	1000	0.1	RMS	829.798	-64.7	-13	Pass	9699
1000	1840	1	RMS	1840	-49.82	-13	Pass	840
1840	1920	1	RMS	1850.6	22.13	60	Pass	401
1920	3000	1	RMS	2950.955	-49.91	-13	Pass	1080
3000	12000	1	RMS	12000	-44.21	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.58	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	843.199	-64.68	-13	Pass	9699
1000	1840	1	RMS	1840	-53.2	-13	Pass	840
1840	1920	1	RMS	1875.6	22.86	60	Pass	401
1920	3000	1	RMS	2943.948	-49.8	-13	Pass	1080
3000	12000	1	RMS	11998.999	-44.16	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.61	-13	Pass	8000




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.85	-13	Pass	2985
30	1000	0.1	RMS	831.598	-64.67	-13	Pass	9699
1000	1840	1	RMS	1840	-53.32	-13	Pass	840
1840	1920	1	RMS	1875.4	21.91	60	Pass	401
1920	3000	1	RMS	2947.952	-49.88	-13	Pass	1080
3000	12000	1	RMS	11998.999	-44.32	-13	Pass	9000
12000	20000	1	RMS	19998	-36.59	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.93	-13	Pass	2985
30	1000	0.1	RMS	826.497	-64.43	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.29	-13	Pass	840
1840	1920	1	RMS	1900.4	22.81	60	Pass	401
1920	3000	1	RMS	2947.952	-49.92	-13	Pass	1080
3000	12000	1	RMS	12000	-44.22	-13	Pass	9000
12000	20000	1	RMS	19993.999	-36.7	-13	Pass	8000




8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2985
30	1000	0.1	RMS	853.906	-64.67	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.39	-13	Pass	840
1840	1920	1	RMS	1900.4	21.96	60	Pass	401
1920	3000	1	RMS	2942.947	-49.91	-13	Pass	1080
3000	12000	1	RMS	11998.999	-44.26	-13	Pass	9000
12000	20000	1	RMS	19999	-36.66	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	Pass	2985
30	1000	0.1	RMS	831.998	-64.42	-13	Pass	9699
1000	1840	1	RMS	1840	-43.36	-13	Pass	840
1840	1920	1	RMS	1850.8	23	60	Pass	401
1920	3000	1	RMS	2944.949	-49.87	-13	Pass	1080
3000	12000	1	RMS	11997.998	-44.2	-13	Pass	9000
12000	20000	1	RMS	19996	-36.62	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	1000	0.1	RMS	864.22	-64.64	-13	Pass	9699
1000	1840	1	RMS	1840	-44.94	-13	Pass	840
1840	1920	1	RMS	1850.8	22.11	60	Pass	401
1920	3000	1	RMS	2956.96	-49.92	-13	Pass	1080
3000	12000	1	RMS	12000	-44.28	-13	Pass	9000
12000	20000	1	RMS	19997	-36.64	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2985
30	1000	0.1	RMS	835.798	-64.46	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.32	-13	Pass	840
1840	1920	1	RMS	1873.2	22.92	60	Pass	401
1920	3000	1	RMS	2949.954	-49.9	-13	Pass	1080
3000	12000	1	RMS	11998.999	-44.19	-13	Pass	9000
12000	20000	1	RMS	19999	-36.61	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.6	-13	Pass	2985
30	1000	0.1	RMS	832.598	-64.58	-13	Pass	9699
1000	1840	1	RMS	1840	-53.32	-13	Pass	840
1840	1920	1	RMS	1873.2	21.98	60	Pass	401
1920	3000	1	RMS	2947.952	-49.94	-13	Pass	1080
3000	12000	1	RMS	11998.999	-44.2	-13	Pass	9000
12000	20000	1	RMS	19998	-36.66	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	Pass	2985
30	1000	0.1	RMS	846	-64.58	-13	Pass	9699
1000	1840	1	RMS	1840	-53.4	-13	Pass	840
1840	1920	1	RMS	1895.8	22.81	60	Pass	401
1920	3000	1	RMS	1922.002	-46.94	-13	Pass	1080
3000	12000	1	RMS	12000	-44.07	-13	Pass	9000
12000	20000	1	RMS	19987.999	-36.61	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	822.397	-64.64	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.38	-13	Pass	840
1840	1920	1	RMS	1895.8	22.06	60	Pass	401
1920	3000	1	RMS	1922.002	-47.4	-13	Pass	1080
3000	12000	1	RMS	11996.996	-44.29	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.64	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-13	Pass	2985
30	1000	0.1	RMS	853.906	-64.64	-13	Pass	9699
1000	1840	1	RMS	1840	-44.77	-13	Pass	840
1840	1920	1	RMS	1851	22.94	60	Pass	401
1920	3000	1	RMS	2943.948	-49.91	-13	Pass	1080
3000	12000	1	RMS	11995.995	-44.32	-13	Pass	9000
12000	20000	1	RMS	19998	-36.59	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	Pass	2985
30	1000	0.1	RMS	846	-64.64	-13	Pass	9699
1000	1840	1	RMS	1840	-46.51	-13	Pass	840
1840	1920	1	RMS	1851	22.06	60	Pass	401
1920	3000	1	RMS	2944.949	-49.89	-13	Pass	1080
3000	12000	1	RMS	11997.998	-44.19	-13	Pass	9000
12000	20000	1	RMS	19981.998	-36.62	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	850.301	-64.63	-13	Pass	9699
1000	1840	1	RMS	1834.994	-48.72	-13	Pass	840
1840	1920	1	RMS	1871	22.85	60	Pass	401
1920	3000	1	RMS	2946.951	-49.9	-13	Pass	1080
3000	12000	1	RMS	11998.999	-44.22	-13	Pass	9000
12000	20000	1	RMS	20000	-36.59	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.47	-13	Pass	2985
30	1000	0.1	RMS	849.901	-64.59	-13	Pass	9699
1000	1840	1	RMS	1834.994	-49.55	-13	Pass	840
1840	1920	1	RMS	1871	21.9	60	Pass	401
1920	3000	1	RMS	2951.956	-49.91	-13	Pass	1080
3000	12000	1	RMS	12000	-44.27	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.64	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.64	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.31	-13	Pass	840
1840	1920	1	RMS	1891	22.78	60	Pass	401
1920	3000	1	RMS	1922.002	-48.04	-13	Pass	1080
3000	12000	1	RMS	11998.999	-44.26	-13	Pass	9000
12000	20000	1	RMS	20000	-36.58	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2985
30	1000	0.1	RMS	837.599	-64.58	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.28	-13	Pass	840
1840	1920	1	RMS	1891	21.82	60	Pass	401
1920	3000	1	RMS	1922.002	-48.34	-13	Pass	1080
3000	12000	1	RMS	12000	-44.21	-13	Pass	9000
12000	20000	1	RMS	19999	-36.64	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-13	Pass	2985
30	1000	0.1	RMS	834.298	-64.5	-13	Pass	9699
1000	1700	1	RMS	1700	-53.09	-13	Pass	700
1700	1765	1	RMS	1710.238	22.62	60	Pass	401
1765	3000	1	RMS	2952.962	-49.93	-13	Pass	1235
3000	12000	1	RMS	11998.999	-44.18	-13	Pass	9000
12000	20000	1	RMS	19993.999	-36.64	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2985
30	1000	0.1	RMS	846.9	-64.52	-13	Pass	9699
1000	1700	1	RMS	1700	-53.19	-13	Pass	700
1700	1765	1	RMS	1710.238	21.69	60	Pass	401
1765	3000	1	RMS	2947.958	-49.91	-13	Pass	1235
3000	12000	1	RMS	11998.999	-44.2	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.64	-13	Pass	8000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2985
30	1000	0.1	RMS	858.813	-64.51	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.69	-13	Pass	700
1700	1765	1	RMS	1732.013	22.57	60	Pass	401
1765	3000	1	RMS	2952.962	-49.89	-13	Pass	1235
3000	12000	1	RMS	12000	-44.24	-13	Pass	9000
12000	20000	1	RMS	19982.998	-36.64	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	Pass	2985
30	1000	0.1	RMS	833.498	-64.47	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.7	-13	Pass	700
1700	1765	1	RMS	1732.013	21.6	60	Pass	401
1765	3000	1	RMS	2944.955	-49.95	-13	Pass	1235
3000	12000	1	RMS	12000	-44.06	-13	Pass	9000
12000	20000	1	RMS	19998	-36.49	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	Pass	2985
30	1000	0.1	RMS	828.998	-64.67	-13	Pass	9699
1000	1700	1	RMS	1700	-53.67	-13	Pass	700
1700	1765	1	RMS	1753.788	22.71	60	Pass	401
1765	3000	1	RMS	2946.957	-49.88	-13	Pass	1235
3000	12000	1	RMS	11997.998	-44.19	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.61	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2985
30	1000	0.1	RMS	843.499	-64.65	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.7	-13	Pass	700
1700	1765	1	RMS	1753.788	21.82	60	Pass	401
1765	3000	1	RMS	2950.96	-49.93	-13	Pass	1235
3000	12000	1	RMS	12000	-44.13	-13	Pass	9000
12000	20000	1	RMS	19997	-36.63	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-13	Pass	2985
30	1000	0.1	RMS	838.499	-64.56	-13	Pass	9699
1000	1700	1	RMS	1700	-52.79	-13	Pass	700
1700	1765	1	RMS	1710.238	22.51	60	Pass	401
1765	3000	1	RMS	2945.956	-49.87	-13	Pass	1235
3000	12000	1	RMS	11998.999	-44.28	-13	Pass	9000
12000	20000	1	RMS	19990.999	-36.67	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2985
30	1000	0.1	RMS	836.598	-64.68	-13	Pass	9699
1000	1700	1	RMS	1700	-53.1	-13	Pass	700
1700	1765	1	RMS	1710.238	21.66	60	Pass	401
1765	3000	1	RMS	2950.96	-49.9	-13	Pass	1235
3000	12000	1	RMS	12000	-44.3	-13	Pass	9000
12000	20000	1	RMS	19996	-36.62	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.76	-13	Pass	2985
30	1000	0.1	RMS	846.3	-64.48	-13	Pass	9699
1000	1700	1	RMS	1700	-53.69	-13	Pass	700
1700	1765	1	RMS	1731.2	22.44	60	Pass	401
1765	3000	1	RMS	2950.96	-49.9	-13	Pass	1235
3000	12000	1	RMS	11996.996	-44.33	-13	Pass	9000
12000	20000	1	RMS	19991.999	-36.62	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.89	-13	Pass	2985
30	1000	0.1	RMS	836.398	-64.66	-13	Pass	9699
1000	1700	1	RMS	1690.987	-53.65	-13	Pass	700
1700	1765	1	RMS	1731.2	21.47	60	Pass	401
1765	3000	1	RMS	2948.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	12000	-44.21	-13	Pass	9000
12000	20000	1	RMS	19997	-36.63	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2985
30	1000	0.1	RMS	833.098	-64.55	-13	Pass	9699
1000	1700	1	RMS	1700	-53.62	-13	Pass	700
1700	1765	1	RMS	1752.163	22.59	60	Pass	401
1765	3000	1	RMS	2949.959	-49.91	-13	Pass	1235
3000	12000	1	RMS	11995.995	-44.12	-13	Pass	9000
12000	20000	1	RMS	19996	-36.62	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	Pass	2985
30	1000	0.1	RMS	845.2	-64.62	-13	Pass	9699
1000	1700	1	RMS	1700	-53.62	-13	Pass	700
1700	1765	1	RMS	1752.163	21.7	60	Pass	401
1765	3000	1	RMS	2947.958	-49.89	-13	Pass	1235
3000	12000	1	RMS	11997.998	-44.18	-13	Pass	9000
12000	20000	1	RMS	19992.999	-36.58	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.81	-13	Pass	2985
30	1000	0.1	RMS	847.2	-64.64	-13	Pass	9699
1000	1700	1	RMS	1700	-53.01	-13	Pass	700
1700	1765	1	RMS	1710.238	22.77	60	Pass	401
1765	3000	1	RMS	2952.962	-49.93	-13	Pass	1235
3000	12000	1	RMS	11997.998	-44.3	-13	Pass	9000
12000	20000	1	RMS	20000	-36.64	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	1000	0.1	RMS	838.799	-64.59	-13	Pass	9699
1000	1700	1	RMS	1700	-53.17	-13	Pass	700
1700	1765	1	RMS	1710.238	21.86	60	Pass	401
1765	3000	1	RMS	2952.962	-49.87	-13	Pass	1235
3000	12000	1	RMS	12000	-44.21	-13	Pass	9000
12000	20000	1	RMS	20000	-36.67	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	Pass	2985
30	1000	0.1	RMS	849.5	-64.4	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.69	-13	Pass	700
1700	1765	1	RMS	1730.225	22.66	60	Pass	401
1765	3000	1	RMS	2943.955	-49.92	-13	Pass	1235
3000	12000	1	RMS	12000	-44.22	-13	Pass	9000
12000	20000	1	RMS	19997	-36.61	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2985
30	1000	0.1	RMS	841.699	-64.5	-13	Pass	9699
1000	1700	1	RMS	1700	-53.63	-13	Pass	700
1700	1765	1	RMS	1730.225	21.84	60	Pass	401
1765	3000	1	RMS	2944.955	-49.94	-13	Pass	1235
3000	12000	1	RMS	12000	-44.24	-13	Pass	9000
12000	20000	1	RMS	19997	-36.6	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	Pass	2985
30	1000	0.1	RMS	838.899	-64.65	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.65	-13	Pass	700
1700	1765	1	RMS	1750.213	22.77	60	Pass	401
1765	3000	1	RMS	2951.961	-49.91	-13	Pass	1235
3000	12000	1	RMS	12000	-44.24	-13	Pass	9000
12000	20000	1	RMS	20000	-36.55	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	1000	0.1	RMS	830.398	-64.43	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.64	-13	Pass	700
1700	1765	1	RMS	1750.213	22	60	Pass	401
1765	3000	1	RMS	2946.957	-49.85	-13	Pass	1235
3000	12000	1	RMS	11998.999	-44.2	-13	Pass	9000
12000	20000	1	RMS	19999	-36.63	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2985
30	1000	0.1	RMS	827.897	-64.55	-13	Pass	9699
1000	1700	1	RMS	1700	-49.22	-13	Pass	700
1700	1765	1	RMS	1710.563	22.84	60	Pass	401
1765	3000	1	RMS	2953.963	-49.9	-13	Pass	1235
3000	12000	1	RMS	12000	-44.23	-13	Pass	9000
12000	20000	1	RMS	19999	-36.62	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.03	-13	Pass	2985
30	1000	0.1	RMS	855.108	-64.71	-13	Pass	9699
1000	1700	1	RMS	1700	-49.56	-13	Pass	700
1700	1765	1	RMS	1710.563	22.05	60	Pass	401
1765	3000	1	RMS	2948.959	-49.87	-13	Pass	1235
3000	12000	1	RMS	11997.998	-44.19	-13	Pass	9000
12000	20000	1	RMS	19986.998	-36.68	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	845.6	-64.63	-13	Pass	9699
1000	1700	1	RMS	1700	-53.62	-13	Pass	700
1700	1765	1	RMS	1727.95	22.73	60	Pass	401
1765	3000	1	RMS	2944.955	-49.8	-13	Pass	1235
3000	12000	1	RMS	11998.999	-44.27	-13	Pass	9000
12000	20000	1	RMS	19999	-36.68	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-13	Pass	2985
30	1000	0.1	RMS	855.408	-64.52	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.65	-13	Pass	700
1700	1765	1	RMS	1727.95	21.78	60	Pass	401
1765	3000	1	RMS	2947.958	-49.87	-13	Pass	1235
3000	12000	1	RMS	11997.998	-44.23	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.63	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	Pass	2985
30	1000	0.1	RMS	826.197	-64.76	-13	Pass	9699
1000	1700	1	RMS	1685.98	-53.71	-13	Pass	700
1700	1765	1	RMS	1745.5	22.88	60	Pass	401
1765	3000	1	RMS	2956.965	-49.92	-13	Pass	1235
3000	12000	1	RMS	12000	-44.16	-13	Pass	9000
12000	20000	1	RMS	19989.999	-36.65	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.08	-13	Pass	2985
30	1000	0.1	RMS	829.198	-64.53	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.66	-13	Pass	700
1700	1765	1	RMS	1745.5	21.9	60	Pass	401
1765	3000	1	RMS	2949.959	-49.9	-13	Pass	1235
3000	12000	1	RMS	12000	-44.24	-13	Pass	9000
12000	20000	1	RMS	19984.998	-36.57	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	Pass	2985
30	1000	0.1	RMS	827.297	-64.59	-13	Pass	9699
1000	1700	1	RMS	1700	-44.02	-13	Pass	700
1700	1765	1	RMS	1710.725	22.79	60	Pass	401
1765	3000	1	RMS	2948.959	-49.88	-13	Pass	1235
3000	12000	1	RMS	11996.996	-44.17	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.63	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	1000	0.1	RMS	836.999	-64.61	-13	Pass	9699
1000	1700	1	RMS	1700	-45.11	-13	Pass	700
1700	1765	1	RMS	1710.725	21.94	60	Pass	401
1765	3000	1	RMS	2948.959	-49.9	-13	Pass	1235
3000	12000	1	RMS	12000	-44.22	-13	Pass	9000
12000	20000	1	RMS	20000	-36.65	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	843.899	-64.52	-13	Pass	9699
1000	1700	1	RMS	1698.999	-45.29	-13	Pass	700
1700	1765	1	RMS	1725.838	22.62	60	Pass	401
1765	3000	1	RMS	2951.961	-49.89	-13	Pass	1235
3000	12000	1	RMS	11996.996	-44.23	-13	Pass	9000
12000	20000	1	RMS	19997	-36.65	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2985
30	1000	0.1	RMS	824.097	-64.71	-13	Pass	9699
1000	1700	1	RMS	1698.999	-46.27	-13	Pass	700
1700	1765	1	RMS	1725.838	21.73	60	Pass	401
1765	3000	1	RMS	2954.964	-49.86	-13	Pass	1235
3000	12000	1	RMS	11997.998	-44.23	-13	Pass	9000
12000	20000	1	RMS	19997	-36.66	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	Pass	2985
30	1000	0.1	RMS	830.498	-64.65	-13	Pass	9699
1000	1700	1	RMS	1700	-53.63	-13	Pass	700
1700	1765	1	RMS	1740.788	22.76	60	Pass	401
1765	3000	1	RMS	1767.002	-33.12	-13	Pass	1235
3000	12000	1	RMS	12000	-44.17	-13	Pass	9000
12000	20000	1	RMS	20000	-36.65	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	Pass	2985
30	1000	0.1	RMS	850.902	-64.63	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.66	-13	Pass	700
1700	1765	1	RMS	1740.788	21.89	60	Pass	401
1765	3000	1	RMS	1767.002	-34.41	-13	Pass	1235
3000	12000	1	RMS	12000	-44.2	-13	Pass	9000
12000	20000	1	RMS	19998	-36.66	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	1000	0.1	RMS	839.999	-64.55	-13	Pass	9699
1000	1700	1	RMS	1700	-45.28	-13	Pass	700
1700	1765	1	RMS	1711.05	22.71	60	Pass	401
1765	3000	1	RMS	2946.957	-49.8	-13	Pass	1235
3000	12000	1	RMS	11998.999	-44.33	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.68	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2985
30	1000	0.1	RMS	842.499	-64.6	-13	Pass	9699
1000	1700	1	RMS	1700	-46.43	-13	Pass	700
1700	1765	1	RMS	1711.05	21.83	60	Pass	401
1765	3000	1	RMS	2944.955	-49.91	-13	Pass	1235
3000	12000	1	RMS	11997.998	-44.23	-13	Pass	9000
12000	20000	1	RMS	19997	-36.69	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	Pass	2985
30	1000	0.1	RMS	841.199	-64.57	-13	Pass	9699
1000	1700	1	RMS	1700	-53.54	-13	Pass	700
1700	1765	1	RMS	1723.563	22.54	60	Pass	401
1765	3000	1	RMS	2950.96	-49.89	-13	Pass	1235
3000	12000	1	RMS	11998.999	-44.18	-13	Pass	9000
12000	20000	1	RMS	19998	-36.64	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	837.299	-64.65	-13	Pass	9699
1000	1700	1	RMS	1700	-53.54	-13	Pass	700
1700	1765	1	RMS	1723.563	21.6	60	Pass	401
1765	3000	1	RMS	2946.957	-49.87	-13	Pass	1235
3000	12000	1	RMS	12000	-44.24	-13	Pass	9000
12000	20000	1	RMS	19994.999	-36.66	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	830.998	-64.47	-13	Pass	9699
1000	1700	1	RMS	1700	-45.96	-13	Pass	700
1700	1765	1	RMS	1736.075	22.61	60	Pass	401
1765	3000	1	RMS	1772.006	-32.17	-13	Pass	1235
3000	12000	1	RMS	11998.999	-44.1	-13	Pass	9000
12000	20000	1	RMS	19999	-36.57	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.46	-13	Pass	2985
30	1000	0.1	RMS	835.998	-64.59	-13	Pass	9699
1000	1700	1	RMS	1700	-47.09	-13	Pass	700
1700	1765	1	RMS	1736.075	21.64	60	Pass	401
1765	3000	1	RMS	1772.006	-33.3	-13	Pass	1235
3000	12000	1	RMS	12000	-44.1	-13	Pass	9000
12000	20000	1	RMS	19999	-36.55	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	814	0.1	RMS	810.5	-64.95	-13	Pass	7840
814	860	0.1	RMS	824.222	20.55	60	Pass	460
860	1000	0.1	RMS	865.804	-64.84	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.66	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.42	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.83	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.75	-13	Pass	7840
814	860	0.1	RMS	824.222	19.52	60	Pass	460
860	1000	0.1	RMS	869.607	-64.75	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.63	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.46	-13	Pass	7000




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.71	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.98	-13	Pass	2985
30	814	0.1	RMS	806.599	-64.88	-13	Pass	7840
814	860	0.1	RMS	836.048	20.79	60	Pass	460
860	1000	0.1	RMS	959.371	-64.83	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.28	-13	Pass	2000
3000	10000	1	RMS	7207.601	-44.43	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-13	Pass	2985
30	814	0.1	RMS	809.599	-64.91	-13	Pass	7840
814	860	0.1	RMS	836.048	19.74	60	Pass	460
860	1000	0.1	RMS	863.903	-64.46	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.12	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.48	-13	Pass	7000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.82	-13	Pass	2985
30	814	0.1	RMS	748.392	-64.94	-13	Pass	7840
814	860	0.1	RMS	847.874	20.53	60	Pass	460
860	1000	0.1	RMS	863.102	-64.84	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.69	-13	Pass	2000
3000	10000	1	RMS	6946.564	-44.39	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.31	-13	Pass	2985
30	814	0.1	RMS	802.499	-64.95	-13	Pass	7840
814	860	0.1	RMS	847.874	19.55	60	Pass	460
860	1000	0.1	RMS	861.601	-64.72	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.71	-13	Pass	2000
3000	10000	1	RMS	7205.601	-44.43	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.84	-13	Pass	7840
814	860	0.1	RMS	824.222	20.6	60	Pass	460
860	1000	0.1	RMS	866.104	-64.81	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.91	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.42	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.76	-13	Pass	2985
30	814	0.1	RMS	807.499	-64.92	-13	Pass	7840
814	860	0.1	RMS	824.222	19.64	60	Pass	460
860	1000	0.1	RMS	861.101	-64.82	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.67	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.41	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.4	-13	Pass	2985
30	814	0.1	RMS	761.093	-64.91	-13	Pass	7840
814	860	0.1	RMS	835.246	20.7	60	Pass	460
860	1000	0.1	RMS	862.602	-64.8	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.27	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.41	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	814	0.1	RMS	808.899	-64.91	-13	Pass	7840
814	860	0.1	RMS	835.246	19.71	60	Pass	460
860	1000	0.1	RMS	860.801	-64.8	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.95	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.41	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.82	-13	Pass	7840
814	860	0.1	RMS	846.27	20.39	60	Pass	460
860	1000	0.1	RMS	980.086	-64.84	-13	Pass	1400
1000	3000	1	RMS	1692.346	-46.29	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.41	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	814	0.1	RMS	743.191	-65.03	-13	Pass	7840
814	860	0.1	RMS	846.27	19.49	60	Pass	460
860	1000	0.1	RMS	862.502	-64.86	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.16	-13	Pass	2000
3000	10000	1	RMS	6947.564	-44.46	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.81	-13	Pass	7840
814	860	0.1	RMS	824.322	20.7	60	Pass	460
860	1000	0.1	RMS	870.407	-64.7	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.78	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.45	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.83	-13	Pass	7840
814	860	0.1	RMS	824.322	19.84	60	Pass	460
860	1000	0.1	RMS	870.107	-64.6	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.87	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.46	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	Pass	2985
30	814	0.1	RMS	812.9	-65	-13	Pass	7840
814	860	0.1	RMS	834.344	20.8	60	Pass	460
860	1000	0.1	RMS	860	-64.79	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.72	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.46	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2985
30	814	0.1	RMS	806.899	-64.86	-13	Pass	7840
814	860	0.1	RMS	834.344	20.03	60	Pass	460
860	1000	0.1	RMS	913.939	-64.91	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.53	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.44	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	814	0.1	RMS	737.89	-64.89	-13	Pass	7840
814	860	0.1	RMS	844.366	20.39	60	Pass	460
860	1000	0.1	RMS	864.203	-64.81	-13	Pass	1400
1000	3000	1	RMS	1688.344	-45.84	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.48	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	814	0.1	RMS	735.39	-64.97	-13	Pass	7840
814	860	0.1	RMS	844.366	19.78	60	Pass	460
860	1000	0.1	RMS	864.904	-64.63	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.71	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.41	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	814	0.1	RMS	814	-59.24	-13	Pass	7840
814	860	0.1	RMS	824.623	20.59	60	Pass	460
860	1000	0.1	RMS	873.209	-64.89	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.03	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.48	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	814	0.1	RMS	814	-60.07	-13	Pass	7840
814	860	0.1	RMS	824.623	19.78	60	Pass	460
860	1000	0.1	RMS	863.202	-64.62	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.95	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.37	-13	Pass	7000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	Pass	2985
30	814	0.1	RMS	813.7	-65.01	-13	Pass	7840
814	860	0.1	RMS	832.139	20.24	60	Pass	460
860	1000	0.1	RMS	866.305	-64.87	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.43	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.43	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	814	0.1	RMS	809.199	-64.75	-13	Pass	7840
814	860	0.1	RMS	832.139	19.21	60	Pass	460
860	1000	0.1	RMS	881.315	-64.74	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.44	-13	Pass	2000
3000	10000	1	RMS	6956.565	-44.41	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2985
30	814	0.1	RMS	810.4	-64.94	-13	Pass	7840
814	860	0.1	RMS	839.556	20.63	60	Pass	460
860	1000	0.1	RMS	860.6	-64.69	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.93	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.43	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2985
30	814	0.1	RMS	803.099	-65.02	-13	Pass	7840
814	860	0.1	RMS	839.556	19.75	60	Pass	460
860	1000	0.1	RMS	866.605	-64.81	-13	Pass	1400
1000	3000	1	RMS	2950.975	-49.92	-13	Pass	2000
3000	10000	1	RMS	6947.564	-44.45	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-25	Pass	2985
30	1000	0.1	RMS	846.1	-64.55	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.67	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.53	60	Pass	401
2590	3000	1	RMS	2946.87	-49.93	-25	Pass	410
3000	12000	1	RMS	11995.995	-54.01	-25	Pass	9000
12000	26000	1	RMS	25789.964	-41.58	-25	Pass	14000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.54	-25	Pass	2985
30	1000	0.1	RMS	842.999	-64.5	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.65	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.54	60	Pass	401
2590	3000	1	RMS	2946.87	-49.94	-25	Pass	410
3000	12000	1	RMS	11997.998	-54.05	-25	Pass	9000
12000	26000	1	RMS	25995.999	-41.56	-25	Pass	14000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.32	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.68	-25	Pass	2985
30	1000	0.1	RMS	572.166	-63.92	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.65	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.62	60	Pass	401
2590	3000	1	RMS	2949.878	-49.93	-25	Pass	410
3000	12000	1	RMS	7558.556	-54.12	-25	Pass	9000
12000	26000	1	RMS	25762.959	-41.53	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.38	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.77	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.81	60	Pass	401
2590	3000	1	RMS	2950.88	-49.95	-25	Pass	410
3000	12000	1	RMS	11549.442	-54.06	-25	Pass	9000
12000	26000	1	RMS	25988.998	-41.57	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.75	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.07	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.32	-25	Pass	9699
1000	2480	1	RMS	2480	-51.6	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.75	60	Pass	401
2590	3000	1	RMS	2946.87	-49.91	-25	Pass	410
3000	12000	1	RMS	7559.557	-54.03	-25	Pass	9000
12000	26000	1	RMS	25776.962	-41.65	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.43	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.76	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.94	60	Pass	401
2590	3000	1	RMS	2942.861	-49.94	-25	Pass	410
3000	12000	1	RMS	11551.445	-54.08	-25	Pass	9000
12000	26000	1	RMS	25795.965	-41.62	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.55	-25	Pass	2985
30	1000	0.1	RMS	845.7	-64.68	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.75	-25	Pass	1480
2480	2590	1	RMS	2500.35	22.67	60	Pass	401
2590	3000	1	RMS	2951.883	-49.95	-25	Pass	410
3000	12000	1	RMS	7565.557	-54.05	-25	Pass	9000
12000	26000	1	RMS	25798.965	-41.59	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.34	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.1	-25	Pass	2985
30	1000	0.1	RMS	840.699	-64.62	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.67	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.81	60	Pass	401
2590	3000	1	RMS	2950.88	-49.92	-25	Pass	410
3000	12000	1	RMS	7561.557	-54.03	-25	Pass	9000
12000	26000	1	RMS	25778.962	-41.61	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.84	-25	Pass	401
0.15	30	0.01	RMS	0.24	-73.01	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.26	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.67	-25	Pass	1480
2480	2590	1	RMS	2530.325	22.59	60	Pass	401
2590	3000	1	RMS	2949.878	-49.91	-25	Pass	410
3000	12000	1	RMS	11559.455	-54.06	-25	Pass	9000
12000	26000	1	RMS	25780.962	-41.6	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.85	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.81	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.35	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.75	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.67	60	Pass	401
2590	3000	1	RMS	2944.866	-49.93	-25	Pass	410
3000	12000	1	RMS	11554.449	-54.06	-25	Pass	9000
12000	26000	1	RMS	25753.958	-41.56	-25	Pass	14000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-25	Pass	2985
30	1000	0.1	RMS	599.87	-61.15	-25	Pass	9699
1000	2480	1	RMS	2480	-51.64	-25	Pass	1480
2480	2590	1	RMS	2560.575	22.68	60	Pass	401
2590	3000	1	RMS	2946.87	-49.91	-25	Pass	410
3000	12000	1	RMS	11995.995	-54.04	-25	Pass	9000
12000	26000	1	RMS	25807.967	-41.63	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.08	-25	Pass	2985
30	1000	0.1	RMS	599.87	-62.42	-25	Pass	9699
1000	2480	1	RMS	2480	-51.68	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.77	60	Pass	401
2590	3000	1	RMS	2949.878	-49.94	-25	Pass	410
3000	12000	1	RMS	7559.557	-53.99	-25	Pass	9000
12000	26000	1	RMS	25772.961	-41.59	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-25	Pass	2985
30	1000	0.1	RMS	838.799	-64.65	-25	Pass	9699
1000	2480	1	RMS	2480	-51.66	-25	Pass	1480
2480	2590	1	RMS	2500.625	22.67	60	Pass	401
2590	3000	1	RMS	2945.868	-49.91	-25	Pass	410
3000	12000	1	RMS	11998.999	-54.1	-25	Pass	9000
12000	26000	1	RMS	25805.967	-41.6	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.05	-25	Pass	2985
30	1000	0.1	RMS	839.799	-64.62	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.64	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.86	60	Pass	401
2590	3000	1	RMS	2950.88	-49.93	-25	Pass	410
3000	12000	1	RMS	7560.557	-54.05	-25	Pass	9000
12000	26000	1	RMS	25977.996	-41.63	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-25	Pass	2985
30	1000	0.1	RMS	842.099	-64.55	-25	Pass	9699
1000	2480	1	RMS	2480	-51.71	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.65	60	Pass	401
2590	3000	1	RMS	2949.878	-49.92	-25	Pass	410
3000	12000	1	RMS	7203.513	-54.08	-25	Pass	9000
12000	26000	1	RMS	25793.965	-41.55	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-25	Pass	2985
30	1000	0.1	RMS	835.898	-64.64	-25	Pass	9699
1000	2480	1	RMS	2480	-51.64	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.68	60	Pass	401
2590	3000	1	RMS	2944.866	-49.91	-25	Pass	410
3000	12000	1	RMS	11998.999	-54.02	-25	Pass	9000
12000	26000	1	RMS	25749.957	-41.58	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.69	-25	Pass	2985
30	1000	0.1	RMS	595.169	-61.42	-25	Pass	9699
1000	2480	1	RMS	2480	-51.64	-25	Pass	1480
2480	2590	1	RMS	2555.625	22.63	60	Pass	401
2590	3000	1	RMS	2952.885	-49.95	-25	Pass	410
3000	12000	1	RMS	12000	-53.99	-25	Pass	9000
12000	26000	1	RMS	25718.952	-41.54	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-25	Pass	2985
30	1000	0.1	RMS	595.169	-61.94	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.63	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.87	60	Pass	401
2590	3000	1	RMS	2951.883	-49.9	-25	Pass	410
3000	12000	1	RMS	12000	-54.03	-25	Pass	9000
12000	26000	1	RMS	25804.966	-41.63	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.83	-25	Pass	2985
30	1000	0.1	RMS	829.798	-64.52	-25	Pass	9699
1000	2480	1	RMS	2480	-51.46	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.63	60	Pass	401
2590	3000	1	RMS	2946.87	-49.95	-25	Pass	410
3000	12000	1	RMS	7561.557	-54.03	-25	Pass	9000
12000	26000	1	RMS	25988.998	-41.58	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-25	Pass	2985
30	1000	0.1	RMS	836.398	-64.64	-25	Pass	9699
1000	2480	1	RMS	2480	-51.49	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.76	60	Pass	401
2590	3000	1	RMS	2944.866	-49.92	-25	Pass	410
3000	12000	1	RMS	11551.445	-54.03	-25	Pass	9000
12000	26000	1	RMS	25797.965	-41.55	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-25	Pass	2985
30	1000	0.1	RMS	836.798	-64.61	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.75	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.65	60	Pass	401
2590	3000	1	RMS	2949.878	-49.92	-25	Pass	410
3000	12000	1	RMS	11997.998	-54.06	-25	Pass	9000
12000	26000	1	RMS	25794.965	-41.61	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-25	Pass	2985
30	1000	0.1	RMS	841.399	-64.43	-25	Pass	9699
1000	2480	1	RMS	2480	-51.62	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.67	60	Pass	401
2590	3000	1	RMS	2945.868	-49.9	-25	Pass	410
3000	12000	1	RMS	11557.452	-54.1	-25	Pass	9000
12000	26000	1	RMS	25793.965	-41.54	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.03	-25	Pass	2985
30	1000	0.1	RMS	590.368	-61.82	-25	Pass	9699
1000	2480	1	RMS	2480	-51.7	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.59	60	Pass	401
2590	3000	1	RMS	2946.87	-49.94	-25	Pass	410
3000	12000	1	RMS	7556.556	-54.08	-25	Pass	9000
12000	26000	1	RMS	25797.965	-41.52	-25	Pass	14000



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.25	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.71	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.6	60	Pass	401
2590	3000	1	RMS	2947.873	-49.93	-25	Pass	410
3000	12000	1	RMS	7559.557	-54.05	-25	Pass	9000
12000	26000	1	RMS	25981.997	-41.57	-25	Pass	14000



12. LTE_Band38


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	Pass	2985
30	1000	0.1	RMS	609.671	-63.03	-25	Pass	9699
1000	2550	1	RMS	2550	-50.43	-25	Pass	1550
2550	2640	1	RMS	2570.25	19.86	60	Pass	401
2640	3000	1	RMS	2949.6	-49.87	-25	Pass	401
3000	12000	1	RMS	7556.556	-54.01	-25	Pass	9000
12000	26500	1	RMS	26010.922	-41.61	-25	Pass	14500




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.39	-25	Pass	2985
30	1000	0.1	RMS	609.571	-64.19	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.53	-25	Pass	1550
2550	2640	1	RMS	2570.025	18.5	60	Pass	401
2640	3000	1	RMS	2946	-49.88	-25	Pass	401
3000	12000	1	RMS	11998.999	-54.02	-25	Pass	9000
12000	26500	1	RMS	25762.883	-41.63	-25	Pass	14500




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-25	Pass	2985
30	1000	0.1	RMS	851.203	-64.42	-25	Pass	9699
1000	2550	1	RMS	2487.96	-51.52	-25	Pass	1550
2550	2640	1	RMS	2592.75	19.16	60	Pass	401
2640	3000	1	RMS	2949.6	-49.91	-25	Pass	401
3000	12000	1	RMS	11557.452	-54.03	-25	Pass	9000
12000	26500	1	RMS	25789.887	-41.61	-25	Pass	14500




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-25	Pass	2985
30	1000	0.1	RMS	850.201	-64.58	-25	Pass	9699
1000	2550	1	RMS	2482.957	-51.61	-25	Pass	1550
2550	2640	1	RMS	2592.75	18.27	60	Pass	401
2640	3000	1	RMS	2945.1	-49.91	-25	Pass	401
3000	12000	1	RMS	11553.447	-53.98	-25	Pass	9000
12000	26500	1	RMS	25391.824	-41.58	-25	Pass	14500




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.01	-25	Pass	2985
30	1000	0.1	RMS	845.4	-64.45	-25	Pass	9699
1000	2550	1	RMS	2518.98	-51.65	-25	Pass	1550
2550	2640	1	RMS	2615.25	19.72	60	Pass	401
2640	3000	1	RMS	2948.7	-49.91	-25	Pass	401
3000	12000	1	RMS	11555.45	-54.08	-25	Pass	9000
12000	26500	1	RMS	25772.885	-41.57	-25	Pass	14500




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-25	Pass	401
0.15	30	0.01	RMS	0.27	-73.47	-25	Pass	2985
30	1000	0.1	RMS	841.999	-64.65	-25	Pass	9699
1000	2550	1	RMS	2481.956	-51.63	-25	Pass	1550
2550	2640	1	RMS	2615.025	18.46	60	Pass	401
2640	3000	1	RMS	2948.7	-49.94	-25	Pass	401
3000	12000	1	RMS	11549.442	-54.06	-25	Pass	9000
12000	26500	1	RMS	25759.883	-41.65	-25	Pass	14500




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.32	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.48	-25	Pass	2985
30	1000	0.1	RMS	829.398	-64.47	-25	Pass	9699
1000	2550	1	RMS	2484.958	-51.63	-25	Pass	1550
2550	2640	1	RMS	2570.475	19.22	60	Pass	401
2640	3000	1	RMS	2944.2	-49.9	-25	Pass	401
3000	12000	1	RMS	11998.999	-54	-25	Pass	9000
12000	26500	1	RMS	25792.888	-41.6	-25	Pass	14500




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.04	-25	Pass	401
0.15	30	0.01	RMS	0.38	-73.28	-25	Pass	2985
30	1000	0.1	RMS	609.871	-62.93	-25	Pass	9699
1000	2550	1	RMS	2490.962	-51.6	-25	Pass	1550
2550	2640	1	RMS	2570.25	18.38	60	Pass	401
2640	3000	1	RMS	2946.9	-49.93	-25	Pass	401
3000	12000	1	RMS	11547.44	-54.08	-25	Pass	9000
12000	26500	1	RMS	25811.891	-41.65	-25	Pass	14500




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.68	-25	Pass	2985
30	1000	0.1	RMS	841.999	-64.61	-25	Pass	9699
1000	2550	1	RMS	2519.981	-51.64	-25	Pass	1550
2550	2640	1	RMS	2590.275	19.61	60	Pass	401
2640	3000	1	RMS	2949.6	-49.9	-25	Pass	401
3000	12000	1	RMS	11996.996	-54.04	-25	Pass	9000
12000	26500	1	RMS	25794.888	-41.52	-25	Pass	14500




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.54	-25	Pass	2985
30	1000	0.1	RMS	842.399	-64.56	-25	Pass	9699
1000	2550	1	RMS	2485.959	-51.61	-25	Pass	1550
2550	2640	1	RMS	2590.275	18.52	60	Pass	401
2640	3000	1	RMS	2956.8	-49.93	-25	Pass	401
3000	12000	1	RMS	11995.995	-54	-25	Pass	9000
12000	26500	1	RMS	25795.888	-41.56	-25	Pass	14500




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.77	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.11	-25	Pass	2985
30	1000	0.1	RMS	844.099	-64.66	-25	Pass	9699
1000	2550	1	RMS	2491.963	-51.58	-25	Pass	1550
2550	2640	1	RMS	2610.3	19.66	60	Pass	401
2640	3000	1	RMS	2948.7	-49.89	-25	Pass	401
3000	12000	1	RMS	11552.446	-54.06	-25	Pass	9000
12000	26500	1	RMS	26006.922	-41.6	-25	Pass	14500




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.26	-25	Pass	2985
30	1000	0.1	RMS	861.316	-64.62	-25	Pass	9699
1000	2550	1	RMS	2489.961	-51.6	-25	Pass	1550
2550	2640	1	RMS	2610.3	18.26	60	Pass	401
2640	3000	1	RMS	2946	-49.93	-25	Pass	401
3000	12000	1	RMS	11998.999	-54.09	-25	Pass	9000
12000	26500	1	RMS	26001.921	-41.59	-25	Pass	14500




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-25	Pass	2985
30	1000	0.1	RMS	610.071	-63.78	-25	Pass	9699
1000	2550	1	RMS	2543.996	-49.71	-25	Pass	1550
2550	2640	1	RMS	2570.925	19.07	60	Pass	401
2640	3000	1	RMS	2948.7	-49.92	-25	Pass	401
3000	12000	1	RMS	11550.444	-54.1	-25	Pass	9000
12000	26500	1	RMS	25808.89	-41.55	-25	Pass	14500




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-25	Pass	2985
30	1000	0.1	RMS	610.171	-63.04	-25	Pass	9699
1000	2550	1	RMS	2543.996	-48.01	-25	Pass	1550
2550	2640	1	RMS	2570.7	18.39	60	Pass	401
2640	3000	1	RMS	2952.3	-49.93	-25	Pass	401
3000	12000	1	RMS	12000	-53.96	-25	Pass	9000
12000	26500	1	RMS	26435.99	-41.6	-25	Pass	14500




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.77	-25	Pass	2985
30	1000	0.1	RMS	841.099	-64.53	-25	Pass	9699
1000	2550	1	RMS	2483.957	-51.6	-25	Pass	1550
2550	2640	1	RMS	2588.25	19.64	60	Pass	401
2640	3000	1	RMS	2948.7	-49.93	-25	Pass	401
3000	12000	1	RMS	7563.557	-54.05	-25	Pass	9000
12000	26500	1	RMS	25813.891	-41.63	-25	Pass	14500




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.04	-25	Pass	2985
30	1000	0.1	RMS	840.299	-64.56	-25	Pass	9699
1000	2550	1	RMS	2525.985	-51.7	-25	Pass	1550
2550	2640	1	RMS	2588.025	18.49	60	Pass	401
2640	3000	1	RMS	2948.7	-49.94	-25	Pass	401
3000	12000	1	RMS	11548.441	-54.08	-25	Pass	9000
12000	26500	1	RMS	25792.888	-41.64	-25	Pass	14500




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73	-25	Pass	2985
30	1000	0.1	RMS	827.697	-64.72	-25	Pass	9699
1000	2550	1	RMS	2480.955	-51.61	-25	Pass	1550
2550	2640	1	RMS	2605.8	19.36	60	Pass	401
2640	3000	1	RMS	2944.2	-49.94	-25	Pass	401
3000	12000	1	RMS	12000	-54.03	-25	Pass	9000
12000	26500	1	RMS	25771.885	-41.61	-25	Pass	14500




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.81	-25	Pass	2985
30	1000	0.1	RMS	842.199	-64.63	-25	Pass	9699
1000	2550	1	RMS	2483.957	-51.57	-25	Pass	1550
2550	2640	1	RMS	2605.8	18.32	60	Pass	401
2640	3000	1	RMS	2944.2	-49.92	-25	Pass	401
3000	12000	1	RMS	11547.44	-54.04	-25	Pass	9000
12000	26500	1	RMS	25769.884	-41.57	-25	Pass	14500




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.43	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.44	-25	Pass	2985
30	1000	0.1	RMS	610.371	-62.6	-25	Pass	9699
1000	2550	1	RMS	2548.999	-49.68	-25	Pass	1550
2550	2640	1	RMS	2570.925	19.85	60	Pass	401
2640	3000	1	RMS	2951.4	-49.92	-25	Pass	401
3000	12000	1	RMS	11998.999	-54.05	-25	Pass	9000
12000	26500	1	RMS	25753.882	-41.56	-25	Pass	14500




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.22	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.14	-25	Pass	2985
30	1000	0.1	RMS	610.371	-63.55	-25	Pass	9699
1000	2550	1	RMS	2535.991	-49.79	-25	Pass	1550
2550	2640	1	RMS	2571.15	18.74	60	Pass	401
2640	3000	1	RMS	2946	-49.92	-25	Pass	401
3000	12000	1	RMS	11995.995	-53.98	-25	Pass	9000
12000	26500	1	RMS	25764.883	-41.57	-25	Pass	14500




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-25	Pass	2985
30	1000	0.1	RMS	858.713	-64.62	-25	Pass	9699
1000	2550	1	RMS	2481.956	-51.58	-25	Pass	1550
2550	2640	1	RMS	2586	19.72	60	Pass	401
2640	3000	1	RMS	2956.8	-49.95	-25	Pass	401
3000	12000	1	RMS	11549.442	-54.03	-25	Pass	9000
12000	26500	1	RMS	25792.888	-41.63	-25	Pass	14500




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.93	-25	Pass	2985
30	1000	0.1	RMS	863.719	-64.56	-25	Pass	9699
1000	2550	1	RMS	2550	-50.34	-25	Pass	1550
2550	2640	1	RMS	2585.775	18.02	60	Pass	401
2640	3000	1	RMS	2944.2	-49.93	-25	Pass	401
3000	12000	1	RMS	11996.996	-54.01	-25	Pass	9000
12000	26500	1	RMS	25806.89	-41.64	-25	Pass	14500




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.09	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-25	Pass	2985
30	1000	0.1	RMS	836.598	-64.58	-25	Pass	9699
1000	2550	1	RMS	2485.959	-51.65	-25	Pass	1550
2550	2640	1	RMS	2600.85	19.47	60	Pass	401
2640	3000	1	RMS	2949.6	-49.93	-25	Pass	401
3000	12000	1	RMS	11551.445	-54.1	-25	Pass	9000
12000	26500	1	RMS	25801.889	-41.59	-25	Pass	14500



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.32	-25	Pass	2985
30	1000	0.1	RMS	832.298	-64.64	-25	Pass	9699
1000	2550	1	RMS	2488.961	-51.59	-25	Pass	1550
2550	2640	1	RMS	2600.85	18.47	60	Pass	401
2640	3000	1	RMS	2950.5	-49.94	-25	Pass	401
3000	12000	1	RMS	11548.441	-54.07	-25	Pass	9000
12000	26500	1	RMS	25400.826	-41.63	-25	Pass	14500



13. LTE_Band41 120M


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	0.21	-72.74	-25	Pass	2985
30	1000	0.1	RMS	931.793	-60.34	-25	Pass	9700
1000	2476	1	RMS	2466.994	-49.01	-25	Pass	1476
2476	2710	1	RMS	2535.348	18.89	60	Pass	691
2710	3000	1	RMS	2999.159	-47.26	-25	Pass	691
3000	12000	1	RMS	10645.85	-38.03	-25	Pass	9000
12000	27000	1	RMS	26500.967	-36.39	-25	Pass	15000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.54	-25	Pass	691
0.15	30	0.01	RMS	0.2	-72.62	-25	Pass	2985
30	1000	0.1	RMS	916.291	-60.31	-25	Pass	9700
1000	2476	1	RMS	2474.999	-48.98	-25	Pass	1476
2476	2710	1	RMS	2535.348	19.09	60	Pass	691
2710	3000	1	RMS	2985.71	-47.27	-25	Pass	691
3000	12000	1	RMS	11387.932	-38.07	-25	Pass	9000
12000	27000	1	RMS	26482.966	-36.44	-25	Pass	15000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.41	-25	Pass	691
0.15	30	0.01	RMS	28.399	-72.54	-25	Pass	2985
30	1000	0.1	RMS	894.289	-60.3	-25	Pass	9700
1000	2476	1	RMS	2476	-48.98	-25	Pass	1476
2476	2710	1	RMS	2605.209	18.86	60	Pass	691
2710	3000	1	RMS	2994.957	-47.3	-25	Pass	691
3000	12000	1	RMS	10638.849	-38.11	-25	Pass	9000
12000	27000	1	RMS	26471.965	-36.47	-25	Pass	15000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.43	-25	Pass	691
0.15	30	0.01	RMS	28.69	-72.76	-25	Pass	2985
30	1000	0.1	RMS	919.192	-60.27	-25	Pass	9700
1000	2476	1	RMS	2474.999	-49.03	-25	Pass	1476
2476	2710	1	RMS	2605.548	18.42	60	Pass	691
2710	3000	1	RMS	2996.217	-47.28	-25	Pass	691
3000	12000	1	RMS	10643.849	-38.11	-25	Pass	9000
12000	27000	1	RMS	26500.967	-36.45	-25	Pass	15000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.47	-25	Pass	691
0.15	30	0.01	RMS	0.15	-72.23	-25	Pass	2985
30	1000	0.1	RMS	894.889	-60.33	-25	Pass	9700
1000	2476	1	RMS	2474.999	-49	-25	Pass	1476
2476	2710	1	RMS	2650.313	19.35	60	Pass	691
2710	3000	1	RMS	2984.449	-47.31	-25	Pass	691
3000	12000	1	RMS	10649.85	-38.14	-25	Pass	9000
12000	27000	1	RMS	26499.967	-36.38	-25	Pass	15000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-25	Pass	691
0.15	30	0.01	RMS	0.15	-72.05	-25	Pass	2985
30	1000	0.1	RMS	930.893	-60.38	-25	Pass	9700
1000	2476	1	RMS	2473.999	-48.97	-25	Pass	1476
2476	2710	1	RMS	2650.313	18.08	60	Pass	691
2710	3000	1	RMS	2984.449	-47.29	-25	Pass	691
3000	12000	1	RMS	10645.85	-38.12	-25	Pass	9000
12000	27000	1	RMS	26498.967	-36.51	-25	Pass	15000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.69	-25	Pass	691
0.15	30	0.01	RMS	0.18	-72.42	-25	Pass	2985
30	1000	0.1	RMS	912.891	-60.3	-25	Pass	9700
1000	2476	1	RMS	2476	-49.03	-25	Pass	1476
2476	2710	1	RMS	2535.348	19.63	60	Pass	691
2710	3000	1	RMS	2999.159	-47.3	-25	Pass	691
3000	12000	1	RMS	11394.933	-38.1	-25	Pass	9000
12000	27000	1	RMS	26479.965	-36.47	-25	Pass	15000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.43	-25	Pass	691
0.15	30	0.01	RMS	28.99	-72.69	-25	Pass	2985
30	1000	0.1	RMS	885.788	-60.39	-25	Pass	9700
1000	2476	1	RMS	2476	-49.04	-25	Pass	1476
2476	2710	1	RMS	2535.687	18.07	60	Pass	691
2710	3000	1	RMS	2984.029	-47.3	-25	Pass	691
3000	12000	1	RMS	10642.849	-38.06	-25	Pass	9000
12000	27000	1	RMS	26487.966	-36.41	-25	Pass	15000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40765, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.49	-25	Pass	691
0.15	30	0.01	RMS	0.18	-72.75	-25	Pass	2985
30	1000	0.1	RMS	932.493	-60.36	-25	Pass	9700
1000	2476	1	RMS	2474.999	-49.03	-25	Pass	1476
2476	2710	1	RMS	2603.174	18.43	60	Pass	691
2710	3000	1	RMS	2986.13	-47.32	-25	Pass	691
3000	12000	1	RMS	10645.85	-38.09	-25	Pass	9000
12000	27000	1	RMS	26503.967	-36.46	-25	Pass	15000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40765, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	22.457	-72.46	-25	Pass	2985
30	1000	0.1	RMS	920.492	-60.36	-25	Pass	9700
1000	2476	1	RMS	2473.999	-49.03	-25	Pass	1476
2476	2710	1	RMS	2603.174	18.93	60	Pass	691
2710	3000	1	RMS	2977.725	-47.29	-25	Pass	691
3000	12000	1	RMS	11401.934	-38.09	-25	Pass	9000
12000	27000	1	RMS	26497.967	-36.47	-25	Pass	15000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.55	-25	Pass	691
0.15	30	0.01	RMS	0.17	-72.75	-25	Pass	2985
30	1000	0.1	RMS	965.996	-60.26	-25	Pass	9700
1000	2476	1	RMS	2476	-49.05	-25	Pass	1476
2476	2710	1	RMS	2645.565	19.46	60	Pass	691
2710	3000	1	RMS	2980.667	-47.33	-25	Pass	691
3000	12000	1	RMS	11395.933	-38.18	-25	Pass	9000
12000	27000	1	RMS	26502.967	-36.5	-25	Pass	15000




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.58	-25	Pass	691
0.15	30	0.01	RMS	0.16	-71.8	-25	Pass	2985
30	1000	0.1	RMS	992.999	-60.4	-25	Pass	9700
1000	2476	1	RMS	2473.999	-49.07	-25	Pass	1476
2476	2710	1	RMS	2645.565	18.61	60	Pass	691
2710	3000	1	RMS	2981.507	-47.32	-25	Pass	691
3000	12000	1	RMS	10649.85	-38.02	-25	Pass	9000
12000	27000	1	RMS	25844.923	-36.48	-25	Pass	15000




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.47	-25	Pass	691
0.15	30	0.01	RMS	0.15	-72.77	-25	Pass	2985
30	1000	0.1	RMS	893.889	-60.39	-25	Pass	9700
1000	2476	1	RMS	2473.999	-48.98	-25	Pass	1476
2476	2710	1	RMS	2535.687	18.55	60	Pass	691
2710	3000	1	RMS	2984.449	-47.31	-25	Pass	691
3000	12000	1	RMS	10649.85	-38.09	-25	Pass	9000
12000	27000	1	RMS	26495.966	-36.48	-25	Pass	15000




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.52	-25	Pass	691
0.15	30	0.01	RMS	21.827	-72.77	-25	Pass	2985
30	1000	0.1	RMS	938.294	-60.25	-25	Pass	9700
1000	2476	1	RMS	2476	-49.03	-25	Pass	1476
2476	2710	1	RMS	2535.687	17.49	60	Pass	691
2710	3000	1	RMS	2980.246	-47.33	-25	Pass	691
3000	12000	1	RMS	10647.85	-38.17	-25	Pass	9000
12000	27000	1	RMS	26507.967	-36.38	-25	Pass	15000




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.48	-25	Pass	691
0.15	30	0.01	RMS	25.488	-72.19	-25	Pass	2985
30	1000	0.1	RMS	953.895	-60.39	-25	Pass	9700
1000	2476	1	RMS	2474.999	-49.04	-25	Pass	1476
2476	2710	1	RMS	2600.8	19.89	60	Pass	691
2710	3000	1	RMS	2978.145	-47.31	-25	Pass	691
3000	12000	1	RMS	10644.849	-38.13	-25	Pass	9000
12000	27000	1	RMS	26483.966	-36.44	-25	Pass	15000




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.57	-25	Pass	691
0.15	30	0.01	RMS	0.26	-72.63	-25	Pass	2985
30	1000	0.1	RMS	941.094	-60.29	-25	Pass	9700
1000	2476	1	RMS	2476	-49.02	-25	Pass	1476
2476	2710	1	RMS	2601.139	17.47	60	Pass	691
2710	3000	1	RMS	2981.087	-47.28	-25	Pass	691
3000	12000	1	RMS	11401.934	-38.13	-25	Pass	9000
12000	27000	1	RMS	26496.966	-36.44	-25	Pass	15000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.56	-25	Pass	691
0.15	30	0.01	RMS	0.15	-71.72	-25	Pass	2985
30	1000	0.1	RMS	903.79	-60.28	-25	Pass	9700
1000	2476	1	RMS	2474.999	-48.97	-25	Pass	1476
2476	2710	1	RMS	2640.817	20	60	Pass	691
2710	3000	1	RMS	2981.087	-47.25	-25	Pass	691
3000	12000	1	RMS	10649.85	-38.13	-25	Pass	9000
12000	27000	1	RMS	26493.966	-36.47	-25	Pass	15000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.48	-25	Pass	691
0.15	30	0.01	RMS	28.349	-72.6	-25	Pass	2985
30	1000	0.1	RMS	903.59	-60.37	-25	Pass	9700
1000	2476	1	RMS	2471.997	-49.08	-25	Pass	1476
2476	2710	1	RMS	2641.157	17.85	60	Pass	691
2710	3000	1	RMS	2978.565	-47.33	-25	Pass	691
3000	12000	1	RMS	11393.933	-38.11	-25	Pass	9000
12000	27000	1	RMS	26509.967	-36.42	-25	Pass	15000




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.46	-25	Pass	691
0.15	30	0.01	RMS	26.049	-72.29	-25	Pass	2985
30	1000	0.1	RMS	932.793	-60.37	-25	Pass	9700
1000	2476	1	RMS	2476	-48.99	-25	Pass	1476
2476	2710	1	RMS	2536.026	18.12	60	Pass	691
2710	3000	1	RMS	2984.87	-47.33	-25	Pass	691
3000	12000	1	RMS	10653.85	-38.1	-25	Pass	9000
12000	27000	1	RMS	26502.967	-36.38	-25	Pass	15000




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.43	-25	Pass	691
0.15	30	0.01	RMS	25.348	-72.35	-25	Pass	2985
30	1000	0.1	RMS	929.793	-60.32	-25	Pass	9700
1000	2476	1	RMS	2466.994	-49.06	-25	Pass	1476
2476	2710	1	RMS	2536.026	18.95	60	Pass	691
2710	3000	1	RMS	2980.246	-47.32	-25	Pass	691
3000	12000	1	RMS	10650.85	-38.11	-25	Pass	9000
12000	27000	1	RMS	25844.923	-36.5	-25	Pass	15000




**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40765, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.57	-25	Pass	691
0.15	30	0.01	RMS	26.159	-72.83	-25	Pass	2985
30	1000	0.1	RMS	886.488	-60.39	-25	Pass	9700
1000	2476	1	RMS	2474.999	-49	-25	Pass	1476
2476	2710	1	RMS	2598.426	19.48	60	Pass	691
2710	3000	1	RMS	2983.188	-47.3	-25	Pass	691
3000	12000	1	RMS	10650.85	-38.16	-25	Pass	9000
12000	27000	1	RMS	26498.967	-36.49	-25	Pass	15000




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40765, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	0.15	-72.54	-25	Pass	2985
30	1000	0.1	RMS	929.793	-60.32	-25	Pass	9700
1000	2476	1	RMS	2476	-49.02	-25	Pass	1476
2476	2710	1	RMS	2598.765	17.74	60	Pass	691
2710	3000	1	RMS	2978.565	-47.3	-25	Pass	691
3000	12000	1	RMS	10644.849	-38.11	-25	Pass	9000
12000	27000	1	RMS	26495.966	-36.5	-25	Pass	15000




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.47	-25	Pass	691
0.15	30	0.01	RMS	0.18	-72.58	-25	Pass	2985
30	1000	0.1	RMS	922.292	-60.32	-25	Pass	9700
1000	2476	1	RMS	2472.998	-48.97	-25	Pass	1476
2476	2710	1	RMS	2636.409	18.42	60	Pass	691
2710	3000	1	RMS	2981.507	-47.32	-25	Pass	691
3000	12000	1	RMS	10639.849	-38.12	-25	Pass	9000
12000	27000	1	RMS	26499.967	-36.35	-25	Pass	15000



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.52	-25	Pass	691
0.15	30	0.01	RMS	25.539	-72.52	-25	Pass	2985
30	1000	0.1	RMS	932.093	-60.2	-25	Pass	9700
1000	2476	1	RMS	2476	-49	-25	Pass	1476
2476	2710	1	RMS	2636.07	18.67	60	Pass	691
2710	3000	1	RMS	2978.565	-47.31	-25	Pass	691
3000	12000	1	RMS	11397.933	-38.08	-25	Pass	9000
12000	27000	1	RMS	26496.966	-36.38	-25	Pass	15000



END