


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.02	-13	Pass	401
0.15	30	0.01	Peak	0.16	-35.15	-13	Pass	2986
30	500	0.1	Peak	426.4	-42.83	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.07	-13	N/A	5001
1000	10000	1	Peak	2473	-38.77	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.87	-13	Pass	2986
30	500	0.1	Peak	438.3	-42.22	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.21	-13	N/A	5001
1000	10000	1	Peak	2510	-37.23	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.24	-13	Pass	401
0.15	30	0.01	Peak	2.86	-35.08	-13	Pass	2986
30	500	0.1	Peak	456.4	-42.63	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.3	-13	N/A	5001
1000	10000	1	Peak	2546	-36.73	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-44.08	-13	Pass	401
0.15	30	0.01	Peak	25.31	-56.99	-13	Pass	2986
30	1000	0.1	Peak	962.775	-43.69	-13	Pass	9701
1000	3000	1	Peak	1851	28.37	-13	N/A	2001
3000	20000	1	Peak	19782	-34.76	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.95	-13	Pass	401
0.15	30	0.01	Peak	0.22	-56.64	-13	Pass	2986
30	1000	0.1	Peak	999.4	-42.71	-13	Pass	9701
1000	3000	1	Peak	1881	27.47	-13	N/A	2001
3000	20000	1	Peak	19393	-34.54	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.95	-13	Pass	401
0.15	30	0.01	Peak	1.47	-56.83	-13	Pass	2986
30	1000	0.1	Peak	871.015	-43.61	-13	Pass	9701
1000	3000	1	Peak	1910	30.13	-13	N/A	2001
3000	20000	1	Peak	19407	-35.18	-13	Pass	17003



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.79	-13	Pass	401
0.15	30	0.01	Peak	2.89	-35.9	-13	Pass	2986
30	500	0.1	Peak	405.2	-43.16	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.53	-13	N/A	5001
1000	10000	1	Peak	2472	-37.52	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.24	-13	Pass	401
0.15	30	0.01	Peak	0.16	-35.73	-13	Pass	2986
30	500	0.1	Peak	405.6	-42.79	-13	Pass	4701
500	1000	0.1	Peak	836.6	27.59	-13	N/A	5001
1000	10000	1	Peak	2510	-34.59	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.52	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.75	-13	Pass	2986
30	500	0.1	Peak	435.6	-43.22	-13	Pass	4701
500	1000	0.1	Peak	848.7	27.45	-13	N/A	5001
1000	10000	1	Peak	2546	-36.54	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-44.65	-13	Pass	401
0.15	30	0.01	Peak	0.27	-56.02	-13	Pass	2986
30	1000	0.1	Peak	897.432	-43.38	-13	Pass	9701
1000	3000	1	Peak	1850	28.66	-13	N/A	2001
3000	20000	1	Peak	19957	-35.13	-13	Pass	17003




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.19	-13	Pass	401
0.15	30	0.01	Peak	0.27	-55.15	-13	Pass	2986
30	1000	0.1	Peak	758.1	-43.46	-13	Pass	9701
1000	3000	1	Peak	1879	25.73	-13	N/A	2001
3000	20000	1	Peak	17947	-34.75	-13	Pass	17003



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-44.33	-13	Pass	401
0.15	30	0.01	Peak	7.67	-56.15	-13	Pass	2986
30	1000	0.1	Peak	963.576	-43.61	-13	Pass	9701
1000	3000	1	Peak	1909	14.2	-13	N/A	2001
3000	20000	1	Peak	19786	-35.13	-13	Pass	17003



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.77	-13	Pass	401
0.15	30	0.01	Peak	2.87	-45.16	-13	Pass	2986
30	1000	0.1	Peak	940.2	-51.3	-13	Pass	9701
1000	3000	1	Peak	1854	23.13	-13	N/A	2001
3000	20000	1	Peak	19990	-25.36	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.04	-13	Pass	401
0.15	30	0.01	Peak	2.92	-44.37	-13	Pass	2986
30	1000	0.1	Peak	916.8	-50.76	-13	Pass	9701
1000	3000	1	Peak	1879	23.37	-13	N/A	2001
3000	20000	1	Peak	19785	-25.58	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.75	-13	Pass	401
0.15	30	0.01	Peak	2.9	-45.26	-13	Pass	2986
30	1000	0.1	Peak	997.4	-51.44	-13	Pass	9701
1000	3000	1	Peak	1906	23.48	-13	N/A	2001
3000	20000	1	Peak	19759	-25.04	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.1	-13	Pass	401
0.15	30	0.01	Peak	2.91	-44.04	-13	Pass	2986
30	1000	0.1	Peak	822.8	-50.78	-13	Pass	9701
1000	3000	1	Peak	1713	23.09	-13	N/A	2001
3000	20000	1	Peak	19980	-25.65	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.65	-13	Pass	401
0.15	30	0.01	Peak	2.85	-43.84	-13	Pass	2986
30	1000	0.1	Peak	985.6	-51.44	-13	Pass	9701
1000	3000	1	Peak	1734	23.3	-13	N/A	2001
3000	20000	1	Peak	19992	-25.02	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-44.35	-13	Pass	401
0.15	30	0.01	Peak	2.84	-43.85	-13	Pass	2986
30	1000	0.1	Peak	864.5	-50.77	-13	Pass	9701
1000	3000	1	Peak	1753	23.13	-13	N/A	2001
3000	20000	1	Peak	19996	-24	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.03	-66.61	-13	Pass	401
0.15	30	0.01	Peak	1.82	-61.45	-13	Pass	2986
30	500	0.1	Peak	375.9	-48.49	-13	Pass	4701
500	1000	0.1	Peak	826.4	18.09	-13	N/A	5001
1000	10000	1	Peak	7535	-21.8	-13	Pass	9002




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.97	-13	Pass	401
0.15	30	0.01	Peak	0.2	-60.41	-13	Pass	2986
30	500	0.1	Peak	440.3	-48.88	-13	Pass	4701
500	1000	0.1	Peak	837.3	18.38	-13	N/A	5001
1000	10000	1	Peak	9810	-22.31	-13	Pass	9002



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.86	-13	Pass	401
0.15	30	0.01	Peak	0.37	-60.81	-13	Pass	2986
30	500	0.1	Peak	480.6	-48.7	-13	Pass	4701
500	1000	0.1	Peak	847.3	18.4	-13	N/A	5001
1000	10000	1	Peak	7121	-22.16	-13	Pass	9002



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.5	-13	Pass	401
0.15	30	0.01	RMS	28.25	-68.81	-13	Pass	2986
30	1000	0.1	RMS	994.997	-60.07	-13	Pass	9701
1000	1840	1	RMS	1809	-49.04	-13	Pass	841
1840	1920	1	RMS	1850.2	22.39	60	Pass	401
1920	3000	1	RMS	2951	-46.07	-13	Pass	1081
3000	12000	1	RMS	7350	-28	-13	Pass	9002
12000	20000	1	RMS	19825	-21.52	-13	Pass	8001




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.01	-13	Pass	2986
30	1000	0.1	RMS	851.502	-59.19	-13	Pass	9701
1000	1840	1	RMS	1840	-48.89	-13	Pass	841
1840	1920	1	RMS	1850.2	21.4	60	Pass	401
1920	3000	1	RMS	2975	-45.79	-13	Pass	1081
3000	12000	1	RMS	10399	-35.76	-13	Pass	9002
12000	20000	1	RMS	19766	-28.98	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.07	-13	Pass	401
0.15	30	0.01	RMS	11.6	-69.32	-13	Pass	2986
30	1000	0.1	RMS	749.4	-59.6	-13	Pass	9701
1000	1840	1	RMS	1820	-49.03	-13	Pass	841
1840	1920	1	RMS	1879.4	22.35	60	Pass	401
1920	3000	1	RMS	2974	-46.18	-13	Pass	1081
3000	12000	1	RMS	10368	-35.63	-13	Pass	9002
12000	20000	1	RMS	19789	-28.89	-13	Pass	8001




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.67	-69.29	-13	Pass	2986
30	1000	0.1	RMS	794.8	-59.8	-13	Pass	9701
1000	1840	1	RMS	1798	-48.99	-13	Pass	841
1840	1920	1	RMS	1879.4	21.78	60	Pass	401
1920	3000	1	RMS	2967	-46.07	-13	Pass	1081
3000	12000	1	RMS	10391	-35.63	-13	Pass	9002
12000	20000	1	RMS	19793	-29.03	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-73.04	-13	Pass	401
0.15	30	0.01	RMS	13.16	-69.22	-13	Pass	2986
30	1000	0.1	RMS	916.645	-60.06	-13	Pass	9701
1000	1840	1	RMS	1812	-48.93	-13	Pass	841
1840	1920	1	RMS	1908.8	22.32	60	Pass	401
1920	3000	1	RMS	2941	-46.04	-13	Pass	1081
3000	12000	1	RMS	10397	-35.56	-13	Pass	9002
12000	20000	1	RMS	19795	-28.87	-13	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.29	-69.16	-13	Pass	2986
30	1000	0.1	RMS	980.687	-60.05	-13	Pass	9701
1000	1840	1	RMS	1816	-49.09	-13	Pass	841
1840	1920	1	RMS	1908.8	20.99	60	Pass	401
1920	3000	1	RMS	2981	-46.08	-13	Pass	1081
3000	12000	1	RMS	10401	-35.88	-13	Pass	9002
12000	20000	1	RMS	19797	-28.86	-13	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.66	-13	Pass	2986
30	1000	0.1	RMS	888.826	-59.71	-13	Pass	9701
1000	1840	1	RMS	1840	-48.85	-13	Pass	841
1840	1920	1	RMS	1850.2	22.32	60	Pass	401
1920	3000	1	RMS	2981	-46.07	-13	Pass	1081
3000	12000	1	RMS	7316	-29.84	-13	Pass	9002
12000	20000	1	RMS	19808	-20.77	-13	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.52	-13	Pass	2986
30	1000	0.1	RMS	994.196	-59.59	-13	Pass	9701
1000	1840	1	RMS	1840	-48.97	-13	Pass	841
1840	1920	1	RMS	1850.2	21.27	60	Pass	401
1920	3000	1	RMS	2978	-46.18	-13	Pass	1081
3000	12000	1	RMS	10402	-35.71	-13	Pass	9002
12000	20000	1	RMS	19756	-29.08	-13	Pass	8001




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-13	Pass	401
0.15	30	0.01	RMS	21.8	-70.03	-13	Pass	2986
30	1000	0.1	RMS	872.115	-60.02	-13	Pass	9701
1000	1840	1	RMS	1809	-49.16	-13	Pass	841
1840	1920	1	RMS	1878.6	22.37	60	Pass	401
1920	3000	1	RMS	2974	-46.02	-13	Pass	1081
3000	12000	1	RMS	10396	-35.76	-13	Pass	9002
12000	20000	1	RMS	19801	-28.94	-13	Pass	8001




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.6	-13	Pass	2986
30	1000	0.1	RMS	822.9	-60.1	-13	Pass	9701
1000	1840	1	RMS	1832	-49.1	-13	Pass	841
1840	1920	1	RMS	1878.6	21.62	60	Pass	401
1920	3000	1	RMS	2969	-45.88	-13	Pass	1081
3000	12000	1	RMS	10406	-35.55	-13	Pass	9002
12000	20000	1	RMS	19790	-28.84	-13	Pass	8001




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.69	-13	Pass	2986
30	1000	0.1	RMS	911.742	-60.15	-13	Pass	9701
1000	1840	1	RMS	1794	-49.07	-13	Pass	841
1840	1920	1	RMS	1907.2	22.25	60	Pass	401
1920	3000	1	RMS	2972	-46.09	-13	Pass	1081
3000	12000	1	RMS	10395	-35.67	-13	Pass	9002
12000	20000	1	RMS	19789	-28.96	-13	Pass	8001




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.96	-13	Pass	2986
30	1000	0.1	RMS	891.528	-59.8	-13	Pass	9701
1000	1840	1	RMS	1829	-49.16	-13	Pass	841
1840	1920	1	RMS	1907.2	21.01	60	Pass	401
1920	3000	1	RMS	2975	-45.92	-13	Pass	1081
3000	12000	1	RMS	10379	-35.75	-13	Pass	9002
12000	20000	1	RMS	19799	-28.79	-13	Pass	8001




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-13	Pass	2986
30	1000	0.1	RMS	975.584	-59.87	-13	Pass	9701
1000	1840	1	RMS	1840	-49.06	-13	Pass	841
1840	1920	1	RMS	1850.2	22.09	60	Pass	401
1920	3000	1	RMS	2987	-46.18	-13	Pass	1081
3000	12000	1	RMS	7323	-29.25	-13	Pass	9002
12000	20000	1	RMS	19821	-21.62	-13	Pass	8001




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.26	-13	Pass	401
0.15	30	0.01	RMS	10.51	-70.18	-13	Pass	2986
30	1000	0.1	RMS	897.432	-59.82	-13	Pass	9701
1000	1840	1	RMS	1840	-49.06	-13	Pass	841
1840	1920	1	RMS	1850.2	20.69	60	Pass	401
1920	3000	1	RMS	2997	-46.24	-13	Pass	1081
3000	12000	1	RMS	10398	-35.49	-13	Pass	9002
12000	20000	1	RMS	19803	-28.96	-13	Pass	8001




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.081	-72.79	-13	Pass	401
0.15	30	0.01	RMS	20.48	-69.4	-13	Pass	2986
30	1000	0.1	RMS	989.193	-59.92	-13	Pass	9701
1000	1840	1	RMS	1834	-49.09	-13	Pass	841
1840	1920	1	RMS	1877.8	22.04	60	Pass	401
1920	3000	1	RMS	2947	-46.1	-13	Pass	1081
3000	12000	1	RMS	10400	-35.95	-13	Pass	9002
12000	20000	1	RMS	19803	-29.09	-13	Pass	8001




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.41	-13	Pass	2986
30	1000	0.1	RMS	908.74	-59.89	-13	Pass	9701
1000	1840	1	RMS	1795	-49.16	-13	Pass	841
1840	1920	1	RMS	1877.8	21.86	60	Pass	401
1920	3000	1	RMS	2988	-46.14	-13	Pass	1081
3000	12000	1	RMS	10386	-35.97	-13	Pass	9002
12000	20000	1	RMS	19804	-29.12	-13	Pass	8001




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.37	-69.28	-13	Pass	2986
30	1000	0.1	RMS	888.826	-59.98	-13	Pass	9701
1000	1840	1	RMS	1801	-49.28	-13	Pass	841
1840	1920	1	RMS	1905.2	22.26	60	Pass	401
1920	3000	1	RMS	2970	-46.07	-13	Pass	1081
3000	12000	1	RMS	10402	-35.69	-13	Pass	9002
12000	20000	1	RMS	19792	-29.11	-13	Pass	8001




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.76	-69.46	-13	Pass	2986
30	1000	0.1	RMS	981.288	-60.06	-13	Pass	9701
1000	1840	1	RMS	1838	-49.07	-13	Pass	841
1840	1920	1	RMS	1905.2	21.32	60	Pass	401
1920	3000	1	RMS	2970	-45.93	-13	Pass	1081
3000	12000	1	RMS	10084	-35.72	-13	Pass	9002
12000	20000	1	RMS	19789	-29.03	-13	Pass	8001




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.05	-13	Pass	2986
30	1000	0.1	RMS	982.088	-60.13	-13	Pass	9701
1000	1840	1	RMS	1838	-48.88	-13	Pass	841
1840	1920	1	RMS	1850.4	22.47	60	Pass	401
1920	3000	1	RMS	2967	-46.02	-13	Pass	1081
3000	12000	1	RMS	7339	-29.38	-13	Pass	9002
12000	20000	1	RMS	19839	-20.94	-13	Pass	8001




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-13	Pass	2986
30	1000	0.1	RMS	890.227	-59.99	-13	Pass	9701
1000	1840	1	RMS	1837	-48.8	-13	Pass	841
1840	1920	1	RMS	1850.4	21.39	60	Pass	401
1920	3000	1	RMS	2962	-46.12	-13	Pass	1081
3000	12000	1	RMS	10379	-35.68	-13	Pass	9002
12000	20000	1	RMS	19774	-28.96	-13	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-13	Pass	401
0.15	30	0.01	RMS	14.94	-69.62	-13	Pass	2986
30	1000	0.1	RMS	910.741	-59.98	-13	Pass	9701
1000	1840	1	RMS	1811	-49.14	-13	Pass	841
1840	1920	1	RMS	1875.4	22.47	60	Pass	401
1920	3000	1	RMS	2966	-46.21	-13	Pass	1081
3000	12000	1	RMS	10406	-35.73	-13	Pass	9002
12000	20000	1	RMS	19791	-28.99	-13	Pass	8001




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-13	Pass	401
0.15	30	0.01	RMS	11.36	-69.24	-13	Pass	2986
30	1000	0.1	RMS	935.958	-59.95	-13	Pass	9701
1000	1840	1	RMS	1819	-49.05	-13	Pass	841
1840	1920	1	RMS	1875.4	22.03	60	Pass	401
1920	3000	1	RMS	2966	-46.09	-13	Pass	1081
3000	12000	1	RMS	10397	-35.63	-13	Pass	9002
12000	20000	1	RMS	19807	-29.06	-13	Pass	8001




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.38	-68.99	-13	Pass	2986
30	1000	0.1	RMS	999.7	-60.15	-13	Pass	9701
1000	1840	1	RMS	1829	-49.1	-13	Pass	841
1840	1920	1	RMS	1900.4	22.34	60	Pass	401
1920	3000	1	RMS	2927	-46.15	-13	Pass	1081
3000	12000	1	RMS	10394	-35.64	-13	Pass	9002
12000	20000	1	RMS	19805	-28.96	-13	Pass	8001




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.43	-69.43	-13	Pass	2986
30	1000	0.1	RMS	980.187	-60.07	-13	Pass	9701
1000	1840	1	RMS	1820	-49.05	-13	Pass	841
1840	1920	1	RMS	1900.4	21.19	60	Pass	401
1920	3000	1	RMS	2969	-46.06	-13	Pass	1081
3000	12000	1	RMS	10379	-35.7	-13	Pass	9002
12000	20000	1	RMS	19785	-28.99	-13	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-13	Pass	401
0.15	30	0.01	RMS	23.69	-69.53	-13	Pass	2986
30	1000	0.1	RMS	914.143	-59.89	-13	Pass	9701
1000	1840	1	RMS	1838	-43.07	-13	Pass	841
1840	1920	1	RMS	1850.8	22.3	60	Pass	401
1920	3000	1	RMS	2979	-46.1	-13	Pass	1081
3000	12000	1	RMS	7356	-28.38	-13	Pass	9002
12000	20000	1	RMS	19849	-21.43	-13	Pass	8001




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-73.22	-13	Pass	401
0.15	30	0.01	RMS	19.31	-69.96	-13	Pass	2986
30	1000	0.1	RMS	860.708	-60.06	-13	Pass	9701
1000	1840	1	RMS	1838	-44	-13	Pass	841
1840	1920	1	RMS	1850.8	21.41	60	Pass	401
1920	3000	1	RMS	2970	-46.1	-13	Pass	1081
3000	12000	1	RMS	10391	-35.79	-13	Pass	9002
12000	20000	1	RMS	19787	-29.01	-13	Pass	8001




8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-72.95	-13	Pass	401
0.15	30	0.01	RMS	2.92	-69.52	-13	Pass	2986
30	1000	0.1	RMS	987.492	-60.01	-13	Pass	9701
1000	1840	1	RMS	1803	-49.21	-13	Pass	841
1840	1920	1	RMS	1873.2	22.48	60	Pass	401
1920	3000	1	RMS	2967	-46.09	-13	Pass	1081
3000	12000	1	RMS	10405	-35.69	-13	Pass	9002
12000	20000	1	RMS	19785	-29.15	-13	Pass	8001




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.19	-13	Pass	401
0.15	30	0.01	RMS	1.75	-69.17	-13	Pass	2986
30	1000	0.1	RMS	977.885	-60.09	-13	Pass	9701
1000	1840	1	RMS	1840	-48.96	-13	Pass	841
1840	1920	1	RMS	1873.2	22.14	60	Pass	401
1920	3000	1	RMS	2974	-45.96	-13	Pass	1081
3000	12000	1	RMS	10404	-35.68	-13	Pass	9002
12000	20000	1	RMS	19808	-28.91	-13	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.74	-13	Pass	2986
30	1000	0.1	RMS	906.338	-60.04	-13	Pass	9701
1000	1840	1	RMS	1808	-49.16	-13	Pass	841
1840	1920	1	RMS	1895.8	22.25	60	Pass	401
1920	3000	1	RMS	2970	-46.06	-13	Pass	1081
3000	12000	1	RMS	10380	-35.73	-13	Pass	9002
12000	20000	1	RMS	19778	-29.1	-13	Pass	8001




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.55	-13	Pass	401
0.15	30	0.01	RMS	19.02	-69.83	-13	Pass	2986
30	1000	0.1	RMS	911.641	-60.04	-13	Pass	9701
1000	1840	1	RMS	1820	-49.13	-13	Pass	841
1840	1920	1	RMS	1895.8	21.44	60	Pass	401
1920	3000	1	RMS	2980	-45.95	-13	Pass	1081
3000	12000	1	RMS	10090	-35.88	-13	Pass	9002
12000	20000	1	RMS	19805	-29.05	-13	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.05	-13	Pass	401
0.15	30	0.01	RMS	26.88	-69.83	-13	Pass	2986
30	1000	0.1	RMS	875.518	-59.97	-13	Pass	9701
1000	1840	1	RMS	1833	-46.45	-13	Pass	841
1840	1920	1	RMS	1851	22.41	60	Pass	401
1920	3000	1	RMS	2964	-46.11	-13	Pass	1081
3000	12000	1	RMS	7355	-29.37	-13	Pass	9002
12000	20000	1	RMS	19846	-21.28	-13	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.12	-13	Pass	401
0.15	30	0.01	RMS	29.53	-69.61	-13	Pass	2986
30	1000	0.1	RMS	988.793	-60.07	-13	Pass	9701
1000	1840	1	RMS	1833	-46.67	-13	Pass	841
1840	1920	1	RMS	1851	21.98	60	Pass	401
1920	3000	1	RMS	2980	-46.05	-13	Pass	1081
3000	12000	1	RMS	10412	-35.73	-13	Pass	9002
12000	20000	1	RMS	19799	-28.92	-13	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.85	-13	Pass	401
0.15	30	0.01	RMS	3.7	-69.71	-13	Pass	2986
30	1000	0.1	RMS	914.643	-60.17	-13	Pass	9701
1000	1840	1	RMS	1835	-49.02	-13	Pass	841
1840	1920	1	RMS	1871	22.7	60	Pass	401
1920	3000	1	RMS	2940	-46.24	-13	Pass	1081
3000	12000	1	RMS	10432	-35.8	-13	Pass	9002
12000	20000	1	RMS	19799	-29.02	-13	Pass	8001




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.32	-69.95	-13	Pass	2986
30	1000	0.1	RMS	999.9	-59.83	-13	Pass	9701
1000	1840	1	RMS	1835	-48.8	-13	Pass	841
1840	1920	1	RMS	1871	21.4	60	Pass	401
1920	3000	1	RMS	2977	-46.01	-13	Pass	1081
3000	12000	1	RMS	10403	-35.66	-13	Pass	9002
12000	20000	1	RMS	19785	-28.84	-13	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-73.64	-13	Pass	401
0.15	30	0.01	RMS	29.29	-69.49	-13	Pass	2986
30	1000	0.1	RMS	870.514	-59.78	-13	Pass	9701
1000	1840	1	RMS	1781	-49.23	-13	Pass	841
1840	1920	1	RMS	1891	22.52	60	Pass	401
1920	3000	1	RMS	2980	-46.02	-13	Pass	1081
3000	12000	1	RMS	10399	-35.83	-13	Pass	9002
12000	20000	1	RMS	19765	-29.2	-13	Pass	8001



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.38	-69.7	-13	Pass	2986
30	1000	0.1	RMS	997.799	-60.06	-13	Pass	9701
1000	1840	1	RMS	1835	-49.06	-13	Pass	841
1840	1920	1	RMS	1891	21.72	60	Pass	401
1920	3000	1	RMS	2936	-46.2	-13	Pass	1081
3000	12000	1	RMS	10394	-35.61	-13	Pass	9002
12000	20000	1	RMS	19798	-29.07	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-71.95	-13	Pass	401
0.15	30	0.01	RMS	2.56	-69.64	-13	Pass	2986
30	1000	0.1	RMS	904.437	-59.95	-13	Pass	9701
1000	1700	1	RMS	1700	-49.41	-13	Pass	701
1700	1765	1	RMS	1710.238	22.13	60	Pass	401
1765	3000	1	RMS	2976	-45.98	-13	Pass	1236
3000	12000	1	RMS	7363	-29.31	-13	Pass	9002
12000	20000	1	RMS	19858	-20.58	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.4	-69.55	-13	Pass	2986
30	1000	0.1	RMS	981.588	-60.05	-13	Pass	9701
1000	1700	1	RMS	1700	-49.54	-13	Pass	701
1700	1765	1	RMS	1710.238	21.02	60	Pass	401
1765	3000	1	RMS	2965	-46.06	-13	Pass	1236
3000	12000	1	RMS	10400	-35.76	-13	Pass	9002
12000	20000	1	RMS	19794	-28.99	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-13	Pass	401
0.15	30	0.01	RMS	29.49	-69.79	-13	Pass	2986
30	1000	0.1	RMS	994.596	-60.18	-13	Pass	9701
1000	1700	1	RMS	1599	-49.6	-13	Pass	701
1700	1765	1	RMS	1732.013	22.41	60	Pass	401
1765	3000	1	RMS	2979	-46.05	-13	Pass	1236
3000	12000	1	RMS	10358	-35.74	-13	Pass	9002
12000	20000	1	RMS	19797	-28.95	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.058	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.48	-13	Pass	2986
30	1000	0.1	RMS	987.792	-60.16	-13	Pass	9701
1000	1700	1	RMS	1692	-49.64	-13	Pass	701
1700	1765	1	RMS	1732.013	21.73	60	Pass	401
1765	3000	1	RMS	2972	-46.07	-13	Pass	1236
3000	12000	1	RMS	10387	-35.85	-13	Pass	9002
12000	20000	1	RMS	19799	-29.2	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-13	Pass	401
0.15	30	0.01	RMS	8.47	-69.47	-13	Pass	2986
30	1000	0.1	RMS	887.125	-60.1	-13	Pass	9701
1000	1700	1	RMS	1679	-49.55	-13	Pass	701
1700	1765	1	RMS	1753.788	22.16	60	Pass	401
1765	3000	1	RMS	2976	-46.13	-13	Pass	1236
3000	12000	1	RMS	10394	-35.87	-13	Pass	9002
12000	20000	1	RMS	19778	-28.93	-13	Pass	8001




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.62	-13	Pass	401
0.15	30	0.01	RMS	22.31	-69.7	-13	Pass	2986
30	1000	0.1	RMS	993.496	-60.03	-13	Pass	9701
1000	1700	1	RMS	1698	-49.57	-13	Pass	701
1700	1765	1	RMS	1753.788	21.36	60	Pass	401
1765	3000	1	RMS	2967	-46.04	-13	Pass	1236
3000	12000	1	RMS	10411	-35.77	-13	Pass	9002
12000	20000	1	RMS	19804	-29.09	-13	Pass	8001




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.56	-69.46	-13	Pass	2986
30	1000	0.1	RMS	886.825	-59.98	-13	Pass	9701
1000	1700	1	RMS	1700	-49.4	-13	Pass	701
1700	1765	1	RMS	1710.238	22.16	60	Pass	401
1765	3000	1	RMS	2968	-46.14	-13	Pass	1236
3000	12000	1	RMS	7332	-28.66	-13	Pass	9002
12000	20000	1	RMS	19826	-21.64	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.54	-13	Pass	2986
30	1000	0.1	RMS	899.433	-59.98	-13	Pass	9701
1000	1700	1	RMS	1700	-49.32	-13	Pass	701
1700	1765	1	RMS	1710.075	21.07	60	Pass	401
1765	3000	1	RMS	2994	-46.25	-13	Pass	1236
3000	12000	1	RMS	10395	-35.75	-13	Pass	9002
12000	20000	1	RMS	19790	-29.12	-13	Pass	8001




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.56	-13	Pass	401
0.15	30	0.01	RMS	16.08	-69.78	-13	Pass	2986
30	1000	0.1	RMS	915.644	-60.13	-13	Pass	9701
1000	1700	1	RMS	1699	-49.43	-13	Pass	701
1700	1765	1	RMS	1731.2	22.33	60	Pass	401
1765	3000	1	RMS	2978	-46.02	-13	Pass	1236
3000	12000	1	RMS	10403	-35.72	-13	Pass	9002
12000	20000	1	RMS	19797	-28.86	-13	Pass	8001




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.94	-69.59	-13	Pass	2986
30	1000	0.1	RMS	988.993	-60	-13	Pass	9701
1000	1700	1	RMS	1692	-49.56	-13	Pass	701
1700	1765	1	RMS	1731.2	21.37	60	Pass	401
1765	3000	1	RMS	2967	-46.08	-13	Pass	1236
3000	12000	1	RMS	10415	-35.81	-13	Pass	9002
12000	20000	1	RMS	19771	-28.99	-13	Pass	8001




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-13	Pass	401
0.15	30	0.01	RMS	20.75	-69.53	-13	Pass	2986
30	1000	0.1	RMS	990.994	-60.12	-13	Pass	9701
1000	1700	1	RMS	1670	-49.68	-13	Pass	701
1700	1765	1	RMS	1752.163	22.29	60	Pass	401
1765	3000	1	RMS	2973	-46.13	-13	Pass	1236
3000	12000	1	RMS	12000	-35.62	-13	Pass	9002
12000	20000	1	RMS	19793	-29.1	-13	Pass	8001




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.76	-13	Pass	401
0.15	30	0.01	RMS	28	-69.24	-13	Pass	2986
30	1000	0.1	RMS	988.893	-60.06	-13	Pass	9701
1000	1700	1	RMS	1677	-49.49	-13	Pass	701
1700	1765	1	RMS	1752.163	21.37	60	Pass	401
1765	3000	1	RMS	2987	-46.03	-13	Pass	1236
3000	12000	1	RMS	10391	-35.64	-13	Pass	9002
12000	20000	1	RMS	19795	-28.86	-13	Pass	8001




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.28	-69.76	-13	Pass	2986
30	1000	0.1	RMS	932.355	-60.07	-13	Pass	9701
1000	1700	1	RMS	1700	-49.16	-13	Pass	701
1700	1765	1	RMS	1710.238	22.14	60	Pass	401
1765	3000	1	RMS	2959	-46.1	-13	Pass	1236
3000	12000	1	RMS	7349	-28.89	-13	Pass	9002
12000	20000	1	RMS	19847	-21.41	-13	Pass	8001




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-72.69	-13	Pass	401
0.15	30	0.01	RMS	21.01	-69.87	-13	Pass	2986
30	1000	0.1	RMS	907.939	-60.1	-13	Pass	9701
1000	1700	1	RMS	1700	-49.23	-13	Pass	701
1700	1765	1	RMS	1710.238	21.04	60	Pass	401
1765	3000	1	RMS	2967	-45.93	-13	Pass	1236
3000	12000	1	RMS	10395	-35.7	-13	Pass	9002
12000	20000	1	RMS	19746	-29.07	-13	Pass	8001




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.102	-73.04	-13	Pass	401
0.15	30	0.01	RMS	8.33	-69.75	-13	Pass	2986
30	1000	0.1	RMS	919.447	-60.06	-13	Pass	9701
1000	1700	1	RMS	1593	-49.66	-13	Pass	701
1700	1765	1	RMS	1730.225	22.24	60	Pass	401
1765	3000	1	RMS	2970	-46.08	-13	Pass	1236
3000	12000	1	RMS	10404	-35.68	-13	Pass	9002
12000	20000	1	RMS	19791	-28.94	-13	Pass	8001




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-73.18	-13	Pass	401
0.15	30	0.01	RMS	22.84	-69.73	-13	Pass	2986
30	1000	0.1	RMS	879.12	-59.69	-13	Pass	9701
1000	1700	1	RMS	1585	-49.7	-13	Pass	701
1700	1765	1	RMS	1730.225	21.02	60	Pass	401
1765	3000	1	RMS	2970	-46.1	-13	Pass	1236
3000	12000	1	RMS	10410	-35.9	-13	Pass	9002
12000	20000	1	RMS	19782	-29	-13	Pass	8001




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.6	-13	Pass	401
0.15	30	0.01	RMS	17.74	-70.13	-13	Pass	2986
30	1000	0.1	RMS	895.531	-60.05	-13	Pass	9701
1000	1700	1	RMS	1671	-49.49	-13	Pass	701
1700	1765	1	RMS	1750.213	21.92	60	Pass	401
1765	3000	1	RMS	2969	-45.87	-13	Pass	1236
3000	12000	1	RMS	10406	-35.6	-13	Pass	9002
12000	20000	1	RMS	19794	-28.97	-13	Pass	8001




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-73.28	-13	Pass	401
0.15	30	0.01	RMS	22.89	-69.88	-13	Pass	2986
30	1000	0.1	RMS	902.736	-59.97	-13	Pass	9701
1000	1700	1	RMS	1599	-49.53	-13	Pass	701
1700	1765	1	RMS	1750.213	21.31	60	Pass	401
1765	3000	1	RMS	2984	-46.04	-13	Pass	1236
3000	12000	1	RMS	10370	-35.67	-13	Pass	9002
12000	20000	1	RMS	19798	-28.9	-13	Pass	8001




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.75	-13	Pass	401
0.15	30	0.01	RMS	12.14	-69.61	-13	Pass	2986
30	1000	0.1	RMS	915.744	-60.14	-13	Pass	9701
1000	1700	1	RMS	1697	-48.67	-13	Pass	701
1700	1765	1	RMS	1710.563	22.15	60	Pass	401
1765	3000	1	RMS	2966	-46	-13	Pass	1236
3000	12000	1	RMS	7365	-28.09	-13	Pass	9002
12000	20000	1	RMS	19850	-21.25	-13	Pass	8001




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.087	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.01	-13	Pass	2986
30	1000	0.1	RMS	880.221	-60.15	-13	Pass	9701
1000	1700	1	RMS	1697	-48.5	-13	Pass	701
1700	1765	1	RMS	1710.563	21.22	60	Pass	401
1765	3000	1	RMS	2997	-46.22	-13	Pass	1236
3000	12000	1	RMS	10378	-35.77	-13	Pass	9002
12000	20000	1	RMS	19818	-29.06	-13	Pass	8001




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.58	-13	Pass	2986
30	1000	0.1	RMS	987.492	-60.07	-13	Pass	9701
1000	1700	1	RMS	1654	-49.63	-13	Pass	701
1700	1765	1	RMS	1727.95	22.5	60	Pass	401
1765	3000	1	RMS	2928	-46.26	-13	Pass	1236
3000	12000	1	RMS	10390	-35.59	-13	Pass	9002
12000	20000	1	RMS	19797	-28.95	-13	Pass	8001




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-72.59	-13	Pass	401
0.15	30	0.01	RMS	24.08	-70.06	-13	Pass	2986
30	1000	0.1	RMS	873.416	-60.16	-13	Pass	9701
1000	1700	1	RMS	1693	-49.63	-13	Pass	701
1700	1765	1	RMS	1727.95	21.43	60	Pass	401
1765	3000	1	RMS	2967	-46.16	-13	Pass	1236
3000	12000	1	RMS	10411	-35.8	-13	Pass	9002
12000	20000	1	RMS	19787	-29.12	-13	Pass	8001




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.85	-13	Pass	2986
30	1000	0.1	RMS	854.904	-60.04	-13	Pass	9701
1000	1700	1	RMS	1699	-49.62	-13	Pass	701
1700	1765	1	RMS	1745.5	22.36	60	Pass	401
1765	3000	1	RMS	2964	-46.02	-13	Pass	1236
3000	12000	1	RMS	11997	-35.91	-13	Pass	9002
12000	20000	1	RMS	19805	-29.03	-13	Pass	8001




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.96	-69.78	-13	Pass	2986
30	1000	0.1	RMS	883.423	-60.15	-13	Pass	9701
1000	1700	1	RMS	1697	-49.51	-13	Pass	701
1700	1765	1	RMS	1745.5	21.6	60	Pass	401
1765	3000	1	RMS	2966	-46.03	-13	Pass	1236
3000	12000	1	RMS	10390	-35.68	-13	Pass	9002
12000	20000	1	RMS	19809	-28.98	-13	Pass	8001




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-72.05	-13	Pass	401
0.15	30	0.01	RMS	15.85	-70.17	-13	Pass	2986
30	1000	0.1	RMS	995.597	-59.9	-13	Pass	9701
1000	1700	1	RMS	1697	-44.26	-13	Pass	701
1700	1765	1	RMS	1710.725	22.27	60	Pass	401
1765	3000	1	RMS	2968	-46.19	-13	Pass	1236
3000	12000	1	RMS	7364	-28.17	-13	Pass	9002
12000	20000	1	RMS	19858	-21.27	-13	Pass	8001




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.33	-69.56	-13	Pass	2986
30	1000	0.1	RMS	893.429	-59.99	-13	Pass	9701
1000	1700	1	RMS	1698	-45.26	-13	Pass	701
1700	1765	1	RMS	1710.725	21.38	60	Pass	401
1765	3000	1	RMS	2984	-45.97	-13	Pass	1236
3000	12000	1	RMS	10380	-35.8	-13	Pass	9002
12000	20000	1	RMS	19797	-28.92	-13	Pass	8001




9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.43	-13	Pass	401
0.15	30	0.01	RMS	16.95	-69.85	-13	Pass	2986
30	1000	0.1	RMS	854.804	-60.15	-13	Pass	9701
1000	1700	1	RMS	1699	-49	-13	Pass	701
1700	1765	1	RMS	1725.838	22.53	60	Pass	401
1765	3000	1	RMS	2976	-46.03	-13	Pass	1236
3000	12000	1	RMS	10394	-35.43	-13	Pass	9002
12000	20000	1	RMS	19788	-29.24	-13	Pass	8001




9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-73.36	-13	Pass	401
0.15	30	0.01	RMS	22.87	-69.72	-13	Pass	2986
30	1000	0.1	RMS	888.526	-60.04	-13	Pass	9701
1000	1700	1	RMS	1699	-49.1	-13	Pass	701
1700	1765	1	RMS	1725.675	21.59	60	Pass	401
1765	3000	1	RMS	2936	-46.12	-13	Pass	1236
3000	12000	1	RMS	10383	-35.78	-13	Pass	9002
12000	20000	1	RMS	19781	-29.05	-13	Pass	8001




9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.29	-69.92	-13	Pass	2986
30	1000	0.1	RMS	861.908	-60.26	-13	Pass	9701
1000	1700	1	RMS	1590	-49.51	-13	Pass	701
1700	1765	1	RMS	1740.788	22.4	60	Pass	401
1765	3000	1	RMS	1768	-42.67	-13	Pass	1236
3000	12000	1	RMS	10383	-35.64	-13	Pass	9002
12000	20000	1	RMS	19809	-28.92	-13	Pass	8001




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.34	-13	Pass	401
0.15	30	0.01	RMS	3.77	-70.19	-13	Pass	2986
30	1000	0.1	RMS	983.989	-60.14	-13	Pass	9701
1000	1700	1	RMS	1697	-49.58	-13	Pass	701
1700	1765	1	RMS	1740.788	22.02	60	Pass	401
1765	3000	1	RMS	1767	-41.13	-13	Pass	1236
3000	12000	1	RMS	10390	-35.66	-13	Pass	9002
12000	20000	1	RMS	19789	-29.16	-13	Pass	8001




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-72.67	-13	Pass	401
0.15	30	0.01	RMS	2.82	-69.71	-13	Pass	2986
30	1000	0.1	RMS	914.744	-60.08	-13	Pass	9701
1000	1700	1	RMS	1693	-45.46	-13	Pass	701
1700	1765	1	RMS	1711.05	22.23	60	Pass	401
1765	3000	1	RMS	2960	-46.04	-13	Pass	1236
3000	12000	1	RMS	7379	-28.6	-13	Pass	9002
12000	20000	1	RMS	19868	-21.43	-13	Pass	8001




9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-72.44	-13	Pass	401
0.15	30	0.01	RMS	4.14	-69.96	-13	Pass	2986
30	1000	0.1	RMS	999.3	-60.03	-13	Pass	9701
1000	1700	1	RMS	1693	-46.79	-13	Pass	701
1700	1765	1	RMS	1711.05	21.41	60	Pass	401
1765	3000	1	RMS	2950	-46.02	-13	Pass	1236
3000	12000	1	RMS	10390	-35.77	-13	Pass	9002
12000	20000	1	RMS	19797	-28.87	-13	Pass	8001




9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.65	-13	Pass	2986
30	1000	0.1	RMS	895.03	-59.9	-13	Pass	9701
1000	1700	1	RMS	1697	-48.63	-13	Pass	701
1700	1765	1	RMS	1723.563	22.22	60	Pass	401
1765	3000	1	RMS	2976	-46.03	-13	Pass	1236
3000	12000	1	RMS	10389	-35.68	-13	Pass	9002
12000	20000	1	RMS	19802	-28.97	-13	Pass	8001




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.38	-69.44	-13	Pass	2986
30	1000	0.1	RMS	990.694	-60.06	-13	Pass	9701
1000	1700	1	RMS	1697	-48.64	-13	Pass	701
1700	1765	1	RMS	1723.563	21.44	60	Pass	401
1765	3000	1	RMS	2967	-46.07	-13	Pass	1236
3000	12000	1	RMS	10330	-35.94	-13	Pass	9002
12000	20000	1	RMS	19803	-29.12	-13	Pass	8001




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.48	-13	Pass	2986
30	1000	0.1	RMS	998.099	-60.01	-13	Pass	9701
1000	1700	1	RMS	1700	-48.94	-13	Pass	701
1700	1765	1	RMS	1736.075	22.5	60	Pass	401
1765	3000	1	RMS	1772	-39.55	-13	Pass	1236
3000	12000	1	RMS	10370	-35.82	-13	Pass	9002
12000	20000	1	RMS	19801	-29	-13	Pass	8001



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.079	-72.46	-13	Pass	401
0.15	30	0.01	RMS	17.15	-70.01	-13	Pass	2986
30	1000	0.1	RMS	900.934	-60.21	-13	Pass	9701
1000	1700	1	RMS	1700	-49.26	-13	Pass	701
1700	1765	1	RMS	1736.075	21.44	60	Pass	401
1765	3000	1	RMS	1772	-40.32	-13	Pass	1236
3000	12000	1	RMS	10391	-35.8	-13	Pass	9002
12000	20000	1	RMS	19802	-29.2	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.41	-69.54	-13	Pass	2986
30	814	0.1	RMS	811.8	-60.41	-13	Pass	7841
814	860	0.1	RMS	824.2	20.27	60	Pass	461
860	1000	0.1	RMS	998.1	-60.09	-13	Pass	1401
1000	3000	1	RMS	2983	-46.11	-13	Pass	2001
3000	10000	1	RMS	7233	-29.88	-13	Pass	7001




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.94	-13	Pass	401
0.15	30	0.01	RMS	3.38	-69.38	-13	Pass	2986
30	814	0.1	RMS	622	-60.43	-13	Pass	7841
814	860	0.1	RMS	824.3	19.32	60	Pass	461
860	1000	0.1	RMS	970.7	-60.07	-13	Pass	1401
1000	3000	1	RMS	2973	-46.06	-13	Pass	2001
3000	10000	1	RMS	9902	-36.68	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.78	-13	Pass	401
0.15	30	0.01	RMS	0.4	-68.87	-13	Pass	2986
30	814	0.1	RMS	763	-60.45	-13	Pass	7841
814	860	0.1	RMS	836	20.07	60	Pass	461
860	1000	0.1	RMS	923.9	-60.28	-13	Pass	1401
1000	3000	1	RMS	2970	-45.97	-13	Pass	2001
3000	10000	1	RMS	9897	-36.45	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.079	-72.69	-13	Pass	401
0.15	30	0.01	RMS	13.98	-69.6	-13	Pass	2986
30	814	0.1	RMS	474	-60.56	-13	Pass	7841
814	860	0.1	RMS	836.1	19.79	60	Pass	461
860	1000	0.1	RMS	868.4	-60.1	-13	Pass	1401
1000	3000	1	RMS	2973	-46.06	-13	Pass	2001
3000	10000	1	RMS	9932	-36.56	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.35	-13	Pass	401
0.15	30	0.01	RMS	26.81	-69.52	-13	Pass	2986
30	814	0.1	RMS	811	-60.6	-13	Pass	7841
814	860	0.1	RMS	847.9	20.07	60	Pass	461
860	1000	0.1	RMS	902.9	-60.16	-13	Pass	1401
1000	3000	1	RMS	2976	-46.13	-13	Pass	2001
3000	10000	1	RMS	9946	-36.67	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.78	-13	Pass	2986
30	814	0.1	RMS	482.9	-60.64	-13	Pass	7841
814	860	0.1	RMS	847.8	18.66	60	Pass	461
860	1000	0.1	RMS	864.3	-60.19	-13	Pass	1401
1000	3000	1	RMS	2959	-46.18	-13	Pass	2001
3000	10000	1	RMS	9999	-36.66	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.77	-69.14	-13	Pass	2986
30	814	0.1	RMS	756.8	-60.59	-13	Pass	7841
814	860	0.1	RMS	824.2	20.29	60	Pass	461
860	1000	0.1	RMS	890.3	-60.23	-13	Pass	1401
1000	3000	1	RMS	2978	-46.16	-13	Pass	2001
3000	10000	1	RMS	7216	-29.12	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	Pass	401
0.15	30	0.01	RMS	22.49	-69.6	-13	Pass	2986
30	814	0.1	RMS	813.3	-60.58	-13	Pass	7841
814	860	0.1	RMS	824.2	19.2	60	Pass	461
860	1000	0.1	RMS	917.3	-60.12	-13	Pass	1401
1000	3000	1	RMS	2979	-46.16	-13	Pass	2001
3000	10000	1	RMS	9998	-36.71	-13	Pass	7001




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.94	-13	Pass	401
0.15	30	0.01	RMS	6.81	-70.3	-13	Pass	2986
30	814	0.1	RMS	485.8	-60.22	-13	Pass	7841
814	860	0.1	RMS	835.2	20.29	60	Pass	461
860	1000	0.1	RMS	901.9	-59.97	-13	Pass	1401
1000	3000	1	RMS	2983	-46.23	-13	Pass	2001
3000	10000	1	RMS	9975	-36.74	-13	Pass	7001




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.37	-13	Pass	2986
30	814	0.1	RMS	759.1	-60.42	-13	Pass	7841
814	860	0.1	RMS	835.2	19.69	60	Pass	461
860	1000	0.1	RMS	891.5	-60.24	-13	Pass	1401
1000	3000	1	RMS	2954	-46.29	-13	Pass	2001
3000	10000	1	RMS	9997	-36.72	-13	Pass	7001




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.102	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.19	-13	Pass	2986
30	814	0.1	RMS	810.4	-60.47	-13	Pass	7841
814	860	0.1	RMS	846.2	20.51	60	Pass	461
860	1000	0.1	RMS	904.8	-60	-13	Pass	1401
1000	3000	1	RMS	2941	-46.21	-13	Pass	2001
3000	10000	1	RMS	9992	-36.63	-13	Pass	7001




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.13	-13	Pass	401
0.15	30	0.01	RMS	13.54	-69.91	-13	Pass	2986
30	814	0.1	RMS	738.3	-60.65	-13	Pass	7841
814	860	0.1	RMS	846.2	19.16	60	Pass	461
860	1000	0.1	RMS	915.3	-60.18	-13	Pass	1401
1000	3000	1	RMS	2974	-46.03	-13	Pass	2001
3000	10000	1	RMS	9921	-36.58	-13	Pass	7001




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-72.09	-13	Pass	401
0.15	30	0.01	RMS	3.32	-69.66	-13	Pass	2986
30	814	0.1	RMS	479.8	-60.53	-13	Pass	7841
814	860	0.1	RMS	824.3	19.93	60	Pass	461
860	1000	0.1	RMS	904.2	-60.14	-13	Pass	1401
1000	3000	1	RMS	2973	-46.11	-13	Pass	2001
3000	10000	1	RMS	7199	-30.52	-13	Pass	7001




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.48	-13	Pass	401
0.15	30	0.01	RMS	16.5	-69.83	-13	Pass	2986
30	814	0.1	RMS	765.4	-60.54	-13	Pass	7841
814	860	0.1	RMS	824.3	18.54	60	Pass	461
860	1000	0.1	RMS	990.9	-60.2	-13	Pass	1401
1000	3000	1	RMS	2975	-46.22	-13	Pass	2001
3000	10000	1	RMS	9960	-36.69	-13	Pass	7001




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-72.28	-13	Pass	401
0.15	30	0.01	RMS	26.7	-69.6	-13	Pass	2986
30	814	0.1	RMS	745	-60.55	-13	Pass	7841
814	860	0.1	RMS	834.3	20.08	60	Pass	461
860	1000	0.1	RMS	970.1	-60.18	-13	Pass	1401
1000	3000	1	RMS	2963	-46.13	-13	Pass	2001
3000	10000	1	RMS	9995	-36.59	-13	Pass	7001




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.05	-13	Pass	2986
30	814	0.1	RMS	798.3	-60.46	-13	Pass	7841
814	860	0.1	RMS	834.3	19.78	60	Pass	461
860	1000	0.1	RMS	988.1	-60.08	-13	Pass	1401
1000	3000	1	RMS	2962	-46.2	-13	Pass	2001
3000	10000	1	RMS	10000	-36.72	-13	Pass	7001




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.37	-69.83	-13	Pass	2986
30	814	0.1	RMS	472.6	-60.48	-13	Pass	7841
814	860	0.1	RMS	844.3	20.32	60	Pass	461
860	1000	0.1	RMS	897.7	-60.25	-13	Pass	1401
1000	3000	1	RMS	2970	-46.14	-13	Pass	2001
3000	10000	1	RMS	9905	-36.76	-13	Pass	7001




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.63	-13	Pass	2986
30	814	0.1	RMS	755.1	-60.43	-13	Pass	7841
814	860	0.1	RMS	844.3	19.6	60	Pass	461
860	1000	0.1	RMS	912.8	-60.04	-13	Pass	1401
1000	3000	1	RMS	2973	-46.08	-13	Pass	2001
3000	10000	1	RMS	9971	-36.57	-13	Pass	7001




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	Pass	401
0.15	30	0.01	RMS	21.47	-69.93	-13	Pass	2986
30	814	0.1	RMS	804.8	-60.52	-13	Pass	7841
814	860	0.1	RMS	824.6	20.52	60	Pass	461
860	1000	0.1	RMS	995.4	-60.1	-13	Pass	1401
1000	3000	1	RMS	2972	-46.17	-13	Pass	2001
3000	10000	1	RMS	7170	-29.38	-13	Pass	7001




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	Pass	401
0.15	30	0.01	RMS	17.41	-69.99	-13	Pass	2986
30	814	0.1	RMS	804.4	-60.64	-13	Pass	7841
814	860	0.1	RMS	824.6	19.51	60	Pass	461
860	1000	0.1	RMS	872.2	-59.69	-13	Pass	1401
1000	3000	1	RMS	2957	-46.1	-13	Pass	2001
3000	10000	1	RMS	9996	-36.63	-13	Pass	7001




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.28	-13	Pass	401
0.15	30	0.01	RMS	27.66	-69.72	-13	Pass	2986
30	814	0.1	RMS	782.9	-59.7	-13	Pass	7841
814	860	0.1	RMS	832.1	20.43	60	Pass	461
860	1000	0.1	RMS	912.1	-59.24	-13	Pass	1401
1000	3000	1	RMS	2969	-45.97	-13	Pass	2001
3000	10000	1	RMS	9984	-36.51	-13	Pass	7001




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.37	-69.22	-13	Pass	2986
30	814	0.1	RMS	475.3	-60.2	-13	Pass	7841
814	860	0.1	RMS	832.1	19.89	60	Pass	461
860	1000	0.1	RMS	908.4	-60.04	-13	Pass	1401
1000	3000	1	RMS	2962	-46.1	-13	Pass	2001
3000	10000	1	RMS	9978	-36.66	-13	Pass	7001




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.28	-13	Pass	2986
30	814	0.1	RMS	788.3	-60.52	-13	Pass	7841
814	860	0.1	RMS	839.6	20.73	60	Pass	461
860	1000	0.1	RMS	992.9	-60.21	-13	Pass	1401
1000	3000	1	RMS	2977	-46	-13	Pass	2001
3000	10000	1	RMS	9969	-36.55	-13	Pass	7001



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.44	-69.41	-13	Pass	2986
30	814	0.1	RMS	731.8	-60.26	-13	Pass	7841
814	860	0.1	RMS	839.6	19.69	60	Pass	461
860	1000	0.1	RMS	879	-60.09	-13	Pass	1401
1000	3000	1	RMS	2973	-46.14	-13	Pass	2001
3000	10000	1	RMS	9998	-36.57	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-25	Pass	2986
30	1000	0.1	RMS	913.243	-59.82	-25	Pass	9701
1000	2490	1	RMS	2490	-46.92	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.07	60	Pass	401
2580	3000	1	RMS	2968	-46.06	-25	Pass	421
3000	12000	1	RMS	7269	-39.69	-25	Pass	9002
12000	26000	1	RMS	25882	-35.13	-25	Pass	14002




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-25	Pass	401
0.15	30	0.01	RMS	6.34	-69.37	-25	Pass	2986
30	1000	0.1	RMS	989.693	-59.88	-25	Pass	9701
1000	2490	1	RMS	2489	-47.17	-25	Pass	1491
2490	2580	1	RMS	2500.125	20.91	60	Pass	401
2580	3000	1	RMS	2972	-45.99	-25	Pass	421
3000	12000	1	RMS	10400	-45.28	-25	Pass	9002
12000	26000	1	RMS	25092	-34.03	-25	Pass	14002




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.64	-25	Pass	2986
30	1000	0.1	RMS	991.394	-59.98	-25	Pass	9701
1000	2490	1	RMS	2490	-47.21	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.29	60	Pass	401
2580	3000	1	RMS	2974	-45.89	-25	Pass	421
3000	12000	1	RMS	10398	-45.17	-25	Pass	9002
12000	26000	1	RMS	25789	-34.02	-25	Pass	14002




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.71	-69.56	-25	Pass	2986
30	1000	0.1	RMS	999.4	-59.73	-25	Pass	9701
1000	2490	1	RMS	2489	-47.32	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.63	60	Pass	401
2580	3000	1	RMS	2974	-46.06	-25	Pass	421
3000	12000	1	RMS	10380	-45.19	-25	Pass	9002
12000	26000	1	RMS	25864	-34.05	-25	Pass	14002




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-25	Pass	401
0.15	30	0.01	RMS	24.3	-69.52	-25	Pass	2986
30	1000	0.1	RMS	986.191	-59.66	-25	Pass	9701
1000	2490	1	RMS	2486	-47.23	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.98	60	Pass	401
2580	3000	1	RMS	2970	-45.97	-25	Pass	421
3000	12000	1	RMS	10380	-45.12	-25	Pass	9002
12000	26000	1	RMS	25101	-33.95	-25	Pass	14002




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.2	-25	Pass	401
0.15	30	0.01	RMS	17.82	-68.91	-25	Pass	2986
30	1000	0.1	RMS	908.74	-59.93	-25	Pass	9701
1000	2490	1	RMS	2490	-47.27	-25	Pass	1491
2490	2580	1	RMS	2565.15	20.89	60	Pass	401
2580	3000	1	RMS	2982	-45.92	-25	Pass	421
3000	12000	1	RMS	11841	-37.57	-25	Pass	9002
12000	26000	1	RMS	25868	-34.05	-25	Pass	14002




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.08	-25	Pass	2986
30	1000	0.1	RMS	986.391	-59.66	-25	Pass	9701
1000	2490	1	RMS	2483	-45.95	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.48	60	Pass	401
2580	3000	1	RMS	2961	-46	-25	Pass	421
3000	12000	1	RMS	3659	-43.75	-25	Pass	9002
12000	26000	1	RMS	25101	-34.05	-25	Pass	14002




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.65	-25	Pass	401
0.15	30	0.01	RMS	4.26	-69.35	-25	Pass	2986
30	1000	0.1	RMS	866.812	-59.75	-25	Pass	9701
1000	2490	1	RMS	2483	-45.63	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.38	60	Pass	401
2580	3000	1	RMS	2973	-46.08	-25	Pass	421
3000	12000	1	RMS	10395	-44.96	-25	Pass	9002
12000	26000	1	RMS	25779	-34.07	-25	Pass	14002




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-72.46	-25	Pass	401
0.15	30	0.01	RMS	21.97	-69.59	-25	Pass	2986
30	1000	0.1	RMS	994.096	-59.86	-25	Pass	9701
1000	2490	1	RMS	2488	-47.33	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.36	60	Pass	401
2580	3000	1	RMS	2982	-46.06	-25	Pass	421
3000	12000	1	RMS	10399	-45.21	-25	Pass	9002
12000	26000	1	RMS	25099	-34.13	-25	Pass	14002




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-72.7	-25	Pass	401
0.15	30	0.01	RMS	26.37	-69.57	-25	Pass	2986
30	1000	0.1	RMS	986.191	-59.74	-25	Pass	9701
1000	2490	1	RMS	2490	-47.25	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.67	60	Pass	401
2580	3000	1	RMS	2987	-46.09	-25	Pass	421
3000	12000	1	RMS	10395	-45.39	-25	Pass	9002
12000	26000	1	RMS	25101	-34.05	-25	Pass	14002




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.98	-25	Pass	401
0.15	30	0.01	RMS	10.85	-69.26	-25	Pass	2986
30	1000	0.1	RMS	997.398	-59.65	-25	Pass	9701
1000	2490	1	RMS	2489	-47.28	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.21	60	Pass	401
2580	3000	1	RMS	2582	-45.95	-25	Pass	421
3000	12000	1	RMS	10394	-45.09	-25	Pass	9002
12000	26000	1	RMS	25841	-34.07	-25	Pass	14002




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.81	-25	Pass	401
0.15	30	0.01	RMS	1.04	-69.52	-25	Pass	2986
30	1000	0.1	RMS	861.008	-59.81	-25	Pass	9701
1000	2490	1	RMS	2490	-47.39	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.15	60	Pass	401
2580	3000	1	RMS	2979	-45.96	-25	Pass	421
3000	12000	1	RMS	7264	-39.59	-25	Pass	9002
12000	26000	1	RMS	25956	-34.3	-25	Pass	14002




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-72.39	-25	Pass	401
0.15	30	0.01	RMS	0.36	-69.76	-25	Pass	2986
30	1000	0.1	RMS	496.2	-60.04	-25	Pass	9701
1000	2490	1	RMS	2488	-37.15	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.38	60	Pass	401
2580	3000	1	RMS	2965	-45.98	-25	Pass	421
3000	12000	1	RMS	3657	-44.13	-25	Pass	9002
12000	26000	1	RMS	20191	-32.86	-25	Pass	14002




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-72.33	-25	Pass	401
0.15	30	0.01	RMS	27.31	-69.2	-25	Pass	2986
30	1000	0.1	RMS	860.407	-59.95	-25	Pass	9701
1000	2490	1	RMS	2487	-38.57	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.48	60	Pass	401
2580	3000	1	RMS	2969	-45.92	-25	Pass	421
3000	12000	1	RMS	10402	-45.16	-25	Pass	9002
12000	26000	1	RMS	25849	-34.18	-25	Pass	14002




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.134	-72.59	-25	Pass	401
0.15	30	0.01	RMS	26.3	-69.22	-25	Pass	2986
30	1000	0.1	RMS	874.817	-59.82	-25	Pass	9701
1000	2490	1	RMS	2474	-47.5	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.36	60	Pass	401
2580	3000	1	RMS	2982	-46.16	-25	Pass	421
3000	12000	1	RMS	10401	-45.19	-25	Pass	9002
12000	26000	1	RMS	25829	-34.05	-25	Pass	14002




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.38	-25	Pass	401
0.15	30	0.01	RMS	18.05	-69.91	-25	Pass	2986
30	1000	0.1	RMS	901.134	-59.72	-25	Pass	9701
1000	2490	1	RMS	2476	-47.38	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.92	60	Pass	401
2580	3000	1	RMS	2966	-45.89	-25	Pass	421
3000	12000	1	RMS	10396	-45.04	-25	Pass	9002
12000	26000	1	RMS	25808	-33.91	-25	Pass	14002




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-72.53	-25	Pass	401
0.15	30	0.01	RMS	24.5	-69.08	-25	Pass	2986
30	1000	0.1	RMS	918.846	-59.86	-25	Pass	9701
1000	2490	1	RMS	2488	-47.42	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.13	60	Pass	401
2580	3000	1	RMS	2582	-33.07	-25	Pass	421
3000	12000	1	RMS	11836	-38.54	-25	Pass	9002
12000	26000	1	RMS	25712	-34.26	-25	Pass	14002




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-72.61	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.27	-25	Pass	2986
30	1000	0.1	RMS	861.408	-59.81	-25	Pass	9701
1000	2490	1	RMS	2484	-47.57	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.04	60	Pass	401
2580	3000	1	RMS	2582	-32.61	-25	Pass	421
3000	12000	1	RMS	10403	-45.24	-25	Pass	9002
12000	26000	1	RMS	25102	-34.01	-25	Pass	14002




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.35	-68.34	-25	Pass	2986
30	1000	0.1	RMS	910.641	-59.62	-25	Pass	9701
1000	2490	1	RMS	2483	-39	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.28	60	Pass	401
2580	3000	1	RMS	2962	-46	-25	Pass	421
3000	12000	1	RMS	3653	-43.2	-25	Pass	9002
12000	26000	1	RMS	20185	-31.65	-25	Pass	14002




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.9	-25	Pass	2986
30	1000	0.1	RMS	873.616	-59.79	-25	Pass	9701
1000	2490	1	RMS	2483	-40.42	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.37	60	Pass	401
2580	3000	1	RMS	2966	-46.05	-25	Pass	421
3000	12000	1	RMS	10395	-45.31	-25	Pass	9002
12000	26000	1	RMS	25100	-34.06	-25	Pass	14002




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.36	-25	Pass	2986
30	1000	0.1	RMS	1000	-59.84	-25	Pass	9701
1000	2490	1	RMS	2490	-46	-25	Pass	1491
2490	2580	1	RMS	2526	22.74	60	Pass	401
2580	3000	1	RMS	2968	-45.92	-25	Pass	421
3000	12000	1	RMS	10398	-44.93	-25	Pass	9002
12000	26000	1	RMS	25758	-34.23	-25	Pass	14002




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.49	-69.53	-25	Pass	2986
30	1000	0.1	RMS	485.8	-59.91	-25	Pass	9701
1000	2490	1	RMS	2490	-46.64	-25	Pass	1491
2490	2580	1	RMS	2526	21.17	60	Pass	401
2580	3000	1	RMS	2984	-45.95	-25	Pass	421
3000	12000	1	RMS	10401	-45.19	-25	Pass	9002
12000	26000	1	RMS	25396	-34.06	-25	Pass	14002




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-25	Pass	401
0.15	30	0.01	RMS	6.79	-69.47	-25	Pass	2986
30	1000	0.1	RMS	980.787	-60.01	-25	Pass	9701
1000	2490	1	RMS	2487	-47.36	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.32	60	Pass	401
2580	3000	1	RMS	2586	-37.99	-25	Pass	421
3000	12000	1	RMS	7259	-40.66	-25	Pass	9002
12000	26000	1	RMS	25952	-34.12	-25	Pass	14002



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-73.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.1	-25	Pass	2986
30	1000	0.1	RMS	993.796	-59.79	-25	Pass	9701
1000	2490	1	RMS	2490	-47.31	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.62	60	Pass	401
2580	3000	1	RMS	2586	-38.47	-25	Pass	421
3000	12000	1	RMS	10401	-45.3	-25	Pass	9002
12000	26000	1	RMS	25891	-34.09	-25	Pass	14002



12. LTE_Band13


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	Pass	401
0.15	30	0.01	RMS	4.09	-69.57	-13	Pass	2986
30	767	0.1	RMS	766.7	-60.31	-13	Pass	7371
767	797	0.1	RMS	777.35	20.52	60	Pass	401
797	1000	0.1	RMS	934.3	-59.82	-13	Pass	2031
1000	3000	1	RMS	2965	-45.93	-13	Pass	2001
3000	10000	1	RMS	7131	-29	-13	Pass	7001




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.95	-69.45	-13	Pass	2986
30	767	0.1	RMS	729	-60.31	-13	Pass	7371
767	797	0.1	RMS	777.35	19.69	60	Pass	401
797	1000	0.1	RMS	917.1	-59.92	-13	Pass	2031
1000	3000	1	RMS	2955	-46.04	-13	Pass	2001
3000	10000	1	RMS	9997	-36.51	-13	Pass	7001




**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	Pass	401
0.15	30	0.01	RMS	24.35	-69.3	-13	Pass	2986
30	767	0.1	RMS	731.7	-60.17	-13	Pass	7371
767	797	0.1	RMS	779.825	20.85	60	Pass	401
797	1000	0.1	RMS	997.2	-59.66	-13	Pass	2031
1000	3000	1	RMS	2971	-46.05	-13	Pass	2001
3000	10000	1	RMS	9998	-36.69	-13	Pass	7001




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.37	-69.24	-13	Pass	2986
30	767	0.1	RMS	486.5	-60.41	-13	Pass	7371
767	797	0.1	RMS	779.825	20.55	60	Pass	401
797	1000	0.1	RMS	909	-59.76	-13	Pass	2031
1000	3000	1	RMS	2973	-45.89	-13	Pass	2001
3000	10000	1	RMS	9998	-36.57	-13	Pass	7001




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-72.54	-13	Pass	401
0.15	30	0.01	RMS	14.21	-69.72	-13	Pass	2986
30	767	0.1	RMS	755.6	-60.37	-13	Pass	7371
767	797	0.1	RMS	782.3	20.57	60	Pass	401
797	1000	0.1	RMS	992.3	-59.81	-13	Pass	2031
1000	3000	1	RMS	2957	-46.11	-13	Pass	2001
3000	10000	1	RMS	9997	-36.57	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.61	-13	Pass	2986
30	767	0.1	RMS	467.8	-60.44	-13	Pass	7371
767	797	0.1	RMS	782.375	19.43	60	Pass	401
797	1000	0.1	RMS	899.8	-59.79	-13	Pass	2031
1000	3000	1	RMS	2956	-46.06	-13	Pass	2001
3000	10000	1	RMS	9897	-36.59	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-72.89	-13	Pass	401
0.15	30	0.01	RMS	21.22	-69.64	-13	Pass	2986
30	767	0.1	RMS	766.9	-60.22	-13	Pass	7371
767	797	0.1	RMS	777.575	21.01	60	Pass	401
797	1000	0.1	RMS	908	-59.83	-13	Pass	2031
1000	3000	1	RMS	2970	-45.96	-13	Pass	2001
3000	10000	1	RMS	7119	-29.64	-13	Pass	7001



**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-72.68	-13	Pass	401
0.15	30	0.01	RMS	20.48	-69.63	-13	Pass	2986
30	767	0.1	RMS	635.9	-60.59	-13	Pass	7371
767	797	0.1	RMS	777.575	19.92	60	Pass	401
797	1000	0.1	RMS	909.4	-59.89	-13	Pass	2031
1000	3000	1	RMS	2955	-46.07	-13	Pass	2001
3000	10000	1	RMS	9892	-36.48	-13	Pass	7001



13. LTE_Band66


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.77	-13	Pass	401
0.15	30	0.01	RMS	10.88	-69.02	-13	Pass	2986
30	1000	0.1	RMS	986.991	-59.87	-13	Pass	9701
1000	1700	1	RMS	1700	-49.17	-13	Pass	701
1700	1790	1	RMS	1710.125	22.89	60	Pass	401
1790	3000	1	RMS	2955	-45.92	-13	Pass	1211
3000	12000	1	RMS	7249	-29.49	-13	Pass	9002
12000	20000	1	RMS	19748	-21.76	-13	Pass	8001




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.105	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.91	-13	Pass	2986
30	1000	0.1	RMS	909.24	-59.86	-13	Pass	9701
1000	1700	1	RMS	1700	-49.26	-13	Pass	701
1700	1790	1	RMS	1710.125	22.06	60	Pass	401
1790	3000	1	RMS	2970	-45.88	-13	Pass	1211
3000	12000	1	RMS	10394	-35.72	-13	Pass	9002
12000	20000	1	RMS	19784	-28.94	-13	Pass	8001




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.23	-13	Pass	401
0.15	30	0.01	RMS	23.36	-69.81	-13	Pass	2986
30	1000	0.1	RMS	993.496	-60.02	-13	Pass	9701
1000	1700	1	RMS	1597	-49.61	-13	Pass	701
1700	1790	1	RMS	1744.325	22.62	60	Pass	401
1790	3000	1	RMS	2944	-46.16	-13	Pass	1211
3000	12000	1	RMS	10404	-35.64	-13	Pass	9002
12000	20000	1	RMS	19793	-28.86	-13	Pass	8001




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-73.06	-13	Pass	401
0.15	30	0.01	RMS	20.49	-69.96	-13	Pass	2986
30	1000	0.1	RMS	904.737	-59.69	-13	Pass	9701
1000	1700	1	RMS	1677	-49.38	-13	Pass	701
1700	1790	1	RMS	1744.325	22.27	60	Pass	401
1790	3000	1	RMS	2977	-45.78	-13	Pass	1211
3000	12000	1	RMS	10376	-35.74	-13	Pass	9002
12000	20000	1	RMS	19750	-28.88	-13	Pass	8001




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-72.52	-13	Pass	401
0.15	30	0.01	RMS	25.04	-69.35	-13	Pass	2986
30	1000	0.1	RMS	901.435	-60.02	-13	Pass	9701
1000	1700	1	RMS	1590	-49.35	-13	Pass	701
1700	1790	1	RMS	1778.75	22.69	60	Pass	401
1790	3000	1	RMS	2976	-45.96	-13	Pass	1211
3000	12000	1	RMS	10377	-35.59	-13	Pass	9002
12000	20000	1	RMS	19802	-28.81	-13	Pass	8001




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.125	-72.95	-13	Pass	401
0.15	30	0.01	RMS	27.95	-69.54	-13	Pass	2986
30	1000	0.1	RMS	903.136	-59.65	-13	Pass	9701
1000	1700	1	RMS	1590	-49.65	-13	Pass	701
1700	1790	1	RMS	1778.75	21.56	60	Pass	401
1790	3000	1	RMS	2958	-46.11	-13	Pass	1211
3000	12000	1	RMS	10401	-35.61	-13	Pass	9002
12000	20000	1	RMS	19802	-28.82	-13	Pass	8001




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.71	-69.64	-13	Pass	2986
30	1000	0.1	RMS	844	-60.05	-13	Pass	9701
1000	1700	1	RMS	1700	-49.11	-13	Pass	701
1700	1790	1	RMS	1710.125	22.73	60	Pass	401
1790	3000	1	RMS	2977	-45.91	-13	Pass	1211
3000	12000	1	RMS	7253	-30.05	-13	Pass	9002
12000	20000	1	RMS	19762	-20.99	-13	Pass	8001




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-71.84	-13	Pass	401
0.15	30	0.01	RMS	16.66	-69.6	-13	Pass	2986
30	1000	0.1	RMS	902.135	-59.85	-13	Pass	9701
1000	1700	1	RMS	1700	-49.15	-13	Pass	701
1700	1790	1	RMS	1710.125	21.75	60	Pass	401
1790	3000	1	RMS	2980	-45.96	-13	Pass	1211
3000	12000	1	RMS	10365	-35.56	-13	Pass	9002
12000	20000	1	RMS	19792	-28.85	-13	Pass	8001




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.7	-13	Pass	401
0.15	30	0.01	RMS	23.78	-69.15	-13	Pass	2986
30	1000	0.1	RMS	912.842	-59.98	-13	Pass	9701
1000	1700	1	RMS	1689	-49.34	-13	Pass	701
1700	1790	1	RMS	1743.65	22.76	60	Pass	401
1790	3000	1	RMS	2977	-46.03	-13	Pass	1211
3000	12000	1	RMS	10416	-35.56	-13	Pass	9002
12000	20000	1	RMS	19795	-28.81	-13	Pass	8001




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-13	Pass	401
0.15	30	0.01	RMS	12.47	-69.51	-13	Pass	2986
30	1000	0.1	RMS	896.031	-59.97	-13	Pass	9701
1000	1700	1	RMS	1655	-49.6	-13	Pass	701
1700	1790	1	RMS	1743.65	22.22	60	Pass	401
1790	3000	1	RMS	2974	-45.98	-13	Pass	1211
3000	12000	1	RMS	10413	-35.6	-13	Pass	9002
12000	20000	1	RMS	19780	-28.96	-13	Pass	8001




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.7	-69.26	-13	Pass	2986
30	1000	0.1	RMS	981.087	-60.09	-13	Pass	9701
1000	1700	1	RMS	1669	-49.58	-13	Pass	701
1700	1790	1	RMS	1777.175	23.03	60	Pass	401
1790	3000	1	RMS	2989	-46.03	-13	Pass	1211
3000	12000	1	RMS	10384	-35.66	-13	Pass	9002
12000	20000	1	RMS	19780	-28.68	-13	Pass	8001




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-72.57	-13	Pass	401
0.15	30	0.01	RMS	17.23	-69.66	-13	Pass	2986
30	1000	0.1	RMS	873.316	-59.73	-13	Pass	9701
1000	1700	1	RMS	1684	-49.41	-13	Pass	701
1700	1790	1	RMS	1777.175	21.6	60	Pass	401
1790	3000	1	RMS	2976	-45.88	-13	Pass	1211
3000	12000	1	RMS	10408	-35.39	-13	Pass	9002
12000	20000	1	RMS	19743	-28.96	-13	Pass	8001




13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-13	Pass	401
0.15	30	0.01	RMS	29.47	-69.44	-13	Pass	2986
30	1000	0.1	RMS	912.442	-59.96	-13	Pass	9701
1000	1700	1	RMS	1700	-48.93	-13	Pass	701
1700	1790	1	RMS	1710.125	22.51	60	Pass	401
1790	3000	1	RMS	2936	-46.1	-13	Pass	1211
3000	12000	1	RMS	7253	-29.43	-13	Pass	9002
12000	20000	1	RMS	19763	-21.02	-13	Pass	8001




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.11	-13	Pass	401
0.15	30	0.01	RMS	2.26	-68.93	-13	Pass	2986
30	1000	0.1	RMS	919.447	-59.87	-13	Pass	9701
1000	1700	1	RMS	1700	-48.93	-13	Pass	701
1700	1790	1	RMS	1710.125	21.46	60	Pass	401
1790	3000	1	RMS	2957	-45.89	-13	Pass	1211
3000	12000	1	RMS	10387	-35.58	-13	Pass	9002
12000	20000	1	RMS	19786	-28.77	-13	Pass	8001




13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.09	-13	Pass	2986
30	1000	0.1	RMS	907.239	-59.83	-13	Pass	9701
1000	1700	1	RMS	1591	-49.63	-13	Pass	701
1700	1790	1	RMS	1742.75	22.47	60	Pass	401
1790	3000	1	RMS	2984	-46.04	-13	Pass	1211
3000	12000	1	RMS	10389	-35.81	-13	Pass	9002
12000	20000	1	RMS	19787	-29	-13	Pass	8001




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.79	-69.21	-13	Pass	2986
30	1000	0.1	RMS	914.043	-60.01	-13	Pass	9701
1000	1700	1	RMS	1692	-49.5	-13	Pass	701
1700	1790	1	RMS	1742.75	22.37	60	Pass	401
1790	3000	1	RMS	2973	-45.96	-13	Pass	1211
3000	12000	1	RMS	12000	-35.75	-13	Pass	9002
12000	20000	1	RMS	19829	-29.01	-13	Pass	8001




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.6	-13	Pass	401
0.15	30	0.01	RMS	16.71	-69.27	-13	Pass	2986
30	1000	0.1	RMS	867.212	-60	-13	Pass	9701
1000	1700	1	RMS	1698	-49.42	-13	Pass	701
1700	1790	1	RMS	1775.15	22.68	60	Pass	401
1790	3000	1	RMS	2978	-45.97	-13	Pass	1211
3000	12000	1	RMS	10407	-35.49	-13	Pass	9002
12000	20000	1	RMS	19806	-28.92	-13	Pass	8001




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-72.78	-13	Pass	401
0.15	30	0.01	RMS	10.04	-69.48	-13	Pass	2986
30	1000	0.1	RMS	890.327	-59.88	-13	Pass	9701
1000	1700	1	RMS	1687	-49.54	-13	Pass	701
1700	1790	1	RMS	1775.15	21.64	60	Pass	401
1790	3000	1	RMS	2981	-45.92	-13	Pass	1211
3000	12000	1	RMS	10397	-35.6	-13	Pass	9002
12000	20000	1	RMS	19801	-29.01	-13	Pass	8001




13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.61	-13	Pass	401
0.15	30	0.01	RMS	20.4	-69.5	-13	Pass	2986
30	1000	0.1	RMS	997.398	-59.68	-13	Pass	9701
1000	1700	1	RMS	1697	-48.19	-13	Pass	701
1700	1790	1	RMS	1710.575	22.61	60	Pass	401
1790	3000	1	RMS	2968	-45.85	-13	Pass	1211
3000	12000	1	RMS	7263	-28.84	-13	Pass	9002
12000	20000	1	RMS	19766	-20.88	-13	Pass	8001




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.72	-13	Pass	2986
30	1000	0.1	RMS	999.6	-59.74	-13	Pass	9701
1000	1700	1	RMS	1697	-48.32	-13	Pass	701
1700	1790	1	RMS	1710.575	21.77	60	Pass	401
1790	3000	1	RMS	2969	-45.98	-13	Pass	1211
3000	12000	1	RMS	10400	-35.59	-13	Pass	9002
12000	20000	1	RMS	19804	-28.97	-13	Pass	8001




**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.71	-13	Pass	401
0.15	30	0.01	RMS	18.39	-69.36	-13	Pass	2986
30	1000	0.1	RMS	871.715	-60	-13	Pass	9701
1000	1700	1	RMS	1690	-49.42	-13	Pass	701
1700	1790	1	RMS	1740.5	22.68	60	Pass	401
1790	3000	1	RMS	2977	-45.75	-13	Pass	1211
3000	12000	1	RMS	10420	-35.66	-13	Pass	9002
12000	20000	1	RMS	19774	-28.88	-13	Pass	8001




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.5	-13	Pass	401
0.15	30	0.01	RMS	21.58	-68.94	-13	Pass	2986
30	1000	0.1	RMS	860.608	-59.76	-13	Pass	9701
1000	1700	1	RMS	1690	-49.4	-13	Pass	701
1700	1790	1	RMS	1740.5	22.46	60	Pass	401
1790	3000	1	RMS	2963	-45.88	-13	Pass	1211
3000	12000	1	RMS	10401	-35.54	-13	Pass	9002
12000	20000	1	RMS	19783	-29.01	-13	Pass	8001




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.26	-69.55	-13	Pass	2986
30	1000	0.1	RMS	864.11	-59.95	-13	Pass	9701
1000	1700	1	RMS	1593	-49.41	-13	Pass	701
1700	1790	1	RMS	1770.425	22.98	60	Pass	401
1790	3000	1	RMS	2938	-46.04	-13	Pass	1211
3000	12000	1	RMS	10393	-35.61	-13	Pass	9002
12000	20000	1	RMS	19798	-28.93	-13	Pass	8001




**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-72.33	-13	Pass	401
0.15	30	0.01	RMS	5.71	-69.6	-13	Pass	2986
30	1000	0.1	RMS	874.917	-59.69	-13	Pass	9701
1000	1700	1	RMS	1698	-49.43	-13	Pass	701
1700	1790	1	RMS	1770.425	21.54	60	Pass	401
1790	3000	1	RMS	2965	-45.99	-13	Pass	1211
3000	12000	1	RMS	10412	-35.75	-13	Pass	9002
12000	20000	1	RMS	19794	-28.9	-13	Pass	8001




**13.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-13	Pass	401
0.15	30	0.01	RMS	17.18	-69.72	-13	Pass	2986
30	1000	0.1	RMS	903.636	-59.9	-13	Pass	9701
1000	1700	1	RMS	1698	-42.15	-13	Pass	701
1700	1790	1	RMS	1710.8	22.59	60	Pass	401
1790	3000	1	RMS	2962	-45.89	-13	Pass	1211
3000	12000	1	RMS	7265	-30.24	-13	Pass	9002
12000	20000	1	RMS	19767	-20.8	-13	Pass	8001




**13.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.18	-13	Pass	401
0.15	30	0.01	RMS	27.58	-69.25	-13	Pass	2986
30	1000	0.1	RMS	914.243	-59.73	-13	Pass	9701
1000	1700	1	RMS	1698	-42.82	-13	Pass	701
1700	1790	1	RMS	1710.8	21.88	60	Pass	401
1790	3000	1	RMS	2963	-46.02	-13	Pass	1211
3000	12000	1	RMS	10402	-35.67	-13	Pass	9002
12000	20000	1	RMS	19798	-28.99	-13	Pass	8001




**13.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.31	-68.89	-13	Pass	2986
30	1000	0.1	RMS	893.73	-59.71	-13	Pass	9701
1000	1700	1	RMS	1593	-49.46	-13	Pass	701
1700	1790	1	RMS	1738.25	22.75	60	Pass	401
1790	3000	1	RMS	2967	-45.84	-13	Pass	1211
3000	12000	1	RMS	10397	-35.8	-13	Pass	9002
12000	20000	1	RMS	19789	-28.73	-13	Pass	8001




**13.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-72.23	-13	Pass	401
0.15	30	0.01	RMS	17.54	-69.02	-13	Pass	2986
30	1000	0.1	RMS	869.313	-59.61	-13	Pass	9701
1000	1700	1	RMS	1699	-49.48	-13	Pass	701
1700	1790	1	RMS	1738.25	22.47	60	Pass	401
1790	3000	1	RMS	2984	-45.9	-13	Pass	1211
3000	12000	1	RMS	10396	-35.83	-13	Pass	9002
12000	20000	1	RMS	19802	-29.07	-13	Pass	8001




13.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-72.35	-13	Pass	401
0.15	30	0.01	RMS	25.51	-69.17	-13	Pass	2986
30	1000	0.1	RMS	993.796	-59.9	-13	Pass	9701
1000	1700	1	RMS	1685	-49.34	-13	Pass	701
1700	1790	1	RMS	1765.7	22.79	60	Pass	401
1790	3000	1	RMS	1792	-45.42	-13	Pass	1211
3000	12000	1	RMS	10413	-35.52	-13	Pass	9002
12000	20000	1	RMS	19800	-28.76	-13	Pass	8001




**13.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-72.64	-13	Pass	401
0.15	30	0.01	RMS	1.56	-69.71	-13	Pass	2986
30	1000	0.1	RMS	890.628	-59.85	-13	Pass	9701
1000	1700	1	RMS	1587	-49.59	-13	Pass	701
1700	1790	1	RMS	1765.7	21.61	60	Pass	401
1790	3000	1	RMS	1792	-45.68	-13	Pass	1211
3000	12000	1	RMS	11992	-35.81	-13	Pass	9002
12000	20000	1	RMS	19781	-29.03	-13	Pass	8001




**13.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-13	Pass	401
0.15	30	0.01	RMS	28.91	-68.88	-13	Pass	2986
30	1000	0.1	RMS	896.031	-59.89	-13	Pass	9701
1000	1700	1	RMS	1693	-43.66	-13	Pass	701
1700	1790	1	RMS	1711.025	22.6	60	Pass	401
1790	3000	1	RMS	2974	-45.85	-13	Pass	1211
3000	12000	1	RMS	7270	-29.39	-13	Pass	9002
12000	20000	1	RMS	19765	-21.02	-13	Pass	8001




**13.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.76	-68.56	-13	Pass	2986
30	1000	0.1	RMS	898.933	-59.83	-13	Pass	9701
1000	1700	1	RMS	1693	-41.22	-13	Pass	701
1700	1790	1	RMS	1711.025	22.33	60	Pass	401
1790	3000	1	RMS	2983	-45.95	-13	Pass	1211
3000	12000	1	RMS	10401	-35.8	-13	Pass	9002
12000	20000	1	RMS	19802	-28.86	-13	Pass	8001




**13.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.61	-69.32	-13	Pass	2986
30	1000	0.1	RMS	910.04	-59.75	-13	Pass	9701
1000	1700	1	RMS	1700	-48.79	-13	Pass	701
1700	1790	1	RMS	1736	22.76	60	Pass	401
1790	3000	1	RMS	2976	-45.85	-13	Pass	1211
3000	12000	1	RMS	10409	-35.65	-13	Pass	9002
12000	20000	1	RMS	19785	-29.01	-13	Pass	8001




**13.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.93	-13	Pass	401
0.15	30	0.01	RMS	27.2	-69.3	-13	Pass	2986
30	1000	0.1	RMS	905.037	-60.05	-13	Pass	9701
1000	1700	1	RMS	1700	-49.22	-13	Pass	701
1700	1790	1	RMS	1736	21.78	60	Pass	401
1790	3000	1	RMS	2965	-45.99	-13	Pass	1211
3000	12000	1	RMS	10396	-35.43	-13	Pass	9002
12000	20000	1	RMS	19778	-29.03	-13	Pass	8001




**13.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	Pass	401
0.15	30	0.01	RMS	1.44	-69.22	-13	Pass	2986
30	1000	0.1	RMS	984.79	-59.94	-13	Pass	9701
1000	1700	1	RMS	1700	-49.42	-13	Pass	701
1700	1790	1	RMS	1760.975	22.84	60	Pass	401
1790	3000	1	RMS	1797	-43.52	-13	Pass	1211
3000	12000	1	RMS	10405	-35.56	-13	Pass	9002
12000	20000	1	RMS	19802	-28.91	-13	Pass	8001



**13.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-13	Pass	401
0.15	30	0.01	RMS	9.07	-69.17	-13	Pass	2986
30	1000	0.1	RMS	888.926	-59.85	-13	Pass	9701
1000	1700	1	RMS	1694	-49.51	-13	Pass	701
1700	1790	1	RMS	1760.975	22.03	60	Pass	401
1790	3000	1	RMS	1797	-44.21	-13	Pass	1211
3000	12000	1	RMS	10413	-35.69	-13	Pass	9002
12000	20000	1	RMS	19802	-28.76	-13	Pass	8001



14. LTE_Band38


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.07	-25	Pass	2986
30	1000	0.1	RMS	876.3	-58.5	-25	Pass	9701
1000	2560	1	RMS	2552	-41.86	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.54	60	Pass	401
2630	3000	1	RMS	2647.575	-43.02	-25	Pass	401
3000	12000	1	RMS	11695	-44.83	-25	Pass	9001
12000	26500	1	RMS	25014	-33.29	-25	Pass	14501




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.41	-25	Pass	2986
30	1000	0.1	RMS	917.8	-58.48	-25	Pass	9701
1000	2560	1	RMS	2558	-42.56	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.72	60	Pass	401
2630	3000	1	RMS	2649.425	-43.03	-25	Pass	401
3000	12000	1	RMS	11697	-44.85	-25	Pass	9001
12000	26500	1	RMS	25017	-33.25	-25	Pass	14501




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.22	-25	Pass	2986
30	1000	0.1	RMS	984.8	-58.46	-25	Pass	9701
1000	2560	1	RMS	2557	-43.02	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.55	60	Pass	401
2630	3000	1	RMS	2630.925	-42.95	-25	Pass	401
3000	12000	1	RMS	11689	-44.84	-25	Pass	9001
12000	26500	1	RMS	25013	-33.27	-25	Pass	14501




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.52	-25	Pass	2986
30	1000	0.1	RMS	939.6	-58.43	-25	Pass	9701
1000	2560	1	RMS	2555	-43.55	-25	Pass	1561
2560	2630	1	RMS	2592.725	22.42	60	Pass	401
2630	3000	1	RMS	2649.425	-42.88	-25	Pass	401
3000	12000	1	RMS	11699	-44.81	-25	Pass	9001
12000	26500	1	RMS	25015	-33.28	-25	Pass	14501




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-25	Pass	2986
30	1000	0.1	RMS	930.4	-58.52	-25	Pass	9701
1000	2560	1	RMS	2523	-44.04	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.28	60	Pass	401
2630	3000	1	RMS	2636.475	-42.72	-25	Pass	401
3000	12000	1	RMS	11696	-44.8	-25	Pass	9001
12000	26500	1	RMS	25018	-33.25	-25	Pass	14501




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.8	-25	Pass	2986
30	1000	0.1	RMS	951.3	-58.47	-25	Pass	9701
1000	2560	1	RMS	2525	-44.01	-25	Pass	1561
2560	2630	1	RMS	2615.475	21.96	60	Pass	401
2630	3000	1	RMS	2632.775	-42.71	-25	Pass	401
3000	12000	1	RMS	11689	-44.82	-25	Pass	9001
12000	26500	1	RMS	25015	-33.25	-25	Pass	14501




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-25	Pass	2986
30	1000	0.1	RMS	934.1	-58.48	-25	Pass	9701
1000	2560	1	RMS	2554	-35.28	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.53	60	Pass	401
2630	3000	1	RMS	2647.575	-43	-25	Pass	401
3000	12000	1	RMS	11687	-44.8	-25	Pass	9001
12000	26500	1	RMS	25012	-33.28	-25	Pass	14501




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.89	-25	Pass	2986
30	1000	0.1	RMS	931.5	-58.39	-25	Pass	9701
1000	2560	1	RMS	2553	-37.77	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.58	60	Pass	401
2630	3000	1	RMS	2652.2	-43	-25	Pass	401
3000	12000	1	RMS	11688	-44.82	-25	Pass	9001
12000	26500	1	RMS	25014	-33.21	-25	Pass	14501




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-25	Pass	2986
30	1000	0.1	RMS	939.5	-58.5	-25	Pass	9701
1000	2560	1	RMS	2554	-43.04	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.54	60	Pass	401
2630	3000	1	RMS	2638.325	-42.8	-25	Pass	401
3000	12000	1	RMS	11692	-44.84	-25	Pass	9001
12000	26500	1	RMS	25012	-33.26	-25	Pass	14501




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.69	-25	Pass	2986
30	1000	0.1	RMS	942.4	-58.53	-25	Pass	9701
1000	2560	1	RMS	2551	-43.04	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.75	60	Pass	401
2630	3000	1	RMS	2642.025	-42.92	-25	Pass	401
3000	12000	1	RMS	11701	-44.84	-25	Pass	9001
12000	26500	1	RMS	25012	-33.27	-25	Pass	14501




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-25	Pass	2986
30	1000	0.1	RMS	794	-58.37	-25	Pass	9701
1000	2560	1	RMS	2550	-43.69	-25	Pass	1561
2560	2630	1	RMS	2610.75	21.89	60	Pass	401
2630	3000	1	RMS	2630	-33.92	-25	Pass	401
3000	12000	1	RMS	11684	-44.8	-25	Pass	9001
12000	26500	1	RMS	25010	-33.25	-25	Pass	14501




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.19	-25	Pass	2986
30	1000	0.1	RMS	990.3	-58.51	-25	Pass	9701
1000	2560	1	RMS	2551	-43.95	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.1	60	Pass	401
2630	3000	1	RMS	2630	-35.21	-25	Pass	401
3000	12000	1	RMS	11709	-44.78	-25	Pass	9001
12000	26500	1	RMS	25014	-33.17	-25	Pass	14501




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-25	Pass	2986
30	1000	0.1	RMS	912.8	-58.46	-25	Pass	9701
1000	2550	1	RMS	2543	-36.44	-25	Pass	1551
2560	2630	1	RMS	2570.85	22.28	60	Pass	401
2630	3000	1	RMS	2650.35	-42.88	-25	Pass	401
3000	12000	1	RMS	11697	-44.86	-25	Pass	9001
12000	26500	1	RMS	25015	-33.51	-25	Pass	14501




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.94	-25	Pass	2986
30	1000	0.1	RMS	943.3	-58.51	-25	Pass	9701
1000	2550	1	RMS	2544	-39.48	-25	Pass	1551
2560	2630	1	RMS	2570.85	21.29	60	Pass	401
2630	3000	1	RMS	2650.35	-42.92	-25	Pass	401
3000	12000	1	RMS	11702	-44.87	-25	Pass	9001
12000	26500	1	RMS	25014	-33.55	-25	Pass	14501




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-25	Pass	2986
30	1000	0.1	RMS	934.1	-58.45	-25	Pass	9701
1000	2560	1	RMS	2560	-42.08	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.71	60	Pass	401
2630	3000	1	RMS	2642.025	-42.54	-25	Pass	401
3000	12000	1	RMS	11682	-44.81	-25	Pass	9001
12000	26500	1	RMS	25010	-33.22	-25	Pass	14501




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.03	-25	Pass	2986
30	1000	0.1	RMS	926.5	-58.45	-25	Pass	9701
1000	2560	1	RMS	2559	-43.25	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.48	60	Pass	401
2630	3000	1	RMS	2632.775	-42.85	-25	Pass	401
3000	12000	1	RMS	11703	-44.75	-25	Pass	9001
12000	26500	1	RMS	25013	-33.28	-25	Pass	14501




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.03	-25	Pass	2986
30	1000	0.1	RMS	923	-58.43	-25	Pass	9701
1000	2560	1	RMS	2557	-43.45	-25	Pass	1561
2560	2630	1	RMS	2605.85	22.92	60	Pass	401
2630	3000	1	RMS	2632.775	-31.44	-25	Pass	401
3000	12000	1	RMS	11702	-44.81	-25	Pass	9001
12000	26500	1	RMS	25011	-33.25	-25	Pass	14501




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.37	-25	Pass	2986
30	1000	0.1	RMS	911.7	-58.42	-25	Pass	9701
1000	2560	1	RMS	2550	-43.7	-25	Pass	1561
2560	2630	1	RMS	2605.85	22.4	60	Pass	401
2630	3000	1	RMS	2632.775	-32.54	-25	Pass	401
3000	12000	1	RMS	11687	-44.77	-25	Pass	9001
12000	26500	1	RMS	25013	-33.28	-25	Pass	14501




14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.42	-25	Pass	2986
30	1000	0.1	RMS	930.8	-58.53	-25	Pass	9701
1000	2550	1	RMS	2535	-37.74	-25	Pass	1551
2560	2630	1	RMS	2571.2	22.7	60	Pass	401
2630	3000	1	RMS	2643.875	-42.24	-25	Pass	401
3000	12000	1	RMS	11693	-44.82	-25	Pass	9001
12000	26500	1	RMS	25012	-33.59	-25	Pass	14501




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-25	Pass	2986
30	1000	0.1	RMS	937	-58.36	-25	Pass	9701
1000	2550	1	RMS	2532	-39.12	-25	Pass	1551
2560	2630	1	RMS	2571.025	22.81	60	Pass	401
2630	3000	1	RMS	2645.725	-42.26	-25	Pass	401
3000	12000	1	RMS	11705	-44.78	-25	Pass	9001
12000	26500	1	RMS	25011	-33.52	-25	Pass	14501




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.64	-25	Pass	2986
30	1000	0.1	RMS	950.6	-58.35	-25	Pass	9701
1000	2560	1	RMS	2550	-41.92	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.86	60	Pass	401
2630	3000	1	RMS	2641.1	-42.95	-25	Pass	401
3000	12000	1	RMS	11655	-44.84	-25	Pass	9001
12000	26500	1	RMS	25011	-33.31	-25	Pass	14501




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.63	-25	Pass	2986
30	1000	0.1	RMS	933.3	-58.42	-25	Pass	9701
1000	2560	1	RMS	2550	-40.27	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.12	60	Pass	401
2630	3000	1	RMS	2630	-42.86	-25	Pass	401
3000	12000	1	RMS	11686	-44.79	-25	Pass	9001
12000	26500	1	RMS	25012	-33.25	-25	Pass	14501




14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.41	-25	Pass	2986
30	1000	0.1	RMS	925.2	-58.43	-25	Pass	9701
1000	2560	1	RMS	2560	-43.88	-25	Pass	1561
2560	2630	1	RMS	2600.95	22.34	60	Pass	401
2630	3000	1	RMS	2636.475	-36.87	-25	Pass	401
3000	12000	1	RMS	11675	-44.79	-25	Pass	9001
12000	26500	1	RMS	25016	-33.29	-25	Pass	14501



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.74	-25	Pass	2986
30	1000	0.1	RMS	937.9	-58.38	-25	Pass	9701
1000	2560	1	RMS	2558	-43.7	-25	Pass	1561
2560	2630	1	RMS	2600.95	22.86	60	Pass	401
2630	3000	1	RMS	2636.475	-35.92	-25	Pass	401
3000	12000	1	RMS	11698	-44.83	-25	Pass	9001
12000	26500	1	RMS	25011	-33.21	-25	Pass	14501



15. LTE_Band41 120M


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.17	-25	Pass	401
0.15	30	0.01	RMS	1.45	-65.22	-25	Pass	2986
30	1000	0.1	RMS	769.5	-55.59	-25	Pass	9701
1000	2525	1	RMS	2525	-42.58	-25	Pass	1526
2525	2665	1	RMS	2535.15	21.89	60	Pass	401
2665	3000	1	RMS	2979.9	-42.01	-25	Pass	401
3000	12000	1	RMS	7327	-34.93	-25	Pass	9002
12000	27000	1	RMS	14384	-39.42	-25	Pass	15002




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.65	-25	Pass	401
0.15	30	0.01	RMS	27.74	-65.58	-25	Pass	2986
30	1000	0.1	RMS	942.962	-55.68	-25	Pass	9701
1000	2525	1	RMS	2523	-42.66	-25	Pass	1526
2525	2665	1	RMS	2535.15	21.78	60	Pass	401
2665	3000	1	RMS	2967.338	-41.97	-25	Pass	401
3000	12000	1	RMS	10400	-41.03	-25	Pass	9002
12000	27000	1	RMS	25097	-40.09	-25	Pass	15002




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.8	-25	Pass	401
0.15	30	0.01	RMS	0.53	-65.15	-25	Pass	2986
30	1000	0.1	RMS	897.832	-55.82	-25	Pass	9701
1000	2525	1	RMS	2508	-43.02	-25	Pass	1526
2525	2665	1	RMS	2592.9	22.15	60	Pass	401
2665	3000	1	RMS	2979.9	-42.08	-25	Pass	401
3000	12000	1	RMS	10398	-41.19	-25	Pass	9002
12000	27000	1	RMS	25104	-39.99	-25	Pass	15002




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.99	-25	Pass	401
0.15	30	0.01	RMS	14.22	-65.16	-25	Pass	2986
30	1000	0.1	RMS	980.687	-55.78	-25	Pass	9701
1000	2525	1	RMS	2514	-42.94	-25	Pass	1526
2525	2665	1	RMS	2592.55	21.79	60	Pass	401
2665	3000	1	RMS	2980.738	-42.07	-25	Pass	401
3000	12000	1	RMS	10404	-41.14	-25	Pass	9002
12000	27000	1	RMS	25797	-39.88	-25	Pass	15002




**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.02	-25	Pass	401
0.15	30	0.01	RMS	3.14	-65.35	-25	Pass	2986
30	1000	0.1	RMS	852.202	-55.71	-25	Pass	9701
1000	2525	1	RMS	2503	-42.92	-25	Pass	1526
2525	2665	1	RMS	2649.95	21.98	60	Pass	401
2665	3000	1	RMS	2963.988	-42.07	-25	Pass	401
3000	12000	1	RMS	7302	-34.94	-25	Pass	9002
12000	27000	1	RMS	14339	-40.04	-25	Pass	15002




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.43	-25	Pass	401
0.15	30	0.01	RMS	10.37	-65.35	-25	Pass	2986
30	1000	0.1	RMS	909.64	-55.84	-25	Pass	9701
1000	2525	1	RMS	2522	-43.2	-25	Pass	1526
2525	2665	1	RMS	2650.3	21.51	60	Pass	401
2665	3000	1	RMS	2963.988	-42.09	-25	Pass	401
3000	12000	1	RMS	10399	-41.18	-25	Pass	9002
12000	27000	1	RMS	25790	-39.93	-25	Pass	15002




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.92	-25	Pass	401
0.15	30	0.01	RMS	0.35	-65.35	-25	Pass	2986
30	1000	0.1	RMS	997.999	-55.95	-25	Pass	9701
1000	2525	1	RMS	2519	-39.2	-25	Pass	1526
2525	2665	1	RMS	2535.5	23.59	60	Pass	401
2665	3000	1	RMS	2967.338	-42.11	-25	Pass	401
3000	12000	1	RMS	10399	-41.2	-25	Pass	9002
12000	27000	1	RMS	25941	-40.2	-25	Pass	15002




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.61	-25	Pass	401
0.15	30	0.01	RMS	0.25	-65.61	-25	Pass	2986
30	1000	0.1	RMS	983.689	-55.94	-25	Pass	9701
1000	2525	1	RMS	2517	-41.89	-25	Pass	1526
2525	2665	1	RMS	2535.5	21.61	60	Pass	401
2665	3000	1	RMS	2973.2	-42.04	-25	Pass	401
3000	12000	1	RMS	10405	-41.04	-25	Pass	9002
12000	27000	1	RMS	26130	-40.01	-25	Pass	15002




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.5	-25	Pass	2986
30	1000	0.1	RMS	898.533	-56.03	-25	Pass	9701
1000	2525	1	RMS	2505	-42.91	-25	Pass	1526
2525	2665	1	RMS	2590.45	22.59	60	Pass	401
2665	3000	1	RMS	2958.963	-42.04	-25	Pass	401
3000	12000	1	RMS	11882	-34.75	-25	Pass	9002
12000	27000	1	RMS	25764	-40.18	-25	Pass	15002




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.69	-25	Pass	401
0.15	30	0.01	RMS	7.41	-65.8	-25	Pass	2986
30	1000	0.1	RMS	907.539	-56.05	-25	Pass	9701
1000	2525	1	RMS	2523	-42.89	-25	Pass	1526
2525	2665	1	RMS	2590.45	22.44	60	Pass	401
2665	3000	1	RMS	2960.638	-41.94	-25	Pass	401
3000	12000	1	RMS	3702	-39.83	-25	Pass	9002
12000	27000	1	RMS	25080	-39.99	-25	Pass	15002




15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.41	-25	Pass	401
0.15	30	0.01	RMS	25.52	-65.27	-25	Pass	2986
30	1000	0.1	RMS	846.3	-55.31	-25	Pass	9701
1000	2525	1	RMS	2517	-42.93	-25	Pass	1526
2525	2665	1	RMS	2645.4	22.42	60	Pass	401
2665	3000	1	RMS	2665	-38.85	-25	Pass	401
3000	12000	1	RMS	10398	-40.92	-25	Pass	9002
12000	27000	1	RMS	25799	-39.82	-25	Pass	15002




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.86	-25	Pass	401
0.15	30	0.01	RMS	19.01	-66.19	-25	Pass	2986
30	1000	0.1	RMS	898.233	-55.27	-25	Pass	9701
1000	2525	1	RMS	2520	-42.96	-25	Pass	1526
2525	2665	1	RMS	2645.4	22.05	60	Pass	401
2665	3000	1	RMS	2665	-38.61	-25	Pass	401
3000	12000	1	RMS	11888	-33.97	-25	Pass	9002
12000	27000	1	RMS	25836	-40.13	-25	Pass	15002




15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.69	-25	Pass	401
0.15	30	0.01	RMS	0.22	-64.67	-25	Pass	2986
30	1000	0.1	RMS	839.6	-56.1	-25	Pass	9701
1000	2525	1	RMS	2522	-31.38	-25	Pass	1526
2525	2665	1	RMS	2535.85	22.9	60	Pass	401
2665	3000	1	RMS	2964.825	-42.18	-25	Pass	401
3000	12000	1	RMS	7316	-34.41	-25	Pass	9002
12000	27000	1	RMS	25822	-39.81	-25	Pass	15002




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.3	-25	Pass	401
0.15	30	0.01	RMS	0.69	-65.63	-25	Pass	2986
30	1000	0.1	RMS	975.584	-56.08	-25	Pass	9701
1000	2525	1	RMS	2523	-33.18	-25	Pass	1526
2525	2665	1	RMS	2535.85	21.38	60	Pass	401
2665	3000	1	RMS	2968.175	-42.09	-25	Pass	401
3000	12000	1	RMS	10399	-41.24	-25	Pass	9002
12000	27000	1	RMS	25799	-40.03	-25	Pass	15002




15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.53	-25	Pass	401
0.15	30	0.01	RMS	0.29	-64.74	-25	Pass	2986
30	1000	0.1	RMS	882.922	-55.92	-25	Pass	9701
1000	2525	1	RMS	2512	-42.95	-25	Pass	1526
2525	2665	1	RMS	2588.35	22.77	60	Pass	401
2665	3000	1	RMS	2967.338	-42	-25	Pass	401
3000	12000	1	RMS	10406	-41.38	-25	Pass	9002
12000	27000	1	RMS	25994	-40.17	-25	Pass	15002




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-54.21	-25	Pass	401
0.15	30	0.01	RMS	0.28	-64.17	-25	Pass	2986
30	1000	0.1	RMS	901.235	-56.06	-25	Pass	9701
1000	2525	1	RMS	2501	-43.09	-25	Pass	1526
2525	2665	1	RMS	2588	22.6	60	Pass	401
2665	3000	1	RMS	2968.175	-42	-25	Pass	401
3000	12000	1	RMS	7308	-35.89	-25	Pass	9002
12000	27000	1	RMS	25079	-39.98	-25	Pass	15002




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.53	-25	Pass	401
0.15	30	0.01	RMS	28.69	-65.2	-25	Pass	2986
30	1000	0.1	RMS	906.438	-55.96	-25	Pass	9701
1000	2525	1	RMS	2504	-43.17	-25	Pass	1526
2525	2665	1	RMS	2640.85	22.79	60	Pass	401
2665	3000	1	RMS	2667.513	-35.74	-25	Pass	401
3000	12000	1	RMS	10403	-41.17	-25	Pass	9002
12000	27000	1	RMS	25767	-39.92	-25	Pass	15002




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.33	-25	Pass	401
0.15	30	0.01	RMS	0.3	-64.59	-25	Pass	2986
30	1000	0.1	RMS	718	-55.69	-25	Pass	9701
1000	2525	1	RMS	2505	-43.04	-25	Pass	1526
2525	2665	1	RMS	2640.5	22.19	60	Pass	401
2665	3000	1	RMS	2667.513	-34.61	-25	Pass	401
3000	12000	1	RMS	10394	-41	-25	Pass	9002
12000	27000	1	RMS	25830	-40.02	-25	Pass	15002




15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-67.88	-25	Pass	401
0.15	30	0.01	RMS	0.4	-65.47	-25	Pass	2986
30	1000	0.1	RMS	899.433	-55.87	-25	Pass	9701
1000	2525	1	RMS	2518	-32.6	-25	Pass	1526
2525	2665	1	RMS	2535.85	22.24	60	Pass	401
2665	3000	1	RMS	2978.225	-41.99	-25	Pass	401
3000	12000	1	RMS	7293	-34.68	-25	Pass	9002
12000	27000	1	RMS	25785	-39.98	-25	Pass	15002




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.46	-25	Pass	401
0.15	30	0.01	RMS	28.9	-65.23	-25	Pass	2986
30	1000	0.1	RMS	790.7	-55.58	-25	Pass	9701
1000	2525	1	RMS	2517	-37.47	-25	Pass	1526
2525	2665	1	RMS	2535.85	22.39	60	Pass	401
2665	3000	1	RMS	2975.713	-42.02	-25	Pass	401
3000	12000	1	RMS	10398	-41.2	-25	Pass	9002
12000	27000	1	RMS	25805	-39.98	-25	Pass	15002




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.21	-25	Pass	401
0.15	30	0.01	RMS	18.84	-64.96	-25	Pass	2986
30	1000	0.1	RMS	920.147	-55.47	-25	Pass	9701
1000	2525	1	RMS	2519	-43.09	-25	Pass	1526
2525	2665	1	RMS	2585.9	22.95	60	Pass	401
2665	3000	1	RMS	2978.225	-41.99	-25	Pass	401
3000	12000	1	RMS	10400	-41.02	-25	Pass	9002
12000	27000	1	RMS	26177	-39.99	-25	Pass	15002




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-68.14	-25	Pass	401
0.15	30	0.01	RMS	20.85	-65.43	-25	Pass	2986
30	1000	0.1	RMS	501.7	-55.55	-25	Pass	9701
1000	2525	1	RMS	2516	-43.04	-25	Pass	1526
2525	2665	1	RMS	2585.9	21.14	60	Pass	401
2665	3000	1	RMS	2977.388	-41.92	-25	Pass	401
3000	12000	1	RMS	10408	-41.06	-25	Pass	9002
12000	27000	1	RMS	25101	-40.05	-25	Pass	15002




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.87	-25	Pass	401
0.15	30	0.01	RMS	0.18	-65.12	-25	Pass	2986
30	1000	0.1	RMS	901.735	-55.23	-25	Pass	9701
1000	2525	1	RMS	2516	-42.91	-25	Pass	1526
2525	2665	1	RMS	2635.95	23.51	60	Pass	401
2665	3000	1	RMS	2671.7	-38.58	-25	Pass	401
3000	12000	1	RMS	3706	-39.87	-25	Pass	9002
12000	27000	1	RMS	25100	-39.92	-25	Pass	15002



**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.25	-25	Pass	401
0.15	30	0.01	RMS	1.65	-64.78	-25	Pass	2986
30	1000	0.1	RMS	873.616	-55.63	-25	Pass	9701
1000	2525	1	RMS	2508	-42.83	-25	Pass	1526
2525	2665	1	RMS	2635.95	22.47	60	Pass	401
2665	3000	1	RMS	2671.7	-39.23	-25	Pass	401
3000	12000	1	RMS	10382	-41.2	-25	Pass	9002
12000	27000	1	RMS	26222	-39.98	-25	Pass	15002



--BLANK BELOW--