

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Ant 1

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
N26-824-849	15	5	DFT-QPSK	L	1@1	24.09	17.94	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	1@23	24.22	18.07	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	25@0	24.15	18	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	1@1	23.9	17.75	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	1@23	24.01	17.86	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	25@0	23.77	17.62	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	1@1	23.33	17.18	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	1@23	23.42	17.27	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	25@0	23.28	17.13	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	1@1	23.02	16.87	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	1@23	23.18	17.03	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	25@0	23.3	17.15	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	1@1	24.1	17.95	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	1@23	24.1	17.95	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	25@0	24.11	17.96	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	1@1	24.26	18.11	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	1@23	24.23	18.08	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	25@0	23.8	17.65	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	1@1	23.44	17.29	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	1@23	23.35	17.2	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	25@0	23.33	17.18	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	1@1	23.5	17.35	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	1@23	23	16.85	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	25@0	23.35	17.2	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	1@1	24.02	17.87	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	1@23	23.94	17.79	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	25@0	24.02	17.87	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	1@1	23.89	17.74	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	1@23	23.8	17.65	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	25@0	23.74	17.59	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	1@1	23.32	17.17	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	1@23	23.18	17.03	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	25@0	23.26	17.11	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	1@1	22.99	16.84	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	1@23	22.93	16.78	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	25@0	23.25	17.1	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	1@1	24.16	18.01	38.45	PASS

N26-824-849	15	10	DFT-QPSK	L	1@50	24.33	18.18	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	50@0	24.21	18.06	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	1@1	23.97	17.82	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	1@50	24.05	17.9	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	50@0	23.91	17.76	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	1@1	23.47	17.32	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	1@50	23.49	17.34	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	50@0	23.39	17.24	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	1@1	23.13	16.98	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	1@50	23.2	17.05	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	50@0	23.43	17.28	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	1@1	24.16	18.01	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	1@50	24.07	17.92	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	50@0	24.17	18.02	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	1@1	24.29	18.14	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	1@50	24.11	17.96	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	50@0	23.88	17.73	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	1@1	23.52	17.37	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	1@50	23.31	17.16	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	50@0	23.37	17.22	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	1@1	23.55	17.4	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	1@50	23.37	17.22	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	50@0	23.4	17.25	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	1@1	24.12	17.97	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	1@50	24.05	17.9	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	50@0	24.15	18	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	1@1	24.29	18.14	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	1@50	24.17	18.02	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	50@0	23.85	17.7	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	1@1	23.23	17.08	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	1@50	23.13	16.98	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	50@0	23.33	17.18	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	1@1	23.09	16.94	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	1@50	23	16.85	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	50@0	23.36	17.21	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	1@1	24.23	18.08	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	1@77	24.08	17.93	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	75@0	24.33	18.18	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	1@1	24.35	18.2	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	1@77	24.16	18.01	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	75@0	24.09	17.94	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	1@1	23.53	17.38	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	1@77	23.34	17.19	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	75@0	23.54	17.39	38.45	PASS

N26-824-849	15	15	DFT-256QAM	L	1@1	23.53	17.38	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	1@77	23.4	17.25	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	75@0	23.59	17.44	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	1@1	24.19	18.04	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	1@77	24.03	17.88	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	75@0	24.24	18.09	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	1@1	24.29	18.14	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	1@77	24.01	17.86	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	75@0	23.99	17.84	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	1@1	23.54	17.39	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	1@77	23.26	17.11	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	75@0	23.44	17.29	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	1@1	23.54	17.39	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	1@77	23.27	17.12	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	75@0	23.5	17.35	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	1@1	24.25	18.1	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	1@77	23.95	17.8	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	75@0	24.2	18.05	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	1@1	24.33	18.18	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	1@77	24.08	17.93	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	75@0	23.93	17.78	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	1@1	23.57	17.42	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	1@77	23.34	17.19	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	75@0	23.41	17.26	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	1@1	23.63	17.48	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	1@77	23.4	17.25	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	75@0	23.43	17.28	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	1@1	24.18	18.03	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	1@104	23.93	17.78	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	100@0	24.3	18.15	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	1@1	24.12	17.97	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	1@104	23.82	17.67	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	100@0	24	17.85	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	1@1	23.54	17.39	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	1@104	23.24	17.09	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	100@0	23.53	17.38	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	1@1	23.21	17.06	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	1@104	22.84	16.69	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	100@0	23.51	17.36	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	1@104	23.93	17.78	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	24.24	18.09	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	1@1	24.35	18.2	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	1@104	24.09	17.94	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	100@0	23.98	17.83	38.45	PASS

N26-824-849	15	20	DFT-64QAM	M	1@1	23.42	17.27	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	1@104	23.1	16.95	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	100@0	23.48	17.33	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	1@1	23.25	17.1	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	1@104	23.08	16.93	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	100@0	23.47	17.32	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	1@1	24.19	18.04	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	1@104	23.9	17.75	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	100@0	24.17	18.02	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	1@1	24.33	18.18	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	1@104	23.99	17.84	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	100@0	23.96	17.81	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	1@1	23.55	17.4	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	1@104	23.21	17.06	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	100@0	23.46	17.31	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	1@1	23.56	17.41	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	1@104	23.26	17.11	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	100@0	23.45	17.3	38.45	PASS

Peak-to-Average Ratio for SA

Test Graphs



1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-256QAM-Outer_Full-100@0-6.18dB-PASS



1-N26-824-849-PC3-15-20-L-2-NS_01-CP-256QAM-Outer_Full-106@0-7.33dB-PASS



1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-256QAM-Outer_Full-100@0-6.21dB-PASS



1-N26-824-849-PC3-15-20-M-2-NS_01-CP-256QAM-Outer_Full-106@0-7.39dB-PASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-256QAM-Outer_Full-100@0-6.29dB-PASS



1-N26-824-849-PC3-15-20-H-2-NS_01-CP-256QAM-Outer_Full-106@0-7.48dB-PASS

26dB Bandwidth and Occupied Bandwidth for SA


Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	99% Result (MHz)	26dB Result (MHz)	Verdict
N26-824-849	15	5	DFT-QPSK	L	25@0	4.515	5.240	PASS
N26-824-849	15	5	DFT-16QAM	L	25@0	4.505	5.170	PASS
N26-824-849	15	5	DFT-64QAM	L	25@0	4.505	5.130	PASS
N26-824-849	15	5	DFT-256QAM	L	25@0	4.525	5.190	PASS
N26-824-849	15	5	CP-QPSK	L	25@0	4.496	5.290	PASS
N26-824-849	15	5	CP-16QAM	L	25@0	4.496	5.210	PASS
N26-824-849	15	5	CP-64QAM	L	25@0	4.496	5.340	PASS
N26-824-849	15	5	CP-256QAM	L	25@0	4.505	5.320	PASS
N26-824-849	15	5	DFT-QPSK	M	25@0	4.496	5.140	PASS
N26-824-849	15	5	DFT-16QAM	M	25@0	4.496	5.230	PASS
N26-824-849	15	5	DFT-64QAM	M	25@0	4.525	5.220	PASS
N26-824-849	15	5	DFT-256QAM	M	25@0	4.535	5.250	PASS
N26-824-849	15	5	CP-QPSK	M	25@0	4.505	5.290	PASS
N26-824-849	15	5	CP-16QAM	M	25@0	4.496	5.190	PASS
N26-824-849	15	5	CP-64QAM	M	25@0	4.505	5.280	PASS
N26-824-849	15	5	CP-256QAM	M	25@0	4.505	5.300	PASS
N26-824-849	15	5	DFT-QPSK	H	25@0	4.496	5.210	PASS
N26-824-849	15	5	DFT-16QAM	H	25@0	4.496	5.110	PASS
N26-824-849	15	5	DFT-64QAM	H	25@0	4.515	5.190	PASS
N26-824-849	15	5	DFT-256QAM	H	25@0	4.525	5.200	PASS
N26-824-849	15	5	CP-QPSK	H	25@0	4.505	5.310	PASS
N26-824-849	15	5	CP-16QAM	H	25@0	4.505	5.270	PASS
N26-824-849	15	5	CP-64QAM	H	25@0	4.496	5.290	PASS
N26-824-849	15	5	CP-256QAM	H	25@0	4.505	5.330	PASS
N26-824-849	15	10	DFT-QPSK	L	50@0	8.991	9.940	PASS
N26-824-849	15	10	DFT-16QAM	L	50@0	9.031	10.020	PASS
N26-824-849	15	10	DFT-64QAM	L	50@0	8.971	9.840	PASS
N26-824-849	15	10	DFT-256QAM	L	50@0	8.971	9.900	PASS
N26-824-849	15	10	CP-QPSK	L	52@0	9.311	10.280	PASS
N26-824-849	15	10	CP-16QAM	L	52@0	9.331	10.300	PASS
N26-824-849	15	10	CP-64QAM	L	52@0	9.351	10.340	PASS
N26-824-849	15	10	CP-256QAM	L	52@0	9.371	10.360	PASS
N26-824-849	15	10	DFT-QPSK	M	50@0	8.971	9.900	PASS
N26-824-849	15	10	DFT-16QAM	M	50@0	8.991	9.880	PASS


N26-824-849	15	10	DFT-64QAM	M	50@0	8.971	9.800	PASS
N26-824-849	15	10	DFT-256QAM	M	50@0	8.951	9.820	PASS
N26-824-849	15	10	CP-QPSK	M	52@0	9.291	10.280	PASS
N26-824-849	15	10	CP-16QAM	M	52@0	9.311	10.240	PASS
N26-824-849	15	10	CP-64QAM	M	52@0	9.351	10.260	PASS
N26-824-849	15	10	CP-256QAM	M	52@0	9.351	10.320	PASS
N26-824-849	15	10	DFT-QPSK	H	50@0	8.971	9.940	PASS
N26-824-849	15	10	DFT-16QAM	H	50@0	8.991	9.880	PASS
N26-824-849	15	10	DFT-64QAM	H	50@0	8.951	9.760	PASS
N26-824-849	15	10	DFT-256QAM	H	50@0	8.951	9.780	PASS
N26-824-849	15	10	CP-QPSK	H	52@0	9.291	10.300	PASS
N26-824-849	15	10	CP-16QAM	H	52@0	9.311	10.280	PASS
N26-824-849	15	10	CP-64QAM	H	52@0	9.331	10.280	PASS
N26-824-849	15	10	CP-256QAM	H	52@0	9.331	10.360	PASS
N26-824-849	15	15	DFT-QPSK	L	75@0	13.427	14.610	PASS
N26-824-849	15	15	DFT-16QAM	L	75@0	13.487	14.640	PASS
N26-824-849	15	15	DFT-64QAM	L	75@0	13.427	14.670	PASS
N26-824-849	15	15	DFT-256QAM	L	75@0	13.457	14.610	PASS
N26-824-849	15	15	CP-QPSK	L	79@0	14.146	15.420	PASS
N26-824-849	15	15	CP-16QAM	L	79@0	14.086	15.270	PASS
N26-824-849	15	15	CP-64QAM	L	79@0	14.116	15.390	PASS
N26-824-849	15	15	CP-256QAM	L	79@0	14.146	15.360	PASS
N26-824-849	15	15	DFT-QPSK	M	75@0	13.427	14.610	PASS
N26-824-849	15	15	DFT-16QAM	M	75@0	13.457	14.550	PASS
N26-824-849	15	15	DFT-64QAM	M	75@0	13.397	14.670	PASS
N26-824-849	15	15	DFT-256QAM	M	75@0	13.427	14.640	PASS
N26-824-849	15	15	CP-QPSK	M	79@0	14.146	15.360	PASS
N26-824-849	15	15	CP-16QAM	M	79@0	14.086	15.360	PASS
N26-824-849	15	15	CP-64QAM	M	79@0	14.086	15.360	PASS
N26-824-849	15	15	CP-256QAM	M	79@0	14.116	15.330	PASS
N26-824-849	15	15	DFT-QPSK	H	75@0	13.457	14.610	PASS
N26-824-849	15	15	DFT-16QAM	H	75@0	13.516	14.760	PASS
N26-824-849	15	15	DFT-64QAM	H	75@0	13.427	14.700	PASS
N26-824-849	15	15	DFT-256QAM	H	75@0	13.457	14.730	PASS
N26-824-849	15	15	CP-QPSK	H	79@0	14.176	15.270	PASS
N26-824-849	15	15	CP-16QAM	H	79@0	14.116	15.420	PASS
N26-824-849	15	15	CP-64QAM	H	79@0	14.116	15.330	PASS
N26-824-849	15	15	CP-256QAM	H	79@0	14.176	15.330	PASS
N26-824-849	15	20	DFT-QPSK	L	100@0	17.902	19.400	PASS
N26-824-849	15	20	DFT-16QAM	L	100@0	18.022	19.400	PASS
N26-824-849	15	20	DFT-64QAM	L	100@0	17.902	19.480	PASS
N26-824-849	15	20	DFT-256QAM	L	100@0	17.942	19.440	PASS
N26-824-849	15	20	CP-QPSK	L	106@0	18.901	20.520	PASS
N26-824-849	15	20	CP-16QAM	L	106@0	19.061	20.480	PASS

N26-824-849	15	20	CP-64QAM	L	106@0	18.981	20.560	PASS
N26-824-849	15	20	CP-256QAM	L	106@0	18.901	20.520	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	17.902	19.400	PASS
N26-824-849	15	20	DFT-16QAM	M	100@0	18.062	19.440	PASS
N26-824-849	15	20	DFT-64QAM	M	100@0	17.902	19.400	PASS
N26-824-849	15	20	DFT-256QAM	M	100@0	17.942	19.400	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	18.941	20.400	PASS
N26-824-849	15	20	CP-16QAM	M	106@0	19.061	20.520	PASS
N26-824-849	15	20	CP-64QAM	M	106@0	19.021	20.520	PASS
N26-824-849	15	20	CP-256QAM	M	106@0	18.941	20.440	PASS
N26-824-849	15	20	DFT-QPSK	H	100@0	17.942	19.520	PASS
N26-824-849	15	20	DFT-16QAM	H	100@0	18.062	19.360	PASS
N26-824-849	15	20	DFT-64QAM	H	100@0	17.942	19.520	PASS
N26-824-849	15	20	DFT-256QAM	H	100@0	17.982	19.480	PASS
N26-824-849	15	20	CP-QPSK	H	106@0	18.901	20.360	PASS
N26-824-849	15	20	CP-16QAM	H	106@0	19.021	20.480	PASS
N26-824-849	15	20	CP-64QAM	H	106@0	18.981	20.520	PASS
N26-824-849	15	20	CP-256QAM	H	106@0	18.901	20.520	PASS


Test Graphs




1-N26-824-849-PC3-15-5-L-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.515-5.240-≤5-PASS




1-N26-824-849-PC3-15-5-L-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.505-5.170-≤5-PASS




1-N26-824-849-PC3-15-5-L-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.505-5.130-≤5-PASS




1-N26-824-849-PC3-15-5-L-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.525-5.190-≤5-PASS




1-N26-824-849-PC3-15-5-L-6-CP-QPSK-Outer_Full-25@0-Ant1-4.496-5.290-≤5-PASS




1-N26-824-849-PC3-15-5-L-7-CP-16QAM-Outer_Full-25@0-Ant1-4.496-5.210-≤5-PASS




1-N26-824-849-PC3-15-5-L-8-CP-64QAM-Outer_Full-25@0-Ant1-4.496-5.340-≤5-PASS




1-N26-824-849-PC3-15-5-L-9-CP-256QAM-Outer_Full-25@0-Ant1-4.505-5.320-≤5-PASS




1-N26-824-849-PC3-15-5-M-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.496-5.140-≤5-PASS




1-N26-824-849-PC3-15-5-M-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.496-5.230-≤5-PASS




1-N26-824-849-PC3-15-5-M-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.525-5.220-≤5-PASS




1-N26-824-849-PC3-15-5-M-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.535-5.250-≤5-PASS




1-N26-824-849-PC3-15-5-M-6-CP-QPSK-Outer_Full-25@0-Ant1-4.505-5.290-≤5-PASS




1-N26-824-849-PC3-15-5-M-7-CP-16QAM-Outer_Full-25@0-Ant1-4.496-5.190-≤5-PASS




1-N26-824-849-PC3-15-5-M-8-CP-64QAM-Outer_Full-25@0-Ant1-4.505-5.280-≤5-PASS




1-N26-824-849-PC3-15-5-M-9-CP-256QAM-Outer_Full-25@0-Ant1-4.505-5.300-≤5-PASS




1-N26-824-849-PC3-15-5-H-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.496-5.210-≤5-PASS




1-N26-824-849-PC3-15-5-H-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.496-5.110-≤5-PASS




1-N26-824-849-PC3-15-5-H-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.515-5.190-≤5-PASS




1-N26-824-849-PC3-15-5-H-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.525-5.200-≤5-PASS




1-N26-824-849-PC3-15-5-H-6-CP-QPSK-Outer_Full-25@0-Ant1-4.505-5.310-≤5-PASS




1-N26-824-849-PC3-15-5-H-7-CP-16QAM-Outer_Full-25@0-Ant1-4.505-5.270-≤5-PASS




1-N26-824-849-PC3-15-5-H-8-CP-64QAM-Outer_Full-25@0-Ant1-4.496-5.290-≤5-PASS




1-N26-824-849-PC3-15-5-H-9-CP-256QAM-Outer_Full-25@0-Ant1-4.505-5.330-≤5-PASS




1-N26-824-849-PC3-15-10-L-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.991-9.940-≤10-PASS




1-N26-824-849-PC3-15-10-L-3-DFT-16QAM-Outer_Full-50@0-Ant1-9.031-10.020-≤10-PASS




1-N26-824-849-PC3-15-10-L-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.971-9.840-≤10-PASS




1-N26-824-849-PC3-15-10-L-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.971-9.900-≤10-PASS




1-N26-824-849-PC3-15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant1-9.311-10.280-≤10-PASS




1-N26-824-849-PC3-15-10-L-7-CP-16QAM-Outer_Full-52@0-Ant1-9.331-10.300-≤10-PASS




1-N26-824-849-PC3-15-10-L-8-CP-64QAM-Outer_Full-52@0-Ant1-9.351-10.340-≤10-PASS




1-N26-824-849-PC3-15-10-L-9-CP-256QAM-Outer_Full-52@0-Ant1-9.371-10.360-≤10-PASS




1-N26-824-849-PC3-15-10-M-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.971-9.900-≤10-PASS




1-N26-824-849-PC3-15-10-M-3-DFT-16QAM-Outer_Full-50@0-Ant1-8.991-9.880-≤10-PASS




1-N26-824-849-PC3-15-10-M-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.971-9.800-≤10-PASS




1-N26-824-849-PC3-15-10-M-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.951-9.820-≤10-PASS




1-N26-824-849-PC3-15-10-M-6-CP-QPSK-Outer_Full-52@0-Ant1-9.291-10.280-≤10-PASS




1-N26-824-849-PC3-15-10-M-7-CP-16QAM-Outer_Full-52@0-Ant1-9.311-10.240-≤10-PASS




1-N26-824-849-PC3-15-10-M-8-CP-64QAM-Outer_Full-52@0-Ant1-9.351-10.260-≤10-PASS




1-N26-824-849-PC3-15-10-M-9-CP-256QAM-Outer_Full-52@0-Ant1-9.351-10.320-≤10-PASS




1-N26-824-849-PC3-15-10-H-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.971-9.940-≤10-PASS




1-N26-824-849-PC3-15-10-H-3-DFT-16QAM-Outer_Full-50@0-Ant1-8.991-9.880-≤10-PASS




1-N26-824-849-PC3-15-10-H-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.951-9.760-≤10-PASS




1-N26-824-849-PC3-15-10-H-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.951-9.780-≤10-PASS




1-N26-824-849-PC3-15-10-H-6-CP-QPSK-Outer_Full-52@0-Ant1-9.291-10.300-≤10-PASS




1-N26-824-849-PC3-15-10-H-7-CP-16QAM-Outer_Full-52@0-Ant1-9.311-10.280-≤10-PASS




1-N26-824-849-PC3-15-10-H-8-CP-64QAM-Outer_Full-52@0-Ant1-9.331-10.280-≤10-PASS




1-N26-824-849-PC3-15-10-H-9-CP-256QAM-Outer_Full-52@0-Ant1-9.331-10.360-≤10-PASS




1-N26-824-849-PC3-15-15-L-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.427-14.610-≤15-PASS




1-N26-824-849-PC3-15-15-L-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.487-14.640-≤15-PASS




1-N26-824-849-PC3-15-15-L-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.427-14.670-≤15-PASS




1-N26-824-849-PC3-15-15-L-5-DFT-256QAM-Outer_Full-75@0-Ant1-13.457-14.610-≤15-PASS




1-N26-824-849-PC3-15-15-L-6-CP-QPSK-Outer_Full-79@0-Ant1-14.146-15.420-≤15-PASS




1-N26-824-849-PC3-15-15-L-7-CP-16QAM-Outer_Full-79@0-Ant1-14.086-15.270-≤15-PASS




1-N26-824-849-PC3-15-15-L-8-CP-64QAM-Outer_Full-79@0-Ant1-14.116-15.390-≤15-PASS




1-N26-824-849-PC3-15-15-L-9-CP-256QAM-Outer_Full-79@0-Ant1-14.146-15.360-≤15-PASS




1-N26-824-849-PC3-15-15-M-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.427-14.610-≤15-PASS




1-N26-824-849-PC3-15-15-M-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.457-14.550-≤15-PASS




1-N26-824-849-PC3-15-15-M-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.397-14.670-≤15-PASS




1-N26-824-849-PC3-15-15-M-5-DFT-256QAM-Outer_Full-75@0-Ant1-13.427-14.640-≤15-PASS




1-N26-824-849-PC3-15-15-M-6-CP-QPSK-Out_Full-79@0-Ant1-14.146-15.360-≤15-PASS




1-N26-824-849-PC3-15-15-M-7-CP-16QAM-Out_Full-79@0-Ant1-14.086-15.360-≤15-PASS




1-N26-824-849-PC3-15-15-M-8-CP-64QAM-Out_Full-79@0-Ant1-14.086-15.360-≤15-PASS




1-N26-824-849-PC3-15-15-M-9-CP-256QAM-Outer_Full-79@0-Ant1-14.116-15.330-≤15-PASS




1-N26-824-849-PC3-15-15-H-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.457-14.610-≤15-PASS




1-N26-824-849-PC3-15-15-H-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.516-14.760-≤15-PASS




1-N26-824-849-PC3-15-15-H-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.427-14.700-≤15-PASS




1-N26-824-849-PC3-15-15-H-5-DFT-256QAM-Outer_Full-75@0-Ant1-13.457-14.730-≤15-PASS




1-N26-824-849-PC3-15-15-H-6-CP-QPSK-Outer_Full-79@0-Ant1-14.176-15.270-≤15-PASS




1-N26-824-849-PC3-15-15-H-7-CP-16QAM-Outer_Full-79@0-Ant1-14.116-15.420-≤15-PASS




1-N26-824-849-PC3-15-15-H-8-CP-64QAM-Outer_Full-79@0-Ant1-14.116-15.330-≤15-PASS




1-N26-824-849-PC3-15-15-H-9-CP-256QAM-Outer_Full-79@0-Ant1-14.176-15.330-≤15-PASS




1-N26-824-849-PC3-15-20-L-1-DFT-QPSK-Outer_Full-100@0-Ant1-17.902-19.400-≤20-PASS




1-N26-824-849-PC3-15-20-L-3-DFT-16QAM-Outer_Full-100@0-Ant1-18.022-19.400-≤20-PASS




1-N26-824-849-PC3-15-20-L-4-DFT-64QAM-Outer_Full-100@0-Ant1-17.902-19.480-≤20-PASS




1-N26-824-849-PC3-15-20-L-5-DFT-256QAM-Outer_Full-100@0-Ant1-17.942-19.440-≤20-PASS




1-N26-824-849-PC3-15-20-L-6-CP-QPSK-Outer_Full-106@0-Ant1-18.901-20.520-≤20-PASS




1-N26-824-849-PC3-15-20-L-7-CP-16QAM-Outer_Full-106@0-Ant1-19.061-20.480-≤20-PASS




1-N26-824-849-PC3-15-20-L-8-CP-64QAM-Outer_Full-106@0-Ant1-18.981-20.560-≤20-PASS




1-N26-824-849-PC3-15-20-L-9-CP-256QAM-Outer_Full-106@0-Ant1-18.901-20.520-≤20-PASS




1-N26-824-849-PC3-15-20-M-1-DFT-QPSK-Outer_Full-100@0-Ant1-17.902-19.400-≤20-PASS




1-N26-824-849-PC3-15-20-M-3-DFT-16QAM-Outer_Full-100@0-Ant1-18.062-19.440-≤20-PASS




1-N26-824-849-PC3-15-20-M-4-DFT-64QAM-Outer_Full-100@0-Ant1-17.902-19.400-≤20-PASS




1-N26-824-849-PC3-15-20-M-5-DFT-256QAM-Outer_Full-100@0-Ant1-17.942-19.400-≤20-PASS




1-N26-824-849-PC3-15-20-M-6-CP-QPSK-Outer_Full-106@0-Ant1-18.941-20.400-≤20-PASS




1-N26-824-849-PC3-15-20-M-7-CP-16QAM-Outer_Full-106@0-Ant1-19.061-20.520-≤20-PASS




1-N26-824-849-PC3-15-20-M-8-CP-64QAM-Outer_Full-106@0-Ant1-19.021-20.520-≤20-PASS




1-N26-824-849-PC3-15-20-M-9-CP-256QAM-Out_Full-106@0-Ant1-18.941-20.440-≤20-PASS




1-N26-824-849-PC3-15-20-H-1-DFT-QPSK-Out_Full-100@0-Ant1-17.942-19.520-≤20-PASS




1-N26-824-849-PC3-15-20-H-3-DFT-16QAM-Out_Full-100@0-Ant1-18.062-19.360-≤20-PASS




1-N26-824-849-PC3-15-20-H-4-DFT-64QAM-Outer_Full-100@0-Ant1-17.942-19.520-≤20-PASS




1-N26-824-849-PC3-15-20-H-5-DFT-256QAM-Outer_Full-100@0-Ant1-17.982-19.480-≤20-PASS




1-N26-824-849-PC3-15-20-H-6-CP-QPSK-Outer_Full-106@0-Ant1-18.901-20.360-≤20-PASS



1-N26-824-849-PC3-15-20-H-7-CP-16QAM-Outer_Full-106@0-Ant1-19.021-20.480-≤20-PASS




1-N26-824-849-PC3-15-20-H-8-CP-64QAM-Outer_Full-106@0-Ant1-18.981-20.520-≤20-PASS




1-N26-824-849-PC3-15-20-H-9-CP-256QAM-Outer_Full-106@0-Ant1-18.901-20.520-≤20-PASS


Band Edge for SA

Test Graphs







1-N26-824-849-PC3-15-5-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-819.00-7.98--20.98-PASS




1-N26-824-849-PC3-15-5-L-6-CP-QPSK-Outer_Full-25@0-Ant1-819.00-12.15--25.15-PASS




1-N26-824-849-PC3-15-5-H-2-DFT-QPSK-Edge_1RB_Right-1@24-Ant1-849.00-7.04--20.04-PASS




1-N26-824-849-PC3-15-5-H-3-DFT-QPSK-Outer_Full-25@0-Ant1-849.00-10.07--23.07-PASS




1-N26-824-849-PC3-15-5-H-5-CP-QPSK-Edge_1RB_Right-1@24-Ant1-849.00-7.43--20.43-PASS




1-N26-824-849-PC3-15-5-H-6-CP-QPSK-Outer_Full-25@0-Ant1-849.01-11.73--24.73-PASS




1-N26-824-849-PC3-15-10-L-1-DFT-QPSK-Edge_1RB_Left-1@0-Ant1-824.00-10.49--23.49-PASS




1-N26-824-849-PC3-15-10-L-3-DFT-QPSK-Outer_Full-50@0-Ant1-823.99-13.72--26.72-PASS




1-N26-824-849-PC3-15-10-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-824.00-11.81--24.81-PASS




1-N26-824-849-PC3-15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant1-824.00-15.19--28.19-PASS




1-N26-824-849-PC3-15-10-H-2-DFT-QPSK-Edge_1RB_Right-1@51-Ant1-849.00-10.44--23.44-PASS




1-N26-824-849-PC3-15-10-H-3-DFT-QPSK-Outer_Full-50@0-Ant1-849.00-26.11--39.11-PASS




1-N26-824-849-PC3-15-10-H-5-CP-QPSK-Edge_1RB_Right-1@51-Ant1-849.01-11.72--24.72-PASS




1-N26-824-849-PC3-15-10-H-6-CP-QPSK-Outer_Full-52@0-Ant1-849.01-15.15--28.15-PASS




1-N26-824-849-PC3-15-15-L-1-DFT-QPSK-Edge_1RB_Left-1@0-Ant1-824.00-11.61--24.61-PASS




1-N26-824-849-PC3-15-15-L-3-DFT-QPSK-Outer_Full-75@0-Ant1-823.98-15.47--28.47-PASS




1-N26-824-849-PC3-15-15-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-824.00-13.41--26.41-PASS




1-N26-824-849-PC3-15-15-L-6-CP-QPSK-Outer_Full-79@0-Ant1-823.99-16.26--29.26-PASS



1-N26-824-849-PC3-15-15-H-2-DFT-QPSK-Edge_1RB_Right-1@78-Ant1-849.00-10.89--23.89-PASS




1-N26-824-849-PC3-15-15-H-3-DFT-QPSK-Outer_Full-75@0-Ant1-849.13-26.55--39.55-PASS




1-N26-824-849-PC3-15-15-H-5-CP-QPSK-Edge_1RB_Right-1@78-Ant1-849.00-11.69--24.69-PASS




1-N26-824-849-PC3-15-15-H-6-CP-QPSK-Outer_Full-79@0-Ant1-849.01-15.85--28.85-PASS




1-N26-824-849-PC3-15-20-L-1-DFT-QPSK-Edge_1RB_Left-1@0-Ant1-824.00-10.58--23.58-PASS




1-N26-824-849-PC3-15-20-L-3-DFT-QPSK-Outer_Full-100@0-Ant1-824.00-18.02--31.02-PASS



1-N26-824-849-PC3-15-20-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-824.00-12.48--25.48-PASS




1-N26-824-849-PC3-15-20-L-6-CP-QPSK-Outer_Full-106@0-Ant1-824.00-18.05--31.05-PASS




1-N26-824-849-PC3-15-20-H-2-DFT-QPSK-Edge_1RB_Right-1@105-Ant1-849.00-10.46--23.46-PASS



1-N26-824-849-PC3-15-20-H-3-DFT-QPSK-Outer_Full-100@0-Ant1-849.51-27.29--40.29-PASS



1-N26-824-849-PC3-15-20-H-5-CP-QPSK-Edge_1RB_Right-1@105-Ant1-849.01-11.38--24.38-PASS




1-N26-824-849-PC3-15-20-H-6-CP-QPSK-Outer_Full-106@0-Ant1-849.02-19.06--32.06-PASS


Conducted Spurious Emission for SA

Test Result


Band	SCS	Bandwidth	Modulation	Channel	StartFreq	StopFreq	RB Config	Result (dBm)	Limit (dBm)	Verdict
N26-824-849	15	20	DFT-QPSK	L	0.009	0.15	1@0	-57.53	-33	PASS
N26-824-849	15	20	DFT-QPSK	L	0.15	30	1@0	-55.34	-23	PASS
N26-824-849	15	20	DFT-QPSK	L	30	1000	1@0	-54.24	-13	PASS
N26-824-849	15	20	DFT-QPSK	L	1000	3000	1@0	-39.42	-13	PASS
N26-824-849	15	20	DFT-QPSK	L	3000	12000	1@0	-42.35	-13	PASS
N26-824-849	15	20	DFT-QPSK	L	12000	20000	1@0	-44.31	-13	PASS
N26-824-849	15	20	DFT-QPSK	M	0.009	0.15	1@0	-57.42	-33	PASS
N26-824-849	15	20	DFT-QPSK	M	0.15	30	1@0	-55.03	-23	PASS
N26-824-849	15	20	DFT-QPSK	M	30	1000	1@0	-54.26	-13	PASS
N26-824-849	15	20	DFT-QPSK	M	1000	3000	1@0	-39.41	-13	PASS
N26-824-849	15	20	DFT-QPSK	M	3000	12000	1@0	-42.29	-13	PASS
N26-824-849	15	20	DFT-QPSK	M	12000	20000	1@0	-44.35	-13	PASS
N26-824-849	15	20	DFT-QPSK	H	0.009	0.15	1@0	-57.20	-33	PASS
N26-824-849	15	20	DFT-QPSK	H	0.15	30	1@0	-55.29	-23	PASS
N26-824-849	15	20	DFT-QPSK	H	30	1000	1@0	-54.20	-13	PASS
N26-824-849	15	20	DFT-QPSK	H	1000	3000	1@0	-39.39	-13	PASS
N26-824-849	15	20	DFT-QPSK	H	3000	12000	1@0	-42.30	-13	PASS
N26-824-849	15	20	DFT-QPSK	H	12000	20000	1@0	-44.33	-13	PASS

Test Graphs







1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-30-1000-Ant1-943.45--54.24--13-P
 ASS




1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-1000-3000-Ant1-2995.40--39.42--1
 3-PASS




1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-3000-12000-Ant1-6993.30--42.35--
 13-PASS




1-N26-824-849-PC3-15-20-L-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-12000-20000-Ant1-19936.80--44.3
1--13-PASS




1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-0.009-0.15-Ant1-0.06--57.42--33-P
ASS




1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-0.15-30-Ant1-0.15--55.03--23-PAS
S




1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-30-1000-Ant1-903.10--54.26--13-P
ASS




1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-1000-3000-Ant1-2995.80--39.41--
13-PASS




1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-3000-12000-Ant1-6998.70--42.29-
-13-PASS




1-N26-824-849-PC3-15-20-M-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-12000-20000-Ant1-19938.40--44.35--13-PASS




1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-0.009-0.15-Ant1-0.06--57.20--33-PASS




1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-0.15-30-Ant1-0.15--55.29--23-PASS




1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-30-1000-Ant1-921.92--54.20--13-P
 ASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-1000-3000-Ant1-2997.40--39.39--
 13-PASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-3000-12000-Ant1-6999.15--42.30--
 -13-PASS



1-N26-824-849-PC3-15-20-H-1-NS_01-DFT-QPSK-Edge_1RB_Left-1@0-12000-20000-Ant1-19931.20--44.3
3--13-PASS

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature(℃)	Deviation(Hz)	Deviation (ppm)	Verdict
N26-824-849	15	20	DFT-QPSK	M	100@0	HV	NT	-5.99	-0.00716	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	NT	-5.40	-0.00646	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	LV	NT	-5.91	-0.00707	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	HV	NT	-1.17	-0.00140	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	NT	1.05	0.00126	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	LV	NT	0.34	0.00041	PASS

Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature(℃)	Deviation(Hz)	Deviation (ppm)	Verdict
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	50	-6.337000	-0.007576	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	-20	-4.028000	-0.004815	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	-10	-4.417000	-0.005280	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	0	-5.190000	-0.006204	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	10	-5.614000	-0.006711	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	20	-5.549000	-0.006634	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	30	-4.778000	-0.005712	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	-30	-6.342000	-0.007582	PASS
N26-824-849	15	20	DFT-QPSK	M	100@0	NV	40	-4.857000	-0.005806	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	50	-0.232000	-0.000277	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	-20	0.944000	0.001129	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	-10	-0.533000	-0.000637	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	0	0.148000	0.000177	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	10	0.824000	0.000985	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	20	0.013000	0.000016	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	30	0.182000	0.000218	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	40	1.334000	0.001595	PASS
N26-824-849	15	20	CP-QPSK	M	106@0	NV	-30	0.088000	0.000105	PASS

Field Strength of Spurious Radiation

NR N26 824-849MHz ANT0-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1650.0	-65.88	-13	-52.88	-68.76	2.62	5.5	Horizontal	Pass
2475.0	-68.36	-13	-55.36	-71.06	3.06	5.76	Horizontal	Pass
3300.0	-67.3	-13	-54.3	-71.67	3.3	7.67	Horizontal	Pass
1650.0	-68.6	-13	-55.6	-71.48	2.62	5.5	Vertical	Pass
2475.0	-68.48	-13	-55.48	-71.18	3.06	5.76	Vertical	Pass
3300.0	-65.77	-13	-52.77	-70.14	3.3	7.67	Vertical	Pass

NR N26 824-849MHz ANT0-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1655.0	-70.3	-13	-57.3	-73.17	2.62	5.49	Horizontal	Pass
2482.5	-70.11	-13	-57.11	-72.82	3.07	5.78	Horizontal	Pass
3310.0	-67.81	-13	-54.81	-72.21	3.3	7.7	Horizontal	Pass
1655.0	-70.93	-13	-57.93	-73.8	2.62	5.49	Vertical	Pass
2482.5	-70.02	-13	-57.02	-72.73	3.07	5.78	Vertical	Pass
3310.0	-67.52	-13	-54.52	-71.92	3.3	7.7	Vertical	Pass

NR N26 824-849MHz ANT0-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1660.0	-67.32	-13	-54.32	-70.18	2.62	5.48	Horizontal	Pass
2490.0	-69.52	-13	-56.52	-72.25	3.07	5.8	Horizontal	Pass
3320.0	-67.77	-13	-54.77	-72.18	3.31	7.72	Horizontal	Pass
1660.0	-71.6	-13	-58.6	-74.46	2.62	5.48	Vertical	Pass
2490.0	-69.39	-13	-56.39	-72.12	3.07	5.8	Vertical	Pass
3320.0	-67.57	-13	-54.57	-71.98	3.31	7.72	Vertical	Pass