

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Ant 4

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N66	15	5	DFT-QPSK	L	1@1	25.03	20.53	30	PASS
N66	15	5	DFT-QPSK	L	1@23	25.06	20.56	30	PASS
N66	15	5	DFT-QPSK	L	25@0	25.09	20.59	30	PASS
N66	15	5	DFT-16QAM	L	1@1	24.94	20.44	30	PASS
N66	15	5	DFT-16QAM	L	1@23	24.97	20.47	30	PASS
N66	15	5	DFT-16QAM	L	25@0	24.81	20.31	30	PASS
N66	15	5	DFT-64QAM	L	1@1	24.32	19.82	30	PASS
N66	15	5	DFT-64QAM	L	1@23	24.34	19.84	30	PASS
N66	15	5	DFT-64QAM	L	25@0	24.34	19.84	30	PASS
N66	15	5	DFT-256QAM	L	1@1	23.95	19.45	30	PASS
N66	15	5	DFT-256QAM	L	1@23	24.04	19.54	30	PASS
N66	15	5	DFT-256QAM	L	25@0	24.35	19.85	30	PASS
N66	15	5	DFT-QPSK	M	1@1	24.97	20.47	30	PASS
N66	15	5	DFT-QPSK	M	1@23	24.97	20.47	30	PASS
N66	15	5	DFT-QPSK	M	25@0	25.04	20.54	30	PASS
N66	15	5	DFT-16QAM	M	1@1	24.86	20.36	30	PASS
N66	15	5	DFT-16QAM	M	1@23	24.87	20.37	30	PASS
N66	15	5	DFT-16QAM	M	25@0	24.71	20.21	30	PASS
N66	15	5	DFT-64QAM	M	1@1	24.32	19.82	30	PASS
N66	15	5	DFT-64QAM	M	1@23	24.31	19.81	30	PASS
N66	15	5	DFT-64QAM	M	25@0	24.26	19.76	30	PASS
N66	15	5	DFT-256QAM	M	1@1	23.96	19.46	30	PASS
N66	15	5	DFT-256QAM	M	1@23	23.82	19.32	30	PASS
N66	15	5	DFT-256QAM	M	25@0	24.26	19.76	30	PASS
N66	15	5	DFT-QPSK	H	1@1	24.63	20.13	30	PASS
N66	15	5	DFT-QPSK	H	1@23	24.65	20.15	30	PASS
N66	15	5	DFT-QPSK	H	25@0	24.72	20.22	30	PASS
N66	15	5	DFT-16QAM	H	1@1	24.55	20.05	30	PASS
N66	15	5	DFT-16QAM	H	1@23	24.55	20.05	30	PASS
N66	15	5	DFT-16QAM	H	25@0	24.4	19.9	30	PASS
N66	15	5	DFT-64QAM	H	1@1	23.98	19.48	30	PASS
N66	15	5	DFT-64QAM	H	1@23	24	19.5	30	PASS
N66	15	5	DFT-64QAM	H	25@0	23.94	19.44	30	PASS
N66	15	5	DFT-256QAM	H	1@1	23.65	19.15	30	PASS
N66	15	5	DFT-256QAM	H	1@23	23.68	19.18	30	PASS
N66	15	5	DFT-256QAM	H	25@0	23.94	19.44	30	PASS
N66	15	10	DFT-QPSK	L	1@1	25.07	20.57	30	PASS

N66	15	10	DFT-QPSK	L	1@50	25.18	20.68	30	PASS
N66	15	10	DFT-QPSK	L	50@0	25.13	20.63	30	PASS
N66	15	10	DFT-16QAM	L	1@1	24.95	20.45	30	PASS
N66	15	10	DFT-16QAM	L	1@50	25	20.5	30	PASS
N66	15	10	DFT-16QAM	L	50@0	24.82	20.32	30	PASS
N66	15	10	DFT-64QAM	L	1@1	24.43	19.93	30	PASS
N66	15	10	DFT-64QAM	L	1@50	24.46	19.96	30	PASS
N66	15	10	DFT-64QAM	L	50@0	24.39	19.89	30	PASS
N66	15	10	DFT-256QAM	L	1@1	24.09	19.59	30	PASS
N66	15	10	DFT-256QAM	L	1@50	24.09	19.59	30	PASS
N66	15	10	DFT-256QAM	L	50@0	24.41	19.91	30	PASS
N66	15	10	DFT-QPSK	M	1@1	25.04	20.54	30	PASS
N66	15	10	DFT-QPSK	M	1@50	25.07	20.57	30	PASS
N66	15	10	DFT-QPSK	M	50@0	25.05	20.55	30	PASS
N66	15	10	DFT-16QAM	M	1@1	25.15	20.65	30	PASS
N66	15	10	DFT-16QAM	M	1@50	25.18	20.68	30	PASS
N66	15	10	DFT-16QAM	M	50@0	24.77	20.27	30	PASS
N66	15	10	DFT-64QAM	M	1@1	24.28	19.78	30	PASS
N66	15	10	DFT-64QAM	M	1@50	24.32	19.82	30	PASS
N66	15	10	DFT-64QAM	M	50@0	24.28	19.78	30	PASS
N66	15	10	DFT-256QAM	M	1@1	24.11	19.61	30	PASS
N66	15	10	DFT-256QAM	M	1@50	24.19	19.69	30	PASS
N66	15	10	DFT-256QAM	M	50@0	24.3	19.8	30	PASS
N66	15	10	DFT-QPSK	H	1@1	24.83	20.33	30	PASS
N66	15	10	DFT-QPSK	H	1@50	24.74	20.24	30	PASS
N66	15	10	DFT-QPSK	H	50@0	24.78	20.28	30	PASS
N66	15	10	DFT-16QAM	H	1@1	24.68	20.18	30	PASS
N66	15	10	DFT-16QAM	H	1@50	24.62	20.12	30	PASS
N66	15	10	DFT-16QAM	H	50@0	24.61	20.11	30	PASS
N66	15	10	DFT-64QAM	H	1@1	24.08	19.58	30	PASS
N66	15	10	DFT-64QAM	H	1@50	24.05	19.55	30	PASS
N66	15	10	DFT-64QAM	H	50@0	23.92	19.42	30	PASS
N66	15	10	DFT-256QAM	H	1@1	23.65	19.15	30	PASS
N66	15	10	DFT-256QAM	H	1@50	23.7	19.2	30	PASS
N66	15	10	DFT-256QAM	H	50@0	23.94	19.44	30	PASS
N66	15	15	DFT-QPSK	L	1@1	25.17	20.67	30	PASS
N66	15	15	DFT-QPSK	L	1@77	25.32	20.82	30	PASS
N66	15	15	DFT-QPSK	L	75@0	25.34	20.84	30	PASS
N66	15	15	DFT-16QAM	L	1@1	25.02	20.52	30	PASS
N66	15	15	DFT-16QAM	L	1@77	25.24	20.74	30	PASS
N66	15	15	DFT-16QAM	L	75@0	25.09	20.59	30	PASS
N66	15	15	DFT-64QAM	L	1@1	24.46	19.96	30	PASS
N66	15	15	DFT-64QAM	L	1@77	24.62	20.12	30	PASS
N66	15	15	DFT-64QAM	L	75@0	24.57	20.07	30	PASS

N66	15	15	DFT-256QAM	L	1@1	24.12	19.62	30	PASS
N66	15	15	DFT-256QAM	L	1@77	24.26	19.76	30	PASS
N66	15	15	DFT-256QAM	L	75@0	24.58	20.08	30	PASS
N66	15	15	DFT-QPSK	M	1@1	25.04	20.54	30	PASS
N66	15	15	DFT-QPSK	M	1@77	25.27	20.77	30	PASS
N66	15	15	DFT-QPSK	M	75@0	25.14	20.64	30	PASS
N66	15	15	DFT-16QAM	M	1@1	24.99	20.49	30	PASS
N66	15	15	DFT-16QAM	M	1@77	25.03	20.53	30	PASS
N66	15	15	DFT-16QAM	M	75@0	24.91	20.41	30	PASS
N66	15	15	DFT-64QAM	M	1@1	24.44	19.94	30	PASS
N66	15	15	DFT-64QAM	M	1@77	24.49	19.99	30	PASS
N66	15	15	DFT-64QAM	M	75@0	24.36	19.86	30	PASS
N66	15	15	DFT-256QAM	M	1@1	24.05	19.55	30	PASS
N66	15	15	DFT-256QAM	M	1@77	24.12	19.62	30	PASS
N66	15	15	DFT-256QAM	M	75@0	24.34	19.84	30	PASS
N66	15	15	DFT-QPSK	H	1@1	24.86	20.36	30	PASS
N66	15	15	DFT-QPSK	H	1@77	24.81	20.31	30	PASS
N66	15	15	DFT-QPSK	H	75@0	24.87	20.37	30	PASS
N66	15	15	DFT-16QAM	H	1@1	25.05	20.55	30	PASS
N66	15	15	DFT-16QAM	H	1@77	24.96	20.46	30	PASS
N66	15	15	DFT-16QAM	H	75@0	24.57	20.07	30	PASS
N66	15	15	DFT-64QAM	H	1@1	24.21	19.71	30	PASS
N66	15	15	DFT-64QAM	H	1@77	24.18	19.68	30	PASS
N66	15	15	DFT-64QAM	H	75@0	24.02	19.52	30	PASS
N66	15	15	DFT-256QAM	H	1@1	23.83	19.33	30	PASS
N66	15	15	DFT-256QAM	H	1@77	23.72	19.22	30	PASS
N66	15	15	DFT-256QAM	H	75@0	24.06	19.56	30	PASS
N66	15	20	DFT-QPSK	L	1@1	25.08	20.58	30	PASS
N66	15	20	DFT-QPSK	L	1@104	25.15	20.65	30	PASS
N66	15	20	DFT-QPSK	L	100@0	25.24	20.74	30	PASS
N66	15	20	DFT-16QAM	L	1@1	24.95	20.45	30	PASS
N66	15	20	DFT-16QAM	L	1@104	24.98	20.48	30	PASS
N66	15	20	DFT-16QAM	L	100@0	24.95	20.45	30	PASS
N66	15	20	DFT-64QAM	L	1@1	24.28	19.78	30	PASS
N66	15	20	DFT-64QAM	L	1@104	24.43	19.93	30	PASS
N66	15	20	DFT-64QAM	L	100@0	24.42	19.92	30	PASS
N66	15	20	DFT-256QAM	L	1@1	23.94	19.44	30	PASS
N66	15	20	DFT-256QAM	L	1@104	24.06	19.56	30	PASS
N66	15	20	DFT-256QAM	L	100@0	24.44	19.94	30	PASS
N66	15	20	DFT-QPSK	M	1@1	25.09	20.59	30	PASS
N66	15	20	DFT-QPSK	M	1@104	25.21	20.71	30	PASS
N66	15	20	DFT-QPSK	M	100@0	25.2	20.7	30	PASS
N66	15	20	DFT-16QAM	M	1@1	24.96	20.46	30	PASS
N66	15	20	DFT-16QAM	M	1@104	25.04	20.54	30	PASS

N66	15	20	DFT-16QAM	M	100@0	24.88	20.38	30	PASS
N66	15	20	DFT-64QAM	M	1@1	24.38	19.88	30	PASS
N66	15	20	DFT-64QAM	M	1@104	24.44	19.94	30	PASS
N66	15	20	DFT-64QAM	M	100@0	24.4	19.9	30	PASS
N66	15	20	DFT-256QAM	M	1@1	24.07	19.57	30	PASS
N66	15	20	DFT-256QAM	M	1@104	23.97	19.47	30	PASS
N66	15	20	DFT-256QAM	M	100@0	24.36	19.86	30	PASS
N66	15	20	DFT-QPSK	H	1@1	24.94	20.44	30	PASS
N66	15	20	DFT-QPSK	H	1@104	24.88	20.38	30	PASS
N66	15	20	DFT-QPSK	H	100@0	25	20.5	30	PASS
N66	15	20	DFT-16QAM	H	1@1	25.02	20.52	30	PASS
N66	15	20	DFT-16QAM	H	1@104	24.82	20.32	30	PASS
N66	15	20	DFT-16QAM	H	100@0	24.62	20.12	30	PASS
N66	15	20	DFT-64QAM	H	1@1	24.18	19.68	30	PASS
N66	15	20	DFT-64QAM	H	1@104	24.1	19.6	30	PASS
N66	15	20	DFT-64QAM	H	100@0	24.17	19.67	30	PASS
N66	15	20	DFT-256QAM	H	1@1	23.82	19.32	30	PASS
N66	15	20	DFT-256QAM	H	1@104	23.73	19.23	30	PASS
N66	15	20	DFT-256QAM	H	100@0	24.14	19.64	30	PASS
N66	15	25	DFT-QPSK	L	1@1	25.08	20.58	30	PASS
N66	15	25	DFT-QPSK	L	1@131	25.29	20.79	30	PASS
N66	15	25	DFT-QPSK	L	128@0	25.16	20.66	30	PASS
N66	15	25	DFT-16QAM	L	1@1	25.3	20.8	30	PASS
N66	15	25	DFT-16QAM	L	1@131	25.4	20.9	30	PASS
N66	15	25	DFT-16QAM	L	128@0	24.87	20.37	30	PASS
N66	15	25	DFT-64QAM	L	1@1	24.51	20.01	30	PASS
N66	15	25	DFT-64QAM	L	1@131	24.55	20.05	30	PASS
N66	15	25	DFT-64QAM	L	128@0	24.4	19.9	30	PASS
N66	15	25	DFT-256QAM	L	1@1	24.11	19.61	30	PASS
N66	15	25	DFT-256QAM	L	1@131	24.19	19.69	30	PASS
N66	15	25	DFT-256QAM	L	128@0	24.43	19.93	30	PASS
N66	15	25	DFT-QPSK	M	1@1	25.41	20.91	30	PASS
N66	15	25	DFT-QPSK	M	1@131	25.43	20.93	30	PASS
N66	15	25	DFT-QPSK	M	128@0	25.23	20.73	30	PASS
N66	15	25	DFT-16QAM	M	1@1	25.36	20.86	30	PASS
N66	15	25	DFT-16QAM	M	1@131	25.33	20.83	30	PASS
N66	15	25	DFT-16QAM	M	128@0	24.94	20.44	30	PASS
N66	15	25	DFT-64QAM	M	1@1	24.78	20.28	30	PASS
N66	15	25	DFT-64QAM	M	1@131	24.81	20.31	30	PASS
N66	15	25	DFT-64QAM	M	128@0	24.44	19.94	30	PASS
N66	15	25	DFT-256QAM	M	1@1	24.34	19.84	30	PASS
N66	15	25	DFT-256QAM	M	1@131	24.32	19.82	30	PASS
N66	15	25	DFT-256QAM	M	128@0	24.44	19.94	30	PASS
N66	15	25	DFT-QPSK	H	1@1	25.27	20.77	30	PASS

N66	15	25	DFT-QPSK	H	1@131	25.1	20.6	30	PASS
N66	15	25	DFT-QPSK	H	128@0	25.04	20.54	30	PASS
N66	15	25	DFT-16QAM	H	1@1	25.21	20.71	30	PASS
N66	15	25	DFT-16QAM	H	1@131	25.17	20.67	30	PASS
N66	15	25	DFT-16QAM	H	128@0	24.75	20.25	30	PASS
N66	15	25	DFT-64QAM	H	1@1	24.47	19.97	30	PASS
N66	15	25	DFT-64QAM	H	1@131	24.36	19.86	30	PASS
N66	15	25	DFT-64QAM	H	128@0	24.25	19.75	30	PASS
N66	15	25	DFT-256QAM	H	1@1	24.12	19.62	30	PASS
N66	15	25	DFT-256QAM	H	1@131	23.88	19.38	30	PASS
N66	15	25	DFT-256QAM	H	128@0	24.3	19.8	30	PASS
N66	15	30	DFT-QPSK	L	1@1	25.02	20.52	30	PASS
N66	15	30	DFT-QPSK	L	1@158	24.89	20.39	30	PASS
N66	15	30	DFT-QPSK	L	160@0	25.18	20.68	30	PASS
N66	15	30	DFT-16QAM	L	1@1	25.09	20.59	30	PASS
N66	15	30	DFT-16QAM	L	1@158	25.13	20.63	30	PASS
N66	15	30	DFT-16QAM	L	160@0	24.93	20.43	30	PASS
N66	15	30	DFT-64QAM	L	1@1	24.22	19.72	30	PASS
N66	15	30	DFT-64QAM	L	1@158	24.23	19.73	30	PASS
N66	15	30	DFT-64QAM	L	160@0	24.39	19.89	30	PASS
N66	15	30	DFT-256QAM	L	1@1	23.8	19.3	30	PASS
N66	15	30	DFT-256QAM	L	1@158	23.85	19.35	30	PASS
N66	15	30	DFT-256QAM	L	160@0	24.4	19.9	30	PASS
N66	15	30	DFT-QPSK	M	1@1	25.22	20.72	30	PASS
N66	15	30	DFT-QPSK	M	1@158	25.29	20.79	30	PASS
N66	15	30	DFT-QPSK	M	160@0	25.29	20.79	30	PASS
N66	15	30	DFT-16QAM	M	1@1	25.07	20.57	30	PASS
N66	15	30	DFT-16QAM	M	1@158	25.08	20.58	30	PASS
N66	15	30	DFT-16QAM	M	160@0	25.06	20.56	30	PASS
N66	15	30	DFT-64QAM	M	1@1	24.45	19.95	30	PASS
N66	15	30	DFT-64QAM	M	1@158	24.49	19.99	30	PASS
N66	15	30	DFT-64QAM	M	160@0	24.49	19.99	30	PASS
N66	15	30	DFT-256QAM	M	1@1	23.95	19.45	30	PASS
N66	15	30	DFT-256QAM	M	1@158	24.15	19.65	30	PASS
N66	15	30	DFT-256QAM	M	160@0	24.49	19.99	30	PASS
N66	15	30	DFT-QPSK	H	1@1	24.96	20.46	30	PASS
N66	15	30	DFT-QPSK	H	1@158	24.91	20.41	30	PASS
N66	15	30	DFT-QPSK	H	160@0	25.14	20.64	30	PASS
N66	15	30	DFT-16QAM	H	1@1	25.04	20.54	30	PASS
N66	15	30	DFT-16QAM	H	1@158	25.02	20.52	30	PASS
N66	15	30	DFT-16QAM	H	160@0	24.82	20.32	30	PASS
N66	15	30	DFT-64QAM	H	1@1	24.25	19.75	30	PASS
N66	15	30	DFT-64QAM	H	1@158	24.1	19.6	30	PASS
N66	15	30	DFT-64QAM	H	160@0	24.35	19.85	30	PASS

N66	15	30	DFT-256QAM	H	1@1	23.83	19.33	30	PASS
N66	15	30	DFT-256QAM	H	1@158	23.71	19.21	30	PASS
N66	15	30	DFT-256QAM	H	160@0	24.33	19.83	30	PASS
N66	15	40	DFT-QPSK	L	1@1	24.96	20.46	30	PASS
N66	15	40	DFT-QPSK	L	1@214	25.05	20.55	30	PASS
N66	15	40	DFT-QPSK	L	216@0	25.21	20.71	30	PASS
N66	15	40	DFT-16QAM	L	1@1	25.16	20.66	30	PASS
N66	15	40	DFT-16QAM	L	1@214	25.2	20.7	30	PASS
N66	15	40	DFT-16QAM	L	216@0	24.91	20.41	30	PASS
N66	15	40	DFT-64QAM	L	1@1	24.26	19.76	30	PASS
N66	15	40	DFT-64QAM	L	1@214	24.42	19.92	30	PASS
N66	15	40	DFT-64QAM	L	216@0	24.36	19.86	30	PASS
N66	15	40	DFT-256QAM	L	1@1	23.8	19.3	30	PASS
N66	15	40	DFT-256QAM	L	1@214	23.9	19.4	30	PASS
N66	15	40	DFT-256QAM	L	216@0	24.33	19.83	30	PASS
N66	15	40	DFT-QPSK	M	1@1	25.29	20.79	30	PASS
N66	15	40	DFT-QPSK	M	1@214	25.29	20.79	30	PASS
N66	15	40	DFT-QPSK	M	216@0	25.31	20.81	30	PASS
N66	15	40	DFT-16QAM	M	1@1	25.21	20.71	30	PASS
N66	15	40	DFT-16QAM	M	1@214	25.2	20.7	30	PASS
N66	15	40	DFT-16QAM	M	216@0	25.09	20.59	30	PASS
N66	15	40	DFT-64QAM	M	1@1	24.63	20.13	30	PASS
N66	15	40	DFT-64QAM	M	1@214	24.61	20.11	30	PASS
N66	15	40	DFT-64QAM	M	216@0	24.57	20.07	30	PASS
N66	15	40	DFT-256QAM	M	1@1	24.22	19.72	30	PASS
N66	15	40	DFT-256QAM	M	1@214	24.16	19.66	30	PASS
N66	15	40	DFT-256QAM	M	216@0	24.48	19.98	30	PASS
N66	15	40	DFT-QPSK	H	1@1	24.85	20.35	30	PASS
N66	15	40	DFT-QPSK	H	1@214	25.02	20.52	30	PASS
N66	15	40	DFT-QPSK	H	216@0	25.04	20.54	30	PASS
N66	15	40	DFT-16QAM	H	1@1	25.05	20.55	30	PASS
N66	15	40	DFT-16QAM	H	1@214	25.12	20.62	30	PASS
N66	15	40	DFT-16QAM	H	216@0	24.73	20.23	30	PASS
N66	15	40	DFT-64QAM	H	1@1	24.19	19.69	30	PASS
N66	15	40	DFT-64QAM	H	1@214	24.09	19.59	30	PASS
N66	15	40	DFT-64QAM	H	216@0	24.24	19.74	30	PASS
N66	15	40	DFT-256QAM	H	1@1	23.81	19.31	30	PASS
N66	15	40	DFT-256QAM	H	1@214	23.84	19.34	30	PASS
N66	15	40	DFT-256QAM	H	216@0	24.26	19.76	30	PASS

Peak-to-Average Ratio for SA

Test Graphs



1-N66-PC3-15-40-L-1-NS_01-DFT-256QAM-Outer_Full-216@0-5.53dB-PASS



1-N66-PC3-15-40-L-2-NS_01-CP-256QAM-Outer_Full-216@0-6.42dB-PASS



1-N66-PC3-15-40-M-1-NS_01-DFT-256QAM-Out_Full-216@0-5.62dB-PASS



1-N66-PC3-15-40-M-2-NS_01-CP-256QAM-Out_Full-216@0-6.59dB-PASS



1-N66-PC3-15-40-H-1-NS_01-DFT-256QAM-Out_Full-216@0-5.55dB-PASS



1-N66-PC3-15-40-H-2-NS_01-CP-256QAM-Outer_Full-216@0-6.51dB-PASS

26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	99% Result (MHz)	26dB Result (MHz)	Verdict
N66	15	5	DFT-QPSK	L	25@0	4.505	5.190	PASS
N66	15	5	DFT-16QAM	L	25@0	4.486	5.070	PASS
N66	15	5	DFT-64QAM	L	25@0	4.515	5.220	PASS
N66	15	5	DFT-256QAM	L	25@0	4.515	5.180	PASS
N66	15	5	CP-QPSK	L	25@0	4.535	5.390	PASS
N66	15	5	CP-16QAM	L	25@0	4.525	5.210	PASS
N66	15	5	CP-64QAM	L	25@0	4.515	5.350	PASS
N66	15	5	CP-256QAM	L	25@0	4.515	5.350	PASS
N66	15	5	DFT-QPSK	M	25@0	4.496	5.170	PASS
N66	15	5	DFT-16QAM	M	25@0	4.486	5.060	PASS
N66	15	5	DFT-64QAM	M	25@0	4.505	5.200	PASS
N66	15	5	DFT-256QAM	M	25@0	4.505	5.180	PASS
N66	15	5	CP-QPSK	M	25@0	4.525	5.430	PASS
N66	15	5	CP-16QAM	M	25@0	4.525	5.200	PASS
N66	15	5	CP-64QAM	M	25@0	4.505	5.360	PASS
N66	15	5	CP-256QAM	M	25@0	4.505	5.270	PASS
N66	15	5	DFT-QPSK	H	25@0	4.496	5.160	PASS
N66	15	5	DFT-16QAM	H	25@0	4.486	5.050	PASS
N66	15	5	DFT-64QAM	H	25@0	4.505	5.190	PASS
N66	15	5	DFT-256QAM	H	25@0	4.505	5.180	PASS
N66	15	5	CP-QPSK	H	25@0	4.525	5.420	PASS
N66	15	5	CP-16QAM	H	25@0	4.525	5.220	PASS
N66	15	5	CP-64QAM	H	25@0	4.505	5.350	PASS
N66	15	5	CP-256QAM	H	25@0	4.515	5.300	PASS
N66	15	10	DFT-QPSK	L	50@0	8.991	9.900	PASS
N66	15	10	DFT-16QAM	L	50@0	9.031	9.920	PASS
N66	15	10	DFT-64QAM	L	50@0	9.011	10.000	PASS
N66	15	10	DFT-256QAM	L	50@0	9.011	9.980	PASS
N66	15	10	CP-QPSK	L	52@0	9.351	10.440	PASS
N66	15	10	CP-16QAM	L	52@0	9.371	10.380	PASS
N66	15	10	CP-64QAM	L	52@0	9.371	10.280	PASS
N66	15	10	CP-256QAM	L	52@0	9.351	10.360	PASS
N66	15	10	DFT-QPSK	M	50@0	8.991	9.940	PASS
N66	15	10	DFT-16QAM	M	50@0	9.011	9.880	PASS


N66	15	10	DFT-64QAM	M	50@0	8.971	9.940	PASS
N66	15	10	DFT-256QAM	M	50@0	8.991	9.820	PASS
N66	15	10	CP-QPSK	M	52@0	9.331	10.360	PASS
N66	15	10	CP-16QAM	M	52@0	9.331	10.320	PASS
N66	15	10	CP-64QAM	M	52@0	9.351	10.360	PASS
N66	15	10	CP-256QAM	M	52@0	9.351	10.360	PASS
N66	15	10	DFT-QPSK	H	50@0	8.991	9.940	PASS
N66	15	10	DFT-16QAM	H	50@0	9.031	10.000	PASS
N66	15	10	DFT-64QAM	H	50@0	8.971	9.780	PASS
N66	15	10	DFT-256QAM	H	50@0	8.991	9.960	PASS
N66	15	10	CP-QPSK	H	52@0	9.331	10.340	PASS
N66	15	10	CP-16QAM	H	52@0	9.351	10.400	PASS
N66	15	10	CP-64QAM	H	52@0	9.371	10.380	PASS
N66	15	10	CP-256QAM	H	52@0	9.391	10.400	PASS
N66	15	15	DFT-QPSK	L	75@0	13.487	14.640	PASS
N66	15	15	DFT-16QAM	L	75@0	13.546	14.610	PASS
N66	15	15	DFT-64QAM	L	75@0	13.516	14.730	PASS
N66	15	15	DFT-256QAM	L	75@0	13.487	14.670	PASS
N66	15	15	CP-QPSK	L	79@0	14.236	15.450	PASS
N66	15	15	CP-16QAM	L	79@0	14.176	15.330	PASS
N66	15	15	CP-64QAM	L	79@0	14.176	15.330	PASS
N66	15	15	CP-256QAM	L	79@0	14.206	15.390	PASS
N66	15	15	DFT-QPSK	M	75@0	13.427	14.640	PASS
N66	15	15	DFT-16QAM	M	75@0	13.457	14.640	PASS
N66	15	15	DFT-64QAM	M	75@0	13.427	14.700	PASS
N66	15	15	DFT-256QAM	M	75@0	13.487	14.700	PASS
N66	15	15	CP-QPSK	M	79@0	14.176	15.390	PASS
N66	15	15	CP-16QAM	M	79@0	14.116	15.270	PASS
N66	15	15	CP-64QAM	M	79@0	14.146	15.420	PASS
N66	15	15	CP-256QAM	M	79@0	14.176	15.360	PASS
N66	15	15	DFT-QPSK	H	75@0	13.457	14.790	PASS
N66	15	15	DFT-16QAM	H	75@0	13.487	14.640	PASS
N66	15	15	DFT-64QAM	H	75@0	13.427	14.550	PASS
N66	15	15	DFT-256QAM	H	75@0	13.487	14.640	PASS
N66	15	15	CP-QPSK	H	79@0	14.176	15.390	PASS
N66	15	15	CP-16QAM	H	79@0	14.176	15.330	PASS
N66	15	15	CP-64QAM	H	79@0	14.146	15.330	PASS
N66	15	15	CP-256QAM	H	79@0	14.206	15.360	PASS
N66	15	20	DFT-QPSK	L	100@0	18.022	19.440	PASS
N66	15	20	DFT-16QAM	L	100@0	18.142	19.400	PASS
N66	15	20	DFT-64QAM	L	100@0	18.022	19.560	PASS
N66	15	20	DFT-256QAM	L	100@0	18.062	19.520	PASS
N66	15	20	CP-QPSK	L	106@0	19.021	20.520	PASS
N66	15	20	CP-16QAM	L	106@0	19.181	20.680	PASS

N66	15	20	CP-64QAM	L	106@0	19.101	20.680	PASS
N66	15	20	CP-256QAM	L	106@0	19.061	20.640	PASS
N66	15	20	DFT-QPSK	M	100@0	17.982	19.440	PASS
N66	15	20	DFT-16QAM	M	100@0	18.062	19.400	PASS
N66	15	20	DFT-64QAM	M	100@0	17.982	19.520	PASS
N66	15	20	DFT-256QAM	M	100@0	17.982	19.480	PASS
N66	15	20	CP-QPSK	M	106@0	18.981	20.480	PASS
N66	15	20	CP-16QAM	M	106@0	19.101	20.600	PASS
N66	15	20	CP-64QAM	M	106@0	19.101	20.680	PASS
N66	15	20	CP-256QAM	M	106@0	19.021	20.520	PASS
N66	15	20	DFT-QPSK	H	100@0	17.942	19.480	PASS
N66	15	20	DFT-16QAM	H	100@0	18.062	19.360	PASS
N66	15	20	DFT-64QAM	H	100@0	17.982	19.440	PASS
N66	15	20	DFT-256QAM	H	100@0	17.982	19.360	PASS
N66	15	20	CP-QPSK	H	106@0	18.981	20.320	PASS
N66	15	20	CP-16QAM	H	106@0	19.141	20.560	PASS
N66	15	20	CP-64QAM	H	106@0	19.061	20.560	PASS
N66	15	20	CP-256QAM	H	106@0	19.021	20.520	PASS
N66	15	25	DFT-QPSK	L	128@0	23.077	24.450	PASS
N66	15	25	DFT-16QAM	L	128@0	22.927	24.450	PASS
N66	15	25	DFT-64QAM	L	128@0	22.927	24.550	PASS
N66	15	25	DFT-256QAM	L	128@0	22.927	24.450	PASS
N66	15	25	CP-QPSK	L	133@0	23.826	25.950	PASS
N66	15	25	CP-16QAM	L	133@0	23.926	26.100	PASS
N66	15	25	CP-64QAM	L	133@0	23.826	25.350	PASS
N66	15	25	CP-256QAM	L	133@0	23.926	25.350	PASS
N66	15	25	DFT-QPSK	M	128@0	23.027	24.500	PASS
N66	15	25	DFT-16QAM	M	128@0	22.877	24.450	PASS
N66	15	25	DFT-64QAM	M	128@0	22.927	24.500	PASS
N66	15	25	DFT-256QAM	M	128@0	22.877	24.550	PASS
N66	15	25	CP-QPSK	M	133@0	23.776	28.350	PASS
N66	15	25	CP-16QAM	M	133@0	23.876	26.800	PASS
N66	15	25	CP-64QAM	M	133@0	23.776	25.400	PASS
N66	15	25	CP-256QAM	M	133@0	23.876	25.450	PASS
N66	15	25	DFT-QPSK	H	128@0	22.977	24.550	PASS
N66	15	25	DFT-16QAM	H	128@0	22.877	24.500	PASS
N66	15	25	DFT-64QAM	H	128@0	22.927	24.500	PASS
N66	15	25	DFT-256QAM	H	128@0	22.877	24.400	PASS
N66	15	25	CP-QPSK	H	133@0	23.776	28.200	PASS
N66	15	25	CP-16QAM	H	133@0	23.876	26.500	PASS
N66	15	25	CP-64QAM	H	133@0	23.776	25.400	PASS
N66	15	25	CP-256QAM	H	133@0	23.876	27.650	PASS
N66	15	30	DFT-QPSK	L	160@0	28.651	30.300	PASS
N66	15	30	DFT-16QAM	L	160@0	28.651	30.300	PASS


N66	15	30	DFT-64QAM	L	160@0	28.591	30.360	PASS
N66	15	30	DFT-256QAM	L	160@0	28.651	30.180	PASS
N66	15	30	CP-QPSK	L	160@0	28.531	30.360	PASS
N66	15	30	CP-16QAM	L	160@0	28.591	30.300	PASS
N66	15	30	CP-64QAM	L	160@0	28.651	31.500	PASS
N66	15	30	CP-256QAM	L	160@0	28.591	33.000	PASS
N66	15	30	DFT-QPSK	M	160@0	28.711	30.240	PASS
N66	15	30	DFT-16QAM	M	160@0	28.591	30.300	PASS
N66	15	30	DFT-64QAM	M	160@0	28.591	30.420	PASS
N66	15	30	DFT-256QAM	M	160@0	28.591	30.240	PASS
N66	15	30	CP-QPSK	M	160@0	28.591	30.420	PASS
N66	15	30	CP-16QAM	M	160@0	28.591	30.360	PASS
N66	15	30	CP-64QAM	M	160@0	28.651	32.880	PASS
N66	15	30	CP-256QAM	M	160@0	28.591	32.880	PASS
N66	15	30	DFT-QPSK	H	160@0	28.651	30.300	PASS
N66	15	30	DFT-16QAM	H	160@0	28.531	30.240	PASS
N66	15	30	DFT-64QAM	H	160@0	28.591	30.360	PASS
N66	15	30	DFT-256QAM	H	160@0	28.591	30.240	PASS
N66	15	30	CP-QPSK	H	160@0	28.591	30.360	PASS
N66	15	30	CP-16QAM	H	160@0	28.531	30.720	PASS
N66	15	30	CP-64QAM	H	160@0	28.651	33.000	PASS
N66	15	30	CP-256QAM	H	160@0	28.591	33.000	PASS
N66	15	40	DFT-QPSK	L	216@0	39.001	41.360	PASS
N66	15	40	DFT-16QAM	L	216@0	38.681	41.360	PASS
N66	15	40	DFT-64QAM	L	216@0	38.841	41.440	PASS
N66	15	40	DFT-256QAM	L	216@0	38.761	41.360	PASS
N66	15	40	CP-QPSK	L	216@0	38.761	41.440	PASS
N66	15	40	CP-16QAM	L	216@0	38.841	41.360	PASS
N66	15	40	CP-64QAM	L	216@0	38.761	45.200	PASS
N66	15	40	CP-256QAM	L	216@0	38.841	41.520	PASS
N66	15	40	DFT-QPSK	M	216@0	38.921	41.360	PASS
N66	15	40	DFT-16QAM	M	216@0	38.681	41.280	PASS
N66	15	40	DFT-64QAM	M	216@0	38.761	41.440	PASS
N66	15	40	DFT-256QAM	M	216@0	38.761	41.280	PASS
N66	15	40	CP-QPSK	M	216@0	38.761	41.520	PASS
N66	15	40	CP-16QAM	M	216@0	38.841	41.760	PASS
N66	15	40	CP-64QAM	M	216@0	38.761	44.000	PASS
N66	15	40	CP-256QAM	M	216@0	38.681	41.440	PASS
N66	15	40	DFT-QPSK	H	216@0	38.841	41.360	PASS
N66	15	40	DFT-16QAM	H	216@0	38.601	41.200	PASS
N66	15	40	DFT-64QAM	H	216@0	38.761	41.360	PASS
N66	15	40	DFT-256QAM	H	216@0	38.761	41.200	PASS
N66	15	40	CP-QPSK	H	216@0	38.761	41.360	PASS
N66	15	40	CP-16QAM	H	216@0	38.761	41.920	PASS

N66	15	40	CP-64QAM	H	216@0	38.681	41.760	PASS
N66	15	40	CP-256QAM	H	216@0	38.681	43.360	PASS


Test Graphs




1-N66-PC3-15-5-L-1-DFT-QPSK-Outer_Full-25@0-Ant4-4.505-5.190-≤5-PASS




1-N66-PC3-15-5-L-3-DFT-16QAM-Outer_Full-25@0-Ant4-4.486-5.070-≤5-PASS




1-N66-PC3-15-5-L-4-DFT-64QAM-Outer_Full-25@0-Ant4-4.515-5.220-≤5-PASS




1-N66-PC3-15-5-L-5-DFT-256QAM-Outer_Full-25@0-Ant4-4.515-5.180-<5-PASS




1-N66-PC3-15-5-L-6-CP-QPSK-Outer_Full-25@0-Ant4-4.535-5.390-<5-PASS




1-N66-PC3-15-5-L-7-CP-16QAM-Outer_Full-25@0-Ant4-4.525-5.210-<5-PASS




1-N66-PC3-15-5-L-8-CP-64QAM-Outer_Full-25@0-Ant4-4.515-5.350-≤5-PASS




1-N66-PC3-15-5-L-9-CP-256QAM-Outer_Full-25@0-Ant4-4.515-5.350-≤5-PASS




1-N66-PC3-15-5-M-1-DFT-QPSK-Outer_Full-25@0-Ant4-4.496-5.170-≤5-PASS




1-N66-PC3-15-5-M-3-DFT-16QAM-Outer_Full-25@0-Ant4-4.486-5.060-≤5-PASS




1-N66-PC3-15-5-M-4-DFT-64QAM-Outer_Full-25@0-Ant4-4.505-5.200-≤5-PASS




1-N66-PC3-15-5-M-5-DFT-256QAM-Outer_Full-25@0-Ant4-4.505-5.180-≤5-PASS




1-N66-PC3-15-5-M-6-CP-QPSK-Outer_Full-25@0-Ant4-4.525-5.430-≤5-PASS




1-N66-PC3-15-5-M-7-CP-16QAM-Outer_Full-25@0-Ant4-4.525-5.200-≤5-PASS




1-N66-PC3-15-5-M-8-CP-64QAM-Outer_Full-25@0-Ant4-4.505-5.360-≤5-PASS




1-N66-PC3-15-5-M-9-CP-256QAM-Out_Full-25@0-Ant4-4.505-5.270-≤5-PASS




1-N66-PC3-15-5-H-1-DFT-QPSK-Out_Full-25@0-Ant4-4.496-5.160-≤5-PASS




1-N66-PC3-15-5-H-3-DFT-16QAM-Out_Full-25@0-Ant4-4.486-5.050-≤5-PASS




1-N66-PC3-15-5-H-4-DFT-64QAM-Outer_Full-25@0-Ant4-4.505-5.190-≤5-PASS




1-N66-PC3-15-5-H-5-DFT-256QAM-Outer_Full-25@0-Ant4-4.505-5.180-≤5-PASS




1-N66-PC3-15-5-H-6-CP-QPSK-Outer_Full-25@0-Ant4-4.525-5.420-≤5-PASS




1-N66-PC3-15-5-H-7-CP-16QAM-Outer_Full-25@0-Ant4-4.525-5.220-≤5-PASS




1-N66-PC3-15-5-H-8-CP-64QAM-Outer_Full-25@0-Ant4-4.505-5.350-≤5-PASS




1-N66-PC3-15-5-H-9-CP-256QAM-Outer_Full-25@0-Ant4-4.515-5.300-≤5-PASS




1-N66-PC3-15-10-L-1-DFT-QPSK-Outer_Full-50@0-Ant4-8.991-9.900-≤10-PASS




1-N66-PC3-15-10-L-3-DFT-16QAM-Outer_Full-50@0-Ant4-9.031-9.920-≤10-PASS




1-N66-PC3-15-10-L-4-DFT-64QAM-Outer_Full-50@0-Ant4-9.011-10.000-≤10-PASS




1-N66-PC3-15-10-L-5-DFT-256QAM-Outer_Full-50@0-Ant4-9.011-9.980-≤10-PASS




1-N66-PC3-15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant4-9.351-10.440-≤10-PASS




1-N66-PC3-15-10-L-7-CP-16QAM-Outer_Full-52@0-Ant4-9.371-10.380-≤10-PASS




1-N66-PC3-15-10-L-8-CP-64QAM-Outer_Full-52@0-Ant4-9.371-10.280-≤10-PASS




1-N66-PC3-15-10-L-9-CP-256QAM-Outer_Full-52@0-Ant4-9.351-10.360-≤10-PASS




1-N66-PC3-15-10-M-1-DFT-QPSK-Outer_Full-50@0-Ant4-8.991-9.940-≤10-PASS




1-N66-PC3-15-10-M-3-DFT-16QAM-Outer_Full-50@0-Ant4-9.011-9.880-≤10-PASS




1-N66-PC3-15-10-M-4-DFT-64QAM-Outer_Full-50@0-Ant4-8.971-9.940-≤10-PASS




1-N66-PC3-15-10-M-5-DFT-256QAM-Outer_Full-50@0-Ant4-8.991-9.820-≤10-PASS




1-N66-PC3-15-10-M-6-CP-QPSK-Outer_Full-52@0-Ant4-9.331-10.360-≤10-PASS




1-N66-PC3-15-10-M-7-CP-16QAM-Outer_Full-52@0-Ant4-9.331-10.320-≤10-PASS




1-N66-PC3-15-10-M-8-CP-64QAM-Outer_Full-52@0-Ant4-9.351-10.360-≤10-PASS




1-N66-PC3-15-10-M-9-CP-256QAM-Outer_Full-52@0-Ant4-9.351-10.360-≤10-PASS




1-N66-PC3-15-10-H-1-DFT-QPSK-Outer_Full-50@0-Ant4-8.991-9.940-≤10-PASS




1-N66-PC3-15-10-H-3-DFT-16QAM-Outer_Full-50@0-Ant4-9.031-10.000-≤10-PASS




1-N66-PC3-15-10-H-4-DFT-64QAM-Outer_Full-50@0-Ant4-8.971-9.780-≤10-PASS




1-N66-PC3-15-10-H-5-DFT-256QAM-Outer_Full-50@0-Ant4-8.991-9.960-≤10-PASS




1-N66-PC3-15-10-H-6-CP-QPSK-Outer_Full-52@0-Ant4-9.331-10.340-≤10-PASS




1-N66-PC3-15-10-H-7-CP-16QAM-Outer_Full-52@0-Ant4-9.351-10.400-≤10-PASS




1-N66-PC3-15-10-H-8-CP-64QAM-Outer_Full-52@0-Ant4-9.371-10.380-≤10-PASS




1-N66-PC3-15-10-H-9-CP-256QAM-Outer_Full-52@0-Ant4-9.391-10.400-≤10-PASS




1-N66-PC3-15-15-L-1-DFT-QPSK-Outer_Full-75@0-Ant4-13.487-14.640-≤15-PASS




1-N66-PC3-15-15-L-3-DFT-16QAM-Outer_Full-75@0-Ant4-13.546-14.610-≤15-PASS




1-N66-PC3-15-15-L-4-DFT-64QAM-Outer_Full-75@0-Ant4-13.516-14.730-≤15-PASS




1-N66-PC3-15-15-L-5-DFT-256QAM-Outer_Full-75@0-Ant4-13.487-14.670-≤15-PASS




1-N66-PC3-15-15-L-6-CP-QPSK-Outer_Full-79@0-Ant4-14.236-15.450-≤15-PASS




1-N66-PC3-15-15-L-7-CP-16QAM-Outer_Full-79@0-Ant4-14.176-15.330-≤15-PASS




1-N66-PC3-15-15-L-8-CP-64QAM-Outer_Full-79@0-Ant4-14.176-15.330-≤15-PASS




1-N66-PC3-15-15-L-9-CP-256QAM-Outer_Full-79@0-Ant4-14.206-15.390-≤15-PASS




1-N66-PC3-15-15-M-1-DFT-QPSK-Outer_Full-75@0-Ant4-13.427-14.640-≤15-PASS




1-N66-PC3-15-15-M-3-DFT-16QAM-Outer_Full-75@0-Ant4-13.457-14.640-≤15-PASS




1-N66-PC3-15-15-M-4-DFT-64QAM-Outer_Full-75@0-Ant4-13.427-14.700-≤15-PASS




1-N66-PC3-15-15-M-5-DFT-256QAM-Outer_Full-75@0-Ant4-13.487-14.700-≤15-PASS




1-N66-PC3-15-15-M-6-CP-QPSK-Outer_Full-79@0-Ant4-14.176-15.390-≤15-PASS




1-N66-PC3-15-15-M-7-CP-16QAM-Outer_Full-79@0-Ant4-14.116-15.270-≤15-PASS




1-N66-PC3-15-15-M-8-CP-64QAM-Outer_Full-79@0-Ant4-14.146-15.420-≤15-PASS




1-N66-PC3-15-15-M-9-CP-256QAM-Outer_Full-79@0-Ant4-14.176-15.360-≤15-PASS




1-N66-PC3-15-15-H-1-DFT-QPSK-Outer_Full-75@0-Ant4-13.457-14.790-≤15-PASS




1-N66-PC3-15-15-H-3-DFT-16QAM-Outer_Full-75@0-Ant4-13.487-14.640-≤15-PASS




1-N66-PC3-15-15-H-4-DFT-64QAM-Outer_Full-75@0-Ant4-13.427-14.550-≤15-PASS




1-N66-PC3-15-15-H-5-DFT-256QAM-Outer_Full-75@0-Ant4-13.487-14.640-≤15-PASS




1-N66-PC3-15-15-H-6-CP-QPSK-Outer_Full-79@0-Ant4-14.176-15.390-≤15-PASS




1-N66-PC3-15-15-H-7-CP-16QAM-Outer_Full-79@0-Ant4-14.176-15.330-≤15-PASS




1-N66-PC3-15-15-H-8-CP-64QAM-Outer_Full-79@0-Ant4-14.146-15.330-≤15-PASS




1-N66-PC3-15-15-H-9-CP-256QAM-Outer_Full-79@0-Ant4-14.206-15.360-≤15-PASS




1-N66-PC3-15-20-L-1-DFT-QPSK-Outer_Full-100@0-Ant4-18.022-19.440-≤20-PASS




1-N66-PC3-15-20-L-3-DFT-16QAM-Outer_Full-100@0-Ant4-18.142-19.400-≤20-PASS




1-N66-PC3-15-20-L-4-DFT-64QAM-Outer_Full-100@0-Ant4-18.022-19.560-≤20-PASS




1-N66-PC3-15-20-L-5-DFT-256QAM-Outer_Full-100@0-Ant4-18.062-19.520-≤20-PASS




1-N66-PC3-15-20-L-6-CP-QPSK-Outer_Full-106@0-Ant4-19.021-20.520-≤20-PASS




1-N66-PC3-15-20-L-7-CP-16QAM-Outer_Full-106@0-Ant4-19.181-20.680-≤20-PASS




1-N66-PC3-15-20-L-8-CP-64QAM-Outer_Full-106@0-Ant4-19.101-20.680-≤20-PASS




1-N66-PC3-15-20-L-9-CP-256QAM-Outer_Full-106@0-Ant4-19.061-20.640-≤20-PASS




1-N66-PC3-15-20-M-1-DFT-QPSK-Outer_Full-100@0-Ant4-17.982-19.440-≤20-PASS




1-N66-PC3-15-20-M-3-DFT-16QAM-Outer_Full-100@0-Ant4-18.062-19.400-≤20-PASS




1-N66-PC3-15-20-M-4-DFT-64QAM-Outer_Full-100@0-Ant4-17.982-19.520-≤20-PASS




1-N66-PC3-15-20-M-5-DFT-256QAM-Outer_Full-100@0-Ant4-17.982-19.480-≤20-PASS




1-N66-PC3-15-20-M-6-CP-QPSK-Outer_Full-106@0-Ant4-18.981-20.480-≤20-PASS




1-N66-PC3-15-20-M-7-CP-16QAM-Outer_Full-106@0-Ant4-19.101-20.600-≤20-PASS




1-N66-PC3-15-20-M-8-CP-64QAM-Outer_Full-106@0-Ant4-19.101-20.680-≤20-PASS




1-N66-PC3-15-20-M-9-CP-256QAM-Outer_Full-106@0-Ant4-19.021-20.520-≤20-PASS




1-N66-PC3-15-20-H-1-DFT-QPSK-Outer_Full-100@0-Ant4-17.942-19.480-≤20-PASS




1-N66-PC3-15-20-H-3-DFT-16QAM-Outer_Full-100@0-Ant4-18.062-19.360-≤20-PASS




1-N66-PC3-15-20-H-4-DFT-64QAM-Outer_Full-100@0-Ant4-17.982-19.440-≤20-PASS




1-N66-PC3-15-20-H-5-DFT-256QAM-Outer_Full-100@0-Ant4-17.982-19.360-≤20-PASS




1-N66-PC3-15-20-H-6-CP-QPSK-Outer_Full-106@0-Ant4-18.981-20.320-≤20-PASS




1-N66-PC3-15-20-H-7-CP-16QAM-Outer_Full-106@0-Ant4-19.141-20.560-≤20-PASS




1-N66-PC3-15-20-H-8-CP-64QAM-Outer_Full-106@0-Ant4-19.061-20.560-≤20-PASS




1-N66-PC3-15-20-H-9-CP-256QAM-Outer_Full-106@0-Ant4-19.021-20.520-≤20-PASS




1-N66-PC3-15-25-L-1-DFT-QPSK-Outer_Full-128@0-Ant4-23.077-24.450-≤25-PASS




1-N66-PC3-15-25-L-3-DFT-16QAM-Outer_Full-128@0-Ant4-22.927-24.450-≤25-PASS




1-N66-PC3-15-25-L-4-DFT-64QAM-Outer_Full-128@0-Ant4-22.927-24.550-≤25-PASS




1-N66-PC3-15-25-L-5-DFT-256QAM-Outer_Full-128@0-Ant4-22.927-24.450-≤25-PASS




1-N66-PC3-15-25-L-6-CP-QPSK-Outer_Full-133@0-Ant4-23.826-25.950-≤25-PASS




1-N66-PC3-15-25-L-7-CP-16QAM-Outer_Full-133@0-Ant4-23.926-26.100-≤25-PASS




1-N66-PC3-15-25-L-8-CP-64QAM-Outer_Full-133@0-Ant4-23.826-25.350-≤25-PASS




1-N66-PC3-15-25-L-9-CP-256QAM-Outer_Full-133@0-Ant4-23.926-25.350-≤25-PASS




1-N66-PC3-15-25-M-1-DFT-QPSK-Outer_Full-128@0-Ant4-23.027-24.500-≤25-PASS




1-N66-PC3-15-25-M-3-DFT-16QAM-Outer_Full-128@0-Ant4-22.877-24.450-≤25-PASS




1-N66-PC3-15-25-M-4-DFT-64QAM-Outer_Full-128@0-Ant4-22.927-24.500-≤25-PASS




1-N66-PC3-15-25-M-5-DFT-256QAM-Outer_Full-128@0-Ant4-22.877-24.550-≤25-PASS




1-N66-PC3-15-25-M-6-CP-QPSK-Outer_Full-133@0-Ant4-23.776-28.350-≤25-PASS




1-N66-PC3-15-25-M-7-CP-16QAM-Outer_Full-133@0-Ant4-23.876-26.800-≤25-PASS




1-N66-PC3-15-25-M-8-CP-64QAM-Outer_Full-133@0-Ant4-23.776-25.400-≤25-PASS




1-N66-PC3-15-25-M-9-CP-256QAM-Outer_Full-133@0-Ant4-23.876-25.450-≤25-PASS




1-N66-PC3-15-25-H-1-DFT-QPSK-Outer_Full-128@0-Ant4-22.977-24.550-≤25-PASS




1-N66-PC3-15-25-H-3-DFT-16QAM-Outer_Full-128@0-Ant4-22.877-24.500-≤25-PASS



1-N66-PC3-15-25-H-4-DFT-64QAM-Outer_Full-128@0-Ant4-22.927-24.500-≤25-PASS



1-N66-PC3-15-25-H-5-DFT-256QAM-Outer_Full-128@0-Ant4-22.877-24.400-≤25-PASS



1-N66-PC3-15-25-H-6-CP-QPSK-Outer_Full-133@0-Ant4-23.776-28.200-≤25-PASS