



TEST REPORT

No.25T04N000127-004-RF NR

for

Realme Chongqing Mobile Telecommunications Corp., Ltd.

Mobile Phone

Model Name: RMX5061

FCC ID: 2AUYFRMX5061

with

Hardware Version: 11

Software Version: realme UI 6.0

Issued Date: 2025-03-28

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel: +86(0)755-33322000, Fax: +86(0)755-33322001

Email: yewu@saict.ac.cn. www.saict.ac.cn

©Copyright. All rights reserved by SAICT.



No.25T04N000127-004-RF NR

REPORT HISTORY

Report Number	Revision	Description	Issue Date
25T04N000127-004-RF NR	Rev.0	1st edition	2025-03-28



CONTENTS

1. SUMMARY OF TEST REPORT	4
1.1. TEST ITEMS.....	4
1.2. TEST STANDARDS	4
1.3. TEST RESULT	4
1.4. TESTING LOCATION.....	4
1.5. PROJECT DATA	4
1.6. SIGNATURE	4
2. CLIENT INFORMATION	5
2.1. APPLICANT INFORMATION	5
2.2. MANUFACTURER INFORMATION	5
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	6
3.1. ABOUT EUT	6
3.2. INTERNAL IDENTIFICATION OF EUT	6
3.3. INTERNAL IDENTIFICATION OF AE.....	6
3.4. GENERAL DESCRIPTION	6
4. REFERENCE DOCUMENTS.....	7
5. LABORATORY ENVIRONMENT.....	8
6. SUMMARY OF TEST RESULTS	9
7. STATEMENT	11
8. TEST EQUIPMENTS UTILIZED.....	12
ANNEX A: MEASUREMENT RESULTS	13
A.1 OUTPUT POWER.....	13
A.2 FIELD STRENGTH OF SPURIOUS RADIATION	272
A.3 FREQUENCY STABILITY	304
A.4 OCCUPIED BANDWIDTH.....	308
A.5 EMISSION BANDWIDTH	855
A.6 BAND EDGE COMPLIANCE.....	1401
A.7 CONDUCTED SPURIOUS EMISSION	1414
A.8 PEAK-TO-AVERAGE POWER RATIO	1421
ANNEX B: ACCREDITATION CERTIFICATE	1615



1. SUMMARY OF TEST REPORT

1.1. Test Items

Description	Mobile Phone
Model Name	RMX5061
Brand Name	realme
Applicant's name	Realme Chongqing Mobile Telecommunications Corp., Ltd.
Manufacturer's Name	Realme Chongqing Mobile Telecommunications Corp., Ltd.

1.2. Test Standards

FCC Part 2/22/24/27	10-1-23 Edition
ANSI C63.26	2015
KDB971168 D01	v03r01

1.3. Test Result

All test items are pass. Please refer to "6 Summary of Test Results" for detail.

1.4. Testing Location

Address: Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000

1.5. Project Data

Testing Start Date: 2025-01-27

Testing End Date: 2025-03-27

1.6. Signature

Wang Ping
(Prepared this test report)

Huang Qiubin
(Reviewed this test report)

Zhang Hao
(Approved this test report)



2. CLIENT INFORMATION

2.1. Applicant Information

Company Name: Realme Chongqing Mobile Telecommunications Corp., Ltd.
Address /Post: No.178 Yulong Avenue,Yufengshan,Yubei District,Chongqing,China
Contact: HuangMinJiang
Email: mega@realme.com
Telephone: (86)18502096102
Fax: /

2.2. Manufacturer Information

Company Name: Realme Chongqing Mobile Telecommunications Corp., Ltd.
Address /Post: No.178 Yulong Avenue,Yufengshan,Yubei District,Chongqing,China
Contact: HuangMinJiang
Email: mega@realme.com
Telephone: (86)18502096102
Fax: /



3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT

(AE)

3.1. About EUT

Description	Mobile Phone
Model Name	RMX5061
FCC ID	2AUYFRMX5061
NR Bands	n2/n5/n7/n38/n41/n66/CA_n5A-n7A
EN-DC Bands	DC_4A-n5A/DC_7A-n5A/DC_66A-n5A/DC_2A-n7A/DC_4A-n7A/DC_5A-n7A/DC_12A-n7A/DC_13A-n7A/DC_66A-n7A/DC_4A-n38A/DC_5A-n38A/DC_12A-n38A/DC_66A-n38A/DC_4A-n41A/DC_12A-n41A/DC_26A-n41A/DC_66A-n41A/DC_2A-n66A/DC_5A-n66A/DC_7A-n66A/DC_12A-n66A/DC_13A-n66A
Antenna	PIFA
Extreme vol. Limits	6.70V to 9.04V (nominal: 7.66V)
Extreme temp. Tolerance	-30°C to +50°C
Condition of EUT as received	No abnormality in appearance

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of SAICT.

3.2. Internal Identification of EUT

EUT ID*	SN or IMEI	HW Version	SW Version	Date of receipt
UT16aa	866636070019975	11	realme UI 6.0	2025-01-27
UT07aa	866636070019751	11	realme UI 6.0	2025-01-27

*EUT ID: is used to identify the test sample in the lab internally.

UT16aa is used for conduction test, UT07aa is used for radiation test.

3.3. Internal Identification of AE

AE ID*	Description
AE1	Battery
AE2	Charger
AE3	USB Cable

*AE ID: is used to identify the test sample in the lab internally.

AE: ancillary equipment

3.4. General Description

The Equipment Under Test (EUT) is a model Mobile Phone with PIFA antenna. It consists of normal options: lithium battery, charger. Manual and specifications of the EUT were provided to fulfil the test. Samples undergoing test were selected by the Client.



4. REFERENCE DOCUMENTS

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-23 Edition
FCC Part 2	FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS	10-1-23 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-23 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-23 Edition
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB971168 D01	Power Meas License Digital Systems	v03r01



5. LABORATORY ENVIRONMENT

Shielded room did not exceed following limits along the RF testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz>60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	>2 M Ω
Ground system resistance	< 4 Ω

Fully-anechoic chamber did not exceed following limits along the EMC testing

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz> 60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	> 2M Ω
Ground system resistance	< 4 Ω
Voltage Standing Wave Ratio (VSWR)	$\leq$ 6 dB, from 1 to 18 GHz, 3 m distance
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

**6. SUMMARY OF TEST RESULTS**

Abbreviations used in this clause:		
Verdict Column	P	Pass
	F	Fail
	NA	Not applicable
	NM	Not measured

n2

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/24.232	A.1	P
2	Field Strength of Spurious Radiation	2.1053/24.238	A.2	P
3	Frequency Stability	2.1055/24.235	A.3	P
4	Occupied Bandwidth	2.1049/24.238	A.4	P
5	Emission Bandwidth	2.1049/24.238	A.5	P
6	Band Edge Compliance	2.1051/24.238	A.6	P
7	Conducted Spurious Emission	2.1051/24.238	A.7	P
8	Peak-to-Average Power Ratio	24.232/KDB971168 D01	A.8	P

n5

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/22.913	A.1	P
2	Field Strength of Spurious Radiation	2.1053/22.917	A.2	P
3	Frequency Stability	2.1055/22.355	A.3	P
4	Occupied Bandwidth	2.1049/22.917	A.4	P
5	Emission Bandwidth	2.1049/22.917	A.4	P
6	Band Edge Compliance	2.1051/22.917	A.5	P
7	Conducted Spurious Emission	2.1051/22.917	A.6	P
8	Peak-to-Average Power Ratio	KDB971168 D01	A.7	P

n7

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P



n38

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n41

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n66

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(d)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(h)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(h)	A.4	P
5	Emission Bandwidth	2.1049/27.53(h)	A.4	P
6	Band Edge Compliance	2.1051/27.53(h)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(h)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P



No.25T04N000127-004-RF NR

7. STATEMENT

Since the information of samples in this report is provided by the client, the laboratory is not responsible for the authenticity of sample information.

This report takes measured values as criterion of test conclusion. The test conclusion meets the limit requirements.

**8. TEST EQUIPMENTS UTILIZED**

No.	Description	Type	Manufacture	Series Number	Cal Due Date
1	Test Receiver	ESR7	R&S	101676	2025-11-21
2	Hybrid antenna	VULB 9163	Schwarzbeck	330	2027-04-21
3	Horn Antenna	3117	ETS-Lindgren	00066577	2025-04-17
4	Horn Antenna	QSH-SL-18-2 6-S-20	Q-par	17013	2026-02-01
5	Antenna	BBHA 9120D	Schwarzbeck	1593	2025-10-24
6	Antenna	QWH-SL-18-4 0-K-SG	Q-par	15979	2026-01-30
7	preamplifier	83017A	Agilent	MY39501110	/
8	Signal Generator	SMB100A	R&S	179725	2025-11-21
9	Fully Anechoic Chamber	FACT3-2.0	ETS-Lindgren	1285	2025-05-28
10	Spectrum Analyzer	FSV40	R&S	101192	2026-01-09
11	Universal Radio Communication Tester	CMU200	R&S	114545	2025-03-18
12	Universal Radio Communication Tester	CMW500	R&S	168719	2025-03-22
13	Power Supply	HMC8042	R&S	103284	2025-05-07
14	Universal Radio Communication Tester	CMW500	R&S	129146	2025-04-10
15	Spectrum Analyzer	FSW26	R&S	102197	2025-05-07
16	Temperature Chamber	SH-241	ESPEC	92007516	2025-05-07
17	Universal Radio Communication Tester	MT8821C	Anritsu	6272459665	2025/12/10
18	Universal Radio Communication Tester	MT8000A	Anritsu	6272478348	2025/12/10

Test software

Item	Name	Version
Radiated	EMC32	V10.50.40

ANNEX A: MEASUREMENT RESULTS

A.1 OUTPUT POWER

A.1.1 Summary

During the process of testing, the EUT was controlled via Universal Radio Communication Tester to ensure max power transmission and proper modulation.

This result contains peak output power and ERP/EIRP measurements for the EUT.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

A.1.2.2 Measurement result

SA

n2

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	23.08
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.78
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.85
n2	5	15	1852.5	DFT	QPSK	Inner_Full	23.06
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.27
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.25
n2	5	15	1852.5	DFT	QPSK	Outer_Full	22.20
n2	5	15	1852.5	DFT	16QAM	Inner_Full	22.30
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.31
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.32
n2	5	15	1852.5	DFT	16QAM	Outer_Full	21.27
n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.83
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.83
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.82
n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.78
n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.87
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	19.10
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	19.01
n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.73
n2	5	15	1852.5	CP	QPSK	Inner_Full	21.85
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.23



n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.27
n2	5	15	1852.5	CP	QPSK	Outer_Full	20.24
n2	5	15	1852.5	CP	16QAM	Inner_Full	21.35
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.92
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.76
n2	5	15	1852.5	CP	16QAM	Outer_Full	20.22
n2	5	15	1852.5	CP	64QAM	Inner_Full	19.85
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.82
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.85
n2	5	15	1852.5	CP	64QAM	Outer_Full	19.81
n2	5	15	1852.5	CP	256QAM	Inner_Full	16.84
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	17.21
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.93
n2	5	15	1852.5	CP	256QAM	Outer_Full	16.70
n2	5	15	1880	DFT	$\pi/2$ BPSK	Inner_Full	22.98
n2	5	15	1880	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.87
n2	5	15	1880	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.79
n2	5	15	1880	DFT	$\pi/2$ BPSK	Outer_Full	22.85
n2	5	15	1880	DFT	QPSK	Inner_Full	23.03
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	22.31
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	22.26
n2	5	15	1880	DFT	QPSK	Outer_Full	22.34
n2	5	15	1880	DFT	16QAM	Inner_Full	22.33
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.37
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	21.38
n2	5	15	1880	DFT	16QAM	Outer_Full	21.35
n2	5	15	1880	DFT	64QAM	Inner_Full	20.88
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.96
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.81
n2	5	15	1880	DFT	64QAM	Outer_Full	20.84
n2	5	15	1880	DFT	256QAM	Inner_Full	18.90
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	19.08
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	19.05
n2	5	15	1880	DFT	256QAM	Outer_Full	18.89
n2	5	15	1880	CP	QPSK	Inner_Full	21.81
n2	5	15	1880	CP	QPSK	Edge_1RB_Left	20.29
n2	5	15	1880	CP	QPSK	Edge_1RB_Right	20.24



n2	5	15	1880	CP	QPSK	Outer_Full	20.39
n2	5	15	1880	CP	16QAM	Inner_Full	21.26
n2	5	15	1880	CP	16QAM	Edge_1RB_Left	20.59
n2	5	15	1880	CP	16QAM	Edge_1RB_Right	20.62
n2	5	15	1880	CP	16QAM	Outer_Full	20.36
n2	5	15	1880	CP	64QAM	Inner_Full	19.90
n2	5	15	1880	CP	64QAM	Edge_1RB_Left	19.97
n2	5	15	1880	CP	64QAM	Edge_1RB_Right	19.94
n2	5	15	1880	CP	64QAM	Outer_Full	19.93
n2	5	15	1880	CP	256QAM	Inner_Full	16.83
n2	5	15	1880	CP	256QAM	Edge_1RB_Left	17.26
n2	5	15	1880	CP	256QAM	Edge_1RB_Right	17.02
n2	5	15	1880	CP	256QAM	Outer_Full	16.74
n2	5	15	1907.5	DFT	$\pi/2$ BPSK	Inner_Full	22.92
n2	5	15	1907.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.72
n2	5	15	1907.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.68
n2	5	15	1907.5	DFT	$\pi/2$ BPSK	Outer_Full	22.67
n2	5	15	1907.5	DFT	QPSK	Inner_Full	22.88
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.13
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.19
n2	5	15	1907.5	DFT	QPSK	Outer_Full	22.18
n2	5	15	1907.5	DFT	16QAM	Inner_Full	22.14
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.16
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.24
n2	5	15	1907.5	DFT	16QAM	Outer_Full	21.24
n2	5	15	1907.5	DFT	64QAM	Inner_Full	20.74
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.70
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.73
n2	5	15	1907.5	DFT	64QAM	Outer_Full	20.69
n2	5	15	1907.5	DFT	256QAM	Inner_Full	18.80
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.92
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	19.00
n2	5	15	1907.5	DFT	256QAM	Outer_Full	18.66
n2	5	15	1907.5	CP	QPSK	Inner_Full	21.81
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	20.06
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	20.11
n2	5	15	1907.5	CP	QPSK	Outer_Full	20.13



n2	5	15	1907.5	CP	16QAM	Inner_Full	21.18
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	20.73
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	20.44
n2	5	15	1907.5	CP	16QAM	Outer_Full	20.13
n2	5	15	1907.5	CP	64QAM	Inner_Full	19.81
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	19.69
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	19.79
n2	5	15	1907.5	CP	64QAM	Outer_Full	19.67
n2	5	15	1907.5	CP	256QAM	Inner_Full	16.74
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	16.98
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	17.10
n2	5	15	1907.5	CP	256QAM	Outer_Full	16.66
n2	10	15	1855	DFT	$\pi/2$ BPSK	Inner_Full	23.05
n2	10	15	1855	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.83
n2	10	15	1855	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.82
n2	10	15	1855	DFT	$\pi/2$ BPSK	Outer_Full	22.76
n2	10	15	1855	DFT	QPSK	Inner_Full	23.11
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	22.28
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.32
n2	10	15	1855	DFT	QPSK	Outer_Full	22.20
n2	10	15	1855	DFT	16QAM	Inner_Full	22.28
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.30
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.34
n2	10	15	1855	DFT	16QAM	Outer_Full	21.31
n2	10	15	1855	DFT	64QAM	Inner_Full	20.86
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.90
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.90
n2	10	15	1855	DFT	64QAM	Outer_Full	20.85
n2	10	15	1855	DFT	256QAM	Inner_Full	18.77
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	19.01
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	19.14
n2	10	15	1855	DFT	256QAM	Outer_Full	18.75
n2	10	15	1855	CP	QPSK	Inner_Full	21.76
n2	10	15	1855	CP	QPSK	Edge_1RB_Left	20.14
n2	10	15	1855	CP	QPSK	Edge_1RB_Right	20.24
n2	10	15	1855	CP	QPSK	Outer_Full	20.26
n2	10	15	1855	CP	16QAM	Inner_Full	21.41



n2	10	15	1855	CP	16QAM	Edge_1RB_Left	20.79
n2	10	15	1855	CP	16QAM	Edge_1RB_Right	20.72
n2	10	15	1855	CP	16QAM	Outer_Full	20.30
n2	10	15	1855	CP	64QAM	Inner_Full	19.83
n2	10	15	1855	CP	64QAM	Edge_1RB_Left	19.89
n2	10	15	1855	CP	64QAM	Edge_1RB_Right	19.92
n2	10	15	1855	CP	64QAM	Outer_Full	19.77
n2	10	15	1855	CP	256QAM	Inner_Full	16.83
n2	10	15	1855	CP	256QAM	Edge_1RB_Left	16.95
n2	10	15	1855	CP	256QAM	Edge_1RB_Right	17.27
n2	10	15	1855	CP	256QAM	Outer_Full	16.75
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	23.03
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.77
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.76
n2	10	15	1880	DFT	QPSK	Inner_Full	23.01
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.36
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.27
n2	10	15	1880	DFT	QPSK	Outer_Full	22.25
n2	10	15	1880	DFT	16QAM	Inner_Full	22.33
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.43
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.28
n2	10	15	1880	DFT	16QAM	Outer_Full	21.25
n2	10	15	1880	DFT	64QAM	Inner_Full	20.77
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	20.76
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	20.72
n2	10	15	1880	DFT	64QAM	Outer_Full	20.74
n2	10	15	1880	DFT	256QAM	Inner_Full	18.83
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	18.97
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	19.10
n2	10	15	1880	DFT	256QAM	Outer_Full	18.80
n2	10	15	1880	CP	QPSK	Inner_Full	21.86
n2	10	15	1880	CP	QPSK	Edge_1RB_Left	20.30
n2	10	15	1880	CP	QPSK	Edge_1RB_Right	20.30
n2	10	15	1880	CP	QPSK	Outer_Full	20.31
n2	10	15	1880	CP	16QAM	Inner_Full	21.43
n2	10	15	1880	CP	16QAM	Edge_1RB_Left	20.71



n2	10	15	1880	CP	16QAM	Edge_1RB_Right	20.62
n2	10	15	1880	CP	16QAM	Outer_Full	20.26
n2	10	15	1880	CP	64QAM	Inner_Full	19.83
n2	10	15	1880	CP	64QAM	Edge_1RB_Left	20.00
n2	10	15	1880	CP	64QAM	Edge_1RB_Right	19.95
n2	10	15	1880	CP	64QAM	Outer_Full	19.79
n2	10	15	1880	CP	256QAM	Inner_Full	16.78
n2	10	15	1880	CP	256QAM	Edge_1RB_Left	17.15
n2	10	15	1880	CP	256QAM	Edge_1RB_Right	17.02
n2	10	15	1880	CP	256QAM	Outer_Full	16.84
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	22.86
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.62
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	22.63
n2	10	15	1905	DFT	QPSK	Inner_Full	22.91
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.15
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.16
n2	10	15	1905	DFT	QPSK	Outer_Full	22.14
n2	10	15	1905	DFT	16QAM	Inner_Full	22.18
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.18
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.23
n2	10	15	1905	DFT	16QAM	Outer_Full	21.17
n2	10	15	1905	DFT	64QAM	Inner_Full	20.63
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.67
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.68
n2	10	15	1905	DFT	64QAM	Outer_Full	20.64
n2	10	15	1905	DFT	256QAM	Inner_Full	18.66
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	18.91
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	19.03
n2	10	15	1905	DFT	256QAM	Outer_Full	18.69
n2	10	15	1905	CP	QPSK	Inner_Full	21.68
n2	10	15	1905	CP	QPSK	Edge_1RB_Left	20.07
n2	10	15	1905	CP	QPSK	Edge_1RB_Right	20.12
n2	10	15	1905	CP	QPSK	Outer_Full	20.17
n2	10	15	1905	CP	16QAM	Inner_Full	21.20
n2	10	15	1905	CP	16QAM	Edge_1RB_Left	20.62
n2	10	15	1905	CP	16QAM	Edge_1RB_Right	20.42



n2	10	15	1905	CP	16QAM	Outer_Full	20.23
n2	10	15	1905	CP	64QAM	Inner_Full	19.64
n2	10	15	1905	CP	64QAM	Edge_1RB_Left	19.77
n2	10	15	1905	CP	64QAM	Edge_1RB_Right	19.87
n2	10	15	1905	CP	64QAM	Outer_Full	19.60
n2	10	15	1905	CP	256QAM	Inner_Full	16.64
n2	10	15	1905	CP	256QAM	Edge_1RB_Left	17.08
n2	10	15	1905	CP	256QAM	Edge_1RB_Right	16.87
n2	10	15	1905	CP	256QAM	Outer_Full	16.68
n2	15	15	1857.5	DFT	$\pi/2$ BPSK	Inner_Full	23.11
n2	15	15	1857.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.81
n2	15	15	1857.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.95
n2	15	15	1857.5	DFT	$\pi/2$ BPSK	Outer_Full	22.74
n2	15	15	1857.5	DFT	QPSK	Inner_Full	23.13
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.34
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.44
n2	15	15	1857.5	DFT	QPSK	Outer_Full	22.27
n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.39
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.31
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.51
n2	15	15	1857.5	DFT	16QAM	Outer_Full	21.30
n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.90
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.87
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.96
n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.76
n2	15	15	1857.5	DFT	256QAM	Inner_Full	18.91
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	19.08
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	19.19
n2	15	15	1857.5	DFT	256QAM	Outer_Full	18.82
n2	15	15	1857.5	CP	QPSK	Inner_Full	21.82
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.31
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.37
n2	15	15	1857.5	CP	QPSK	Outer_Full	20.39
n2	15	15	1857.5	CP	16QAM	Inner_Full	21.36
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.82
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.61
n2	15	15	1857.5	CP	16QAM	Outer_Full	20.32



n2	15	15	1857.5	CP	64QAM	Inner_Full	19.87
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.91
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.04
n2	15	15	1857.5	CP	64QAM	Outer_Full	19.85
n2	15	15	1857.5	CP	256QAM	Inner_Full	16.83
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	17.14
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	17.23
n2	15	15	1857.5	CP	256QAM	Outer_Full	16.77
n2	15	15	1880	DFT	$\pi/2$ BPSK	Inner_Full	23.04
n2	15	15	1880	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.95
n2	15	15	1880	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.82
n2	15	15	1880	DFT	$\pi/2$ BPSK	Outer_Full	22.76
n2	15	15	1880	DFT	QPSK	Inner_Full	23.03
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.37
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.33
n2	15	15	1880	DFT	QPSK	Outer_Full	22.27
n2	15	15	1880	DFT	16QAM	Inner_Full	22.28
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.37
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.29
n2	15	15	1880	DFT	16QAM	Outer_Full	21.28
n2	15	15	1880	DFT	64QAM	Inner_Full	20.87
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.92
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.88
n2	15	15	1880	DFT	64QAM	Outer_Full	20.81
n2	15	15	1880	DFT	256QAM	Inner_Full	18.75
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	19.12
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	19.04
n2	15	15	1880	DFT	256QAM	Outer_Full	18.80
n2	15	15	1880	CP	QPSK	Inner_Full	21.77
n2	15	15	1880	CP	QPSK	Edge_1RB_Left	20.29
n2	15	15	1880	CP	QPSK	Edge_1RB_Right	20.27
n2	15	15	1880	CP	QPSK	Outer_Full	20.27
n2	15	15	1880	CP	16QAM	Inner_Full	21.29
n2	15	15	1880	CP	16QAM	Edge_1RB_Left	20.63
n2	15	15	1880	CP	16QAM	Edge_1RB_Right	20.50
n2	15	15	1880	CP	16QAM	Outer_Full	20.41
n2	15	15	1880	CP	64QAM	Inner_Full	19.81



n2	15	15	1880	CP	64QAM	Edge_1RB_Left	19.91
n2	15	15	1880	CP	64QAM	Edge_1RB_Right	19.98
n2	15	15	1880	CP	64QAM	Outer_Full	19.75
n2	15	15	1880	CP	256QAM	Inner_Full	16.77
n2	15	15	1880	CP	256QAM	Edge_1RB_Left	17.16
n2	15	15	1880	CP	256QAM	Edge_1RB_Right	17.04
n2	15	15	1880	CP	256QAM	Outer_Full	16.73
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	22.95
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.72
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	22.65
n2	15	15	1902.5	DFT	QPSK	Inner_Full	22.99
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.20
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.15
n2	15	15	1902.5	DFT	QPSK	Outer_Full	22.09
n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.30
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.25
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.36
n2	15	15	1902.5	DFT	16QAM	Outer_Full	21.15
n2	15	15	1902.5	DFT	64QAM	Inner_Full	20.70
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	20.84
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.83
n2	15	15	1902.5	DFT	64QAM	Outer_Full	20.75
n2	15	15	1902.5	DFT	256QAM	Inner_Full	18.72
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	19.00
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	18.96
n2	15	15	1902.5	DFT	256QAM	Outer_Full	18.66
n2	15	15	1902.5	CP	QPSK	Inner_Full	21.70
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	20.09
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	20.17
n2	15	15	1902.5	CP	QPSK	Outer_Full	20.20
n2	15	15	1902.5	CP	16QAM	Inner_Full	21.19
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	20.44
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	20.41
n2	15	15	1902.5	CP	16QAM	Outer_Full	20.23
n2	15	15	1902.5	CP	64QAM	Inner_Full	19.73
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	19.87



n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	19.87
n2	15	15	1902.5	CP	64QAM	Outer_Full	19.63
n2	15	15	1902.5	CP	256QAM	Inner_Full	16.75
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	16.90
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	16.88
n2	15	15	1902.5	CP	256QAM	Outer_Full	16.64
n2	20	15	1860	DFT	$\pi/2$ BPSK	Inner_Full	23.04
n2	20	15	1860	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.84
n2	20	15	1860	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.91
n2	20	15	1860	DFT	$\pi/2$ BPSK	Outer_Full	22.91
n2	20	15	1860	DFT	QPSK	Inner_Full	23.04
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.34
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.34
n2	20	15	1860	DFT	QPSK	Outer_Full	22.33
n2	20	15	1860	DFT	16QAM	Inner_Full	22.33
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.45
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.52
n2	20	15	1860	DFT	16QAM	Outer_Full	21.40
n2	20	15	1860	DFT	64QAM	Inner_Full	20.85
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.91
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	21.00
n2	20	15	1860	DFT	64QAM	Outer_Full	20.82
n2	20	15	1860	DFT	256QAM	Inner_Full	18.83
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	19.13
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.16
n2	20	15	1860	DFT	256QAM	Outer_Full	18.88
n2	20	15	1860	CP	QPSK	Inner_Full	21.84
n2	20	15	1860	CP	QPSK	Edge_1RB_Left	20.30
n2	20	15	1860	CP	QPSK	Edge_1RB_Right	20.33
n2	20	15	1860	CP	QPSK	Outer_Full	20.38
n2	20	15	1860	CP	16QAM	Inner_Full	21.34
n2	20	15	1860	CP	16QAM	Edge_1RB_Left	20.89
n2	20	15	1860	CP	16QAM	Edge_1RB_Right	20.67
n2	20	15	1860	CP	16QAM	Outer_Full	20.33
n2	20	15	1860	CP	64QAM	Inner_Full	19.87
n2	20	15	1860	CP	64QAM	Edge_1RB_Left	19.95
n2	20	15	1860	CP	64QAM	Edge_1RB_Right	20.02



n2	20	15	1860	CP	64QAM	Outer_Full	19.84
n2	20	15	1860	CP	256QAM	Inner_Full	16.85
n2	20	15	1860	CP	256QAM	Edge_1RB_Left	17.16
n2	20	15	1860	CP	256QAM	Edge_1RB_Right	17.27
n2	20	15	1860	CP	256QAM	Outer_Full	16.78
n2	20	15	1880	DFT	$\pi/2$ BPSK	Inner_Full	23.04
n2	20	15	1880	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.92
n2	20	15	1880	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.79
n2	20	15	1880	DFT	$\pi/2$ BPSK	Outer_Full	22.81
n2	20	15	1880	DFT	QPSK	Inner_Full	23.09
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.41
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.27
n2	20	15	1880	DFT	QPSK	Outer_Full	22.34
n2	20	15	1880	DFT	16QAM	Inner_Full	22.34
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.41
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.28
n2	20	15	1880	DFT	16QAM	Outer_Full	21.31
n2	20	15	1880	DFT	64QAM	Inner_Full	20.89
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	20.91
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	20.79
n2	20	15	1880	DFT	64QAM	Outer_Full	20.79
n2	20	15	1880	DFT	256QAM	Inner_Full	18.84
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	19.15
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	19.07
n2	20	15	1880	DFT	256QAM	Outer_Full	18.80
n2	20	15	1880	CP	QPSK	Inner_Full	21.86
n2	20	15	1880	CP	QPSK	Edge_1RB_Left	20.25
n2	20	15	1880	CP	QPSK	Edge_1RB_Right	20.17
n2	20	15	1880	CP	QPSK	Outer_Full	20.23
n2	20	15	1880	CP	16QAM	Inner_Full	21.30
n2	20	15	1880	CP	16QAM	Edge_1RB_Left	20.68
n2	20	15	1880	CP	16QAM	Edge_1RB_Right	20.51
n2	20	15	1880	CP	16QAM	Outer_Full	20.25
n2	20	15	1880	CP	64QAM	Inner_Full	19.93
n2	20	15	1880	CP	64QAM	Edge_1RB_Left	20.03
n2	20	15	1880	CP	64QAM	Edge_1RB_Right	20.00
n2	20	15	1880	CP	64QAM	Outer_Full	19.82



n2	20	15	1880	CP	256QAM	Inner_Full	16.81
n2	20	15	1880	CP	256QAM	Edge_1RB_Left	17.27
n2	20	15	1880	CP	256QAM	Edge_1RB_Right	17.11
n2	20	15	1880	CP	256QAM	Outer_Full	16.80
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	22.94
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	22.67
n2	20	15	1900	DFT	QPSK	Inner_Full	22.94
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.30
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.21
n2	20	15	1900	DFT	QPSK	Outer_Full	22.22
n2	20	15	1900	DFT	16QAM	Inner_Full	22.21
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.32
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.31
n2	20	15	1900	DFT	16QAM	Outer_Full	21.29
n2	20	15	1900	DFT	64QAM	Inner_Full	20.68
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.82
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.84
n2	20	15	1900	DFT	64QAM	Outer_Full	20.69
n2	20	15	1900	DFT	256QAM	Inner_Full	18.66
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	18.94
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	19.00
n2	20	15	1900	DFT	256QAM	Outer_Full	18.76
n2	20	15	1900	CP	QPSK	Inner_Full	21.71
n2	20	15	1900	CP	QPSK	Edge_1RB_Left	20.28
n2	20	15	1900	CP	QPSK	Edge_1RB_Right	20.14
n2	20	15	1900	CP	QPSK	Outer_Full	20.17
n2	20	15	1900	CP	16QAM	Inner_Full	21.27
n2	20	15	1900	CP	16QAM	Edge_1RB_Left	20.49
n2	20	15	1900	CP	16QAM	Edge_1RB_Right	20.53
n2	20	15	1900	CP	16QAM	Outer_Full	20.22
n2	20	15	1900	CP	64QAM	Inner_Full	19.79
n2	20	15	1900	CP	64QAM	Edge_1RB_Left	19.85
n2	20	15	1900	CP	64QAM	Edge_1RB_Right	19.89
n2	20	15	1900	CP	64QAM	Outer_Full	19.65
n2	20	15	1900	CP	256QAM	Inner_Full	16.73



No.25T04N000127-004-RF NR

n2	20	15	1900	CP	256QAM	Edge_1RB_Left	17.01
n2	20	15	1900	CP	256QAM	Edge_1RB_Right	17.12
n2	20	15	1900	CP	256QAM	Outer_Full	16.66



n5

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.22
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.62
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.69
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.62
n5	5	15	826.5	DFT	QPSK	Inner_Full	24.13
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.15
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.16
n5	5	15	826.5	DFT	QPSK	Outer_Full	23.12
n5	5	15	826.5	DFT	16QAM	Inner_Full	23.14
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.14
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.13
n5	5	15	826.5	DFT	16QAM	Outer_Full	22.17
n5	5	15	826.5	DFT	64QAM	Inner_Full	21.65
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.68
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.65
n5	5	15	826.5	DFT	64QAM	Outer_Full	21.70
n5	5	15	826.5	DFT	256QAM	Inner_Full	19.75
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.87
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.83
n5	5	15	826.5	DFT	256QAM	Outer_Full	19.65
n5	5	15	826.5	CP	QPSK	Inner_Full	22.66
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	21.07
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	21.18
n5	5	15	826.5	CP	QPSK	Outer_Full	19.60
n5	5	15	826.5	CP	16QAM	Inner_Full	22.14
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.66
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.48
n5	5	15	826.5	CP	16QAM	Outer_Full	19.61
n5	5	15	826.5	CP	64QAM	Inner_Full	20.79
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.51
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.60
n5	5	15	826.5	CP	64QAM	Outer_Full	19.11
n5	5	15	826.5	CP	256QAM	Inner_Full	17.56
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	17.88
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	17.98
n5	5	15	826.5	CP	256QAM	Outer_Full	17.58
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.23
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.80
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.77



n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.69
n5	5	15	836.5	DFT	QPSK	Inner_Full	24.26
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.13
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.26
n5	5	15	836.5	DFT	QPSK	Outer_Full	23.18
n5	5	15	836.5	DFT	16QAM	Inner_Full	23.25
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.20
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.15
n5	5	15	836.5	DFT	16QAM	Outer_Full	22.21
n5	5	15	836.5	DFT	64QAM	Inner_Full	21.80
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.78
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.82
n5	5	15	836.5	DFT	64QAM	Outer_Full	21.60
n5	5	15	836.5	DFT	256QAM	Inner_Full	19.80
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.90
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.83
n5	5	15	836.5	DFT	256QAM	Outer_Full	19.62
n5	5	15	836.5	CP	QPSK	Inner_Full	22.72
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.22
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	21.18
n5	5	15	836.5	CP	QPSK	Outer_Full	19.56
n5	5	15	836.5	CP	16QAM	Inner_Full	22.24
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.45
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.52
n5	5	15	836.5	CP	16QAM	Outer_Full	19.61
n5	5	15	836.5	CP	64QAM	Inner_Full	20.78
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.63
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.62
n5	5	15	836.5	CP	64QAM	Outer_Full	19.18
n5	5	15	836.5	CP	256QAM	Inner_Full	17.69
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	18.00
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.89
n5	5	15	836.5	CP	256QAM	Outer_Full	17.60
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	24.38
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.77
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.87
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.78
n5	5	15	846.5	DFT	QPSK	Inner_Full	24.38
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.33
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.37
n5	5	15	846.5	DFT	QPSK	Outer_Full	23.31
n5	5	15	846.5	DFT	16QAM	Inner_Full	23.42



n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.27
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.44
n5	5	15	846.5	DFT	16QAM	Outer_Full	22.42
n5	5	15	846.5	DFT	64QAM	Inner_Full	21.86
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.94
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.98
n5	5	15	846.5	DFT	64QAM	Outer_Full	21.88
n5	5	15	846.5	DFT	256QAM	Inner_Full	19.95
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	20.02
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	19.99
n5	5	15	846.5	DFT	256QAM	Outer_Full	19.84
n5	5	15	846.5	CP	QPSK	Inner_Full	22.89
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	21.30
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	21.39
n5	5	15	846.5	CP	QPSK	Outer_Full	19.73
n5	5	15	846.5	CP	16QAM	Inner_Full	22.42
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.65
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.83
n5	5	15	846.5	CP	16QAM	Outer_Full	19.82
n5	5	15	846.5	CP	64QAM	Inner_Full	20.98
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.72
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.87
n5	5	15	846.5	CP	64QAM	Outer_Full	19.23
n5	5	15	846.5	CP	256QAM	Inner_Full	17.84
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	17.92
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	17.93
n5	5	15	846.5	CP	256QAM	Outer_Full	17.77
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	24.20
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.62
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	23.64
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	23.67
n5	10	15	829	DFT	QPSK	Inner_Full	24.15
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	23.10
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	23.16
n5	10	15	829	DFT	QPSK	Outer_Full	23.18
n5	10	15	829	DFT	16QAM	Inner_Full	23.18
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	22.09
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	22.07
n5	10	15	829	DFT	16QAM	Outer_Full	22.17
n5	10	15	829	DFT	64QAM	Inner_Full	21.67
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	21.68
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	21.69



n5	10	15	829	DFT	64QAM	Outer_Full	21.77
n5	10	15	829	DFT	256QAM	Inner_Full	19.63
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	19.85
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	19.89
n5	10	15	829	DFT	256QAM	Outer_Full	19.68
n5	10	15	829	CP	QPSK	Inner_Full	22.65
n5	10	15	829	CP	QPSK	Edge_1RB_Left	21.07
n5	10	15	829	CP	QPSK	Edge_1RB_Right	21.12
n5	10	15	829	CP	QPSK	Outer_Full	19.63
n5	10	15	829	CP	16QAM	Inner_Full	22.12
n5	10	15	829	CP	16QAM	Edge_1RB_Left	21.64
n5	10	15	829	CP	16QAM	Edge_1RB_Right	21.40
n5	10	15	829	CP	16QAM	Outer_Full	19.65
n5	10	15	829	CP	64QAM	Inner_Full	20.71
n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.54
n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.60
n5	10	15	829	CP	64QAM	Outer_Full	19.12
n5	10	15	829	CP	256QAM	Inner_Full	17.57
n5	10	15	829	CP	256QAM	Edge_1RB_Left	17.93
n5	10	15	829	CP	256QAM	Edge_1RB_Right	17.74
n5	10	15	829	CP	256QAM	Outer_Full	17.67
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.24
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.56
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.78
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.64
n5	10	15	836.5	DFT	QPSK	Inner_Full	24.26
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.16
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.30
n5	10	15	836.5	DFT	QPSK	Outer_Full	23.10
n5	10	15	836.5	DFT	16QAM	Inner_Full	23.27
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.14
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.29
n5	10	15	836.5	DFT	16QAM	Outer_Full	22.17
n5	10	15	836.5	DFT	64QAM	Inner_Full	21.70
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.67
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.83
n5	10	15	836.5	DFT	64QAM	Outer_Full	21.62
n5	10	15	836.5	DFT	256QAM	Inner_Full	19.71
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.87
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	20.02
n5	10	15	836.5	DFT	256QAM	Outer_Full	19.58
n5	10	15	836.5	CP	QPSK	Inner_Full	22.64



n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	21.09
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	21.33
n5	10	15	836.5	CP	QPSK	Outer_Full	19.55
n5	10	15	836.5	CP	16QAM	Inner_Full	22.19
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.35
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	21.59
n5	10	15	836.5	CP	16QAM	Outer_Full	19.59
n5	10	15	836.5	CP	64QAM	Inner_Full	20.69
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.56
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.81
n5	10	15	836.5	CP	64QAM	Outer_Full	19.04
n5	10	15	836.5	CP	256QAM	Inner_Full	17.65
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	17.92
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	17.92
n5	10	15	836.5	CP	256QAM	Outer_Full	17.58
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	24.39
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.68
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.92
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.89
n5	10	15	844	DFT	QPSK	Inner_Full	24.33
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	23.19
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	23.37
n5	10	15	844	DFT	QPSK	Outer_Full	23.36
n5	10	15	844	DFT	16QAM	Inner_Full	23.42
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	22.18
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	22.49
n5	10	15	844	DFT	16QAM	Outer_Full	22.35
n5	10	15	844	DFT	64QAM	Inner_Full	21.90
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	21.76
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	22.03
n5	10	15	844	DFT	64QAM	Outer_Full	21.86
n5	10	15	844	DFT	256QAM	Inner_Full	19.81
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	19.92
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	20.16
n5	10	15	844	DFT	256QAM	Outer_Full	19.86
n5	10	15	844	CP	QPSK	Inner_Full	22.78
n5	10	15	844	CP	QPSK	Edge_1RB_Left	21.23
n5	10	15	844	CP	QPSK	Edge_1RB_Right	21.39
n5	10	15	844	CP	QPSK	Outer_Full	19.83
n5	10	15	844	CP	16QAM	Inner_Full	22.40
n5	10	15	844	CP	16QAM	Edge_1RB_Left	21.46
n5	10	15	844	CP	16QAM	Edge_1RB_Right	21.82



n5	10	15	844	CP	16QAM	Outer_Full	19.82
n5	10	15	844	CP	64QAM	Inner_Full	20.86
n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.71
n5	10	15	844	CP	64QAM	Edge_1RB_Right	20.91
n5	10	15	844	CP	64QAM	Outer_Full	19.32
n5	10	15	844	CP	256QAM	Inner_Full	17.82
n5	10	15	844	CP	256QAM	Edge_1RB_Left	17.83
n5	10	15	844	CP	256QAM	Edge_1RB_Right	18.13
n5	10	15	844	CP	256QAM	Outer_Full	17.79
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.12
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.64
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.71
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.75
n5	15	15	831.5	DFT	QPSK	Inner_Full	24.15
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.14
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.17
n5	15	15	831.5	DFT	QPSK	Outer_Full	23.19
n5	15	15	831.5	DFT	16QAM	Inner_Full	23.23
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.18
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.16
n5	15	15	831.5	DFT	16QAM	Outer_Full	22.20
n5	15	15	831.5	DFT	64QAM	Inner_Full	21.66
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.69
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.76
n5	15	15	831.5	DFT	64QAM	Outer_Full	21.68
n5	15	15	831.5	DFT	256QAM	Inner_Full	19.62
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.82
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.88
n5	15	15	831.5	DFT	256QAM	Outer_Full	19.71
n5	15	15	831.5	CP	QPSK	Inner_Full	22.73
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	21.11
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	21.18
n5	15	15	831.5	CP	QPSK	Outer_Full	19.69
n5	15	15	831.5	CP	16QAM	Inner_Full	22.12
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.56
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.53
n5	15	15	831.5	CP	16QAM	Outer_Full	19.67
n5	15	15	831.5	CP	64QAM	Inner_Full	20.68
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.59
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.71
n5	15	15	831.5	CP	64QAM	Outer_Full	19.20
n5	15	15	831.5	CP	256QAM	Inner_Full	17.64



n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	17.90
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	18.01
n5	15	15	831.5	CP	256QAM	Outer_Full	17.68
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.20
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.67
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.81
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.71
n5	15	15	836.5	DFT	QPSK	Inner_Full	24.22
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.11
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.36
n5	15	15	836.5	DFT	QPSK	Outer_Full	23.15
n5	15	15	836.5	DFT	16QAM	Inner_Full	23.21
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.04
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.32
n5	15	15	836.5	DFT	16QAM	Outer_Full	22.11
n5	15	15	836.5	DFT	64QAM	Inner_Full	21.75
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.72
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.88
n5	15	15	836.5	DFT	64QAM	Outer_Full	21.65
n5	15	15	836.5	DFT	256QAM	Inner_Full	19.68
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.84
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.93
n5	15	15	836.5	DFT	256QAM	Outer_Full	19.62
n5	15	15	836.5	CP	QPSK	Inner_Full	22.70
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	21.05
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	21.25
n5	15	15	836.5	CP	QPSK	Outer_Full	19.57
n5	15	15	836.5	CP	16QAM	Inner_Full	22.19
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.38
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	21.49
n5	15	15	836.5	CP	16QAM	Outer_Full	19.68
n5	15	15	836.5	CP	64QAM	Inner_Full	20.65
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.54
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.70
n5	15	15	836.5	CP	64QAM	Outer_Full	19.12
n5	15	15	836.5	CP	256QAM	Inner_Full	17.68
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	17.88
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	17.86
n5	15	15	836.5	CP	256QAM	Outer_Full	17.58
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	24.35
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.67
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.88



n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.82
n5	15	15	841.5	DFT	QPSK	Inner_Full	24.33
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.16
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.36
n5	15	15	841.5	DFT	QPSK	Outer_Full	23.36
n5	15	15	841.5	DFT	16QAM	Inner_Full	23.37
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.23
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.44
n5	15	15	841.5	DFT	16QAM	Outer_Full	22.40
n5	15	15	841.5	DFT	64QAM	Inner_Full	21.79
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.62
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	22.01
n5	15	15	841.5	DFT	64QAM	Outer_Full	21.87
n5	15	15	841.5	DFT	256QAM	Inner_Full	19.83
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.93
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	20.15
n5	15	15	841.5	DFT	256QAM	Outer_Full	19.88
n5	15	15	841.5	CP	QPSK	Inner_Full	22.83
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.21
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	21.44
n5	15	15	841.5	CP	QPSK	Outer_Full	19.82
n5	15	15	841.5	CP	16QAM	Inner_Full	22.34
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.51
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	21.83
n5	15	15	841.5	CP	16QAM	Outer_Full	19.88
n5	15	15	841.5	CP	64QAM	Inner_Full	20.77
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.57
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.89
n5	15	15	841.5	CP	64QAM	Outer_Full	19.26
n5	15	15	841.5	CP	256QAM	Inner_Full	17.71
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	17.91
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	18.23
n5	15	15	841.5	CP	256QAM	Outer_Full	17.77
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.16
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.61
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.91
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.58
n5	20	15	834	DFT	QPSK	Inner_Full	24.19
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	23.08
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	23.28
n5	20	15	834	DFT	QPSK	Outer_Full	23.12
n5	20	15	834	DFT	16QAM	Inner_Full	23.22



n5	20	15	834	DFT	16QAM	Edge_1RB_Left	22.15
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	22.34
n5	20	15	834	DFT	16QAM	Outer_Full	22.13
n5	20	15	834	DFT	64QAM	Inner_Full	21.63
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	21.66
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	21.99
n5	20	15	834	DFT	64QAM	Outer_Full	21.63
n5	20	15	834	DFT	256QAM	Inner_Full	19.61
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	19.85
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	19.91
n5	20	15	834	DFT	256QAM	Outer_Full	19.62
n5	20	15	834	CP	QPSK	Inner_Full	22.64
n5	20	15	834	CP	QPSK	Edge_1RB_Left	21.08
n5	20	15	834	CP	QPSK	Edge_1RB_Right	21.40
n5	20	15	834	CP	QPSK	Outer_Full	19.63
n5	20	15	834	CP	16QAM	Inner_Full	22.15
n5	20	15	834	CP	16QAM	Edge_1RB_Left	21.62
n5	20	15	834	CP	16QAM	Edge_1RB_Right	21.66
n5	20	15	834	CP	16QAM	Outer_Full	19.57
n5	20	15	834	CP	64QAM	Inner_Full	20.67
n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.58
n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.86
n5	20	15	834	CP	64QAM	Outer_Full	19.06
n5	20	15	834	CP	256QAM	Inner_Full	17.65
n5	20	15	834	CP	256QAM	Edge_1RB_Left	18.00
n5	20	15	834	CP	256QAM	Edge_1RB_Right	18.23
n5	20	15	834	CP	256QAM	Outer_Full	17.61
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.23
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.61
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.95
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.68
n5	20	15	836.5	DFT	QPSK	Inner_Full	24.22
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	23.12
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	23.28
n5	20	15	836.5	DFT	QPSK	Outer_Full	23.14
n5	20	15	836.5	DFT	16QAM	Inner_Full	23.27
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.09
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.35
n5	20	15	836.5	DFT	16QAM	Outer_Full	22.13
n5	20	15	836.5	DFT	64QAM	Inner_Full	21.67
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.65
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.95



n5	20	15	836.5	DFT	64QAM	Outer_Full	21.68
n5	20	15	836.5	DFT	256QAM	Inner_Full	19.73
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.83
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	20.09
n5	20	15	836.5	DFT	256QAM	Outer_Full	19.56
n5	20	15	836.5	CP	QPSK	Inner_Full	22.76
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	21.08
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	21.43
n5	20	15	836.5	CP	QPSK	Outer_Full	19.55
n5	20	15	836.5	CP	16QAM	Inner_Full	22.24
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.55
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	21.77
n5	20	15	836.5	CP	16QAM	Outer_Full	19.50
n5	20	15	836.5	CP	64QAM	Inner_Full	20.69
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.57
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.94
n5	20	15	836.5	CP	64QAM	Outer_Full	19.03
n5	20	15	836.5	CP	256QAM	Inner_Full	17.60
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	17.90
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	18.19
n5	20	15	836.5	CP	256QAM	Outer_Full	17.55
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	24.28
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.68
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.90
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.80
n5	20	15	839	DFT	QPSK	Inner_Full	24.38
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	23.06
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	23.45
n5	20	15	839	DFT	QPSK	Outer_Full	23.27
n5	20	15	839	DFT	16QAM	Inner_Full	23.28
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	22.09
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	22.48
n5	20	15	839	DFT	16QAM	Outer_Full	22.25
n5	20	15	839	DFT	64QAM	Inner_Full	21.76
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	21.72
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	22.07
n5	20	15	839	DFT	64QAM	Outer_Full	21.77
n5	20	15	839	DFT	256QAM	Inner_Full	19.69
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	19.90
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	20.10
n5	20	15	839	DFT	256QAM	Outer_Full	19.79
n5	20	15	839	CP	QPSK	Inner_Full	22.76



n5	20	15	839	CP	QPSK	Edge_1RB_Left	21.17
n5	20	15	839	CP	QPSK	Edge_1RB_Right	21.49
n5	20	15	839	CP	QPSK	Outer_Full	19.65
n5	20	15	839	CP	16QAM	Inner_Full	22.25
n5	20	15	839	CP	16QAM	Edge_1RB_Left	21.48
n5	20	15	839	CP	16QAM	Edge_1RB_Right	21.81
n5	20	15	839	CP	16QAM	Outer_Full	19.69
n5	20	15	839	CP	64QAM	Inner_Full	20.81
n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.57
n5	20	15	839	CP	64QAM	Edge_1RB_Right	20.89
n5	20	15	839	CP	64QAM	Outer_Full	19.14
n5	20	15	839	CP	256QAM	Inner_Full	17.66
n5	20	15	839	CP	256QAM	Edge_1RB_Left	17.95
n5	20	15	839	CP	256QAM	Edge_1RB_Right	18.29
n5	20	15	839	CP	256QAM	Outer_Full	17.63



n7

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	23.02
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.75
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.70
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	22.83
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.98
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	22.26
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	22.19
n7	5	15	2502.5	DFT	QPSK	Outer_Full	22.24
n7	5	15	2502.5	DFT	16QAM	Inner_Full	22.31
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	21.27
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	21.24
n7	5	15	2502.5	DFT	16QAM	Outer_Full	21.27
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.85
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	20.75
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	20.79
n7	5	15	2502.5	DFT	64QAM	Outer_Full	20.72
n7	5	15	2502.5	DFT	256QAM	Inner_Full	18.86
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	19.01
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	18.92
n7	5	15	2502.5	DFT	256QAM	Outer_Full	18.78
n7	5	15	2502.5	CP	QPSK	Inner_Full	21.76
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	20.33
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	20.30
n7	5	15	2502.5	CP	QPSK	Outer_Full	20.21
n7	5	15	2502.5	CP	16QAM	Inner_Full	21.21
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.48
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	20.44
n7	5	15	2502.5	CP	16QAM	Outer_Full	20.25
n7	5	15	2502.5	CP	64QAM	Inner_Full	19.88
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	19.65
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	19.64
n7	5	15	2502.5	CP	64QAM	Outer_Full	19.78
n7	5	15	2502.5	CP	256QAM	Inner_Full	16.86
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	17.03
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	17.01
n7	5	15	2502.5	CP	256QAM	Outer_Full	16.73
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	23.06
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.70



n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.71
n7	5	15	2535	DFT	QPSK	Inner_Full	22.96
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	22.25
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	22.24
n7	5	15	2535	DFT	QPSK	Outer_Full	22.19
n7	5	15	2535	DFT	16QAM	Inner_Full	22.27
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.26
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.26
n7	5	15	2535	DFT	16QAM	Outer_Full	21.34
n7	5	15	2535	DFT	64QAM	Inner_Full	20.85
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.87
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.74
n7	5	15	2535	DFT	64QAM	Outer_Full	20.76
n7	5	15	2535	DFT	256QAM	Inner_Full	18.89
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.91
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.97
n7	5	15	2535	DFT	256QAM	Outer_Full	18.73
n7	5	15	2535	CP	QPSK	Inner_Full	21.68
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	20.26
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	20.18
n7	5	15	2535	CP	QPSK	Outer_Full	20.14
n7	5	15	2535	CP	16QAM	Inner_Full	21.27
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	20.40
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.36
n7	5	15	2535	CP	16QAM	Outer_Full	20.22
n7	5	15	2535	CP	64QAM	Inner_Full	19.79
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.61
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.64
n7	5	15	2535	CP	64QAM	Outer_Full	19.76
n7	5	15	2535	CP	256QAM	Inner_Full	16.77
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	17.04
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	16.97
n7	5	15	2535	CP	256QAM	Outer_Full	16.68
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	23.06
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.93
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	22.96
n7	5	15	2567.5	DFT	QPSK	Inner_Full	23.08
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	22.38
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	22.32
n7	5	15	2567.5	DFT	QPSK	Outer_Full	22.43
n7	5	15	2567.5	DFT	16QAM	Inner_Full	22.39



n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	21.41
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	21.42
n7	5	15	2567.5	DFT	16QAM	Outer_Full	21.47
n7	5	15	2567.5	DFT	64QAM	Inner_Full	21.03
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	20.95
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	20.97
n7	5	15	2567.5	DFT	64QAM	Outer_Full	20.98
n7	5	15	2567.5	DFT	256QAM	Inner_Full	18.98
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	19.09
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	19.10
n7	5	15	2567.5	DFT	256QAM	Outer_Full	18.93
n7	5	15	2567.5	CP	QPSK	Inner_Full	21.90
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	20.43
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	20.39
n7	5	15	2567.5	CP	QPSK	Outer_Full	20.42
n7	5	15	2567.5	CP	16QAM	Inner_Full	21.45
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	20.62
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	20.68
n7	5	15	2567.5	CP	16QAM	Outer_Full	20.45
n7	5	15	2567.5	CP	64QAM	Inner_Full	19.96
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	19.88
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	19.88
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.92
n7	5	15	2567.5	CP	256QAM	Inner_Full	16.97
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	16.93
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	17.13
n7	5	15	2567.5	CP	256QAM	Outer_Full	16.90
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.95
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.82
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	22.79
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	22.71
n7	10	15	2505	DFT	QPSK	Inner_Full	23.02
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	22.24
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	22.18
n7	10	15	2505	DFT	QPSK	Outer_Full	22.23
n7	10	15	2505	DFT	16QAM	Inner_Full	22.31
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	21.32
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	21.25
n7	10	15	2505	DFT	16QAM	Outer_Full	21.27
n7	10	15	2505	DFT	64QAM	Inner_Full	20.84
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.76
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	20.87



n7	10	15	2505	DFT	64QAM	Outer_Full	20.77
n7	10	15	2505	DFT	256QAM	Inner_Full	18.75
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	19.00
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	18.94
n7	10	15	2505	DFT	256QAM	Outer_Full	18.74
n7	10	15	2505	CP	QPSK	Inner_Full	21.72
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	20.32
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	20.25
n7	10	15	2505	CP	QPSK	Outer_Full	20.20
n7	10	15	2505	CP	16QAM	Inner_Full	21.26
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.45
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	20.37
n7	10	15	2505	CP	16QAM	Outer_Full	20.24
n7	10	15	2505	CP	64QAM	Inner_Full	19.75
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.74
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	19.72
n7	10	15	2505	CP	64QAM	Outer_Full	19.75
n7	10	15	2505	CP	256QAM	Inner_Full	16.75
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	16.88
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	16.94
n7	10	15	2505	CP	256QAM	Outer_Full	16.74
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	23.03
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.72
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.78
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.72
n7	10	15	2535	DFT	QPSK	Inner_Full	23.04
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	22.21
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	22.25
n7	10	15	2535	DFT	QPSK	Outer_Full	22.24
n7	10	15	2535	DFT	16QAM	Inner_Full	22.36
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	21.32
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	21.29
n7	10	15	2535	DFT	16QAM	Outer_Full	21.34
n7	10	15	2535	DFT	64QAM	Inner_Full	20.85
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.92
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	20.90
n7	10	15	2535	DFT	64QAM	Outer_Full	20.75
n7	10	15	2535	DFT	256QAM	Inner_Full	18.81
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.97
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	19.00
n7	10	15	2535	DFT	256QAM	Outer_Full	18.81
n7	10	15	2535	CP	QPSK	Inner_Full	21.68



n7	10	15	2535	CP	QPSK	Edge_1RB_Left	20.37
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	20.26
n7	10	15	2535	CP	QPSK	Outer_Full	20.31
n7	10	15	2535	CP	16QAM	Inner_Full	21.27
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	20.27
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	20.50
n7	10	15	2535	CP	16QAM	Outer_Full	20.30
n7	10	15	2535	CP	64QAM	Inner_Full	19.82
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.74
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	19.73
n7	10	15	2535	CP	64QAM	Outer_Full	19.79
n7	10	15	2535	CP	256QAM	Inner_Full	16.79
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	17.06
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	16.95
n7	10	15	2535	CP	256QAM	Outer_Full	16.78
n7	10	15	2565	DFT	$\pi/2$ BPSK	Inner_Full	22.98
n7	10	15	2565	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.88
n7	10	15	2565	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.85
n7	10	15	2565	DFT	$\pi/2$ BPSK	Outer_Full	22.84
n7	10	15	2565	DFT	QPSK	Inner_Full	23.06
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	22.41
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	22.33
n7	10	15	2565	DFT	QPSK	Outer_Full	22.34
n7	10	15	2565	DFT	16QAM	Inner_Full	22.45
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	21.48
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	21.34
n7	10	15	2565	DFT	16QAM	Outer_Full	21.46
n7	10	15	2565	DFT	64QAM	Inner_Full	21.01
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	21.02
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	20.94
n7	10	15	2565	DFT	64QAM	Outer_Full	20.92
n7	10	15	2565	DFT	256QAM	Inner_Full	18.89
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	19.05
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	19.10
n7	10	15	2565	DFT	256QAM	Outer_Full	18.84
n7	10	15	2565	CP	QPSK	Inner_Full	21.89
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	20.38
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	20.42
n7	10	15	2565	CP	QPSK	Outer_Full	20.46
n7	10	15	2565	CP	16QAM	Inner_Full	21.42
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	20.59
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	20.82



n7	10	15	2565	CP	16QAM	Outer_Full	20.50
n7	10	15	2565	CP	64QAM	Inner_Full	20.00
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	19.86
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	19.82
n7	10	15	2565	CP	64QAM	Outer_Full	19.89
n7	10	15	2565	CP	256QAM	Inner_Full	16.89
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	17.20
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	17.13
n7	10	15	2565	CP	256QAM	Outer_Full	16.95
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.95
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.81
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	22.79
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.98
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	22.21
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	22.25
n7	15	15	2507.5	DFT	QPSK	Outer_Full	22.22
n7	15	15	2507.5	DFT	16QAM	Inner_Full	22.33
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	21.24
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	21.26
n7	15	15	2507.5	DFT	16QAM	Outer_Full	21.26
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.85
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.91
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.79
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.74
n7	15	15	2507.5	DFT	256QAM	Inner_Full	18.75
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	18.99
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	18.99
n7	15	15	2507.5	DFT	256QAM	Outer_Full	18.83
n7	15	15	2507.5	CP	QPSK	Inner_Full	21.73
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	20.36
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	20.24
n7	15	15	2507.5	CP	QPSK	Outer_Full	20.22
n7	15	15	2507.5	CP	16QAM	Inner_Full	21.28
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	20.52
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	20.37
n7	15	15	2507.5	CP	16QAM	Outer_Full	20.29
n7	15	15	2507.5	CP	64QAM	Inner_Full	19.76
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	19.63
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	19.71
n7	15	15	2507.5	CP	64QAM	Outer_Full	19.74
n7	15	15	2507.5	CP	256QAM	Inner_Full	16.78



n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	17.07
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	16.78
n7	15	15	2507.5	CP	256QAM	Outer_Full	16.73
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	23.01
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.81
n7	15	15	2535	DFT	QPSK	Inner_Full	23.09
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	22.27
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	22.28
n7	15	15	2535	DFT	QPSK	Outer_Full	22.25
n7	15	15	2535	DFT	16QAM	Inner_Full	22.25
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	21.23
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.22
n7	15	15	2535	DFT	16QAM	Outer_Full	21.28
n7	15	15	2535	DFT	64QAM	Inner_Full	20.80
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	20.86
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.86
n7	15	15	2535	DFT	64QAM	Outer_Full	20.80
n7	15	15	2535	DFT	256QAM	Inner_Full	18.73
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	19.04
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.95
n7	15	15	2535	DFT	256QAM	Outer_Full	18.73
n7	15	15	2535	CP	QPSK	Inner_Full	21.77
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	20.32
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	20.26
n7	15	15	2535	CP	QPSK	Outer_Full	20.22
n7	15	15	2535	CP	16QAM	Inner_Full	21.33
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	20.32
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	20.45
n7	15	15	2535	CP	16QAM	Outer_Full	20.31
n7	15	15	2535	CP	64QAM	Inner_Full	19.76
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.66
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.71
n7	15	15	2535	CP	64QAM	Outer_Full	19.80
n7	15	15	2535	CP	256QAM	Inner_Full	16.78
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	17.05
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	17.06
n7	15	15	2535	CP	256QAM	Outer_Full	16.77
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	23.07
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.86
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.85



n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	22.80
n7	15	15	2562.5	DFT	QPSK	Inner_Full	23.04
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	22.38
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	22.32
n7	15	15	2562.5	DFT	QPSK	Outer_Full	22.42
n7	15	15	2562.5	DFT	16QAM	Inner_Full	22.43
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	21.46
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	21.31
n7	15	15	2562.5	DFT	16QAM	Outer_Full	21.45
n7	15	15	2562.5	DFT	64QAM	Inner_Full	20.90
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	21.01
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	20.93
n7	15	15	2562.5	DFT	64QAM	Outer_Full	20.82
n7	15	15	2562.5	DFT	256QAM	Inner_Full	18.93
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	19.09
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	19.12
n7	15	15	2562.5	DFT	256QAM	Outer_Full	18.85
n7	15	15	2562.5	CP	QPSK	Inner_Full	21.87
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	20.38
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	20.42
n7	15	15	2562.5	CP	QPSK	Outer_Full	20.44
n7	15	15	2562.5	CP	16QAM	Inner_Full	21.42
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	20.59
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	20.59
n7	15	15	2562.5	CP	16QAM	Outer_Full	20.50
n7	15	15	2562.5	CP	64QAM	Inner_Full	19.97
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	19.78
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	19.85
n7	15	15	2562.5	CP	64QAM	Outer_Full	19.95
n7	15	15	2562.5	CP	256QAM	Inner_Full	16.94
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	16.90
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	17.11
n7	15	15	2562.5	CP	256QAM	Outer_Full	16.87
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	23.03
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	22.73
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	22.72
n7	20	15	2510	DFT	QPSK	Inner_Full	23.06
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	22.28
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	22.24
n7	20	15	2510	DFT	QPSK	Outer_Full	22.23
n7	20	15	2510	DFT	16QAM	Inner_Full	22.27



n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	21.23
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	21.28
n7	20	15	2510	DFT	16QAM	Outer_Full	21.24
n7	20	15	2510	DFT	64QAM	Inner_Full	20.82
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	20.93
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	20.90
n7	20	15	2510	DFT	64QAM	Outer_Full	20.79
n7	20	15	2510	DFT	256QAM	Inner_Full	18.79
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.95
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.94
n7	20	15	2510	DFT	256QAM	Outer_Full	18.78
n7	20	15	2510	CP	QPSK	Inner_Full	21.72
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	20.23
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	20.29
n7	20	15	2510	CP	QPSK	Outer_Full	20.22
n7	20	15	2510	CP	16QAM	Inner_Full	21.22
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	20.44
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	20.37
n7	20	15	2510	CP	16QAM	Outer_Full	20.31
n7	20	15	2510	CP	64QAM	Inner_Full	19.78
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	19.73
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.73
n7	20	15	2510	CP	64QAM	Outer_Full	19.71
n7	20	15	2510	CP	256QAM	Inner_Full	16.78
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	17.00
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	17.06
n7	20	15	2510	CP	256QAM	Outer_Full	16.70
n7	20	15	2535	DFT	$\pi/2$ BPSK	Inner_Full	22.96
n7	20	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.70
n7	20	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.75
n7	20	15	2535	DFT	$\pi/2$ BPSK	Outer_Full	22.79
n7	20	15	2535	DFT	QPSK	Inner_Full	23.07
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	22.27
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	22.26
n7	20	15	2535	DFT	QPSK	Outer_Full	22.23
n7	20	15	2535	DFT	16QAM	Inner_Full	22.34
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	21.34
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.25
n7	20	15	2535	DFT	16QAM	Outer_Full	21.30
n7	20	15	2535	DFT	64QAM	Inner_Full	20.82
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	20.81
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.86



n7	20	15	2535	DFT	64QAM	Outer_Full	20.79
n7	20	15	2535	DFT	256QAM	Inner_Full	18.82
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	19.03
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	19.03
n7	20	15	2535	DFT	256QAM	Outer_Full	18.82
n7	20	15	2535	CP	QPSK	Inner_Full	21.75
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	20.25
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	20.36
n7	20	15	2535	CP	QPSK	Outer_Full	20.25
n7	20	15	2535	CP	16QAM	Inner_Full	21.31
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	20.33
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	20.63
n7	20	15	2535	CP	16QAM	Outer_Full	20.32
n7	20	15	2535	CP	64QAM	Inner_Full	19.88
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.70
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.77
n7	20	15	2535	CP	64QAM	Outer_Full	19.82
n7	20	15	2535	CP	256QAM	Inner_Full	16.74
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	17.05
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	17.14
n7	20	15	2535	CP	256QAM	Outer_Full	16.83
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	23.02
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	22.76
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	22.85
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	22.84
n7	20	15	2560	DFT	QPSK	Inner_Full	23.13
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	22.35
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	22.29
n7	20	15	2560	DFT	QPSK	Outer_Full	22.36
n7	20	15	2560	DFT	16QAM	Inner_Full	22.37
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	21.32
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	21.30
n7	20	15	2560	DFT	16QAM	Outer_Full	21.32
n7	20	15	2560	DFT	64QAM	Inner_Full	20.89
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	21.00
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	20.93
n7	20	15	2560	DFT	64QAM	Outer_Full	20.96
n7	20	15	2560	DFT	256QAM	Inner_Full	18.94
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	19.03
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	19.11
n7	20	15	2560	DFT	256QAM	Outer_Full	18.87
n7	20	15	2560	CP	QPSK	Inner_Full	21.86



n7	20	15	2560	CP	QPSK	Edge_1RB_Left	20.32
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	20.43
n7	20	15	2560	CP	QPSK	Outer_Full	20.36
n7	20	15	2560	CP	16QAM	Inner_Full	21.36
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	20.53
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	20.77
n7	20	15	2560	CP	16QAM	Outer_Full	20.39
n7	20	15	2560	CP	64QAM	Inner_Full	19.95
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.81
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	19.83
n7	20	15	2560	CP	64QAM	Outer_Full	19.89
n7	20	15	2560	CP	256QAM	Inner_Full	16.94
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	17.15
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	17.15
n7	20	15	2560	CP	256QAM	Outer_Full	16.83
n7	25	15	2512.5	DFT	$\pi/2$ BPSK	Inner_Full	22.93
n7	25	15	2512.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.57
n7	25	15	2512.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.55
n7	25	15	2512.5	DFT	$\pi/2$ BPSK	Outer_Full	22.55
n7	25	15	2512.5	DFT	QPSK	Inner_Full	22.92
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Left	22.00
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Right	22.05
n7	25	15	2512.5	DFT	QPSK	Outer_Full	22.06
n7	25	15	2512.5	DFT	16QAM	Inner_Full	22.01
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Left	21.02
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Right	21.10
n7	25	15	2512.5	DFT	16QAM	Outer_Full	21.04
n7	25	15	2512.5	DFT	64QAM	Inner_Full	20.54
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Left	20.59
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Right	20.56
n7	25	15	2512.5	DFT	64QAM	Outer_Full	20.63
n7	25	15	2512.5	DFT	256QAM	Inner_Full	18.60
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Left	18.79
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Right	18.82
n7	25	15	2512.5	DFT	256QAM	Outer_Full	18.53
n7	25	15	2512.5	CP	QPSK	Inner_Full	21.54
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Left	20.04
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Right	20.13
n7	25	15	2512.5	CP	QPSK	Outer_Full	20.04
n7	25	15	2512.5	CP	16QAM	Inner_Full	21.11
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Left	20.14
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Right	20.07



n7	25	15	2512.5	CP	16QAM	Outer_Full	20.00
n7	25	15	2512.5	CP	64QAM	Inner_Full	19.57
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Left	19.45
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Right	19.47
n7	25	15	2512.5	CP	64QAM	Outer_Full	19.52
n7	25	15	2512.5	CP	256QAM	Inner_Full	16.47
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Left	16.89
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Right	16.86
n7	25	15	2512.5	CP	256QAM	Outer_Full	16.41
n7	25	15	2535	DFT	pi/2 BPSK	Inner_Full	22.95
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.60
n7	25	15	2535	DFT	pi/2 BPSK	Outer_Full	22.65
n7	25	15	2535	DFT	QPSK	Inner_Full	22.93
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	22.04
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	22.15
n7	25	15	2535	DFT	QPSK	Outer_Full	22.04
n7	25	15	2535	DFT	16QAM	Inner_Full	22.05
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	21.10
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	21.14
n7	25	15	2535	DFT	16QAM	Outer_Full	21.06
n7	25	15	2535	DFT	64QAM	Inner_Full	20.66
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	20.68
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	20.70
n7	25	15	2535	DFT	64QAM	Outer_Full	20.67
n7	25	15	2535	DFT	256QAM	Inner_Full	18.55
n7	25	15	2535	DFT	256QAM	Edge_1RB_Left	18.90
n7	25	15	2535	DFT	256QAM	Edge_1RB_Right	18.85
n7	25	15	2535	DFT	256QAM	Outer_Full	18.62
n7	25	15	2535	CP	QPSK	Inner_Full	21.56
n7	25	15	2535	CP	QPSK	Edge_1RB_Left	20.20
n7	25	15	2535	CP	QPSK	Edge_1RB_Right	20.17
n7	25	15	2535	CP	QPSK	Outer_Full	20.10
n7	25	15	2535	CP	16QAM	Inner_Full	21.14
n7	25	15	2535	CP	16QAM	Edge_1RB_Left	20.14
n7	25	15	2535	CP	16QAM	Edge_1RB_Right	20.27
n7	25	15	2535	CP	16QAM	Outer_Full	20.07
n7	25	15	2535	CP	64QAM	Inner_Full	19.57
n7	25	15	2535	CP	64QAM	Edge_1RB_Left	19.58
n7	25	15	2535	CP	64QAM	Edge_1RB_Right	19.59
n7	25	15	2535	CP	64QAM	Outer_Full	19.57
n7	25	15	2535	CP	256QAM	Inner_Full	16.51



n7	25	15	2535	CP	256QAM	Edge_1RB_Left	16.88
n7	25	15	2535	CP	256QAM	Edge_1RB_Right	16.91
n7	25	15	2535	CP	256QAM	Outer_Full	16.56
n7	25	15	2557.5	DFT	pi/2 BPSK	Inner_Full	22.98
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.69
n7	25	15	2557.5	DFT	pi/2 BPSK	Outer_Full	22.72
n7	25	15	2557.5	DFT	QPSK	Inner_Full	22.99
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Left	22.11
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Right	22.12
n7	25	15	2557.5	DFT	QPSK	Outer_Full	22.17
n7	25	15	2557.5	DFT	16QAM	Inner_Full	22.12
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Left	21.16
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Right	21.21
n7	25	15	2557.5	DFT	16QAM	Outer_Full	21.20
n7	25	15	2557.5	DFT	64QAM	Inner_Full	20.72
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Left	20.69
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Right	20.77
n7	25	15	2557.5	DFT	64QAM	Outer_Full	20.66
n7	25	15	2557.5	DFT	256QAM	Inner_Full	18.68
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Left	18.88
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Right	18.83
n7	25	15	2557.5	DFT	256QAM	Outer_Full	18.57
n7	25	15	2557.5	CP	QPSK	Inner_Full	21.71
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Left	20.23
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Right	20.24
n7	25	15	2557.5	CP	QPSK	Outer_Full	20.17
n7	25	15	2557.5	CP	16QAM	Inner_Full	21.21
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Left	20.28
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Right	20.45
n7	25	15	2557.5	CP	16QAM	Outer_Full	20.10
n7	25	15	2557.5	CP	64QAM	Inner_Full	19.69
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Left	19.59
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Right	19.66
n7	25	15	2557.5	CP	64QAM	Outer_Full	19.63
n7	25	15	2557.5	CP	256QAM	Inner_Full	16.58
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Left	16.88
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Right	16.99
n7	25	15	2557.5	CP	256QAM	Outer_Full	16.62
n7	30	15	2515	DFT	pi/2 BPSK	Inner_Full	23.03
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Left	22.58
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Right	22.64



n7	30	15	2515	DFT	pi/2 BPSK	Outer_Full	22.61
n7	30	15	2515	DFT	QPSK	Inner_Full	22.98
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	22.03
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	22.06
n7	30	15	2515	DFT	QPSK	Outer_Full	22.05
n7	30	15	2515	DFT	16QAM	Inner_Full	22.05
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	21.03
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	21.11
n7	30	15	2515	DFT	16QAM	Outer_Full	21.01
n7	30	15	2515	DFT	64QAM	Inner_Full	20.61
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	20.73
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	20.72
n7	30	15	2515	DFT	64QAM	Outer_Full	20.60
n7	30	15	2515	DFT	256QAM	Inner_Full	18.62
n7	30	15	2515	DFT	256QAM	Edge_1RB_Left	18.73
n7	30	15	2515	DFT	256QAM	Edge_1RB_Right	18.85
n7	30	15	2515	DFT	256QAM	Outer_Full	18.65
n7	30	15	2515	CP	QPSK	Inner_Full	21.57
n7	30	15	2515	CP	QPSK	Edge_1RB_Left	20.16
n7	30	15	2515	CP	QPSK	Edge_1RB_Right	20.09
n7	30	15	2515	CP	QPSK	Outer_Full	20.09
n7	30	15	2515	CP	16QAM	Inner_Full	21.08
n7	30	15	2515	CP	16QAM	Edge_1RB_Left	20.25
n7	30	15	2515	CP	16QAM	Edge_1RB_Right	20.14
n7	30	15	2515	CP	16QAM	Outer_Full	20.12
n7	30	15	2515	CP	64QAM	Inner_Full	19.60
n7	30	15	2515	CP	64QAM	Edge_1RB_Left	19.51
n7	30	15	2515	CP	64QAM	Edge_1RB_Right	19.57
n7	30	15	2515	CP	64QAM	Outer_Full	19.58
n7	30	15	2515	CP	256QAM	Inner_Full	16.56
n7	30	15	2515	CP	256QAM	Edge_1RB_Left	16.89
n7	30	15	2515	CP	256QAM	Edge_1RB_Right	16.86
n7	30	15	2515	CP	256QAM	Outer_Full	16.55
n7	30	15	2535	DFT	pi/2 BPSK	Inner_Full	23.11
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.66
n7	30	15	2535	DFT	pi/2 BPSK	Outer_Full	22.66
n7	30	15	2535	DFT	QPSK	Inner_Full	23.13
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	22.04
n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	22.12
n7	30	15	2535	DFT	QPSK	Outer_Full	22.08
n7	30	15	2535	DFT	16QAM	Inner_Full	22.16



n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	21.05
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	21.14
n7	30	15	2535	DFT	16QAM	Outer_Full	21.08
n7	30	15	2535	DFT	64QAM	Inner_Full	20.65
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	20.57
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	20.69
n7	30	15	2535	DFT	64QAM	Outer_Full	20.57
n7	30	15	2535	DFT	256QAM	Inner_Full	18.60
n7	30	15	2535	DFT	256QAM	Edge_1RB_Left	18.85
n7	30	15	2535	DFT	256QAM	Edge_1RB_Right	18.80
n7	30	15	2535	DFT	256QAM	Outer_Full	18.65
n7	30	15	2535	CP	QPSK	Inner_Full	21.68
n7	30	15	2535	CP	QPSK	Edge_1RB_Left	20.15
n7	30	15	2535	CP	QPSK	Edge_1RB_Right	20.14
n7	30	15	2535	CP	QPSK	Outer_Full	20.11
n7	30	15	2535	CP	16QAM	Inner_Full	21.13
n7	30	15	2535	CP	16QAM	Edge_1RB_Left	20.17
n7	30	15	2535	CP	16QAM	Edge_1RB_Right	20.28
n7	30	15	2535	CP	16QAM	Outer_Full	20.06
n7	30	15	2535	CP	64QAM	Inner_Full	19.64
n7	30	15	2535	CP	64QAM	Edge_1RB_Left	19.48
n7	30	15	2535	CP	64QAM	Edge_1RB_Right	19.52
n7	30	15	2535	CP	64QAM	Outer_Full	19.57
n7	30	15	2535	CP	256QAM	Inner_Full	16.61
n7	30	15	2535	CP	256QAM	Edge_1RB_Left	16.81
n7	30	15	2535	CP	256QAM	Edge_1RB_Right	16.72
n7	30	15	2535	CP	256QAM	Outer_Full	16.67
n7	30	15	2555	DFT	pi/2 BPSK	Inner_Full	23.10
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Left	22.72
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Right	22.77
n7	30	15	2555	DFT	pi/2 BPSK	Outer_Full	22.65
n7	30	15	2555	DFT	QPSK	Inner_Full	23.09
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	22.17
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	22.19
n7	30	15	2555	DFT	QPSK	Outer_Full	22.24
n7	30	15	2555	DFT	16QAM	Inner_Full	22.21
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	21.12
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	21.24
n7	30	15	2555	DFT	16QAM	Outer_Full	21.16
n7	30	15	2555	DFT	64QAM	Inner_Full	20.73
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	20.64
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	20.70



n7	30	15	2555	DFT	64QAM	Outer_Full	20.62
n7	30	15	2555	DFT	256QAM	Inner_Full	18.75
n7	30	15	2555	DFT	256QAM	Edge_1RB_Left	18.73
n7	30	15	2555	DFT	256QAM	Edge_1RB_Right	19.00
n7	30	15	2555	DFT	256QAM	Outer_Full	18.68
n7	30	15	2555	CP	QPSK	Inner_Full	21.73
n7	30	15	2555	CP	QPSK	Edge_1RB_Left	20.24
n7	30	15	2555	CP	QPSK	Edge_1RB_Right	20.32
n7	30	15	2555	CP	QPSK	Outer_Full	20.13
n7	30	15	2555	CP	16QAM	Inner_Full	21.16
n7	30	15	2555	CP	16QAM	Edge_1RB_Left	20.29
n7	30	15	2555	CP	16QAM	Edge_1RB_Right	20.61
n7	30	15	2555	CP	16QAM	Outer_Full	20.23
n7	30	15	2555	CP	64QAM	Inner_Full	19.70
n7	30	15	2555	CP	64QAM	Edge_1RB_Left	19.60
n7	30	15	2555	CP	64QAM	Edge_1RB_Right	19.67
n7	30	15	2555	CP	64QAM	Outer_Full	19.71
n7	30	15	2555	CP	256QAM	Inner_Full	16.71
n7	30	15	2555	CP	256QAM	Edge_1RB_Left	16.94
n7	30	15	2555	CP	256QAM	Edge_1RB_Right	17.13
n7	30	15	2555	CP	256QAM	Outer_Full	16.74
n7	40	15	2520	DFT	pi/2 BPSK	Inner_Full	23.04
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n7	40	15	2520	DFT	pi/2 BPSK	Outer_Full	22.61
n7	40	15	2520	DFT	QPSK	Inner_Full	23.01
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	22.05
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	22.14
n7	40	15	2520	DFT	QPSK	Outer_Full	22.08
n7	40	15	2520	DFT	16QAM	Inner_Full	22.16
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	21.11
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	21.17
n7	40	15	2520	DFT	16QAM	Outer_Full	21.20
n7	40	15	2520	DFT	64QAM	Inner_Full	20.65
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	20.57
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	20.73
n7	40	15	2520	DFT	64QAM	Outer_Full	20.66
n7	40	15	2520	DFT	256QAM	Inner_Full	18.56
n7	40	15	2520	DFT	256QAM	Edge_1RB_Left	18.76
n7	40	15	2520	DFT	256QAM	Edge_1RB_Right	18.83
n7	40	15	2520	DFT	256QAM	Outer_Full	18.59
n7	40	15	2520	CP	QPSK	Inner_Full	21.63



n7	40	15	2520	CP	QPSK	Edge_1RB_Left	20.07
n7	40	15	2520	CP	QPSK	Edge_1RB_Right	20.20
n7	40	15	2520	CP	QPSK	Outer_Full	20.12
n7	40	15	2520	CP	16QAM	Inner_Full	21.10
n7	40	15	2520	CP	16QAM	Edge_1RB_Left	20.23
n7	40	15	2520	CP	16QAM	Edge_1RB_Right	20.25
n7	40	15	2520	CP	16QAM	Outer_Full	20.15
n7	40	15	2520	CP	64QAM	Inner_Full	19.64
n7	40	15	2520	CP	64QAM	Edge_1RB_Left	19.46
n7	40	15	2520	CP	64QAM	Edge_1RB_Right	19.58
n7	40	15	2520	CP	64QAM	Outer_Full	19.68
n7	40	15	2520	CP	256QAM	Inner_Full	16.53
n7	40	15	2520	CP	256QAM	Edge_1RB_Left	16.79
n7	40	15	2520	CP	256QAM	Edge_1RB_Right	16.90
n7	40	15	2520	CP	256QAM	Outer_Full	16.59
n7	40	15	2535	DFT	$\pi/2$ BPSK	Inner_Full	23.01
n7	40	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.64
n7	40	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.68
n7	40	15	2535	DFT	$\pi/2$ BPSK	Outer_Full	22.53
n7	40	15	2535	DFT	QPSK	Inner_Full	23.02
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	22.10
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	22.15
n7	40	15	2535	DFT	QPSK	Outer_Full	22.10
n7	40	15	2535	DFT	16QAM	Inner_Full	22.12
n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	21.13
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	21.21
n7	40	15	2535	DFT	16QAM	Outer_Full	21.15
n7	40	15	2535	DFT	64QAM	Inner_Full	20.61
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	20.56
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	20.69
n7	40	15	2535	DFT	64QAM	Outer_Full	20.63
n7	40	15	2535	DFT	256QAM	Inner_Full	18.57
n7	40	15	2535	DFT	256QAM	Edge_1RB_Left	18.81
n7	40	15	2535	DFT	256QAM	Edge_1RB_Right	18.69
n7	40	15	2535	DFT	256QAM	Outer_Full	18.60
n7	40	15	2535	CP	QPSK	Inner_Full	21.68
n7	40	15	2535	CP	QPSK	Edge_1RB_Left	20.14
n7	40	15	2535	CP	QPSK	Edge_1RB_Right	20.14
n7	40	15	2535	CP	QPSK	Outer_Full	20.07
n7	40	15	2535	CP	16QAM	Inner_Full	21.21
n7	40	15	2535	CP	16QAM	Edge_1RB_Left	20.20
n7	40	15	2535	CP	16QAM	Edge_1RB_Right	20.32



n7	40	15	2535	CP	16QAM	Outer_Full	20.13
n7	40	15	2535	CP	64QAM	Inner_Full	19.63
n7	40	15	2535	CP	64QAM	Edge_1RB_Left	19.49
n7	40	15	2535	CP	64QAM	Edge_1RB_Right	19.55
n7	40	15	2535	CP	64QAM	Outer_Full	19.57
n7	40	15	2535	CP	256QAM	Inner_Full	16.55
n7	40	15	2535	CP	256QAM	Edge_1RB_Left	16.85
n7	40	15	2535	CP	256QAM	Edge_1RB_Right	16.78
n7	40	15	2535	CP	256QAM	Outer_Full	16.59
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	23.10
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	22.75
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	22.70
n7	40	15	2550	DFT	QPSK	Inner_Full	23.12
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	22.13
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	22.19
n7	40	15	2550	DFT	QPSK	Outer_Full	22.18
n7	40	15	2550	DFT	16QAM	Inner_Full	22.26
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	21.24
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	21.21
n7	40	15	2550	DFT	16QAM	Outer_Full	21.20
n7	40	15	2550	DFT	64QAM	Inner_Full	20.73
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	20.81
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	20.88
n7	40	15	2550	DFT	64QAM	Outer_Full	20.75
n7	40	15	2550	DFT	256QAM	Inner_Full	18.72
n7	40	15	2550	DFT	256QAM	Edge_1RB_Left	18.88
n7	40	15	2550	DFT	256QAM	Edge_1RB_Right	18.96
n7	40	15	2550	DFT	256QAM	Outer_Full	18.64
n7	40	15	2550	CP	QPSK	Inner_Full	21.74
n7	40	15	2550	CP	QPSK	Edge_1RB_Left	20.24
n7	40	15	2550	CP	QPSK	Edge_1RB_Right	20.26
n7	40	15	2550	CP	QPSK	Outer_Full	20.15
n7	40	15	2550	CP	16QAM	Inner_Full	21.27
n7	40	15	2550	CP	16QAM	Edge_1RB_Left	20.19
n7	40	15	2550	CP	16QAM	Edge_1RB_Right	20.61
n7	40	15	2550	CP	16QAM	Outer_Full	20.20
n7	40	15	2550	CP	64QAM	Inner_Full	19.66
n7	40	15	2550	CP	64QAM	Edge_1RB_Left	19.58
n7	40	15	2550	CP	64QAM	Edge_1RB_Right	19.73
n7	40	15	2550	CP	64QAM	Outer_Full	19.71
n7	40	15	2550	CP	256QAM	Inner_Full	16.67



n7	40	15	2550	CP	256QAM	Edge_1RB_Left	16.76
n7	40	15	2550	CP	256QAM	Edge_1RB_Right	17.04
n7	40	15	2550	CP	256QAM	Outer_Full	16.69
n7	50	15	2525	DFT	pi/2 BPSK	Inner_Full	23.02
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Left	22.45
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n7	50	15	2525	DFT	pi/2 BPSK	Outer_Full	22.53
n7	50	15	2525	DFT	QPSK	Inner_Full	22.99
n7	50	15	2525	DFT	QPSK	Edge_1RB_Left	21.97
n7	50	15	2525	DFT	QPSK	Edge_1RB_Right	22.02
n7	50	15	2525	DFT	QPSK	Outer_Full	22.11
n7	50	15	2525	DFT	16QAM	Inner_Full	22.15
n7	50	15	2525	DFT	16QAM	Edge_1RB_Left	20.98
n7	50	15	2525	DFT	16QAM	Edge_1RB_Right	20.92
n7	50	15	2525	DFT	16QAM	Outer_Full	21.13
n7	50	15	2525	DFT	64QAM	Inner_Full	20.58
n7	50	15	2525	DFT	64QAM	Edge_1RB_Left	20.31
n7	50	15	2525	DFT	64QAM	Edge_1RB_Right	20.38
n7	50	15	2525	DFT	64QAM	Outer_Full	20.67
n7	50	15	2525	DFT	256QAM	Inner_Full	18.63
n7	50	15	2525	DFT	256QAM	Edge_1RB_Left	18.99
n7	50	15	2525	DFT	256QAM	Edge_1RB_Right	19.00
n7	50	15	2525	DFT	256QAM	Outer_Full	18.55
n7	50	15	2525	CP	QPSK	Inner_Full	21.52
n7	50	15	2525	CP	QPSK	Edge_1RB_Left	20.08
n7	50	15	2525	CP	QPSK	Edge_1RB_Right	20.02
n7	50	15	2525	CP	QPSK	Outer_Full	20.09
n7	50	15	2525	CP	16QAM	Inner_Full	21.08
n7	50	15	2525	CP	16QAM	Edge_1RB_Left	20.08
n7	50	15	2525	CP	16QAM	Edge_1RB_Right	20.09
n7	50	15	2525	CP	16QAM	Outer_Full	20.12
n7	50	15	2525	CP	64QAM	Inner_Full	19.58
n7	50	15	2525	CP	64QAM	Edge_1RB_Left	19.71
n7	50	15	2525	CP	64QAM	Edge_1RB_Right	19.80
n7	50	15	2525	CP	64QAM	Outer_Full	19.52
n7	50	15	2525	CP	256QAM	Inner_Full	16.59
n7	50	15	2525	CP	256QAM	Edge_1RB_Left	16.93
n7	50	15	2525	CP	256QAM	Edge_1RB_Right	16.94
n7	50	15	2525	CP	256QAM	Outer_Full	16.57
n7	50	15	2535	DFT	pi/2 BPSK	Inner_Full	22.94
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.55



n7	50	15	2535	DFT	pi/2 BPSK	Outer_Full	22.52
n7	50	15	2535	DFT	QPSK	Inner_Full	23.02
n7	50	15	2535	DFT	QPSK	Edge_1RB_Left	22.11
n7	50	15	2535	DFT	QPSK	Edge_1RB_Right	22.17
n7	50	15	2535	DFT	QPSK	Outer_Full	21.99
n7	50	15	2535	DFT	16QAM	Inner_Full	22.08
n7	50	15	2535	DFT	16QAM	Edge_1RB_Left	21.14
n7	50	15	2535	DFT	16QAM	Edge_1RB_Right	21.12
n7	50	15	2535	DFT	16QAM	Outer_Full	21.04
n7	50	15	2535	DFT	64QAM	Inner_Full	20.60
n7	50	15	2535	DFT	64QAM	Edge_1RB_Left	20.41
n7	50	15	2535	DFT	64QAM	Edge_1RB_Right	20.45
n7	50	15	2535	DFT	64QAM	Outer_Full	20.60
n7	50	15	2535	DFT	256QAM	Inner_Full	18.57
n7	50	15	2535	DFT	256QAM	Edge_1RB_Left	19.03
n7	50	15	2535	DFT	256QAM	Edge_1RB_Right	19.13
n7	50	15	2535	DFT	256QAM	Outer_Full	18.60
n7	50	15	2535	CP	QPSK	Inner_Full	21.65
n7	50	15	2535	CP	QPSK	Edge_1RB_Left	20.11
n7	50	15	2535	CP	QPSK	Edge_1RB_Right	20.18
n7	50	15	2535	CP	QPSK	Outer_Full	20.10
n7	50	15	2535	CP	16QAM	Inner_Full	21.19
n7	50	15	2535	CP	16QAM	Edge_1RB_Left	20.16
n7	50	15	2535	CP	16QAM	Edge_1RB_Right	20.15
n7	50	15	2535	CP	16QAM	Outer_Full	20.01
n7	50	15	2535	CP	64QAM	Inner_Full	19.53
n7	50	15	2535	CP	64QAM	Edge_1RB_Left	19.93
n7	50	15	2535	CP	64QAM	Edge_1RB_Right	19.85
n7	50	15	2535	CP	64QAM	Outer_Full	19.54
n7	50	15	2535	CP	256QAM	Inner_Full	16.56
n7	50	15	2535	CP	256QAM	Edge_1RB_Left	17.06
n7	50	15	2535	CP	256QAM	Edge_1RB_Right	17.03
n7	50	15	2535	CP	256QAM	Outer_Full	16.49
n7	50	15	2545	DFT	pi/2 BPSK	Inner_Full	23.09
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Right	22.62
n7	50	15	2545	DFT	pi/2 BPSK	Outer_Full	22.55
n7	50	15	2545	DFT	QPSK	Inner_Full	23.06
n7	50	15	2545	DFT	QPSK	Edge_1RB_Left	21.99
n7	50	15	2545	DFT	QPSK	Edge_1RB_Right	22.11
n7	50	15	2545	DFT	QPSK	Outer_Full	22.08
n7	50	15	2545	DFT	16QAM	Inner_Full	22.09



n7	50	15	2545	DFT	16QAM	Edge_1RB_Left	20.97
n7	50	15	2545	DFT	16QAM	Edge_1RB_Right	21.13
n7	50	15	2545	DFT	16QAM	Outer_Full	21.12
n7	50	15	2545	DFT	64QAM	Inner_Full	20.68
n7	50	15	2545	DFT	64QAM	Edge_1RB_Left	20.36
n7	50	15	2545	DFT	64QAM	Edge_1RB_Right	20.48
n7	50	15	2545	DFT	64QAM	Outer_Full	20.62
n7	50	15	2545	DFT	256QAM	Inner_Full	18.81
n7	50	15	2545	DFT	256QAM	Edge_1RB_Left	19.00
n7	50	15	2545	DFT	256QAM	Edge_1RB_Right	19.11
n7	50	15	2545	DFT	256QAM	Outer_Full	18.56
n7	50	15	2545	CP	QPSK	Inner_Full	21.54
n7	50	15	2545	CP	QPSK	Edge_1RB_Left	20.11
n7	50	15	2545	CP	QPSK	Edge_1RB_Right	20.17
n7	50	15	2545	CP	QPSK	Outer_Full	20.10
n7	50	15	2545	CP	16QAM	Inner_Full	21.15
n7	50	15	2545	CP	16QAM	Edge_1RB_Left	20.04
n7	50	15	2545	CP	16QAM	Edge_1RB_Right	20.16
n7	50	15	2545	CP	16QAM	Outer_Full	20.17
n7	50	15	2545	CP	64QAM	Inner_Full	19.61
n7	50	15	2545	CP	64QAM	Edge_1RB_Left	19.84
n7	50	15	2545	CP	64QAM	Edge_1RB_Right	19.90
n7	50	15	2545	CP	64QAM	Outer_Full	19.59
n7	50	15	2545	CP	256QAM	Inner_Full	16.61
n7	50	15	2545	CP	256QAM	Edge_1RB_Left	16.90
n7	50	15	2545	CP	256QAM	Edge_1RB_Right	17.10
n7	50	15	2545	CP	256QAM	Outer_Full	16.60



n38

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	10	30	2575	DFT	pi/2 BPSK	Inner_Full	24.28
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Left	23.67
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Right	23.69
n38	10	30	2575	DFT	pi/2 BPSK	Outer_Full	23.66
n38	10	30	2575	DFT	QPSK	Inner_Full	24.28
n38	10	30	2575	DFT	QPSK	Edge_1RB_Left	23.16
n38	10	30	2575	DFT	QPSK	Edge_1RB_Right	23.22
n38	10	30	2575	DFT	QPSK	Outer_Full	23.30
n38	10	30	2575	DFT	16QAM	Inner_Full	23.33
n38	10	30	2575	DFT	16QAM	Edge_1RB_Left	22.23
n38	10	30	2575	DFT	16QAM	Edge_1RB_Right	22.23
n38	10	30	2575	DFT	16QAM	Outer_Full	22.30
n38	10	30	2575	DFT	64QAM	Inner_Full	21.69
n38	10	30	2575	DFT	64QAM	Edge_1RB_Left	21.53
n38	10	30	2575	DFT	64QAM	Edge_1RB_Right	21.53
n38	10	30	2575	DFT	64QAM	Outer_Full	21.75
n38	10	30	2575	DFT	256QAM	Inner_Full	19.80
n38	10	30	2575	DFT	256QAM	Edge_1RB_Left	19.50
n38	10	30	2575	DFT	256QAM	Edge_1RB_Right	19.74
n38	10	30	2575	DFT	256QAM	Outer_Full	19.84
n38	10	30	2575	CP	QPSK	Inner_Full	22.79
n38	10	30	2575	CP	QPSK	Edge_1RB_Left	21.16
n38	10	30	2575	CP	QPSK	Edge_1RB_Right	21.17
n38	10	30	2575	CP	QPSK	Outer_Full	21.26
n38	10	30	2575	CP	16QAM	Inner_Full	22.22
n38	10	30	2575	CP	16QAM	Edge_1RB_Left	21.43
n38	10	30	2575	CP	16QAM	Edge_1RB_Right	21.32
n38	10	30	2575	CP	16QAM	Outer_Full	21.31
n38	10	30	2575	CP	64QAM	Inner_Full	20.78
n38	10	30	2575	CP	64QAM	Edge_1RB_Left	20.63
n38	10	30	2575	CP	64QAM	Edge_1RB_Right	20.59
n38	10	30	2575	CP	64QAM	Outer_Full	20.87
n38	10	30	2575	CP	256QAM	Inner_Full	17.84
n38	10	30	2575	CP	256QAM	Edge_1RB_Left	17.72



n38	10	30	2575	CP	256QAM	Edge_1RB_Right	17.65
n38	10	30	2575	CP	256QAM	Outer_Full	17.74
n38	10	30	2595	DFT	pi/2 BPSK	Inner_Full	24.36
n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.81
n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.88
n38	10	30	2595	DFT	pi/2 BPSK	Outer_Full	23.71
n38	10	30	2595	DFT	QPSK	Inner_Full	24.34
n38	10	30	2595	DFT	QPSK	Edge_1RB_Left	23.26
n38	10	30	2595	DFT	QPSK	Edge_1RB_Right	23.25
n38	10	30	2595	DFT	QPSK	Outer_Full	23.27
n38	10	30	2595	DFT	16QAM	Inner_Full	23.42
n38	10	30	2595	DFT	16QAM	Edge_1RB_Left	22.32
n38	10	30	2595	DFT	16QAM	Edge_1RB_Right	22.35
n38	10	30	2595	DFT	16QAM	Outer_Full	22.28
n38	10	30	2595	DFT	64QAM	Inner_Full	21.88
n38	10	30	2595	DFT	64QAM	Edge_1RB_Left	21.67
n38	10	30	2595	DFT	64QAM	Edge_1RB_Right	21.74
n38	10	30	2595	DFT	64QAM	Outer_Full	21.85
n38	10	30	2595	DFT	256QAM	Inner_Full	19.94
n38	10	30	2595	DFT	256QAM	Edge_1RB_Left	19.81
n38	10	30	2595	DFT	256QAM	Edge_1RB_Right	19.79
n38	10	30	2595	DFT	256QAM	Outer_Full	19.80
n38	10	30	2595	CP	QPSK	Inner_Full	22.85
n38	10	30	2595	CP	QPSK	Edge_1RB_Left	21.40
n38	10	30	2595	CP	QPSK	Edge_1RB_Right	21.36
n38	10	30	2595	CP	QPSK	Outer_Full	21.32
n38	10	30	2595	CP	16QAM	Inner_Full	22.40
n38	10	30	2595	CP	16QAM	Edge_1RB_Left	21.27
n38	10	30	2595	CP	16QAM	Edge_1RB_Right	21.41
n38	10	30	2595	CP	16QAM	Outer_Full	21.38
n38	10	30	2595	CP	64QAM	Inner_Full	20.92
n38	10	30	2595	CP	64QAM	Edge_1RB_Left	20.93
n38	10	30	2595	CP	64QAM	Edge_1RB_Right	20.68
n38	10	30	2595	CP	64QAM	Outer_Full	20.88
n38	10	30	2595	CP	256QAM	Inner_Full	17.88
n38	10	30	2595	CP	256QAM	Edge_1RB_Left	17.67
n38	10	30	2595	CP	256QAM	Edge_1RB_Right	17.56



n38	10	30	2595	CP	256QAM	Outer_Full	17.77
n38	10	30	2615	DFT	pi/2 BPSK	Inner_Full	24.37
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Left	23.74
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Right	23.81
n38	10	30	2615	DFT	pi/2 BPSK	Outer_Full	23.84
n38	10	30	2615	DFT	QPSK	Inner_Full	24.36
n38	10	30	2615	DFT	QPSK	Edge_1RB_Left	23.28
n38	10	30	2615	DFT	QPSK	Edge_1RB_Right	23.29
n38	10	30	2615	DFT	QPSK	Outer_Full	23.28
n38	10	30	2615	DFT	16QAM	Inner_Full	23.40
n38	10	30	2615	DFT	16QAM	Edge_1RB_Left	22.40
n38	10	30	2615	DFT	16QAM	Edge_1RB_Right	22.46
n38	10	30	2615	DFT	16QAM	Outer_Full	22.31
n38	10	30	2615	DFT	64QAM	Inner_Full	21.94
n38	10	30	2615	DFT	64QAM	Edge_1RB_Left	21.84
n38	10	30	2615	DFT	64QAM	Edge_1RB_Right	21.78
n38	10	30	2615	DFT	64QAM	Outer_Full	21.87
n38	10	30	2615	DFT	256QAM	Inner_Full	19.96
n38	10	30	2615	DFT	256QAM	Edge_1RB_Left	19.93
n38	10	30	2615	DFT	256QAM	Edge_1RB_Right	19.87
n38	10	30	2615	DFT	256QAM	Outer_Full	19.89
n38	10	30	2615	CP	QPSK	Inner_Full	22.84
n38	10	30	2615	CP	QPSK	Edge_1RB_Left	21.40
n38	10	30	2615	CP	QPSK	Edge_1RB_Right	21.36
n38	10	30	2615	CP	QPSK	Outer_Full	21.34
n38	10	30	2615	CP	16QAM	Inner_Full	22.36
n38	10	30	2615	CP	16QAM	Edge_1RB_Left	21.66
n38	10	30	2615	CP	16QAM	Edge_1RB_Right	21.73
n38	10	30	2615	CP	16QAM	Outer_Full	21.43
n38	10	30	2615	CP	64QAM	Inner_Full	20.94
n38	10	30	2615	CP	64QAM	Edge_1RB_Left	20.73
n38	10	30	2615	CP	64QAM	Edge_1RB_Right	20.91
n38	10	30	2615	CP	64QAM	Outer_Full	20.89
n38	10	30	2615	CP	256QAM	Inner_Full	17.94
n38	10	30	2615	CP	256QAM	Edge_1RB_Left	17.62
n38	10	30	2615	CP	256QAM	Edge_1RB_Right	17.74
n38	10	30	2615	CP	256QAM	Outer_Full	17.85



n38	15	30	2577.5	DFT	pi/2 BPSK	Inner_Full	24.28
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.77
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.81
n38	15	30	2577.5	DFT	pi/2 BPSK	Outer_Full	23.80
n38	15	30	2577.5	DFT	QPSK	Inner_Full	24.26
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Left	23.14
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Right	23.22
n38	15	30	2577.5	DFT	QPSK	Outer_Full	23.30
n38	15	30	2577.5	DFT	16QAM	Inner_Full	23.25
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Left	22.28
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Right	22.23
n38	15	30	2577.5	DFT	16QAM	Outer_Full	22.19
n38	15	30	2577.5	DFT	64QAM	Inner_Full	21.75
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Left	21.70
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Right	21.72
n38	15	30	2577.5	DFT	64QAM	Outer_Full	21.78
n38	15	30	2577.5	DFT	256QAM	Inner_Full	19.80
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Left	19.61
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Right	19.78
n38	15	30	2577.5	DFT	256QAM	Outer_Full	19.77
n38	15	30	2577.5	CP	QPSK	Inner_Full	22.73
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Left	21.22
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Right	21.24
n38	15	30	2577.5	CP	QPSK	Outer_Full	21.28
n38	15	30	2577.5	CP	16QAM	Inner_Full	22.26
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Left	21.24
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Right	21.45
n38	15	30	2577.5	CP	16QAM	Outer_Full	21.19
n38	15	30	2577.5	CP	64QAM	Inner_Full	20.82
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Left	20.82
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Right	20.67
n38	15	30	2577.5	CP	64QAM	Outer_Full	20.73
n38	15	30	2577.5	CP	256QAM	Inner_Full	17.71
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Left	17.73
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Right	17.67
n38	15	30	2577.5	CP	256QAM	Outer_Full	17.76
n38	15	30	2595	DFT	pi/2 BPSK	Inner_Full	24.27



n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.82
n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.79
n38	15	30	2595	DFT	pi/2 BPSK	Outer_Full	23.75
n38	15	30	2595	DFT	QPSK	Inner_Full	24.35
n38	15	30	2595	DFT	QPSK	Edge_1RB_Left	23.28
n38	15	30	2595	DFT	QPSK	Edge_1RB_Right	23.30
n38	15	30	2595	DFT	QPSK	Outer_Full	23.33
n38	15	30	2595	DFT	16QAM	Inner_Full	23.30
n38	15	30	2595	DFT	16QAM	Edge_1RB_Left	22.37
n38	15	30	2595	DFT	16QAM	Edge_1RB_Right	22.35
n38	15	30	2595	DFT	16QAM	Outer_Full	22.31
n38	15	30	2595	DFT	64QAM	Inner_Full	21.70
n38	15	30	2595	DFT	64QAM	Edge_1RB_Left	21.70
n38	15	30	2595	DFT	64QAM	Edge_1RB_Right	21.79
n38	15	30	2595	DFT	64QAM	Outer_Full	21.81
n38	15	30	2595	DFT	256QAM	Inner_Full	19.75
n38	15	30	2595	DFT	256QAM	Edge_1RB_Left	19.90
n38	15	30	2595	DFT	256QAM	Edge_1RB_Right	19.76
n38	15	30	2595	DFT	256QAM	Outer_Full	19.78
n38	15	30	2595	CP	QPSK	Inner_Full	22.79
n38	15	30	2595	CP	QPSK	Edge_1RB_Left	21.27
n38	15	30	2595	CP	QPSK	Edge_1RB_Right	21.30
n38	15	30	2595	CP	QPSK	Outer_Full	21.32
n38	15	30	2595	CP	16QAM	Inner_Full	22.26
n38	15	30	2595	CP	16QAM	Edge_1RB_Left	21.55
n38	15	30	2595	CP	16QAM	Edge_1RB_Right	21.47
n38	15	30	2595	CP	16QAM	Outer_Full	21.27
n38	15	30	2595	CP	64QAM	Inner_Full	20.93
n38	15	30	2595	CP	64QAM	Edge_1RB_Left	20.90
n38	15	30	2595	CP	64QAM	Edge_1RB_Right	20.87
n38	15	30	2595	CP	64QAM	Outer_Full	20.81
n38	15	30	2595	CP	256QAM	Inner_Full	17.83
n38	15	30	2595	CP	256QAM	Edge_1RB_Left	17.66
n38	15	30	2595	CP	256QAM	Edge_1RB_Right	17.47
n38	15	30	2595	CP	256QAM	Outer_Full	17.88
n38	15	30	2612.5	DFT	pi/2 BPSK	Inner_Full	24.39
n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.87



n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.78
n38	15	30	2612.5	DFT	pi/2 BPSK	Outer_Full	23.82
n38	15	30	2612.5	DFT	QPSK	Inner_Full	24.34
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Left	23.25
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Right	23.41
n38	15	30	2612.5	DFT	QPSK	Outer_Full	23.37
n38	15	30	2612.5	DFT	16QAM	Inner_Full	23.39
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Left	22.51
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Right	22.46
n38	15	30	2612.5	DFT	16QAM	Outer_Full	22.32
n38	15	30	2612.5	DFT	64QAM	Inner_Full	21.79
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Left	21.75
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Right	21.74
n38	15	30	2612.5	DFT	64QAM	Outer_Full	21.88
n38	15	30	2612.5	DFT	256QAM	Inner_Full	19.88
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Left	19.75
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Right	19.88
n38	15	30	2612.5	DFT	256QAM	Outer_Full	19.90
n38	15	30	2612.5	CP	QPSK	Inner_Full	22.84
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Left	21.39
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Right	21.38
n38	15	30	2612.5	CP	QPSK	Outer_Full	21.32
n38	15	30	2612.5	CP	16QAM	Inner_Full	22.27
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Left	21.53
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Right	21.41
n38	15	30	2612.5	CP	16QAM	Outer_Full	21.41
n38	15	30	2612.5	CP	64QAM	Inner_Full	20.90
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Left	20.90
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Right	20.96
n38	15	30	2612.5	CP	64QAM	Outer_Full	20.80
n38	15	30	2612.5	CP	256QAM	Inner_Full	17.85
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Left	17.73
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Right	17.68
n38	15	30	2612.5	CP	256QAM	Outer_Full	17.79
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	24.31
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	23.69
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	23.64



n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	23.68
n38	20	30	2580	DFT	QPSK	Inner_Full	24.24
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	23.20
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	23.24
n38	20	30	2580	DFT	QPSK	Outer_Full	23.25
n38	20	30	2580	DFT	16QAM	Inner_Full	23.17
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	22.43
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	22.27
n38	20	30	2580	DFT	16QAM	Outer_Full	22.19
n38	20	30	2580	DFT	64QAM	Inner_Full	21.77
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	21.58
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	21.52
n38	20	30	2580	DFT	64QAM	Outer_Full	21.69
n38	20	30	2580	DFT	256QAM	Inner_Full	19.79
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	19.56
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	19.69
n38	20	30	2580	DFT	256QAM	Outer_Full	19.69
n38	20	30	2580	CP	QPSK	Inner_Full	22.77
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	21.18
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	21.18
n38	20	30	2580	CP	QPSK	Outer_Full	21.17
n38	20	30	2580	CP	16QAM	Inner_Full	22.25
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	21.32
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	21.20
n38	20	30	2580	CP	16QAM	Outer_Full	21.21
n38	20	30	2580	CP	64QAM	Inner_Full	20.77
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	20.76
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	20.73
n38	20	30	2580	CP	64QAM	Outer_Full	20.67
n38	20	30	2580	CP	256QAM	Inner_Full	17.71
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	17.38
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	17.40
n38	20	30	2580	CP	256QAM	Outer_Full	17.64
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	24.30
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.78
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.86
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	23.84



n38	20	30	2595	DFT	QPSK	Inner_Full	24.37
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	23.36
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	23.35
n38	20	30	2595	DFT	QPSK	Outer_Full	23.33
n38	20	30	2595	DFT	16QAM	Inner_Full	23.29
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	22.41
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	22.35
n38	20	30	2595	DFT	16QAM	Outer_Full	22.31
n38	20	30	2595	DFT	64QAM	Inner_Full	21.92
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	21.73
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	21.77
n38	20	30	2595	DFT	64QAM	Outer_Full	21.86
n38	20	30	2595	DFT	256QAM	Inner_Full	19.86
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	19.77
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	19.81
n38	20	30	2595	DFT	256QAM	Outer_Full	19.82
n38	20	30	2595	CP	QPSK	Inner_Full	22.78
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	21.35
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	21.26
n38	20	30	2595	CP	QPSK	Outer_Full	21.42
n38	20	30	2595	CP	16QAM	Inner_Full	22.32
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	21.47
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	21.57
n38	20	30	2595	CP	16QAM	Outer_Full	21.40
n38	20	30	2595	CP	64QAM	Inner_Full	20.85
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	20.89
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	21.02
n38	20	30	2595	CP	64QAM	Outer_Full	20.80
n38	20	30	2595	CP	256QAM	Inner_Full	17.90
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	17.54
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	17.56
n38	20	30	2595	CP	256QAM	Outer_Full	17.87
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	24.40
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	23.84
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	23.95
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	23.86
n38	20	30	2610	DFT	QPSK	Inner_Full	24.36



n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	23.29
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	23.42
n38	20	30	2610	DFT	QPSK	Outer_Full	23.35
n38	20	30	2610	DFT	16QAM	Inner_Full	23.41
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	22.40
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	22.47
n38	20	30	2610	DFT	16QAM	Outer_Full	22.25
n38	20	30	2610	DFT	64QAM	Inner_Full	21.84
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	21.70
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	21.92
n38	20	30	2610	DFT	64QAM	Outer_Full	21.83
n38	20	30	2610	DFT	256QAM	Inner_Full	19.77
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	19.76
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	19.86
n38	20	30	2610	DFT	256QAM	Outer_Full	19.87
n38	20	30	2610	CP	QPSK	Inner_Full	22.85
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	21.31
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	21.50
n38	20	30	2610	CP	QPSK	Outer_Full	21.31
n38	20	30	2610	CP	16QAM	Inner_Full	22.38
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	21.51
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	21.72
n38	20	30	2610	CP	16QAM	Outer_Full	21.42
n38	20	30	2610	CP	64QAM	Inner_Full	20.83
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	20.85
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	20.89
n38	20	30	2610	CP	64QAM	Outer_Full	20.86
n38	20	30	2610	CP	256QAM	Inner_Full	17.90
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	17.89
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	17.89
n38	20	30	2610	CP	256QAM	Outer_Full	17.80
n38	25	30	2582.5	DFT	pi/2 BPSK	Inner_Full	24.14
n38	25	30	2582.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.66
n38	25	30	2582.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.66
n38	25	30	2582.5	DFT	pi/2 BPSK	Outer_Full	23.69
n38	25	30	2582.5	DFT	QPSK	Inner_Full	24.17
n38	25	30	2582.5	DFT	QPSK	Edge_1RB_Left	23.15



n38	25	30	2582.5	DFT	QPSK	Edge_1RB_Right	23.11
n38	25	30	2582.5	DFT	QPSK	Outer_Full	23.12
n38	25	30	2582.5	DFT	16QAM	Inner_Full	23.14
n38	25	30	2582.5	DFT	16QAM	Edge_1RB_Left	22.21
n38	25	30	2582.5	DFT	16QAM	Edge_1RB_Right	22.26
n38	25	30	2582.5	DFT	16QAM	Outer_Full	22.20
n38	25	30	2582.5	DFT	64QAM	Inner_Full	21.60
n38	25	30	2582.5	DFT	64QAM	Edge_1RB_Left	21.58
n38	25	30	2582.5	DFT	64QAM	Edge_1RB_Right	21.69
n38	25	30	2582.5	DFT	64QAM	Outer_Full	21.60
n38	25	30	2582.5	DFT	256QAM	Inner_Full	19.63
n38	25	30	2582.5	DFT	256QAM	Edge_1RB_Left	19.74
n38	25	30	2582.5	DFT	256QAM	Edge_1RB_Right	19.69
n38	25	30	2582.5	DFT	256QAM	Outer_Full	19.64
n38	25	30	2582.5	CP	QPSK	Inner_Full	22.55
n38	25	30	2582.5	CP	QPSK	Edge_1RB_Left	21.10
n38	25	30	2582.5	CP	QPSK	Edge_1RB_Right	21.19
n38	25	30	2582.5	CP	QPSK	Outer_Full	21.14
n38	25	30	2582.5	CP	16QAM	Inner_Full	22.18
n38	25	30	2582.5	CP	16QAM	Edge_1RB_Left	21.28
n38	25	30	2582.5	CP	16QAM	Edge_1RB_Right	21.28
n38	25	30	2582.5	CP	16QAM	Outer_Full	21.16
n38	25	30	2582.5	CP	64QAM	Inner_Full	20.60
n38	25	30	2582.5	CP	64QAM	Edge_1RB_Left	20.67
n38	25	30	2582.5	CP	64QAM	Edge_1RB_Right	20.66
n38	25	30	2582.5	CP	64QAM	Outer_Full	20.65
n38	25	30	2582.5	CP	256QAM	Inner_Full	17.60
n38	25	30	2582.5	CP	256QAM	Edge_1RB_Left	17.54
n38	25	30	2582.5	CP	256QAM	Edge_1RB_Right	17.44
n38	25	30	2582.5	CP	256QAM	Outer_Full	17.66
n38	25	30	2595	DFT	pi/2 BPSK	Inner_Full	24.19
n38	25	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.79
n38	25	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.83
n38	25	30	2595	DFT	pi/2 BPSK	Outer_Full	23.79
n38	25	30	2595	DFT	QPSK	Inner_Full	24.20
n38	25	30	2595	DFT	QPSK	Edge_1RB_Left	23.21
n38	25	30	2595	DFT	QPSK	Edge_1RB_Right	23.25



n38	25	30	2595	DFT	QPSK	Outer_Full	23.30
n38	25	30	2595	DFT	16QAM	Inner_Full	23.21
n38	25	30	2595	DFT	16QAM	Edge_1RB_Left	22.36
n38	25	30	2595	DFT	16QAM	Edge_1RB_Right	22.44
n38	25	30	2595	DFT	16QAM	Outer_Full	22.20
n38	25	30	2595	DFT	64QAM	Inner_Full	21.79
n38	25	30	2595	DFT	64QAM	Edge_1RB_Left	21.70
n38	25	30	2595	DFT	64QAM	Edge_1RB_Right	21.74
n38	25	30	2595	DFT	64QAM	Outer_Full	21.69
n38	25	30	2595	DFT	256QAM	Inner_Full	19.77
n38	25	30	2595	DFT	256QAM	Edge_1RB_Left	19.74
n38	25	30	2595	DFT	256QAM	Edge_1RB_Right	19.75
n38	25	30	2595	DFT	256QAM	Outer_Full	19.78
n38	25	30	2595	CP	QPSK	Inner_Full	22.69
n38	25	30	2595	CP	QPSK	Edge_1RB_Left	21.21
n38	25	30	2595	CP	QPSK	Edge_1RB_Right	21.22
n38	25	30	2595	CP	QPSK	Outer_Full	21.26
n38	25	30	2595	CP	16QAM	Inner_Full	22.22
n38	25	30	2595	CP	16QAM	Edge_1RB_Left	21.30
n38	25	30	2595	CP	16QAM	Edge_1RB_Right	21.45
n38	25	30	2595	CP	16QAM	Outer_Full	21.27
n38	25	30	2595	CP	64QAM	Inner_Full	20.69
n38	25	30	2595	CP	64QAM	Edge_1RB_Left	20.84
n38	25	30	2595	CP	64QAM	Edge_1RB_Right	20.83
n38	25	30	2595	CP	64QAM	Outer_Full	20.81
n38	25	30	2595	CP	256QAM	Inner_Full	17.80
n38	25	30	2595	CP	256QAM	Edge_1RB_Left	17.62
n38	25	30	2595	CP	256QAM	Edge_1RB_Right	17.66
n38	25	30	2595	CP	256QAM	Outer_Full	17.77
n38	25	30	2607.5	DFT	$\pi/2$ BPSK	Inner_Full	24.14
n38	25	30	2607.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.69
n38	25	30	2607.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.89
n38	25	30	2607.5	DFT	$\pi/2$ BPSK	Outer_Full	23.76
n38	25	30	2607.5	DFT	QPSK	Inner_Full	24.21
n38	25	30	2607.5	DFT	QPSK	Edge_1RB_Left	23.15
n38	25	30	2607.5	DFT	QPSK	Edge_1RB_Right	23.35
n38	25	30	2607.5	DFT	QPSK	Outer_Full	23.20



n38	25	30	2607.5	DFT	16QAM	Inner_Full	23.25
n38	25	30	2607.5	DFT	16QAM	Edge_1RB_Left	22.31
n38	25	30	2607.5	DFT	16QAM	Edge_1RB_Right	22.45
n38	25	30	2607.5	DFT	16QAM	Outer_Full	22.18
n38	25	30	2607.5	DFT	64QAM	Inner_Full	21.76
n38	25	30	2607.5	DFT	64QAM	Edge_1RB_Left	21.72
n38	25	30	2607.5	DFT	64QAM	Edge_1RB_Right	21.86
n38	25	30	2607.5	DFT	64QAM	Outer_Full	21.72
n38	25	30	2607.5	DFT	256QAM	Inner_Full	19.73
n38	25	30	2607.5	DFT	256QAM	Edge_1RB_Left	19.62
n38	25	30	2607.5	DFT	256QAM	Edge_1RB_Right	19.79
n38	25	30	2607.5	DFT	256QAM	Outer_Full	19.75
n38	25	30	2607.5	CP	QPSK	Inner_Full	22.68
n38	25	30	2607.5	CP	QPSK	Edge_1RB_Left	21.29
n38	25	30	2607.5	CP	QPSK	Edge_1RB_Right	21.40
n38	25	30	2607.5	CP	QPSK	Outer_Full	21.22
n38	25	30	2607.5	CP	16QAM	Inner_Full	22.23
n38	25	30	2607.5	CP	16QAM	Edge_1RB_Left	21.39
n38	25	30	2607.5	CP	16QAM	Edge_1RB_Right	21.68
n38	25	30	2607.5	CP	16QAM	Outer_Full	21.24
n38	25	30	2607.5	CP	64QAM	Inner_Full	20.77
n38	25	30	2607.5	CP	64QAM	Edge_1RB_Left	20.71
n38	25	30	2607.5	CP	64QAM	Edge_1RB_Right	20.92
n38	25	30	2607.5	CP	64QAM	Outer_Full	20.75
n38	25	30	2607.5	CP	256QAM	Inner_Full	17.76
n38	25	30	2607.5	CP	256QAM	Edge_1RB_Left	17.59
n38	25	30	2607.5	CP	256QAM	Edge_1RB_Right	17.67
n38	25	30	2607.5	CP	256QAM	Outer_Full	17.70
n38	30	30	2585	DFT	pi/2 BPSK	Inner_Full	24.18
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Left	23.81
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Right	23.75
n38	30	30	2585	DFT	pi/2 BPSK	Outer_Full	23.72
n38	30	30	2585	DFT	QPSK	Inner_Full	24.18
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	23.20
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	23.12
n38	30	30	2585	DFT	QPSK	Outer_Full	23.19
n38	30	30	2585	DFT	16QAM	Inner_Full	23.22



n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	22.33
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	22.26
n38	30	30	2585	DFT	16QAM	Outer_Full	22.14
n38	30	30	2585	DFT	64QAM	Inner_Full	21.68
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	21.63
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	21.65
n38	30	30	2585	DFT	64QAM	Outer_Full	21.69
n38	30	30	2585	DFT	256QAM	Inner_Full	19.73
n38	30	30	2585	DFT	256QAM	Edge_1RB_Left	19.68
n38	30	30	2585	DFT	256QAM	Edge_1RB_Right	19.67
n38	30	30	2585	DFT	256QAM	Outer_Full	19.74
n38	30	30	2585	CP	QPSK	Inner_Full	22.73
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	21.25
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	21.20
n38	30	30	2585	CP	QPSK	Outer_Full	21.27
n38	30	30	2585	CP	16QAM	Inner_Full	22.32
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	21.46
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	21.42
n38	30	30	2585	CP	16QAM	Outer_Full	21.28
n38	30	30	2585	CP	64QAM	Inner_Full	20.75
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	20.66
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	20.65
n38	30	30	2585	CP	64QAM	Outer_Full	20.71
n38	30	30	2585	CP	256QAM	Inner_Full	17.73
n38	30	30	2585	CP	256QAM	Edge_1RB_Left	17.54
n38	30	30	2585	CP	256QAM	Edge_1RB_Right	17.69
n38	30	30	2585	CP	256QAM	Outer_Full	17.75
n38	30	30	2595	DFT	pi/2 BPSK	Inner_Full	24.23
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.79
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.90
n38	30	30	2595	DFT	pi/2 BPSK	Outer_Full	23.78
n38	30	30	2595	DFT	QPSK	Inner_Full	24.27
n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	23.23
n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	23.29
n38	30	30	2595	DFT	QPSK	Outer_Full	23.30
n38	30	30	2595	DFT	16QAM	Inner_Full	23.25
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	22.24



n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	22.41
n38	30	30	2595	DFT	16QAM	Outer_Full	22.35
n38	30	30	2595	DFT	64QAM	Inner_Full	21.78
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	21.69
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	21.91
n38	30	30	2595	DFT	64QAM	Outer_Full	21.84
n38	30	30	2595	DFT	256QAM	Inner_Full	19.81
n38	30	30	2595	DFT	256QAM	Edge_1RB_Left	19.72
n38	30	30	2595	DFT	256QAM	Edge_1RB_Right	19.82
n38	30	30	2595	DFT	256QAM	Outer_Full	19.87
n38	30	30	2595	CP	QPSK	Inner_Full	22.82
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	21.25
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	21.34
n38	30	30	2595	CP	QPSK	Outer_Full	21.28
n38	30	30	2595	CP	16QAM	Inner_Full	22.36
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	21.37
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	21.48
n38	30	30	2595	CP	16QAM	Outer_Full	21.31
n38	30	30	2595	CP	64QAM	Inner_Full	20.82
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	20.70
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	20.77
n38	30	30	2595	CP	64QAM	Outer_Full	20.80
n38	30	30	2595	CP	256QAM	Inner_Full	17.78
n38	30	30	2595	CP	256QAM	Edge_1RB_Left	17.77
n38	30	30	2595	CP	256QAM	Edge_1RB_Right	17.86
n38	30	30	2595	CP	256QAM	Outer_Full	17.80
n38	30	30	2605	DFT	pi/2 BPSK	Inner_Full	24.33
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Left	23.81
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Right	23.91
n38	30	30	2605	DFT	pi/2 BPSK	Outer_Full	23.69
n38	30	30	2605	DFT	QPSK	Inner_Full	24.26
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	23.22
n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	23.35
n38	30	30	2605	DFT	QPSK	Outer_Full	23.24
n38	30	30	2605	DFT	16QAM	Inner_Full	23.31
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	22.33
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	22.51



n38	30	30	2605	DFT	16QAM	Outer_Full	22.21
n38	30	30	2605	DFT	64QAM	Inner_Full	21.84
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	21.74
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	21.78
n38	30	30	2605	DFT	64QAM	Outer_Full	21.77
n38	30	30	2605	DFT	256QAM	Inner_Full	19.76
n38	30	30	2605	DFT	256QAM	Edge_1RB_Left	19.76
n38	30	30	2605	DFT	256QAM	Edge_1RB_Right	19.75
n38	30	30	2605	DFT	256QAM	Outer_Full	19.82
n38	30	30	2605	CP	QPSK	Inner_Full	22.70
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	21.22
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	21.40
n38	30	30	2605	CP	QPSK	Outer_Full	21.33
n38	30	30	2605	CP	16QAM	Inner_Full	22.29
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	21.38
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	21.63
n38	30	30	2605	CP	16QAM	Outer_Full	21.34
n38	30	30	2605	CP	64QAM	Inner_Full	20.73
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	20.74
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	20.98
n38	30	30	2605	CP	64QAM	Outer_Full	20.78
n38	30	30	2605	CP	256QAM	Inner_Full	17.84
n38	30	30	2605	CP	256QAM	Edge_1RB_Left	17.68
n38	30	30	2605	CP	256QAM	Edge_1RB_Right	17.89
n38	30	30	2605	CP	256QAM	Outer_Full	17.78
n38	40	30	2590	DFT	pi/2 BPSK	Inner_Full	24.27
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Left	23.75
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Right	23.81
n38	40	30	2590	DFT	pi/2 BPSK	Outer_Full	23.78
n38	40	30	2590	DFT	QPSK	Inner_Full	24.30
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	23.27
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	23.28
n38	40	30	2590	DFT	QPSK	Outer_Full	23.27
n38	40	30	2590	DFT	16QAM	Inner_Full	23.27
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	22.29
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	22.34
n38	40	30	2590	DFT	16QAM	Outer_Full	22.26



n38	40	30	2590	DFT	64QAM	Inner_Full	21.81
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	21.65
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	21.81
n38	40	30	2590	DFT	64QAM	Outer_Full	21.79
n38	40	30	2590	DFT	256QAM	Inner_Full	19.85
n38	40	30	2590	DFT	256QAM	Edge_1RB_Left	19.67
n38	40	30	2590	DFT	256QAM	Edge_1RB_Right	19.74
n38	40	30	2590	DFT	256QAM	Outer_Full	19.83
n38	40	30	2590	CP	QPSK	Inner_Full	22.74
n38	40	30	2590	CP	QPSK	Edge_1RB_Left	21.19
n38	40	30	2590	CP	QPSK	Edge_1RB_Right	21.27
n38	40	30	2590	CP	QPSK	Outer_Full	21.22
n38	40	30	2590	CP	16QAM	Inner_Full	22.35
n38	40	30	2590	CP	16QAM	Edge_1RB_Left	21.40
n38	40	30	2590	CP	16QAM	Edge_1RB_Right	21.49
n38	40	30	2590	CP	16QAM	Outer_Full	21.29
n38	40	30	2590	CP	64QAM	Inner_Full	20.72
n38	40	30	2590	CP	64QAM	Edge_1RB_Left	20.83
n38	40	30	2590	CP	64QAM	Edge_1RB_Right	20.88
n38	40	30	2590	CP	64QAM	Outer_Full	20.79
n38	40	30	2590	CP	256QAM	Inner_Full	17.76
n38	40	30	2590	CP	256QAM	Edge_1RB_Left	17.66
n38	40	30	2590	CP	256QAM	Edge_1RB_Right	17.69
n38	40	30	2590	CP	256QAM	Outer_Full	17.81
n38	40	30	2595	DFT	pi/2 BPSK	Inner_Full	24.27
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.74
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.88
n38	40	30	2595	DFT	pi/2 BPSK	Outer_Full	23.87
n38	40	30	2595	DFT	QPSK	Inner_Full	24.31
n38	40	30	2595	DFT	QPSK	Edge_1RB_Left	23.29
n38	40	30	2595	DFT	QPSK	Edge_1RB_Right	23.37
n38	40	30	2595	DFT	QPSK	Outer_Full	23.25
n38	40	30	2595	DFT	16QAM	Inner_Full	23.27
n38	40	30	2595	DFT	16QAM	Edge_1RB_Left	22.45
n38	40	30	2595	DFT	16QAM	Edge_1RB_Right	22.53
n38	40	30	2595	DFT	16QAM	Outer_Full	22.27
n38	40	30	2595	DFT	64QAM	Inner_Full	21.72



n38	40	30	2595	DFT	64QAM	Edge_1RB_Left	21.73
n38	40	30	2595	DFT	64QAM	Edge_1RB_Right	21.68
n38	40	30	2595	DFT	64QAM	Outer_Full	21.74
n38	40	30	2595	DFT	256QAM	Inner_Full	19.82
n38	40	30	2595	DFT	256QAM	Edge_1RB_Left	19.81
n38	40	30	2595	DFT	256QAM	Edge_1RB_Right	19.67
n38	40	30	2595	DFT	256QAM	Outer_Full	19.81
n38	40	30	2595	CP	QPSK	Inner_Full	22.77
n38	40	30	2595	CP	QPSK	Edge_1RB_Left	21.36
n38	40	30	2595	CP	QPSK	Edge_1RB_Right	21.36
n38	40	30	2595	CP	QPSK	Outer_Full	21.29
n38	40	30	2595	CP	16QAM	Inner_Full	22.35
n38	40	30	2595	CP	16QAM	Edge_1RB_Left	21.53
n38	40	30	2595	CP	16QAM	Edge_1RB_Right	21.49
n38	40	30	2595	CP	16QAM	Outer_Full	21.30
n38	40	30	2595	CP	64QAM	Inner_Full	20.86
n38	40	30	2595	CP	64QAM	Edge_1RB_Left	20.82
n38	40	30	2595	CP	64QAM	Edge_1RB_Right	20.91
n38	40	30	2595	CP	64QAM	Outer_Full	20.80
n38	40	30	2595	CP	256QAM	Inner_Full	17.79
n38	40	30	2595	CP	256QAM	Edge_1RB_Left	17.71
n38	40	30	2595	CP	256QAM	Edge_1RB_Right	17.69
n38	40	30	2595	CP	256QAM	Outer_Full	17.74
n38	40	30	2600	DFT	pi/2 BPSK	Inner_Full	24.31
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Left	23.71
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Right	23.92
n38	40	30	2600	DFT	pi/2 BPSK	Outer_Full	23.86
n38	40	30	2600	DFT	QPSK	Inner_Full	24.32
n38	40	30	2600	DFT	QPSK	Edge_1RB_Left	23.25
n38	40	30	2600	DFT	QPSK	Edge_1RB_Right	23.37
n38	40	30	2600	DFT	QPSK	Outer_Full	23.27
n38	40	30	2600	DFT	16QAM	Inner_Full	23.24
n38	40	30	2600	DFT	16QAM	Edge_1RB_Left	22.44
n38	40	30	2600	DFT	16QAM	Edge_1RB_Right	22.48
n38	40	30	2600	DFT	16QAM	Outer_Full	22.30
n38	40	30	2600	DFT	64QAM	Inner_Full	21.76
n38	40	30	2600	DFT	64QAM	Edge_1RB_Left	21.69



n38	40	30	2600	DFT	64QAM	Edge_1RB_Right	21.82
n38	40	30	2600	DFT	64QAM	Outer_Full	21.83
n38	40	30	2600	DFT	256QAM	Inner_Full	19.83
n38	40	30	2600	DFT	256QAM	Edge_1RB_Left	19.66
n38	40	30	2600	DFT	256QAM	Edge_1RB_Right	19.73
n38	40	30	2600	DFT	256QAM	Outer_Full	19.84
n38	40	30	2600	CP	QPSK	Inner_Full	22.76
n38	40	30	2600	CP	QPSK	Edge_1RB_Left	21.33
n38	40	30	2600	CP	QPSK	Edge_1RB_Right	21.43
n38	40	30	2600	CP	QPSK	Outer_Full	21.35
n38	40	30	2600	CP	16QAM	Inner_Full	22.44
n38	40	30	2600	CP	16QAM	Edge_1RB_Left	21.38
n38	40	30	2600	CP	16QAM	Edge_1RB_Right	21.55
n38	40	30	2600	CP	16QAM	Outer_Full	21.34
n38	40	30	2600	CP	64QAM	Inner_Full	20.91
n38	40	30	2600	CP	64QAM	Edge_1RB_Left	20.76
n38	40	30	2600	CP	64QAM	Edge_1RB_Right	20.82
n38	40	30	2600	CP	64QAM	Outer_Full	20.75
n38	40	30	2600	CP	256QAM	Inner_Full	17.82
n38	40	30	2600	CP	256QAM	Edge_1RB_Left	17.64
n38	40	30	2600	CP	256QAM	Edge_1RB_Right	17.68
n38	40	30	2600	CP	256QAM	Outer_Full	17.79



n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	27.03
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.89
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.81
n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	26.92
n41	10	30	2501.01	DFT	QPSK	Inner_Full	27.09
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	25.76
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	25.84
n41	10	30	2501.01	DFT	QPSK	Outer_Full	26.39
n41	10	30	2501.01	DFT	16QAM	Inner_Full	26.95
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	25.87
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	25.77
n41	10	30	2501.01	DFT	16QAM	Outer_Full	25.89
n41	10	30	2501.01	DFT	64QAM	Inner_Full	25.48
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	23.83
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	23.72
n41	10	30	2501.01	DFT	64QAM	Outer_Full	25.38
n41	10	30	2501.01	DFT	256QAM	Inner_Full	24.06
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	22.98
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	22.67
n41	10	30	2501.01	DFT	256QAM	Outer_Full	24.00
n41	10	30	2501.01	CP	QPSK	Inner_Full	26.39
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Left	24.98
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Right	24.89
n41	10	30	2501.01	CP	QPSK	Outer_Full	23.88
n41	10	30	2501.01	CP	16QAM	Inner_Full	25.45
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Left	25.35
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Right	25.35
n41	10	30	2501.01	CP	16QAM	Outer_Full	23.92
n41	10	30	2501.01	CP	64QAM	Inner_Full	24.84
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Left	23.77
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Right	23.91
n41	10	30	2501.01	CP	64QAM	Outer_Full	23.94
n41	10	30	2501.01	CP	256QAM	Inner_Full	22.01
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Left	20.80



n41	10	30	2501.01	CP	256QAM	Edge_1RB_Right	20.65
n41	10	30	2501.01	CP	256QAM	Outer_Full	21.90
n41	10	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	27.17
n41	10	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.88
n41	10	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.94
n41	10	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	27.03
n41	10	30	2592.99	DFT	QPSK	Inner_Full	27.25
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.80
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.86
n41	10	30	2592.99	DFT	QPSK	Outer_Full	26.44
n41	10	30	2592.99	DFT	16QAM	Inner_Full	27.05
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.99
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.10
n41	10	30	2592.99	DFT	16QAM	Outer_Full	25.87
n41	10	30	2592.99	DFT	64QAM	Inner_Full	25.47
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.83
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.84
n41	10	30	2592.99	DFT	64QAM	Outer_Full	25.41
n41	10	30	2592.99	DFT	256QAM	Inner_Full	24.05
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.85
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.70
n41	10	30	2592.99	DFT	256QAM	Outer_Full	23.92
n41	10	30	2592.99	CP	QPSK	Inner_Full	26.45
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Left	24.93
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Right	25.02
n41	10	30	2592.99	CP	QPSK	Outer_Full	23.91
n41	10	30	2592.99	CP	16QAM	Inner_Full	25.49
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Left	25.54
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Right	24.93
n41	10	30	2592.99	CP	16QAM	Outer_Full	24.00
n41	10	30	2592.99	CP	64QAM	Inner_Full	25.01
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Left	24.02
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Right	23.97
n41	10	30	2592.99	CP	64QAM	Outer_Full	24.01
n41	10	30	2592.99	CP	256QAM	Inner_Full	22.02
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Left	20.77
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Right	20.97



n41	10	30	2592.99	CP	256QAM	Outer_Full	21.88
n41	10	30	2685	DFT	$\pi/2$ BPSK	Inner_Full	27.13
n41	10	30	2685	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.99
n41	10	30	2685	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.22
n41	10	30	2685	DFT	$\pi/2$ BPSK	Outer_Full	27.15
n41	10	30	2685	DFT	QPSK	Inner_Full	27.18
n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	25.98
n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	26.12
n41	10	30	2685	DFT	QPSK	Outer_Full	26.59
n41	10	30	2685	DFT	16QAM	Inner_Full	27.12
n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	25.99
n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	26.07
n41	10	30	2685	DFT	16QAM	Outer_Full	26.16
n41	10	30	2685	DFT	64QAM	Inner_Full	25.64
n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	23.88
n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	24.05
n41	10	30	2685	DFT	64QAM	Outer_Full	25.63
n41	10	30	2685	DFT	256QAM	Inner_Full	24.24
n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	22.84
n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	23.03
n41	10	30	2685	DFT	256QAM	Outer_Full	24.04
n41	10	30	2685	CP	QPSK	Inner_Full	26.70
n41	10	30	2685	CP	QPSK	Edge_1RB_Left	25.13
n41	10	30	2685	CP	QPSK	Edge_1RB_Right	25.26
n41	10	30	2685	CP	QPSK	Outer_Full	24.19
n41	10	30	2685	CP	16QAM	Inner_Full	25.58
n41	10	30	2685	CP	16QAM	Edge_1RB_Left	25.40
n41	10	30	2685	CP	16QAM	Edge_1RB_Right	25.79
n41	10	30	2685	CP	16QAM	Outer_Full	24.07
n41	10	30	2685	CP	64QAM	Inner_Full	25.03
n41	10	30	2685	CP	64QAM	Edge_1RB_Left	24.07
n41	10	30	2685	CP	64QAM	Edge_1RB_Right	24.17
n41	10	30	2685	CP	64QAM	Outer_Full	24.23
n41	10	30	2685	CP	256QAM	Inner_Full	22.17
n41	10	30	2685	CP	256QAM	Edge_1RB_Left	20.67
n41	10	30	2685	CP	256QAM	Edge_1RB_Right	20.91
n41	10	30	2685	CP	256QAM	Outer_Full	22.11



n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	27.04
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.83
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.89
n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	26.88
n41	15	30	2503.5	DFT	QPSK	Inner_Full	27.02
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	25.70
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	25.73
n41	15	30	2503.5	DFT	QPSK	Outer_Full	26.52
n41	15	30	2503.5	DFT	16QAM	Inner_Full	26.99
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	25.95
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	25.79
n41	15	30	2503.5	DFT	16QAM	Outer_Full	25.91
n41	15	30	2503.5	DFT	64QAM	Inner_Full	25.45
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	23.67
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	23.59
n41	15	30	2503.5	DFT	64QAM	Outer_Full	25.40
n41	15	30	2503.5	DFT	256QAM	Inner_Full	23.91
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	22.80
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	22.76
n41	15	30	2503.5	DFT	256QAM	Outer_Full	23.95
n41	15	30	2503.5	CP	QPSK	Inner_Full	26.38
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Left	24.87
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Right	24.90
n41	15	30	2503.5	CP	QPSK	Outer_Full	23.80
n41	15	30	2503.5	CP	16QAM	Inner_Full	25.26
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Left	25.71
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Right	25.00
n41	15	30	2503.5	CP	16QAM	Outer_Full	23.94
n41	15	30	2503.5	CP	64QAM	Inner_Full	25.02
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Left	23.89
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Right	23.92
n41	15	30	2503.5	CP	64QAM	Outer_Full	23.88
n41	15	30	2503.5	CP	256QAM	Inner_Full	21.91
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Left	20.71
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Right	20.68
n41	15	30	2503.5	CP	256QAM	Outer_Full	21.88
n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.09



n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.94
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.89
n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.96
n41	15	30	2592.99	DFT	QPSK	Inner_Full	27.24
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.88
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.92
n41	15	30	2592.99	DFT	QPSK	Outer_Full	26.57
n41	15	30	2592.99	DFT	16QAM	Inner_Full	26.98
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.89
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.04
n41	15	30	2592.99	DFT	16QAM	Outer_Full	25.94
n41	15	30	2592.99	DFT	64QAM	Inner_Full	25.51
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.77
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.92
n41	15	30	2592.99	DFT	64QAM	Outer_Full	25.48
n41	15	30	2592.99	DFT	256QAM	Inner_Full	24.03
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.72
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.83
n41	15	30	2592.99	DFT	256QAM	Outer_Full	23.92
n41	15	30	2592.99	CP	QPSK	Inner_Full	26.53
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Left	25.04
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Right	24.97
n41	15	30	2592.99	CP	QPSK	Outer_Full	23.90
n41	15	30	2592.99	CP	16QAM	Inner_Full	25.38
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Left	25.53
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Right	25.31
n41	15	30	2592.99	CP	16QAM	Outer_Full	23.99
n41	15	30	2592.99	CP	64QAM	Inner_Full	25.09
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Left	24.03
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Right	24.21
n41	15	30	2592.99	CP	64QAM	Outer_Full	23.97
n41	15	30	2592.99	CP	256QAM	Inner_Full	21.98
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Left	20.75
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Right	20.81
n41	15	30	2592.99	CP	256QAM	Outer_Full	21.84
n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	27.14
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	23.97



n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	24.14
n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	27.01
n41	15	30	2682.48	DFT	QPSK	Inner_Full	27.09
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	25.88
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	26.00
n41	15	30	2682.48	DFT	QPSK	Outer_Full	26.67
n41	15	30	2682.48	DFT	16QAM	Inner_Full	27.06
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	26.00
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	26.02
n41	15	30	2682.48	DFT	16QAM	Outer_Full	26.10
n41	15	30	2682.48	DFT	64QAM	Inner_Full	25.56
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	23.87
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	23.94
n41	15	30	2682.48	DFT	64QAM	Outer_Full	25.61
n41	15	30	2682.48	DFT	256QAM	Inner_Full	24.13
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	22.96
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	22.98
n41	15	30	2682.48	DFT	256QAM	Outer_Full	24.10
n41	15	30	2682.48	CP	QPSK	Inner_Full	26.50
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Left	25.09
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Right	25.30
n41	15	30	2682.48	CP	QPSK	Outer_Full	24.01
n41	15	30	2682.48	CP	16QAM	Inner_Full	25.45
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Left	25.87
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Right	25.71
n41	15	30	2682.48	CP	16QAM	Outer_Full	24.04
n41	15	30	2682.48	CP	64QAM	Inner_Full	25.19
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Left	24.12
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Right	24.09
n41	15	30	2682.48	CP	64QAM	Outer_Full	24.11
n41	15	30	2682.48	CP	256QAM	Inner_Full	22.11
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Left	20.85
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Right	21.00
n41	15	30	2682.48	CP	256QAM	Outer_Full	22.01
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	27.09
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.86
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.85



n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	27.00
n41	20	30	2506.02	DFT	QPSK	Inner_Full	27.09
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	25.77
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	25.73
n41	20	30	2506.02	DFT	QPSK	Outer_Full	26.40
n41	20	30	2506.02	DFT	16QAM	Inner_Full	26.86
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	26.02
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	25.98
n41	20	30	2506.02	DFT	16QAM	Outer_Full	25.99
n41	20	30	2506.02	DFT	64QAM	Inner_Full	25.40
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	23.83
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	23.68
n41	20	30	2506.02	DFT	64QAM	Outer_Full	25.47
n41	20	30	2506.02	DFT	256QAM	Inner_Full	23.84
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	22.92
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	22.66
n41	20	30	2506.02	DFT	256QAM	Outer_Full	23.89
n41	20	30	2506.02	CP	QPSK	Inner_Full	26.46
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	24.95
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	24.86
n41	20	30	2506.02	CP	QPSK	Outer_Full	23.91
n41	20	30	2506.02	CP	16QAM	Inner_Full	25.42
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	25.32
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	25.40
n41	20	30	2506.02	CP	16QAM	Outer_Full	23.89
n41	20	30	2506.02	CP	64QAM	Inner_Full	24.91
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	23.83
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	23.93
n41	20	30	2506.02	CP	64QAM	Outer_Full	23.90
n41	20	30	2506.02	CP	256QAM	Inner_Full	21.89
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	21.03
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	20.80
n41	20	30	2506.02	CP	256QAM	Outer_Full	21.87
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.24
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.93
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.95
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.92



n41	20	30	2592.99	DFT	QPSK	Inner_Full	27.17
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.88
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.87
n41	20	30	2592.99	DFT	QPSK	Outer_Full	26.42
n41	20	30	2592.99	DFT	16QAM	Inner_Full	26.94
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	26.15
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.12
n41	20	30	2592.99	DFT	16QAM	Outer_Full	25.91
n41	20	30	2592.99	DFT	64QAM	Inner_Full	25.49
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.92
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.88
n41	20	30	2592.99	DFT	64QAM	Outer_Full	25.46
n41	20	30	2592.99	DFT	256QAM	Inner_Full	24.01
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.86
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.91
n41	20	30	2592.99	DFT	256QAM	Outer_Full	23.96
n41	20	30	2592.99	CP	QPSK	Inner_Full	26.56
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	25.00
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	25.05
n41	20	30	2592.99	CP	QPSK	Outer_Full	23.98
n41	20	30	2592.99	CP	16QAM	Inner_Full	25.46
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	25.55
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	25.68
n41	20	30	2592.99	CP	16QAM	Outer_Full	23.97
n41	20	30	2592.99	CP	64QAM	Inner_Full	24.96
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	23.94
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	23.97
n41	20	30	2592.99	CP	64QAM	Outer_Full	24.00
n41	20	30	2592.99	CP	256QAM	Inner_Full	21.95
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	20.84
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	21.06
n41	20	30	2592.99	CP	256QAM	Outer_Full	21.88
n41	20	30	2679.99	DFT	$\pi/2$ BPSK	Inner_Full	27.23
n41	20	30	2679.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.94
n41	20	30	2679.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.21
n41	20	30	2679.99	DFT	$\pi/2$ BPSK	Outer_Full	27.00
n41	20	30	2679.99	DFT	QPSK	Inner_Full	27.24



n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	25.85
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	26.02
n41	20	30	2679.99	DFT	QPSK	Outer_Full	26.65
n41	20	30	2679.99	DFT	16QAM	Inner_Full	27.00
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	26.02
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	26.35
n41	20	30	2679.99	DFT	16QAM	Outer_Full	26.03
n41	20	30	2679.99	DFT	64QAM	Inner_Full	25.65
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	23.85
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	24.03
n41	20	30	2679.99	DFT	64QAM	Outer_Full	25.52
n41	20	30	2679.99	DFT	256QAM	Inner_Full	24.10
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	22.89
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	23.10
n41	20	30	2679.99	DFT	256QAM	Outer_Full	24.15
n41	20	30	2679.99	CP	QPSK	Inner_Full	26.65
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	25.03
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	25.29
n41	20	30	2679.99	CP	QPSK	Outer_Full	24.05
n41	20	30	2679.99	CP	16QAM	Inner_Full	25.58
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	25.55
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	25.42
n41	20	30	2679.99	CP	16QAM	Outer_Full	24.02
n41	20	30	2679.99	CP	64QAM	Inner_Full	25.11
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	24.04
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	24.61
n41	20	30	2679.99	CP	64QAM	Outer_Full	24.10
n41	20	30	2679.99	CP	256QAM	Inner_Full	22.07
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	20.90
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	21.14
n41	20	30	2679.99	CP	256QAM	Outer_Full	22.03
n41	30	30	2511	DFT	$\pi/2$ BPSK	Inner_Full	27.25
n41	30	30	2511	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.89
n41	30	30	2511	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.74
n41	30	30	2511	DFT	$\pi/2$ BPSK	Outer_Full	26.68
n41	30	30	2511	DFT	QPSK	Inner_Full	27.24
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	25.68



n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	25.56
n41	30	30	2511	DFT	QPSK	Outer_Full	26.21
n41	30	30	2511	DFT	16QAM	Inner_Full	26.70
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	25.94
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	25.74
n41	30	30	2511	DFT	16QAM	Outer_Full	25.69
n41	30	30	2511	DFT	64QAM	Inner_Full	25.16
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	23.66
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	23.55
n41	30	30	2511	DFT	64QAM	Outer_Full	25.25
n41	30	30	2511	DFT	256QAM	Inner_Full	23.74
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	22.75
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	22.49
n41	30	30	2511	DFT	256QAM	Outer_Full	23.78
n41	30	30	2511	CP	QPSK	Inner_Full	26.31
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	25.12
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	24.72
n41	30	30	2511	CP	QPSK	Outer_Full	23.72
n41	30	30	2511	CP	16QAM	Inner_Full	25.27
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	24.81
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	25.24
n41	30	30	2511	CP	16QAM	Outer_Full	23.86
n41	30	30	2511	CP	64QAM	Inner_Full	24.65
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	23.77
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	23.75
n41	30	30	2511	CP	64QAM	Outer_Full	23.73
n41	30	30	2511	CP	256QAM	Inner_Full	21.67
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	20.88
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	20.76
n41	30	30	2511	CP	256QAM	Outer_Full	21.71
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	27.40
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.90
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.89
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	26.89
n41	30	30	2592.99	DFT	QPSK	Inner_Full	27.36
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.82
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.79



n41	30	30	2592.99	DFT	QPSK	Outer_Full	26.36
n41	30	30	2592.99	DFT	16QAM	Inner_Full	26.91
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.78
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	25.97
n41	30	30	2592.99	DFT	16QAM	Outer_Full	25.78
n41	30	30	2592.99	DFT	64QAM	Inner_Full	25.32
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.72
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.83
n41	30	30	2592.99	DFT	64QAM	Outer_Full	25.30
n41	30	30	2592.99	DFT	256QAM	Inner_Full	23.92
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.89
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.86
n41	30	30	2592.99	DFT	256QAM	Outer_Full	23.88
n41	30	30	2592.99	CP	QPSK	Inner_Full	26.34
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	24.89
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	24.98
n41	30	30	2592.99	CP	QPSK	Outer_Full	23.86
n41	30	30	2592.99	CP	16QAM	Inner_Full	25.39
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	24.98
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	25.42
n41	30	30	2592.99	CP	16QAM	Outer_Full	23.88
n41	30	30	2592.99	CP	64QAM	Inner_Full	24.88
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	23.85
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	23.95
n41	30	30	2592.99	CP	64QAM	Outer_Full	23.84
n41	30	30	2592.99	CP	256QAM	Inner_Full	21.85
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	20.71
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	21.05
n41	30	30	2592.99	CP	256QAM	Outer_Full	21.86
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Inner_Full	27.42
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.69
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.02
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Outer_Full	26.89
n41	30	30	2674.98	DFT	QPSK	Inner_Full	27.38
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	25.62
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	25.86
n41	30	30	2674.98	DFT	QPSK	Outer_Full	26.35



n41	30	30	2674.98	DFT	16QAM	Inner_Full	26.98
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	25.80
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	26.09
n41	30	30	2674.98	DFT	16QAM	Outer_Full	25.82
n41	30	30	2674.98	DFT	64QAM	Inner_Full	25.47
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	23.64
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	23.90
n41	30	30	2674.98	DFT	64QAM	Outer_Full	25.33
n41	30	30	2674.98	DFT	256QAM	Inner_Full	23.90
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	22.42
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	22.84
n41	30	30	2674.98	DFT	256QAM	Outer_Full	23.86
n41	30	30	2674.98	CP	QPSK	Inner_Full	26.34
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	24.80
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	25.19
n41	30	30	2674.98	CP	QPSK	Outer_Full	23.78
n41	30	30	2674.98	CP	16QAM	Inner_Full	25.36
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	25.23
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	25.94
n41	30	30	2674.98	CP	16QAM	Outer_Full	23.80
n41	30	30	2674.98	CP	64QAM	Inner_Full	24.86
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	23.86
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	24.09
n41	30	30	2674.98	CP	64QAM	Outer_Full	23.84
n41	30	30	2674.98	CP	256QAM	Inner_Full	21.92
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	20.59
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	20.89
n41	30	30	2674.98	CP	256QAM	Outer_Full	21.80
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	27.25
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.79
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.71
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	26.63
n41	40	30	2516.01	DFT	QPSK	Inner_Full	27.24
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	25.67
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	25.71
n41	40	30	2516.01	DFT	QPSK	Outer_Full	26.18
n41	40	30	2516.01	DFT	16QAM	Inner_Full	26.67



n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	25.79
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	25.78
n41	40	30	2516.01	DFT	16QAM	Outer_Full	25.64
n41	40	30	2516.01	DFT	64QAM	Inner_Full	25.19
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	23.62
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	23.57
n41	40	30	2516.01	DFT	64QAM	Outer_Full	25.23
n41	40	30	2516.01	DFT	256QAM	Inner_Full	23.73
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	22.79
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	22.75
n41	40	30	2516.01	DFT	256QAM	Outer_Full	23.70
n41	40	30	2516.01	CP	QPSK	Inner_Full	26.14
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	24.85
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	24.91
n41	40	30	2516.01	CP	QPSK	Outer_Full	23.67
n41	40	30	2516.01	CP	16QAM	Inner_Full	25.30
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	25.65
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	24.85
n41	40	30	2516.01	CP	16QAM	Outer_Full	23.71
n41	40	30	2516.01	CP	64QAM	Inner_Full	24.65
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	23.79
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	23.87
n41	40	30	2516.01	CP	64QAM	Outer_Full	23.78
n41	40	30	2516.01	CP	256QAM	Inner_Full	21.72
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	20.64
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	20.60
n41	40	30	2516.01	CP	256QAM	Outer_Full	21.75
n41	40	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	27.43
n41	40	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.79
n41	40	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.92
n41	40	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	26.92
n41	40	30	2592.99	DFT	QPSK	Inner_Full	27.37
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.73
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.93
n41	40	30	2592.99	DFT	QPSK	Outer_Full	26.35
n41	40	30	2592.99	DFT	16QAM	Inner_Full	26.84
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.85



n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	25.99
n41	40	30	2592.99	DFT	16QAM	Outer_Full	25.87
n41	40	30	2592.99	DFT	64QAM	Inner_Full	25.32
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.76
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.86
n41	40	30	2592.99	DFT	64QAM	Outer_Full	25.36
n41	40	30	2592.99	DFT	256QAM	Inner_Full	23.85
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.73
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.81
n41	40	30	2592.99	DFT	256QAM	Outer_Full	23.87
n41	40	30	2592.99	CP	QPSK	Inner_Full	26.26
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	24.85
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	24.94
n41	40	30	2592.99	CP	QPSK	Outer_Full	23.89
n41	40	30	2592.99	CP	16QAM	Inner_Full	25.46
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	25.36
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	25.36
n41	40	30	2592.99	CP	16QAM	Outer_Full	23.83
n41	40	30	2592.99	CP	64QAM	Inner_Full	24.82
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	23.97
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	24.13
n41	40	30	2592.99	CP	64QAM	Outer_Full	23.76
n41	40	30	2592.99	CP	256QAM	Inner_Full	21.84
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	20.62
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	20.75
n41	40	30	2592.99	CP	256QAM	Outer_Full	21.83
n41	40	30	2670	DFT	$\pi/2$ BPSK	Inner_Full	27.45
n41	40	30	2670	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.74
n41	40	30	2670	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.15
n41	40	30	2670	DFT	$\pi/2$ BPSK	Outer_Full	26.90
n41	40	30	2670	DFT	QPSK	Inner_Full	27.43
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	25.63
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	26.01
n41	40	30	2670	DFT	QPSK	Outer_Full	26.43
n41	40	30	2670	DFT	16QAM	Inner_Full	26.97
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	25.72
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	26.16



n41	40	30	2670	DFT	16QAM	Outer_Full	25.83
n41	40	30	2670	DFT	64QAM	Inner_Full	25.42
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	23.48
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	24.01
n41	40	30	2670	DFT	64QAM	Outer_Full	25.38
n41	40	30	2670	DFT	256QAM	Inner_Full	23.95
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	22.71
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	23.02
n41	40	30	2670	DFT	256QAM	Outer_Full	23.91
n41	40	30	2670	CP	QPSK	Inner_Full	26.41
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	24.82
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	25.13
n41	40	30	2670	CP	QPSK	Outer_Full	23.77
n41	40	30	2670	CP	16QAM	Inner_Full	25.42
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	25.26
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	25.24
n41	40	30	2670	CP	16QAM	Outer_Full	23.84
n41	40	30	2670	CP	64QAM	Inner_Full	24.89
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	23.89
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	24.09
n41	40	30	2670	CP	64QAM	Outer_Full	23.75
n41	40	30	2670	CP	256QAM	Inner_Full	21.89
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	20.51
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	20.81
n41	40	30	2670	CP	256QAM	Outer_Full	21.81
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	27.31
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.83
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.75
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	26.71
n41	50	30	2521.02	DFT	QPSK	Inner_Full	27.23
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	25.73
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	25.60
n41	50	30	2521.02	DFT	QPSK	Outer_Full	26.16
n41	50	30	2521.02	DFT	16QAM	Inner_Full	26.78
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	25.63
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	25.82
n41	50	30	2521.02	DFT	16QAM	Outer_Full	25.58



n41	50	30	2521.02	DFT	64QAM	Inner_Full	25.20
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	23.60
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	23.58
n41	50	30	2521.02	DFT	64QAM	Outer_Full	25.21
n41	50	30	2521.02	DFT	256QAM	Inner_Full	23.71
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	22.74
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	22.60
n41	50	30	2521.02	DFT	256QAM	Outer_Full	23.66
n41	50	30	2521.02	CP	QPSK	Inner_Full	26.27
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	25.13
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	24.79
n41	50	30	2521.02	CP	QPSK	Outer_Full	23.64
n41	50	30	2521.02	CP	16QAM	Inner_Full	25.23
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	24.94
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	25.29
n41	50	30	2521.02	CP	16QAM	Outer_Full	23.63
n41	50	30	2521.02	CP	64QAM	Inner_Full	24.76
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	23.67
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	23.77
n41	50	30	2521.02	CP	64QAM	Outer_Full	23.71
n41	50	30	2521.02	CP	256QAM	Inner_Full	21.78
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	20.85
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	20.63
n41	50	30	2521.02	CP	256QAM	Outer_Full	21.68
n41	50	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	27.46
n41	50	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.84
n41	50	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.91
n41	50	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	26.88
n41	50	30	2592.99	DFT	QPSK	Inner_Full	27.37
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.69
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.81
n41	50	30	2592.99	DFT	QPSK	Outer_Full	26.38
n41	50	30	2592.99	DFT	16QAM	Inner_Full	26.85
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.95
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	25.95
n41	50	30	2592.99	DFT	16QAM	Outer_Full	25.82
n41	50	30	2592.99	DFT	64QAM	Inner_Full	25.35



n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.64
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.95
n41	50	30	2592.99	DFT	64QAM	Outer_Full	25.24
n41	50	30	2592.99	DFT	256QAM	Inner_Full	23.92
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.73
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	23.00
n41	50	30	2592.99	DFT	256QAM	Outer_Full	23.84
n41	50	30	2592.99	CP	QPSK	Inner_Full	26.42
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	24.85
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	24.96
n41	50	30	2592.99	CP	QPSK	Outer_Full	23.79
n41	50	30	2592.99	CP	16QAM	Inner_Full	25.40
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	24.85
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	25.11
n41	50	30	2592.99	CP	16QAM	Outer_Full	23.81
n41	50	30	2592.99	CP	64QAM	Inner_Full	24.92
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	23.80
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	23.92
n41	50	30	2592.99	CP	64QAM	Outer_Full	23.81
n41	50	30	2592.99	CP	256QAM	Inner_Full	21.87
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	20.88
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	20.87
n41	50	30	2592.99	CP	256QAM	Outer_Full	21.75
n41	50	30	2664.99	DFT	$\pi/2$ BPSK	Inner_Full	27.34
n41	50	30	2664.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.72
n41	50	30	2664.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.09
n41	50	30	2664.99	DFT	$\pi/2$ BPSK	Outer_Full	26.83
n41	50	30	2664.99	DFT	QPSK	Inner_Full	27.37
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	25.69
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	26.01
n41	50	30	2664.99	DFT	QPSK	Outer_Full	26.28
n41	50	30	2664.99	DFT	16QAM	Inner_Full	26.87
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	25.80
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	26.15
n41	50	30	2664.99	DFT	16QAM	Outer_Full	25.74
n41	50	30	2664.99	DFT	64QAM	Inner_Full	25.32
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	23.84



n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	23.91
n41	50	30	2664.99	DFT	64QAM	Outer_Full	25.31
n41	50	30	2664.99	DFT	256QAM	Inner_Full	23.91
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	22.79
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	23.00
n41	50	30	2664.99	DFT	256QAM	Outer_Full	23.80
n41	50	30	2664.99	CP	QPSK	Inner_Full	26.41
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	24.75
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	25.03
n41	50	30	2664.99	CP	QPSK	Outer_Full	23.81
n41	50	30	2664.99	CP	16QAM	Inner_Full	25.47
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	25.03
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	26.02
n41	50	30	2664.99	CP	16QAM	Outer_Full	23.76
n41	50	30	2664.99	CP	64QAM	Inner_Full	24.88
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	23.75
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	24.00
n41	50	30	2664.99	CP	64QAM	Outer_Full	23.73
n41	50	30	2664.99	CP	256QAM	Inner_Full	21.83
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	20.63
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	21.00
n41	50	30	2664.99	CP	256QAM	Outer_Full	21.71
n41	60	30	2526	DFT	$\pi/2$ BPSK	Inner_Full	27.26
n41	60	30	2526	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.78
n41	60	30	2526	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.69
n41	60	30	2526	DFT	$\pi/2$ BPSK	Outer_Full	26.69
n41	60	30	2526	DFT	QPSK	Inner_Full	27.35
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	25.64
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	25.65
n41	60	30	2526	DFT	QPSK	Outer_Full	26.14
n41	60	30	2526	DFT	16QAM	Inner_Full	26.76
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	25.76
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	25.79
n41	60	30	2526	DFT	16QAM	Outer_Full	25.63
n41	60	30	2526	DFT	64QAM	Inner_Full	25.19
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	23.64
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	23.78



n41	60	30	2526	DFT	64QAM	Outer_Full	25.09
n41	60	30	2526	DFT	256QAM	Inner_Full	23.84
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	22.72
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	22.79
n41	60	30	2526	DFT	256QAM	Outer_Full	23.55
n41	60	30	2526	CP	QPSK	Inner_Full	26.24
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	24.90
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	24.67
n41	60	30	2526	CP	QPSK	Outer_Full	23.57
n41	60	30	2526	CP	16QAM	Inner_Full	25.26
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	25.48
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	25.38
n41	60	30	2526	CP	16QAM	Outer_Full	23.53
n41	60	30	2526	CP	64QAM	Inner_Full	24.72
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	23.62
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	23.70
n41	60	30	2526	CP	64QAM	Outer_Full	23.56
n41	60	30	2526	CP	256QAM	Inner_Full	21.74
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	20.65
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	20.71
n41	60	30	2526	CP	256QAM	Outer_Full	21.57
n41	60	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	27.35
n41	60	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.81
n41	60	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.94
n41	60	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	26.83
n41	60	30	2592.99	DFT	QPSK	Inner_Full	27.41
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.71
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.86
n41	60	30	2592.99	DFT	QPSK	Outer_Full	26.24
n41	60	30	2592.99	DFT	16QAM	Inner_Full	26.91
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.97
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	25.91
n41	60	30	2592.99	DFT	16QAM	Outer_Full	25.75
n41	60	30	2592.99	DFT	64QAM	Inner_Full	25.35
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.70
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.86
n41	60	30	2592.99	DFT	64QAM	Outer_Full	25.31



n41	60	30	2592.99	DFT	256QAM	Inner_Full	23.92
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.81
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.83
n41	60	30	2592.99	DFT	256QAM	Outer_Full	23.78
n41	60	30	2592.99	CP	QPSK	Inner_Full	26.43
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	24.82
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	24.92
n41	60	30	2592.99	CP	QPSK	Outer_Full	23.76
n41	60	30	2592.99	CP	16QAM	Inner_Full	25.39
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	25.13
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	25.26
n41	60	30	2592.99	CP	16QAM	Outer_Full	23.72
n41	60	30	2592.99	CP	64QAM	Inner_Full	24.77
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	23.86
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	24.01
n41	60	30	2592.99	CP	64QAM	Outer_Full	23.71
n41	60	30	2592.99	CP	256QAM	Inner_Full	21.85
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	20.72
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	20.77
n41	60	30	2592.99	CP	256QAM	Outer_Full	21.67
n41	60	30	2659.98	DFT	$\pi/2$ BPSK	Inner_Full	27.34
n41	60	30	2659.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.73
n41	60	30	2659.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.06
n41	60	30	2659.98	DFT	$\pi/2$ BPSK	Outer_Full	26.71
n41	60	30	2659.98	DFT	QPSK	Inner_Full	27.41
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	25.59
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	25.99
n41	60	30	2659.98	DFT	QPSK	Outer_Full	26.20
n41	60	30	2659.98	DFT	16QAM	Inner_Full	26.89
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	25.68
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	26.14
n41	60	30	2659.98	DFT	16QAM	Outer_Full	25.74
n41	60	30	2659.98	DFT	64QAM	Inner_Full	25.39
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	23.57
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	23.91
n41	60	30	2659.98	DFT	64QAM	Outer_Full	25.19
n41	60	30	2659.98	DFT	256QAM	Inner_Full	23.91



n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	22.69
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	23.01
n41	60	30	2659.98	DFT	256QAM	Outer_Full	23.71
n41	60	30	2659.98	CP	QPSK	Inner_Full	26.39
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	24.78
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	25.21
n41	60	30	2659.98	CP	QPSK	Outer_Full	23.72
n41	60	30	2659.98	CP	16QAM	Inner_Full	25.38
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	25.34
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	25.58
n41	60	30	2659.98	CP	16QAM	Outer_Full	23.65
n41	60	30	2659.98	CP	64QAM	Inner_Full	24.85
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	23.91
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	24.10
n41	60	30	2659.98	CP	64QAM	Outer_Full	23.64
n41	60	30	2659.98	CP	256QAM	Inner_Full	21.92
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	20.57
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	20.90
n41	60	30	2659.98	CP	256QAM	Outer_Full	21.64
n41	80	30	2536.02	DFT	$\pi/2$ BPSK	Inner_Full	27.17
n41	80	30	2536.02	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.91
n41	80	30	2536.02	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.74
n41	80	30	2536.02	DFT	$\pi/2$ BPSK	Outer_Full	26.85
n41	80	30	2536.02	DFT	QPSK	Inner_Full	27.24
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	25.76
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	25.78
n41	80	30	2536.02	DFT	QPSK	Outer_Full	26.38
n41	80	30	2536.02	DFT	16QAM	Inner_Full	26.87
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	25.95
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	25.97
n41	80	30	2536.02	DFT	16QAM	Outer_Full	25.86
n41	80	30	2536.02	DFT	64QAM	Inner_Full	25.36
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	23.66
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	23.76
n41	80	30	2536.02	DFT	64QAM	Outer_Full	25.31
n41	80	30	2536.02	DFT	256QAM	Inner_Full	23.85
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	22.79



n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	22.71
n41	80	30	2536.02	DFT	256QAM	Outer_Full	23.79
n41	80	30	2536.02	CP	QPSK	Inner_Full	26.36
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	25.21
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	24.83
n41	80	30	2536.02	CP	QPSK	Outer_Full	23.78
n41	80	30	2536.02	CP	16QAM	Inner_Full	25.35
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	25.84
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	25.22
n41	80	30	2536.02	CP	16QAM	Outer_Full	23.81
n41	80	30	2536.02	CP	64QAM	Inner_Full	24.79
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	23.78
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	23.96
n41	80	30	2536.02	CP	64QAM	Outer_Full	23.79
n41	80	30	2536.02	CP	256QAM	Inner_Full	21.84
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	20.78
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	20.64
n41	80	30	2536.02	CP	256QAM	Outer_Full	21.74
n41	80	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	27.18
n41	80	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.76
n41	80	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.04
n41	80	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	26.94
n41	80	30	2592.99	DFT	QPSK	Inner_Full	27.25
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.72
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.93
n41	80	30	2592.99	DFT	QPSK	Outer_Full	26.39
n41	80	30	2592.99	DFT	16QAM	Inner_Full	26.97
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.90
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.10
n41	80	30	2592.99	DFT	16QAM	Outer_Full	25.90
n41	80	30	2592.99	DFT	64QAM	Inner_Full	25.45
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.63
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.91
n41	80	30	2592.99	DFT	64QAM	Outer_Full	25.44
n41	80	30	2592.99	DFT	256QAM	Inner_Full	23.92
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.57
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.96



n41	80	30	2592.99	DFT	256QAM	Outer_Full	23.95
n41	80	30	2592.99	CP	QPSK	Inner_Full	26.58
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	24.82
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	25.06
n41	80	30	2592.99	CP	QPSK	Outer_Full	23.92
n41	80	30	2592.99	CP	16QAM	Inner_Full	25.46
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	24.73
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	25.28
n41	80	30	2592.99	CP	16QAM	Outer_Full	23.85
n41	80	30	2592.99	CP	64QAM	Inner_Full	24.92
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	23.90
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	24.04
n41	80	30	2592.99	CP	64QAM	Outer_Full	23.94
n41	80	30	2592.99	CP	256QAM	Inner_Full	21.97
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	20.64
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	20.85
n41	80	30	2592.99	CP	256QAM	Outer_Full	21.88
n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Inner_Full	27.19
n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.68
n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.22
n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Outer_Full	27.06
n41	80	30	2649.99	DFT	QPSK	Inner_Full	27.33
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	25.57
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	26.04
n41	80	30	2649.99	DFT	QPSK	Outer_Full	26.45
n41	80	30	2649.99	DFT	16QAM	Inner_Full	27.10
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	25.77
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	26.10
n41	80	30	2649.99	DFT	16QAM	Outer_Full	26.02
n41	80	30	2649.99	DFT	64QAM	Inner_Full	25.59
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	23.57
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	24.10
n41	80	30	2649.99	DFT	64QAM	Outer_Full	25.42
n41	80	30	2649.99	DFT	256QAM	Inner_Full	24.05
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	22.62
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	22.91
n41	80	30	2649.99	DFT	256QAM	Outer_Full	23.96



n41	80	30	2649.99	CP	QPSK	Inner_Full	26.60
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	24.84
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	25.21
n41	80	30	2649.99	CP	QPSK	Outer_Full	23.99
n41	80	30	2649.99	CP	16QAM	Inner_Full	25.50
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	25.01
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	25.79
n41	80	30	2649.99	CP	16QAM	Outer_Full	23.95
n41	80	30	2649.99	CP	64QAM	Inner_Full	24.97
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	23.90
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	24.14
n41	80	30	2649.99	CP	64QAM	Outer_Full	23.89
n41	80	30	2649.99	CP	256QAM	Inner_Full	21.95
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	20.41
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	21.11
n41	80	30	2649.99	CP	256QAM	Outer_Full	21.91
n41	90	30	2541	DFT	$\pi/2$ BPSK	Inner_Full	27.16
n41	90	30	2541	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.86
n41	90	30	2541	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.72
n41	90	30	2541	DFT	$\pi/2$ BPSK	Outer_Full	26.76
n41	90	30	2541	DFT	QPSK	Inner_Full	27.20
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	25.65
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	25.76
n41	90	30	2541	DFT	QPSK	Outer_Full	26.22
n41	90	30	2541	DFT	16QAM	Inner_Full	26.90
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	25.90
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	25.88
n41	90	30	2541	DFT	16QAM	Outer_Full	25.71
n41	90	30	2541	DFT	64QAM	Inner_Full	25.30
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	23.62
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	23.69
n41	90	30	2541	DFT	64QAM	Outer_Full	25.31
n41	90	30	2541	DFT	256QAM	Inner_Full	23.90
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	22.76
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	22.70
n41	90	30	2541	DFT	256QAM	Outer_Full	23.72
n41	90	30	2541	CP	QPSK	Inner_Full	26.45



n41	90	30	2541	CP	QPSK	Edge_1RB_Left	24.93
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	24.86
n41	90	30	2541	CP	QPSK	Outer_Full	23.71
n41	90	30	2541	CP	16QAM	Inner_Full	25.39
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	25.45
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	25.35
n41	90	30	2541	CP	16QAM	Outer_Full	23.72
n41	90	30	2541	CP	64QAM	Inner_Full	24.88
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	23.82
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	23.92
n41	90	30	2541	CP	64QAM	Outer_Full	23.74
n41	90	30	2541	CP	256QAM	Inner_Full	21.81
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	20.73
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	20.56
n41	90	30	2541	CP	256QAM	Outer_Full	21.80
n41	90	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	27.24
n41	90	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.71
n41	90	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.05
n41	90	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	26.90
n41	90	30	2592.99	DFT	QPSK	Inner_Full	27.22
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.60
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.95
n41	90	30	2592.99	DFT	QPSK	Outer_Full	26.40
n41	90	30	2592.99	DFT	16QAM	Inner_Full	26.99
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.65
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.12
n41	90	30	2592.99	DFT	16QAM	Outer_Full	25.94
n41	90	30	2592.99	DFT	64QAM	Inner_Full	25.37
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.58
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.92
n41	90	30	2592.99	DFT	64QAM	Outer_Full	25.38
n41	90	30	2592.99	DFT	256QAM	Inner_Full	23.93
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.65
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.91
n41	90	30	2592.99	DFT	256QAM	Outer_Full	23.81
n41	90	30	2592.99	CP	QPSK	Inner_Full	26.60
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	24.71



n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	25.06
n41	90	30	2592.99	CP	QPSK	Outer_Full	23.94
n41	90	30	2592.99	CP	16QAM	Inner_Full	25.44
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	25.20
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	25.27
n41	90	30	2592.99	CP	16QAM	Outer_Full	23.89
n41	90	30	2592.99	CP	64QAM	Inner_Full	24.99
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	23.86
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	24.09
n41	90	30	2592.99	CP	64QAM	Outer_Full	23.88
n41	90	30	2592.99	CP	256QAM	Inner_Full	21.87
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	20.65
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	20.99
n41	90	30	2592.99	CP	256QAM	Outer_Full	21.87
n41	90	30	2644.98	DFT	$\pi/2$ BPSK	Inner_Full	27.13
n41	90	30	2644.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.53
n41	90	30	2644.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.10
n41	90	30	2644.98	DFT	$\pi/2$ BPSK	Outer_Full	26.95
n41	90	30	2644.98	DFT	QPSK	Inner_Full	27.22
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	25.49
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	26.02
n41	90	30	2644.98	DFT	QPSK	Outer_Full	26.38
n41	90	30	2644.98	DFT	16QAM	Inner_Full	27.07
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	25.78
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	26.04
n41	90	30	2644.98	DFT	16QAM	Outer_Full	25.87
n41	90	30	2644.98	DFT	64QAM	Inner_Full	25.40
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	23.50
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	23.99
n41	90	30	2644.98	DFT	64QAM	Outer_Full	25.50
n41	90	30	2644.98	DFT	256QAM	Inner_Full	24.02
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	22.55
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	23.01
n41	90	30	2644.98	DFT	256QAM	Outer_Full	24.00
n41	90	30	2644.98	CP	QPSK	Inner_Full	26.59
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	24.70
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	25.29



n41	90	30	2644.98	CP	QPSK	Outer_Full	23.94
n41	90	30	2644.98	CP	16QAM	Inner_Full	25.47
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	24.90
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	25.99
n41	90	30	2644.98	CP	16QAM	Outer_Full	23.95
n41	90	30	2644.98	CP	64QAM	Inner_Full	24.98
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	23.67
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	24.15
n41	90	30	2644.98	CP	64QAM	Outer_Full	23.90
n41	90	30	2644.98	CP	256QAM	Inner_Full	21.97
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	20.43
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	21.01
n41	90	30	2644.98	CP	256QAM	Outer_Full	21.97
n41	100	30	2546.01	DFT	$\pi/2$ BPSK	Inner_Full	27.14
n41	100	30	2546.01	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.90
n41	100	30	2546.01	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.70
n41	100	30	2546.01	DFT	$\pi/2$ BPSK	Outer_Full	26.86
n41	100	30	2546.01	DFT	QPSK	Inner_Full	27.13
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	25.66
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	25.66
n41	100	30	2546.01	DFT	QPSK	Outer_Full	26.32
n41	100	30	2546.01	DFT	16QAM	Inner_Full	26.84
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	25.88
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	25.84
n41	100	30	2546.01	DFT	16QAM	Outer_Full	25.80
n41	100	30	2546.01	DFT	64QAM	Inner_Full	25.45
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	23.67
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	23.58
n41	100	30	2546.01	DFT	64QAM	Outer_Full	25.29
n41	100	30	2546.01	DFT	256QAM	Inner_Full	23.94
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	22.80
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	22.73
n41	100	30	2546.01	DFT	256QAM	Outer_Full	23.75
n41	100	30	2546.01	CP	QPSK	Inner_Full	26.36
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	25.01
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	24.87
n41	100	30	2546.01	CP	QPSK	Outer_Full	23.80



n41	100	30	2546.01	CP	16QAM	Inner_Full	25.43
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	25.80
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	25.17
n41	100	30	2546.01	CP	16QAM	Outer_Full	23.72
n41	100	30	2546.01	CP	64QAM	Inner_Full	24.91
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	23.72
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	23.80
n41	100	30	2546.01	CP	64QAM	Outer_Full	23.75
n41	100	30	2546.01	CP	256QAM	Inner_Full	21.81
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	20.84
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	20.74
n41	100	30	2546.01	CP	256QAM	Outer_Full	21.79
n41	100	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	27.10
n41	100	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.77
n41	100	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.06
n41	100	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	26.92
n41	100	30	2592.99	DFT	QPSK	Inner_Full	27.24
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.65
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.89
n41	100	30	2592.99	DFT	QPSK	Outer_Full	26.51
n41	100	30	2592.99	DFT	16QAM	Inner_Full	26.95
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.85
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.08
n41	100	30	2592.99	DFT	16QAM	Outer_Full	25.92
n41	100	30	2592.99	DFT	64QAM	Inner_Full	25.51
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.72
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.95
n41	100	30	2592.99	DFT	64QAM	Outer_Full	25.45
n41	100	30	2592.99	DFT	256QAM	Inner_Full	23.90
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.85
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	23.13
n41	100	30	2592.99	DFT	256QAM	Outer_Full	23.99
n41	100	30	2592.99	CP	QPSK	Inner_Full	26.49
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	24.87
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	25.04
n41	100	30	2592.99	CP	QPSK	Outer_Full	23.87
n41	100	30	2592.99	CP	16QAM	Inner_Full	25.37



n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	25.40
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	25.44
n41	100	30	2592.99	CP	16QAM	Outer_Full	23.95
n41	100	30	2592.99	CP	64QAM	Inner_Full	24.96
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	23.68
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	24.07
n41	100	30	2592.99	CP	64QAM	Outer_Full	23.97
n41	100	30	2592.99	CP	256QAM	Inner_Full	21.89
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	20.71
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	21.09
n41	100	30	2592.99	CP	256QAM	Outer_Full	21.85
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	27.19
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	23.59
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	24.08
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	26.99
n41	100	30	2640	DFT	QPSK	Inner_Full	27.23
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	25.51
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	26.06
n41	100	30	2640	DFT	QPSK	Outer_Full	26.49
n41	100	30	2640	DFT	16QAM	Inner_Full	26.99
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	25.85
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	26.15
n41	100	30	2640	DFT	16QAM	Outer_Full	25.98
n41	100	30	2640	DFT	64QAM	Inner_Full	25.46
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	23.61
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	24.18
n41	100	30	2640	DFT	64QAM	Outer_Full	25.48
n41	100	30	2640	DFT	256QAM	Inner_Full	23.96
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	22.61
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	23.01
n41	100	30	2640	DFT	256QAM	Outer_Full	24.04
n41	100	30	2640	CP	QPSK	Inner_Full	26.49
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	24.66
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	25.32
n41	100	30	2640	CP	QPSK	Outer_Full	23.95
n41	100	30	2640	CP	16QAM	Inner_Full	25.50
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	24.97



No.25T04N000127-004-RF NR

n41	100	30	2640	CP	16QAM	Edge_1RB_Right	25.98
n41	100	30	2640	CP	16QAM	Outer_Full	23.98
n41	100	30	2640	CP	64QAM	Inner_Full	24.98
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	23.60
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	24.01
n41	100	30	2640	CP	64QAM	Outer_Full	23.89
n41	100	30	2640	CP	256QAM	Inner_Full	21.95
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	20.59
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	21.14
n41	100	30	2640	CP	256QAM	Outer_Full	21.86



n66

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.78
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.24
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.24
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	23.23
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.80
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.74
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.81
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.80
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.77
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.79
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.84
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.78
n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.30
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	21.33
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.36
n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.20
n66	5	15	1712.5	DFT	256QAM	Inner_Full	19.69
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	19.77
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	19.81
n66	5	15	1712.5	DFT	256QAM	Outer_Full	19.57
n66	5	15	1712.5	CP	QPSK	Inner_Full	22.28
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.72
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.87
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.65
n66	5	15	1712.5	CP	16QAM	Inner_Full	21.79
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.88
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.72
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.81
n66	5	15	1712.5	CP	64QAM	Inner_Full	20.32
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	20.18
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.34
n66	5	15	1712.5	CP	64QAM	Outer_Full	20.18
n66	5	15	1712.5	CP	256QAM	Inner_Full	17.63
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	17.87



n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	17.88
n66	5	15	1712.5	CP	256QAM	Outer_Full	17.59
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.81
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.32
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.32
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	23.30
n66	5	15	1745	DFT	QPSK	Inner_Full	23.88
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.82
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.79
n66	5	15	1745	DFT	QPSK	Outer_Full	22.76
n66	5	15	1745	DFT	16QAM	Inner_Full	22.82
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.79
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.85
n66	5	15	1745	DFT	16QAM	Outer_Full	21.78
n66	5	15	1745	DFT	64QAM	Inner_Full	21.37
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	21.36
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.40
n66	5	15	1745	DFT	64QAM	Outer_Full	21.25
n66	5	15	1745	DFT	256QAM	Inner_Full	19.65
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	19.67
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	19.60
n66	5	15	1745	DFT	256QAM	Outer_Full	19.57
n66	5	15	1745	CP	QPSK	Inner_Full	22.22
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	20.81
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	20.85
n66	5	15	1745	CP	QPSK	Outer_Full	20.76
n66	5	15	1745	CP	16QAM	Inner_Full	21.71
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	20.92
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	20.81
n66	5	15	1745	CP	16QAM	Outer_Full	20.82
n66	5	15	1745	CP	64QAM	Inner_Full	20.41
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.16
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.27
n66	5	15	1745	CP	64QAM	Outer_Full	20.26
n66	5	15	1745	CP	256QAM	Inner_Full	17.51
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	17.83
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	17.76



n66	5	15	1745	CP	256QAM	Outer_Full	17.54
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	24.05
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.57
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.51
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	23.59
n66	5	15	1777.5	DFT	QPSK	Inner_Full	24.04
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.95
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.95
n66	5	15	1777.5	DFT	QPSK	Outer_Full	23.09
n66	5	15	1777.5	DFT	16QAM	Inner_Full	23.01
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	22.01
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	22.04
n66	5	15	1777.5	DFT	16QAM	Outer_Full	22.05
n66	5	15	1777.5	DFT	64QAM	Inner_Full	21.56
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	21.54
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	21.63
n66	5	15	1777.5	DFT	64QAM	Outer_Full	21.51
n66	5	15	1777.5	DFT	256QAM	Inner_Full	19.86
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	19.80
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	19.96
n66	5	15	1777.5	DFT	256QAM	Outer_Full	19.76
n66	5	15	1777.5	CP	QPSK	Inner_Full	22.53
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.94
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.98
n66	5	15	1777.5	CP	QPSK	Outer_Full	20.98
n66	5	15	1777.5	CP	16QAM	Inner_Full	22.06
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	21.21
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	21.31
n66	5	15	1777.5	CP	16QAM	Outer_Full	21.03
n66	5	15	1777.5	CP	64QAM	Inner_Full	20.67
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.44
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.43
n66	5	15	1777.5	CP	64QAM	Outer_Full	20.46
n66	5	15	1777.5	CP	256QAM	Inner_Full	17.73
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	17.93
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	18.05
n66	5	15	1777.5	CP	256QAM	Outer_Full	17.74



n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.73
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	23.32
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	23.33
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	23.26
n66	10	15	1715	DFT	QPSK	Inner_Full	23.76
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.71
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.84
n66	10	15	1715	DFT	QPSK	Outer_Full	22.68
n66	10	15	1715	DFT	16QAM	Inner_Full	22.77
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.89
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.83
n66	10	15	1715	DFT	16QAM	Outer_Full	21.66
n66	10	15	1715	DFT	64QAM	Inner_Full	21.24
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	21.24
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	21.35
n66	10	15	1715	DFT	64QAM	Outer_Full	21.12
n66	10	15	1715	DFT	256QAM	Inner_Full	19.60
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	19.80
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	19.85
n66	10	15	1715	DFT	256QAM	Outer_Full	19.49
n66	10	15	1715	CP	QPSK	Inner_Full	22.25
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	20.77
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	20.83
n66	10	15	1715	CP	QPSK	Outer_Full	20.75
n66	10	15	1715	CP	16QAM	Inner_Full	21.80
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	20.90
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	20.87
n66	10	15	1715	CP	16QAM	Outer_Full	20.74
n66	10	15	1715	CP	64QAM	Inner_Full	20.24
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	20.28
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	20.33
n66	10	15	1715	CP	64QAM	Outer_Full	20.11
n66	10	15	1715	CP	256QAM	Inner_Full	17.57
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	17.80
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	17.85
n66	10	15	1715	CP	256QAM	Outer_Full	17.57
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.78



n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.34
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.40
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	23.26
n66	10	15	1745	DFT	QPSK	Inner_Full	23.90
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	22.75
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	22.79
n66	10	15	1745	DFT	QPSK	Outer_Full	22.78
n66	10	15	1745	DFT	16QAM	Inner_Full	22.88
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	21.79
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.91
n66	10	15	1745	DFT	16QAM	Outer_Full	21.76
n66	10	15	1745	DFT	64QAM	Inner_Full	21.36
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.29
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	21.36
n66	10	15	1745	DFT	64QAM	Outer_Full	21.26
n66	10	15	1745	DFT	256QAM	Inner_Full	19.59
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	19.67
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	19.78
n66	10	15	1745	DFT	256QAM	Outer_Full	19.52
n66	10	15	1745	CP	QPSK	Inner_Full	22.29
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	20.82
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	20.91
n66	10	15	1745	CP	QPSK	Outer_Full	20.76
n66	10	15	1745	CP	16QAM	Inner_Full	21.85
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	20.99
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	20.74
n66	10	15	1745	CP	16QAM	Outer_Full	20.83
n66	10	15	1745	CP	64QAM	Inner_Full	20.31
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	20.26
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	20.27
n66	10	15	1745	CP	64QAM	Outer_Full	20.26
n66	10	15	1745	CP	256QAM	Inner_Full	17.60
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	17.63
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	17.70
n66	10	15	1745	CP	256QAM	Outer_Full	17.54
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.99
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	23.40



n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	23.55
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	23.47
n66	10	15	1775	DFT	QPSK	Inner_Full	24.06
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	22.89
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	23.03
n66	10	15	1775	DFT	QPSK	Outer_Full	23.05
n66	10	15	1775	DFT	16QAM	Inner_Full	23.01
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.93
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	22.11
n66	10	15	1775	DFT	16QAM	Outer_Full	22.05
n66	10	15	1775	DFT	64QAM	Inner_Full	21.49
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	21.46
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	21.52
n66	10	15	1775	DFT	64QAM	Outer_Full	21.50
n66	10	15	1775	DFT	256QAM	Inner_Full	19.80
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	19.79
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	19.98
n66	10	15	1775	DFT	256QAM	Outer_Full	19.76
n66	10	15	1775	CP	QPSK	Inner_Full	22.41
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	20.87
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	21.02
n66	10	15	1775	CP	QPSK	Outer_Full	21.00
n66	10	15	1775	CP	16QAM	Inner_Full	22.04
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	21.48
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	21.22
n66	10	15	1775	CP	16QAM	Outer_Full	20.95
n66	10	15	1775	CP	64QAM	Inner_Full	20.49
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	20.24
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	20.51
n66	10	15	1775	CP	64QAM	Outer_Full	20.39
n66	10	15	1775	CP	256QAM	Inner_Full	17.78
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	17.55
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	17.77
n66	10	15	1775	CP	256QAM	Outer_Full	17.69
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.76
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.26
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.25



n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.30
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.78
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.72
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.71
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.79
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.82
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.70
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	21.72
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.76
n66	15	15	1717.5	DFT	64QAM	Inner_Full	21.32
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	21.32
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	21.31
n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.17
n66	15	15	1717.5	DFT	256QAM	Inner_Full	19.60
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	19.89
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	19.69
n66	15	15	1717.5	DFT	256QAM	Outer_Full	19.55
n66	15	15	1717.5	CP	QPSK	Inner_Full	22.22
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.69
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.71
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.74
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.73
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	20.74
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	20.84
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.76
n66	15	15	1717.5	CP	64QAM	Inner_Full	20.21
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	20.12
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	20.08
n66	15	15	1717.5	CP	64QAM	Outer_Full	20.25
n66	15	15	1717.5	CP	256QAM	Inner_Full	17.46
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	17.86
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	17.73
n66	15	15	1717.5	CP	256QAM	Outer_Full	17.54
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.79
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.30
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.31
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.37



n66	15	15	1745	DFT	QPSK	Inner_Full	23.81
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.70
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.77
n66	15	15	1745	DFT	QPSK	Outer_Full	22.81
n66	15	15	1745	DFT	16QAM	Inner_Full	22.82
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.69
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.79
n66	15	15	1745	DFT	16QAM	Outer_Full	21.76
n66	15	15	1745	DFT	64QAM	Inner_Full	21.29
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.29
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	21.43
n66	15	15	1745	DFT	64QAM	Outer_Full	21.30
n66	15	15	1745	DFT	256QAM	Inner_Full	19.60
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.76
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	19.77
n66	15	15	1745	DFT	256QAM	Outer_Full	19.52
n66	15	15	1745	CP	QPSK	Inner_Full	22.23
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.84
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	20.80
n66	15	15	1745	CP	QPSK	Outer_Full	20.75
n66	15	15	1745	CP	16QAM	Inner_Full	21.80
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	21.05
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	20.81
n66	15	15	1745	CP	16QAM	Outer_Full	20.82
n66	15	15	1745	CP	64QAM	Inner_Full	20.26
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	20.14
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	20.15
n66	15	15	1745	CP	64QAM	Outer_Full	20.28
n66	15	15	1745	CP	256QAM	Inner_Full	17.54
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	17.70
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	17.82
n66	15	15	1745	CP	256QAM	Outer_Full	17.57
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	24.03
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.35
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.58
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	23.52
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.99



n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.77
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	23.01
n66	15	15	1772.5	DFT	QPSK	Outer_Full	23.00
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.99
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.86
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	22.13
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.93
n66	15	15	1772.5	DFT	64QAM	Inner_Full	21.45
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	21.36
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	21.46
n66	15	15	1772.5	DFT	64QAM	Outer_Full	21.50
n66	15	15	1772.5	DFT	256QAM	Inner_Full	19.71
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	19.78
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	20.00
n66	15	15	1772.5	DFT	256QAM	Outer_Full	19.76
n66	15	15	1772.5	CP	QPSK	Inner_Full	22.38
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.83
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	21.03
n66	15	15	1772.5	CP	QPSK	Outer_Full	20.90
n66	15	15	1772.5	CP	16QAM	Inner_Full	22.00
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	21.40
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	21.25
n66	15	15	1772.5	CP	16QAM	Outer_Full	20.95
n66	15	15	1772.5	CP	64QAM	Inner_Full	20.38
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.10
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	20.45
n66	15	15	1772.5	CP	64QAM	Outer_Full	20.34
n66	15	15	1772.5	CP	256QAM	Inner_Full	17.66
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	17.77
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	18.06
n66	15	15	1772.5	CP	256QAM	Outer_Full	17.67
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.74
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	23.30
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.35
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.24
n66	20	15	1720	DFT	QPSK	Inner_Full	23.77
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.75



n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.72
n66	20	15	1720	DFT	QPSK	Outer_Full	22.76
n66	20	15	1720	DFT	16QAM	Inner_Full	22.79
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.76
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	21.82
n66	20	15	1720	DFT	16QAM	Outer_Full	21.67
n66	20	15	1720	DFT	64QAM	Inner_Full	21.28
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	21.27
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.34
n66	20	15	1720	DFT	64QAM	Outer_Full	21.17
n66	20	15	1720	DFT	256QAM	Inner_Full	19.58
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	19.68
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	19.62
n66	20	15	1720	DFT	256QAM	Outer_Full	19.54
n66	20	15	1720	CP	QPSK	Inner_Full	22.28
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	20.79
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.88
n66	20	15	1720	CP	QPSK	Outer_Full	20.74
n66	20	15	1720	CP	16QAM	Inner_Full	21.80
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	20.73
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	20.99
n66	20	15	1720	CP	16QAM	Outer_Full	20.70
n66	20	15	1720	CP	64QAM	Inner_Full	20.21
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	20.19
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	20.30
n66	20	15	1720	CP	64QAM	Outer_Full	20.16
n66	20	15	1720	CP	256QAM	Inner_Full	17.54
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	17.64
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	17.82
n66	20	15	1720	CP	256QAM	Outer_Full	17.60
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.81
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.29
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.37
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.41
n66	20	15	1745	DFT	QPSK	Inner_Full	23.80
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.73
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.89



n66	20	15	1745	DFT	QPSK	Outer_Full	22.88
n66	20	15	1745	DFT	16QAM	Inner_Full	22.82
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.85
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.97
n66	20	15	1745	DFT	16QAM	Outer_Full	21.80
n66	20	15	1745	DFT	64QAM	Inner_Full	21.30
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.23
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	21.45
n66	20	15	1745	DFT	64QAM	Outer_Full	21.29
n66	20	15	1745	DFT	256QAM	Inner_Full	19.57
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.64
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	19.90
n66	20	15	1745	DFT	256QAM	Outer_Full	19.60
n66	20	15	1745	CP	QPSK	Inner_Full	22.33
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.83
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.90
n66	20	15	1745	CP	QPSK	Outer_Full	20.79
n66	20	15	1745	CP	16QAM	Inner_Full	21.74
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	20.97
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	21.01
n66	20	15	1745	CP	16QAM	Outer_Full	20.77
n66	20	15	1745	CP	64QAM	Inner_Full	20.32
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	20.09
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.33
n66	20	15	1745	CP	64QAM	Outer_Full	20.26
n66	20	15	1745	CP	256QAM	Inner_Full	17.49
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	17.65
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	17.90
n66	20	15	1745	CP	256QAM	Outer_Full	17.57
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.93
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	23.41
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	23.63
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	23.37
n66	20	15	1770	DFT	QPSK	Inner_Full	24.05
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	22.83
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	23.06
n66	20	15	1770	DFT	QPSK	Outer_Full	22.93



n66	20	15	1770	DFT	16QAM	Inner_Full	22.95
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.86
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	22.06
n66	20	15	1770	DFT	16QAM	Outer_Full	21.86
n66	20	15	1770	DFT	64QAM	Inner_Full	21.47
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	21.44
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	21.61
n66	20	15	1770	DFT	64QAM	Outer_Full	21.39
n66	20	15	1770	DFT	256QAM	Inner_Full	19.68
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	19.78
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	20.02
n66	20	15	1770	DFT	256QAM	Outer_Full	19.62
n66	20	15	1770	CP	QPSK	Inner_Full	22.48
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.87
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	21.15
n66	20	15	1770	CP	QPSK	Outer_Full	20.74
n66	20	15	1770	CP	16QAM	Inner_Full	21.86
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	21.11
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	21.32
n66	20	15	1770	CP	16QAM	Outer_Full	20.73
n66	20	15	1770	CP	64QAM	Inner_Full	20.34
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	20.22
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	20.51
n66	20	15	1770	CP	64QAM	Outer_Full	20.23
n66	20	15	1770	CP	256QAM	Inner_Full	17.61
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	17.82
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	18.12
n66	20	15	1770	CP	256QAM	Outer_Full	17.52
n66	25	15	1722.5	DFT	pi/2 BPSK	Inner_Full	23.65
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.26
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.29
n66	25	15	1722.5	DFT	pi/2 BPSK	Outer_Full	23.13
n66	25	15	1722.5	DFT	QPSK	Inner_Full	23.64
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Left	22.86
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Right	22.86
n66	25	15	1722.5	DFT	QPSK	Outer_Full	22.60
n66	25	15	1722.5	DFT	16QAM	Inner_Full	22.62



n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Left	21.87
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Right	21.96
n66	25	15	1722.5	DFT	16QAM	Outer_Full	21.51
n66	25	15	1722.5	DFT	64QAM	Inner_Full	21.11
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Left	21.28
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Right	21.40
n66	25	15	1722.5	DFT	64QAM	Outer_Full	21.10
n66	25	15	1722.5	DFT	256QAM	Inner_Full	19.34
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Left	19.68
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Right	19.54
n66	25	15	1722.5	DFT	256QAM	Outer_Full	19.26
n66	25	15	1722.5	CP	QPSK	Inner_Full	22.13
n66	25	15	1722.5	CP	QPSK	Edge_1RB_Left	20.76
n66	25	15	1722.5	CP	QPSK	Edge_1RB_Right	21.07
n66	25	15	1722.5	CP	QPSK	Outer_Full	20.56
n66	25	15	1722.5	CP	16QAM	Inner_Full	21.65
n66	25	15	1722.5	CP	16QAM	Edge_1RB_Left	20.91
n66	25	15	1722.5	CP	16QAM	Edge_1RB_Right	21.27
n66	25	15	1722.5	CP	16QAM	Outer_Full	20.56
n66	25	15	1722.5	CP	64QAM	Inner_Full	20.12
n66	25	15	1722.5	CP	64QAM	Edge_1RB_Left	20.35
n66	25	15	1722.5	CP	64QAM	Edge_1RB_Right	20.37
n66	25	15	1722.5	CP	64QAM	Outer_Full	20.09
n66	25	15	1722.5	CP	256QAM	Inner_Full	17.24
n66	25	15	1722.5	CP	256QAM	Edge_1RB_Left	17.80
n66	25	15	1722.5	CP	256QAM	Edge_1RB_Right	17.59
n66	25	15	1722.5	CP	256QAM	Outer_Full	17.26
n66	25	15	1745	DFT	pi/2 BPSK	Inner_Full	23.74
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.23
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.54
n66	25	15	1745	DFT	pi/2 BPSK	Outer_Full	23.24
n66	25	15	1745	DFT	QPSK	Inner_Full	23.80
n66	25	15	1745	DFT	QPSK	Edge_1RB_Left	22.80
n66	25	15	1745	DFT	QPSK	Edge_1RB_Right	22.91
n66	25	15	1745	DFT	QPSK	Outer_Full	22.71
n66	25	15	1745	DFT	16QAM	Inner_Full	22.75
n66	25	15	1745	DFT	16QAM	Edge_1RB_Left	21.84



n66	25	15	1745	DFT	16QAM	Edge_1RB_Right	21.95
n66	25	15	1745	DFT	16QAM	Outer_Full	21.74
n66	25	15	1745	DFT	64QAM	Inner_Full	21.17
n66	25	15	1745	DFT	64QAM	Edge_1RB_Left	21.38
n66	25	15	1745	DFT	64QAM	Edge_1RB_Right	21.62
n66	25	15	1745	DFT	64QAM	Outer_Full	21.25
n66	25	15	1745	DFT	256QAM	Inner_Full	19.44
n66	25	15	1745	DFT	256QAM	Edge_1RB_Left	19.39
n66	25	15	1745	DFT	256QAM	Edge_1RB_Right	19.57
n66	25	15	1745	DFT	256QAM	Outer_Full	19.45
n66	25	15	1745	CP	QPSK	Inner_Full	22.24
n66	25	15	1745	CP	QPSK	Edge_1RB_Left	21.00
n66	25	15	1745	CP	QPSK	Edge_1RB_Right	21.08
n66	25	15	1745	CP	QPSK	Outer_Full	20.72
n66	25	15	1745	CP	16QAM	Inner_Full	21.75
n66	25	15	1745	CP	16QAM	Edge_1RB_Left	21.05
n66	25	15	1745	CP	16QAM	Edge_1RB_Right	20.99
n66	25	15	1745	CP	16QAM	Outer_Full	20.72
n66	25	15	1745	CP	64QAM	Inner_Full	20.20
n66	25	15	1745	CP	64QAM	Edge_1RB_Left	20.28
n66	25	15	1745	CP	64QAM	Edge_1RB_Right	20.61
n66	25	15	1745	CP	64QAM	Outer_Full	20.20
n66	25	15	1745	CP	256QAM	Inner_Full	17.37
n66	25	15	1745	CP	256QAM	Edge_1RB_Left	17.55
n66	25	15	1745	CP	256QAM	Edge_1RB_Right	17.84
n66	25	15	1745	CP	256QAM	Outer_Full	17.39
n66	25	15	1767.5	DFT	pi/2 BPSK	Inner_Full	23.88
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.42
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.61
n66	25	15	1767.5	DFT	pi/2 BPSK	Outer_Full	23.02
n66	25	15	1767.5	DFT	QPSK	Inner_Full	23.83
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Left	22.87
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Right	23.08
n66	25	15	1767.5	DFT	QPSK	Outer_Full	22.60
n66	25	15	1767.5	DFT	16QAM	Inner_Full	22.77
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Left	21.90
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Right	22.15



n66	25	15	1767.5	DFT	16QAM	Outer_Full	21.56
n66	25	15	1767.5	DFT	64QAM	Inner_Full	21.33
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Left	21.51
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Right	21.72
n66	25	15	1767.5	DFT	64QAM	Outer_Full	21.00
n66	25	15	1767.5	DFT	256QAM	Inner_Full	19.51
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Left	19.45
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Right	19.92
n66	25	15	1767.5	DFT	256QAM	Outer_Full	19.21
n66	25	15	1767.5	CP	QPSK	Inner_Full	22.29
n66	25	15	1767.5	CP	QPSK	Edge_1RB_Left	21.03
n66	25	15	1767.5	CP	QPSK	Edge_1RB_Right	21.19
n66	25	15	1767.5	CP	QPSK	Outer_Full	20.43
n66	25	15	1767.5	CP	16QAM	Inner_Full	21.76
n66	25	15	1767.5	CP	16QAM	Edge_1RB_Left	20.97
n66	25	15	1767.5	CP	16QAM	Edge_1RB_Right	21.58
n66	25	15	1767.5	CP	16QAM	Outer_Full	20.44
n66	25	15	1767.5	CP	64QAM	Inner_Full	20.28
n66	25	15	1767.5	CP	64QAM	Edge_1RB_Left	20.54
n66	25	15	1767.5	CP	64QAM	Edge_1RB_Right	20.75
n66	25	15	1767.5	CP	64QAM	Outer_Full	19.92
n66	25	15	1767.5	CP	256QAM	Inner_Full	17.40
n66	25	15	1767.5	CP	256QAM	Edge_1RB_Left	17.71
n66	25	15	1767.5	CP	256QAM	Edge_1RB_Right	17.80
n66	25	15	1767.5	CP	256QAM	Outer_Full	17.18
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.72
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	23.21
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	23.31
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	23.24
n66	30	15	1725	DFT	QPSK	Inner_Full	23.78
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	22.69
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	22.84
n66	30	15	1725	DFT	QPSK	Outer_Full	22.63
n66	30	15	1725	DFT	16QAM	Inner_Full	22.67
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.69
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.77
n66	30	15	1725	DFT	16QAM	Outer_Full	21.73



n66	30	15	1725	DFT	64QAM	Inner_Full	21.21
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	21.26
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	21.41
n66	30	15	1725	DFT	64QAM	Outer_Full	21.17
n66	30	15	1725	DFT	256QAM	Inner_Full	19.42
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	19.71
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	19.68
n66	30	15	1725	DFT	256QAM	Outer_Full	19.36
n66	30	15	1725	CP	QPSK	Inner_Full	22.25
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	20.75
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	20.82
n66	30	15	1725	CP	QPSK	Outer_Full	20.72
n66	30	15	1725	CP	16QAM	Inner_Full	21.70
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	20.81
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	21.04
n66	30	15	1725	CP	16QAM	Outer_Full	20.68
n66	30	15	1725	CP	64QAM	Inner_Full	20.11
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	20.11
n66	30	15	1725	CP	64QAM	Edge_1RB_Right	20.20
n66	30	15	1725	CP	64QAM	Outer_Full	20.14
n66	30	15	1725	CP	256QAM	Inner_Full	17.35
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	17.71
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	17.69
n66	30	15	1725	CP	256QAM	Outer_Full	17.34
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.82
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.20
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.39
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	23.34
n66	30	15	1745	DFT	QPSK	Inner_Full	23.88
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	22.66
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	22.86
n66	30	15	1745	DFT	QPSK	Outer_Full	22.89
n66	30	15	1745	DFT	16QAM	Inner_Full	22.86
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	21.61
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.86
n66	30	15	1745	DFT	16QAM	Outer_Full	21.81
n66	30	15	1745	DFT	64QAM	Inner_Full	21.31



n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	21.17
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	21.36
n66	30	15	1745	DFT	64QAM	Outer_Full	21.29
n66	30	15	1745	DFT	256QAM	Inner_Full	19.46
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	19.52
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	19.84
n66	30	15	1745	DFT	256QAM	Outer_Full	19.55
n66	30	15	1745	CP	QPSK	Inner_Full	22.35
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	20.66
n66	30	15	1745	CP	QPSK	Edge_1RB_Right	20.96
n66	30	15	1745	CP	QPSK	Outer_Full	20.76
n66	30	15	1745	CP	16QAM	Inner_Full	21.75
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	20.84
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	21.07
n66	30	15	1745	CP	16QAM	Outer_Full	20.76
n66	30	15	1745	CP	64QAM	Inner_Full	20.31
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	19.97
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	20.33
n66	30	15	1745	CP	64QAM	Outer_Full	20.27
n66	30	15	1745	CP	256QAM	Inner_Full	17.42
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	17.33
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	17.67
n66	30	15	1745	CP	256QAM	Outer_Full	17.46
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.90
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	23.24
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	23.58
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	23.32
n66	30	15	1765	DFT	QPSK	Inner_Full	23.96
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	22.77
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	23.02
n66	30	15	1765	DFT	QPSK	Outer_Full	22.83
n66	30	15	1765	DFT	16QAM	Inner_Full	22.95
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.78
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.94
n66	30	15	1765	DFT	16QAM	Outer_Full	21.78
n66	30	15	1765	DFT	64QAM	Inner_Full	21.40
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	21.32



n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	21.61
n66	30	15	1765	DFT	64QAM	Outer_Full	21.23
n66	30	15	1765	DFT	256QAM	Inner_Full	19.52
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	19.59
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	19.94
n66	30	15	1765	DFT	256QAM	Outer_Full	19.43
n66	30	15	1765	CP	QPSK	Inner_Full	22.38
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	20.72
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	21.05
n66	30	15	1765	CP	QPSK	Outer_Full	20.80
n66	30	15	1765	CP	16QAM	Inner_Full	21.82
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	20.71
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	21.16
n66	30	15	1765	CP	16QAM	Outer_Full	20.78
n66	30	15	1765	CP	64QAM	Inner_Full	20.41
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	20.25
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	20.46
n66	30	15	1765	CP	64QAM	Outer_Full	20.21
n66	30	15	1765	CP	256QAM	Inner_Full	17.47
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	17.65
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	17.93
n66	30	15	1765	CP	256QAM	Outer_Full	17.36
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.66
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	23.29
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	23.34
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.99
n66	40	15	1730	DFT	QPSK	Inner_Full	23.71
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	22.60
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	22.90
n66	40	15	1730	DFT	QPSK	Outer_Full	22.51
n66	40	15	1730	DFT	16QAM	Inner_Full	22.76
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.71
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	21.97
n66	40	15	1730	DFT	16QAM	Outer_Full	21.51
n66	40	15	1730	DFT	64QAM	Inner_Full	21.26
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	21.32
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	21.45



n66	40	15	1730	DFT	64QAM	Outer_Full	20.94
n66	40	15	1730	DFT	256QAM	Inner_Full	19.29
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	19.70
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	19.71
n66	40	15	1730	DFT	256QAM	Outer_Full	19.12
n66	40	15	1730	CP	QPSK	Inner_Full	22.17
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	20.65
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	20.97
n66	40	15	1730	CP	QPSK	Outer_Full	20.41
n66	40	15	1730	CP	16QAM	Inner_Full	21.75
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	20.78
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	20.89
n66	40	15	1730	CP	16QAM	Outer_Full	20.49
n66	40	15	1730	CP	64QAM	Inner_Full	20.19
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	20.15
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	20.22
n66	40	15	1730	CP	64QAM	Outer_Full	20.01
n66	40	15	1730	CP	256QAM	Inner_Full	17.23
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	17.67
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	17.77
n66	40	15	1730	CP	256QAM	Outer_Full	17.10
n66	40	15	1745	DFT	$\pi/2$ BPSK	Inner_Full	23.77
n66	40	15	1745	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.21
n66	40	15	1745	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.53
n66	40	15	1745	DFT	$\pi/2$ BPSK	Outer_Full	23.37
n66	40	15	1745	DFT	QPSK	Inner_Full	23.83
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	22.75
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	22.91
n66	40	15	1745	DFT	QPSK	Outer_Full	22.90
n66	40	15	1745	DFT	16QAM	Inner_Full	22.81
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	21.64
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	21.93
n66	40	15	1745	DFT	16QAM	Outer_Full	21.86
n66	40	15	1745	DFT	64QAM	Inner_Full	21.31
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	21.29
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	21.49
n66	40	15	1745	DFT	64QAM	Outer_Full	21.32



n66	40	15	1745	DFT	256QAM	Inner_Full	19.39
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	19.55
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	19.78
n66	40	15	1745	DFT	256QAM	Outer_Full	19.49
n66	40	15	1745	CP	QPSK	Inner_Full	22.30
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	20.63
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	20.96
n66	40	15	1745	CP	QPSK	Outer_Full	20.83
n66	40	15	1745	CP	16QAM	Inner_Full	21.89
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	20.86
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	21.39
n66	40	15	1745	CP	16QAM	Outer_Full	20.87
n66	40	15	1745	CP	64QAM	Inner_Full	20.24
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	20.07
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	20.29
n66	40	15	1745	CP	64QAM	Outer_Full	20.32
n66	40	15	1745	CP	256QAM	Inner_Full	17.38
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	17.49
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	17.79
n66	40	15	1745	CP	256QAM	Outer_Full	17.51
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.90
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	23.23
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	23.57
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	23.28
n66	40	15	1760	DFT	QPSK	Inner_Full	23.87
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	22.72
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	22.99
n66	40	15	1760	DFT	QPSK	Outer_Full	22.75
n66	40	15	1760	DFT	16QAM	Inner_Full	22.92
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	21.67
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	22.03
n66	40	15	1760	DFT	16QAM	Outer_Full	21.78
n66	40	15	1760	DFT	64QAM	Inner_Full	21.39
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	21.29
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	21.61
n66	40	15	1760	DFT	64QAM	Outer_Full	21.18
n66	40	15	1760	DFT	256QAM	Inner_Full	19.43



n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	19.54
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	19.85
n66	40	15	1760	DFT	256QAM	Outer_Full	19.34
n66	40	15	1760	CP	QPSK	Inner_Full	22.33
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	20.73
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	21.06
n66	40	15	1760	CP	QPSK	Outer_Full	20.71
n66	40	15	1760	CP	16QAM	Inner_Full	21.89
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	20.95
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	21.30
n66	40	15	1760	CP	16QAM	Outer_Full	20.72
n66	40	15	1760	CP	64QAM	Inner_Full	20.34
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	20.14
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	20.54
n66	40	15	1760	CP	64QAM	Outer_Full	20.21
n66	40	15	1760	CP	256QAM	Inner_Full	17.38
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	17.31
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	17.94
n66	40	15	1760	CP	256QAM	Outer_Full	17.36

Note: Expanded measurement uncertainty is $U = 0.90\text{dB}$, $k = 1.96$

A.1.3 Radiated**A.1.3.1 Description**

This is the test for the maximum radiated power from the EUT.

Rule Part 24.232(b) specifies, "Mobile/portable stations are limited to 2 watts e.i.r.p. Peak power" and 24.232(c) specifies that "Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage." Rule Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts."

Rule Part 27.50(d) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP".

Rule Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

Rule Part 27.50(c) specifies "Portable stations (hand-held de-vices) are limited to 3 watts ERP".

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = \text{PMea} + \text{GT}$$

Where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as PMea, e.g., dBm or dBW)

PMea measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

**A.1.3.3 Measurement result****n2**

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	23.08	20.88	22.28
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.78	20.58	21.98
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84	20.64	22.04
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.85	20.65	22.05
n2	5	15	1852.5	DFT	QPSK	Inner_Full	23.06	20.86	22.26
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.27	20.07	21.47
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.25	20.05	21.45
n2	5	15	1852.5	DFT	QPSK	Outer_Full	22.2	20	21.4
n2	5	15	1852.5	DFT	16QAM	Inner_Full	22.3	20.1	21.5
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.31	19.11	20.51
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.32	19.12	20.52
n2	5	15	1852.5	DFT	16QAM	Outer_Full	21.27	19.07	20.47
n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.83	18.63	20.03
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.83	18.63	20.03
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.82	18.62	20.02
n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.78	18.58	19.98
n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.87	16.67	18.07
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	19.1	16.9	18.3
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	19.01	16.81	18.21
n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.73	16.53	17.93
n2	5	15	1852.5	CP	QPSK	Inner_Full	21.85	19.65	21.05
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.23	18.03	19.43
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.27	18.07	19.47
n2	5	15	1852.5	CP	QPSK	Outer_Full	20.24	18.04	19.44
n2	5	15	1852.5	CP	16QAM	Inner_Full	21.35	19.15	20.55
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.92	18.72	20.12
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.76	18.56	19.96
n2	5	15	1852.5	CP	16QAM	Outer_Full	20.22	18.02	19.42



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	5	15	1852.5	CP	64QAM	Inner_Full	19.85	17.65	19.05
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.82	17.62	19.02
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.85	17.65	19.05
n2	5	15	1852.5	CP	64QAM	Outer_Full	19.81	17.61	19.01
n2	5	15	1852.5	CP	256QAM	Inner_Full	16.84	14.64	16.04
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	17.21	15.01	16.41
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.93	14.73	16.13
n2	5	15	1852.5	CP	256QAM	Outer_Full	16.7	14.5	15.9
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	22.98	20.78	22.18
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	20.67	22.07
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.79	20.59	21.99
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.85	20.65	22.05
n2	5	15	1880	DFT	QPSK	Inner_Full	23.03	20.83	22.23
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	22.31	20.11	21.51
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	22.26	20.06	21.46
n2	5	15	1880	DFT	QPSK	Outer_Full	22.34	20.14	21.54
n2	5	15	1880	DFT	16QAM	Inner_Full	22.33	20.13	21.53
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.37	19.17	20.57
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	21.38	19.18	20.58
n2	5	15	1880	DFT	16QAM	Outer_Full	21.35	19.15	20.55
n2	5	15	1880	DFT	64QAM	Inner_Full	20.88	18.68	20.08
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.96	18.76	20.16
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.81	18.61	20.01
n2	5	15	1880	DFT	64QAM	Outer_Full	20.84	18.64	20.04
n2	5	15	1880	DFT	256QAM	Inner_Full	18.9	16.7	18.1
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	19.08	16.88	18.28
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	19.05	16.85	18.25
n2	5	15	1880	DFT	256QAM	Outer_Full	18.89	16.69	18.09
n2	5	15	1880	CP	QPSK	Inner_Full	21.81	19.61	21.01
n2	5	15	1880	CP	QPSK	Edge_1RB_Left	20.29	18.09	19.49



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	5	15	1880	CP	QPSK	Edge_1RB_Right	20.24	18.04	19.44
n2	5	15	1880	CP	QPSK	Outer_Full	20.39	18.19	19.59
n2	5	15	1880	CP	16QAM	Inner_Full	21.26	19.06	20.46
n2	5	15	1880	CP	16QAM	Edge_1RB_Left	20.59	18.39	19.79
n2	5	15	1880	CP	16QAM	Edge_1RB_Right	20.62	18.42	19.82
n2	5	15	1880	CP	16QAM	Outer_Full	20.36	18.16	19.56
n2	5	15	1880	CP	64QAM	Inner_Full	19.9	17.7	19.1
n2	5	15	1880	CP	64QAM	Edge_1RB_Left	19.97	17.77	19.17
n2	5	15	1880	CP	64QAM	Edge_1RB_Right	19.94	17.74	19.14
n2	5	15	1880	CP	64QAM	Outer_Full	19.93	17.73	19.13
n2	5	15	1880	CP	256QAM	Inner_Full	16.83	14.63	16.03
n2	5	15	1880	CP	256QAM	Edge_1RB_Left	17.26	15.06	16.46
n2	5	15	1880	CP	256QAM	Edge_1RB_Right	17.02	14.82	16.22
n2	5	15	1880	CP	256QAM	Outer_Full	16.74	14.54	15.94
n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	22.92	20.72	22.12
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	20.52	21.92
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.68	20.48	21.88
n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	22.67	20.47	21.87
n2	5	15	1907.5	DFT	QPSK	Inner_Full	22.88	20.68	22.08
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.13	19.93	21.33
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.19	19.99	21.39
n2	5	15	1907.5	DFT	QPSK	Outer_Full	22.18	19.98	21.38
n2	5	15	1907.5	DFT	16QAM	Inner_Full	22.14	19.94	21.34
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.16	18.96	20.36
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.24	19.04	20.44
n2	5	15	1907.5	DFT	16QAM	Outer_Full	21.24	19.04	20.44
n2	5	15	1907.5	DFT	64QAM	Inner_Full	20.74	18.54	19.94
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.7	18.5	19.9
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.73	18.53	19.93
n2	5	15	1907.5	DFT	64QAM	Outer_Full	20.69	18.49	19.89



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	5	15	1907.5	DFT	256QAM	Inner_Full	18.8	16.6	18
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.92	16.72	18.12
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	19	16.8	18.2
n2	5	15	1907.5	DFT	256QAM	Outer_Full	18.66	16.46	17.86
n2	5	15	1907.5	CP	QPSK	Inner_Full	21.81	19.61	21.01
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	20.06	17.86	19.26
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	20.11	17.91	19.31
n2	5	15	1907.5	CP	QPSK	Outer_Full	20.13	17.93	19.33
n2	5	15	1907.5	CP	16QAM	Inner_Full	21.18	18.98	20.38
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	20.73	18.53	19.93
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	20.44	18.24	19.64
n2	5	15	1907.5	CP	16QAM	Outer_Full	20.13	17.93	19.33
n2	5	15	1907.5	CP	64QAM	Inner_Full	19.81	17.61	19.01
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	19.69	17.49	18.89
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	19.79	17.59	18.99
n2	5	15	1907.5	CP	64QAM	Outer_Full	19.67	17.47	18.87
n2	5	15	1907.5	CP	256QAM	Inner_Full	16.74	14.54	15.94
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	16.98	14.78	16.18
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	17.1	14.9	16.3
n2	5	15	1907.5	CP	256QAM	Outer_Full	16.66	14.46	15.86
n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	23.05	20.85	22.25
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	20.63	22.03
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	20.62	22.02
n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.76	20.56	21.96
n2	10	15	1855	DFT	QPSK	Inner_Full	23.11	20.91	22.31
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	22.28	20.08	21.48
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.32	20.12	21.52
n2	10	15	1855	DFT	QPSK	Outer_Full	22.2	20	21.4
n2	10	15	1855	DFT	16QAM	Inner_Full	22.28	20.08	21.48
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.3	19.1	20.5



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.34	19.14	20.54
n2	10	15	1855	DFT	16QAM	Outer_Full	21.31	19.11	20.51
n2	10	15	1855	DFT	64QAM	Inner_Full	20.86	18.66	20.06
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.9	18.7	20.1
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.9	18.7	20.1
n2	10	15	1855	DFT	64QAM	Outer_Full	20.85	18.65	20.05
n2	10	15	1855	DFT	256QAM	Inner_Full	18.77	16.57	17.97
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	19.01	16.81	18.21
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	19.14	16.94	18.34
n2	10	15	1855	DFT	256QAM	Outer_Full	18.75	16.55	17.95
n2	10	15	1855	CP	QPSK	Inner_Full	21.76	19.56	20.96
n2	10	15	1855	CP	QPSK	Edge_1RB_Left	20.14	17.94	19.34
n2	10	15	1855	CP	QPSK	Edge_1RB_Right	20.24	18.04	19.44
n2	10	15	1855	CP	QPSK	Outer_Full	20.26	18.06	19.46
n2	10	15	1855	CP	16QAM	Inner_Full	21.41	19.21	20.61
n2	10	15	1855	CP	16QAM	Edge_1RB_Left	20.79	18.59	19.99
n2	10	15	1855	CP	16QAM	Edge_1RB_Right	20.72	18.52	19.92
n2	10	15	1855	CP	16QAM	Outer_Full	20.3	18.1	19.5
n2	10	15	1855	CP	64QAM	Inner_Full	19.83	17.63	19.03
n2	10	15	1855	CP	64QAM	Edge_1RB_Left	19.89	17.69	19.09
n2	10	15	1855	CP	64QAM	Edge_1RB_Right	19.92	17.72	19.12
n2	10	15	1855	CP	64QAM	Outer_Full	19.77	17.57	18.97
n2	10	15	1855	CP	256QAM	Inner_Full	16.83	14.63	16.03
n2	10	15	1855	CP	256QAM	Edge_1RB_Left	16.95	14.75	16.15
n2	10	15	1855	CP	256QAM	Edge_1RB_Right	17.27	15.07	16.47
n2	10	15	1855	CP	256QAM	Outer_Full	16.75	14.55	15.95
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	23.03	20.83	22.23
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	20.63	22.03
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.77	20.57	21.97
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.76	20.56	21.96



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	10	15	1880	DFT	QPSK	Inner_Full	23.01	20.81	22.21
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.36	20.16	21.56
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.27	20.07	21.47
n2	10	15	1880	DFT	QPSK	Outer_Full	22.25	20.05	21.45
n2	10	15	1880	DFT	16QAM	Inner_Full	22.33	20.13	21.53
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.43	19.23	20.63
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.28	19.08	20.48
n2	10	15	1880	DFT	16QAM	Outer_Full	21.25	19.05	20.45
n2	10	15	1880	DFT	64QAM	Inner_Full	20.77	18.57	19.97
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	20.76	18.56	19.96
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	20.72	18.52	19.92
n2	10	15	1880	DFT	64QAM	Outer_Full	20.74	18.54	19.94
n2	10	15	1880	DFT	256QAM	Inner_Full	18.83	16.63	18.03
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	18.97	16.77	18.17
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	19.1	16.9	18.3
n2	10	15	1880	DFT	256QAM	Outer_Full	18.8	16.6	18
n2	10	15	1880	CP	QPSK	Inner_Full	21.86	19.66	21.06
n2	10	15	1880	CP	QPSK	Edge_1RB_Left	20.3	18.1	19.5
n2	10	15	1880	CP	QPSK	Edge_1RB_Right	20.3	18.1	19.5
n2	10	15	1880	CP	QPSK	Outer_Full	20.31	18.11	19.51
n2	10	15	1880	CP	16QAM	Inner_Full	21.43	19.23	20.63
n2	10	15	1880	CP	16QAM	Edge_1RB_Left	20.71	18.51	19.91
n2	10	15	1880	CP	16QAM	Edge_1RB_Right	20.62	18.42	19.82
n2	10	15	1880	CP	16QAM	Outer_Full	20.26	18.06	19.46
n2	10	15	1880	CP	64QAM	Inner_Full	19.83	17.63	19.03
n2	10	15	1880	CP	64QAM	Edge_1RB_Left	20	17.8	19.2
n2	10	15	1880	CP	64QAM	Edge_1RB_Right	19.95	17.75	19.15
n2	10	15	1880	CP	64QAM	Outer_Full	19.79	17.59	18.99
n2	10	15	1880	CP	256QAM	Inner_Full	16.78	14.58	15.98
n2	10	15	1880	CP	256QAM	Edge_1RB_Left	17.15	14.95	16.35



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	10	15	1880	CP	256QAM	Edge_1RB_Right	17.02	14.82	16.22
n2	10	15	1880	CP	256QAM	Outer_Full	16.84	14.64	16.04
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	22.86	20.66	22.06
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.62	20.42	21.82
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	20.56	21.96
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	22.63	20.43	21.83
n2	10	15	1905	DFT	QPSK	Inner_Full	22.91	20.71	22.11
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.15	19.95	21.35
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.16	19.96	21.36
n2	10	15	1905	DFT	QPSK	Outer_Full	22.14	19.94	21.34
n2	10	15	1905	DFT	16QAM	Inner_Full	22.18	19.98	21.38
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.18	18.98	20.38
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.23	19.03	20.43
n2	10	15	1905	DFT	16QAM	Outer_Full	21.17	18.97	20.37
n2	10	15	1905	DFT	64QAM	Inner_Full	20.63	18.43	19.83
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.67	18.47	19.87
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.68	18.48	19.88
n2	10	15	1905	DFT	64QAM	Outer_Full	20.64	18.44	19.84
n2	10	15	1905	DFT	256QAM	Inner_Full	18.66	16.46	17.86
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	18.91	16.71	18.11
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	19.03	16.83	18.23
n2	10	15	1905	DFT	256QAM	Outer_Full	18.69	16.49	17.89
n2	10	15	1905	CP	QPSK	Inner_Full	21.68	19.48	20.88
n2	10	15	1905	CP	QPSK	Edge_1RB_Left	20.07	17.87	19.27
n2	10	15	1905	CP	QPSK	Edge_1RB_Right	20.12	17.92	19.32
n2	10	15	1905	CP	QPSK	Outer_Full	20.17	17.97	19.37
n2	10	15	1905	CP	16QAM	Inner_Full	21.2	19	20.4
n2	10	15	1905	CP	16QAM	Edge_1RB_Left	20.62	18.42	19.82
n2	10	15	1905	CP	16QAM	Edge_1RB_Right	20.42	18.22	19.62
n2	10	15	1905	CP	16QAM	Outer_Full	20.23	18.03	19.43



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	10	15	1905	CP	64QAM	Inner_Full	19.64	17.44	18.84
n2	10	15	1905	CP	64QAM	Edge_1RB_Left	19.77	17.57	18.97
n2	10	15	1905	CP	64QAM	Edge_1RB_Right	19.87	17.67	19.07
n2	10	15	1905	CP	64QAM	Outer_Full	19.6	17.4	18.8
n2	10	15	1905	CP	256QAM	Inner_Full	16.64	14.44	15.84
n2	10	15	1905	CP	256QAM	Edge_1RB_Left	17.08	14.88	16.28
n2	10	15	1905	CP	256QAM	Edge_1RB_Right	16.87	14.67	16.07
n2	10	15	1905	CP	256QAM	Outer_Full	16.68	14.48	15.88
n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.11	20.91	22.31
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.81	20.61	22.01
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.95	20.75	22.15
n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.74	20.54	21.94
n2	15	15	1857.5	DFT	QPSK	Inner_Full	23.13	20.93	22.33
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.34	20.14	21.54
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.44	20.24	21.64
n2	15	15	1857.5	DFT	QPSK	Outer_Full	22.27	20.07	21.47
n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.39	20.19	21.59
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.31	19.11	20.51
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.51	19.31	20.71
n2	15	15	1857.5	DFT	16QAM	Outer_Full	21.3	19.1	20.5
n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.9	18.7	20.1
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.87	18.67	20.07
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.96	18.76	20.16
n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.76	18.56	19.96
n2	15	15	1857.5	DFT	256QAM	Inner_Full	18.91	16.71	18.11
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	19.08	16.88	18.28
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	19.19	16.99	18.39
n2	15	15	1857.5	DFT	256QAM	Outer_Full	18.82	16.62	18.02
n2	15	15	1857.5	CP	QPSK	Inner_Full	21.82	19.62	21.02
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.31	18.11	19.51



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.37	18.17	19.57
n2	15	15	1857.5	CP	QPSK	Outer_Full	20.39	18.19	19.59
n2	15	15	1857.5	CP	16QAM	Inner_Full	21.36	19.16	20.56
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.82	18.62	20.02
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.61	18.41	19.81
n2	15	15	1857.5	CP	16QAM	Outer_Full	20.32	18.12	19.52
n2	15	15	1857.5	CP	64QAM	Inner_Full	19.87	17.67	19.07
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.91	17.71	19.11
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.04	17.84	19.24
n2	15	15	1857.5	CP	64QAM	Outer_Full	19.85	17.65	19.05
n2	15	15	1857.5	CP	256QAM	Inner_Full	16.83	14.63	16.03
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	17.14	14.94	16.34
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	17.23	15.03	16.43
n2	15	15	1857.5	CP	256QAM	Outer_Full	16.77	14.57	15.97
n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	23.04	20.84	22.24
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.95	20.75	22.15
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	20.62	22.02
n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	22.76	20.56	21.96
n2	15	15	1880	DFT	QPSK	Inner_Full	23.03	20.83	22.23
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.37	20.17	21.57
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.33	20.13	21.53
n2	15	15	1880	DFT	QPSK	Outer_Full	22.27	20.07	21.47
n2	15	15	1880	DFT	16QAM	Inner_Full	22.28	20.08	21.48
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.37	19.17	20.57
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.29	19.09	20.49
n2	15	15	1880	DFT	16QAM	Outer_Full	21.28	19.08	20.48
n2	15	15	1880	DFT	64QAM	Inner_Full	20.87	18.67	20.07
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.92	18.72	20.12
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.88	18.68	20.08
n2	15	15	1880	DFT	64QAM	Outer_Full	20.81	18.61	20.01



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	15	15	1880	DFT	256QAM	Inner_Full	18.75	16.55	17.95
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	19.12	16.92	18.32
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	19.04	16.84	18.24
n2	15	15	1880	DFT	256QAM	Outer_Full	18.8	16.6	18
n2	15	15	1880	CP	QPSK	Inner_Full	21.77	19.57	20.97
n2	15	15	1880	CP	QPSK	Edge_1RB_Left	20.29	18.09	19.49
n2	15	15	1880	CP	QPSK	Edge_1RB_Right	20.27	18.07	19.47
n2	15	15	1880	CP	QPSK	Outer_Full	20.27	18.07	19.47
n2	15	15	1880	CP	16QAM	Inner_Full	21.29	19.09	20.49
n2	15	15	1880	CP	16QAM	Edge_1RB_Left	20.63	18.43	19.83
n2	15	15	1880	CP	16QAM	Edge_1RB_Right	20.5	18.3	19.7
n2	15	15	1880	CP	16QAM	Outer_Full	20.41	18.21	19.61
n2	15	15	1880	CP	64QAM	Inner_Full	19.81	17.61	19.01
n2	15	15	1880	CP	64QAM	Edge_1RB_Left	19.91	17.71	19.11
n2	15	15	1880	CP	64QAM	Edge_1RB_Right	19.98	17.78	19.18
n2	15	15	1880	CP	64QAM	Outer_Full	19.75	17.55	18.95
n2	15	15	1880	CP	256QAM	Inner_Full	16.77	14.57	15.97
n2	15	15	1880	CP	256QAM	Edge_1RB_Left	17.16	14.96	16.36
n2	15	15	1880	CP	256QAM	Edge_1RB_Right	17.04	14.84	16.24
n2	15	15	1880	CP	256QAM	Outer_Full	16.73	14.53	15.93
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	22.95	20.75	22.15
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	20.52	21.92
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.72	20.52	21.92
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	22.65	20.45	21.85
n2	15	15	1902.5	DFT	QPSK	Inner_Full	22.99	20.79	22.19
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.2	20	21.4
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.15	19.95	21.35
n2	15	15	1902.5	DFT	QPSK	Outer_Full	22.09	19.89	21.29
n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.3	20.1	21.5
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.25	19.05	20.45



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.36	19.16	20.56
n2	15	15	1902.5	DFT	16QAM	Outer_Full	21.15	18.95	20.35
n2	15	15	1902.5	DFT	64QAM	Inner_Full	20.7	18.5	19.9
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	20.84	18.64	20.04
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.83	18.63	20.03
n2	15	15	1902.5	DFT	64QAM	Outer_Full	20.75	18.55	19.95
n2	15	15	1902.5	DFT	256QAM	Inner_Full	18.72	16.52	17.92
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	19	16.8	18.2
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	18.96	16.76	18.16
n2	15	15	1902.5	DFT	256QAM	Outer_Full	18.66	16.46	17.86
n2	15	15	1902.5	CP	QPSK	Inner_Full	21.7	19.5	20.9
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	20.09	17.89	19.29
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	20.17	17.97	19.37
n2	15	15	1902.5	CP	QPSK	Outer_Full	20.2	18	19.4
n2	15	15	1902.5	CP	16QAM	Inner_Full	21.19	18.99	20.39
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	20.44	18.24	19.64
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	20.41	18.21	19.61
n2	15	15	1902.5	CP	16QAM	Outer_Full	20.23	18.03	19.43
n2	15	15	1902.5	CP	64QAM	Inner_Full	19.73	17.53	18.93
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	19.87	17.67	19.07
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	19.87	17.67	19.07
n2	15	15	1902.5	CP	64QAM	Outer_Full	19.63	17.43	18.83
n2	15	15	1902.5	CP	256QAM	Inner_Full	16.75	14.55	15.95
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	16.9	14.7	16.1
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	16.88	14.68	16.08
n2	15	15	1902.5	CP	256QAM	Outer_Full	16.64	14.44	15.84
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.04	20.84	22.24
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.84	20.64	22.04
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.91	20.71	22.11
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.91	20.71	22.11



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	20	15	1860	DFT	QPSK	Inner_Full	23.04	20.84	22.24
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.34	20.14	21.54
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.34	20.14	21.54
n2	20	15	1860	DFT	QPSK	Outer_Full	22.33	20.13	21.53
n2	20	15	1860	DFT	16QAM	Inner_Full	22.33	20.13	21.53
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.45	19.25	20.65
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.52	19.32	20.72
n2	20	15	1860	DFT	16QAM	Outer_Full	21.4	19.2	20.6
n2	20	15	1860	DFT	64QAM	Inner_Full	20.85	18.65	20.05
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.91	18.71	20.11
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	21	18.8	20.2
n2	20	15	1860	DFT	64QAM	Outer_Full	20.82	18.62	20.02
n2	20	15	1860	DFT	256QAM	Inner_Full	18.83	16.63	18.03
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	19.13	16.93	18.33
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.16	16.96	18.36
n2	20	15	1860	DFT	256QAM	Outer_Full	18.88	16.68	18.08
n2	20	15	1860	CP	QPSK	Inner_Full	21.84	19.64	21.04
n2	20	15	1860	CP	QPSK	Edge_1RB_Left	20.3	18.1	19.5
n2	20	15	1860	CP	QPSK	Edge_1RB_Right	20.33	18.13	19.53
n2	20	15	1860	CP	QPSK	Outer_Full	20.38	18.18	19.58
n2	20	15	1860	CP	16QAM	Inner_Full	21.34	19.14	20.54
n2	20	15	1860	CP	16QAM	Edge_1RB_Left	20.89	18.69	20.09
n2	20	15	1860	CP	16QAM	Edge_1RB_Right	20.67	18.47	19.87
n2	20	15	1860	CP	16QAM	Outer_Full	20.33	18.13	19.53
n2	20	15	1860	CP	64QAM	Inner_Full	19.87	17.67	19.07
n2	20	15	1860	CP	64QAM	Edge_1RB_Left	19.95	17.75	19.15
n2	20	15	1860	CP	64QAM	Edge_1RB_Right	20.02	17.82	19.22
n2	20	15	1860	CP	64QAM	Outer_Full	19.84	17.64	19.04
n2	20	15	1860	CP	256QAM	Inner_Full	16.85	14.65	16.05
n2	20	15	1860	CP	256QAM	Edge_1RB_Left	17.16	14.96	16.36



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	20	15	1860	CP	256QAM	Edge_1RB_Right	17.27	15.07	16.47
n2	20	15	1860	CP	256QAM	Outer_Full	16.78	14.58	15.98
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	23.04	20.84	22.24
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.92	20.72	22.12
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.79	20.59	21.99
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	22.81	20.61	22.01
n2	20	15	1880	DFT	QPSK	Inner_Full	23.09	20.89	22.29
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.41	20.21	21.61
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.27	20.07	21.47
n2	20	15	1880	DFT	QPSK	Outer_Full	22.34	20.14	21.54
n2	20	15	1880	DFT	16QAM	Inner_Full	22.34	20.14	21.54
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.41	19.21	20.61
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.28	19.08	20.48
n2	20	15	1880	DFT	16QAM	Outer_Full	21.31	19.11	20.51
n2	20	15	1880	DFT	64QAM	Inner_Full	20.89	18.69	20.09
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	20.91	18.71	20.11
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	20.79	18.59	19.99
n2	20	15	1880	DFT	64QAM	Outer_Full	20.79	18.59	19.99
n2	20	15	1880	DFT	256QAM	Inner_Full	18.84	16.64	18.04
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	19.15	16.95	18.35
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	19.07	16.87	18.27
n2	20	15	1880	DFT	256QAM	Outer_Full	18.8	16.6	18
n2	20	15	1880	CP	QPSK	Inner_Full	21.86	19.66	21.06
n2	20	15	1880	CP	QPSK	Edge_1RB_Left	20.25	18.05	19.45
n2	20	15	1880	CP	QPSK	Edge_1RB_Right	20.17	17.97	19.37
n2	20	15	1880	CP	QPSK	Outer_Full	20.23	18.03	19.43
n2	20	15	1880	CP	16QAM	Inner_Full	21.3	19.1	20.5
n2	20	15	1880	CP	16QAM	Edge_1RB_Left	20.68	18.48	19.88
n2	20	15	1880	CP	16QAM	Edge_1RB_Right	20.51	18.31	19.71
n2	20	15	1880	CP	16QAM	Outer_Full	20.25	18.05	19.45



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	20	15	1880	CP	64QAM	Inner_Full	19.93	17.73	19.13
n2	20	15	1880	CP	64QAM	Edge_1RB_Left	20.03	17.83	19.23
n2	20	15	1880	CP	64QAM	Edge_1RB_Right	20	17.8	19.2
n2	20	15	1880	CP	64QAM	Outer_Full	19.82	17.62	19.02
n2	20	15	1880	CP	256QAM	Inner_Full	16.81	14.61	16.01
n2	20	15	1880	CP	256QAM	Edge_1RB_Left	17.27	15.07	16.47
n2	20	15	1880	CP	256QAM	Edge_1RB_Right	17.11	14.91	16.31
n2	20	15	1880	CP	256QAM	Outer_Full	16.8	14.6	16
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	22.94	20.74	22.14
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	20.63	22.03
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	20.62	22.02
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	22.67	20.47	21.87
n2	20	15	1900	DFT	QPSK	Inner_Full	22.94	20.74	22.14
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.3	20.1	21.5
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.21	20.01	21.41
n2	20	15	1900	DFT	QPSK	Outer_Full	22.22	20.02	21.42
n2	20	15	1900	DFT	16QAM	Inner_Full	22.21	20.01	21.41
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.32	19.12	20.52
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.31	19.11	20.51
n2	20	15	1900	DFT	16QAM	Outer_Full	21.29	19.09	20.49
n2	20	15	1900	DFT	64QAM	Inner_Full	20.68	18.48	19.88
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.82	18.62	20.02
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.84	18.64	20.04
n2	20	15	1900	DFT	64QAM	Outer_Full	20.69	18.49	19.89
n2	20	15	1900	DFT	256QAM	Inner_Full	18.66	16.46	17.86
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	18.94	16.74	18.14
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	19	16.8	18.2
n2	20	15	1900	DFT	256QAM	Outer_Full	18.76	16.56	17.96
n2	20	15	1900	CP	QPSK	Inner_Full	21.71	19.51	20.91
n2	20	15	1900	CP	QPSK	Edge_1RB_Left	20.28	18.08	19.48



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	20	15	1900	CP	QPSK	Edge_1RB_Right	20.14	17.94	19.34
n2	20	15	1900	CP	QPSK	Outer_Full	20.17	17.97	19.37
n2	20	15	1900	CP	16QAM	Inner_Full	21.27	19.07	20.47
n2	20	15	1900	CP	16QAM	Edge_1RB_Left	20.49	18.29	19.69
n2	20	15	1900	CP	16QAM	Edge_1RB_Right	20.53	18.33	19.73
n2	20	15	1900	CP	16QAM	Outer_Full	20.22	18.02	19.42
n2	20	15	1900	CP	64QAM	Inner_Full	19.79	17.59	18.99
n2	20	15	1900	CP	64QAM	Edge_1RB_Left	19.85	17.65	19.05
n2	20	15	1900	CP	64QAM	Edge_1RB_Right	19.89	17.69	19.09
n2	20	15	1900	CP	64QAM	Outer_Full	19.65	17.45	18.85
n2	20	15	1900	CP	256QAM	Inner_Full	16.73	14.53	15.93
n2	20	15	1900	CP	256QAM	Edge_1RB_Left	17.01	14.81	16.21
n2	20	15	1900	CP	256QAM	Edge_1RB_Right	17.12	14.92	16.32
n2	20	15	1900	CP	256QAM	Outer_Full	16.66	14.46	15.86



n5

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.22	20.72	16.42
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.62	20.12	15.82
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.69	20.19	15.89
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.62	20.12	15.82
n5	5	15	826.5	DFT	QPSK	Inner_Full	24.13	20.63	16.33
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.15	19.65	15.35
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.16	19.66	15.36
n5	5	15	826.5	DFT	QPSK	Outer_Full	23.12	19.62	15.32
n5	5	15	826.5	DFT	16QAM	Inner_Full	23.14	19.64	15.34
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.14	18.64	14.34
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.13	18.63	14.33
n5	5	15	826.5	DFT	16QAM	Outer_Full	22.17	18.67	14.37
n5	5	15	826.5	DFT	64QAM	Inner_Full	21.65	18.15	13.85
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.68	18.18	13.88
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.65	18.15	13.85
n5	5	15	826.5	DFT	64QAM	Outer_Full	21.7	18.2	13.9
n5	5	15	826.5	DFT	256QAM	Inner_Full	19.75	16.25	11.95
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.87	16.37	12.07
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.83	16.33	12.03
n5	5	15	826.5	DFT	256QAM	Outer_Full	19.65	16.15	11.85
n5	5	15	826.5	CP	QPSK	Inner_Full	22.66	19.16	14.86
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	21.07	17.57	13.27
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	21.18	17.68	13.38
n5	5	15	826.5	CP	QPSK	Outer_Full	19.6	16.1	11.8
n5	5	15	826.5	CP	16QAM	Inner_Full	22.14	18.64	14.34
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.66	18.16	13.86
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.48	17.98	13.68
n5	5	15	826.5	CP	16QAM	Outer_Full	19.61	16.11	11.81



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	826.5	CP	64QAM	Inner_Full	20.79	17.29	12.99
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.51	17.01	12.71
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.6	17.1	12.8
n5	5	15	826.5	CP	64QAM	Outer_Full	19.11	15.61	11.31
n5	5	15	826.5	CP	256QAM	Inner_Full	17.56	14.06	9.76
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	17.88	14.38	10.08
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	17.98	14.48	10.18
n5	5	15	826.5	CP	256QAM	Outer_Full	17.58	14.08	9.78
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.23	20.73	16.43
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.8	20.3	16
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.77	20.27	15.97
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.69	20.19	15.89
n5	5	15	836.5	DFT	QPSK	Inner_Full	24.26	20.76	16.46
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.13	19.63	15.33
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.26	19.76	15.46
n5	5	15	836.5	DFT	QPSK	Outer_Full	23.18	19.68	15.38
n5	5	15	836.5	DFT	16QAM	Inner_Full	23.25	19.75	15.45
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.2	18.7	14.4
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.15	18.65	14.35
n5	5	15	836.5	DFT	16QAM	Outer_Full	22.21	18.71	14.41
n5	5	15	836.5	DFT	64QAM	Inner_Full	21.8	18.3	14
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.78	18.28	13.98
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.82	18.32	14.02
n5	5	15	836.5	DFT	64QAM	Outer_Full	21.6	18.1	13.8
n5	5	15	836.5	DFT	256QAM	Inner_Full	19.8	16.3	12
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.9	16.4	12.1
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.83	16.33	12.03
n5	5	15	836.5	DFT	256QAM	Outer_Full	19.62	16.12	11.82
n5	5	15	836.5	CP	QPSK	Inner_Full	22.72	19.22	14.92
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.22	17.72	13.42



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	21.18	17.68	13.38
n5	5	15	836.5	CP	QPSK	Outer_Full	19.56	16.06	11.76
n5	5	15	836.5	CP	16QAM	Inner_Full	22.24	18.74	14.44
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.45	17.95	13.65
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.52	18.02	13.72
n5	5	15	836.5	CP	16QAM	Outer_Full	19.61	16.11	11.81
n5	5	15	836.5	CP	64QAM	Inner_Full	20.78	17.28	12.98
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.63	17.13	12.83
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.62	17.12	12.82
n5	5	15	836.5	CP	64QAM	Outer_Full	19.18	15.68	11.38
n5	5	15	836.5	CP	256QAM	Inner_Full	17.69	14.19	9.89
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	18	14.5	10.2
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.89	14.39	10.09
n5	5	15	836.5	CP	256QAM	Outer_Full	17.6	14.1	9.8
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	24.38	20.88	16.58
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.77	20.27	15.97
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.87	20.37	16.07
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.78	20.28	15.98
n5	5	15	846.5	DFT	QPSK	Inner_Full	24.38	20.88	16.58
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.33	19.83	15.53
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.37	19.87	15.57
n5	5	15	846.5	DFT	QPSK	Outer_Full	23.31	19.81	15.51
n5	5	15	846.5	DFT	16QAM	Inner_Full	23.42	19.92	15.62
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.27	18.77	14.47
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.44	18.94	14.64
n5	5	15	846.5	DFT	16QAM	Outer_Full	22.42	18.92	14.62
n5	5	15	846.5	DFT	64QAM	Inner_Full	21.86	18.36	14.06
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.94	18.44	14.14
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.98	18.48	14.18
n5	5	15	846.5	DFT	64QAM	Outer_Full	21.88	18.38	14.08



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	846.5	DFT	256QAM	Inner_Full	19.95	16.45	12.15
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	20.02	16.52	12.22
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	19.99	16.49	12.19
n5	5	15	846.5	DFT	256QAM	Outer_Full	19.84	16.34	12.04
n5	5	15	846.5	CP	QPSK	Inner_Full	22.89	19.39	15.09
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	21.3	17.8	13.5
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	21.39	17.89	13.59
n5	5	15	846.5	CP	QPSK	Outer_Full	19.73	16.23	11.93
n5	5	15	846.5	CP	16QAM	Inner_Full	22.42	18.92	14.62
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.65	18.15	13.85
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.83	18.33	14.03
n5	5	15	846.5	CP	16QAM	Outer_Full	19.82	16.32	12.02
n5	5	15	846.5	CP	64QAM	Inner_Full	20.98	17.48	13.18
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.72	17.22	12.92
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.87	17.37	13.07
n5	5	15	846.5	CP	64QAM	Outer_Full	19.23	15.73	11.43
n5	5	15	846.5	CP	256QAM	Inner_Full	17.84	14.34	10.04
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	17.92	14.42	10.12
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	17.93	14.43	10.13
n5	5	15	846.5	CP	256QAM	Outer_Full	17.77	14.27	9.97
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	24.2	20.7	16.4
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.62	20.12	15.82
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	23.64	20.14	15.84
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	23.67	20.17	15.87
n5	10	15	829	DFT	QPSK	Inner_Full	24.15	20.65	16.35
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	23.1	19.6	15.3
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	23.16	19.66	15.36
n5	10	15	829	DFT	QPSK	Outer_Full	23.18	19.68	15.38
n5	10	15	829	DFT	16QAM	Inner_Full	23.18	19.68	15.38
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	22.09	18.59	14.29



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	22.07	18.57	14.27
n5	10	15	829	DFT	16QAM	Outer_Full	22.17	18.67	14.37
n5	10	15	829	DFT	64QAM	Inner_Full	21.67	18.17	13.87
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	21.68	18.18	13.88
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	21.69	18.19	13.89
n5	10	15	829	DFT	64QAM	Outer_Full	21.77	18.27	13.97
n5	10	15	829	DFT	256QAM	Inner_Full	19.63	16.13	11.83
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	19.85	16.35	12.05
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	19.89	16.39	12.09
n5	10	15	829	DFT	256QAM	Outer_Full	19.68	16.18	11.88
n5	10	15	829	CP	QPSK	Inner_Full	22.65	19.15	14.85
n5	10	15	829	CP	QPSK	Edge_1RB_Left	21.07	17.57	13.27
n5	10	15	829	CP	QPSK	Edge_1RB_Right	21.12	17.62	13.32
n5	10	15	829	CP	QPSK	Outer_Full	19.63	16.13	11.83
n5	10	15	829	CP	16QAM	Inner_Full	22.12	18.62	14.32
n5	10	15	829	CP	16QAM	Edge_1RB_Left	21.64	18.14	13.84
n5	10	15	829	CP	16QAM	Edge_1RB_Right	21.4	17.9	13.6
n5	10	15	829	CP	16QAM	Outer_Full	19.65	16.15	11.85
n5	10	15	829	CP	64QAM	Inner_Full	20.71	17.21	12.91
n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.54	17.04	12.74
n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.6	17.1	12.8
n5	10	15	829	CP	64QAM	Outer_Full	19.12	15.62	11.32
n5	10	15	829	CP	256QAM	Inner_Full	17.57	14.07	9.77
n5	10	15	829	CP	256QAM	Edge_1RB_Left	17.93	14.43	10.13
n5	10	15	829	CP	256QAM	Edge_1RB_Right	17.74	14.24	9.94
n5	10	15	829	CP	256QAM	Outer_Full	17.67	14.17	9.87
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.24	20.74	16.44
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.56	20.06	15.76
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.78	20.28	15.98
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.64	20.14	15.84



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	836.5	DFT	QPSK	Inner_Full	24.26	20.76	16.46
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.16	19.66	15.36
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.3	19.8	15.5
n5	10	15	836.5	DFT	QPSK	Outer_Full	23.1	19.6	15.3
n5	10	15	836.5	DFT	16QAM	Inner_Full	23.27	19.77	15.47
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.14	18.64	14.34
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.29	18.79	14.49
n5	10	15	836.5	DFT	16QAM	Outer_Full	22.17	18.67	14.37
n5	10	15	836.5	DFT	64QAM	Inner_Full	21.7	18.2	13.9
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.67	18.17	13.87
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.83	18.33	14.03
n5	10	15	836.5	DFT	64QAM	Outer_Full	21.62	18.12	13.82
n5	10	15	836.5	DFT	256QAM	Inner_Full	19.71	16.21	11.91
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.87	16.37	12.07
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	20.02	16.52	12.22
n5	10	15	836.5	DFT	256QAM	Outer_Full	19.58	16.08	11.78
n5	10	15	836.5	CP	QPSK	Inner_Full	22.64	19.14	14.84
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	21.09	17.59	13.29
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	21.33	17.83	13.53
n5	10	15	836.5	CP	QPSK	Outer_Full	19.55	16.05	11.75
n5	10	15	836.5	CP	16QAM	Inner_Full	22.19	18.69	14.39
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.35	17.85	13.55
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	21.59	18.09	13.79
n5	10	15	836.5	CP	16QAM	Outer_Full	19.59	16.09	11.79
n5	10	15	836.5	CP	64QAM	Inner_Full	20.69	17.19	12.89
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.56	17.06	12.76
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.81	17.31	13.01
n5	10	15	836.5	CP	64QAM	Outer_Full	19.04	15.54	11.24
n5	10	15	836.5	CP	256QAM	Inner_Full	17.65	14.15	9.85
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	17.92	14.42	10.12



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	17.92	14.42	10.12
n5	10	15	836.5	CP	256QAM	Outer_Full	17.58	14.08	9.78
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	24.39	20.89	16.59
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.68	20.18	15.88
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.92	20.42	16.12
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.89	20.39	16.09
n5	10	15	844	DFT	QPSK	Inner_Full	24.33	20.83	16.53
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	23.19	19.69	15.39
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	23.37	19.87	15.57
n5	10	15	844	DFT	QPSK	Outer_Full	23.36	19.86	15.56
n5	10	15	844	DFT	16QAM	Inner_Full	23.42	19.92	15.62
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	22.18	18.68	14.38
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	22.49	18.99	14.69
n5	10	15	844	DFT	16QAM	Outer_Full	22.35	18.85	14.55
n5	10	15	844	DFT	64QAM	Inner_Full	21.9	18.4	14.1
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	21.76	18.26	13.96
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	22.03	18.53	14.23
n5	10	15	844	DFT	64QAM	Outer_Full	21.86	18.36	14.06
n5	10	15	844	DFT	256QAM	Inner_Full	19.81	16.31	12.01
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	19.92	16.42	12.12
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	20.16	16.66	12.36
n5	10	15	844	DFT	256QAM	Outer_Full	19.86	16.36	12.06
n5	10	15	844	CP	QPSK	Inner_Full	22.78	19.28	14.98
n5	10	15	844	CP	QPSK	Edge_1RB_Left	21.23	17.73	13.43
n5	10	15	844	CP	QPSK	Edge_1RB_Right	21.39	17.89	13.59
n5	10	15	844	CP	QPSK	Outer_Full	19.83	16.33	12.03
n5	10	15	844	CP	16QAM	Inner_Full	22.4	18.9	14.6
n5	10	15	844	CP	16QAM	Edge_1RB_Left	21.46	17.96	13.66
n5	10	15	844	CP	16QAM	Edge_1RB_Right	21.82	18.32	14.02
n5	10	15	844	CP	16QAM	Outer_Full	19.82	16.32	12.02



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	844	CP	64QAM	Inner_Full	20.86	17.36	13.06
n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.71	17.21	12.91
n5	10	15	844	CP	64QAM	Edge_1RB_Right	20.91	17.41	13.11
n5	10	15	844	CP	64QAM	Outer_Full	19.32	15.82	11.52
n5	10	15	844	CP	256QAM	Inner_Full	17.82	14.32	10.02
n5	10	15	844	CP	256QAM	Edge_1RB_Left	17.83	14.33	10.03
n5	10	15	844	CP	256QAM	Edge_1RB_Right	18.13	14.63	10.33
n5	10	15	844	CP	256QAM	Outer_Full	17.79	14.29	9.99
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.12	20.62	16.32
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.64	20.14	15.84
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.71	20.21	15.91
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.75	20.25	15.95
n5	15	15	831.5	DFT	QPSK	Inner_Full	24.15	20.65	16.35
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.14	19.64	15.34
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.17	19.67	15.37
n5	15	15	831.5	DFT	QPSK	Outer_Full	23.19	19.69	15.39
n5	15	15	831.5	DFT	16QAM	Inner_Full	23.23	19.73	15.43
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.18	18.68	14.38
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.16	18.66	14.36
n5	15	15	831.5	DFT	16QAM	Outer_Full	22.2	18.7	14.4
n5	15	15	831.5	DFT	64QAM	Inner_Full	21.66	18.16	13.86
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.69	18.19	13.89
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.76	18.26	13.96
n5	15	15	831.5	DFT	64QAM	Outer_Full	21.68	18.18	13.88
n5	15	15	831.5	DFT	256QAM	Inner_Full	19.62	16.12	11.82
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.82	16.32	12.02
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.88	16.38	12.08
n5	15	15	831.5	DFT	256QAM	Outer_Full	19.71	16.21	11.91
n5	15	15	831.5	CP	QPSK	Inner_Full	22.73	19.23	14.93
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	21.11	17.61	13.31



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	21.18	17.68	13.38
n5	15	15	831.5	CP	QPSK	Outer_Full	19.69	16.19	11.89
n5	15	15	831.5	CP	16QAM	Inner_Full	22.12	18.62	14.32
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.56	18.06	13.76
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.53	18.03	13.73
n5	15	15	831.5	CP	16QAM	Outer_Full	19.67	16.17	11.87
n5	15	15	831.5	CP	64QAM	Inner_Full	20.68	17.18	12.88
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.59	17.09	12.79
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.71	17.21	12.91
n5	15	15	831.5	CP	64QAM	Outer_Full	19.2	15.7	11.4
n5	15	15	831.5	CP	256QAM	Inner_Full	17.64	14.14	9.84
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	17.9	14.4	10.1
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	18.01	14.51	10.21
n5	15	15	831.5	CP	256QAM	Outer_Full	17.68	14.18	9.88
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.2	20.7	16.4
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.67	20.17	15.87
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.81	20.31	16.01
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.71	20.21	15.91
n5	15	15	836.5	DFT	QPSK	Inner_Full	24.22	20.72	16.42
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.11	19.61	15.31
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.36	19.86	15.56
n5	15	15	836.5	DFT	QPSK	Outer_Full	23.15	19.65	15.35
n5	15	15	836.5	DFT	16QAM	Inner_Full	23.21	19.71	15.41
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.04	18.54	14.24
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.32	18.82	14.52
n5	15	15	836.5	DFT	16QAM	Outer_Full	22.11	18.61	14.31
n5	15	15	836.5	DFT	64QAM	Inner_Full	21.75	18.25	13.95
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.72	18.22	13.92
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.88	18.38	14.08
n5	15	15	836.5	DFT	64QAM	Outer_Full	21.65	18.15	13.85



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	836.5	DFT	256QAM	Inner_Full	19.68	16.18	11.88
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.84	16.34	12.04
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.93	16.43	12.13
n5	15	15	836.5	DFT	256QAM	Outer_Full	19.62	16.12	11.82
n5	15	15	836.5	CP	QPSK	Inner_Full	22.7	19.2	14.9
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	21.05	17.55	13.25
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	21.25	17.75	13.45
n5	15	15	836.5	CP	QPSK	Outer_Full	19.57	16.07	11.77
n5	15	15	836.5	CP	16QAM	Inner_Full	22.19	18.69	14.39
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.38	17.88	13.58
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	21.49	17.99	13.69
n5	15	15	836.5	CP	16QAM	Outer_Full	19.68	16.18	11.88
n5	15	15	836.5	CP	64QAM	Inner_Full	20.65	17.15	12.85
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.54	17.04	12.74
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.7	17.2	12.9
n5	15	15	836.5	CP	64QAM	Outer_Full	19.12	15.62	11.32
n5	15	15	836.5	CP	256QAM	Inner_Full	17.68	14.18	9.88
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	17.88	14.38	10.08
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	17.86	14.36	10.06
n5	15	15	836.5	CP	256QAM	Outer_Full	17.58	14.08	9.78
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	24.35	20.85	16.55
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.67	20.17	15.87
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.88	20.38	16.08
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.82	20.32	16.02
n5	15	15	841.5	DFT	QPSK	Inner_Full	24.33	20.83	16.53
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.16	19.66	15.36
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.36	19.86	15.56
n5	15	15	841.5	DFT	QPSK	Outer_Full	23.36	19.86	15.56
n5	15	15	841.5	DFT	16QAM	Inner_Full	23.37	19.87	15.57
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.23	18.73	14.43



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.44	18.94	14.64
n5	15	15	841.5	DFT	16QAM	Outer_Full	22.4	18.9	14.6
n5	15	15	841.5	DFT	64QAM	Inner_Full	21.79	18.29	13.99
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.62	18.12	13.82
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	22.01	18.51	14.21
n5	15	15	841.5	DFT	64QAM	Outer_Full	21.87	18.37	14.07
n5	15	15	841.5	DFT	256QAM	Inner_Full	19.83	16.33	12.03
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.93	16.43	12.13
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	20.15	16.65	12.35
n5	15	15	841.5	DFT	256QAM	Outer_Full	19.88	16.38	12.08
n5	15	15	841.5	CP	QPSK	Inner_Full	22.83	19.33	15.03
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.21	17.71	13.41
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	21.44	17.94	13.64
n5	15	15	841.5	CP	QPSK	Outer_Full	19.82	16.32	12.02
n5	15	15	841.5	CP	16QAM	Inner_Full	22.34	18.84	14.54
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.51	18.01	13.71
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	21.83	18.33	14.03
n5	15	15	841.5	CP	16QAM	Outer_Full	19.88	16.38	12.08
n5	15	15	841.5	CP	64QAM	Inner_Full	20.77	17.27	12.97
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.57	17.07	12.77
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.89	17.39	13.09
n5	15	15	841.5	CP	64QAM	Outer_Full	19.26	15.76	11.46
n5	15	15	841.5	CP	256QAM	Inner_Full	17.71	14.21	9.91
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	17.91	14.41	10.11
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	18.23	14.73	10.43
n5	15	15	841.5	CP	256QAM	Outer_Full	17.77	14.27	9.97
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.16	20.66	16.36
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.61	20.11	15.81
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.91	20.41	16.11
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.58	20.08	15.78



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	834	DFT	QPSK	Inner_Full	24.19	20.69	16.39
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	23.08	19.58	15.28
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	23.28	19.78	15.48
n5	20	15	834	DFT	QPSK	Outer_Full	23.12	19.62	15.32
n5	20	15	834	DFT	16QAM	Inner_Full	23.22	19.72	15.42
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	22.15	18.65	14.35
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	22.34	18.84	14.54
n5	20	15	834	DFT	16QAM	Outer_Full	22.13	18.63	14.33
n5	20	15	834	DFT	64QAM	Inner_Full	21.63	18.13	13.83
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	21.66	18.16	13.86
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	21.99	18.49	14.19
n5	20	15	834	DFT	64QAM	Outer_Full	21.63	18.13	13.83
n5	20	15	834	DFT	256QAM	Inner_Full	19.61	16.11	11.81
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	19.85	16.35	12.05
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	19.91	16.41	12.11
n5	20	15	834	DFT	256QAM	Outer_Full	19.62	16.12	11.82
n5	20	15	834	CP	QPSK	Inner_Full	22.64	19.14	14.84
n5	20	15	834	CP	QPSK	Edge_1RB_Left	21.08	17.58	13.28
n5	20	15	834	CP	QPSK	Edge_1RB_Right	21.4	17.9	13.6
n5	20	15	834	CP	QPSK	Outer_Full	19.63	16.13	11.83
n5	20	15	834	CP	16QAM	Inner_Full	22.15	18.65	14.35
n5	20	15	834	CP	16QAM	Edge_1RB_Left	21.62	18.12	13.82
n5	20	15	834	CP	16QAM	Edge_1RB_Right	21.66	18.16	13.86
n5	20	15	834	CP	16QAM	Outer_Full	19.57	16.07	11.77
n5	20	15	834	CP	64QAM	Inner_Full	20.67	17.17	12.87
n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.58	17.08	12.78
n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.86	17.36	13.06
n5	20	15	834	CP	64QAM	Outer_Full	19.06	15.56	11.26
n5	20	15	834	CP	256QAM	Inner_Full	17.65	14.15	9.85
n5	20	15	834	CP	256QAM	Edge_1RB_Left	18	14.5	10.2



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	834	CP	256QAM	Edge_1RB_Right	18.23	14.73	10.43
n5	20	15	834	CP	256QAM	Outer_Full	17.61	14.11	9.81
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.23	20.73	16.43
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.61	20.11	15.81
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.95	20.45	16.15
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.68	20.18	15.88
n5	20	15	836.5	DFT	QPSK	Inner_Full	24.22	20.72	16.42
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	23.12	19.62	15.32
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	23.28	19.78	15.48
n5	20	15	836.5	DFT	QPSK	Outer_Full	23.14	19.64	15.34
n5	20	15	836.5	DFT	16QAM	Inner_Full	23.27	19.77	15.47
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.09	18.59	14.29
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.35	18.85	14.55
n5	20	15	836.5	DFT	16QAM	Outer_Full	22.13	18.63	14.33
n5	20	15	836.5	DFT	64QAM	Inner_Full	21.67	18.17	13.87
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.65	18.15	13.85
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.95	18.45	14.15
n5	20	15	836.5	DFT	64QAM	Outer_Full	21.68	18.18	13.88
n5	20	15	836.5	DFT	256QAM	Inner_Full	19.73	16.23	11.93
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.83	16.33	12.03
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	20.09	16.59	12.29
n5	20	15	836.5	DFT	256QAM	Outer_Full	19.56	16.06	11.76
n5	20	15	836.5	CP	QPSK	Inner_Full	22.76	19.26	14.96
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	21.08	17.58	13.28
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	21.43	17.93	13.63
n5	20	15	836.5	CP	QPSK	Outer_Full	19.55	16.05	11.75
n5	20	15	836.5	CP	16QAM	Inner_Full	22.24	18.74	14.44
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.55	18.05	13.75
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	21.77	18.27	13.97
n5	20	15	836.5	CP	16QAM	Outer_Full	19.5	16	11.7



No.25T04N000127-004-RF NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	836.5	CP	64QAM	Inner_Full	20.69	17.19	12.89
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.57	17.07	12.77
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.94	17.44	13.14
n5	20	15	836.5	CP	64QAM	Outer_Full	19.03	15.53	11.23
n5	20	15	836.5	CP	256QAM	Inner_Full	17.6	14.1	9.8
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	17.9	14.4	10.1
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	18.19	14.69	10.39
n5	20	15	836.5	CP	256QAM	Outer_Full	17.55	14.05	9.75
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	24.28	20.78	16.48
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.68	20.18	15.88
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.9	20.4	16.1
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.8	20.3	16
n5	20	15	839	DFT	QPSK	Inner_Full	24.38	20.88	16.58
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	23.06	19.56	15.26
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	23.45	19.95	15.65
n5	20	15	839	DFT	QPSK	Outer_Full	23.27	19.77	15.47
n5	20	15	839	DFT	16QAM	Inner_Full	23.28	19.78	15.48
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	22.09	18.59	14.29
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	22.48	18.98	14.68
n5	20	15	839	DFT	16QAM	Outer_Full	22.25	18.75	14.45
n5	20	15	839	DFT	64QAM	Inner_Full	21.76	18.26	13.96
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	21.72	18.22	13.92
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	22.07	18.57	14.27
n5	20	15	839	DFT	64QAM	Outer_Full	21.77	18.27	13.97
n5	20	15	839	DFT	256QAM	Inner_Full	19.69	16.19	11.89
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	19.9	16.4	12.1
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	20.1	16.6	12.3
n5	20	15	839	DFT	256QAM	Outer_Full	19.79	16.29	11.99
n5	20	15	839	CP	QPSK	Inner_Full	22.76	19.26	14.96
n5	20	15	839	CP	QPSK	Edge_1RB_Left	21.17	17.67	13.37



No.25T04N000127-004-RF NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	839	CP	QPSK	Edge_1RB_Right	21.49	17.99	13.69
n5	20	15	839	CP	QPSK	Outer_Full	19.65	16.15	11.85
n5	20	15	839	CP	16QAM	Inner_Full	22.25	18.75	14.45
n5	20	15	839	CP	16QAM	Edge_1RB_Left	21.48	17.98	13.68
n5	20	15	839	CP	16QAM	Edge_1RB_Right	21.81	18.31	14.01
n5	20	15	839	CP	16QAM	Outer_Full	19.69	16.19	11.89
n5	20	15	839	CP	64QAM	Inner_Full	20.81	17.31	13.01
n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.57	17.07	12.77
n5	20	15	839	CP	64QAM	Edge_1RB_Right	20.89	17.39	13.09
n5	20	15	839	CP	64QAM	Outer_Full	19.14	15.64	11.34
n5	20	15	839	CP	256QAM	Inner_Full	17.66	14.16	9.86
n5	20	15	839	CP	256QAM	Edge_1RB_Left	17.95	14.45	10.15
n5	20	15	839	CP	256QAM	Edge_1RB_Right	18.29	14.79	10.49
n5	20	15	839	CP	256QAM	Outer_Full	17.63	14.13	9.83



n7

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	23.02	18.12	18.52
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.75	17.85	18.25
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.7	17.8	18.2
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	22.83	17.93	18.33
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.98	18.08	18.48
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	22.26	17.36	17.76
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	22.19	17.29	17.69
n7	5	15	2502.5	DFT	QPSK	Outer_Full	22.24	17.34	17.74
n7	5	15	2502.5	DFT	16QAM	Inner_Full	22.31	17.41	17.81
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	21.27	16.37	16.77
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	21.24	16.34	16.74
n7	5	15	2502.5	DFT	16QAM	Outer_Full	21.27	16.37	16.77
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.85	15.95	16.35
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	20.75	15.85	16.25
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	20.79	15.89	16.29
n7	5	15	2502.5	DFT	64QAM	Outer_Full	20.72	15.82	16.22
n7	5	15	2502.5	DFT	256QAM	Inner_Full	18.86	13.96	14.36
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	19.01	14.11	14.51
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	18.92	14.02	14.42
n7	5	15	2502.5	DFT	256QAM	Outer_Full	18.78	13.88	14.28
n7	5	15	2502.5	CP	QPSK	Inner_Full	21.76	16.86	17.26
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	20.33	15.43	15.83
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	20.3	15.4	15.8
n7	5	15	2502.5	CP	QPSK	Outer_Full	20.21	15.31	15.71
n7	5	15	2502.5	CP	16QAM	Inner_Full	21.21	16.31	16.71
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.48	15.58	15.98
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	20.44	15.54	15.94
n7	5	15	2502.5	CP	16QAM	Outer_Full	20.25	15.35	15.75



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2502.5	CP	64QAM	Inner_Full	19.88	14.98	15.38
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	19.65	14.75	15.15
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	19.64	14.74	15.14
n7	5	15	2502.5	CP	64QAM	Outer_Full	19.78	14.88	15.28
n7	5	15	2502.5	CP	256QAM	Inner_Full	16.86	11.96	12.36
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	17.03	12.13	12.53
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	17.01	12.11	12.51
n7	5	15	2502.5	CP	256QAM	Outer_Full	16.73	11.83	12.23
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	23.06	18.16	18.56
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	17.75	18.15
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.7	17.8	18.2
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.71	17.81	18.21
n7	5	15	2535	DFT	QPSK	Inner_Full	22.96	18.06	18.46
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	22.25	17.35	17.75
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	22.24	17.34	17.74
n7	5	15	2535	DFT	QPSK	Outer_Full	22.19	17.29	17.69
n7	5	15	2535	DFT	16QAM	Inner_Full	22.27	17.37	17.77
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.26	16.36	16.76
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.26	16.36	16.76
n7	5	15	2535	DFT	16QAM	Outer_Full	21.34	16.44	16.84
n7	5	15	2535	DFT	64QAM	Inner_Full	20.85	15.95	16.35
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.87	15.97	16.37
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.74	15.84	16.24
n7	5	15	2535	DFT	64QAM	Outer_Full	20.76	15.86	16.26
n7	5	15	2535	DFT	256QAM	Inner_Full	18.89	13.99	14.39
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.91	14.01	14.41
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.97	14.07	14.47
n7	5	15	2535	DFT	256QAM	Outer_Full	18.73	13.83	14.23
n7	5	15	2535	CP	QPSK	Inner_Full	21.68	16.78	17.18
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	20.26	15.36	15.76



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	20.18	15.28	15.68
n7	5	15	2535	CP	QPSK	Outer_Full	20.14	15.24	15.64
n7	5	15	2535	CP	16QAM	Inner_Full	21.27	16.37	16.77
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	20.4	15.5	15.9
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.36	15.46	15.86
n7	5	15	2535	CP	16QAM	Outer_Full	20.22	15.32	15.72
n7	5	15	2535	CP	64QAM	Inner_Full	19.79	14.89	15.29
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.61	14.71	15.11
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.64	14.74	15.14
n7	5	15	2535	CP	64QAM	Outer_Full	19.76	14.86	15.26
n7	5	15	2535	CP	256QAM	Inner_Full	16.77	11.87	12.27
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	17.04	12.14	12.54
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	16.97	12.07	12.47
n7	5	15	2535	CP	256QAM	Outer_Full	16.68	11.78	12.18
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	23.06	18.16	18.56
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.93	18.03	18.43
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.84	17.94	18.34
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	22.96	18.06	18.46
n7	5	15	2567.5	DFT	QPSK	Inner_Full	23.08	18.18	18.58
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	22.38	17.48	17.88
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	22.32	17.42	17.82
n7	5	15	2567.5	DFT	QPSK	Outer_Full	22.43	17.53	17.93
n7	5	15	2567.5	DFT	16QAM	Inner_Full	22.39	17.49	17.89
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	21.41	16.51	16.91
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	21.42	16.52	16.92
n7	5	15	2567.5	DFT	16QAM	Outer_Full	21.47	16.57	16.97
n7	5	15	2567.5	DFT	64QAM	Inner_Full	21.03	16.13	16.53
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	20.95	16.05	16.45
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	20.97	16.07	16.47
n7	5	15	2567.5	DFT	64QAM	Outer_Full	20.98	16.08	16.48



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2567.5	DFT	256QAM	Inner_Full	18.98	14.08	14.48
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	19.09	14.19	14.59
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	19.1	14.2	14.6
n7	5	15	2567.5	DFT	256QAM	Outer_Full	18.93	14.03	14.43
n7	5	15	2567.5	CP	QPSK	Inner_Full	21.9	17	17.4
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	20.43	15.53	15.93
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	20.39	15.49	15.89
n7	5	15	2567.5	CP	QPSK	Outer_Full	20.42	15.52	15.92
n7	5	15	2567.5	CP	16QAM	Inner_Full	21.45	16.55	16.95
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	20.62	15.72	16.12
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	20.68	15.78	16.18
n7	5	15	2567.5	CP	16QAM	Outer_Full	20.45	15.55	15.95
n7	5	15	2567.5	CP	64QAM	Inner_Full	19.96	15.06	15.46
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	19.88	14.98	15.38
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	19.88	14.98	15.38
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.92	15.02	15.42
n7	5	15	2567.5	CP	256QAM	Inner_Full	16.97	12.07	12.47
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	16.93	12.03	12.43
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	17.13	12.23	12.63
n7	5	15	2567.5	CP	256QAM	Outer_Full	16.9	12	12.4
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.95	18.05	18.45
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.82	17.92	18.32
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	22.79	17.89	18.29
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	22.71	17.81	18.21
n7	10	15	2505	DFT	QPSK	Inner_Full	23.02	18.12	18.52
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	22.24	17.34	17.74
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	22.18	17.28	17.68
n7	10	15	2505	DFT	QPSK	Outer_Full	22.23	17.33	17.73
n7	10	15	2505	DFT	16QAM	Inner_Full	22.31	17.41	17.81
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	21.32	16.42	16.82



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	21.25	16.35	16.75
n7	10	15	2505	DFT	16QAM	Outer_Full	21.27	16.37	16.77
n7	10	15	2505	DFT	64QAM	Inner_Full	20.84	15.94	16.34
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.76	15.86	16.26
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	20.87	15.97	16.37
n7	10	15	2505	DFT	64QAM	Outer_Full	20.77	15.87	16.27
n7	10	15	2505	DFT	256QAM	Inner_Full	18.75	13.85	14.25
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	19	14.1	14.5
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	18.94	14.04	14.44
n7	10	15	2505	DFT	256QAM	Outer_Full	18.74	13.84	14.24
n7	10	15	2505	CP	QPSK	Inner_Full	21.72	16.82	17.22
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	20.32	15.42	15.82
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	20.25	15.35	15.75
n7	10	15	2505	CP	QPSK	Outer_Full	20.2	15.3	15.7
n7	10	15	2505	CP	16QAM	Inner_Full	21.26	16.36	16.76
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.45	15.55	15.95
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	20.37	15.47	15.87
n7	10	15	2505	CP	16QAM	Outer_Full	20.24	15.34	15.74
n7	10	15	2505	CP	64QAM	Inner_Full	19.75	14.85	15.25
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.74	14.84	15.24
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	19.72	14.82	15.22
n7	10	15	2505	CP	64QAM	Outer_Full	19.75	14.85	15.25
n7	10	15	2505	CP	256QAM	Inner_Full	16.75	11.85	12.25
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	16.88	11.98	12.38
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	16.94	12.04	12.44
n7	10	15	2505	CP	256QAM	Outer_Full	16.74	11.84	12.24
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	23.03	18.13	18.53
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	17.82	18.22
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.78	17.88	18.28
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.72	17.82	18.22



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2535	DFT	QPSK	Inner_Full	23.04	18.14	18.54
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	22.21	17.31	17.71
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	22.25	17.35	17.75
n7	10	15	2535	DFT	QPSK	Outer_Full	22.24	17.34	17.74
n7	10	15	2535	DFT	16QAM	Inner_Full	22.36	17.46	17.86
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	21.32	16.42	16.82
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	21.29	16.39	16.79
n7	10	15	2535	DFT	16QAM	Outer_Full	21.34	16.44	16.84
n7	10	15	2535	DFT	64QAM	Inner_Full	20.85	15.95	16.35
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.92	16.02	16.42
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	20.9	16	16.4
n7	10	15	2535	DFT	64QAM	Outer_Full	20.75	15.85	16.25
n7	10	15	2535	DFT	256QAM	Inner_Full	18.81	13.91	14.31
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.97	14.07	14.47
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	19	14.1	14.5
n7	10	15	2535	DFT	256QAM	Outer_Full	18.81	13.91	14.31
n7	10	15	2535	CP	QPSK	Inner_Full	21.68	16.78	17.18
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	20.37	15.47	15.87
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	20.26	15.36	15.76
n7	10	15	2535	CP	QPSK	Outer_Full	20.31	15.41	15.81
n7	10	15	2535	CP	16QAM	Inner_Full	21.27	16.37	16.77
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	20.27	15.37	15.77
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	20.5	15.6	16
n7	10	15	2535	CP	16QAM	Outer_Full	20.3	15.4	15.8
n7	10	15	2535	CP	64QAM	Inner_Full	19.82	14.92	15.32
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.74	14.84	15.24
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	19.73	14.83	15.23
n7	10	15	2535	CP	64QAM	Outer_Full	19.79	14.89	15.29
n7	10	15	2535	CP	256QAM	Inner_Full	16.79	11.89	12.29
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	17.06	12.16	12.56



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	16.95	12.05	12.45
n7	10	15	2535	CP	256QAM	Outer_Full	16.78	11.88	12.28
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	22.98	18.08	18.48
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	22.88	17.98	18.38
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	22.85	17.95	18.35
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	22.84	17.94	18.34
n7	10	15	2565	DFT	QPSK	Inner_Full	23.06	18.16	18.56
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	22.41	17.51	17.91
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	22.33	17.43	17.83
n7	10	15	2565	DFT	QPSK	Outer_Full	22.34	17.44	17.84
n7	10	15	2565	DFT	16QAM	Inner_Full	22.45	17.55	17.95
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	21.48	16.58	16.98
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	21.34	16.44	16.84
n7	10	15	2565	DFT	16QAM	Outer_Full	21.46	16.56	16.96
n7	10	15	2565	DFT	64QAM	Inner_Full	21.01	16.11	16.51
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	21.02	16.12	16.52
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	20.94	16.04	16.44
n7	10	15	2565	DFT	64QAM	Outer_Full	20.92	16.02	16.42
n7	10	15	2565	DFT	256QAM	Inner_Full	18.89	13.99	14.39
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	19.05	14.15	14.55
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	19.1	14.2	14.6
n7	10	15	2565	DFT	256QAM	Outer_Full	18.84	13.94	14.34
n7	10	15	2565	CP	QPSK	Inner_Full	21.89	16.99	17.39
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	20.38	15.48	15.88
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	20.42	15.52	15.92
n7	10	15	2565	CP	QPSK	Outer_Full	20.46	15.56	15.96
n7	10	15	2565	CP	16QAM	Inner_Full	21.42	16.52	16.92
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	20.59	15.69	16.09
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	20.82	15.92	16.32
n7	10	15	2565	CP	16QAM	Outer_Full	20.5	15.6	16



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2565	CP	64QAM	Inner_Full	20	15.1	15.5
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	19.86	14.96	15.36
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	19.82	14.92	15.32
n7	10	15	2565	CP	64QAM	Outer_Full	19.89	14.99	15.39
n7	10	15	2565	CP	256QAM	Inner_Full	16.89	11.99	12.39
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	17.2	12.3	12.7
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	17.13	12.23	12.63
n7	10	15	2565	CP	256QAM	Outer_Full	16.95	12.05	12.45
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.95	18.05	18.45
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.81	17.91	18.31
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.76	17.86	18.26
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	22.79	17.89	18.29
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.98	18.08	18.48
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	22.21	17.31	17.71
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	22.25	17.35	17.75
n7	15	15	2507.5	DFT	QPSK	Outer_Full	22.22	17.32	17.72
n7	15	15	2507.5	DFT	16QAM	Inner_Full	22.33	17.43	17.83
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	21.24	16.34	16.74
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	21.26	16.36	16.76
n7	15	15	2507.5	DFT	16QAM	Outer_Full	21.26	16.36	16.76
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.85	15.95	16.35
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.91	16.01	16.41
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.79	15.89	16.29
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.74	15.84	16.24
n7	15	15	2507.5	DFT	256QAM	Inner_Full	18.75	13.85	14.25
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	18.99	14.09	14.49
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	18.99	14.09	14.49
n7	15	15	2507.5	DFT	256QAM	Outer_Full	18.83	13.93	14.33
n7	15	15	2507.5	CP	QPSK	Inner_Full	21.73	16.83	17.23
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	20.36	15.46	15.86



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	20.24	15.34	15.74
n7	15	15	2507.5	CP	QPSK	Outer_Full	20.22	15.32	15.72
n7	15	15	2507.5	CP	16QAM	Inner_Full	21.28	16.38	16.78
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	20.52	15.62	16.02
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	20.37	15.47	15.87
n7	15	15	2507.5	CP	16QAM	Outer_Full	20.29	15.39	15.79
n7	15	15	2507.5	CP	64QAM	Inner_Full	19.76	14.86	15.26
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	19.63	14.73	15.13
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	19.71	14.81	15.21
n7	15	15	2507.5	CP	64QAM	Outer_Full	19.74	14.84	15.24
n7	15	15	2507.5	CP	256QAM	Inner_Full	16.78	11.88	12.28
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	17.07	12.17	12.57
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	16.78	11.88	12.28
n7	15	15	2507.5	CP	256QAM	Outer_Full	16.73	11.83	12.23
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	23.01	18.11	18.51
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	17.93	18.33
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.82	17.92	18.32
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.81	17.91	18.31
n7	15	15	2535	DFT	QPSK	Inner_Full	23.09	18.19	18.59
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	22.27	17.37	17.77
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	22.28	17.38	17.78
n7	15	15	2535	DFT	QPSK	Outer_Full	22.25	17.35	17.75
n7	15	15	2535	DFT	16QAM	Inner_Full	22.25	17.35	17.75
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	21.23	16.33	16.73
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.22	16.32	16.72
n7	15	15	2535	DFT	16QAM	Outer_Full	21.28	16.38	16.78
n7	15	15	2535	DFT	64QAM	Inner_Full	20.8	15.9	16.3
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	20.86	15.96	16.36
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.86	15.96	16.36
n7	15	15	2535	DFT	64QAM	Outer_Full	20.8	15.9	16.3



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2535	DFT	256QAM	Inner_Full	18.73	13.83	14.23
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	19.04	14.14	14.54
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.95	14.05	14.45
n7	15	15	2535	DFT	256QAM	Outer_Full	18.73	13.83	14.23
n7	15	15	2535	CP	QPSK	Inner_Full	21.77	16.87	17.27
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	20.32	15.42	15.82
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	20.26	15.36	15.76
n7	15	15	2535	CP	QPSK	Outer_Full	20.22	15.32	15.72
n7	15	15	2535	CP	16QAM	Inner_Full	21.33	16.43	16.83
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	20.32	15.42	15.82
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	20.45	15.55	15.95
n7	15	15	2535	CP	16QAM	Outer_Full	20.31	15.41	15.81
n7	15	15	2535	CP	64QAM	Inner_Full	19.76	14.86	15.26
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.66	14.76	15.16
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.71	14.81	15.21
n7	15	15	2535	CP	64QAM	Outer_Full	19.8	14.9	15.3
n7	15	15	2535	CP	256QAM	Inner_Full	16.78	11.88	12.28
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	17.05	12.15	12.55
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	17.06	12.16	12.56
n7	15	15	2535	CP	256QAM	Outer_Full	16.77	11.87	12.27
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	23.07	18.17	18.57
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.86	17.96	18.36
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.85	17.95	18.35
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	22.8	17.9	18.3
n7	15	15	2562.5	DFT	QPSK	Inner_Full	23.04	18.14	18.54
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	22.38	17.48	17.88
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	22.32	17.42	17.82
n7	15	15	2562.5	DFT	QPSK	Outer_Full	22.42	17.52	17.92
n7	15	15	2562.5	DFT	16QAM	Inner_Full	22.43	17.53	17.93
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	21.46	16.56	16.96



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	21.31	16.41	16.81
n7	15	15	2562.5	DFT	16QAM	Outer_Full	21.45	16.55	16.95
n7	15	15	2562.5	DFT	64QAM	Inner_Full	20.9	16	16.4
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	21.01	16.11	16.51
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	20.93	16.03	16.43
n7	15	15	2562.5	DFT	64QAM	Outer_Full	20.82	15.92	16.32
n7	15	15	2562.5	DFT	256QAM	Inner_Full	18.93	14.03	14.43
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	19.09	14.19	14.59
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	19.12	14.22	14.62
n7	15	15	2562.5	DFT	256QAM	Outer_Full	18.85	13.95	14.35
n7	15	15	2562.5	CP	QPSK	Inner_Full	21.87	16.97	17.37
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	20.38	15.48	15.88
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	20.42	15.52	15.92
n7	15	15	2562.5	CP	QPSK	Outer_Full	20.44	15.54	15.94
n7	15	15	2562.5	CP	16QAM	Inner_Full	21.42	16.52	16.92
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	20.59	15.69	16.09
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	20.59	15.69	16.09
n7	15	15	2562.5	CP	16QAM	Outer_Full	20.5	15.6	16
n7	15	15	2562.5	CP	64QAM	Inner_Full	19.97	15.07	15.47
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	19.78	14.88	15.28
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	19.85	14.95	15.35
n7	15	15	2562.5	CP	64QAM	Outer_Full	19.95	15.05	15.45
n7	15	15	2562.5	CP	256QAM	Inner_Full	16.94	12.04	12.44
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	16.9	12	12.4
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	17.11	12.21	12.61
n7	15	15	2562.5	CP	256QAM	Outer_Full	16.87	11.97	12.37
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	23.03	18.13	18.53
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	17.93	18.33
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	17.83	18.23
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	22.72	17.82	18.22



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2510	DFT	QPSK	Inner_Full	23.06	18.16	18.56
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	22.28	17.38	17.78
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	22.24	17.34	17.74
n7	20	15	2510	DFT	QPSK	Outer_Full	22.23	17.33	17.73
n7	20	15	2510	DFT	16QAM	Inner_Full	22.27	17.37	17.77
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	21.23	16.33	16.73
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	21.28	16.38	16.78
n7	20	15	2510	DFT	16QAM	Outer_Full	21.24	16.34	16.74
n7	20	15	2510	DFT	64QAM	Inner_Full	20.82	15.92	16.32
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	20.93	16.03	16.43
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	20.9	16	16.4
n7	20	15	2510	DFT	64QAM	Outer_Full	20.79	15.89	16.29
n7	20	15	2510	DFT	256QAM	Inner_Full	18.79	13.89	14.29
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.95	14.05	14.45
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.94	14.04	14.44
n7	20	15	2510	DFT	256QAM	Outer_Full	18.78	13.88	14.28
n7	20	15	2510	CP	QPSK	Inner_Full	21.72	16.82	17.22
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	20.23	15.33	15.73
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	20.29	15.39	15.79
n7	20	15	2510	CP	QPSK	Outer_Full	20.22	15.32	15.72
n7	20	15	2510	CP	16QAM	Inner_Full	21.22	16.32	16.72
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	20.44	15.54	15.94
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	20.37	15.47	15.87
n7	20	15	2510	CP	16QAM	Outer_Full	20.31	15.41	15.81
n7	20	15	2510	CP	64QAM	Inner_Full	19.78	14.88	15.28
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	19.73	14.83	15.23
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.73	14.83	15.23
n7	20	15	2510	CP	64QAM	Outer_Full	19.71	14.81	15.21
n7	20	15	2510	CP	256QAM	Inner_Full	16.78	11.88	12.28
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	17	12.1	12.5



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	17.06	12.16	12.56
n7	20	15	2510	CP	256QAM	Outer_Full	16.7	11.8	12.2
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	22.96	18.06	18.46
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.7	17.8	18.2
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.75	17.85	18.25
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.79	17.89	18.29
n7	20	15	2535	DFT	QPSK	Inner_Full	23.07	18.17	18.57
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	22.27	17.37	17.77
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	22.26	17.36	17.76
n7	20	15	2535	DFT	QPSK	Outer_Full	22.23	17.33	17.73
n7	20	15	2535	DFT	16QAM	Inner_Full	22.34	17.44	17.84
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	21.34	16.44	16.84
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.25	16.35	16.75
n7	20	15	2535	DFT	16QAM	Outer_Full	21.3	16.4	16.8
n7	20	15	2535	DFT	64QAM	Inner_Full	20.82	15.92	16.32
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	20.81	15.91	16.31
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.86	15.96	16.36
n7	20	15	2535	DFT	64QAM	Outer_Full	20.79	15.89	16.29
n7	20	15	2535	DFT	256QAM	Inner_Full	18.82	13.92	14.32
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	19.03	14.13	14.53
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	19.03	14.13	14.53
n7	20	15	2535	DFT	256QAM	Outer_Full	18.82	13.92	14.32
n7	20	15	2535	CP	QPSK	Inner_Full	21.75	16.85	17.25
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	20.25	15.35	15.75
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	20.36	15.46	15.86
n7	20	15	2535	CP	QPSK	Outer_Full	20.25	15.35	15.75
n7	20	15	2535	CP	16QAM	Inner_Full	21.31	16.41	16.81
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	20.33	15.43	15.83
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	20.63	15.73	16.13
n7	20	15	2535	CP	16QAM	Outer_Full	20.32	15.42	15.82



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2535	CP	64QAM	Inner_Full	19.88	14.98	15.38
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.7	14.8	15.2
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.77	14.87	15.27
n7	20	15	2535	CP	64QAM	Outer_Full	19.82	14.92	15.32
n7	20	15	2535	CP	256QAM	Inner_Full	16.74	11.84	12.24
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	17.05	12.15	12.55
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	17.14	12.24	12.64
n7	20	15	2535	CP	256QAM	Outer_Full	16.83	11.93	12.33
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	23.02	18.12	18.52
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	17.86	18.26
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	22.85	17.95	18.35
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	22.84	17.94	18.34
n7	20	15	2560	DFT	QPSK	Inner_Full	23.13	18.23	18.63
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	22.35	17.45	17.85
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	22.29	17.39	17.79
n7	20	15	2560	DFT	QPSK	Outer_Full	22.36	17.46	17.86
n7	20	15	2560	DFT	16QAM	Inner_Full	22.37	17.47	17.87
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	21.32	16.42	16.82
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	21.3	16.4	16.8
n7	20	15	2560	DFT	16QAM	Outer_Full	21.32	16.42	16.82
n7	20	15	2560	DFT	64QAM	Inner_Full	20.89	15.99	16.39
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	21	16.1	16.5
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	20.93	16.03	16.43
n7	20	15	2560	DFT	64QAM	Outer_Full	20.96	16.06	16.46
n7	20	15	2560	DFT	256QAM	Inner_Full	18.94	14.04	14.44
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	19.03	14.13	14.53
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	19.11	14.21	14.61
n7	20	15	2560	DFT	256QAM	Outer_Full	18.87	13.97	14.37
n7	20	15	2560	CP	QPSK	Inner_Full	21.86	16.96	17.36
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	20.32	15.42	15.82



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	20.43	15.53	15.93
n7	20	15	2560	CP	QPSK	Outer_Full	20.36	15.46	15.86
n7	20	15	2560	CP	16QAM	Inner_Full	21.36	16.46	16.86
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	20.53	15.63	16.03
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	20.77	15.87	16.27
n7	20	15	2560	CP	16QAM	Outer_Full	20.39	15.49	15.89
n7	20	15	2560	CP	64QAM	Inner_Full	19.95	15.05	15.45
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.81	14.91	15.31
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	19.83	14.93	15.33
n7	20	15	2560	CP	64QAM	Outer_Full	19.89	14.99	15.39
n7	20	15	2560	CP	256QAM	Inner_Full	16.94	12.04	12.44
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	17.15	12.25	12.65
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	17.15	12.25	12.65
n7	20	15	2560	CP	256QAM	Outer_Full	16.83	11.93	12.33
n7	25	15	2512.5	DFT	pi/2 BPSK	Inner_Full	22.93	18.03	18.43
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	17.67	18.07
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.55	17.65	18.05
n7	25	15	2512.5	DFT	pi/2 BPSK	Outer_Full	22.55	17.65	18.05
n7	25	15	2512.5	DFT	QPSK	Inner_Full	22.92	18.02	18.42
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Left	22	17.1	17.5
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Right	22.05	17.15	17.55
n7	25	15	2512.5	DFT	QPSK	Outer_Full	22.06	17.16	17.56
n7	25	15	2512.5	DFT	16QAM	Inner_Full	22.01	17.11	17.51
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Left	21.02	16.12	16.52
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Right	21.1	16.2	16.6
n7	25	15	2512.5	DFT	16QAM	Outer_Full	21.04	16.14	16.54
n7	25	15	2512.5	DFT	64QAM	Inner_Full	20.54	15.64	16.04
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Left	20.59	15.69	16.09
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Right	20.56	15.66	16.06
n7	25	15	2512.5	DFT	64QAM	Outer_Full	20.63	15.73	16.13



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2512.5	DFT	256QAM	Inner_Full	18.6	13.7	14.1
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Left	18.79	13.89	14.29
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Right	18.82	13.92	14.32
n7	25	15	2512.5	DFT	256QAM	Outer_Full	18.53	13.63	14.03
n7	25	15	2512.5	CP	QPSK	Inner_Full	21.54	16.64	17.04
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Left	20.04	15.14	15.54
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Right	20.13	15.23	15.63
n7	25	15	2512.5	CP	QPSK	Outer_Full	20.04	15.14	15.54
n7	25	15	2512.5	CP	16QAM	Inner_Full	21.11	16.21	16.61
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Left	20.14	15.24	15.64
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Right	20.07	15.17	15.57
n7	25	15	2512.5	CP	16QAM	Outer_Full	20	15.1	15.5
n7	25	15	2512.5	CP	64QAM	Inner_Full	19.57	14.67	15.07
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Left	19.45	14.55	14.95
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Right	19.47	14.57	14.97
n7	25	15	2512.5	CP	64QAM	Outer_Full	19.52	14.62	15.02
n7	25	15	2512.5	CP	256QAM	Inner_Full	16.47	11.57	11.97
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Left	16.89	11.99	12.39
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Right	16.86	11.96	12.36
n7	25	15	2512.5	CP	256QAM	Outer_Full	16.41	11.51	11.91
n7	25	15	2535	DFT	pi/2 BPSK	Inner_Full	22.95	18.05	18.45
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	17.75	18.15
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.6	17.7	18.1
n7	25	15	2535	DFT	pi/2 BPSK	Outer_Full	22.65	17.75	18.15
n7	25	15	2535	DFT	QPSK	Inner_Full	22.93	18.03	18.43
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	22.04	17.14	17.54
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	22.15	17.25	17.65
n7	25	15	2535	DFT	QPSK	Outer_Full	22.04	17.14	17.54
n7	25	15	2535	DFT	16QAM	Inner_Full	22.05	17.15	17.55
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	21.1	16.2	16.6



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	21.14	16.24	16.64
n7	25	15	2535	DFT	16QAM	Outer_Full	21.06	16.16	16.56
n7	25	15	2535	DFT	64QAM	Inner_Full	20.66	15.76	16.16
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	20.68	15.78	16.18
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	20.7	15.8	16.2
n7	25	15	2535	DFT	64QAM	Outer_Full	20.67	15.77	16.17
n7	25	15	2535	DFT	256QAM	Inner_Full	18.55	13.65	14.05
n7	25	15	2535	DFT	256QAM	Edge_1RB_Left	18.9	14	14.4
n7	25	15	2535	DFT	256QAM	Edge_1RB_Right	18.85	13.95	14.35
n7	25	15	2535	DFT	256QAM	Outer_Full	18.62	13.72	14.12
n7	25	15	2535	CP	QPSK	Inner_Full	21.56	16.66	17.06
n7	25	15	2535	CP	QPSK	Edge_1RB_Left	20.2	15.3	15.7
n7	25	15	2535	CP	QPSK	Edge_1RB_Right	20.17	15.27	15.67
n7	25	15	2535	CP	QPSK	Outer_Full	20.1	15.2	15.6
n7	25	15	2535	CP	16QAM	Inner_Full	21.14	16.24	16.64
n7	25	15	2535	CP	16QAM	Edge_1RB_Left	20.14	15.24	15.64
n7	25	15	2535	CP	16QAM	Edge_1RB_Right	20.27	15.37	15.77
n7	25	15	2535	CP	16QAM	Outer_Full	20.07	15.17	15.57
n7	25	15	2535	CP	64QAM	Inner_Full	19.57	14.67	15.07
n7	25	15	2535	CP	64QAM	Edge_1RB_Left	19.58	14.68	15.08
n7	25	15	2535	CP	64QAM	Edge_1RB_Right	19.59	14.69	15.09
n7	25	15	2535	CP	64QAM	Outer_Full	19.57	14.67	15.07
n7	25	15	2535	CP	256QAM	Inner_Full	16.51	11.61	12.01
n7	25	15	2535	CP	256QAM	Edge_1RB_Left	16.88	11.98	12.38
n7	25	15	2535	CP	256QAM	Edge_1RB_Right	16.91	12.01	12.41
n7	25	15	2535	CP	256QAM	Outer_Full	16.56	11.66	12.06
n7	25	15	2557.5	DFT	pi/2 BPSK	Inner_Full	22.98	18.08	18.48
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	17.75	18.15
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.69	17.79	18.19
n7	25	15	2557.5	DFT	pi/2 BPSK	Outer_Full	22.72	17.82	18.22



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2557.5	DFT	QPSK	Inner_Full	22.99	18.09	18.49
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Left	22.11	17.21	17.61
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Right	22.12	17.22	17.62
n7	25	15	2557.5	DFT	QPSK	Outer_Full	22.17	17.27	17.67
n7	25	15	2557.5	DFT	16QAM	Inner_Full	22.12	17.22	17.62
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Left	21.16	16.26	16.66
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Right	21.21	16.31	16.71
n7	25	15	2557.5	DFT	16QAM	Outer_Full	21.2	16.3	16.7
n7	25	15	2557.5	DFT	64QAM	Inner_Full	20.72	15.82	16.22
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Left	20.69	15.79	16.19
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Right	20.77	15.87	16.27
n7	25	15	2557.5	DFT	64QAM	Outer_Full	20.66	15.76	16.16
n7	25	15	2557.5	DFT	256QAM	Inner_Full	18.68	13.78	14.18
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Left	18.88	13.98	14.38
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Right	18.83	13.93	14.33
n7	25	15	2557.5	DFT	256QAM	Outer_Full	18.57	13.67	14.07
n7	25	15	2557.5	CP	QPSK	Inner_Full	21.71	16.81	17.21
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Left	20.23	15.33	15.73
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Right	20.24	15.34	15.74
n7	25	15	2557.5	CP	QPSK	Outer_Full	20.17	15.27	15.67
n7	25	15	2557.5	CP	16QAM	Inner_Full	21.21	16.31	16.71
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Left	20.28	15.38	15.78
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Right	20.45	15.55	15.95
n7	25	15	2557.5	CP	16QAM	Outer_Full	20.1	15.2	15.6
n7	25	15	2557.5	CP	64QAM	Inner_Full	19.69	14.79	15.19
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Left	19.59	14.69	15.09
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Right	19.66	14.76	15.16
n7	25	15	2557.5	CP	64QAM	Outer_Full	19.63	14.73	15.13
n7	25	15	2557.5	CP	256QAM	Inner_Full	16.58	11.68	12.08
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Left	16.88	11.98	12.38



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Right	16.99	12.09	12.49
n7	25	15	2557.5	CP	256QAM	Outer_Full	16.62	11.72	12.12
n7	30	15	2515	DFT	pi/2 BPSK	Inner_Full	23.03	18.13	18.53
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Left	22.58	17.68	18.08
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Right	22.64	17.74	18.14
n7	30	15	2515	DFT	pi/2 BPSK	Outer_Full	22.61	17.71	18.11
n7	30	15	2515	DFT	QPSK	Inner_Full	22.98	18.08	18.48
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	22.03	17.13	17.53
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	22.06	17.16	17.56
n7	30	15	2515	DFT	QPSK	Outer_Full	22.05	17.15	17.55
n7	30	15	2515	DFT	16QAM	Inner_Full	22.05	17.15	17.55
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	21.03	16.13	16.53
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	21.11	16.21	16.61
n7	30	15	2515	DFT	16QAM	Outer_Full	21.01	16.11	16.51
n7	30	15	2515	DFT	64QAM	Inner_Full	20.61	15.71	16.11
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	20.73	15.83	16.23
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	20.72	15.82	16.22
n7	30	15	2515	DFT	64QAM	Outer_Full	20.6	15.7	16.1
n7	30	15	2515	DFT	256QAM	Inner_Full	18.62	13.72	14.12
n7	30	15	2515	DFT	256QAM	Edge_1RB_Left	18.73	13.83	14.23
n7	30	15	2515	DFT	256QAM	Edge_1RB_Right	18.85	13.95	14.35
n7	30	15	2515	DFT	256QAM	Outer_Full	18.65	13.75	14.15
n7	30	15	2515	CP	QPSK	Inner_Full	21.57	16.67	17.07
n7	30	15	2515	CP	QPSK	Edge_1RB_Left	20.16	15.26	15.66
n7	30	15	2515	CP	QPSK	Edge_1RB_Right	20.09	15.19	15.59
n7	30	15	2515	CP	QPSK	Outer_Full	20.09	15.19	15.59
n7	30	15	2515	CP	16QAM	Inner_Full	21.08	16.18	16.58
n7	30	15	2515	CP	16QAM	Edge_1RB_Left	20.25	15.35	15.75
n7	30	15	2515	CP	16QAM	Edge_1RB_Right	20.14	15.24	15.64
n7	30	15	2515	CP	16QAM	Outer_Full	20.12	15.22	15.62



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2515	CP	64QAM	Inner_Full	19.6	14.7	15.1
n7	30	15	2515	CP	64QAM	Edge_1RB_Left	19.51	14.61	15.01
n7	30	15	2515	CP	64QAM	Edge_1RB_Right	19.57	14.67	15.07
n7	30	15	2515	CP	64QAM	Outer_Full	19.58	14.68	15.08
n7	30	15	2515	CP	256QAM	Inner_Full	16.56	11.66	12.06
n7	30	15	2515	CP	256QAM	Edge_1RB_Left	16.89	11.99	12.39
n7	30	15	2515	CP	256QAM	Edge_1RB_Right	16.86	11.96	12.36
n7	30	15	2515	CP	256QAM	Outer_Full	16.55	11.65	12.05
n7	30	15	2535	DFT	pi/2 BPSK	Inner_Full	23.11	18.21	18.61
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	17.74	18.14
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.66	17.76	18.16
n7	30	15	2535	DFT	pi/2 BPSK	Outer_Full	22.66	17.76	18.16
n7	30	15	2535	DFT	QPSK	Inner_Full	23.13	18.23	18.63
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	22.04	17.14	17.54
n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	22.12	17.22	17.62
n7	30	15	2535	DFT	QPSK	Outer_Full	22.08	17.18	17.58
n7	30	15	2535	DFT	16QAM	Inner_Full	22.16	17.26	17.66
n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	21.05	16.15	16.55
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	21.14	16.24	16.64
n7	30	15	2535	DFT	16QAM	Outer_Full	21.08	16.18	16.58
n7	30	15	2535	DFT	64QAM	Inner_Full	20.65	15.75	16.15
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	20.57	15.67	16.07
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	20.69	15.79	16.19
n7	30	15	2535	DFT	64QAM	Outer_Full	20.57	15.67	16.07
n7	30	15	2535	DFT	256QAM	Inner_Full	18.6	13.7	14.1
n7	30	15	2535	DFT	256QAM	Edge_1RB_Left	18.85	13.95	14.35
n7	30	15	2535	DFT	256QAM	Edge_1RB_Right	18.8	13.9	14.3
n7	30	15	2535	DFT	256QAM	Outer_Full	18.65	13.75	14.15
n7	30	15	2535	CP	QPSK	Inner_Full	21.68	16.78	17.18
n7	30	15	2535	CP	QPSK	Edge_1RB_Left	20.15	15.25	15.65



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2535	CP	QPSK	Edge_1RB_Right	20.14	15.24	15.64
n7	30	15	2535	CP	QPSK	Outer_Full	20.11	15.21	15.61
n7	30	15	2535	CP	16QAM	Inner_Full	21.13	16.23	16.63
n7	30	15	2535	CP	16QAM	Edge_1RB_Left	20.17	15.27	15.67
n7	30	15	2535	CP	16QAM	Edge_1RB_Right	20.28	15.38	15.78
n7	30	15	2535	CP	16QAM	Outer_Full	20.06	15.16	15.56
n7	30	15	2535	CP	64QAM	Inner_Full	19.64	14.74	15.14
n7	30	15	2535	CP	64QAM	Edge_1RB_Left	19.48	14.58	14.98
n7	30	15	2535	CP	64QAM	Edge_1RB_Right	19.52	14.62	15.02
n7	30	15	2535	CP	64QAM	Outer_Full	19.57	14.67	15.07
n7	30	15	2535	CP	256QAM	Inner_Full	16.61	11.71	12.11
n7	30	15	2535	CP	256QAM	Edge_1RB_Left	16.81	11.91	12.31
n7	30	15	2535	CP	256QAM	Edge_1RB_Right	16.72	11.82	12.22
n7	30	15	2535	CP	256QAM	Outer_Full	16.67	11.77	12.17
n7	30	15	2555	DFT	pi/2 BPSK	Inner_Full	23.1	18.2	18.6
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Left	22.72	17.82	18.22
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Right	22.77	17.87	18.27
n7	30	15	2555	DFT	pi/2 BPSK	Outer_Full	22.65	17.75	18.15
n7	30	15	2555	DFT	QPSK	Inner_Full	23.09	18.19	18.59
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	22.17	17.27	17.67
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	22.19	17.29	17.69
n7	30	15	2555	DFT	QPSK	Outer_Full	22.24	17.34	17.74
n7	30	15	2555	DFT	16QAM	Inner_Full	22.21	17.31	17.71
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	21.12	16.22	16.62
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	21.24	16.34	16.74
n7	30	15	2555	DFT	16QAM	Outer_Full	21.16	16.26	16.66
n7	30	15	2555	DFT	64QAM	Inner_Full	20.73	15.83	16.23
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	20.64	15.74	16.14
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	20.7	15.8	16.2
n7	30	15	2555	DFT	64QAM	Outer_Full	20.62	15.72	16.12



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2555	DFT	256QAM	Inner_Full	18.75	13.85	14.25
n7	30	15	2555	DFT	256QAM	Edge_1RB_Left	18.73	13.83	14.23
n7	30	15	2555	DFT	256QAM	Edge_1RB_Right	19	14.1	14.5
n7	30	15	2555	DFT	256QAM	Outer_Full	18.68	13.78	14.18
n7	30	15	2555	CP	QPSK	Inner_Full	21.73	16.83	17.23
n7	30	15	2555	CP	QPSK	Edge_1RB_Left	20.24	15.34	15.74
n7	30	15	2555	CP	QPSK	Edge_1RB_Right	20.32	15.42	15.82
n7	30	15	2555	CP	QPSK	Outer_Full	20.13	15.23	15.63
n7	30	15	2555	CP	16QAM	Inner_Full	21.16	16.26	16.66
n7	30	15	2555	CP	16QAM	Edge_1RB_Left	20.29	15.39	15.79
n7	30	15	2555	CP	16QAM	Edge_1RB_Right	20.61	15.71	16.11
n7	30	15	2555	CP	16QAM	Outer_Full	20.23	15.33	15.73
n7	30	15	2555	CP	64QAM	Inner_Full	19.7	14.8	15.2
n7	30	15	2555	CP	64QAM	Edge_1RB_Left	19.6	14.7	15.1
n7	30	15	2555	CP	64QAM	Edge_1RB_Right	19.67	14.77	15.17
n7	30	15	2555	CP	64QAM	Outer_Full	19.71	14.81	15.21
n7	30	15	2555	CP	256QAM	Inner_Full	16.71	11.81	12.21
n7	30	15	2555	CP	256QAM	Edge_1RB_Left	16.94	12.04	12.44
n7	30	15	2555	CP	256QAM	Edge_1RB_Right	17.13	12.23	12.63
n7	30	15	2555	CP	256QAM	Outer_Full	16.74	11.84	12.24
n7	40	15	2520	DFT	pi/2 BPSK	Inner_Full	23.04	18.14	18.54
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	17.74	18.14
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	17.68	18.08
n7	40	15	2520	DFT	pi/2 BPSK	Outer_Full	22.61	17.71	18.11
n7	40	15	2520	DFT	QPSK	Inner_Full	23.01	18.11	18.51
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	22.05	17.15	17.55
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	22.14	17.24	17.64
n7	40	15	2520	DFT	QPSK	Outer_Full	22.08	17.18	17.58
n7	40	15	2520	DFT	16QAM	Inner_Full	22.16	17.26	17.66
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	21.11	16.21	16.61



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	21.17	16.27	16.67
n7	40	15	2520	DFT	16QAM	Outer_Full	21.2	16.3	16.7
n7	40	15	2520	DFT	64QAM	Inner_Full	20.65	15.75	16.15
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	20.57	15.67	16.07
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	20.73	15.83	16.23
n7	40	15	2520	DFT	64QAM	Outer_Full	20.66	15.76	16.16
n7	40	15	2520	DFT	256QAM	Inner_Full	18.56	13.66	14.06
n7	40	15	2520	DFT	256QAM	Edge_1RB_Left	18.76	13.86	14.26
n7	40	15	2520	DFT	256QAM	Edge_1RB_Right	18.83	13.93	14.33
n7	40	15	2520	DFT	256QAM	Outer_Full	18.59	13.69	14.09
n7	40	15	2520	CP	QPSK	Inner_Full	21.63	16.73	17.13
n7	40	15	2520	CP	QPSK	Edge_1RB_Left	20.07	15.17	15.57
n7	40	15	2520	CP	QPSK	Edge_1RB_Right	20.2	15.3	15.7
n7	40	15	2520	CP	QPSK	Outer_Full	20.12	15.22	15.62
n7	40	15	2520	CP	16QAM	Inner_Full	21.1	16.2	16.6
n7	40	15	2520	CP	16QAM	Edge_1RB_Left	20.23	15.33	15.73
n7	40	15	2520	CP	16QAM	Edge_1RB_Right	20.25	15.35	15.75
n7	40	15	2520	CP	16QAM	Outer_Full	20.15	15.25	15.65
n7	40	15	2520	CP	64QAM	Inner_Full	19.64	14.74	15.14
n7	40	15	2520	CP	64QAM	Edge_1RB_Left	19.46	14.56	14.96
n7	40	15	2520	CP	64QAM	Edge_1RB_Right	19.58	14.68	15.08
n7	40	15	2520	CP	64QAM	Outer_Full	19.68	14.78	15.18
n7	40	15	2520	CP	256QAM	Inner_Full	16.53	11.63	12.03
n7	40	15	2520	CP	256QAM	Edge_1RB_Left	16.79	11.89	12.29
n7	40	15	2520	CP	256QAM	Edge_1RB_Right	16.9	12	12.4
n7	40	15	2520	CP	256QAM	Outer_Full	16.59	11.69	12.09
n7	40	15	2535	DFT	pi/2 BPSK	Inner_Full	23.01	18.11	18.51
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	17.74	18.14
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.68	17.78	18.18
n7	40	15	2535	DFT	pi/2 BPSK	Outer_Full	22.53	17.63	18.03



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2535	DFT	QPSK	Inner_Full	23.02	18.12	18.52
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	22.1	17.2	17.6
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	22.15	17.25	17.65
n7	40	15	2535	DFT	QPSK	Outer_Full	22.1	17.2	17.6
n7	40	15	2535	DFT	16QAM	Inner_Full	22.12	17.22	17.62
n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	21.13	16.23	16.63
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	21.21	16.31	16.71
n7	40	15	2535	DFT	16QAM	Outer_Full	21.15	16.25	16.65
n7	40	15	2535	DFT	64QAM	Inner_Full	20.61	15.71	16.11
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	20.56	15.66	16.06
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	20.69	15.79	16.19
n7	40	15	2535	DFT	64QAM	Outer_Full	20.63	15.73	16.13
n7	40	15	2535	DFT	256QAM	Inner_Full	18.57	13.67	14.07
n7	40	15	2535	DFT	256QAM	Edge_1RB_Left	18.81	13.91	14.31
n7	40	15	2535	DFT	256QAM	Edge_1RB_Right	18.69	13.79	14.19
n7	40	15	2535	DFT	256QAM	Outer_Full	18.6	13.7	14.1
n7	40	15	2535	CP	QPSK	Inner_Full	21.68	16.78	17.18
n7	40	15	2535	CP	QPSK	Edge_1RB_Left	20.14	15.24	15.64
n7	40	15	2535	CP	QPSK	Edge_1RB_Right	20.14	15.24	15.64
n7	40	15	2535	CP	QPSK	Outer_Full	20.07	15.17	15.57
n7	40	15	2535	CP	16QAM	Inner_Full	21.21	16.31	16.71
n7	40	15	2535	CP	16QAM	Edge_1RB_Left	20.2	15.3	15.7
n7	40	15	2535	CP	16QAM	Edge_1RB_Right	20.32	15.42	15.82
n7	40	15	2535	CP	16QAM	Outer_Full	20.13	15.23	15.63
n7	40	15	2535	CP	64QAM	Inner_Full	19.63	14.73	15.13
n7	40	15	2535	CP	64QAM	Edge_1RB_Left	19.49	14.59	14.99
n7	40	15	2535	CP	64QAM	Edge_1RB_Right	19.55	14.65	15.05
n7	40	15	2535	CP	64QAM	Outer_Full	19.57	14.67	15.07
n7	40	15	2535	CP	256QAM	Inner_Full	16.55	11.65	12.05
n7	40	15	2535	CP	256QAM	Edge_1RB_Left	16.85	11.95	12.35



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2535	CP	256QAM	Edge_1RB_Right	16.78	11.88	12.28
n7	40	15	2535	CP	256QAM	Outer_Full	16.59	11.69	12.09
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	23.1	18.2	18.6
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	17.74	18.14
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	22.75	17.85	18.25
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	22.7	17.8	18.2
n7	40	15	2550	DFT	QPSK	Inner_Full	23.12	18.22	18.62
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	22.13	17.23	17.63
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	22.19	17.29	17.69
n7	40	15	2550	DFT	QPSK	Outer_Full	22.18	17.28	17.68
n7	40	15	2550	DFT	16QAM	Inner_Full	22.26	17.36	17.76
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	21.24	16.34	16.74
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	21.21	16.31	16.71
n7	40	15	2550	DFT	16QAM	Outer_Full	21.2	16.3	16.7
n7	40	15	2550	DFT	64QAM	Inner_Full	20.73	15.83	16.23
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	20.81	15.91	16.31
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	20.88	15.98	16.38
n7	40	15	2550	DFT	64QAM	Outer_Full	20.75	15.85	16.25
n7	40	15	2550	DFT	256QAM	Inner_Full	18.72	13.82	14.22
n7	40	15	2550	DFT	256QAM	Edge_1RB_Left	18.88	13.98	14.38
n7	40	15	2550	DFT	256QAM	Edge_1RB_Right	18.96	14.06	14.46
n7	40	15	2550	DFT	256QAM	Outer_Full	18.64	13.74	14.14
n7	40	15	2550	CP	QPSK	Inner_Full	21.74	16.84	17.24
n7	40	15	2550	CP	QPSK	Edge_1RB_Left	20.24	15.34	15.74
n7	40	15	2550	CP	QPSK	Edge_1RB_Right	20.26	15.36	15.76
n7	40	15	2550	CP	QPSK	Outer_Full	20.15	15.25	15.65
n7	40	15	2550	CP	16QAM	Inner_Full	21.27	16.37	16.77
n7	40	15	2550	CP	16QAM	Edge_1RB_Left	20.19	15.29	15.69
n7	40	15	2550	CP	16QAM	Edge_1RB_Right	20.61	15.71	16.11
n7	40	15	2550	CP	16QAM	Outer_Full	20.2	15.3	15.7



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2550	CP	64QAM	Inner_Full	19.66	14.76	15.16
n7	40	15	2550	CP	64QAM	Edge_1RB_Left	19.58	14.68	15.08
n7	40	15	2550	CP	64QAM	Edge_1RB_Right	19.73	14.83	15.23
n7	40	15	2550	CP	64QAM	Outer_Full	19.71	14.81	15.21
n7	40	15	2550	CP	256QAM	Inner_Full	16.67	11.77	12.17
n7	40	15	2550	CP	256QAM	Edge_1RB_Left	16.76	11.86	12.26
n7	40	15	2550	CP	256QAM	Edge_1RB_Right	17.04	12.14	12.54
n7	40	15	2550	CP	256QAM	Outer_Full	16.69	11.79	12.19
n7	50	15	2525	DFT	pi/2 BPSK	Inner_Full	23.02	18.12	18.52
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	17.55	17.95
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	17.61	18.01
n7	50	15	2525	DFT	pi/2 BPSK	Outer_Full	22.53	17.63	18.03
n7	50	15	2525	DFT	QPSK	Inner_Full	22.99	18.09	18.49
n7	50	15	2525	DFT	QPSK	Edge_1RB_Left	21.97	17.07	17.47
n7	50	15	2525	DFT	QPSK	Edge_1RB_Right	22.02	17.12	17.52
n7	50	15	2525	DFT	QPSK	Outer_Full	22.11	17.21	17.61
n7	50	15	2525	DFT	16QAM	Inner_Full	22.15	17.25	17.65
n7	50	15	2525	DFT	16QAM	Edge_1RB_Left	20.98	16.08	16.48
n7	50	15	2525	DFT	16QAM	Edge_1RB_Right	20.92	16.02	16.42
n7	50	15	2525	DFT	16QAM	Outer_Full	21.13	16.23	16.63
n7	50	15	2525	DFT	64QAM	Inner_Full	20.58	15.68	16.08
n7	50	15	2525	DFT	64QAM	Edge_1RB_Left	20.31	15.41	15.81
n7	50	15	2525	DFT	64QAM	Edge_1RB_Right	20.38	15.48	15.88
n7	50	15	2525	DFT	64QAM	Outer_Full	20.67	15.77	16.17
n7	50	15	2525	DFT	256QAM	Inner_Full	18.63	13.73	14.13
n7	50	15	2525	DFT	256QAM	Edge_1RB_Left	18.99	14.09	14.49
n7	50	15	2525	DFT	256QAM	Edge_1RB_Right	19	14.1	14.5
n7	50	15	2525	DFT	256QAM	Outer_Full	18.55	13.65	14.05
n7	50	15	2525	CP	QPSK	Inner_Full	21.52	16.62	17.02
n7	50	15	2525	CP	QPSK	Edge_1RB_Left	20.08	15.18	15.58



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	50	15	2525	CP	QPSK	Edge_1RB_Right	20.02	15.12	15.52
n7	50	15	2525	CP	QPSK	Outer_Full	20.09	15.19	15.59
n7	50	15	2525	CP	16QAM	Inner_Full	21.08	16.18	16.58
n7	50	15	2525	CP	16QAM	Edge_1RB_Left	20.08	15.18	15.58
n7	50	15	2525	CP	16QAM	Edge_1RB_Right	20.09	15.19	15.59
n7	50	15	2525	CP	16QAM	Outer_Full	20.12	15.22	15.62
n7	50	15	2525	CP	64QAM	Inner_Full	19.58	14.68	15.08
n7	50	15	2525	CP	64QAM	Edge_1RB_Left	19.71	14.81	15.21
n7	50	15	2525	CP	64QAM	Edge_1RB_Right	19.8	14.9	15.3
n7	50	15	2525	CP	64QAM	Outer_Full	19.52	14.62	15.02
n7	50	15	2525	CP	256QAM	Inner_Full	16.59	11.69	12.09
n7	50	15	2525	CP	256QAM	Edge_1RB_Left	16.93	12.03	12.43
n7	50	15	2525	CP	256QAM	Edge_1RB_Right	16.94	12.04	12.44
n7	50	15	2525	CP	256QAM	Outer_Full	16.57	11.67	12.07
n7	50	15	2535	DFT	pi/2 BPSK	Inner_Full	22.94	18.04	18.44
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	17.66	18.06
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.55	17.65	18.05
n7	50	15	2535	DFT	pi/2 BPSK	Outer_Full	22.52	17.62	18.02
n7	50	15	2535	DFT	QPSK	Inner_Full	23.02	18.12	18.52
n7	50	15	2535	DFT	QPSK	Edge_1RB_Left	22.11	17.21	17.61
n7	50	15	2535	DFT	QPSK	Edge_1RB_Right	22.17	17.27	17.67
n7	50	15	2535	DFT	QPSK	Outer_Full	21.99	17.09	17.49
n7	50	15	2535	DFT	16QAM	Inner_Full	22.08	17.18	17.58
n7	50	15	2535	DFT	16QAM	Edge_1RB_Left	21.14	16.24	16.64
n7	50	15	2535	DFT	16QAM	Edge_1RB_Right	21.12	16.22	16.62
n7	50	15	2535	DFT	16QAM	Outer_Full	21.04	16.14	16.54
n7	50	15	2535	DFT	64QAM	Inner_Full	20.6	15.7	16.1
n7	50	15	2535	DFT	64QAM	Edge_1RB_Left	20.41	15.51	15.91
n7	50	15	2535	DFT	64QAM	Edge_1RB_Right	20.45	15.55	15.95
n7	50	15	2535	DFT	64QAM	Outer_Full	20.6	15.7	16.1



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	50	15	2535	DFT	256QAM	Inner_Full	18.57	13.67	14.07
n7	50	15	2535	DFT	256QAM	Edge_1RB_Left	19.03	14.13	14.53
n7	50	15	2535	DFT	256QAM	Edge_1RB_Right	19.13	14.23	14.63
n7	50	15	2535	DFT	256QAM	Outer_Full	18.6	13.7	14.1
n7	50	15	2535	CP	QPSK	Inner_Full	21.65	16.75	17.15
n7	50	15	2535	CP	QPSK	Edge_1RB_Left	20.11	15.21	15.61
n7	50	15	2535	CP	QPSK	Edge_1RB_Right	20.18	15.28	15.68
n7	50	15	2535	CP	QPSK	Outer_Full	20.1	15.2	15.6
n7	50	15	2535	CP	16QAM	Inner_Full	21.19	16.29	16.69
n7	50	15	2535	CP	16QAM	Edge_1RB_Left	20.16	15.26	15.66
n7	50	15	2535	CP	16QAM	Edge_1RB_Right	20.15	15.25	15.65
n7	50	15	2535	CP	16QAM	Outer_Full	20.01	15.11	15.51
n7	50	15	2535	CP	64QAM	Inner_Full	19.53	14.63	15.03
n7	50	15	2535	CP	64QAM	Edge_1RB_Left	19.93	15.03	15.43
n7	50	15	2535	CP	64QAM	Edge_1RB_Right	19.85	14.95	15.35
n7	50	15	2535	CP	64QAM	Outer_Full	19.54	14.64	15.04
n7	50	15	2535	CP	256QAM	Inner_Full	16.56	11.66	12.06
n7	50	15	2535	CP	256QAM	Edge_1RB_Left	17.06	12.16	12.56
n7	50	15	2535	CP	256QAM	Edge_1RB_Right	17.03	12.13	12.53
n7	50	15	2535	CP	256QAM	Outer_Full	16.49	11.59	11.99
n7	50	15	2545	DFT	pi/2 BPSK	Inner_Full	23.09	18.19	18.59
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	17.66	18.06
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	17.72	18.12
n7	50	15	2545	DFT	pi/2 BPSK	Outer_Full	22.55	17.65	18.05
n7	50	15	2545	DFT	QPSK	Inner_Full	23.06	18.16	18.56
n7	50	15	2545	DFT	QPSK	Edge_1RB_Left	21.99	17.09	17.49
n7	50	15	2545	DFT	QPSK	Edge_1RB_Right	22.11	17.21	17.61
n7	50	15	2545	DFT	QPSK	Outer_Full	22.08	17.18	17.58
n7	50	15	2545	DFT	16QAM	Inner_Full	22.09	17.19	17.59
n7	50	15	2545	DFT	16QAM	Edge_1RB_Left	20.97	16.07	16.47



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	50	15	2545	DFT	16QAM	Edge_1RB_Right	21.13	16.23	16.63
n7	50	15	2545	DFT	16QAM	Outer_Full	21.12	16.22	16.62
n7	50	15	2545	DFT	64QAM	Inner_Full	20.68	15.78	16.18
n7	50	15	2545	DFT	64QAM	Edge_1RB_Left	20.36	15.46	15.86
n7	50	15	2545	DFT	64QAM	Edge_1RB_Right	20.48	15.58	15.98
n7	50	15	2545	DFT	64QAM	Outer_Full	20.62	15.72	16.12
n7	50	15	2545	DFT	256QAM	Inner_Full	18.81	13.91	14.31
n7	50	15	2545	DFT	256QAM	Edge_1RB_Left	19	14.1	14.5
n7	50	15	2545	DFT	256QAM	Edge_1RB_Right	19.11	14.21	14.61
n7	50	15	2545	DFT	256QAM	Outer_Full	18.56	13.66	14.06
n7	50	15	2545	CP	QPSK	Inner_Full	21.54	16.64	17.04
n7	50	15	2545	CP	QPSK	Edge_1RB_Left	20.11	15.21	15.61
n7	50	15	2545	CP	QPSK	Edge_1RB_Right	20.17	15.27	15.67
n7	50	15	2545	CP	QPSK	Outer_Full	20.1	15.2	15.6
n7	50	15	2545	CP	16QAM	Inner_Full	21.15	16.25	16.65
n7	50	15	2545	CP	16QAM	Edge_1RB_Left	20.04	15.14	15.54
n7	50	15	2545	CP	16QAM	Edge_1RB_Right	20.16	15.26	15.66
n7	50	15	2545	CP	16QAM	Outer_Full	20.17	15.27	15.67
n7	50	15	2545	CP	64QAM	Inner_Full	19.61	14.71	15.11
n7	50	15	2545	CP	64QAM	Edge_1RB_Left	19.84	14.94	15.34
n7	50	15	2545	CP	64QAM	Edge_1RB_Right	19.9	15	15.4
n7	50	15	2545	CP	64QAM	Outer_Full	19.59	14.69	15.09
n7	50	15	2545	CP	256QAM	Inner_Full	16.61	11.71	12.11
n7	50	15	2545	CP	256QAM	Edge_1RB_Left	16.9	12	12.4
n7	50	15	2545	CP	256QAM	Edge_1RB_Right	17.1	12.2	12.6
n7	50	15	2545	CP	256QAM	Outer_Full	16.6	11.7	12.1



n38

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	10	30	2575	DFT	pi/2 BPSK	Inner_Full	24.28	19.18	19.33
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Left	23.67	18.57	18.72
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Right	23.69	18.59	18.74
n38	10	30	2575	DFT	pi/2 BPSK	Outer_Full	23.66	18.56	18.71
n38	10	30	2575	DFT	QPSK	Inner_Full	24.28	19.18	19.33
n38	10	30	2575	DFT	QPSK	Edge_1RB_Left	23.16	18.06	18.21
n38	10	30	2575	DFT	QPSK	Edge_1RB_Right	23.22	18.12	18.27
n38	10	30	2575	DFT	QPSK	Outer_Full	23.3	18.2	18.35
n38	10	30	2575	DFT	16QAM	Inner_Full	23.33	18.23	18.38
n38	10	30	2575	DFT	16QAM	Edge_1RB_Left	22.23	17.13	17.28
n38	10	30	2575	DFT	16QAM	Edge_1RB_Right	22.23	17.13	17.28
n38	10	30	2575	DFT	16QAM	Outer_Full	22.3	17.2	17.35
n38	10	30	2575	DFT	64QAM	Inner_Full	21.69	16.59	16.74
n38	10	30	2575	DFT	64QAM	Edge_1RB_Left	21.53	16.43	16.58
n38	10	30	2575	DFT	64QAM	Edge_1RB_Right	21.53	16.43	16.58
n38	10	30	2575	DFT	64QAM	Outer_Full	21.75	16.65	16.8
n38	10	30	2575	DFT	256QAM	Inner_Full	19.8	14.7	14.85
n38	10	30	2575	DFT	256QAM	Edge_1RB_Left	19.5	14.4	14.55
n38	10	30	2575	DFT	256QAM	Edge_1RB_Right	19.74	14.64	14.79
n38	10	30	2575	DFT	256QAM	Outer_Full	19.84	14.74	14.89
n38	10	30	2575	CP	QPSK	Inner_Full	22.79	17.69	17.84
n38	10	30	2575	CP	QPSK	Edge_1RB_Left	21.16	16.06	16.21
n38	10	30	2575	CP	QPSK	Edge_1RB_Right	21.17	16.07	16.22
n38	10	30	2575	CP	QPSK	Outer_Full	21.26	16.16	16.31
n38	10	30	2575	CP	16QAM	Inner_Full	22.22	17.12	17.27
n38	10	30	2575	CP	16QAM	Edge_1RB_Left	21.43	16.33	16.48
n38	10	30	2575	CP	16QAM	Edge_1RB_Right	21.32	16.22	16.37
n38	10	30	2575	CP	16QAM	Outer_Full	21.31	16.21	16.36



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	10	30	2575	CP	64QAM	Inner_Full	20.78	15.68	15.83
n38	10	30	2575	CP	64QAM	Edge_1RB_Left	20.63	15.53	15.68
n38	10	30	2575	CP	64QAM	Edge_1RB_Right	20.59	15.49	15.64
n38	10	30	2575	CP	64QAM	Outer_Full	20.87	15.77	15.92
n38	10	30	2575	CP	256QAM	Inner_Full	17.84	12.74	12.89
n38	10	30	2575	CP	256QAM	Edge_1RB_Left	17.72	12.62	12.77
n38	10	30	2575	CP	256QAM	Edge_1RB_Right	17.65	12.55	12.7
n38	10	30	2575	CP	256QAM	Outer_Full	17.74	12.64	12.79
n38	10	30	2595	DFT	pi/2 BPSK	Inner_Full	24.36	19.26	19.41
n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.81	18.71	18.86
n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.88	18.78	18.93
n38	10	30	2595	DFT	pi/2 BPSK	Outer_Full	23.71	18.61	18.76
n38	10	30	2595	DFT	QPSK	Inner_Full	24.34	19.24	19.39
n38	10	30	2595	DFT	QPSK	Edge_1RB_Left	23.26	18.16	18.31
n38	10	30	2595	DFT	QPSK	Edge_1RB_Right	23.25	18.15	18.3
n38	10	30	2595	DFT	QPSK	Outer_Full	23.27	18.17	18.32
n38	10	30	2595	DFT	16QAM	Inner_Full	23.42	18.32	18.47
n38	10	30	2595	DFT	16QAM	Edge_1RB_Left	22.32	17.22	17.37
n38	10	30	2595	DFT	16QAM	Edge_1RB_Right	22.35	17.25	17.4
n38	10	30	2595	DFT	16QAM	Outer_Full	22.28	17.18	17.33
n38	10	30	2595	DFT	64QAM	Inner_Full	21.88	16.78	16.93
n38	10	30	2595	DFT	64QAM	Edge_1RB_Left	21.67	16.57	16.72
n38	10	30	2595	DFT	64QAM	Edge_1RB_Right	21.74	16.64	16.79
n38	10	30	2595	DFT	64QAM	Outer_Full	21.85	16.75	16.9
n38	10	30	2595	DFT	256QAM	Inner_Full	19.94	14.84	14.99
n38	10	30	2595	DFT	256QAM	Edge_1RB_Left	19.81	14.71	14.86
n38	10	30	2595	DFT	256QAM	Edge_1RB_Right	19.79	14.69	14.84
n38	10	30	2595	DFT	256QAM	Outer_Full	19.8	14.7	14.85
n38	10	30	2595	CP	QPSK	Inner_Full	22.85	17.75	17.9
n38	10	30	2595	CP	QPSK	Edge_1RB_Left	21.4	16.3	16.45



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	10	30	2595	CP	QPSK	Edge_1RB_Right	21.36	16.26	16.41
n38	10	30	2595	CP	QPSK	Outer_Full	21.32	16.22	16.37
n38	10	30	2595	CP	16QAM	Inner_Full	22.4	17.3	17.45
n38	10	30	2595	CP	16QAM	Edge_1RB_Left	21.27	16.17	16.32
n38	10	30	2595	CP	16QAM	Edge_1RB_Right	21.41	16.31	16.46
n38	10	30	2595	CP	16QAM	Outer_Full	21.38	16.28	16.43
n38	10	30	2595	CP	64QAM	Inner_Full	20.92	15.82	15.97
n38	10	30	2595	CP	64QAM	Edge_1RB_Left	20.93	15.83	15.98
n38	10	30	2595	CP	64QAM	Edge_1RB_Right	20.68	15.58	15.73
n38	10	30	2595	CP	64QAM	Outer_Full	20.88	15.78	15.93
n38	10	30	2595	CP	256QAM	Inner_Full	17.88	12.78	12.93
n38	10	30	2595	CP	256QAM	Edge_1RB_Left	17.67	12.57	12.72
n38	10	30	2595	CP	256QAM	Edge_1RB_Right	17.56	12.46	12.61
n38	10	30	2595	CP	256QAM	Outer_Full	17.77	12.67	12.82
n38	10	30	2615	DFT	pi/2 BPSK	Inner_Full	24.37	19.27	19.42
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Left	23.74	18.64	18.79
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Right	23.81	18.71	18.86
n38	10	30	2615	DFT	pi/2 BPSK	Outer_Full	23.84	18.74	18.89
n38	10	30	2615	DFT	QPSK	Inner_Full	24.36	19.26	19.41
n38	10	30	2615	DFT	QPSK	Edge_1RB_Left	23.28	18.18	18.33
n38	10	30	2615	DFT	QPSK	Edge_1RB_Right	23.29	18.19	18.34
n38	10	30	2615	DFT	QPSK	Outer_Full	23.28	18.18	18.33
n38	10	30	2615	DFT	16QAM	Inner_Full	23.4	18.3	18.45
n38	10	30	2615	DFT	16QAM	Edge_1RB_Left	22.4	17.3	17.45
n38	10	30	2615	DFT	16QAM	Edge_1RB_Right	22.46	17.36	17.51
n38	10	30	2615	DFT	16QAM	Outer_Full	22.31	17.21	17.36
n38	10	30	2615	DFT	64QAM	Inner_Full	21.94	16.84	16.99
n38	10	30	2615	DFT	64QAM	Edge_1RB_Left	21.84	16.74	16.89
n38	10	30	2615	DFT	64QAM	Edge_1RB_Right	21.78	16.68	16.83
n38	10	30	2615	DFT	64QAM	Outer_Full	21.87	16.77	16.92



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	10	30	2615	DFT	256QAM	Inner_Full	19.96	14.86	15.01
n38	10	30	2615	DFT	256QAM	Edge_1RB_Left	19.93	14.83	14.98
n38	10	30	2615	DFT	256QAM	Edge_1RB_Right	19.87	14.77	14.92
n38	10	30	2615	DFT	256QAM	Outer_Full	19.89	14.79	14.94
n38	10	30	2615	CP	QPSK	Inner_Full	22.84	17.74	17.89
n38	10	30	2615	CP	QPSK	Edge_1RB_Left	21.4	16.3	16.45
n38	10	30	2615	CP	QPSK	Edge_1RB_Right	21.36	16.26	16.41
n38	10	30	2615	CP	QPSK	Outer_Full	21.34	16.24	16.39
n38	10	30	2615	CP	16QAM	Inner_Full	22.36	17.26	17.41
n38	10	30	2615	CP	16QAM	Edge_1RB_Left	21.66	16.56	16.71
n38	10	30	2615	CP	16QAM	Edge_1RB_Right	21.73	16.63	16.78
n38	10	30	2615	CP	16QAM	Outer_Full	21.43	16.33	16.48
n38	10	30	2615	CP	64QAM	Inner_Full	20.94	15.84	15.99
n38	10	30	2615	CP	64QAM	Edge_1RB_Left	20.73	15.63	15.78
n38	10	30	2615	CP	64QAM	Edge_1RB_Right	20.91	15.81	15.96
n38	10	30	2615	CP	64QAM	Outer_Full	20.89	15.79	15.94
n38	10	30	2615	CP	256QAM	Inner_Full	17.94	12.84	12.99
n38	10	30	2615	CP	256QAM	Edge_1RB_Left	17.62	12.52	12.67
n38	10	30	2615	CP	256QAM	Edge_1RB_Right	17.74	12.64	12.79
n38	10	30	2615	CP	256QAM	Outer_Full	17.85	12.75	12.9
n38	15	30	2577.5	DFT	pi/2 BPSK	Inner_Full	24.28	19.18	19.33
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.77	18.67	18.82
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.81	18.71	18.86
n38	15	30	2577.5	DFT	pi/2 BPSK	Outer_Full	23.8	18.7	18.85
n38	15	30	2577.5	DFT	QPSK	Inner_Full	24.26	19.16	19.31
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Left	23.14	18.04	18.19
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Right	23.22	18.12	18.27
n38	15	30	2577.5	DFT	QPSK	Outer_Full	23.3	18.2	18.35
n38	15	30	2577.5	DFT	16QAM	Inner_Full	23.25	18.15	18.3
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Left	22.28	17.18	17.33



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Right	22.23	17.13	17.28
n38	15	30	2577.5	DFT	16QAM	Outer_Full	22.19	17.09	17.24
n38	15	30	2577.5	DFT	64QAM	Inner_Full	21.75	16.65	16.8
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Left	21.7	16.6	16.75
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Right	21.72	16.62	16.77
n38	15	30	2577.5	DFT	64QAM	Outer_Full	21.78	16.68	16.83
n38	15	30	2577.5	DFT	256QAM	Inner_Full	19.8	14.7	14.85
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Left	19.61	14.51	14.66
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Right	19.78	14.68	14.83
n38	15	30	2577.5	DFT	256QAM	Outer_Full	19.77	14.67	14.82
n38	15	30	2577.5	CP	QPSK	Inner_Full	22.73	17.63	17.78
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Left	21.22	16.12	16.27
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Right	21.24	16.14	16.29
n38	15	30	2577.5	CP	QPSK	Outer_Full	21.28	16.18	16.33
n38	15	30	2577.5	CP	16QAM	Inner_Full	22.26	17.16	17.31
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Left	21.24	16.14	16.29
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Right	21.45	16.35	16.5
n38	15	30	2577.5	CP	16QAM	Outer_Full	21.19	16.09	16.24
n38	15	30	2577.5	CP	64QAM	Inner_Full	20.82	15.72	15.87
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Left	20.82	15.72	15.87
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Right	20.67	15.57	15.72
n38	15	30	2577.5	CP	64QAM	Outer_Full	20.73	15.63	15.78
n38	15	30	2577.5	CP	256QAM	Inner_Full	17.71	12.61	12.76
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Left	17.73	12.63	12.78
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Right	17.67	12.57	12.72
n38	15	30	2577.5	CP	256QAM	Outer_Full	17.76	12.66	12.81
n38	15	30	2595	DFT	pi/2 BPSK	Inner_Full	24.27	19.17	19.32
n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.82	18.72	18.87
n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.79	18.69	18.84
n38	15	30	2595	DFT	pi/2 BPSK	Outer_Full	23.75	18.65	18.8



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	15	30	2595	DFT	QPSK	Inner_Full	24.35	19.25	19.4
n38	15	30	2595	DFT	QPSK	Edge_1RB_Left	23.28	18.18	18.33
n38	15	30	2595	DFT	QPSK	Edge_1RB_Right	23.3	18.2	18.35
n38	15	30	2595	DFT	QPSK	Outer_Full	23.33	18.23	18.38
n38	15	30	2595	DFT	16QAM	Inner_Full	23.3	18.2	18.35
n38	15	30	2595	DFT	16QAM	Edge_1RB_Left	22.37	17.27	17.42
n38	15	30	2595	DFT	16QAM	Edge_1RB_Right	22.35	17.25	17.4
n38	15	30	2595	DFT	16QAM	Outer_Full	22.31	17.21	17.36
n38	15	30	2595	DFT	64QAM	Inner_Full	21.7	16.6	16.75
n38	15	30	2595	DFT	64QAM	Edge_1RB_Left	21.7	16.6	16.75
n38	15	30	2595	DFT	64QAM	Edge_1RB_Right	21.79	16.69	16.84
n38	15	30	2595	DFT	64QAM	Outer_Full	21.81	16.71	16.86
n38	15	30	2595	DFT	256QAM	Inner_Full	19.75	14.65	14.8
n38	15	30	2595	DFT	256QAM	Edge_1RB_Left	19.9	14.8	14.95
n38	15	30	2595	DFT	256QAM	Edge_1RB_Right	19.76	14.66	14.81
n38	15	30	2595	DFT	256QAM	Outer_Full	19.78	14.68	14.83
n38	15	30	2595	CP	QPSK	Inner_Full	22.79	17.69	17.84
n38	15	30	2595	CP	QPSK	Edge_1RB_Left	21.27	16.17	16.32
n38	15	30	2595	CP	QPSK	Edge_1RB_Right	21.3	16.2	16.35
n38	15	30	2595	CP	QPSK	Outer_Full	21.32	16.22	16.37
n38	15	30	2595	CP	16QAM	Inner_Full	22.26	17.16	17.31
n38	15	30	2595	CP	16QAM	Edge_1RB_Left	21.55	16.45	16.6
n38	15	30	2595	CP	16QAM	Edge_1RB_Right	21.47	16.37	16.52
n38	15	30	2595	CP	16QAM	Outer_Full	21.27	16.17	16.32
n38	15	30	2595	CP	64QAM	Inner_Full	20.93	15.83	15.98
n38	15	30	2595	CP	64QAM	Edge_1RB_Left	20.9	15.8	15.95
n38	15	30	2595	CP	64QAM	Edge_1RB_Right	20.87	15.77	15.92
n38	15	30	2595	CP	64QAM	Outer_Full	20.81	15.71	15.86
n38	15	30	2595	CP	256QAM	Inner_Full	17.83	12.73	12.88
n38	15	30	2595	CP	256QAM	Edge_1RB_Left	17.66	12.56	12.71



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	15	30	2595	CP	256QAM	Edge_1RB_Right	17.47	12.37	12.52
n38	15	30	2595	CP	256QAM	Outer_Full	17.88	12.78	12.93
n38	15	30	2612.5	DFT	pi/2 BPSK	Inner_Full	24.39	19.29	19.44
n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.87	18.77	18.92
n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.78	18.68	18.83
n38	15	30	2612.5	DFT	pi/2 BPSK	Outer_Full	23.82	18.72	18.87
n38	15	30	2612.5	DFT	QPSK	Inner_Full	24.34	19.24	19.39
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Left	23.25	18.15	18.3
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Right	23.41	18.31	18.46
n38	15	30	2612.5	DFT	QPSK	Outer_Full	23.37	18.27	18.42
n38	15	30	2612.5	DFT	16QAM	Inner_Full	23.39	18.29	18.44
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Left	22.51	17.41	17.56
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Right	22.46	17.36	17.51
n38	15	30	2612.5	DFT	16QAM	Outer_Full	22.32	17.22	17.37
n38	15	30	2612.5	DFT	64QAM	Inner_Full	21.79	16.69	16.84
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Left	21.75	16.65	16.8
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Right	21.74	16.64	16.79
n38	15	30	2612.5	DFT	64QAM	Outer_Full	21.88	16.78	16.93
n38	15	30	2612.5	DFT	256QAM	Inner_Full	19.88	14.78	14.93
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Left	19.75	14.65	14.8
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Right	19.88	14.78	14.93
n38	15	30	2612.5	DFT	256QAM	Outer_Full	19.9	14.8	14.95
n38	15	30	2612.5	CP	QPSK	Inner_Full	22.84	17.74	17.89
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Left	21.39	16.29	16.44
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Right	21.38	16.28	16.43
n38	15	30	2612.5	CP	QPSK	Outer_Full	21.32	16.22	16.37
n38	15	30	2612.5	CP	16QAM	Inner_Full	22.27	17.17	17.32
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Left	21.53	16.43	16.58
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Right	21.41	16.31	16.46
n38	15	30	2612.5	CP	16QAM	Outer_Full	21.41	16.31	16.46



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	15	30	2612.5	CP	64QAM	Inner_Full	20.9	15.8	15.95
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Left	20.9	15.8	15.95
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Right	20.96	15.86	16.01
n38	15	30	2612.5	CP	64QAM	Outer_Full	20.8	15.7	15.85
n38	15	30	2612.5	CP	256QAM	Inner_Full	17.85	12.75	12.9
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Left	17.73	12.63	12.78
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Right	17.68	12.58	12.73
n38	15	30	2612.5	CP	256QAM	Outer_Full	17.79	12.69	12.84
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	24.31	19.21	19.36
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	23.69	18.59	18.74
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	23.64	18.54	18.69
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	23.68	18.58	18.73
n38	20	30	2580	DFT	QPSK	Inner_Full	24.24	19.14	19.29
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	23.2	18.1	18.25
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	23.24	18.14	18.29
n38	20	30	2580	DFT	QPSK	Outer_Full	23.25	18.15	18.3
n38	20	30	2580	DFT	16QAM	Inner_Full	23.17	18.07	18.22
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	22.43	17.33	17.48
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	22.27	17.17	17.32
n38	20	30	2580	DFT	16QAM	Outer_Full	22.19	17.09	17.24
n38	20	30	2580	DFT	64QAM	Inner_Full	21.77	16.67	16.82
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	21.58	16.48	16.63
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	21.52	16.42	16.57
n38	20	30	2580	DFT	64QAM	Outer_Full	21.69	16.59	16.74
n38	20	30	2580	DFT	256QAM	Inner_Full	19.79	14.69	14.84
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	19.56	14.46	14.61
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	19.69	14.59	14.74
n38	20	30	2580	DFT	256QAM	Outer_Full	19.69	14.59	14.74
n38	20	30	2580	CP	QPSK	Inner_Full	22.77	17.67	17.82
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	21.18	16.08	16.23



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	21.18	16.08	16.23
n38	20	30	2580	CP	QPSK	Outer_Full	21.17	16.07	16.22
n38	20	30	2580	CP	16QAM	Inner_Full	22.25	17.15	17.3
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	21.32	16.22	16.37
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	21.2	16.1	16.25
n38	20	30	2580	CP	16QAM	Outer_Full	21.21	16.11	16.26
n38	20	30	2580	CP	64QAM	Inner_Full	20.77	15.67	15.82
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	20.76	15.66	15.81
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	20.73	15.63	15.78
n38	20	30	2580	CP	64QAM	Outer_Full	20.67	15.57	15.72
n38	20	30	2580	CP	256QAM	Inner_Full	17.71	12.61	12.76
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	17.38	12.28	12.43
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	17.4	12.3	12.45
n38	20	30	2580	CP	256QAM	Outer_Full	17.64	12.54	12.69
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	24.3	19.2	19.35
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.78	18.68	18.83
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.86	18.76	18.91
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	23.84	18.74	18.89
n38	20	30	2595	DFT	QPSK	Inner_Full	24.37	19.27	19.42
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	23.36	18.26	18.41
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	23.35	18.25	18.4
n38	20	30	2595	DFT	QPSK	Outer_Full	23.33	18.23	18.38
n38	20	30	2595	DFT	16QAM	Inner_Full	23.29	18.19	18.34
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	22.41	17.31	17.46
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	22.35	17.25	17.4
n38	20	30	2595	DFT	16QAM	Outer_Full	22.31	17.21	17.36
n38	20	30	2595	DFT	64QAM	Inner_Full	21.92	16.82	16.97
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	21.73	16.63	16.78
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	21.77	16.67	16.82
n38	20	30	2595	DFT	64QAM	Outer_Full	21.86	16.76	16.91



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2595	DFT	256QAM	Inner_Full	19.86	14.76	14.91
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	19.77	14.67	14.82
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	19.81	14.71	14.86
n38	20	30	2595	DFT	256QAM	Outer_Full	19.82	14.72	14.87
n38	20	30	2595	CP	QPSK	Inner_Full	22.78	17.68	17.83
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	21.35	16.25	16.4
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	21.26	16.16	16.31
n38	20	30	2595	CP	QPSK	Outer_Full	21.42	16.32	16.47
n38	20	30	2595	CP	16QAM	Inner_Full	22.32	17.22	17.37
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	21.47	16.37	16.52
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	21.57	16.47	16.62
n38	20	30	2595	CP	16QAM	Outer_Full	21.4	16.3	16.45
n38	20	30	2595	CP	64QAM	Inner_Full	20.85	15.75	15.9
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	20.89	15.79	15.94
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	21.02	15.92	16.07
n38	20	30	2595	CP	64QAM	Outer_Full	20.8	15.7	15.85
n38	20	30	2595	CP	256QAM	Inner_Full	17.9	12.8	12.95
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	17.54	12.44	12.59
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	17.56	12.46	12.61
n38	20	30	2595	CP	256QAM	Outer_Full	17.87	12.77	12.92
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	24.4	19.3	19.45
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	23.84	18.74	18.89
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	23.95	18.85	19
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	23.86	18.76	18.91
n38	20	30	2610	DFT	QPSK	Inner_Full	24.36	19.26	19.41
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	23.29	18.19	18.34
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	23.42	18.32	18.47
n38	20	30	2610	DFT	QPSK	Outer_Full	23.35	18.25	18.4
n38	20	30	2610	DFT	16QAM	Inner_Full	23.41	18.31	18.46
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	22.4	17.3	17.45



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	22.47	17.37	17.52
n38	20	30	2610	DFT	16QAM	Outer_Full	22.25	17.15	17.3
n38	20	30	2610	DFT	64QAM	Inner_Full	21.84	16.74	16.89
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	21.7	16.6	16.75
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	21.92	16.82	16.97
n38	20	30	2610	DFT	64QAM	Outer_Full	21.83	16.73	16.88
n38	20	30	2610	DFT	256QAM	Inner_Full	19.77	14.67	14.82
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	19.76	14.66	14.81
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	19.86	14.76	14.91
n38	20	30	2610	DFT	256QAM	Outer_Full	19.87	14.77	14.92
n38	20	30	2610	CP	QPSK	Inner_Full	22.85	17.75	17.9
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	21.31	16.21	16.36
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	21.5	16.4	16.55
n38	20	30	2610	CP	QPSK	Outer_Full	21.31	16.21	16.36
n38	20	30	2610	CP	16QAM	Inner_Full	22.38	17.28	17.43
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	21.51	16.41	16.56
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	21.72	16.62	16.77
n38	20	30	2610	CP	16QAM	Outer_Full	21.42	16.32	16.47
n38	20	30	2610	CP	64QAM	Inner_Full	20.83	15.73	15.88
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	20.85	15.75	15.9
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	20.89	15.79	15.94
n38	20	30	2610	CP	64QAM	Outer_Full	20.86	15.76	15.91
n38	20	30	2610	CP	256QAM	Inner_Full	17.9	12.8	12.95
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	17.89	12.79	12.94
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	17.89	12.79	12.94
n38	20	30	2610	CP	256QAM	Outer_Full	17.8	12.7	12.85
n38	25	30	2582.5	DFT	pi/2 BPSK	Inner_Full	24.14	19.04	19.19
n38	25	30	2582.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.66	18.56	18.71
n38	25	30	2582.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.66	18.56	18.71
n38	25	30	2582.5	DFT	pi/2 BPSK	Outer_Full	23.69	18.59	18.74



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	25	30	2582.5	DFT	QPSK	Inner_Full	24.17	19.07	19.22
n38	25	30	2582.5	DFT	QPSK	Edge_1RB_Left	23.15	18.05	18.2
n38	25	30	2582.5	DFT	QPSK	Edge_1RB_Right	23.11	18.01	18.16
n38	25	30	2582.5	DFT	QPSK	Outer_Full	23.12	18.02	18.17
n38	25	30	2582.5	DFT	16QAM	Inner_Full	23.14	18.04	18.19
n38	25	30	2582.5	DFT	16QAM	Edge_1RB_Left	22.21	17.11	17.26
n38	25	30	2582.5	DFT	16QAM	Edge_1RB_Right	22.26	17.16	17.31
n38	25	30	2582.5	DFT	16QAM	Outer_Full	22.2	17.1	17.25
n38	25	30	2582.5	DFT	64QAM	Inner_Full	21.6	16.5	16.65
n38	25	30	2582.5	DFT	64QAM	Edge_1RB_Left	21.58	16.48	16.63
n38	25	30	2582.5	DFT	64QAM	Edge_1RB_Right	21.69	16.59	16.74
n38	25	30	2582.5	DFT	64QAM	Outer_Full	21.6	16.5	16.65
n38	25	30	2582.5	DFT	256QAM	Inner_Full	19.63	14.53	14.68
n38	25	30	2582.5	DFT	256QAM	Edge_1RB_Left	19.74	14.64	14.79
n38	25	30	2582.5	DFT	256QAM	Edge_1RB_Right	19.69	14.59	14.74
n38	25	30	2582.5	DFT	256QAM	Outer_Full	19.64	14.54	14.69
n38	25	30	2582.5	CP	QPSK	Inner_Full	22.55	17.45	17.6
n38	25	30	2582.5	CP	QPSK	Edge_1RB_Left	21.1	16	16.15
n38	25	30	2582.5	CP	QPSK	Edge_1RB_Right	21.19	16.09	16.24
n38	25	30	2582.5	CP	QPSK	Outer_Full	21.14	16.04	16.19
n38	25	30	2582.5	CP	16QAM	Inner_Full	22.18	17.08	17.23
n38	25	30	2582.5	CP	16QAM	Edge_1RB_Left	21.28	16.18	16.33
n38	25	30	2582.5	CP	16QAM	Edge_1RB_Right	21.28	16.18	16.33
n38	25	30	2582.5	CP	16QAM	Outer_Full	21.16	16.06	16.21
n38	25	30	2582.5	CP	64QAM	Inner_Full	20.6	15.5	15.65
n38	25	30	2582.5	CP	64QAM	Edge_1RB_Left	20.67	15.57	15.72
n38	25	30	2582.5	CP	64QAM	Edge_1RB_Right	20.66	15.56	15.71
n38	25	30	2582.5	CP	64QAM	Outer_Full	20.65	15.55	15.7
n38	25	30	2582.5	CP	256QAM	Inner_Full	17.6	12.5	12.65
n38	25	30	2582.5	CP	256QAM	Edge_1RB_Left	17.54	12.44	12.59



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	25	30	2582.5	CP	256QAM	Edge_1RB_Right	17.44	12.34	12.49
n38	25	30	2582.5	CP	256QAM	Outer_Full	17.66	12.56	12.71
n38	25	30	2595	DFT	pi/2 BPSK	Inner_Full	24.19	19.09	19.24
n38	25	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.79	18.69	18.84
n38	25	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.83	18.73	18.88
n38	25	30	2595	DFT	pi/2 BPSK	Outer_Full	23.79	18.69	18.84
n38	25	30	2595	DFT	QPSK	Inner_Full	24.2	19.1	19.25
n38	25	30	2595	DFT	QPSK	Edge_1RB_Left	23.21	18.11	18.26
n38	25	30	2595	DFT	QPSK	Edge_1RB_Right	23.25	18.15	18.3
n38	25	30	2595	DFT	QPSK	Outer_Full	23.3	18.2	18.35
n38	25	30	2595	DFT	16QAM	Inner_Full	23.21	18.11	18.26
n38	25	30	2595	DFT	16QAM	Edge_1RB_Left	22.36	17.26	17.41
n38	25	30	2595	DFT	16QAM	Edge_1RB_Right	22.44	17.34	17.49
n38	25	30	2595	DFT	16QAM	Outer_Full	22.2	17.1	17.25
n38	25	30	2595	DFT	64QAM	Inner_Full	21.79	16.69	16.84
n38	25	30	2595	DFT	64QAM	Edge_1RB_Left	21.7	16.6	16.75
n38	25	30	2595	DFT	64QAM	Edge_1RB_Right	21.74	16.64	16.79
n38	25	30	2595	DFT	64QAM	Outer_Full	21.69	16.59	16.74
n38	25	30	2595	DFT	256QAM	Inner_Full	19.77	14.67	14.82
n38	25	30	2595	DFT	256QAM	Edge_1RB_Left	19.74	14.64	14.79
n38	25	30	2595	DFT	256QAM	Edge_1RB_Right	19.75	14.65	14.8
n38	25	30	2595	DFT	256QAM	Outer_Full	19.78	14.68	14.83
n38	25	30	2595	CP	QPSK	Inner_Full	22.69	17.59	17.74
n38	25	30	2595	CP	QPSK	Edge_1RB_Left	21.21	16.11	16.26
n38	25	30	2595	CP	QPSK	Edge_1RB_Right	21.22	16.12	16.27
n38	25	30	2595	CP	QPSK	Outer_Full	21.26	16.16	16.31
n38	25	30	2595	CP	16QAM	Inner_Full	22.22	17.12	17.27
n38	25	30	2595	CP	16QAM	Edge_1RB_Left	21.3	16.2	16.35
n38	25	30	2595	CP	16QAM	Edge_1RB_Right	21.45	16.35	16.5
n38	25	30	2595	CP	16QAM	Outer_Full	21.27	16.17	16.32



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	25	30	2595	CP	64QAM	Inner_Full	20.69	15.59	15.74
n38	25	30	2595	CP	64QAM	Edge_1RB_Left	20.84	15.74	15.89
n38	25	30	2595	CP	64QAM	Edge_1RB_Right	20.83	15.73	15.88
n38	25	30	2595	CP	64QAM	Outer_Full	20.81	15.71	15.86
n38	25	30	2595	CP	256QAM	Inner_Full	17.8	12.7	12.85
n38	25	30	2595	CP	256QAM	Edge_1RB_Left	17.62	12.52	12.67
n38	25	30	2595	CP	256QAM	Edge_1RB_Right	17.66	12.56	12.71
n38	25	30	2595	CP	256QAM	Outer_Full	17.77	12.67	12.82
n38	25	30	2607.5	DFT	pi/2 BPSK	Inner_Full	24.14	19.04	19.19
n38	25	30	2607.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.69	18.59	18.74
n38	25	30	2607.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.89	18.79	18.94
n38	25	30	2607.5	DFT	pi/2 BPSK	Outer_Full	23.76	18.66	18.81
n38	25	30	2607.5	DFT	QPSK	Inner_Full	24.21	19.11	19.26
n38	25	30	2607.5	DFT	QPSK	Edge_1RB_Left	23.15	18.05	18.2
n38	25	30	2607.5	DFT	QPSK	Edge_1RB_Right	23.35	18.25	18.4
n38	25	30	2607.5	DFT	QPSK	Outer_Full	23.2	18.1	18.25
n38	25	30	2607.5	DFT	16QAM	Inner_Full	23.25	18.15	18.3
n38	25	30	2607.5	DFT	16QAM	Edge_1RB_Left	22.31	17.21	17.36
n38	25	30	2607.5	DFT	16QAM	Edge_1RB_Right	22.45	17.35	17.5
n38	25	30	2607.5	DFT	16QAM	Outer_Full	22.18	17.08	17.23
n38	25	30	2607.5	DFT	64QAM	Inner_Full	21.76	16.66	16.81
n38	25	30	2607.5	DFT	64QAM	Edge_1RB_Left	21.72	16.62	16.77
n38	25	30	2607.5	DFT	64QAM	Edge_1RB_Right	21.86	16.76	16.91
n38	25	30	2607.5	DFT	64QAM	Outer_Full	21.72	16.62	16.77
n38	25	30	2607.5	DFT	256QAM	Inner_Full	19.73	14.63	14.78
n38	25	30	2607.5	DFT	256QAM	Edge_1RB_Left	19.62	14.52	14.67
n38	25	30	2607.5	DFT	256QAM	Edge_1RB_Right	19.79	14.69	14.84
n38	25	30	2607.5	DFT	256QAM	Outer_Full	19.75	14.65	14.8
n38	25	30	2607.5	CP	QPSK	Inner_Full	22.68	17.58	17.73
n38	25	30	2607.5	CP	QPSK	Edge_1RB_Left	21.29	16.19	16.34



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	25	30	2607.5	CP	QPSK	Edge_1RB_Right	21.4	16.3	16.45
n38	25	30	2607.5	CP	QPSK	Outer_Full	21.22	16.12	16.27
n38	25	30	2607.5	CP	16QAM	Inner_Full	22.23	17.13	17.28
n38	25	30	2607.5	CP	16QAM	Edge_1RB_Left	21.39	16.29	16.44
n38	25	30	2607.5	CP	16QAM	Edge_1RB_Right	21.68	16.58	16.73
n38	25	30	2607.5	CP	16QAM	Outer_Full	21.24	16.14	16.29
n38	25	30	2607.5	CP	64QAM	Inner_Full	20.77	15.67	15.82
n38	25	30	2607.5	CP	64QAM	Edge_1RB_Left	20.71	15.61	15.76
n38	25	30	2607.5	CP	64QAM	Edge_1RB_Right	20.92	15.82	15.97
n38	25	30	2607.5	CP	64QAM	Outer_Full	20.75	15.65	15.8
n38	25	30	2607.5	CP	256QAM	Inner_Full	17.76	12.66	12.81
n38	25	30	2607.5	CP	256QAM	Edge_1RB_Left	17.59	12.49	12.64
n38	25	30	2607.5	CP	256QAM	Edge_1RB_Right	17.67	12.57	12.72
n38	25	30	2607.5	CP	256QAM	Outer_Full	17.7	12.6	12.75
n38	30	30	2585	DFT	pi/2 BPSK	Inner_Full	24.18	19.08	19.23
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Left	23.81	18.71	18.86
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Right	23.75	18.65	18.8
n38	30	30	2585	DFT	pi/2 BPSK	Outer_Full	23.72	18.62	18.77
n38	30	30	2585	DFT	QPSK	Inner_Full	24.18	19.08	19.23
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	23.2	18.1	18.25
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	23.12	18.02	18.17
n38	30	30	2585	DFT	QPSK	Outer_Full	23.19	18.09	18.24
n38	30	30	2585	DFT	16QAM	Inner_Full	23.22	18.12	18.27
n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	22.33	17.23	17.38
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	22.26	17.16	17.31
n38	30	30	2585	DFT	16QAM	Outer_Full	22.14	17.04	17.19
n38	30	30	2585	DFT	64QAM	Inner_Full	21.68	16.58	16.73
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	21.63	16.53	16.68
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	21.65	16.55	16.7
n38	30	30	2585	DFT	64QAM	Outer_Full	21.69	16.59	16.74



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2585	DFT	256QAM	Inner_Full	19.73	14.63	14.78
n38	30	30	2585	DFT	256QAM	Edge_1RB_Left	19.68	14.58	14.73
n38	30	30	2585	DFT	256QAM	Edge_1RB_Right	19.67	14.57	14.72
n38	30	30	2585	DFT	256QAM	Outer_Full	19.74	14.64	14.79
n38	30	30	2585	CP	QPSK	Inner_Full	22.73	17.63	17.78
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	21.25	16.15	16.3
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	21.2	16.1	16.25
n38	30	30	2585	CP	QPSK	Outer_Full	21.27	16.17	16.32
n38	30	30	2585	CP	16QAM	Inner_Full	22.32	17.22	17.37
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	21.46	16.36	16.51
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	21.42	16.32	16.47
n38	30	30	2585	CP	16QAM	Outer_Full	21.28	16.18	16.33
n38	30	30	2585	CP	64QAM	Inner_Full	20.75	15.65	15.8
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	20.66	15.56	15.71
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	20.65	15.55	15.7
n38	30	30	2585	CP	64QAM	Outer_Full	20.71	15.61	15.76
n38	30	30	2585	CP	256QAM	Inner_Full	17.73	12.63	12.78
n38	30	30	2585	CP	256QAM	Edge_1RB_Left	17.54	12.44	12.59
n38	30	30	2585	CP	256QAM	Edge_1RB_Right	17.69	12.59	12.74
n38	30	30	2585	CP	256QAM	Outer_Full	17.75	12.65	12.8
n38	30	30	2595	DFT	pi/2 BPSK	Inner_Full	24.23	19.13	19.28
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.79	18.69	18.84
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.9	18.8	18.95
n38	30	30	2595	DFT	pi/2 BPSK	Outer_Full	23.78	18.68	18.83
n38	30	30	2595	DFT	QPSK	Inner_Full	24.27	19.17	19.32
n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	23.23	18.13	18.28
n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	23.29	18.19	18.34
n38	30	30	2595	DFT	QPSK	Outer_Full	23.3	18.2	18.35
n38	30	30	2595	DFT	16QAM	Inner_Full	23.25	18.15	18.3
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	22.24	17.14	17.29



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	22.41	17.31	17.46
n38	30	30	2595	DFT	16QAM	Outer_Full	22.35	17.25	17.4
n38	30	30	2595	DFT	64QAM	Inner_Full	21.78	16.68	16.83
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	21.69	16.59	16.74
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	21.91	16.81	16.96
n38	30	30	2595	DFT	64QAM	Outer_Full	21.84	16.74	16.89
n38	30	30	2595	DFT	256QAM	Inner_Full	19.81	14.71	14.86
n38	30	30	2595	DFT	256QAM	Edge_1RB_Left	19.72	14.62	14.77
n38	30	30	2595	DFT	256QAM	Edge_1RB_Right	19.82	14.72	14.87
n38	30	30	2595	DFT	256QAM	Outer_Full	19.87	14.77	14.92
n38	30	30	2595	CP	QPSK	Inner_Full	22.82	17.72	17.87
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	21.25	16.15	16.3
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	21.34	16.24	16.39
n38	30	30	2595	CP	QPSK	Outer_Full	21.28	16.18	16.33
n38	30	30	2595	CP	16QAM	Inner_Full	22.36	17.26	17.41
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	21.37	16.27	16.42
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	21.48	16.38	16.53
n38	30	30	2595	CP	16QAM	Outer_Full	21.31	16.21	16.36
n38	30	30	2595	CP	64QAM	Inner_Full	20.82	15.72	15.87
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	20.7	15.6	15.75
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	20.77	15.67	15.82
n38	30	30	2595	CP	64QAM	Outer_Full	20.8	15.7	15.85
n38	30	30	2595	CP	256QAM	Inner_Full	17.78	12.68	12.83
n38	30	30	2595	CP	256QAM	Edge_1RB_Left	17.77	12.67	12.82
n38	30	30	2595	CP	256QAM	Edge_1RB_Right	17.86	12.76	12.91
n38	30	30	2595	CP	256QAM	Outer_Full	17.8	12.7	12.85
n38	30	30	2605	DFT	pi/2 BPSK	Inner_Full	24.33	19.23	19.38
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Left	23.81	18.71	18.86
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Right	23.91	18.81	18.96
n38	30	30	2605	DFT	pi/2 BPSK	Outer_Full	23.69	18.59	18.74



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2605	DFT	QPSK	Inner_Full	24.26	19.16	19.31
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	23.22	18.12	18.27
n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	23.35	18.25	18.4
n38	30	30	2605	DFT	QPSK	Outer_Full	23.24	18.14	18.29
n38	30	30	2605	DFT	16QAM	Inner_Full	23.31	18.21	18.36
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	22.33	17.23	17.38
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	22.51	17.41	17.56
n38	30	30	2605	DFT	16QAM	Outer_Full	22.21	17.11	17.26
n38	30	30	2605	DFT	64QAM	Inner_Full	21.84	16.74	16.89
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	21.74	16.64	16.79
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	21.78	16.68	16.83
n38	30	30	2605	DFT	64QAM	Outer_Full	21.77	16.67	16.82
n38	30	30	2605	DFT	256QAM	Inner_Full	19.76	14.66	14.81
n38	30	30	2605	DFT	256QAM	Edge_1RB_Left	19.76	14.66	14.81
n38	30	30	2605	DFT	256QAM	Edge_1RB_Right	19.75	14.65	14.8
n38	30	30	2605	DFT	256QAM	Outer_Full	19.82	14.72	14.87
n38	30	30	2605	CP	QPSK	Inner_Full	22.7	17.6	17.75
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	21.22	16.12	16.27
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	21.4	16.3	16.45
n38	30	30	2605	CP	QPSK	Outer_Full	21.33	16.23	16.38
n38	30	30	2605	CP	16QAM	Inner_Full	22.29	17.19	17.34
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	21.38	16.28	16.43
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	21.63	16.53	16.68
n38	30	30	2605	CP	16QAM	Outer_Full	21.34	16.24	16.39
n38	30	30	2605	CP	64QAM	Inner_Full	20.73	15.63	15.78
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	20.74	15.64	15.79
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	20.98	15.88	16.03
n38	30	30	2605	CP	64QAM	Outer_Full	20.78	15.68	15.83
n38	30	30	2605	CP	256QAM	Inner_Full	17.84	12.74	12.89
n38	30	30	2605	CP	256QAM	Edge_1RB_Left	17.68	12.58	12.73



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2605	CP	256QAM	Edge_1RB_Right	17.89	12.79	12.94
n38	30	30	2605	CP	256QAM	Outer_Full	17.78	12.68	12.83
n38	40	30	2590	DFT	pi/2 BPSK	Inner_Full	24.27	19.17	19.32
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Left	23.75	18.65	18.8
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Right	23.81	18.71	18.86
n38	40	30	2590	DFT	pi/2 BPSK	Outer_Full	23.78	18.68	18.83
n38	40	30	2590	DFT	QPSK	Inner_Full	24.3	19.2	19.35
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	23.27	18.17	18.32
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	23.28	18.18	18.33
n38	40	30	2590	DFT	QPSK	Outer_Full	23.27	18.17	18.32
n38	40	30	2590	DFT	16QAM	Inner_Full	23.27	18.17	18.32
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	22.29	17.19	17.34
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	22.34	17.24	17.39
n38	40	30	2590	DFT	16QAM	Outer_Full	22.26	17.16	17.31
n38	40	30	2590	DFT	64QAM	Inner_Full	21.81	16.71	16.86
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	21.65	16.55	16.7
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	21.81	16.71	16.86
n38	40	30	2590	DFT	64QAM	Outer_Full	21.79	16.69	16.84
n38	40	30	2590	DFT	256QAM	Inner_Full	19.85	14.75	14.9
n38	40	30	2590	DFT	256QAM	Edge_1RB_Left	19.67	14.57	14.72
n38	40	30	2590	DFT	256QAM	Edge_1RB_Right	19.74	14.64	14.79
n38	40	30	2590	DFT	256QAM	Outer_Full	19.83	14.73	14.88
n38	40	30	2590	CP	QPSK	Inner_Full	22.74	17.64	17.79
n38	40	30	2590	CP	QPSK	Edge_1RB_Left	21.19	16.09	16.24
n38	40	30	2590	CP	QPSK	Edge_1RB_Right	21.27	16.17	16.32
n38	40	30	2590	CP	QPSK	Outer_Full	21.22	16.12	16.27
n38	40	30	2590	CP	16QAM	Inner_Full	22.35	17.25	17.4
n38	40	30	2590	CP	16QAM	Edge_1RB_Left	21.4	16.3	16.45
n38	40	30	2590	CP	16QAM	Edge_1RB_Right	21.49	16.39	16.54
n38	40	30	2590	CP	16QAM	Outer_Full	21.29	16.19	16.34



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2590	CP	64QAM	Inner_Full	20.72	15.62	15.77
n38	40	30	2590	CP	64QAM	Edge_1RB_Left	20.83	15.73	15.88
n38	40	30	2590	CP	64QAM	Edge_1RB_Right	20.88	15.78	15.93
n38	40	30	2590	CP	64QAM	Outer_Full	20.79	15.69	15.84
n38	40	30	2590	CP	256QAM	Inner_Full	17.76	12.66	12.81
n38	40	30	2590	CP	256QAM	Edge_1RB_Left	17.66	12.56	12.71
n38	40	30	2590	CP	256QAM	Edge_1RB_Right	17.69	12.59	12.74
n38	40	30	2590	CP	256QAM	Outer_Full	17.81	12.71	12.86
n38	40	30	2595	DFT	pi/2 BPSK	Inner_Full	24.27	19.17	19.32
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.74	18.64	18.79
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.88	18.78	18.93
n38	40	30	2595	DFT	pi/2 BPSK	Outer_Full	23.87	18.77	18.92
n38	40	30	2595	DFT	QPSK	Inner_Full	24.31	19.21	19.36
n38	40	30	2595	DFT	QPSK	Edge_1RB_Left	23.29	18.19	18.34
n38	40	30	2595	DFT	QPSK	Edge_1RB_Right	23.37	18.27	18.42
n38	40	30	2595	DFT	QPSK	Outer_Full	23.25	18.15	18.3
n38	40	30	2595	DFT	16QAM	Inner_Full	23.27	18.17	18.32
n38	40	30	2595	DFT	16QAM	Edge_1RB_Left	22.45	17.35	17.5
n38	40	30	2595	DFT	16QAM	Edge_1RB_Right	22.53	17.43	17.58
n38	40	30	2595	DFT	16QAM	Outer_Full	22.27	17.17	17.32
n38	40	30	2595	DFT	64QAM	Inner_Full	21.72	16.62	16.77
n38	40	30	2595	DFT	64QAM	Edge_1RB_Left	21.73	16.63	16.78
n38	40	30	2595	DFT	64QAM	Edge_1RB_Right	21.68	16.58	16.73
n38	40	30	2595	DFT	64QAM	Outer_Full	21.74	16.64	16.79
n38	40	30	2595	DFT	256QAM	Inner_Full	19.82	14.72	14.87
n38	40	30	2595	DFT	256QAM	Edge_1RB_Left	19.81	14.71	14.86
n38	40	30	2595	DFT	256QAM	Edge_1RB_Right	19.67	14.57	14.72
n38	40	30	2595	DFT	256QAM	Outer_Full	19.81	14.71	14.86
n38	40	30	2595	CP	QPSK	Inner_Full	22.77	17.67	17.82
n38	40	30	2595	CP	QPSK	Edge_1RB_Left	21.36	16.26	16.41



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2595	CP	QPSK	Edge_1RB_Right	21.36	16.26	16.41
n38	40	30	2595	CP	QPSK	Outer_Full	21.29	16.19	16.34
n38	40	30	2595	CP	16QAM	Inner_Full	22.35	17.25	17.4
n38	40	30	2595	CP	16QAM	Edge_1RB_Left	21.53	16.43	16.58
n38	40	30	2595	CP	16QAM	Edge_1RB_Right	21.49	16.39	16.54
n38	40	30	2595	CP	16QAM	Outer_Full	21.3	16.2	16.35
n38	40	30	2595	CP	64QAM	Inner_Full	20.86	15.76	15.91
n38	40	30	2595	CP	64QAM	Edge_1RB_Left	20.82	15.72	15.87
n38	40	30	2595	CP	64QAM	Edge_1RB_Right	20.91	15.81	15.96
n38	40	30	2595	CP	64QAM	Outer_Full	20.8	15.7	15.85
n38	40	30	2595	CP	256QAM	Inner_Full	17.79	12.69	12.84
n38	40	30	2595	CP	256QAM	Edge_1RB_Left	17.71	12.61	12.76
n38	40	30	2595	CP	256QAM	Edge_1RB_Right	17.69	12.59	12.74
n38	40	30	2595	CP	256QAM	Outer_Full	17.74	12.64	12.79
n38	40	30	2600	DFT	pi/2 BPSK	Inner_Full	24.31	19.21	19.36
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Left	23.71	18.61	18.76
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Right	23.92	18.82	18.97
n38	40	30	2600	DFT	pi/2 BPSK	Outer_Full	23.86	18.76	18.91
n38	40	30	2600	DFT	QPSK	Inner_Full	24.32	19.22	19.37
n38	40	30	2600	DFT	QPSK	Edge_1RB_Left	23.25	18.15	18.3
n38	40	30	2600	DFT	QPSK	Edge_1RB_Right	23.37	18.27	18.42
n38	40	30	2600	DFT	QPSK	Outer_Full	23.27	18.17	18.32
n38	40	30	2600	DFT	16QAM	Inner_Full	23.24	18.14	18.29
n38	40	30	2600	DFT	16QAM	Edge_1RB_Left	22.44	17.34	17.49
n38	40	30	2600	DFT	16QAM	Edge_1RB_Right	22.48	17.38	17.53
n38	40	30	2600	DFT	16QAM	Outer_Full	22.3	17.2	17.35
n38	40	30	2600	DFT	64QAM	Inner_Full	21.76	16.66	16.81
n38	40	30	2600	DFT	64QAM	Edge_1RB_Left	21.69	16.59	16.74
n38	40	30	2600	DFT	64QAM	Edge_1RB_Right	21.82	16.72	16.87
n38	40	30	2600	DFT	64QAM	Outer_Full	21.83	16.73	16.88



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2600	DFT	256QAM	Inner_Full	19.83	14.73	14.88
n38	40	30	2600	DFT	256QAM	Edge_1RB_Left	19.66	14.56	14.71
n38	40	30	2600	DFT	256QAM	Edge_1RB_Right	19.73	14.63	14.78
n38	40	30	2600	DFT	256QAM	Outer_Full	19.84	14.74	14.89
n38	40	30	2600	CP	QPSK	Inner_Full	22.76	17.66	17.81
n38	40	30	2600	CP	QPSK	Edge_1RB_Left	21.33	16.23	16.38
n38	40	30	2600	CP	QPSK	Edge_1RB_Right	21.43	16.33	16.48
n38	40	30	2600	CP	QPSK	Outer_Full	21.35	16.25	16.4
n38	40	30	2600	CP	16QAM	Inner_Full	22.44	17.34	17.49
n38	40	30	2600	CP	16QAM	Edge_1RB_Left	21.38	16.28	16.43
n38	40	30	2600	CP	16QAM	Edge_1RB_Right	21.55	16.45	16.6
n38	40	30	2600	CP	16QAM	Outer_Full	21.34	16.24	16.39
n38	40	30	2600	CP	64QAM	Inner_Full	20.91	15.81	15.96
n38	40	30	2600	CP	64QAM	Edge_1RB_Left	20.76	15.66	15.81
n38	40	30	2600	CP	64QAM	Edge_1RB_Right	20.82	15.72	15.87
n38	40	30	2600	CP	64QAM	Outer_Full	20.75	15.65	15.8
n38	40	30	2600	CP	256QAM	Inner_Full	17.82	12.72	12.87
n38	40	30	2600	CP	256QAM	Edge_1RB_Left	17.64	12.54	12.69
n38	40	30	2600	CP	256QAM	Edge_1RB_Right	17.68	12.58	12.73
n38	40	30	2600	CP	256QAM	Outer_Full	17.79	12.69	12.84



n41

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	27.03	22.03	22.08
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.89	18.89	18.94
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.81	18.81	18.86
n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	26.92	21.92	21.97
n41	10	30	2501.01	DFT	QPSK	Inner_Full	27.09	22.09	22.14
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	25.76	20.76	20.81
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	25.84	20.84	20.89
n41	10	30	2501.01	DFT	QPSK	Outer_Full	26.39	21.39	21.44
n41	10	30	2501.01	DFT	16QAM	Inner_Full	26.95	21.95	22
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	25.87	20.87	20.92
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	25.77	20.77	20.82
n41	10	30	2501.01	DFT	16QAM	Outer_Full	25.89	20.89	20.94
n41	10	30	2501.01	DFT	64QAM	Inner_Full	25.48	20.48	20.53
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	23.83	18.83	18.88
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	23.72	18.72	18.77
n41	10	30	2501.01	DFT	64QAM	Outer_Full	25.38	20.38	20.43
n41	10	30	2501.01	DFT	256QAM	Inner_Full	24.06	19.06	19.11
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	22.98	17.98	18.03
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	22.67	17.67	17.72
n41	10	30	2501.01	DFT	256QAM	Outer_Full	24	19	19.05
n41	10	30	2501.01	CP	QPSK	Inner_Full	26.39	21.39	21.44
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Left	24.98	19.98	20.03
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Right	24.89	19.89	19.94
n41	10	30	2501.01	CP	QPSK	Outer_Full	23.88	18.88	18.93
n41	10	30	2501.01	CP	16QAM	Inner_Full	25.45	20.45	20.5
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Left	25.35	20.35	20.4
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Right	25.35	20.35	20.4
n41	10	30	2501.01	CP	16QAM	Outer_Full	23.92	18.92	18.97



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	10	30	2501.01	CP	64QAM	Inner_Full	24.84	19.84	19.89
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Left	23.77	18.77	18.82
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Right	23.91	18.91	18.96
n41	10	30	2501.01	CP	64QAM	Outer_Full	23.94	18.94	18.99
n41	10	30	2501.01	CP	256QAM	Inner_Full	22.01	17.01	17.06
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Left	20.8	15.8	15.85
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Right	20.65	15.65	15.7
n41	10	30	2501.01	CP	256QAM	Outer_Full	21.9	16.9	16.95
n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.17	22.17	22.22
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.88	18.88	18.93
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.94	18.94	18.99
n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	27.03	22.03	22.08
n41	10	30	2592.99	DFT	QPSK	Inner_Full	27.25	22.25	22.3
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.8	20.8	20.85
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.86	20.86	20.91
n41	10	30	2592.99	DFT	QPSK	Outer_Full	26.44	21.44	21.49
n41	10	30	2592.99	DFT	16QAM	Inner_Full	27.05	22.05	22.1
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.99	20.99	21.04
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.1	21.1	21.15
n41	10	30	2592.99	DFT	16QAM	Outer_Full	25.87	20.87	20.92
n41	10	30	2592.99	DFT	64QAM	Inner_Full	25.47	20.47	20.52
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.83	18.83	18.88
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.84	18.84	18.89
n41	10	30	2592.99	DFT	64QAM	Outer_Full	25.41	20.41	20.46
n41	10	30	2592.99	DFT	256QAM	Inner_Full	24.05	19.05	19.1
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.85	17.85	17.9
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.7	17.7	17.75
n41	10	30	2592.99	DFT	256QAM	Outer_Full	23.92	18.92	18.97
n41	10	30	2592.99	CP	QPSK	Inner_Full	26.45	21.45	21.5
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Left	24.93	19.93	19.98



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Right	25.02	20.02	20.07
n41	10	30	2592.99	CP	QPSK	Outer_Full	23.91	18.91	18.96
n41	10	30	2592.99	CP	16QAM	Inner_Full	25.49	20.49	20.54
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Left	25.54	20.54	20.59
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Right	24.93	19.93	19.98
n41	10	30	2592.99	CP	16QAM	Outer_Full	24	19	19.05
n41	10	30	2592.99	CP	64QAM	Inner_Full	25.01	20.01	20.06
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Left	24.02	19.02	19.07
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Right	23.97	18.97	19.02
n41	10	30	2592.99	CP	64QAM	Outer_Full	24.01	19.01	19.06
n41	10	30	2592.99	CP	256QAM	Inner_Full	22.02	17.02	17.07
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Left	20.77	15.77	15.82
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Right	20.97	15.97	16.02
n41	10	30	2592.99	CP	256QAM	Outer_Full	21.88	16.88	16.93
n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	27.13	22.13	22.18
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	23.99	18.99	19.04
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	24.22	19.22	19.27
n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	27.15	22.15	22.2
n41	10	30	2685	DFT	QPSK	Inner_Full	27.18	22.18	22.23
n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	25.98	20.98	21.03
n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	26.12	21.12	21.17
n41	10	30	2685	DFT	QPSK	Outer_Full	26.59	21.59	21.64
n41	10	30	2685	DFT	16QAM	Inner_Full	27.12	22.12	22.17
n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	25.99	20.99	21.04
n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	26.07	21.07	21.12
n41	10	30	2685	DFT	16QAM	Outer_Full	26.16	21.16	21.21
n41	10	30	2685	DFT	64QAM	Inner_Full	25.64	20.64	20.69
n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	23.88	18.88	18.93
n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	24.05	19.05	19.1
n41	10	30	2685	DFT	64QAM	Outer_Full	25.63	20.63	20.68



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	10	30	2685	DFT	256QAM	Inner_Full	24.24	19.24	19.29
n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	22.84	17.84	17.89
n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	23.03	18.03	18.08
n41	10	30	2685	DFT	256QAM	Outer_Full	24.04	19.04	19.09
n41	10	30	2685	CP	QPSK	Inner_Full	26.7	21.7	21.75
n41	10	30	2685	CP	QPSK	Edge_1RB_Left	25.13	20.13	20.18
n41	10	30	2685	CP	QPSK	Edge_1RB_Right	25.26	20.26	20.31
n41	10	30	2685	CP	QPSK	Outer_Full	24.19	19.19	19.24
n41	10	30	2685	CP	16QAM	Inner_Full	25.58	20.58	20.63
n41	10	30	2685	CP	16QAM	Edge_1RB_Left	25.4	20.4	20.45
n41	10	30	2685	CP	16QAM	Edge_1RB_Right	25.79	20.79	20.84
n41	10	30	2685	CP	16QAM	Outer_Full	24.07	19.07	19.12
n41	10	30	2685	CP	64QAM	Inner_Full	25.03	20.03	20.08
n41	10	30	2685	CP	64QAM	Edge_1RB_Left	24.07	19.07	19.12
n41	10	30	2685	CP	64QAM	Edge_1RB_Right	24.17	19.17	19.22
n41	10	30	2685	CP	64QAM	Outer_Full	24.23	19.23	19.28
n41	10	30	2685	CP	256QAM	Inner_Full	22.17	17.17	17.22
n41	10	30	2685	CP	256QAM	Edge_1RB_Left	20.67	15.67	15.72
n41	10	30	2685	CP	256QAM	Edge_1RB_Right	20.91	15.91	15.96
n41	10	30	2685	CP	256QAM	Outer_Full	22.11	17.11	17.16
n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	27.04	22.04	22.09
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.83	18.83	18.88
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.89	18.89	18.94
n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	26.88	21.88	21.93
n41	15	30	2503.5	DFT	QPSK	Inner_Full	27.02	22.02	22.07
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	25.7	20.7	20.75
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	25.73	20.73	20.78
n41	15	30	2503.5	DFT	QPSK	Outer_Full	26.52	21.52	21.57
n41	15	30	2503.5	DFT	16QAM	Inner_Full	26.99	21.99	22.04
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	25.95	20.95	21



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	25.79	20.79	20.84
n41	15	30	2503.5	DFT	16QAM	Outer_Full	25.91	20.91	20.96
n41	15	30	2503.5	DFT	64QAM	Inner_Full	25.45	20.45	20.5
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	23.67	18.67	18.72
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	23.59	18.59	18.64
n41	15	30	2503.5	DFT	64QAM	Outer_Full	25.4	20.4	20.45
n41	15	30	2503.5	DFT	256QAM	Inner_Full	23.91	18.91	18.96
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	22.8	17.8	17.85
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	22.76	17.76	17.81
n41	15	30	2503.5	DFT	256QAM	Outer_Full	23.95	18.95	19
n41	15	30	2503.5	CP	QPSK	Inner_Full	26.38	21.38	21.43
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Left	24.87	19.87	19.92
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Right	24.9	19.9	19.95
n41	15	30	2503.5	CP	QPSK	Outer_Full	23.8	18.8	18.85
n41	15	30	2503.5	CP	16QAM	Inner_Full	25.26	20.26	20.31
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Left	25.71	20.71	20.76
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Right	25	20	20.05
n41	15	30	2503.5	CP	16QAM	Outer_Full	23.94	18.94	18.99
n41	15	30	2503.5	CP	64QAM	Inner_Full	25.02	20.02	20.07
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Left	23.89	18.89	18.94
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Right	23.92	18.92	18.97
n41	15	30	2503.5	CP	64QAM	Outer_Full	23.88	18.88	18.93
n41	15	30	2503.5	CP	256QAM	Inner_Full	21.91	16.91	16.96
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Left	20.71	15.71	15.76
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Right	20.68	15.68	15.73
n41	15	30	2503.5	CP	256QAM	Outer_Full	21.88	16.88	16.93
n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.09	22.09	22.14
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.94	18.94	18.99
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.89	18.89	18.94
n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.96	21.96	22.01



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	15	30	2592.99	DFT	QPSK	Inner_Full	27.24	22.24	22.29
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.88	20.88	20.93
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.92	20.92	20.97
n41	15	30	2592.99	DFT	QPSK	Outer_Full	26.57	21.57	21.62
n41	15	30	2592.99	DFT	16QAM	Inner_Full	26.98	21.98	22.03
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.89	20.89	20.94
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.04	21.04	21.09
n41	15	30	2592.99	DFT	16QAM	Outer_Full	25.94	20.94	20.99
n41	15	30	2592.99	DFT	64QAM	Inner_Full	25.51	20.51	20.56
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.77	18.77	18.82
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.92	18.92	18.97
n41	15	30	2592.99	DFT	64QAM	Outer_Full	25.48	20.48	20.53
n41	15	30	2592.99	DFT	256QAM	Inner_Full	24.03	19.03	19.08
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.72	17.72	17.77
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.83	17.83	17.88
n41	15	30	2592.99	DFT	256QAM	Outer_Full	23.92	18.92	18.97
n41	15	30	2592.99	CP	QPSK	Inner_Full	26.53	21.53	21.58
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Left	25.04	20.04	20.09
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Right	24.97	19.97	20.02
n41	15	30	2592.99	CP	QPSK	Outer_Full	23.9	18.9	18.95
n41	15	30	2592.99	CP	16QAM	Inner_Full	25.38	20.38	20.43
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Left	25.53	20.53	20.58
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Right	25.31	20.31	20.36
n41	15	30	2592.99	CP	16QAM	Outer_Full	23.99	18.99	19.04
n41	15	30	2592.99	CP	64QAM	Inner_Full	25.09	20.09	20.14
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Left	24.03	19.03	19.08
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Right	24.21	19.21	19.26
n41	15	30	2592.99	CP	64QAM	Outer_Full	23.97	18.97	19.02
n41	15	30	2592.99	CP	256QAM	Inner_Full	21.98	16.98	17.03
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Left	20.75	15.75	15.8



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Right	20.81	15.81	15.86
n41	15	30	2592.99	CP	256QAM	Outer_Full	21.84	16.84	16.89
n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	27.14	22.14	22.19
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	23.97	18.97	19.02
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	24.14	19.14	19.19
n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	27.01	22.01	22.06
n41	15	30	2682.48	DFT	QPSK	Inner_Full	27.09	22.09	22.14
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	25.88	20.88	20.93
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	26	21	21.05
n41	15	30	2682.48	DFT	QPSK	Outer_Full	26.67	21.67	21.72
n41	15	30	2682.48	DFT	16QAM	Inner_Full	27.06	22.06	22.11
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	26	21	21.05
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	26.02	21.02	21.07
n41	15	30	2682.48	DFT	16QAM	Outer_Full	26.1	21.1	21.15
n41	15	30	2682.48	DFT	64QAM	Inner_Full	25.56	20.56	20.61
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	23.87	18.87	18.92
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	23.94	18.94	18.99
n41	15	30	2682.48	DFT	64QAM	Outer_Full	25.61	20.61	20.66
n41	15	30	2682.48	DFT	256QAM	Inner_Full	24.13	19.13	19.18
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	22.96	17.96	18.01
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	22.98	17.98	18.03
n41	15	30	2682.48	DFT	256QAM	Outer_Full	24.1	19.1	19.15
n41	15	30	2682.48	CP	QPSK	Inner_Full	26.5	21.5	21.55
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Left	25.09	20.09	20.14
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Right	25.3	20.3	20.35
n41	15	30	2682.48	CP	QPSK	Outer_Full	24.01	19.01	19.06
n41	15	30	2682.48	CP	16QAM	Inner_Full	25.45	20.45	20.5
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Left	25.87	20.87	20.92
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Right	25.71	20.71	20.76
n41	15	30	2682.48	CP	16QAM	Outer_Full	24.04	19.04	19.09



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	15	30	2682.48	CP	64QAM	Inner_Full	25.19	20.19	20.24
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Left	24.12	19.12	19.17
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Right	24.09	19.09	19.14
n41	15	30	2682.48	CP	64QAM	Outer_Full	24.11	19.11	19.16
n41	15	30	2682.48	CP	256QAM	Inner_Full	22.11	17.11	17.16
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Left	20.85	15.85	15.9
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Right	21	16	16.05
n41	15	30	2682.48	CP	256QAM	Outer_Full	22.01	17.01	17.06
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	27.09	22.09	22.14
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.86	18.86	18.91
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.85	18.85	18.9
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	27	22	22.05
n41	20	30	2506.02	DFT	QPSK	Inner_Full	27.09	22.09	22.14
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	25.77	20.77	20.82
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	25.73	20.73	20.78
n41	20	30	2506.02	DFT	QPSK	Outer_Full	26.4	21.4	21.45
n41	20	30	2506.02	DFT	16QAM	Inner_Full	26.86	21.86	21.91
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	26.02	21.02	21.07
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	25.98	20.98	21.03
n41	20	30	2506.02	DFT	16QAM	Outer_Full	25.99	20.99	21.04
n41	20	30	2506.02	DFT	64QAM	Inner_Full	25.4	20.4	20.45
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	23.83	18.83	18.88
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	23.68	18.68	18.73
n41	20	30	2506.02	DFT	64QAM	Outer_Full	25.47	20.47	20.52
n41	20	30	2506.02	DFT	256QAM	Inner_Full	23.84	18.84	18.89
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	22.92	17.92	17.97
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	22.66	17.66	17.71
n41	20	30	2506.02	DFT	256QAM	Outer_Full	23.89	18.89	18.94
n41	20	30	2506.02	CP	QPSK	Inner_Full	26.46	21.46	21.51
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	24.95	19.95	20



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	24.86	19.86	19.91
n41	20	30	2506.02	CP	QPSK	Outer_Full	23.91	18.91	18.96
n41	20	30	2506.02	CP	16QAM	Inner_Full	25.42	20.42	20.47
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	25.32	20.32	20.37
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	25.4	20.4	20.45
n41	20	30	2506.02	CP	16QAM	Outer_Full	23.89	18.89	18.94
n41	20	30	2506.02	CP	64QAM	Inner_Full	24.91	19.91	19.96
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	23.83	18.83	18.88
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	23.93	18.93	18.98
n41	20	30	2506.02	CP	64QAM	Outer_Full	23.9	18.9	18.95
n41	20	30	2506.02	CP	256QAM	Inner_Full	21.89	16.89	16.94
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	21.03	16.03	16.08
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	20.8	15.8	15.85
n41	20	30	2506.02	CP	256QAM	Outer_Full	21.87	16.87	16.92
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.24	22.24	22.29
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.93	18.93	18.98
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.95	18.95	19
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.92	21.92	21.97
n41	20	30	2592.99	DFT	QPSK	Inner_Full	27.17	22.17	22.22
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.88	20.88	20.93
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.87	20.87	20.92
n41	20	30	2592.99	DFT	QPSK	Outer_Full	26.42	21.42	21.47
n41	20	30	2592.99	DFT	16QAM	Inner_Full	26.94	21.94	21.99
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	26.15	21.15	21.2
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.12	21.12	21.17
n41	20	30	2592.99	DFT	16QAM	Outer_Full	25.91	20.91	20.96
n41	20	30	2592.99	DFT	64QAM	Inner_Full	25.49	20.49	20.54
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.92	18.92	18.97
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.88	18.88	18.93
n41	20	30	2592.99	DFT	64QAM	Outer_Full	25.46	20.46	20.51



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2592.99	DFT	256QAM	Inner_Full	24.01	19.01	19.06
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.86	17.86	17.91
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.91	17.91	17.96
n41	20	30	2592.99	DFT	256QAM	Outer_Full	23.96	18.96	19.01
n41	20	30	2592.99	CP	QPSK	Inner_Full	26.56	21.56	21.61
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	25	20	20.05
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	25.05	20.05	20.1
n41	20	30	2592.99	CP	QPSK	Outer_Full	23.98	18.98	19.03
n41	20	30	2592.99	CP	16QAM	Inner_Full	25.46	20.46	20.51
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	25.55	20.55	20.6
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	25.68	20.68	20.73
n41	20	30	2592.99	CP	16QAM	Outer_Full	23.97	18.97	19.02
n41	20	30	2592.99	CP	64QAM	Inner_Full	24.96	19.96	20.01
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	23.94	18.94	18.99
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	23.97	18.97	19.02
n41	20	30	2592.99	CP	64QAM	Outer_Full	24	19	19.05
n41	20	30	2592.99	CP	256QAM	Inner_Full	21.95	16.95	17
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	20.84	15.84	15.89
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	21.06	16.06	16.11
n41	20	30	2592.99	CP	256QAM	Outer_Full	21.88	16.88	16.93
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	27.23	22.23	22.28
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.94	18.94	18.99
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.21	19.21	19.26
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	27	22	22.05
n41	20	30	2679.99	DFT	QPSK	Inner_Full	27.24	22.24	22.29
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	25.85	20.85	20.9
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	26.02	21.02	21.07
n41	20	30	2679.99	DFT	QPSK	Outer_Full	26.65	21.65	21.7
n41	20	30	2679.99	DFT	16QAM	Inner_Full	27	22	22.05
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	26.02	21.02	21.07



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	26.35	21.35	21.4
n41	20	30	2679.99	DFT	16QAM	Outer_Full	26.03	21.03	21.08
n41	20	30	2679.99	DFT	64QAM	Inner_Full	25.65	20.65	20.7
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	23.85	18.85	18.9
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	24.03	19.03	19.08
n41	20	30	2679.99	DFT	64QAM	Outer_Full	25.52	20.52	20.57
n41	20	30	2679.99	DFT	256QAM	Inner_Full	24.1	19.1	19.15
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	22.89	17.89	17.94
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	23.1	18.1	18.15
n41	20	30	2679.99	DFT	256QAM	Outer_Full	24.15	19.15	19.2
n41	20	30	2679.99	CP	QPSK	Inner_Full	26.65	21.65	21.7
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	25.03	20.03	20.08
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	25.29	20.29	20.34
n41	20	30	2679.99	CP	QPSK	Outer_Full	24.05	19.05	19.1
n41	20	30	2679.99	CP	16QAM	Inner_Full	25.58	20.58	20.63
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	25.55	20.55	20.6
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	25.42	20.42	20.47
n41	20	30	2679.99	CP	16QAM	Outer_Full	24.02	19.02	19.07
n41	20	30	2679.99	CP	64QAM	Inner_Full	25.11	20.11	20.16
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	24.04	19.04	19.09
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	24.61	19.61	19.66
n41	20	30	2679.99	CP	64QAM	Outer_Full	24.1	19.1	19.15
n41	20	30	2679.99	CP	256QAM	Inner_Full	22.07	17.07	17.12
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	20.9	15.9	15.95
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	21.14	16.14	16.19
n41	20	30	2679.99	CP	256QAM	Outer_Full	22.03	17.03	17.08
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	27.25	22.25	22.3
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	23.89	18.89	18.94
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	23.74	18.74	18.79
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	26.68	21.68	21.73



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2511	DFT	QPSK	Inner_Full	27.24	22.24	22.29
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	25.68	20.68	20.73
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	25.56	20.56	20.61
n41	30	30	2511	DFT	QPSK	Outer_Full	26.21	21.21	21.26
n41	30	30	2511	DFT	16QAM	Inner_Full	26.7	21.7	21.75
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	25.94	20.94	20.99
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	25.74	20.74	20.79
n41	30	30	2511	DFT	16QAM	Outer_Full	25.69	20.69	20.74
n41	30	30	2511	DFT	64QAM	Inner_Full	25.16	20.16	20.21
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	23.66	18.66	18.71
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	23.55	18.55	18.6
n41	30	30	2511	DFT	64QAM	Outer_Full	25.25	20.25	20.3
n41	30	30	2511	DFT	256QAM	Inner_Full	23.74	18.74	18.79
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	22.75	17.75	17.8
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	22.49	17.49	17.54
n41	30	30	2511	DFT	256QAM	Outer_Full	23.78	18.78	18.83
n41	30	30	2511	CP	QPSK	Inner_Full	26.31	21.31	21.36
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	25.12	20.12	20.17
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	24.72	19.72	19.77
n41	30	30	2511	CP	QPSK	Outer_Full	23.72	18.72	18.77
n41	30	30	2511	CP	16QAM	Inner_Full	25.27	20.27	20.32
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	24.81	19.81	19.86
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	25.24	20.24	20.29
n41	30	30	2511	CP	16QAM	Outer_Full	23.86	18.86	18.91
n41	30	30	2511	CP	64QAM	Inner_Full	24.65	19.65	19.7
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	23.77	18.77	18.82
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	23.75	18.75	18.8
n41	30	30	2511	CP	64QAM	Outer_Full	23.73	18.73	18.78
n41	30	30	2511	CP	256QAM	Inner_Full	21.67	16.67	16.72
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	20.88	15.88	15.93



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	20.76	15.76	15.81
n41	30	30	2511	CP	256QAM	Outer_Full	21.71	16.71	16.76
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.4	22.4	22.45
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.9	18.9	18.95
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.89	18.89	18.94
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.89	21.89	21.94
n41	30	30	2592.99	DFT	QPSK	Inner_Full	27.36	22.36	22.41
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.82	20.82	20.87
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.79	20.79	20.84
n41	30	30	2592.99	DFT	QPSK	Outer_Full	26.36	21.36	21.41
n41	30	30	2592.99	DFT	16QAM	Inner_Full	26.91	21.91	21.96
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.78	20.78	20.83
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	25.97	20.97	21.02
n41	30	30	2592.99	DFT	16QAM	Outer_Full	25.78	20.78	20.83
n41	30	30	2592.99	DFT	64QAM	Inner_Full	25.32	20.32	20.37
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.72	18.72	18.77
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.83	18.83	18.88
n41	30	30	2592.99	DFT	64QAM	Outer_Full	25.3	20.3	20.35
n41	30	30	2592.99	DFT	256QAM	Inner_Full	23.92	18.92	18.97
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.89	17.89	17.94
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.86	17.86	17.91
n41	30	30	2592.99	DFT	256QAM	Outer_Full	23.88	18.88	18.93
n41	30	30	2592.99	CP	QPSK	Inner_Full	26.34	21.34	21.39
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	24.89	19.89	19.94
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	24.98	19.98	20.03
n41	30	30	2592.99	CP	QPSK	Outer_Full	23.86	18.86	18.91
n41	30	30	2592.99	CP	16QAM	Inner_Full	25.39	20.39	20.44
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	24.98	19.98	20.03
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	25.42	20.42	20.47
n41	30	30	2592.99	CP	16QAM	Outer_Full	23.88	18.88	18.93



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2592.99	CP	64QAM	Inner_Full	24.88	19.88	19.93
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	23.85	18.85	18.9
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	23.95	18.95	19
n41	30	30	2592.99	CP	64QAM	Outer_Full	23.84	18.84	18.89
n41	30	30	2592.99	CP	256QAM	Inner_Full	21.85	16.85	16.9
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	20.71	15.71	15.76
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	21.05	16.05	16.1
n41	30	30	2592.99	CP	256QAM	Outer_Full	21.86	16.86	16.91
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	27.42	22.42	22.47
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.69	18.69	18.74
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	24.02	19.02	19.07
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	26.89	21.89	21.94
n41	30	30	2674.98	DFT	QPSK	Inner_Full	27.38	22.38	22.43
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	25.62	20.62	20.67
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	25.86	20.86	20.91
n41	30	30	2674.98	DFT	QPSK	Outer_Full	26.35	21.35	21.4
n41	30	30	2674.98	DFT	16QAM	Inner_Full	26.98	21.98	22.03
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	25.8	20.8	20.85
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	26.09	21.09	21.14
n41	30	30	2674.98	DFT	16QAM	Outer_Full	25.82	20.82	20.87
n41	30	30	2674.98	DFT	64QAM	Inner_Full	25.47	20.47	20.52
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	23.64	18.64	18.69
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	23.9	18.9	18.95
n41	30	30	2674.98	DFT	64QAM	Outer_Full	25.33	20.33	20.38
n41	30	30	2674.98	DFT	256QAM	Inner_Full	23.9	18.9	18.95
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	22.42	17.42	17.47
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	22.84	17.84	17.89
n41	30	30	2674.98	DFT	256QAM	Outer_Full	23.86	18.86	18.91
n41	30	30	2674.98	CP	QPSK	Inner_Full	26.34	21.34	21.39
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	24.8	19.8	19.85



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	25.19	20.19	20.24
n41	30	30	2674.98	CP	QPSK	Outer_Full	23.78	18.78	18.83
n41	30	30	2674.98	CP	16QAM	Inner_Full	25.36	20.36	20.41
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	25.23	20.23	20.28
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	25.94	20.94	20.99
n41	30	30	2674.98	CP	16QAM	Outer_Full	23.8	18.8	18.85
n41	30	30	2674.98	CP	64QAM	Inner_Full	24.86	19.86	19.91
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	23.86	18.86	18.91
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	24.09	19.09	19.14
n41	30	30	2674.98	CP	64QAM	Outer_Full	23.84	18.84	18.89
n41	30	30	2674.98	CP	256QAM	Inner_Full	21.92	16.92	16.97
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	20.59	15.59	15.64
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	20.89	15.89	15.94
n41	30	30	2674.98	CP	256QAM	Outer_Full	21.8	16.8	16.85
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	27.25	22.25	22.3
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.79	18.79	18.84
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.71	18.71	18.76
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	26.63	21.63	21.68
n41	40	30	2516.01	DFT	QPSK	Inner_Full	27.24	22.24	22.29
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	25.67	20.67	20.72
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	25.71	20.71	20.76
n41	40	30	2516.01	DFT	QPSK	Outer_Full	26.18	21.18	21.23
n41	40	30	2516.01	DFT	16QAM	Inner_Full	26.67	21.67	21.72
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	25.79	20.79	20.84
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	25.78	20.78	20.83
n41	40	30	2516.01	DFT	16QAM	Outer_Full	25.64	20.64	20.69
n41	40	30	2516.01	DFT	64QAM	Inner_Full	25.19	20.19	20.24
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	23.62	18.62	18.67
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	23.57	18.57	18.62
n41	40	30	2516.01	DFT	64QAM	Outer_Full	25.23	20.23	20.28



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2516.01	DFT	256QAM	Inner_Full	23.73	18.73	18.78
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	22.79	17.79	17.84
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	22.75	17.75	17.8
n41	40	30	2516.01	DFT	256QAM	Outer_Full	23.7	18.7	18.75
n41	40	30	2516.01	CP	QPSK	Inner_Full	26.14	21.14	21.19
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	24.85	19.85	19.9
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	24.91	19.91	19.96
n41	40	30	2516.01	CP	QPSK	Outer_Full	23.67	18.67	18.72
n41	40	30	2516.01	CP	16QAM	Inner_Full	25.3	20.3	20.35
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	25.65	20.65	20.7
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	24.85	19.85	19.9
n41	40	30	2516.01	CP	16QAM	Outer_Full	23.71	18.71	18.76
n41	40	30	2516.01	CP	64QAM	Inner_Full	24.65	19.65	19.7
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	23.79	18.79	18.84
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	23.87	18.87	18.92
n41	40	30	2516.01	CP	64QAM	Outer_Full	23.78	18.78	18.83
n41	40	30	2516.01	CP	256QAM	Inner_Full	21.72	16.72	16.77
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	20.64	15.64	15.69
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	20.6	15.6	15.65
n41	40	30	2516.01	CP	256QAM	Outer_Full	21.75	16.75	16.8
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.43	22.43	22.48
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.79	18.79	18.84
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.92	18.92	18.97
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.92	21.92	21.97
n41	40	30	2592.99	DFT	QPSK	Inner_Full	27.37	22.37	22.42
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.73	20.73	20.78
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.93	20.93	20.98
n41	40	30	2592.99	DFT	QPSK	Outer_Full	26.35	21.35	21.4
n41	40	30	2592.99	DFT	16QAM	Inner_Full	26.84	21.84	21.89
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.85	20.85	20.9



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	25.99	20.99	21.04
n41	40	30	2592.99	DFT	16QAM	Outer_Full	25.87	20.87	20.92
n41	40	30	2592.99	DFT	64QAM	Inner_Full	25.32	20.32	20.37
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.76	18.76	18.81
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.86	18.86	18.91
n41	40	30	2592.99	DFT	64QAM	Outer_Full	25.36	20.36	20.41
n41	40	30	2592.99	DFT	256QAM	Inner_Full	23.85	18.85	18.9
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.73	17.73	17.78
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.81	17.81	17.86
n41	40	30	2592.99	DFT	256QAM	Outer_Full	23.87	18.87	18.92
n41	40	30	2592.99	CP	QPSK	Inner_Full	26.26	21.26	21.31
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	24.85	19.85	19.9
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	24.94	19.94	19.99
n41	40	30	2592.99	CP	QPSK	Outer_Full	23.89	18.89	18.94
n41	40	30	2592.99	CP	16QAM	Inner_Full	25.46	20.46	20.51
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	25.36	20.36	20.41
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	25.36	20.36	20.41
n41	40	30	2592.99	CP	16QAM	Outer_Full	23.83	18.83	18.88
n41	40	30	2592.99	CP	64QAM	Inner_Full	24.82	19.82	19.87
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	23.97	18.97	19.02
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	24.13	19.13	19.18
n41	40	30	2592.99	CP	64QAM	Outer_Full	23.76	18.76	18.81
n41	40	30	2592.99	CP	256QAM	Inner_Full	21.84	16.84	16.89
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	20.62	15.62	15.67
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	20.75	15.75	15.8
n41	40	30	2592.99	CP	256QAM	Outer_Full	21.83	16.83	16.88
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	27.45	22.45	22.5
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	23.74	18.74	18.79
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	24.15	19.15	19.2
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	26.9	21.9	21.95



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2670	DFT	QPSK	Inner_Full	27.43	22.43	22.48
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	25.63	20.63	20.68
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	26.01	21.01	21.06
n41	40	30	2670	DFT	QPSK	Outer_Full	26.43	21.43	21.48
n41	40	30	2670	DFT	16QAM	Inner_Full	26.97	21.97	22.02
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	25.72	20.72	20.77
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	26.16	21.16	21.21
n41	40	30	2670	DFT	16QAM	Outer_Full	25.83	20.83	20.88
n41	40	30	2670	DFT	64QAM	Inner_Full	25.42	20.42	20.47
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	23.48	18.48	18.53
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	24.01	19.01	19.06
n41	40	30	2670	DFT	64QAM	Outer_Full	25.38	20.38	20.43
n41	40	30	2670	DFT	256QAM	Inner_Full	23.95	18.95	19
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	22.71	17.71	17.76
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	23.02	18.02	18.07
n41	40	30	2670	DFT	256QAM	Outer_Full	23.91	18.91	18.96
n41	40	30	2670	CP	QPSK	Inner_Full	26.41	21.41	21.46
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	24.82	19.82	19.87
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	25.13	20.13	20.18
n41	40	30	2670	CP	QPSK	Outer_Full	23.77	18.77	18.82
n41	40	30	2670	CP	16QAM	Inner_Full	25.42	20.42	20.47
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	25.26	20.26	20.31
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	25.24	20.24	20.29
n41	40	30	2670	CP	16QAM	Outer_Full	23.84	18.84	18.89
n41	40	30	2670	CP	64QAM	Inner_Full	24.89	19.89	19.94
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	23.89	18.89	18.94
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	24.09	19.09	19.14
n41	40	30	2670	CP	64QAM	Outer_Full	23.75	18.75	18.8
n41	40	30	2670	CP	256QAM	Inner_Full	21.89	16.89	16.94
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	20.51	15.51	15.56



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	20.81	15.81	15.86
n41	40	30	2670	CP	256QAM	Outer_Full	21.81	16.81	16.86
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	27.31	22.31	22.36
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.83	18.83	18.88
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.75	18.75	18.8
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	26.71	21.71	21.76
n41	50	30	2521.02	DFT	QPSK	Inner_Full	27.23	22.23	22.28
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	25.73	20.73	20.78
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	25.6	20.6	20.65
n41	50	30	2521.02	DFT	QPSK	Outer_Full	26.16	21.16	21.21
n41	50	30	2521.02	DFT	16QAM	Inner_Full	26.78	21.78	21.83
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	25.63	20.63	20.68
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	25.82	20.82	20.87
n41	50	30	2521.02	DFT	16QAM	Outer_Full	25.58	20.58	20.63
n41	50	30	2521.02	DFT	64QAM	Inner_Full	25.2	20.2	20.25
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	23.6	18.6	18.65
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	23.58	18.58	18.63
n41	50	30	2521.02	DFT	64QAM	Outer_Full	25.21	20.21	20.26
n41	50	30	2521.02	DFT	256QAM	Inner_Full	23.71	18.71	18.76
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	22.74	17.74	17.79
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	22.6	17.6	17.65
n41	50	30	2521.02	DFT	256QAM	Outer_Full	23.66	18.66	18.71
n41	50	30	2521.02	CP	QPSK	Inner_Full	26.27	21.27	21.32
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	25.13	20.13	20.18
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	24.79	19.79	19.84
n41	50	30	2521.02	CP	QPSK	Outer_Full	23.64	18.64	18.69
n41	50	30	2521.02	CP	16QAM	Inner_Full	25.23	20.23	20.28
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	24.94	19.94	19.99
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	25.29	20.29	20.34
n41	50	30	2521.02	CP	16QAM	Outer_Full	23.63	18.63	18.68



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2521.02	CP	64QAM	Inner_Full	24.76	19.76	19.81
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	23.67	18.67	18.72
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	23.77	18.77	18.82
n41	50	30	2521.02	CP	64QAM	Outer_Full	23.71	18.71	18.76
n41	50	30	2521.02	CP	256QAM	Inner_Full	21.78	16.78	16.83
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	20.85	15.85	15.9
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	20.63	15.63	15.68
n41	50	30	2521.02	CP	256QAM	Outer_Full	21.68	16.68	16.73
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.46	22.46	22.51
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.84	18.84	18.89
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.91	18.91	18.96
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.88	21.88	21.93
n41	50	30	2592.99	DFT	QPSK	Inner_Full	27.37	22.37	22.42
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.69	20.69	20.74
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.81	20.81	20.86
n41	50	30	2592.99	DFT	QPSK	Outer_Full	26.38	21.38	21.43
n41	50	30	2592.99	DFT	16QAM	Inner_Full	26.85	21.85	21.9
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.95	20.95	21
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	25.95	20.95	21
n41	50	30	2592.99	DFT	16QAM	Outer_Full	25.82	20.82	20.87
n41	50	30	2592.99	DFT	64QAM	Inner_Full	25.35	20.35	20.4
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.64	18.64	18.69
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.95	18.95	19
n41	50	30	2592.99	DFT	64QAM	Outer_Full	25.24	20.24	20.29
n41	50	30	2592.99	DFT	256QAM	Inner_Full	23.92	18.92	18.97
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.73	17.73	17.78
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	23	18	18.05
n41	50	30	2592.99	DFT	256QAM	Outer_Full	23.84	18.84	18.89
n41	50	30	2592.99	CP	QPSK	Inner_Full	26.42	21.42	21.47
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	24.85	19.85	19.9



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	24.96	19.96	20.01
n41	50	30	2592.99	CP	QPSK	Outer_Full	23.79	18.79	18.84
n41	50	30	2592.99	CP	16QAM	Inner_Full	25.4	20.4	20.45
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	24.85	19.85	19.9
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	25.11	20.11	20.16
n41	50	30	2592.99	CP	16QAM	Outer_Full	23.81	18.81	18.86
n41	50	30	2592.99	CP	64QAM	Inner_Full	24.92	19.92	19.97
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	23.8	18.8	18.85
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	23.92	18.92	18.97
n41	50	30	2592.99	CP	64QAM	Outer_Full	23.81	18.81	18.86
n41	50	30	2592.99	CP	256QAM	Inner_Full	21.87	16.87	16.92
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	20.88	15.88	15.93
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	20.87	15.87	15.92
n41	50	30	2592.99	CP	256QAM	Outer_Full	21.75	16.75	16.8
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	27.34	22.34	22.39
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.72	18.72	18.77
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.09	19.09	19.14
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	26.83	21.83	21.88
n41	50	30	2664.99	DFT	QPSK	Inner_Full	27.37	22.37	22.42
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	25.69	20.69	20.74
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	26.01	21.01	21.06
n41	50	30	2664.99	DFT	QPSK	Outer_Full	26.28	21.28	21.33
n41	50	30	2664.99	DFT	16QAM	Inner_Full	26.87	21.87	21.92
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	25.8	20.8	20.85
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	26.15	21.15	21.2
n41	50	30	2664.99	DFT	16QAM	Outer_Full	25.74	20.74	20.79
n41	50	30	2664.99	DFT	64QAM	Inner_Full	25.32	20.32	20.37
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	23.84	18.84	18.89
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	23.91	18.91	18.96
n41	50	30	2664.99	DFT	64QAM	Outer_Full	25.31	20.31	20.36



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2664.99	DFT	256QAM	Inner_Full	23.91	18.91	18.96
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	22.79	17.79	17.84
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	23	18	18.05
n41	50	30	2664.99	DFT	256QAM	Outer_Full	23.8	18.8	18.85
n41	50	30	2664.99	CP	QPSK	Inner_Full	26.41	21.41	21.46
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	24.75	19.75	19.8
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	25.03	20.03	20.08
n41	50	30	2664.99	CP	QPSK	Outer_Full	23.81	18.81	18.86
n41	50	30	2664.99	CP	16QAM	Inner_Full	25.47	20.47	20.52
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	25.03	20.03	20.08
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	26.02	21.02	21.07
n41	50	30	2664.99	CP	16QAM	Outer_Full	23.76	18.76	18.81
n41	50	30	2664.99	CP	64QAM	Inner_Full	24.88	19.88	19.93
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	23.75	18.75	18.8
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	24	19	19.05
n41	50	30	2664.99	CP	64QAM	Outer_Full	23.73	18.73	18.78
n41	50	30	2664.99	CP	256QAM	Inner_Full	21.83	16.83	16.88
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	20.63	15.63	15.68
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	21	16	16.05
n41	50	30	2664.99	CP	256QAM	Outer_Full	21.71	16.71	16.76
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	27.26	22.26	22.31
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	23.78	18.78	18.83
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	23.69	18.69	18.74
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	26.69	21.69	21.74
n41	60	30	2526	DFT	QPSK	Inner_Full	27.35	22.35	22.4
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	25.64	20.64	20.69
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	25.65	20.65	20.7
n41	60	30	2526	DFT	QPSK	Outer_Full	26.14	21.14	21.19
n41	60	30	2526	DFT	16QAM	Inner_Full	26.76	21.76	21.81
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	25.76	20.76	20.81



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	25.79	20.79	20.84
n41	60	30	2526	DFT	16QAM	Outer_Full	25.63	20.63	20.68
n41	60	30	2526	DFT	64QAM	Inner_Full	25.19	20.19	20.24
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	23.64	18.64	18.69
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	23.78	18.78	18.83
n41	60	30	2526	DFT	64QAM	Outer_Full	25.09	20.09	20.14
n41	60	30	2526	DFT	256QAM	Inner_Full	23.84	18.84	18.89
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	22.72	17.72	17.77
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	22.79	17.79	17.84
n41	60	30	2526	DFT	256QAM	Outer_Full	23.55	18.55	18.6
n41	60	30	2526	CP	QPSK	Inner_Full	26.24	21.24	21.29
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	24.9	19.9	19.95
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	24.67	19.67	19.72
n41	60	30	2526	CP	QPSK	Outer_Full	23.57	18.57	18.62
n41	60	30	2526	CP	16QAM	Inner_Full	25.26	20.26	20.31
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	25.48	20.48	20.53
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	25.38	20.38	20.43
n41	60	30	2526	CP	16QAM	Outer_Full	23.53	18.53	18.58
n41	60	30	2526	CP	64QAM	Inner_Full	24.72	19.72	19.77
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	23.62	18.62	18.67
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	23.7	18.7	18.75
n41	60	30	2526	CP	64QAM	Outer_Full	23.56	18.56	18.61
n41	60	30	2526	CP	256QAM	Inner_Full	21.74	16.74	16.79
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	20.65	15.65	15.7
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	20.71	15.71	15.76
n41	60	30	2526	CP	256QAM	Outer_Full	21.57	16.57	16.62
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.35	22.35	22.4
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.81	18.81	18.86
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.94	18.94	18.99
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.83	21.83	21.88



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2592.99	DFT	QPSK	Inner_Full	27.41	22.41	22.46
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.71	20.71	20.76
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.86	20.86	20.91
n41	60	30	2592.99	DFT	QPSK	Outer_Full	26.24	21.24	21.29
n41	60	30	2592.99	DFT	16QAM	Inner_Full	26.91	21.91	21.96
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.97	20.97	21.02
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	25.91	20.91	20.96
n41	60	30	2592.99	DFT	16QAM	Outer_Full	25.75	20.75	20.8
n41	60	30	2592.99	DFT	64QAM	Inner_Full	25.35	20.35	20.4
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.7	18.7	18.75
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.86	18.86	18.91
n41	60	30	2592.99	DFT	64QAM	Outer_Full	25.31	20.31	20.36
n41	60	30	2592.99	DFT	256QAM	Inner_Full	23.92	18.92	18.97
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.81	17.81	17.86
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.83	17.83	17.88
n41	60	30	2592.99	DFT	256QAM	Outer_Full	23.78	18.78	18.83
n41	60	30	2592.99	CP	QPSK	Inner_Full	26.43	21.43	21.48
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	24.82	19.82	19.87
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	24.92	19.92	19.97
n41	60	30	2592.99	CP	QPSK	Outer_Full	23.76	18.76	18.81
n41	60	30	2592.99	CP	16QAM	Inner_Full	25.39	20.39	20.44
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	25.13	20.13	20.18
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	25.26	20.26	20.31
n41	60	30	2592.99	CP	16QAM	Outer_Full	23.72	18.72	18.77
n41	60	30	2592.99	CP	64QAM	Inner_Full	24.77	19.77	19.82
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	23.86	18.86	18.91
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	24.01	19.01	19.06
n41	60	30	2592.99	CP	64QAM	Outer_Full	23.71	18.71	18.76
n41	60	30	2592.99	CP	256QAM	Inner_Full	21.85	16.85	16.9
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	20.72	15.72	15.77



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	20.77	15.77	15.82
n41	60	30	2592.99	CP	256QAM	Outer_Full	21.67	16.67	16.72
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	27.34	22.34	22.39
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.73	18.73	18.78
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	24.06	19.06	19.11
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	26.71	21.71	21.76
n41	60	30	2659.98	DFT	QPSK	Inner_Full	27.41	22.41	22.46
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	25.59	20.59	20.64
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	25.99	20.99	21.04
n41	60	30	2659.98	DFT	QPSK	Outer_Full	26.2	21.2	21.25
n41	60	30	2659.98	DFT	16QAM	Inner_Full	26.89	21.89	21.94
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	25.68	20.68	20.73
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	26.14	21.14	21.19
n41	60	30	2659.98	DFT	16QAM	Outer_Full	25.74	20.74	20.79
n41	60	30	2659.98	DFT	64QAM	Inner_Full	25.39	20.39	20.44
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	23.57	18.57	18.62
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	23.91	18.91	18.96
n41	60	30	2659.98	DFT	64QAM	Outer_Full	25.19	20.19	20.24
n41	60	30	2659.98	DFT	256QAM	Inner_Full	23.91	18.91	18.96
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	22.69	17.69	17.74
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	23.01	18.01	18.06
n41	60	30	2659.98	DFT	256QAM	Outer_Full	23.71	18.71	18.76
n41	60	30	2659.98	CP	QPSK	Inner_Full	26.39	21.39	21.44
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	24.78	19.78	19.83
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	25.21	20.21	20.26
n41	60	30	2659.98	CP	QPSK	Outer_Full	23.72	18.72	18.77
n41	60	30	2659.98	CP	16QAM	Inner_Full	25.38	20.38	20.43
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	25.34	20.34	20.39
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	25.58	20.58	20.63
n41	60	30	2659.98	CP	16QAM	Outer_Full	23.65	18.65	18.7



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2659.98	CP	64QAM	Inner_Full	24.85	19.85	19.9
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	23.91	18.91	18.96
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	24.1	19.1	19.15
n41	60	30	2659.98	CP	64QAM	Outer_Full	23.64	18.64	18.69
n41	60	30	2659.98	CP	256QAM	Inner_Full	21.92	16.92	16.97
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	20.57	15.57	15.62
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	20.9	15.9	15.95
n41	60	30	2659.98	CP	256QAM	Outer_Full	21.64	16.64	16.69
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	27.17	22.17	22.22
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.91	18.91	18.96
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	23.74	18.74	18.79
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	26.85	21.85	21.9
n41	80	30	2536.02	DFT	QPSK	Inner_Full	27.24	22.24	22.29
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	25.76	20.76	20.81
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	25.78	20.78	20.83
n41	80	30	2536.02	DFT	QPSK	Outer_Full	26.38	21.38	21.43
n41	80	30	2536.02	DFT	16QAM	Inner_Full	26.87	21.87	21.92
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	25.95	20.95	21
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	25.97	20.97	21.02
n41	80	30	2536.02	DFT	16QAM	Outer_Full	25.86	20.86	20.91
n41	80	30	2536.02	DFT	64QAM	Inner_Full	25.36	20.36	20.41
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	23.66	18.66	18.71
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	23.76	18.76	18.81
n41	80	30	2536.02	DFT	64QAM	Outer_Full	25.31	20.31	20.36
n41	80	30	2536.02	DFT	256QAM	Inner_Full	23.85	18.85	18.9
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	22.79	17.79	17.84
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	22.71	17.71	17.76
n41	80	30	2536.02	DFT	256QAM	Outer_Full	23.79	18.79	18.84
n41	80	30	2536.02	CP	QPSK	Inner_Full	26.36	21.36	21.41
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	25.21	20.21	20.26



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	24.83	19.83	19.88
n41	80	30	2536.02	CP	QPSK	Outer_Full	23.78	18.78	18.83
n41	80	30	2536.02	CP	16QAM	Inner_Full	25.35	20.35	20.4
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	25.84	20.84	20.89
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	25.22	20.22	20.27
n41	80	30	2536.02	CP	16QAM	Outer_Full	23.81	18.81	18.86
n41	80	30	2536.02	CP	64QAM	Inner_Full	24.79	19.79	19.84
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	23.78	18.78	18.83
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	23.96	18.96	19.01
n41	80	30	2536.02	CP	64QAM	Outer_Full	23.79	18.79	18.84
n41	80	30	2536.02	CP	256QAM	Inner_Full	21.84	16.84	16.89
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	20.78	15.78	15.83
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	20.64	15.64	15.69
n41	80	30	2536.02	CP	256QAM	Outer_Full	21.74	16.74	16.79
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.18	22.18	22.23
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.76	18.76	18.81
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.04	19.04	19.09
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.94	21.94	21.99
n41	80	30	2592.99	DFT	QPSK	Inner_Full	27.25	22.25	22.3
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.72	20.72	20.77
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.93	20.93	20.98
n41	80	30	2592.99	DFT	QPSK	Outer_Full	26.39	21.39	21.44
n41	80	30	2592.99	DFT	16QAM	Inner_Full	26.97	21.97	22.02
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.9	20.9	20.95
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.1	21.1	21.15
n41	80	30	2592.99	DFT	16QAM	Outer_Full	25.9	20.9	20.95
n41	80	30	2592.99	DFT	64QAM	Inner_Full	25.45	20.45	20.5
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.63	18.63	18.68
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.91	18.91	18.96
n41	80	30	2592.99	DFT	64QAM	Outer_Full	25.44	20.44	20.49



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2592.99	DFT	256QAM	Inner_Full	23.92	18.92	18.97
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.57	17.57	17.62
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.96	17.96	18.01
n41	80	30	2592.99	DFT	256QAM	Outer_Full	23.95	18.95	19
n41	80	30	2592.99	CP	QPSK	Inner_Full	26.58	21.58	21.63
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	24.82	19.82	19.87
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	25.06	20.06	20.11
n41	80	30	2592.99	CP	QPSK	Outer_Full	23.92	18.92	18.97
n41	80	30	2592.99	CP	16QAM	Inner_Full	25.46	20.46	20.51
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	24.73	19.73	19.78
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	25.28	20.28	20.33
n41	80	30	2592.99	CP	16QAM	Outer_Full	23.85	18.85	18.9
n41	80	30	2592.99	CP	64QAM	Inner_Full	24.92	19.92	19.97
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	23.9	18.9	18.95
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	24.04	19.04	19.09
n41	80	30	2592.99	CP	64QAM	Outer_Full	23.94	18.94	18.99
n41	80	30	2592.99	CP	256QAM	Inner_Full	21.97	16.97	17.02
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	20.64	15.64	15.69
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	20.85	15.85	15.9
n41	80	30	2592.99	CP	256QAM	Outer_Full	21.88	16.88	16.93
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	27.19	22.19	22.24
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.68	18.68	18.73
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.22	19.22	19.27
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	27.06	22.06	22.11
n41	80	30	2649.99	DFT	QPSK	Inner_Full	27.33	22.33	22.38
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	25.57	20.57	20.62
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	26.04	21.04	21.09
n41	80	30	2649.99	DFT	QPSK	Outer_Full	26.45	21.45	21.5
n41	80	30	2649.99	DFT	16QAM	Inner_Full	27.1	22.1	22.15
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	25.77	20.77	20.82



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	26.1	21.1	21.15
n41	80	30	2649.99	DFT	16QAM	Outer_Full	26.02	21.02	21.07
n41	80	30	2649.99	DFT	64QAM	Inner_Full	25.59	20.59	20.64
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	23.57	18.57	18.62
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	24.1	19.1	19.15
n41	80	30	2649.99	DFT	64QAM	Outer_Full	25.42	20.42	20.47
n41	80	30	2649.99	DFT	256QAM	Inner_Full	24.05	19.05	19.1
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	22.62	17.62	17.67
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	22.91	17.91	17.96
n41	80	30	2649.99	DFT	256QAM	Outer_Full	23.96	18.96	19.01
n41	80	30	2649.99	CP	QPSK	Inner_Full	26.6	21.6	21.65
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	24.84	19.84	19.89
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	25.21	20.21	20.26
n41	80	30	2649.99	CP	QPSK	Outer_Full	23.99	18.99	19.04
n41	80	30	2649.99	CP	16QAM	Inner_Full	25.5	20.5	20.55
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	25.01	20.01	20.06
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	25.79	20.79	20.84
n41	80	30	2649.99	CP	16QAM	Outer_Full	23.95	18.95	19
n41	80	30	2649.99	CP	64QAM	Inner_Full	24.97	19.97	20.02
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	23.9	18.9	18.95
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	24.14	19.14	19.19
n41	80	30	2649.99	CP	64QAM	Outer_Full	23.89	18.89	18.94
n41	80	30	2649.99	CP	256QAM	Inner_Full	21.95	16.95	17
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	20.41	15.41	15.46
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	21.11	16.11	16.16
n41	80	30	2649.99	CP	256QAM	Outer_Full	21.91	16.91	16.96
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	27.16	22.16	22.21
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	23.86	18.86	18.91
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	23.72	18.72	18.77
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	26.76	21.76	21.81



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2541	DFT	QPSK	Inner_Full	27.2	22.2	22.25
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	25.65	20.65	20.7
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	25.76	20.76	20.81
n41	90	30	2541	DFT	QPSK	Outer_Full	26.22	21.22	21.27
n41	90	30	2541	DFT	16QAM	Inner_Full	26.9	21.9	21.95
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	25.9	20.9	20.95
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	25.88	20.88	20.93
n41	90	30	2541	DFT	16QAM	Outer_Full	25.71	20.71	20.76
n41	90	30	2541	DFT	64QAM	Inner_Full	25.3	20.3	20.35
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	23.62	18.62	18.67
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	23.69	18.69	18.74
n41	90	30	2541	DFT	64QAM	Outer_Full	25.31	20.31	20.36
n41	90	30	2541	DFT	256QAM	Inner_Full	23.9	18.9	18.95
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	22.76	17.76	17.81
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	22.7	17.7	17.75
n41	90	30	2541	DFT	256QAM	Outer_Full	23.72	18.72	18.77
n41	90	30	2541	CP	QPSK	Inner_Full	26.45	21.45	21.5
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	24.93	19.93	19.98
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	24.86	19.86	19.91
n41	90	30	2541	CP	QPSK	Outer_Full	23.71	18.71	18.76
n41	90	30	2541	CP	16QAM	Inner_Full	25.39	20.39	20.44
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	25.45	20.45	20.5
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	25.35	20.35	20.4
n41	90	30	2541	CP	16QAM	Outer_Full	23.72	18.72	18.77
n41	90	30	2541	CP	64QAM	Inner_Full	24.88	19.88	19.93
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	23.82	18.82	18.87
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	23.92	18.92	18.97
n41	90	30	2541	CP	64QAM	Outer_Full	23.74	18.74	18.79
n41	90	30	2541	CP	256QAM	Inner_Full	21.81	16.81	16.86
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	20.73	15.73	15.78



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	20.56	15.56	15.61
n41	90	30	2541	CP	256QAM	Outer_Full	21.8	16.8	16.85
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.24	22.24	22.29
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.71	18.71	18.76
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.05	19.05	19.1
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.9	21.9	21.95
n41	90	30	2592.99	DFT	QPSK	Inner_Full	27.22	22.22	22.27
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.6	20.6	20.65
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.95	20.95	21
n41	90	30	2592.99	DFT	QPSK	Outer_Full	26.4	21.4	21.45
n41	90	30	2592.99	DFT	16QAM	Inner_Full	26.99	21.99	22.04
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.65	20.65	20.7
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.12	21.12	21.17
n41	90	30	2592.99	DFT	16QAM	Outer_Full	25.94	20.94	20.99
n41	90	30	2592.99	DFT	64QAM	Inner_Full	25.37	20.37	20.42
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.58	18.58	18.63
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.92	18.92	18.97
n41	90	30	2592.99	DFT	64QAM	Outer_Full	25.38	20.38	20.43
n41	90	30	2592.99	DFT	256QAM	Inner_Full	23.93	18.93	18.98
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.65	17.65	17.7
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.91	17.91	17.96
n41	90	30	2592.99	DFT	256QAM	Outer_Full	23.81	18.81	18.86
n41	90	30	2592.99	CP	QPSK	Inner_Full	26.6	21.6	21.65
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	24.71	19.71	19.76
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	25.06	20.06	20.11
n41	90	30	2592.99	CP	QPSK	Outer_Full	23.94	18.94	18.99
n41	90	30	2592.99	CP	16QAM	Inner_Full	25.44	20.44	20.49
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	25.2	20.2	20.25
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	25.27	20.27	20.32
n41	90	30	2592.99	CP	16QAM	Outer_Full	23.89	18.89	18.94



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2592.99	CP	64QAM	Inner_Full	24.99	19.99	20.04
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	23.86	18.86	18.91
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	24.09	19.09	19.14
n41	90	30	2592.99	CP	64QAM	Outer_Full	23.88	18.88	18.93
n41	90	30	2592.99	CP	256QAM	Inner_Full	21.87	16.87	16.92
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	20.65	15.65	15.7
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	20.99	15.99	16.04
n41	90	30	2592.99	CP	256QAM	Outer_Full	21.87	16.87	16.92
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	27.13	22.13	22.18
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.53	18.53	18.58
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	24.1	19.1	19.15
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	26.95	21.95	22
n41	90	30	2644.98	DFT	QPSK	Inner_Full	27.22	22.22	22.27
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	25.49	20.49	20.54
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	26.02	21.02	21.07
n41	90	30	2644.98	DFT	QPSK	Outer_Full	26.38	21.38	21.43
n41	90	30	2644.98	DFT	16QAM	Inner_Full	27.07	22.07	22.12
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	25.78	20.78	20.83
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	26.04	21.04	21.09
n41	90	30	2644.98	DFT	16QAM	Outer_Full	25.87	20.87	20.92
n41	90	30	2644.98	DFT	64QAM	Inner_Full	25.4	20.4	20.45
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	23.5	18.5	18.55
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	23.99	18.99	19.04
n41	90	30	2644.98	DFT	64QAM	Outer_Full	25.5	20.5	20.55
n41	90	30	2644.98	DFT	256QAM	Inner_Full	24.02	19.02	19.07
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	22.55	17.55	17.6
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	23.01	18.01	18.06
n41	90	30	2644.98	DFT	256QAM	Outer_Full	24	19	19.05
n41	90	30	2644.98	CP	QPSK	Inner_Full	26.59	21.59	21.64
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	24.7	19.7	19.75



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	25.29	20.29	20.34
n41	90	30	2644.98	CP	QPSK	Outer_Full	23.94	18.94	18.99
n41	90	30	2644.98	CP	16QAM	Inner_Full	25.47	20.47	20.52
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	24.9	19.9	19.95
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	25.99	20.99	21.04
n41	90	30	2644.98	CP	16QAM	Outer_Full	23.95	18.95	19
n41	90	30	2644.98	CP	64QAM	Inner_Full	24.98	19.98	20.03
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	23.67	18.67	18.72
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	24.15	19.15	19.2
n41	90	30	2644.98	CP	64QAM	Outer_Full	23.9	18.9	18.95
n41	90	30	2644.98	CP	256QAM	Inner_Full	21.97	16.97	17.02
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	20.43	15.43	15.48
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	21.01	16.01	16.06
n41	90	30	2644.98	CP	256QAM	Outer_Full	21.97	16.97	17.02
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	27.14	22.14	22.19
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.9	18.9	18.95
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.7	18.7	18.75
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	26.86	21.86	21.91
n41	100	30	2546.01	DFT	QPSK	Inner_Full	27.13	22.13	22.18
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	25.66	20.66	20.71
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	25.66	20.66	20.71
n41	100	30	2546.01	DFT	QPSK	Outer_Full	26.32	21.32	21.37
n41	100	30	2546.01	DFT	16QAM	Inner_Full	26.84	21.84	21.89
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	25.88	20.88	20.93
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	25.84	20.84	20.89
n41	100	30	2546.01	DFT	16QAM	Outer_Full	25.8	20.8	20.85
n41	100	30	2546.01	DFT	64QAM	Inner_Full	25.45	20.45	20.5
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	23.67	18.67	18.72
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	23.58	18.58	18.63
n41	100	30	2546.01	DFT	64QAM	Outer_Full	25.29	20.29	20.34



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2546.01	DFT	256QAM	Inner_Full	23.94	18.94	18.99
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	22.8	17.8	17.85
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	22.73	17.73	17.78
n41	100	30	2546.01	DFT	256QAM	Outer_Full	23.75	18.75	18.8
n41	100	30	2546.01	CP	QPSK	Inner_Full	26.36	21.36	21.41
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	25.01	20.01	20.06
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	24.87	19.87	19.92
n41	100	30	2546.01	CP	QPSK	Outer_Full	23.8	18.8	18.85
n41	100	30	2546.01	CP	16QAM	Inner_Full	25.43	20.43	20.48
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	25.8	20.8	20.85
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	25.17	20.17	20.22
n41	100	30	2546.01	CP	16QAM	Outer_Full	23.72	18.72	18.77
n41	100	30	2546.01	CP	64QAM	Inner_Full	24.91	19.91	19.96
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	23.72	18.72	18.77
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	23.8	18.8	18.85
n41	100	30	2546.01	CP	64QAM	Outer_Full	23.75	18.75	18.8
n41	100	30	2546.01	CP	256QAM	Inner_Full	21.81	16.81	16.86
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	20.84	15.84	15.89
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	20.74	15.74	15.79
n41	100	30	2546.01	CP	256QAM	Outer_Full	21.79	16.79	16.84
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	27.1	22.1	22.15
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.77	18.77	18.82
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	24.06	19.06	19.11
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	26.92	21.92	21.97
n41	100	30	2592.99	DFT	QPSK	Inner_Full	27.24	22.24	22.29
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	25.65	20.65	20.7
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	25.89	20.89	20.94
n41	100	30	2592.99	DFT	QPSK	Outer_Full	26.51	21.51	21.56
n41	100	30	2592.99	DFT	16QAM	Inner_Full	26.95	21.95	22
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	25.85	20.85	20.9



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	26.08	21.08	21.13
n41	100	30	2592.99	DFT	16QAM	Outer_Full	25.92	20.92	20.97
n41	100	30	2592.99	DFT	64QAM	Inner_Full	25.51	20.51	20.56
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	23.72	18.72	18.77
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	23.95	18.95	19
n41	100	30	2592.99	DFT	64QAM	Outer_Full	25.45	20.45	20.5
n41	100	30	2592.99	DFT	256QAM	Inner_Full	23.9	18.9	18.95
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.85	17.85	17.9
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	23.13	18.13	18.18
n41	100	30	2592.99	DFT	256QAM	Outer_Full	23.99	18.99	19.04
n41	100	30	2592.99	CP	QPSK	Inner_Full	26.49	21.49	21.54
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	24.87	19.87	19.92
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	25.04	20.04	20.09
n41	100	30	2592.99	CP	QPSK	Outer_Full	23.87	18.87	18.92
n41	100	30	2592.99	CP	16QAM	Inner_Full	25.37	20.37	20.42
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	25.4	20.4	20.45
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	25.44	20.44	20.49
n41	100	30	2592.99	CP	16QAM	Outer_Full	23.95	18.95	19
n41	100	30	2592.99	CP	64QAM	Inner_Full	24.96	19.96	20.01
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	23.68	18.68	18.73
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	24.07	19.07	19.12
n41	100	30	2592.99	CP	64QAM	Outer_Full	23.97	18.97	19.02
n41	100	30	2592.99	CP	256QAM	Inner_Full	21.89	16.89	16.94
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	20.71	15.71	15.76
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	21.09	16.09	16.14
n41	100	30	2592.99	CP	256QAM	Outer_Full	21.85	16.85	16.9
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	27.19	22.19	22.24
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	23.59	18.59	18.64
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	24.08	19.08	19.13
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	26.99	21.99	22.04



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2640	DFT	QPSK	Inner_Full	27.23	22.23	22.28
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	25.51	20.51	20.56
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	26.06	21.06	21.11
n41	100	30	2640	DFT	QPSK	Outer_Full	26.49	21.49	21.54
n41	100	30	2640	DFT	16QAM	Inner_Full	26.99	21.99	22.04
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	25.85	20.85	20.9
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	26.15	21.15	21.2
n41	100	30	2640	DFT	16QAM	Outer_Full	25.98	20.98	21.03
n41	100	30	2640	DFT	64QAM	Inner_Full	25.46	20.46	20.51
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	23.61	18.61	18.66
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	24.18	19.18	19.23
n41	100	30	2640	DFT	64QAM	Outer_Full	25.48	20.48	20.53
n41	100	30	2640	DFT	256QAM	Inner_Full	23.96	18.96	19.01
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	22.61	17.61	17.66
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	23.01	18.01	18.06
n41	100	30	2640	DFT	256QAM	Outer_Full	24.04	19.04	19.09
n41	100	30	2640	CP	QPSK	Inner_Full	26.49	21.49	21.54
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	24.66	19.66	19.71
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	25.32	20.32	20.37
n41	100	30	2640	CP	QPSK	Outer_Full	23.95	18.95	19
n41	100	30	2640	CP	16QAM	Inner_Full	25.5	20.5	20.55
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	24.97	19.97	20.02
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	25.98	20.98	21.03
n41	100	30	2640	CP	16QAM	Outer_Full	23.98	18.98	19.03
n41	100	30	2640	CP	64QAM	Inner_Full	24.98	19.98	20.03
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	23.6	18.6	18.65
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	24.01	19.01	19.06
n41	100	30	2640	CP	64QAM	Outer_Full	23.89	18.89	18.94
n41	100	30	2640	CP	256QAM	Inner_Full	21.95	16.95	17
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	20.59	15.59	15.64



No.25T04N000127-004-RF NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	21.14	16.14	16.19
n41	100	30	2640	CP	256QAM	Outer_Full	21.86	16.86	16.91



n66

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.78	19.78	21.08
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.24	19.24	20.54
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.24	19.24	20.54
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	23.23	19.23	20.53
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.8	19.8	21.1
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.74	18.74	20.04
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.81	18.81	20.11
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.8	18.8	20.1
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.77	18.77	20.07
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.79	17.79	19.09
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.84	17.84	19.14
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.78	17.78	19.08
n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.3	17.3	18.6
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	21.33	17.33	18.63
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.36	17.36	18.66
n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.2	17.2	18.5
n66	5	15	1712.5	DFT	256QAM	Inner_Full	19.69	15.69	16.99
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	19.77	15.77	17.07
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	19.81	15.81	17.11
n66	5	15	1712.5	DFT	256QAM	Outer_Full	19.57	15.57	16.87
n66	5	15	1712.5	CP	QPSK	Inner_Full	22.28	18.28	19.58
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.72	16.72	18.02
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.87	16.87	18.17
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.65	16.65	17.95
n66	5	15	1712.5	CP	16QAM	Inner_Full	21.79	17.79	19.09
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.88	16.88	18.18
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.72	16.72	18.02
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.81	16.81	18.11



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1712.5	CP	64QAM	Inner_Full	20.32	16.32	17.62
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	20.18	16.18	17.48
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.34	16.34	17.64
n66	5	15	1712.5	CP	64QAM	Outer_Full	20.18	16.18	17.48
n66	5	15	1712.5	CP	256QAM	Inner_Full	17.63	13.63	14.93
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	17.87	13.87	15.17
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	17.88	13.88	15.18
n66	5	15	1712.5	CP	256QAM	Outer_Full	17.59	13.59	14.89
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	23.81	19.81	21.11
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.32	19.32	20.62
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.32	19.32	20.62
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	23.3	19.3	20.6
n66	5	15	1745	DFT	QPSK	Inner_Full	23.88	19.88	21.18
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	22.82	18.82	20.12
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	22.79	18.79	20.09
n66	5	15	1745	DFT	QPSK	Outer_Full	22.76	18.76	20.06
n66	5	15	1745	DFT	16QAM	Inner_Full	22.82	18.82	20.12
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	21.79	17.79	19.09
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	21.85	17.85	19.15
n66	5	15	1745	DFT	16QAM	Outer_Full	21.78	17.78	19.08
n66	5	15	1745	DFT	64QAM	Inner_Full	21.37	17.37	18.67
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	21.36	17.36	18.66
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.4	17.4	18.7
n66	5	15	1745	DFT	64QAM	Outer_Full	21.25	17.25	18.55
n66	5	15	1745	DFT	256QAM	Inner_Full	19.65	15.65	16.95
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	19.67	15.67	16.97
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	19.6	15.6	16.9
n66	5	15	1745	DFT	256QAM	Outer_Full	19.57	15.57	16.87
n66	5	15	1745	CP	QPSK	Inner_Full	22.22	18.22	19.52
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	20.81	16.81	18.11



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	20.85	16.85	18.15
n66	5	15	1745	CP	QPSK	Outer_Full	20.76	16.76	18.06
n66	5	15	1745	CP	16QAM	Inner_Full	21.71	17.71	19.01
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	20.92	16.92	18.22
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	20.81	16.81	18.11
n66	5	15	1745	CP	16QAM	Outer_Full	20.82	16.82	18.12
n66	5	15	1745	CP	64QAM	Inner_Full	20.41	16.41	17.71
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.16	16.16	17.46
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.27	16.27	17.57
n66	5	15	1745	CP	64QAM	Outer_Full	20.26	16.26	17.56
n66	5	15	1745	CP	256QAM	Inner_Full	17.51	13.51	14.81
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	17.83	13.83	15.13
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	17.76	13.76	15.06
n66	5	15	1745	CP	256QAM	Outer_Full	17.54	13.54	14.84
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	24.05	20.05	21.35
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.57	19.57	20.87
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.51	19.51	20.81
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	23.59	19.59	20.89
n66	5	15	1777.5	DFT	QPSK	Inner_Full	24.04	20.04	21.34
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.95	18.95	20.25
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.95	18.95	20.25
n66	5	15	1777.5	DFT	QPSK	Outer_Full	23.09	19.09	20.39
n66	5	15	1777.5	DFT	16QAM	Inner_Full	23.01	19.01	20.31
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	22.01	18.01	19.31
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	22.04	18.04	19.34
n66	5	15	1777.5	DFT	16QAM	Outer_Full	22.05	18.05	19.35
n66	5	15	1777.5	DFT	64QAM	Inner_Full	21.56	17.56	18.86
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	21.54	17.54	18.84
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	21.63	17.63	18.93
n66	5	15	1777.5	DFT	64QAM	Outer_Full	21.51	17.51	18.81



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1777.5	DFT	256QAM	Inner_Full	19.86	15.86	17.16
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	19.8	15.8	17.1
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	19.96	15.96	17.26
n66	5	15	1777.5	DFT	256QAM	Outer_Full	19.76	15.76	17.06
n66	5	15	1777.5	CP	QPSK	Inner_Full	22.53	18.53	19.83
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.94	16.94	18.24
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.98	16.98	18.28
n66	5	15	1777.5	CP	QPSK	Outer_Full	20.98	16.98	18.28
n66	5	15	1777.5	CP	16QAM	Inner_Full	22.06	18.06	19.36
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	21.21	17.21	18.51
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	21.31	17.31	18.61
n66	5	15	1777.5	CP	16QAM	Outer_Full	21.03	17.03	18.33
n66	5	15	1777.5	CP	64QAM	Inner_Full	20.67	16.67	17.97
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.44	16.44	17.74
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.43	16.43	17.73
n66	5	15	1777.5	CP	64QAM	Outer_Full	20.46	16.46	17.76
n66	5	15	1777.5	CP	256QAM	Inner_Full	17.73	13.73	15.03
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	17.93	13.93	15.23
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	18.05	14.05	15.35
n66	5	15	1777.5	CP	256QAM	Outer_Full	17.74	13.74	15.04
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.73	19.73	21.03
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	23.32	19.32	20.62
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	23.33	19.33	20.63
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	23.26	19.26	20.56
n66	10	15	1715	DFT	QPSK	Inner_Full	23.76	19.76	21.06
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.71	18.71	20.01
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.84	18.84	20.14
n66	10	15	1715	DFT	QPSK	Outer_Full	22.68	18.68	19.98
n66	10	15	1715	DFT	16QAM	Inner_Full	22.77	18.77	20.07
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.89	17.89	19.19



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	21.83	17.83	19.13
n66	10	15	1715	DFT	16QAM	Outer_Full	21.66	17.66	18.96
n66	10	15	1715	DFT	64QAM	Inner_Full	21.24	17.24	18.54
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	21.24	17.24	18.54
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	21.35	17.35	18.65
n66	10	15	1715	DFT	64QAM	Outer_Full	21.12	17.12	18.42
n66	10	15	1715	DFT	256QAM	Inner_Full	19.6	15.6	16.9
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	19.8	15.8	17.1
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	19.85	15.85	17.15
n66	10	15	1715	DFT	256QAM	Outer_Full	19.49	15.49	16.79
n66	10	15	1715	CP	QPSK	Inner_Full	22.25	18.25	19.55
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	20.77	16.77	18.07
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	20.83	16.83	18.13
n66	10	15	1715	CP	QPSK	Outer_Full	20.75	16.75	18.05
n66	10	15	1715	CP	16QAM	Inner_Full	21.8	17.8	19.1
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	20.9	16.9	18.2
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	20.87	16.87	18.17
n66	10	15	1715	CP	16QAM	Outer_Full	20.74	16.74	18.04
n66	10	15	1715	CP	64QAM	Inner_Full	20.24	16.24	17.54
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	20.28	16.28	17.58
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	20.33	16.33	17.63
n66	10	15	1715	CP	64QAM	Outer_Full	20.11	16.11	17.41
n66	10	15	1715	CP	256QAM	Inner_Full	17.57	13.57	14.87
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	17.8	13.8	15.1
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	17.85	13.85	15.15
n66	10	15	1715	CP	256QAM	Outer_Full	17.57	13.57	14.87
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	23.78	19.78	21.08
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.34	19.34	20.64
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.4	19.4	20.7
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	23.26	19.26	20.56



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1745	DFT	QPSK	Inner_Full	23.9	19.9	21.2
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	22.75	18.75	20.05
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	22.79	18.79	20.09
n66	10	15	1745	DFT	QPSK	Outer_Full	22.78	18.78	20.08
n66	10	15	1745	DFT	16QAM	Inner_Full	22.88	18.88	20.18
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	21.79	17.79	19.09
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	21.91	17.91	19.21
n66	10	15	1745	DFT	16QAM	Outer_Full	21.76	17.76	19.06
n66	10	15	1745	DFT	64QAM	Inner_Full	21.36	17.36	18.66
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.29	17.29	18.59
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	21.36	17.36	18.66
n66	10	15	1745	DFT	64QAM	Outer_Full	21.26	17.26	18.56
n66	10	15	1745	DFT	256QAM	Inner_Full	19.59	15.59	16.89
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	19.67	15.67	16.97
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	19.78	15.78	17.08
n66	10	15	1745	DFT	256QAM	Outer_Full	19.52	15.52	16.82
n66	10	15	1745	CP	QPSK	Inner_Full	22.29	18.29	19.59
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	20.82	16.82	18.12
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	20.91	16.91	18.21
n66	10	15	1745	CP	QPSK	Outer_Full	20.76	16.76	18.06
n66	10	15	1745	CP	16QAM	Inner_Full	21.85	17.85	19.15
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	20.99	16.99	18.29
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	20.74	16.74	18.04
n66	10	15	1745	CP	16QAM	Outer_Full	20.83	16.83	18.13
n66	10	15	1745	CP	64QAM	Inner_Full	20.31	16.31	17.61
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	20.26	16.26	17.56
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	20.27	16.27	17.57
n66	10	15	1745	CP	64QAM	Outer_Full	20.26	16.26	17.56
n66	10	15	1745	CP	256QAM	Inner_Full	17.6	13.6	14.9
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	17.63	13.63	14.93



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	17.7	13.7	15
n66	10	15	1745	CP	256QAM	Outer_Full	17.54	13.54	14.84
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.99	19.99	21.29
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	23.4	19.4	20.7
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	23.55	19.55	20.85
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	23.47	19.47	20.77
n66	10	15	1775	DFT	QPSK	Inner_Full	24.06	20.06	21.36
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	22.89	18.89	20.19
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	23.03	19.03	20.33
n66	10	15	1775	DFT	QPSK	Outer_Full	23.05	19.05	20.35
n66	10	15	1775	DFT	16QAM	Inner_Full	23.01	19.01	20.31
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.93	17.93	19.23
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	22.11	18.11	19.41
n66	10	15	1775	DFT	16QAM	Outer_Full	22.05	18.05	19.35
n66	10	15	1775	DFT	64QAM	Inner_Full	21.49	17.49	18.79
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	21.46	17.46	18.76
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	21.52	17.52	18.82
n66	10	15	1775	DFT	64QAM	Outer_Full	21.5	17.5	18.8
n66	10	15	1775	DFT	256QAM	Inner_Full	19.8	15.8	17.1
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	19.79	15.79	17.09
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	19.98	15.98	17.28
n66	10	15	1775	DFT	256QAM	Outer_Full	19.76	15.76	17.06
n66	10	15	1775	CP	QPSK	Inner_Full	22.41	18.41	19.71
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	20.87	16.87	18.17
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	21.02	17.02	18.32
n66	10	15	1775	CP	QPSK	Outer_Full	21	17	18.3
n66	10	15	1775	CP	16QAM	Inner_Full	22.04	18.04	19.34
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	21.48	17.48	18.78
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	21.22	17.22	18.52
n66	10	15	1775	CP	16QAM	Outer_Full	20.95	16.95	18.25



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1775	CP	64QAM	Inner_Full	20.49	16.49	17.79
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	20.24	16.24	17.54
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	20.51	16.51	17.81
n66	10	15	1775	CP	64QAM	Outer_Full	20.39	16.39	17.69
n66	10	15	1775	CP	256QAM	Inner_Full	17.78	13.78	15.08
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	17.55	13.55	14.85
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	17.77	13.77	15.07
n66	10	15	1775	CP	256QAM	Outer_Full	17.69	13.69	14.99
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.76	19.76	21.06
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.26	19.26	20.56
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.25	19.25	20.55
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.3	19.3	20.6
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.78	19.78	21.08
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.72	18.72	20.02
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.71	18.71	20.01
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.79	18.79	20.09
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.82	18.82	20.12
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.7	17.7	19
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	21.72	17.72	19.02
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.76	17.76	19.06
n66	15	15	1717.5	DFT	64QAM	Inner_Full	21.32	17.32	18.62
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	21.32	17.32	18.62
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	21.31	17.31	18.61
n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.17	17.17	18.47
n66	15	15	1717.5	DFT	256QAM	Inner_Full	19.6	15.6	16.9
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	19.89	15.89	17.19
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	19.69	15.69	16.99
n66	15	15	1717.5	DFT	256QAM	Outer_Full	19.55	15.55	16.85
n66	15	15	1717.5	CP	QPSK	Inner_Full	22.22	18.22	19.52
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.69	16.69	17.99



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.71	16.71	18.01
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.74	16.74	18.04
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.73	17.73	19.03
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	20.74	16.74	18.04
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	20.84	16.84	18.14
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.76	16.76	18.06
n66	15	15	1717.5	CP	64QAM	Inner_Full	20.21	16.21	17.51
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	20.12	16.12	17.42
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	20.08	16.08	17.38
n66	15	15	1717.5	CP	64QAM	Outer_Full	20.25	16.25	17.55
n66	15	15	1717.5	CP	256QAM	Inner_Full	17.46	13.46	14.76
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	17.86	13.86	15.16
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	17.73	13.73	15.03
n66	15	15	1717.5	CP	256QAM	Outer_Full	17.54	13.54	14.84
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	23.79	19.79	21.09
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.3	19.3	20.6
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.31	19.31	20.61
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.37	19.37	20.67
n66	15	15	1745	DFT	QPSK	Inner_Full	23.81	19.81	21.11
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	22.7	18.7	20
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	22.77	18.77	20.07
n66	15	15	1745	DFT	QPSK	Outer_Full	22.81	18.81	20.11
n66	15	15	1745	DFT	16QAM	Inner_Full	22.82	18.82	20.12
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	21.69	17.69	18.99
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	21.79	17.79	19.09
n66	15	15	1745	DFT	16QAM	Outer_Full	21.76	17.76	19.06
n66	15	15	1745	DFT	64QAM	Inner_Full	21.29	17.29	18.59
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.29	17.29	18.59
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	21.43	17.43	18.73
n66	15	15	1745	DFT	64QAM	Outer_Full	21.3	17.3	18.6



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1745	DFT	256QAM	Inner_Full	19.6	15.6	16.9
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.76	15.76	17.06
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	19.77	15.77	17.07
n66	15	15	1745	DFT	256QAM	Outer_Full	19.52	15.52	16.82
n66	15	15	1745	CP	QPSK	Inner_Full	22.23	18.23	19.53
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.84	16.84	18.14
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	20.8	16.8	18.1
n66	15	15	1745	CP	QPSK	Outer_Full	20.75	16.75	18.05
n66	15	15	1745	CP	16QAM	Inner_Full	21.8	17.8	19.1
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	21.05	17.05	18.35
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	20.81	16.81	18.11
n66	15	15	1745	CP	16QAM	Outer_Full	20.82	16.82	18.12
n66	15	15	1745	CP	64QAM	Inner_Full	20.26	16.26	17.56
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	20.14	16.14	17.44
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	20.15	16.15	17.45
n66	15	15	1745	CP	64QAM	Outer_Full	20.28	16.28	17.58
n66	15	15	1745	CP	256QAM	Inner_Full	17.54	13.54	14.84
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	17.7	13.7	15
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	17.82	13.82	15.12
n66	15	15	1745	CP	256QAM	Outer_Full	17.57	13.57	14.87
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	24.03	20.03	21.33
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.35	19.35	20.65
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.58	19.58	20.88
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	23.52	19.52	20.82
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.99	19.99	21.29
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.77	18.77	20.07
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	23.01	19.01	20.31
n66	15	15	1772.5	DFT	QPSK	Outer_Full	23	19	20.3
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.99	18.99	20.29
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.86	17.86	19.16



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	22.13	18.13	19.43
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.93	17.93	19.23
n66	15	15	1772.5	DFT	64QAM	Inner_Full	21.45	17.45	18.75
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	21.36	17.36	18.66
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	21.46	17.46	18.76
n66	15	15	1772.5	DFT	64QAM	Outer_Full	21.5	17.5	18.8
n66	15	15	1772.5	DFT	256QAM	Inner_Full	19.71	15.71	17.01
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	19.78	15.78	17.08
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	20	16	17.3
n66	15	15	1772.5	DFT	256QAM	Outer_Full	19.76	15.76	17.06
n66	15	15	1772.5	CP	QPSK	Inner_Full	22.38	18.38	19.68
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.83	16.83	18.13
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	21.03	17.03	18.33
n66	15	15	1772.5	CP	QPSK	Outer_Full	20.9	16.9	18.2
n66	15	15	1772.5	CP	16QAM	Inner_Full	22	18	19.3
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	21.4	17.4	18.7
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	21.25	17.25	18.55
n66	15	15	1772.5	CP	16QAM	Outer_Full	20.95	16.95	18.25
n66	15	15	1772.5	CP	64QAM	Inner_Full	20.38	16.38	17.68
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.1	16.1	17.4
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	20.45	16.45	17.75
n66	15	15	1772.5	CP	64QAM	Outer_Full	20.34	16.34	17.64
n66	15	15	1772.5	CP	256QAM	Inner_Full	17.66	13.66	14.96
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	17.77	13.77	15.07
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	18.06	14.06	15.36
n66	15	15	1772.5	CP	256QAM	Outer_Full	17.67	13.67	14.97
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.74	19.74	21.04
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	23.3	19.3	20.6
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.35	19.35	20.65
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.24	19.24	20.54



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1720	DFT	QPSK	Inner_Full	23.77	19.77	21.07
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.75	18.75	20.05
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	22.72	18.72	20.02
n66	20	15	1720	DFT	QPSK	Outer_Full	22.76	18.76	20.06
n66	20	15	1720	DFT	16QAM	Inner_Full	22.79	18.79	20.09
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.76	17.76	19.06
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	21.82	17.82	19.12
n66	20	15	1720	DFT	16QAM	Outer_Full	21.67	17.67	18.97
n66	20	15	1720	DFT	64QAM	Inner_Full	21.28	17.28	18.58
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	21.27	17.27	18.57
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.34	17.34	18.64
n66	20	15	1720	DFT	64QAM	Outer_Full	21.17	17.17	18.47
n66	20	15	1720	DFT	256QAM	Inner_Full	19.58	15.58	16.88
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	19.68	15.68	16.98
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	19.62	15.62	16.92
n66	20	15	1720	DFT	256QAM	Outer_Full	19.54	15.54	16.84
n66	20	15	1720	CP	QPSK	Inner_Full	22.28	18.28	19.58
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	20.79	16.79	18.09
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.88	16.88	18.18
n66	20	15	1720	CP	QPSK	Outer_Full	20.74	16.74	18.04
n66	20	15	1720	CP	16QAM	Inner_Full	21.8	17.8	19.1
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	20.73	16.73	18.03
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	20.99	16.99	18.29
n66	20	15	1720	CP	16QAM	Outer_Full	20.7	16.7	18
n66	20	15	1720	CP	64QAM	Inner_Full	20.21	16.21	17.51
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	20.19	16.19	17.49
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	20.3	16.3	17.6
n66	20	15	1720	CP	64QAM	Outer_Full	20.16	16.16	17.46
n66	20	15	1720	CP	256QAM	Inner_Full	17.54	13.54	14.84
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	17.64	13.64	14.94



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	17.82	13.82	15.12
n66	20	15	1720	CP	256QAM	Outer_Full	17.6	13.6	14.9
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	23.81	19.81	21.11
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.29	19.29	20.59
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.37	19.37	20.67
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.41	19.41	20.71
n66	20	15	1745	DFT	QPSK	Inner_Full	23.8	19.8	21.1
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	22.73	18.73	20.03
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.89	18.89	20.19
n66	20	15	1745	DFT	QPSK	Outer_Full	22.88	18.88	20.18
n66	20	15	1745	DFT	16QAM	Inner_Full	22.82	18.82	20.12
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	21.85	17.85	19.15
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	21.97	17.97	19.27
n66	20	15	1745	DFT	16QAM	Outer_Full	21.8	17.8	19.1
n66	20	15	1745	DFT	64QAM	Inner_Full	21.3	17.3	18.6
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.23	17.23	18.53
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	21.45	17.45	18.75
n66	20	15	1745	DFT	64QAM	Outer_Full	21.29	17.29	18.59
n66	20	15	1745	DFT	256QAM	Inner_Full	19.57	15.57	16.87
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.64	15.64	16.94
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	19.9	15.9	17.2
n66	20	15	1745	DFT	256QAM	Outer_Full	19.6	15.6	16.9
n66	20	15	1745	CP	QPSK	Inner_Full	22.33	18.33	19.63
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.83	16.83	18.13
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.9	16.9	18.2
n66	20	15	1745	CP	QPSK	Outer_Full	20.79	16.79	18.09
n66	20	15	1745	CP	16QAM	Inner_Full	21.74	17.74	19.04
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	20.97	16.97	18.27
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	21.01	17.01	18.31
n66	20	15	1745	CP	16QAM	Outer_Full	20.77	16.77	18.07



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1745	CP	64QAM	Inner_Full	20.32	16.32	17.62
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	20.09	16.09	17.39
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.33	16.33	17.63
n66	20	15	1745	CP	64QAM	Outer_Full	20.26	16.26	17.56
n66	20	15	1745	CP	256QAM	Inner_Full	17.49	13.49	14.79
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	17.65	13.65	14.95
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	17.9	13.9	15.2
n66	20	15	1745	CP	256QAM	Outer_Full	17.57	13.57	14.87
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.93	19.93	21.23
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	23.41	19.41	20.71
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	23.63	19.63	20.93
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	23.37	19.37	20.67
n66	20	15	1770	DFT	QPSK	Inner_Full	24.05	20.05	21.35
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	22.83	18.83	20.13
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	23.06	19.06	20.36
n66	20	15	1770	DFT	QPSK	Outer_Full	22.93	18.93	20.23
n66	20	15	1770	DFT	16QAM	Inner_Full	22.95	18.95	20.25
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	21.86	17.86	19.16
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	22.06	18.06	19.36
n66	20	15	1770	DFT	16QAM	Outer_Full	21.86	17.86	19.16
n66	20	15	1770	DFT	64QAM	Inner_Full	21.47	17.47	18.77
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	21.44	17.44	18.74
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	21.61	17.61	18.91
n66	20	15	1770	DFT	64QAM	Outer_Full	21.39	17.39	18.69
n66	20	15	1770	DFT	256QAM	Inner_Full	19.68	15.68	16.98
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	19.78	15.78	17.08
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	20.02	16.02	17.32
n66	20	15	1770	DFT	256QAM	Outer_Full	19.62	15.62	16.92
n66	20	15	1770	CP	QPSK	Inner_Full	22.48	18.48	19.78
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.87	16.87	18.17



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	21.15	17.15	18.45
n66	20	15	1770	CP	QPSK	Outer_Full	20.74	16.74	18.04
n66	20	15	1770	CP	16QAM	Inner_Full	21.86	17.86	19.16
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	21.11	17.11	18.41
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	21.32	17.32	18.62
n66	20	15	1770	CP	16QAM	Outer_Full	20.73	16.73	18.03
n66	20	15	1770	CP	64QAM	Inner_Full	20.34	16.34	17.64
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	20.22	16.22	17.52
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	20.51	16.51	17.81
n66	20	15	1770	CP	64QAM	Outer_Full	20.23	16.23	17.53
n66	20	15	1770	CP	256QAM	Inner_Full	17.61	13.61	14.91
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	17.82	13.82	15.12
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	18.12	14.12	15.42
n66	20	15	1770	CP	256QAM	Outer_Full	17.52	13.52	14.82
n66	25	15	1722.5	DFT	pi/2 BPSK	Inner_Full	23.65	19.65	20.95
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.26	19.26	20.56
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.29	19.29	20.59
n66	25	15	1722.5	DFT	pi/2 BPSK	Outer_Full	23.13	19.13	20.43
n66	25	15	1722.5	DFT	QPSK	Inner_Full	23.64	19.64	20.94
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Left	22.86	18.86	20.16
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Right	22.86	18.86	20.16
n66	25	15	1722.5	DFT	QPSK	Outer_Full	22.6	18.6	19.9
n66	25	15	1722.5	DFT	16QAM	Inner_Full	22.62	18.62	19.92
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Left	21.87	17.87	19.17
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Right	21.96	17.96	19.26
n66	25	15	1722.5	DFT	16QAM	Outer_Full	21.51	17.51	18.81
n66	25	15	1722.5	DFT	64QAM	Inner_Full	21.11	17.11	18.41
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Left	21.28	17.28	18.58
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Right	21.4	17.4	18.7
n66	25	15	1722.5	DFT	64QAM	Outer_Full	21.1	17.1	18.4



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	25	15	1722.5	DFT	256QAM	Inner_Full	19.34	15.34	16.64
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Left	19.68	15.68	16.98
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Right	19.54	15.54	16.84
n66	25	15	1722.5	DFT	256QAM	Outer_Full	19.26	15.26	16.56
n66	25	15	1722.5	CP	QPSK	Inner_Full	22.13	18.13	19.43
n66	25	15	1722.5	CP	QPSK	Edge_1RB_Left	20.76	16.76	18.06
n66	25	15	1722.5	CP	QPSK	Edge_1RB_Right	21.07	17.07	18.37
n66	25	15	1722.5	CP	QPSK	Outer_Full	20.56	16.56	17.86
n66	25	15	1722.5	CP	16QAM	Inner_Full	21.65	17.65	18.95
n66	25	15	1722.5	CP	16QAM	Edge_1RB_Left	20.91	16.91	18.21
n66	25	15	1722.5	CP	16QAM	Edge_1RB_Right	21.27	17.27	18.57
n66	25	15	1722.5	CP	16QAM	Outer_Full	20.56	16.56	17.86
n66	25	15	1722.5	CP	64QAM	Inner_Full	20.12	16.12	17.42
n66	25	15	1722.5	CP	64QAM	Edge_1RB_Left	20.35	16.35	17.65
n66	25	15	1722.5	CP	64QAM	Edge_1RB_Right	20.37	16.37	17.67
n66	25	15	1722.5	CP	64QAM	Outer_Full	20.09	16.09	17.39
n66	25	15	1722.5	CP	256QAM	Inner_Full	17.24	13.24	14.54
n66	25	15	1722.5	CP	256QAM	Edge_1RB_Left	17.8	13.8	15.1
n66	25	15	1722.5	CP	256QAM	Edge_1RB_Right	17.59	13.59	14.89
n66	25	15	1722.5	CP	256QAM	Outer_Full	17.26	13.26	14.56
n66	25	15	1745	DFT	pi/2 BPSK	Inner_Full	23.74	19.74	21.04
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.23	19.23	20.53
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.54	19.54	20.84
n66	25	15	1745	DFT	pi/2 BPSK	Outer_Full	23.24	19.24	20.54
n66	25	15	1745	DFT	QPSK	Inner_Full	23.8	19.8	21.1
n66	25	15	1745	DFT	QPSK	Edge_1RB_Left	22.8	18.8	20.1
n66	25	15	1745	DFT	QPSK	Edge_1RB_Right	22.91	18.91	20.21
n66	25	15	1745	DFT	QPSK	Outer_Full	22.71	18.71	20.01
n66	25	15	1745	DFT	16QAM	Inner_Full	22.75	18.75	20.05
n66	25	15	1745	DFT	16QAM	Edge_1RB_Left	21.84	17.84	19.14



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	25	15	1745	DFT	16QAM	Edge_1RB_Right	21.95	17.95	19.25
n66	25	15	1745	DFT	16QAM	Outer_Full	21.74	17.74	19.04
n66	25	15	1745	DFT	64QAM	Inner_Full	21.17	17.17	18.47
n66	25	15	1745	DFT	64QAM	Edge_1RB_Left	21.38	17.38	18.68
n66	25	15	1745	DFT	64QAM	Edge_1RB_Right	21.62	17.62	18.92
n66	25	15	1745	DFT	64QAM	Outer_Full	21.25	17.25	18.55
n66	25	15	1745	DFT	256QAM	Inner_Full	19.44	15.44	16.74
n66	25	15	1745	DFT	256QAM	Edge_1RB_Left	19.39	15.39	16.69
n66	25	15	1745	DFT	256QAM	Edge_1RB_Right	19.57	15.57	16.87
n66	25	15	1745	DFT	256QAM	Outer_Full	19.45	15.45	16.75
n66	25	15	1745	CP	QPSK	Inner_Full	22.24	18.24	19.54
n66	25	15	1745	CP	QPSK	Edge_1RB_Left	21	17	18.3
n66	25	15	1745	CP	QPSK	Edge_1RB_Right	21.08	17.08	18.38
n66	25	15	1745	CP	QPSK	Outer_Full	20.72	16.72	18.02
n66	25	15	1745	CP	16QAM	Inner_Full	21.75	17.75	19.05
n66	25	15	1745	CP	16QAM	Edge_1RB_Left	21.05	17.05	18.35
n66	25	15	1745	CP	16QAM	Edge_1RB_Right	20.99	16.99	18.29
n66	25	15	1745	CP	16QAM	Outer_Full	20.72	16.72	18.02
n66	25	15	1745	CP	64QAM	Inner_Full	20.2	16.2	17.5
n66	25	15	1745	CP	64QAM	Edge_1RB_Left	20.28	16.28	17.58
n66	25	15	1745	CP	64QAM	Edge_1RB_Right	20.61	16.61	17.91
n66	25	15	1745	CP	64QAM	Outer_Full	20.2	16.2	17.5
n66	25	15	1745	CP	256QAM	Inner_Full	17.37	13.37	14.67
n66	25	15	1745	CP	256QAM	Edge_1RB_Left	17.55	13.55	14.85
n66	25	15	1745	CP	256QAM	Edge_1RB_Right	17.84	13.84	15.14
n66	25	15	1745	CP	256QAM	Outer_Full	17.39	13.39	14.69
n66	25	15	1767.5	DFT	pi/2 BPSK	Inner_Full	23.88	19.88	21.18
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.42	19.42	20.72
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.61	19.61	20.91
n66	25	15	1767.5	DFT	pi/2 BPSK	Outer_Full	23.02	19.02	20.32



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	25	15	1767.5	DFT	QPSK	Inner_Full	23.83	19.83	21.13
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Left	22.87	18.87	20.17
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Right	23.08	19.08	20.38
n66	25	15	1767.5	DFT	QPSK	Outer_Full	22.6	18.6	19.9
n66	25	15	1767.5	DFT	16QAM	Inner_Full	22.77	18.77	20.07
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Left	21.9	17.9	19.2
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Right	22.15	18.15	19.45
n66	25	15	1767.5	DFT	16QAM	Outer_Full	21.56	17.56	18.86
n66	25	15	1767.5	DFT	64QAM	Inner_Full	21.33	17.33	18.63
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Left	21.51	17.51	18.81
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Right	21.72	17.72	19.02
n66	25	15	1767.5	DFT	64QAM	Outer_Full	21	17	18.3
n66	25	15	1767.5	DFT	256QAM	Inner_Full	19.51	15.51	16.81
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Left	19.45	15.45	16.75
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Right	19.92	15.92	17.22
n66	25	15	1767.5	DFT	256QAM	Outer_Full	19.21	15.21	16.51
n66	25	15	1767.5	CP	QPSK	Inner_Full	22.29	18.29	19.59
n66	25	15	1767.5	CP	QPSK	Edge_1RB_Left	21.03	17.03	18.33
n66	25	15	1767.5	CP	QPSK	Edge_1RB_Right	21.19	17.19	18.49
n66	25	15	1767.5	CP	QPSK	Outer_Full	20.43	16.43	17.73
n66	25	15	1767.5	CP	16QAM	Inner_Full	21.76	17.76	19.06
n66	25	15	1767.5	CP	16QAM	Edge_1RB_Left	20.97	16.97	18.27
n66	25	15	1767.5	CP	16QAM	Edge_1RB_Right	21.58	17.58	18.88
n66	25	15	1767.5	CP	16QAM	Outer_Full	20.44	16.44	17.74
n66	25	15	1767.5	CP	64QAM	Inner_Full	20.28	16.28	17.58
n66	25	15	1767.5	CP	64QAM	Edge_1RB_Left	20.54	16.54	17.84
n66	25	15	1767.5	CP	64QAM	Edge_1RB_Right	20.75	16.75	18.05
n66	25	15	1767.5	CP	64QAM	Outer_Full	19.92	15.92	17.22
n66	25	15	1767.5	CP	256QAM	Inner_Full	17.4	13.4	14.7
n66	25	15	1767.5	CP	256QAM	Edge_1RB_Left	17.71	13.71	15.01



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	25	15	1767.5	CP	256QAM	Edge_1RB_Right	17.8	13.8	15.1
n66	25	15	1767.5	CP	256QAM	Outer_Full	17.18	13.18	14.48
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.72	19.72	21.02
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	19.21	20.51
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	23.31	19.31	20.61
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	23.24	19.24	20.54
n66	30	15	1725	DFT	QPSK	Inner_Full	23.78	19.78	21.08
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	22.69	18.69	19.99
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	22.84	18.84	20.14
n66	30	15	1725	DFT	QPSK	Outer_Full	22.63	18.63	19.93
n66	30	15	1725	DFT	16QAM	Inner_Full	22.67	18.67	19.97
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.69	17.69	18.99
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	21.77	17.77	19.07
n66	30	15	1725	DFT	16QAM	Outer_Full	21.73	17.73	19.03
n66	30	15	1725	DFT	64QAM	Inner_Full	21.21	17.21	18.51
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	21.26	17.26	18.56
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	21.41	17.41	18.71
n66	30	15	1725	DFT	64QAM	Outer_Full	21.17	17.17	18.47
n66	30	15	1725	DFT	256QAM	Inner_Full	19.42	15.42	16.72
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	19.71	15.71	17.01
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	19.68	15.68	16.98
n66	30	15	1725	DFT	256QAM	Outer_Full	19.36	15.36	16.66
n66	30	15	1725	CP	QPSK	Inner_Full	22.25	18.25	19.55
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	20.75	16.75	18.05
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	20.82	16.82	18.12
n66	30	15	1725	CP	QPSK	Outer_Full	20.72	16.72	18.02
n66	30	15	1725	CP	16QAM	Inner_Full	21.7	17.7	19
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	20.81	16.81	18.11
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	21.04	17.04	18.34
n66	30	15	1725	CP	16QAM	Outer_Full	20.68	16.68	17.98



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1725	CP	64QAM	Inner_Full	20.11	16.11	17.41
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	20.11	16.11	17.41
n66	30	15	1725	CP	64QAM	Edge_1RB_Right	20.2	16.2	17.5
n66	30	15	1725	CP	64QAM	Outer_Full	20.14	16.14	17.44
n66	30	15	1725	CP	256QAM	Inner_Full	17.35	13.35	14.65
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	17.71	13.71	15.01
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	17.69	13.69	14.99
n66	30	15	1725	CP	256QAM	Outer_Full	17.34	13.34	14.64
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	23.82	19.82	21.12
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.2	19.2	20.5
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.39	19.39	20.69
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	23.34	19.34	20.64
n66	30	15	1745	DFT	QPSK	Inner_Full	23.88	19.88	21.18
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	22.66	18.66	19.96
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	22.86	18.86	20.16
n66	30	15	1745	DFT	QPSK	Outer_Full	22.89	18.89	20.19
n66	30	15	1745	DFT	16QAM	Inner_Full	22.86	18.86	20.16
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	21.61	17.61	18.91
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.86	17.86	19.16
n66	30	15	1745	DFT	16QAM	Outer_Full	21.81	17.81	19.11
n66	30	15	1745	DFT	64QAM	Inner_Full	21.31	17.31	18.61
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	21.17	17.17	18.47
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	21.36	17.36	18.66
n66	30	15	1745	DFT	64QAM	Outer_Full	21.29	17.29	18.59
n66	30	15	1745	DFT	256QAM	Inner_Full	19.46	15.46	16.76
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	19.52	15.52	16.82
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	19.84	15.84	17.14
n66	30	15	1745	DFT	256QAM	Outer_Full	19.55	15.55	16.85
n66	30	15	1745	CP	QPSK	Inner_Full	22.35	18.35	19.65
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	20.66	16.66	17.96



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1745	CP	QPSK	Edge_1RB_Right	20.96	16.96	18.26
n66	30	15	1745	CP	QPSK	Outer_Full	20.76	16.76	18.06
n66	30	15	1745	CP	16QAM	Inner_Full	21.75	17.75	19.05
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	20.84	16.84	18.14
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	21.07	17.07	18.37
n66	30	15	1745	CP	16QAM	Outer_Full	20.76	16.76	18.06
n66	30	15	1745	CP	64QAM	Inner_Full	20.31	16.31	17.61
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	19.97	15.97	17.27
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	20.33	16.33	17.63
n66	30	15	1745	CP	64QAM	Outer_Full	20.27	16.27	17.57
n66	30	15	1745	CP	256QAM	Inner_Full	17.42	13.42	14.72
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	17.33	13.33	14.63
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	17.67	13.67	14.97
n66	30	15	1745	CP	256QAM	Outer_Full	17.46	13.46	14.76
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.9	19.9	21.2
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	23.24	19.24	20.54
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	23.58	19.58	20.88
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	23.32	19.32	20.62
n66	30	15	1765	DFT	QPSK	Inner_Full	23.96	19.96	21.26
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	22.77	18.77	20.07
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	23.02	19.02	20.32
n66	30	15	1765	DFT	QPSK	Outer_Full	22.83	18.83	20.13
n66	30	15	1765	DFT	16QAM	Inner_Full	22.95	18.95	20.25
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	21.78	17.78	19.08
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.94	17.94	19.24
n66	30	15	1765	DFT	16QAM	Outer_Full	21.78	17.78	19.08
n66	30	15	1765	DFT	64QAM	Inner_Full	21.4	17.4	18.7
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	21.32	17.32	18.62
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	21.61	17.61	18.91
n66	30	15	1765	DFT	64QAM	Outer_Full	21.23	17.23	18.53



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1765	DFT	256QAM	Inner_Full	19.52	15.52	16.82
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	19.59	15.59	16.89
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	19.94	15.94	17.24
n66	30	15	1765	DFT	256QAM	Outer_Full	19.43	15.43	16.73
n66	30	15	1765	CP	QPSK	Inner_Full	22.38	18.38	19.68
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	20.72	16.72	18.02
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	21.05	17.05	18.35
n66	30	15	1765	CP	QPSK	Outer_Full	20.8	16.8	18.1
n66	30	15	1765	CP	16QAM	Inner_Full	21.82	17.82	19.12
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	20.71	16.71	18.01
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	21.16	17.16	18.46
n66	30	15	1765	CP	16QAM	Outer_Full	20.78	16.78	18.08
n66	30	15	1765	CP	64QAM	Inner_Full	20.41	16.41	17.71
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	20.25	16.25	17.55
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	20.46	16.46	17.76
n66	30	15	1765	CP	64QAM	Outer_Full	20.21	16.21	17.51
n66	30	15	1765	CP	256QAM	Inner_Full	17.47	13.47	14.77
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	17.65	13.65	14.95
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	17.93	13.93	15.23
n66	30	15	1765	CP	256QAM	Outer_Full	17.36	13.36	14.66
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.66	19.66	20.96
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	23.29	19.29	20.59
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	23.34	19.34	20.64
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	22.99	18.99	20.29
n66	40	15	1730	DFT	QPSK	Inner_Full	23.71	19.71	21.01
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	22.6	18.6	19.9
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	22.9	18.9	20.2
n66	40	15	1730	DFT	QPSK	Outer_Full	22.51	18.51	19.81
n66	40	15	1730	DFT	16QAM	Inner_Full	22.76	18.76	20.06
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.71	17.71	19.01



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	21.97	17.97	19.27
n66	40	15	1730	DFT	16QAM	Outer_Full	21.51	17.51	18.81
n66	40	15	1730	DFT	64QAM	Inner_Full	21.26	17.26	18.56
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	21.32	17.32	18.62
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	21.45	17.45	18.75
n66	40	15	1730	DFT	64QAM	Outer_Full	20.94	16.94	18.24
n66	40	15	1730	DFT	256QAM	Inner_Full	19.29	15.29	16.59
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	19.7	15.7	17
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	19.71	15.71	17.01
n66	40	15	1730	DFT	256QAM	Outer_Full	19.12	15.12	16.42
n66	40	15	1730	CP	QPSK	Inner_Full	22.17	18.17	19.47
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	20.65	16.65	17.95
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	20.97	16.97	18.27
n66	40	15	1730	CP	QPSK	Outer_Full	20.41	16.41	17.71
n66	40	15	1730	CP	16QAM	Inner_Full	21.75	17.75	19.05
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	20.78	16.78	18.08
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	20.89	16.89	18.19
n66	40	15	1730	CP	16QAM	Outer_Full	20.49	16.49	17.79
n66	40	15	1730	CP	64QAM	Inner_Full	20.19	16.19	17.49
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	20.15	16.15	17.45
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	20.22	16.22	17.52
n66	40	15	1730	CP	64QAM	Outer_Full	20.01	16.01	17.31
n66	40	15	1730	CP	256QAM	Inner_Full	17.23	13.23	14.53
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	17.67	13.67	14.97
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	17.77	13.77	15.07
n66	40	15	1730	CP	256QAM	Outer_Full	17.1	13.1	14.4
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	23.77	19.77	21.07
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.21	19.21	20.51
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.53	19.53	20.83
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	23.37	19.37	20.67



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1745	DFT	QPSK	Inner_Full	23.83	19.83	21.13
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	22.75	18.75	20.05
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	22.91	18.91	20.21
n66	40	15	1745	DFT	QPSK	Outer_Full	22.9	18.9	20.2
n66	40	15	1745	DFT	16QAM	Inner_Full	22.81	18.81	20.11
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	21.64	17.64	18.94
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	21.93	17.93	19.23
n66	40	15	1745	DFT	16QAM	Outer_Full	21.86	17.86	19.16
n66	40	15	1745	DFT	64QAM	Inner_Full	21.31	17.31	18.61
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	21.29	17.29	18.59
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	21.49	17.49	18.79
n66	40	15	1745	DFT	64QAM	Outer_Full	21.32	17.32	18.62
n66	40	15	1745	DFT	256QAM	Inner_Full	19.39	15.39	16.69
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	19.55	15.55	16.85
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	19.78	15.78	17.08
n66	40	15	1745	DFT	256QAM	Outer_Full	19.49	15.49	16.79
n66	40	15	1745	CP	QPSK	Inner_Full	22.3	18.3	19.6
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	20.63	16.63	17.93
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	20.96	16.96	18.26
n66	40	15	1745	CP	QPSK	Outer_Full	20.83	16.83	18.13
n66	40	15	1745	CP	16QAM	Inner_Full	21.89	17.89	19.19
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	20.86	16.86	18.16
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	21.39	17.39	18.69
n66	40	15	1745	CP	16QAM	Outer_Full	20.87	16.87	18.17
n66	40	15	1745	CP	64QAM	Inner_Full	20.24	16.24	17.54
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	20.07	16.07	17.37
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	20.29	16.29	17.59
n66	40	15	1745	CP	64QAM	Outer_Full	20.32	16.32	17.62
n66	40	15	1745	CP	256QAM	Inner_Full	17.38	13.38	14.68
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	17.49	13.49	14.79



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	17.79	13.79	15.09
n66	40	15	1745	CP	256QAM	Outer_Full	17.51	13.51	14.81
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.9	19.9	21.2
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	23.23	19.23	20.53
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	23.57	19.57	20.87
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	23.28	19.28	20.58
n66	40	15	1760	DFT	QPSK	Inner_Full	23.87	19.87	21.17
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	22.72	18.72	20.02
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	22.99	18.99	20.29
n66	40	15	1760	DFT	QPSK	Outer_Full	22.75	18.75	20.05
n66	40	15	1760	DFT	16QAM	Inner_Full	22.92	18.92	20.22
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	21.67	17.67	18.97
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	22.03	18.03	19.33
n66	40	15	1760	DFT	16QAM	Outer_Full	21.78	17.78	19.08
n66	40	15	1760	DFT	64QAM	Inner_Full	21.39	17.39	18.69
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	21.29	17.29	18.59
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	21.61	17.61	18.91
n66	40	15	1760	DFT	64QAM	Outer_Full	21.18	17.18	18.48
n66	40	15	1760	DFT	256QAM	Inner_Full	19.43	15.43	16.73
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	19.54	15.54	16.84
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	19.85	15.85	17.15
n66	40	15	1760	DFT	256QAM	Outer_Full	19.34	15.34	16.64
n66	40	15	1760	CP	QPSK	Inner_Full	22.33	18.33	19.63
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	20.73	16.73	18.03
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	21.06	17.06	18.36
n66	40	15	1760	CP	QPSK	Outer_Full	20.71	16.71	18.01
n66	40	15	1760	CP	16QAM	Inner_Full	21.89	17.89	19.19
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	20.95	16.95	18.25
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	21.3	17.3	18.6
n66	40	15	1760	CP	16QAM	Outer_Full	20.72	16.72	18.02



BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1760	CP	64QAM	Inner_Full	20.34	16.34	17.64
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	20.14	16.14	17.44
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	20.54	16.54	17.84
n66	40	15	1760	CP	64QAM	Outer_Full	20.21	16.21	17.51
n66	40	15	1760	CP	256QAM	Inner_Full	17.38	13.38	14.68
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	17.31	13.31	14.61
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	17.94	13.94	15.24
n66	40	15	1760	CP	256QAM	Outer_Full	17.36	13.36	14.66

A.2 FIELD STRENGTH OF SPURIOUS RADIATION

Reference

FCC: CFR 2.1053, 22.917, 27.53.


A.2.1 Measurement Method

This measurement is carried out in fully-anechoic chamber FAC-3.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz as outlined in Part 22.917, 24.238, 27.53(m) (h) . The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of the NR Band.

The procedure of radiated spurious emissions is as follows:

1. For radiated emissions measurements performed at frequencies less than or equal to 1 GHz, EUT was placed on a 80 cm high non-conductive stand at a 3 meter test distance from the receive antenna. For radiated measurements performed at frequencies above 1 GHz, EUT was placed on a 1.5 meter high non-conductive stand at a 3 meter test distance from the receive antenna. Receiving antenna was placed on the antenna mast 3 meters from the EUT. For emission measurements. The receiving antenna shall be varied from 1 m to 4 m in height above the reference ground in a search for the relative positioning that produces the maximum radiated signal level. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and adjusting the receiving antenna polarization. The radiated emission measurements of all transmit frequencies in three channels (High, Middle, Low) were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



- In the chamber, an substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna and adjusts the level of the signal generator output until the value of the receiver reaches the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.
4. The Path loss (P_{pl}) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain(dBi) (G_a) should be recorded after test.
An amplifier should be connected in for the test.
The Path loss (P_{pl}) is the summation of the cable loss and the gain of the amplifier.
The measurement results are obtained as described below:
Power (EIRP)= $P_{Mea} - P_{pl} + G_a$
 5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
 6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15dB$.

A.2.2 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of the NR Band. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of the NR Band into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this.

Only worst case result is given below.

**Upper antenna****n2 370500 5MHz SCS:15kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11856.92	-52.34	2.50	11.00	-43.84	-13.00	V
12541.38	-56.09	2.40	13.80	-44.69	-13.00	H
13624.15	-53.62	2.40	12.40	-43.62	-13.00	H
14601.69	-51.89	2.60	11.20	-43.29	-13.00	V
15197.08	-52.20	2.50	12.40	-42.30	-13.00	V
16815.69	-51.32	2.90	16.50	-37.72	-13.00	V

n2 376000 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
10498.62	-55.00	2.30	11.30	-46.00	-13.00	V
11152.15	-53.23	2.50	10.50	-45.23	-13.00	V
11925.69	-52.03	2.60	11.00	-43.63	-13.00	V
13294.15	-54.68	2.30	13.30	-43.68	-13.00	V
15143.08	-51.07	2.50	12.40	-41.17	-13.00	V
16922.31	-50.36	2.90	16.50	-36.76	-13.00	H

n2 381500 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
10418.31	-55.21	2.30	11.30	-46.21	-13.00	V
11853.69	-53.20	2.50	11.00	-44.70	-13.00	H
13161.69	-55.76	2.40	13.30	-44.86	-13.00	V
14968.62	-51.38	2.70	11.20	-42.88	-13.00	V
15858.92	-53.26	2.40	15.60	-40.06	-13.00	H
16957.85	-51.23	2.90	16.50	-37.63	-13.00	H

**n5 165300 5MHz SCS:15kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	ERP (dBm)	Limit (dBm)	Polarizatio n
11858.14	-52.68	2.50	11.00	-46.33	-13.00	V
15161.57	-51.17	2.50	12.40	-43.42	-13.00	V
5827.50	-55.55	1.40	13.10	-46.00	-13.00	V
4076.25	-57.28	1.30	12.40	-48.33	-13.00	V
13296.00	-54.68	2.30	13.30	-45.83	-13.00	V
17926.29	-44.74	3.20	12.80	-37.29	-13.00	V

n5 167300 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	ERP (dBm)	Limit (dBm)	Polarizatio n
2520.49	-56.54	0.90	10.70	-48.89	-13.00	V
4102.50	-56.39	1.30	12.40	-47.44	-13.00	V
9736.29	-55.52	2.20	11.20	-48.67	-13.00	V
11982.86	-50.65	2.60	11.00	-44.40	-13.00	H
15566.57	-52.34	2.40	15.60	-41.29	-13.00	V
17961.86	-45.06	3.20	12.80	-37.61	-13.00	V

n5 169300 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	ERP (dBm)	Limit (dBm)	Polarizatio n
15884.14	-51.97	2.40	15.60	-40.92	-13.00	H
11913.00	-52.30	2.50	11.00	-45.95	-13.00	V
5953.12	-55.09	1.50	13.10	-45.64	-13.00	V
5634.38	-55.85	1.30	13.10	-46.20	-13.00	V
16819.71	-50.68	2.90	16.50	-39.23	-13.00	V
10616.57	-53.83	2.20	10.80	-47.38	-13.00	V

**n7 500500 5MHz SCS:15kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
6235.38	-57.80	1.60	13.10	-46.30	-25.00	H
7879.38	-57.53	1.70	11.30	-47.93	-25.00	V
10469.08	-54.91	2.30	11.30	-45.91	-25.00	V
11878.15	-52.53	2.50	11.00	-44.03	-25.00	H
14942.31	-50.54	2.70	11.20	-42.04	-25.00	H
17919.23	-46.26	3.20	12.80	-36.66	-25.00	H

n7 507000 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
6831.69	-56.66	1.80	12.40	-46.06	-25.00	V
7753.85	-56.84	1.80	11.30	-47.34	-25.00	V
10435.38	-54.53	2.30	11.30	-45.53	-25.00	H
11903.54	-51.35	2.50	11.00	-42.85	-25.00	H
14869.38	-49.65	2.70	11.20	-41.15	-25.00	V
17866.62	-45.61	3.60	12.80	-36.41	-25.00	H

n7 513500 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
6908.77	-56.39	1.80	12.40	-45.79	-25.00	V
7720.15	-57.24	1.80	11.30	-47.74	-25.00	V
10485.69	-54.55	2.30	11.30	-45.55	-25.00	H
11856.92	-51.27	2.50	11.00	-42.77	-25.00	V
14809.38	-49.84	2.50	11.20	-41.14	-25.00	V
17635.85	-45.27	3.30	12.80	-35.77	-25.00	H

**n38 515000 10MHz SCS:30kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
5142.38	-51.26	1.30	12.50	-40.06	-25.00	V
6772.62	-57.67	1.60	12.40	-46.87	-25.00	V
7713.23	-56.63	1.80	11.30	-47.13	-25.00	H
10610.77	-54.66	2.20	10.80	-46.06	-25.00	V
11851.85	-53.19	2.50	11.00	-44.69	-25.00	V
16905.23	-50.41	2.90	16.50	-36.81	-25.00	H

n38 519000 10MHz SCS:30kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
5182.50	-52.88	1.60	12.50	-41.98	-25.00	V
7603.85	-56.55	1.80	11.30	-47.05	-25.00	H
11193.69	-52.62	2.50	10.50	-44.62	-25.00	H
11926.62	-51.87	2.60	11.00	-43.47	-25.00	V
14593.38	-51.59	2.60	11.20	-42.99	-25.00	V
15919.85	-52.11	2.60	15.60	-39.11	-25.00	V

n38 523000 10MHz SCS:30kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
5223.00	-53.33	1.80	12.50	-42.63	-25.00	H
6955.85	-57.08	1.80	12.40	-46.48	-25.00	H
9098.77	-56.71	2.20	11.60	-47.31	-25.00	H
11303.08	-54.10	2.60	10.50	-46.20	-25.00	V
13788.46	-54.86	2.50	12.40	-44.96	-25.00	V
15595.85	-51.70	2.70	15.60	-38.80	-25.00	H

**n41 500202 10MHz SCS:30kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
4994.62	-51.20	1.30	12.50	-40.00	-25.00	H
7492.15	-55.83	1.90	12.00	-45.73	-25.00	V
8855.54	-58.20	1.90	12.00	-48.10	-25.00	V
10434.46	-54.70	2.30	11.30	-45.70	-25.00	V
11862.46	-52.51	2.50	11.00	-44.01	-25.00	H
13920.92	-53.13	2.20	12.40	-42.93	-25.00	H

n41 518598 10MHz SCS:30kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
5178.38	-49.77	1.60	12.50	-38.87	-25.00	H
7767.23	-54.24	1.80	11.30	-44.74	-25.00	V
8820.92	-57.29	1.90	12.00	-47.19	-25.00	H
10744.15	-53.63	2.40	10.80	-45.23	-25.00	H
11840.77	-53.01	2.50	11.00	-44.51	-25.00	H
14388.92	-52.68	2.60	11.90	-43.38	-25.00	H

n41 537000 10MHz SCS:30kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
5034.38	-55.14	1.30	12.50	-43.94	-25.00	H
8043.23	-54.43	2.00	11.30	-45.13	-25.00	H
9582.92	-56.84	2.10	11.20	-47.74	-25.00	H
11162.31	-52.85	2.50	10.50	-44.85	-25.00	H
12257.08	-54.38	2.60	12.60	-44.38	-25.00	H
14754.46	-50.86	2.50	11.20	-42.16	-25.00	H

**n66 342500 5MHz SCS:15kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9813.75	-65.43	2.30	11.20	-56.53	-13.00	V
11858.52	-62.42	2.50	11.00	-53.92	-13.00	V
13310.00	-64.94	2.30	13.30	-53.94	-13.00	V
14439.19	-62.03	2.60	11.90	-52.73	-13.00	H
16102.12	-64.02	2.60	17.40	-49.22	-13.00	H
17943.56	-55.63	3.20	12.80	-46.03	-13.00	H

n66 349000 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11147.84	-62.39	2.50	10.50	-54.39	-13.00	V
11902.39	-62.19	2.50	11.00	-53.69	-13.00	V
13147.69	-64.78	2.30	13.30	-53.78	-13.00	V
14417.75	-62.12	2.60	11.90	-52.82	-13.00	H
16121.81	-64.02	2.60	17.40	-49.22	-13.00	V
17940.94	-55.87	3.20	12.80	-46.27	-13.00	H

n66 355500 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11157.48	-62.55	2.50	10.50	-54.55	-13.00	H
11898.54	-62.49	2.50	11.00	-53.99	-13.00	H
13152.06	-64.58	2.30	13.30	-53.58	-13.00	V
14423.44	-62.23	2.60	11.90	-52.93	-13.00	H
15859.75	-62.52	2.40	15.60	-49.32	-13.00	V
17615.44	-55.65	3.30	12.80	-46.15	-13.00	H

**CA_n5A-n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 164800+502000**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
7857.43	-57.32	1.70	11.30	-47.72	-25.00	V
9175.71	-56.66	2.10	11.60	-47.16	-25.00	V
10413.86	-55.56	2.30	11.30	-46.56	-25.00	V
11868.00	-52.05	2.50	11.00	-43.55	-25.00	V
13820.57	-52.45	2.50	12.40	-42.55	-25.00	V
15879.00	-52.28	2.40	15.60	-39.08	-25.00	V

CA_n5A-n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 166300+507000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
7357.71	-58.66	1.70	12.00	-48.36	-25.00	V
8556.86	-57.81	2.10	12.00	-47.91	-25.00	V
9889.71	-55.42	2.20	11.20	-46.42	-25.00	V
11231.57	-52.60	2.60	10.50	-44.70	-25.00	V
12422.14	-53.36	2.60	12.60	-43.36	-25.00	V
13820.57	-52.45	2.50	12.40	-42.55	-25.00	V

CA_n5A-n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 167800+512000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
6897.00	-56.24	1.80	12.40	-45.64	-25.00	V
8262.00	-56.80	1.90	11.30	-47.40	-25.00	V
10330.29	-54.80	2.10	11.30	-45.60	-25.00	V
11982.43	-52.32	2.60	11.00	-43.92	-25.00	V
13820.57	-52.45	2.50	12.40	-42.55	-25.00	V
15909.00	-52.19	2.60	15.60	-39.19	-25.00	V

**DC_66A_n5A SCS:15kHz DFT-OFDM 5MHz NR Channel 165300**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
10151.14	-57.79	2.00	11.30	-48.49	-13.00	V
10994.57	-55.18	2.40	10.80	-46.78	-13.00	H
12282.00	-55.12	2.60	12.60	-45.12	-13.00	H
12967.29	-56.73	2.50	13.80	-45.43	-13.00	V
14038.29	-54.26	2.50	11.90	-44.86	-13.00	H
15433.29	-51.65	2.40	12.40	-41.65	-13.00	H

DC_66A_n5A SCS:15kHz DFT-OFDM 5MHz NR Channel 167300

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9825.43	-55.95	2.30	11.20	-47.05	-13.00	H
10731.00	-55.96	2.40	10.80	-47.56	-13.00	V
11767.71	-53.60	2.60	11.00	-45.20	-13.00	H
13286.14	-55.16	2.40	13.30	-44.26	-13.00	H
14530.71	-50.71	2.60	11.20	-42.11	-13.00	H
16265.14	-53.54	2.70	17.40	-38.84	-13.00	V

DC_66A_n5A SCS:15kHz DFT-OFDM 5MHz NR Channel 169300

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
6765.43	-56.04	1.60	12.40	-45.24	-13.00	H
8619.86	-58.96	2.00	12.00	-48.96	-13.00	H
10000.71	-56.35	2.20	11.30	-47.25	-13.00	H
11767.71	-53.60	2.60	11.00	-45.20	-13.00	H
12983.14	-56.94	2.50	13.80	-45.64	-13.00	H
15965.14	-52.68	2.60	15.60	-39.68	-13.00	V

**DC_4A_n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 500500**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9547.29	-57.06	2.10	11.20	-47.96	-25.00	V
10534.71	-53.80	2.30	10.80	-45.30	-25.00	V
11542.29	-54.94	2.60	11.00	-46.54	-25.00	V
13117.71	-54.81	2.30	13.30	-43.81	-25.00	V
14828.14	-50.51	2.50	11.20	-41.81	-25.00	V
16772.57	-50.44	2.90	16.50	-36.84	-25.00	V

DC_4A_n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 507000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9732.86	-56.18	2.20	11.20	-47.18	-25.00	V
10913.14	-54.89	2.40	10.80	-46.49	-25.00	V
12525.86	-56.09	2.40	13.80	-44.69	-25.00	V
13801.29	-53.43	2.50	12.40	-43.53	-25.00	V
14847.86	-50.75	2.70	11.20	-42.25	-25.00	V
15450.00	-51.10	2.40	12.40	-41.10	-25.00	V

DC_4A_n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 513500

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9036.00	-57.11	2.20	11.60	-47.71	-25.00	V
9873.86	-54.56	2.20	11.20	-45.56	-25.00	V
11032.71	-53.75	2.30	10.50	-45.55	-25.00	V
12471.00	-54.76	2.60	12.60	-44.76	-25.00	V
13890.43	-53.68	2.20	12.40	-43.48	-25.00	V
14828.14	-50.51	2.50	11.20	-41.81	-25.00	V

**DC_5A_n38A SCS:15kHz DFT-OFDM 5MHz NR Channel 515000**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13985.54	-55.68	2.50	12.40	-45.78	-25.00	H
14532.92	-53.21	2.60	11.20	-44.61	-25.00	H
15104.77	-53.40	2.40	12.40	-43.40	-25.00	H
15795.69	-54.84	2.40	15.60	-41.64	-25.00	H
16394.77	-55.29	2.70	17.40	-40.59	-25.00	V
16778.31	-53.02	2.90	16.50	-39.42	-25.00	V

DC_5A_n38A SCS:15kHz DFT-OFDM 5MHz NR Channel 519000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
12588.46	-57.02	2.40	13.80	-45.62	-25.00	V
13475.08	-56.21	2.50	13.30	-45.41	-25.00	V
14410.62	-52.32	2.60	11.90	-43.02	-25.00	V
15157.85	-51.65	2.50	12.40	-41.75	-25.00	V
16090.62	-54.63	2.60	17.40	-39.83	-25.00	H
16685.08	-52.67	2.60	16.50	-38.77	-25.00	V

DC_5A_n38A SCS:15kHz DFT-OFDM 5MHz NR Channel 523000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9131.54	-57.46	2.10	11.60	-47.96	-25.00	V
9827.54	-55.90	2.30	11.20	-47.00	-25.00	V
11027.54	-54.77	2.30	10.50	-46.57	-25.00	V
12009.69	-55.69	2.60	12.60	-45.69	-25.00	V
12918.92	-56.81	2.50	13.80	-45.51	-25.00	V
13810.62	-54.14	2.50	12.40	-44.24	-25.00	V

**DC_4A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 500202**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11112.92	-54.55	2.50	10.50	-46.55	-25.00	V
11893.38	-53.03	2.50	11.00	-44.53	-25.00	V
13250.77	-56.08	2.40	13.30	-45.18	-25.00	H
14218.15	-53.35	2.50	11.90	-43.95	-25.00	V
15149.54	-51.99	2.50	12.40	-42.09	-25.00	V
16319.54	-53.02	2.70	17.40	-38.32	-25.00	V

DC_4A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 518598

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9179.54	-57.04	2.10	11.60	-47.54	-25.00	H
10377.23	-55.55	2.30	11.30	-46.55	-25.00	H
11766.46	-52.76	2.60	11.00	-44.36	-25.00	V
12442.62	-55.42	2.60	12.60	-45.42	-25.00	H
13291.85	-55.16	2.30	13.30	-44.16	-25.00	V
14356.15	-52.56	2.60	11.90	-43.26	-25.00	V

DC_4A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 537000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9497.08	-58.59	2.10	11.60	-49.09	-25.00	H
10388.77	-54.55	2.30	11.30	-45.55	-25.00	H
12381.23	-54.97	2.60	12.60	-44.97	-25.00	V
13321.85	-55.51	2.30	13.30	-44.51	-25.00	V
14437.38	-53.01	2.60	11.90	-43.71	-25.00	V
15612.46	-53.77	2.70	15.60	-40.87	-25.00	H

**DC_26A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 500202**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9832.62	-56.27	2.30	11.20	-47.37	-25.00	V
11203.38	-52.85	2.50	10.50	-44.85	-25.00	V
12402.00	-54.15	2.60	12.60	-44.15	-25.00	V
13164.00	-55.08	2.40	13.30	-44.18	-25.00	V
14830.15	-50.65	2.70	11.20	-42.15	-25.00	H
16573.85	-52.43	2.60	16.50	-38.53	-25.00	V

DC_26A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 518598

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11203.38	-52.85	2.50	10.50	-44.85	-25.00	V
12522.00	-56.33	2.40	13.80	-44.93	-25.00	V
13885.38	-54.61	2.20	12.40	-44.41	-25.00	V
14765.54	-50.25	2.50	11.20	-41.55	-25.00	H
15599.08	-53.65	2.70	15.60	-40.75	-25.00	V
16604.31	-52.87	2.60	16.50	-38.97	-25.00	H

DC_26A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 537000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
14356.15	-52.56	2.60	11.90	-43.26	-25.00	V
14765.54	-50.25	2.50	11.20	-41.55	-25.00	H
15153.23	-51.50	2.50	12.40	-41.60	-25.00	V
15881.54	-53.03	2.40	15.60	-39.83	-25.00	V
16675.85	-53.28	2.60	16.50	-39.38	-25.00	V
17614.62	-46.32	3.30	12.80	-36.82	-25.00	H

**DC_7A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 342500**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11858.04	-62.23	2.50	11.00	-53.73	-13.00	H
13100.00	-65.32	2.30	13.30	-54.32	-13.00	H
13825.81	-63.57	2.50	12.40	-53.67	-13.00	H
14644.38	-61.70	2.60	11.20	-53.10	-13.00	H
15159.75	-60.96	2.50	12.40	-51.06	-13.00	H
15795.00	-63.34	2.40	15.60	-50.14	-13.00	H

DC_7A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 349000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11805.48	-62.74	2.50	11.00	-54.24	-13.00	V
12757.44	-65.04	2.60	13.80	-53.84	-13.00	V
13590.00	-64.48	2.40	12.40	-54.48	-13.00	H
14379.25	-62.08	2.60	11.90	-52.78	-13.00	H
15130.88	-61.65	2.50	12.40	-51.75	-13.00	V
15859.31	-62.80	2.40	15.60	-49.60	-13.00	H

DC_7A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 355500

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11205.21	-62.67	2.50	10.50	-54.67	-13.00	V
11897.09	-62.22	2.50	11.00	-53.72	-13.00	H
12419.73	-64.53	2.60	12.60	-54.53	-13.00	H
13160.81	-63.96	2.40	13.30	-53.06	-13.00	V
13976.75	-63.37	2.50	12.40	-53.47	-13.00	H
15091.06	-61.52	2.40	12.40	-51.52	-13.00	V

**DC_12A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 342500**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
12609.21	-66.09	2.40	13.80	-54.69	-13.00	V
13253.56	-65.17	2.40	13.30	-54.27	-13.00	H
14181.94	-63.58	2.50	11.90	-54.18	-13.00	H
15088.88	-61.41	2.40	12.40	-51.41	-13.00	H
15904.38	-62.03	2.60	15.60	-49.03	-13.00	H
16929.44	-60.23	2.90	16.50	-46.63	-13.00	H

DC_12A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 349000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13102.62	-65.23	2.30	13.30	-54.23	-13.00	V
13976.75	-63.37	2.50	12.40	-53.47	-13.00	H
14863.56	-60.79	2.70	11.20	-52.29	-13.00	H
15605.12	-63.65	2.70	15.60	-50.75	-13.00	H
16431.12	-63.44	2.70	17.40	-48.74	-13.00	V
16929.44	-60.23	2.90	16.50	-46.63	-13.00	H

DC_12A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 355500

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13177.44	-65.62	2.40	13.30	-54.72	-13.00	V
13935.62	-63.82	2.20	12.40	-53.62	-13.00	H
14597.12	-61.55	2.60	11.20	-52.95	-13.00	H
15132.19	-60.92	2.50	12.40	-51.02	-13.00	V
16300.75	-64.75	2.70	17.40	-50.05	-13.00	H
16985.00	-61.14	2.90	16.50	-47.54	-13.00	H

**DC_13A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 342500**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13155.12	-64.58	2.30	13.30	-53.58	-13.00	V
13747.94	-64.17	2.50	12.40	-54.27	-13.00	H
14626.44	-61.34	2.60	11.20	-52.74	-13.00	H
15592.00	-62.57	2.70	15.60	-49.67	-13.00	V
16435.94	-63.69	2.70	17.40	-48.99	-13.00	V
17503.44	-56.82	2.90	12.80	-46.92	-13.00	H

DC_13A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 349000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13146.81	-64.61	2.30	13.30	-53.61	-13.00	V
13741.38	-64.08	2.50	12.40	-54.18	-13.00	V
14571.31	-61.77	2.60	11.20	-53.17	-13.00	V
15149.69	-60.65	2.50	12.40	-50.75	-13.00	V
15867.19	-62.69	2.40	15.60	-49.49	-13.00	H
16572.44	-61.94	2.60	16.50	-48.04	-13.00	H

DC_13A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 355500

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13160.81	-63.96	2.40	13.30	-53.06	-13.00	V
13825.81	-63.57	2.50	12.40	-53.67	-13.00	H
14461.50	-62.02	2.60	11.90	-52.72	-13.00	H
15088.88	-61.41	2.40	12.40	-51.41	-13.00	H
15909.19	-62.44	2.60	15.60	-49.44	-13.00	H
16628.44	-62.10	2.60	16.50	-48.20	-13.00	V

**Lower antenna****n2 370500 5MHz SCS:15kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
10431.69	-55.10	2.30	11.30	-46.10	-13.00	V
11894.77	-52.76	2.50	11.00	-44.26	-13.00	V
13254.46	-55.55	2.40	13.30	-44.65	-13.00	H
14968.62	-50.70	2.70	11.20	-42.20	-13.00	V
16844.31	-50.45	2.90	16.50	-36.85	-13.00	H
17599.85	-46.05	3.30	12.80	-36.55	-13.00	H

n2 376000 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11242.62	-53.41	2.60	10.50	-45.51	-13.00	H
11929.85	-52.41	2.60	11.00	-44.01	-13.00	V
12426.92	-54.04	2.60	12.60	-44.04	-13.00	V
13874.31	-53.22	2.20	12.40	-43.02	-13.00	V
15110.31	-51.66	2.40	12.40	-41.66	-13.00	V
16765.85	-51.27	2.90	16.50	-37.67	-13.00	V

n2 381500 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
16883.08	-50.78	2.90	16.50	-37.18	-13.00	H
11861.08	-52.79	2.50	11.00	-44.29	-13.00	H
13087.38	-56.49	2.30	13.30	-45.49	-13.00	V
14418.00	-52.08	2.60	11.90	-42.78	-13.00	V
15127.38	-51.40	2.50	12.40	-41.50	-13.00	V
10393.85	-54.84	2.30	11.30	-45.84	-13.00	V

**n5 165300 5MHz SCS:15kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	ERP (dBm)	Limit (dBm)	Polarizatio n
3719.62	-57.81	1.10	12.20	-48.86	-13.00	H
4671.00	-56.05	1.30	12.50	-47.00	-13.00	V
5500.12	-55.00	1.40	13.10	-45.45	-13.00	H
6197.68	-56.87	1.60	13.10	-47.52	-13.00	H
9842.92	-55.38	2.30	11.20	-48.63	-13.00	V
11926.26	-51.78	2.60	11.00	-45.53	-13.00	H

n5 167300 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	ERP (dBm)	Limit (dBm)	Polarizatio n
13099.71	-55.12	2.30	13.30	-46.27	-13.00	H
17922.86	-46.05	3.20	12.80	-38.60	-13.00	H
16642.29	-51.32	2.60	16.50	-39.57	-13.00	H
17487.86	-48.40	2.90	14.50	-38.95	-13.00	H
11921.14	-52.06	2.60	11.00	-45.81	-13.00	V
12380.57	-54.06	2.60	12.60	-46.21	-13.00	V

n5 169300 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	ERP (dBm)	Limit (dBm)	Polarizatio n
12321.43	-54.47	2.60	12.60	-46.62	-13.00	H
14438.14	-51.41	2.60	11.90	-44.26	-13.00	H
16847.57	-50.82	2.90	16.50	-39.37	-13.00	H
17889.00	-45.71	3.60	12.80	-38.66	-13.00	V
13146.43	-54.88	2.30	13.30	-46.03	-13.00	V
11896.29	-52.35	2.50	11.00	-46.00	-13.00	V

**n7 500500 5MHz SCS:15kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
6956.77	-55.71	1.80	12.40	-45.11	-25.00	H
7752.00	-56.09	1.80	11.30	-46.59	-25.00	H
10413.69	-54.72	2.30	11.30	-45.72	-25.00	H
12526.15	-54.42	2.40	13.80	-43.02	-25.00	H
14771.54	-50.00	2.50	11.20	-41.30	-25.00	H
17941.85	-45.25	3.20	12.80	-35.65	-25.00	H

n7 507000 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
6287.08	-56.40	1.60	13.10	-44.90	-25.00	V
7767.69	-56.22	1.80	11.30	-46.72	-25.00	H
10226.77	-55.10	2.20	11.30	-46.00	-25.00	H
12616.15	-55.95	2.40	13.80	-44.55	-25.00	H
15135.69	-50.73	2.50	12.40	-40.83	-25.00	V
17869.85	-45.88	3.60	12.80	-36.68	-25.00	V

n7 513500 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
6942.00	-56.13	1.80	12.40	-45.53	-25.00	V
7742.77	-56.31	1.80	11.30	-46.81	-25.00	V
9904.62	-54.40	2.20	11.20	-45.40	-25.00	H
11857.38	-51.45	2.50	11.00	-42.95	-25.00	V
14902.15	-50.49	2.70	11.20	-41.99	-25.00	V
16914.46	-50.12	2.90	16.50	-36.52	-25.00	V

**n38 515000 10MHz SCS:30kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
5142.38	-50.43	1.30	12.50	-39.23	-25.00	V
5838.00	-55.63	1.40	13.10	-43.93	-25.00	V
7865.08	-57.07	1.70	11.30	-47.47	-25.00	H
10277.08	-54.85	2.10	11.30	-45.65	-25.00	V
11929.38	-51.87	2.60	11.00	-43.47	-25.00	H
16753.85	-50.60	2.90	16.50	-37.00	-25.00	H

n38 519000 10MHz SCS:30kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
4981.88	-54.62	1.30	12.50	-43.42	-25.00	V
6713.54	-56.90	1.70	12.40	-46.20	-25.00	H
8375.54	-57.00	1.80	11.30	-47.50	-25.00	H
10565.54	-54.39	2.30	10.80	-45.89	-25.00	V
11846.77	-52.54	2.50	11.00	-44.04	-25.00	V
13912.62	-53.52	2.20	12.40	-43.32	-25.00	H

n38 523000 10MHz SCS:30kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
5222.62	-54.07	1.80	12.50	-43.37	-25.00	H
6942.92	-57.50	1.80	12.40	-46.90	-25.00	V
8928.46	-57.84	2.00	12.00	-47.84	-25.00	V
10850.77	-55.67	2.30	10.80	-47.17	-25.00	H
13813.38	-53.07	2.50	12.40	-43.17	-25.00	H
16903.85	-50.65	2.90	16.50	-37.05	-25.00	H

**n41 500202 10MHz SCS:30kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
4994.25	-47.80	1.30	12.50	-36.60	-25.00	V
7491.69	-52.96	1.90	12.00	-42.86	-25.00	V
10489.38	-54.98	2.30	11.30	-45.98	-25.00	H
11941.38	-52.03	2.60	11.00	-43.63	-25.00	V
13810.62	-53.46	2.50	12.40	-43.56	-25.00	H
15126.92	-50.78	2.50	12.40	-40.88	-25.00	V

n41 518598 10MHz SCS:30kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
5178.38	-49.22	1.60	12.50	-38.32	-25.00	H
7767.69	-52.11	1.80	11.30	-42.61	-25.00	H
9816.46	-54.84	2.30	11.20	-45.94	-25.00	H
11846.77	-52.96	2.50	11.00	-44.46	-25.00	V
13116.00	-54.89	2.30	13.30	-43.89	-25.00	H
14550.46	-50.18	2.60	11.20	-41.58	-25.00	V

n41 537000 10MHz SCS:30kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
5266.50	-54.88	1.80	12.50	-44.18	-25.00	V
6454.62	-57.72	1.60	13.10	-46.22	-25.00	H
8043.69	-54.40	2.00	11.30	-45.10	-25.00	V
9948.46	-56.19	2.20	11.20	-47.19	-25.00	H
11897.08	-52.46	2.50	11.00	-43.96	-25.00	V
14895.23	-49.00	2.70	11.20	-40.50	-25.00	H

**n66 342500 5MHz SCS:15kHz**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11158.93	-62.58	2.50	10.50	-54.58	-13.00	V
11878.77	-62.27	2.50	11.00	-53.77	-13.00	V
13142.44	-64.97	2.30	13.30	-53.97	-13.00	V
14439.19	-62.16	2.60	11.90	-52.86	-13.00	H
15910.06	-62.03	2.60	15.60	-49.03	-13.00	H
17949.69	-55.54	3.20	12.80	-45.94	-13.00	H

n66 349000 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11141.57	-62.71	2.50	10.50	-54.71	-13.00	V
11901.91	-62.53	2.50	11.00	-54.03	-13.00	V
13152.50	-64.56	2.30	13.30	-53.56	-13.00	H
14433.94	-62.40	2.60	11.90	-53.10	-13.00	H
15925.38	-62.31	2.60	15.60	-49.31	-13.00	H
17918.62	-55.49	3.20	12.80	-45.89	-13.00	H

n66 355500 5MHz SCS:15kHz

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
10386.54	-65.06	2.30	11.30	-56.06	-13.00	H
11154.11	-62.50	2.50	10.50	-54.50	-13.00	V
12754.81	-65.11	2.60	13.80	-53.91	-13.00	V
14220.88	-62.03	2.50	11.90	-52.63	-13.00	H
15907.44	-62.50	2.60	15.60	-49.50	-13.00	H
17920.38	-55.48	3.20	12.80	-45.88	-13.00	H

**CA_n5A-n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 164800+502000**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9727.29	-56.86	2.20	11.20	-47.86	-25.00	V
10696.71	-54.61	2.40	10.80	-46.21	-25.00	V
11868.00	-52.05	2.50	11.00	-43.55	-25.00	V
13097.57	-55.19	2.30	13.30	-44.19	-25.00	V
13820.57	-52.45	2.50	12.40	-42.55	-25.00	V
14934.86	-49.28	2.70	11.20	-40.78	-25.00	V

CA_n5A-n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 166300+507000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
8262.00	-56.80	1.90	11.30	-47.40	-25.00	V
9175.71	-56.66	2.10	11.60	-47.16	-25.00	V
10372.29	-54.73	2.30	11.30	-45.73	-25.00	V
11860.29	-52.68	2.50	11.00	-44.18	-25.00	V
13746.86	-53.53	2.50	12.40	-43.63	-25.00	V
16746.00	-51.43	2.90	16.50	-37.83	-25.00	V

CA_n5A-n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 167800+512000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
8917.71	-58.36	1.90	12.00	-48.26	-25.00	V
10446.86	-54.71	2.30	11.30	-45.71	-25.00	V
11868.00	-52.05	2.50	11.00	-43.55	-25.00	V
13820.57	-52.45	2.50	12.40	-42.55	-25.00	V
14934.86	-49.28	2.70	11.20	-40.78	-25.00	V
16746.00	-51.43	2.90	16.50	-37.83	-25.00	V

**DC_66A_n5A SCS:15kHz DFT-OFDM 5MHz NR Channel 165300**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
14038.29	-54.26	2.50	11.90	-44.86	-13.00	H
14567.57	-52.48	2.60	11.20	-43.88	-13.00	H
14961.86	-50.78	2.70	11.20	-42.28	-13.00	H
15499.29	-51.66	2.40	12.40	-41.66	-13.00	V
16149.00	-54.33	2.60	17.40	-39.53	-13.00	H
16991.57	-52.09	2.90	16.50	-38.49	-13.00	V

DC_66A_n5A SCS:15kHz DFT-OFDM 5MHz NR Channel 167300

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
10211.57	-56.36	2.20	11.30	-47.26	-13.00	H
11059.29	-54.83	2.30	10.50	-46.63	-13.00	V
12384.00	-54.92	2.60	12.60	-44.92	-13.00	H
13830.00	-54.07	2.50	12.40	-44.17	-13.00	H
15540.86	-53.55	2.40	15.60	-40.35	-13.00	V
16320.00	-54.18	2.70	17.40	-39.48	-13.00	H

DC_66A_n5A SCS:15kHz DFT-OFDM 5MHz NR Channel 169300

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
9122.14	-57.97	2.10	11.60	-48.47	-13.00	H
9825.43	-55.95	2.30	11.20	-47.05	-13.00	H
10438.71	-55.73	2.30	11.30	-46.73	-13.00	H
11388.43	-55.58	2.50	10.50	-47.58	-13.00	V
12266.14	-55.37	2.60	12.60	-45.37	-13.00	V
13091.57	-57.12	2.30	13.30	-46.12	-13.00	V

**DC_4A_n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 500500**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
12555.23	-55.60	2.40	13.80	-44.20	-25.00	V
12979.85	-56.40	2.50	13.80	-45.10	-25.00	H
13722.46	-55.08	2.50	12.40	-45.18	-25.00	H
14214.46	-53.30	2.50	11.90	-43.90	-25.00	H
14877.23	-51.26	2.70	11.20	-42.76	-25.00	H
15579.23	-53.82	2.40	15.60	-40.62	-25.00	H

DC_4A_n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 507000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13301.54	-54.98	2.30	13.30	-43.98	-25.00	H
13700.77	-53.92	2.50	12.40	-44.02	-25.00	H
14451.69	-51.87	2.60	11.90	-42.57	-25.00	H
15110.77	-51.36	2.40	12.40	-41.36	-25.00	V
15654.00	-53.36	2.70	15.60	-40.46	-25.00	V
16464.46	-53.38	2.70	17.40	-38.68	-25.00	V

DC_4A_n7A SCS:15kHz DFT-OFDM 5MHz NR Channel 513500

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
12374.77	-53.53	2.60	12.60	-43.53	-25.00	H
13204.15	-55.48	2.40	13.30	-44.58	-25.00	H
14279.08	-52.44	2.60	11.90	-43.14	-25.00	H
15068.31	-50.50	2.40	12.40	-40.50	-25.00	V
15794.31	-53.13	2.40	15.60	-39.93	-25.00	H
16569.69	-51.77	2.60	16.50	-37.87	-25.00	V

**DC_5A_n38A SCS:15kHz DFT-OFDM 5MHz NR Channel 515000**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
10467.69	-55.06	2.30	11.30	-46.06	-25.00	V
11816.77	-53.16	2.50	11.00	-44.66	-25.00	V
13193.08	-55.77	2.40	13.30	-44.87	-25.00	H
14362.15	-52.53	2.60	11.90	-43.23	-25.00	H
15300.92	-52.24	2.70	12.40	-42.54	-25.00	V
16090.62	-54.63	2.60	17.40	-39.83	-25.00	H

DC_5A_n38A SCS:15kHz DFT-OFDM 5MHz NR Channel 519000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
12341.08	-55.01	2.60	12.60	-45.01	-25.00	V
13144.62	-55.55	2.30	13.30	-44.55	-25.00	H
13858.62	-54.33	2.20	12.40	-44.13	-25.00	H
14904.92	-50.86	2.70	11.20	-42.36	-25.00	H
15551.54	-53.85	2.40	15.60	-40.65	-25.00	H
16632.46	-53.05	2.60	16.50	-39.15	-25.00	H

DC_5A_n38A SCS:15kHz DFT-OFDM 5MHz NR Channel 523000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
10977.69	-56.13	2.40	10.80	-47.73	-25.00	V
11534.31	-56.04	2.60	11.00	-47.64	-25.00	H
12749.54	-56.93	2.60	13.80	-45.73	-25.00	H
13983.69	-55.06	2.50	12.40	-45.16	-25.00	H
14997.69	-51.71	2.40	11.20	-42.91	-25.00	V
16220.31	-54.91	2.70	17.40	-40.21	-25.00	H

**DC_4A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 500202**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11893.38	-53.03	2.50	11.00	-44.53	-25.00	V
12569.54	-56.41	2.40	13.80	-45.01	-25.00	V
13164.00	-55.08	2.40	13.30	-44.18	-25.00	V
13850.77	-54.30	2.20	12.40	-44.10	-25.00	V
14765.54	-50.25	2.50	11.20	-41.55	-25.00	H
15545.08	-53.31	2.40	15.60	-40.11	-25.00	V

DC_4A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 518598

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11137.38	-53.81	2.50	10.50	-45.81	-25.00	H
11884.62	-53.33	2.50	11.00	-44.83	-25.00	V
12781.38	-55.60	2.70	13.80	-44.50	-25.00	H
13827.69	-53.81	2.50	12.40	-43.91	-25.00	H
15047.54	-52.20	2.40	12.40	-42.20	-25.00	V
16319.54	-53.02	2.70	17.40	-38.32	-25.00	V

DC_4A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 537000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
14000.77	-53.56	2.50	11.90	-44.16	-25.00	V
14554.62	-51.11	2.60	11.20	-42.51	-25.00	V
15159.69	-51.51	2.50	12.40	-41.61	-25.00	V
15881.54	-53.03	2.40	15.60	-39.83	-25.00	V
16470.00	-54.04	2.70	17.40	-39.34	-25.00	V
17504.77	-47.70	2.90	12.80	-37.80	-25.00	H

**DC_26A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 500202**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11203.38	-52.85	2.50	10.50	-44.85	-25.00	V
12402.00	-54.15	2.60	12.60	-44.15	-25.00	V
13827.69	-53.81	2.50	12.40	-43.91	-25.00	H
14830.15	-50.65	2.70	11.20	-42.15	-25.00	H
15408.46	-50.92	2.70	12.40	-41.22	-25.00	H
16913.08	-51.09	2.90	16.50	-37.49	-25.00	H

DC_26A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 518598

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
10563.69	-55.05	2.30	10.80	-46.55	-25.00	V
11203.38	-52.85	2.50	10.50	-44.85	-25.00	V
12726.46	-56.90	2.60	13.80	-45.70	-25.00	H
14366.31	-52.83	2.60	11.90	-43.53	-25.00	H
15545.08	-53.31	2.40	15.60	-40.11	-25.00	V
16573.85	-52.43	2.60	16.50	-38.53	-25.00	V

DC_26A_n41A SCS:30kHz DFT-OFDM 10MHz NR Channel 537000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11203.38	-52.85	2.50	10.50	-44.85	-25.00	V
12402.00	-54.15	2.60	12.60	-44.15	-25.00	V
13827.69	-53.81	2.50	12.40	-43.91	-25.00	H
14765.54	-50.25	2.50	11.20	-41.55	-25.00	H
16319.54	-53.02	2.70	17.40	-38.32	-25.00	V
17649.69	-46.17	3.30	12.80	-36.67	-25.00	V

**DC_7A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 342500**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11897.09	-62.22	2.50	11.00	-53.72	-13.00	H
13160.81	-63.96	2.40	13.30	-53.06	-13.00	V
14031.44	-62.90	2.50	11.90	-53.50	-13.00	H
15117.75	-61.02	2.40	12.40	-51.02	-13.00	V
15859.31	-62.80	2.40	15.60	-49.60	-13.00	H
16896.62	-60.65	2.90	16.50	-47.05	-13.00	H

DC_7A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 349000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11203.77	-62.95	2.50	10.50	-54.95	-13.00	V
11949.64	-62.94	2.60	11.00	-54.54	-13.00	V
12878.62	-65.96	2.70	13.80	-54.86	-13.00	V
13831.94	-64.03	2.20	12.40	-53.83	-13.00	H
14418.19	-62.19	2.60	11.90	-52.89	-13.00	H
15117.75	-61.02	2.40	12.40	-51.02	-13.00	V

DC_7A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 355500

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11863.82	-62.34	2.50	11.00	-53.84	-13.00	H
12757.44	-65.04	2.60	13.80	-53.84	-13.00	V
13818.38	-63.55	2.50	12.40	-53.65	-13.00	V
14459.31	-62.09	2.60	11.90	-52.79	-13.00	H
15117.75	-61.02	2.40	12.40	-51.02	-13.00	V
15592.00	-62.57	2.70	15.60	-49.67	-13.00	V

**DC_12A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 342500**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
11193.16	-62.57	2.50	10.50	-54.57	-13.00	V
11939.52	-62.55	2.60	11.00	-54.15	-13.00	V
13160.81	-63.96	2.40	13.30	-53.06	-13.00	V
14260.25	-62.19	2.60	11.90	-52.89	-13.00	H
15592.00	-62.57	2.70	15.60	-49.67	-13.00	V
16851.56	-60.48	2.90	16.50	-46.88	-13.00	V

DC_12A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 349000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13160.81	-63.96	2.40	13.30	-53.06	-13.00	V
13976.75	-63.37	2.50	12.40	-53.47	-13.00	H
14907.75	-59.91	2.70	11.20	-51.41	-13.00	V
15904.38	-62.03	2.60	15.60	-49.03	-13.00	H
16845.00	-60.71	2.90	16.50	-47.11	-13.00	H
17612.38	-56.06	3.30	12.80	-46.56	-13.00	H

DC_12A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 355500

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13177.44	-65.62	2.40	13.30	-54.72	-13.00	V
13935.62	-63.82	2.20	12.40	-53.62	-13.00	H
14597.12	-61.55	2.60	11.20	-52.95	-13.00	H
15132.19	-60.92	2.50	12.40	-51.02	-13.00	V
16300.75	-64.75	2.70	17.40	-50.05	-13.00	H
16985.00	-61.14	2.90	16.50	-47.54	-13.00	H

**DC_13A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 342500**

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
12323.30	-64.71	2.60	12.60	-54.71	-13.00	H
13160.81	-63.96	2.40	13.30	-53.06	-13.00	V
13747.94	-64.17	2.50	12.40	-54.27	-13.00	H
14494.75	-62.01	2.60	11.90	-52.71	-13.00	H
15193.00	-61.26	2.50	12.40	-51.36	-13.00	H
15904.38	-62.03	2.60	15.60	-49.03	-13.00	H

DC_13A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 349000

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13909.81	-63.77	2.20	12.40	-53.57	-13.00	H
14379.25	-62.08	2.60	11.90	-52.78	-13.00	H
14955.44	-60.05	2.70	11.20	-51.55	-13.00	V
15499.25	-60.93	2.40	12.40	-50.93	-13.00	H
16147.19	-63.83	2.60	17.40	-49.03	-13.00	H
16628.88	-61.94	2.60	16.50	-48.04	-13.00	V

DC_13A_n66A SCS:15kHz DFT-OFDM 5MHz NR Channel 355500

Frequency (MHz)	Ppm (dBm)	Path loss	Antenna Gain	EIRP (dBm)	Limit (dBm)	Polarizatio n
13976.75	-63.37	2.50	12.40	-53.47	-13.00	H
14521.88	-61.42	2.60	11.20	-52.82	-13.00	V
15149.69	-60.65	2.50	12.40	-50.75	-13.00	V
15904.38	-62.03	2.60	15.60	-49.03	-13.00	H
16556.69	-61.94	2.60	16.50	-48.04	-13.00	H
17434.31	-59.62	2.90	14.50	-48.02	-13.00	H

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 2.87\text{dB}(30\text{MHz}-3\text{GHz})/3.35\text{dB}(3\text{GHz}-18\text{GHz})/2.68\text{dB}(18\text{GHz}-40\text{GHz})$, $k = 2$



A.3 FREQUENCY STABILITY

Reference

FCC: CFR Part 2.1055, 22.355, 27.54.

A.3.1 Method of Measurement

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of E7515B DIGITAL RADIO COMMUNICATION TESTER.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the E7515B and in a simulated call on middle channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Remeasure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments remeasuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the E7515B and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

A.3.2 Measurement Limit

According to the JTC standard the frequency stability of the carrier shall be accurate to within 0.1 ppm of the received frequency from the base station. This accuracy is sufficient to meet Sec. 24.235, Frequency Stability. The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d) (2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of between 3.6V and 4.45V, with a nominal voltage of 3.87V. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress. These voltages represent a tolerance from -7% to 15%. For the purposes of measuring frequency stability these voltage limits are to be used.

A.3.3 Measurement results

n2, 20MHz bandwidth (worst case of all bandwidths)

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	1850.256	1909.696		
50				-7.60	0.0040
40				-8.70	0.0046
30				-126.30	0.0672
10				-8.90	0.0047
0				-6.00	0.0032
-10				-6.90	0.0037
-20				-7.60	0.0040
-30				-4.90	0.0026

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.70	20	1850.256	1909.696	-2.40	0.0013
9.04				-2.60	0.0014

n5, 5MHz bandwidth (worst case of all bandwidths)

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	824.288	848.680		
50				-1.30	0.0016
40				-2.00	0.0024
30				-0.60	0.0007
10				-1.70	0.0020
0				0.90	0.0011
-10				1.50	0.0018
-20				0.30	0.0004
-30				0.50	0.0006

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.70	20	824.288	848.680	1.30	0.0016
9.04				0.70	0.0008

Expanded measurement uncertainty is 10Hz, $k = 2$

**n7, 20MHz bandwidth (worst case of all bandwidths)****Frequency Error vs Temperature**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	2500.448	2569.536		
50				-7.80	0.0031
40				-13.80	0.0054
30				-9.70	0.0038
10				-9.70	0.0038
0				-8.70	0.0034
-10				-14.00	0.0055
-20				-6.70	0.0026
-30				-6.90	0.0027

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.70	20	2500.448	2569.536	-11.60	0.0046
9.04				-16.40	0.0065

Expanded measurement uncertainty is 10Hz, $k = 2$ **n38, 20MHz bandwidth (worst case of all bandwidths)****Frequency Error vs Temperature**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	2570.800	2619.152		
50				-2.30	0.0009
40				-3.30	0.0013
30				0.40	0.0002
10				-0.40	0.0002
0				1.00	0.0004
-10				-1.60	0.0006
-20				1.10	0.0004
-30				-0.50	0.0002

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.70	20	2570.800	2619.152	0.50	0.0002
9.04				-0.90	0.0003

Expanded measurement uncertainty is 10Hz, $k = 2$

**n41, 20MHz bandwidth (worst case of all bandwidths)****Frequency Error vs Temperature**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	2496.768	2688.096		
50				1.40	0.0005
40				3.40	0.0013
30				-0.50	0.0002
10				0.70	0.0003
0				1.50	0.0006
-10				-0.50	0.0002
-20				1.10	0.0004
-30				-0.70	0.0003

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.70	20	2496.768	2688.096	0.40	0.0002
9.04				-1.60	0.0006

Expanded measurement uncertainty is 10Hz, $k = 2$ **n66, 20MHz bandwidth (worst case of all bandwidths)****Frequency Error vs Temperature**

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	1710.176	1779.904		
50				1.60	0.0009
40				-1.00	0.0006
30				4.20	0.0024
10				2.50	0.0014
0				2.50	0.0014
-10				-0.70	0.0004
-20				-1.60	0.0009
-30				-2.60	0.0015

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.70	20	1710.176	1779.904	1.70	0.0010
9.04				2.50	0.0014

Expanded measurement uncertainty is 10Hz, $k = 2$



A.4 OCCUPIED BANDWIDTH

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the extreme and mid frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.




n2


n2,5MHz(99% OBW)

Frequency (MHz)	Occupied Bandwidth (99% OBW) (MHz)								
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM	CP-256QAM
1852.5	4.524	4.525	4.512	4.521	4.498	4.531	4.530	4.515	4.515
1880	4.527	4.533	4.527	4.523	4.501	4.503	4.513	4.508	4.509
1907.5	4.510	4.533	4.517	4.519	4.494	4.530	4.524	4.514	4.509

n2,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% OBW)




n2,5MHz Bandwidth,DFT-s-QPSK (99% OBW)





n2,5MHz Bandwidth,DFT-s-16QAM (99% OBW)




n2,5MHz Bandwidth,DFT-s-64QAM (99% OBW)




n2,5MHz Bandwidth,DFT-s-256QAM (99% OBW)



No.25T04N000127-004-RF NR




n2,5MHz Bandwidth,CP-QPSK (99% OBW)




n2,5MHz Bandwidth,CP-16QAM (99% OBW)



No.25T04N000127-004-RF NR




n2,5MHz Bandwidth,CP-64QAM (99% OBW)




n2,5MHz Bandwidth,CP-256QAM (99% OBW)



No.25T04N000127-004-RF NR




n2,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% OBW)




n2,5MHz Bandwidth,DFT-s-QPSK (99% OBW)



No.25T04N000127-004-RF NR




n2,5MHz Bandwidth,DFT-s-16QAM (99% OBW)




n2,5MHz Bandwidth,DFT-s-64QAM (99% OBW)



No.25T04N000127-004-RF NR




n2,5MHz Bandwidth,DFT-s-256QAM (99% OBW)




n2,5MHz Bandwidth,CP-QPSK (99% OBW)



No.25T04N000127-004-RF NR



n2,5MHz Bandwidth,CP-16QAM (99% OBW)



n2,5MHz Bandwidth,CP-64QAM (99% OBW)