



TEST REPORT

No.24T04N003078-005-RF NR

for

Realme Chongqing Mobile Telecommunications Corp., Ltd.

Mobile Phone

Model Name: RMX5085

FCC ID: 2AUYFRMX5085

with

Hardware Version: 11

Software Version: realme UI 6.0

Issued Date: 2025-03-27

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@saict.ac.cn. www.saict.ac.cn



REPORT HISTORY

Report Number	Revision	Description	Issue Date
24T04N003078-005-RF NR	Rev.0	1st edition	2025-03-27

CONTENTS

1. SUMMARY OF TEST REPORT	4
1.1. TEST ITEMS.....	4
1.2. TEST STANDARDS	4
1.3. TEST RESULT	4
1.4. TESTING LOCATION.....	4
1.5. PROJECT DATA	4
1.6. SIGNATURE.....	4
2. CLIENT INFORMATION	5
2.1. APPLICANT INFORMATION.....	5
2.2. MANUFACTURER INFORMATION.....	5
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	6
3.1. ABOUT EUT.....	6
3.2. INTERNAL IDENTIFICATION OF EUT	6
3.3. INTERNAL IDENTIFICATION OF AE.....	6
3.4. GENERAL DESCRIPTION	6
4. REFERENCE DOCUMENTS.....	7
5. LABORATORY ENVIRONMENT.....	8
6. SUMMARY OF TEST RESULTS	9
7. STATEMENT	11
8. TEST EQUIPMENTS UTILIZED	12
ANNEX A: MEASUREMENT RESULTS	13
A.1 OUTPUT POWER.....	13
A.2 FIELD STRENGTH OF SPURIOUS RADIATION.....	297
A.3 FREQUENCY STABILITY	331
A.4 OCCUPIED BANDWIDTH.....	336
A.5 EMISSION BANDWIDTH	956
A.6 BAND EDGE COMPLIANCE.....	1573
A.7 CONDUCTED SPURIOUS EMISSION	1590
A.8 PEAK-TO-AVERAGE POWER RATIO	1595
ANNEX B: ACCREDITATION CERTIFICATE	1815

1. SUMMARY OF TEST REPORT

1.1. Test Items

Description	Mobile Phone
Model Name	RMX5085
Brand Name	realme
Applicant's name	Realme Chongqing Mobile Telecommunications Corp., Ltd.
Manufacturer's Name	Realme Chongqing Mobile Telecommunications Corp., Ltd.

1.2. Test Standards

FCC Part 2/22/24/27/90	10-1-23 Edition
ANSI C63.26	2015
KDB971168 D01	v03r01

1.3. Test Result

All test items are pass. Please refer to "6 Summary of Test Results" for detail.

1.4. Testing Location


Address: Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000

1.5. Project Data


Testing Start Date: 2025-01-23

Testing End Date: 2025-03-27


1.6. Signature



Wang Ping
(Prepared this test report)



Huang Qiugin
(Reviewed this test report)



Zhang Hao
(Approved this test report)



2. CLIENT INFORMATION

2.1. Applicant Information

Company Name: Realme Chongqing Mobile Telecommunications Corp., Ltd.
Address /Post: No.178 Yulong Avenue,Yufengshan,Yubei District,Chongqing,China
Contact: HuangMinJiang
Email: mega@realme.com
Telephone: (86)18502096102
Fax: /

2.2. Manufacturer Information

Company Name: Realme Chongqing Mobile Telecommunications Corp., Ltd.
Address /Post: No.178 Yulong Avenue,Yufengshan,Yubei District,Chongqing,China
Contact: HuangMinJiang
Email: mega@realme.com
Telephone: (86)18502096102
Fax: /

3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT

(AE)

3.1. About EUT

Description	Mobile Phone
Model Name	RMX5085
FCC ID	2AUYFRMX5085
NR Bands	n2/n5/n7/n26/n38/n41/n66
EN-DC Bands	DC_2A-n5A/DC_7A-n5A/DC_66A-n5A/DC_4A-n7A/DC_5A-n7A/DC_66A-n7A/DC_4A-n38A/DC_5A-n38A/DC_66A-n38A/DC_4A-n41A/DC_26A-n41A/DC_66A-n41A/DC_2A-n66A/DC_5A-n66A/DC_7A-n66A/DC_12A-n66A/DC_13A-n66A
Antenna	PIFA
Extreme vol. Limits	6.80V to 9.00V (nominal: 7.66V)
Extreme temp. Tolerance	-30°C to +50°C
Condition of EUT as received	No abnormality in appearance

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of SAICT.

3.2. Internal Identification of EUT

EUT ID*	SN or IMEI	HW Version	SW Version	Date of receipt
UT14aa	869033070021374	11	realme UI 6.0	2025-01-23
UT07aa	869033070020574	11	realme UI 6.0	2025-01-23

*EUT ID: is used to identify the test sample in the lab internally.

UT14aa is used for conduction test, UT07aa is used for radiation test.

3.3. Internal Identification of AE

AE ID*	Description
AE1	Battery
AE2	Charger
AE3	USB Cable
AE4	RF Cable

*AE ID: is used to identify the test sample in the lab internally.

AE: ancillary equipment

3.4. General Description

The Equipment Under Test (EUT) is a model RMX5085 with PIFA antenna. It consists of normal options: lithium battery, charger. Manual and specifications of the EUT were provided to fulfil the test. Samples undergoing test were selected by the Client.



4. REFERENCE DOCUMENTS

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-23 Edition
FCC Part 2	FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS	10-1-23 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-23 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-23 Edition
FCC Part 90	PRIVATE LAND MOBILE RADIO SERVICES	10-1-23 Edition
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB971168 D01	Power Meas License Digital Systems	v03r01

5. LABORATORY ENVIRONMENT

Shielded room did not exceed following limits along the RF testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz>60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 4 Ω

Fully-anechoic chamber did not exceed following limits along the EMC testing

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz> 60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	> 2MΩ
Ground system resistance	< 4 Ω
Voltage Standing Wave Ratio (VSWR)	≤ 6 dB, from 1 to 18 GHz, 3 m distance
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

6. SUMMARY OF TEST RESULTS

Abbreviations used in this clause:		
Verdict Column	P	Pass
	F	Fail
	NA	Not applicable
	NM	Not measured

n2

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/24.232	A.1	P
2	Field Strength of Spurious Radiation	2.1053/24.238	A.2	P
3	Frequency Stability	2.1055/24.235	A.3	P
4	Occupied Bandwidth	2.1049/24.238	A.4	P
5	Emission Bandwidth	2.1049/24.238	A.5	P
6	Band Edge Compliance	2.1051/24.238	A.6	P
7	Conducted Spurious Emission	2.1051/24.238	A.7	P
8	Peak-to-Average Power Ratio	24.232/KDB971168 D01	A.8	P

n5/ n26(824MHz-849MHz)

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/22.913	A.1	P
2	Field Strength of Spurious Radiation	2.1053/22.917	A.2	P
3	Frequency Stability	2.1055/22.355	A.3	P
4	Occupied Bandwidth	2.1049/22.917	A.4	P
5	Emission Bandwidth	2.1049/22.917	A.4	P
6	Band Edge Compliance	2.1051/22.917	A.5	P
7	Conducted Spurious Emission	2.1051/22.917	A.6	P
8	Peak-to-Average Power Ratio	KDB971168 D01	A.7	P

n7/n38/n41

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.4	P
6	Band Edge Compliance	2.1051/27.53(m)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

n26(814MHz-824MHz)

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/90.635	A.1	P
2	Field Strength of Spurious Radiation	2.1053/90.691	A.2	P
3	Frequency Stability	2.1055/90.213	A.3	P
4	Occupied Bandwidth	2.1049/90.1215	A.4	P
5	Emission Bandwidth	2.1049/90.1215	A.5	P
6	Band Edge Compliance	2.1051/90.691	A.6	P
7	Conducted Spurious Emission	2.1051/90.691	A.7	P
8	Peak-to-Average Power Ratio	KDB971168 D01	A.8	P

n66

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(d)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(h)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(h)	A.4	P
5	Emission Bandwidth	2.1049/27.53(h)	A.4	P
6	Band Edge Compliance	2.1051/27.53(h)	A.5	P
7	Conducted Spurious Emission	2.1051/27.53(h)	A.6	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.7	P

7. STATEMENT

Since the information of samples in this report is provided by the client, the laboratory is not responsible for the authenticity of sample information.

This report takes measured values as criterion of test conclusion. The test conclusion meets the limit requirements.

8. TEST EQUIPMENTS UTILIZED

No.	Description	Type	Manufacture	Series Number	Cal Due Date
1	Test Receiver	ESR7	R&S	101676	2025-11-21
2	Hybrid antenna	VULB 9163	Schwarzbeck	330	2027-04-21
3	Horn Antenna	3117	ETS-Lindgren	00066577	2025-04-17
4	Horn Antenna	QSH-SL-18-2 6-S-20	Q-par	17013	2026-02-01
5	Antenna	BBHA 9120D	Schwarzbeck	1593	2025-10-24
6	Antenna	QWH-SL-18-4 0-K-SG	Q-par	15979	2026-01-30
7	preamplifier	83017A	Agilent	MY39501110	/
8	Signal Generator	SMB100A	R&S	179725	2025-11-21
9	Fully Anechoic Chamber	FACT3-2.0	ETS-Lindgren	1285	2025-05-28
10	Spectrum Analyzer	FSV40	R&S	101192	2026-01-09
11	Power Supply	HMC8042	R&S	103284	2025-05-07
12	Spectrum Analyzer	FSW26	R&S	102197	2025-05-07
13	Temperature Chamber	SH-241	ESPEC	92007516	2025-05-07
14	Universal Radio Communication Tester	MT8821C	Anritsu	6272459665	2025-11-27
15	Universal Radio Communication Tester	MT8000A	Anritsu	6272478348	2025-11-27

Test software

Item	Name	Version
Radiated	EMC32	V10.50.40

ANNEX A: MEASUREMENT RESULTS

A.1 OUTPUT POWER

A.1.1 Summary

During the process of testing, the EUT was controlled via Universal Radio Communication Tester to ensure max power transmission and proper modulation.

This result contains peak output power and ERP/EIRP measurements for the EUT.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

A.1.2.2 Measurement result

n2

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.97
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.44
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.51
n2	5	15	1852.5	DFT	QPSK	Inner_Full	23.04
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	21.91
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	21.94
n2	5	15	1852.5	DFT	QPSK	Outer_Full	21.65
n2	5	15	1852.5	DFT	16QAM	Inner_Full	21.97
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.29
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.36
n2	5	15	1852.5	DFT	16QAM	Outer_Full	20.65
n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.59
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.42
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.50
n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.63
n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.62
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.46
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.50
n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.56
n2	5	15	1852.5	CP	QPSK	Inner_Full	21.05
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	19.99

n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.03
n2	5	15	1852.5	CP	QPSK	Outer_Full	19.07
n2	5	15	1852.5	CP	16QAM	Inner_Full	20.69
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.26
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.32
n2	5	15	1852.5	CP	16QAM	Outer_Full	19.16
n2	5	15	1852.5	CP	64QAM	Inner_Full	19.53
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.39
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.48
n2	5	15	1852.5	CP	64QAM	Outer_Full	18.59
n2	5	15	1852.5	CP	256QAM	Inner_Full	16.62
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.61
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.70
n2	5	15	1852.5	CP	256QAM	Outer_Full	16.05
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	22.99
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.43
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.49
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.50
n2	5	15	1880	DFT	QPSK	Inner_Full	22.99
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	21.95
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	21.95
n2	5	15	1880	DFT	QPSK	Outer_Full	21.67
n2	5	15	1880	DFT	16QAM	Inner_Full	22.01
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.36
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	21.35
n2	5	15	1880	DFT	16QAM	Outer_Full	20.67
n2	5	15	1880	DFT	64QAM	Inner_Full	20.58
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.49
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.51
n2	5	15	1880	DFT	64QAM	Outer_Full	20.66
n2	5	15	1880	DFT	256QAM	Inner_Full	18.63
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	18.63
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	18.62
n2	5	15	1880	DFT	256QAM	Outer_Full	18.58
n2	5	15	1880	CP	QPSK	Inner_Full	21.10
n2	5	15	1880	CP	QPSK	Edge_1RB_Left	20.06
n2	5	15	1880	CP	QPSK	Edge_1RB_Right	20.08

n2	5	15	1880	CP	QPSK	Outer_Full	19.12
n2	5	15	1880	CP	16QAM	Inner_Full	20.72
n2	5	15	1880	CP	16QAM	Edge_1RB_Left	20.32
n2	5	15	1880	CP	16QAM	Edge_1RB_Right	20.33
n2	5	15	1880	CP	16QAM	Outer_Full	19.18
n2	5	15	1880	CP	64QAM	Inner_Full	19.55
n2	5	15	1880	CP	64QAM	Edge_1RB_Left	19.47
n2	5	15	1880	CP	64QAM	Edge_1RB_Right	19.50
n2	5	15	1880	CP	64QAM	Outer_Full	18.67
n2	5	15	1880	CP	256QAM	Inner_Full	16.59
n2	5	15	1880	CP	256QAM	Edge_1RB_Left	16.69
n2	5	15	1880	CP	256QAM	Edge_1RB_Right	16.70
n2	5	15	1880	CP	256QAM	Outer_Full	16.06
n2	5	15	1907.5	DFT	$\pi/2$ BPSK	Inner_Full	23.01
n2	5	15	1907.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.41
n2	5	15	1907.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.42
n2	5	15	1907.5	DFT	$\pi/2$ BPSK	Outer_Full	22.49
n2	5	15	1907.5	DFT	QPSK	Inner_Full	22.94
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	21.94
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	21.98
n2	5	15	1907.5	DFT	QPSK	Outer_Full	21.70
n2	5	15	1907.5	DFT	16QAM	Inner_Full	21.99
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.46
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.46
n2	5	15	1907.5	DFT	16QAM	Outer_Full	20.74
n2	5	15	1907.5	DFT	64QAM	Inner_Full	20.70
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.51
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.55
n2	5	15	1907.5	DFT	64QAM	Outer_Full	20.74
n2	5	15	1907.5	DFT	256QAM	Inner_Full	18.75
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.63
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.64
n2	5	15	1907.5	DFT	256QAM	Outer_Full	18.63
n2	5	15	1907.5	CP	QPSK	Inner_Full	21.12
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	20.14
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	20.11
n2	5	15	1907.5	CP	QPSK	Outer_Full	19.18

n2	5	15	1907.5	CP	16QAM	Inner_Full	20.72
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	20.30
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	20.29
n2	5	15	1907.5	CP	16QAM	Outer_Full	19.23
n2	5	15	1907.5	CP	64QAM	Inner_Full	19.65
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	19.46
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	19.46
n2	5	15	1907.5	CP	64QAM	Outer_Full	18.72
n2	5	15	1907.5	CP	256QAM	Inner_Full	16.65
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	16.73
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	16.72
n2	5	15	1907.5	CP	256QAM	Outer_Full	16.12
n2	10	15	1855	DFT	$\pi/2$ BPSK	Inner_Full	22.96
n2	10	15	1855	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.54
n2	10	15	1855	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.54
n2	10	15	1855	DFT	$\pi/2$ BPSK	Outer_Full	22.53
n2	10	15	1855	DFT	QPSK	Inner_Full	22.99
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.97
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.04
n2	10	15	1855	DFT	QPSK	Outer_Full	21.67
n2	10	15	1855	DFT	16QAM	Inner_Full	22.06
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.44
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.43
n2	10	15	1855	DFT	16QAM	Outer_Full	20.61
n2	10	15	1855	DFT	64QAM	Inner_Full	20.66
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.56
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.61
n2	10	15	1855	DFT	64QAM	Outer_Full	20.64
n2	10	15	1855	DFT	256QAM	Inner_Full	18.58
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.58
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.60
n2	10	15	1855	DFT	256QAM	Outer_Full	18.59
n2	10	15	1855	CP	QPSK	Inner_Full	21.11
n2	10	15	1855	CP	QPSK	Edge_1RB_Left	20.11
n2	10	15	1855	CP	QPSK	Edge_1RB_Right	20.15
n2	10	15	1855	CP	QPSK	Outer_Full	19.12
n2	10	15	1855	CP	16QAM	Inner_Full	20.65

n2	10	15	1855	CP	16QAM	Edge_1RB_Left	20.41
n2	10	15	1855	CP	16QAM	Edge_1RB_Right	20.39
n2	10	15	1855	CP	16QAM	Outer_Full	19.16
n2	10	15	1855	CP	64QAM	Inner_Full	19.62
n2	10	15	1855	CP	64QAM	Edge_1RB_Left	19.52
n2	10	15	1855	CP	64QAM	Edge_1RB_Right	19.54
n2	10	15	1855	CP	64QAM	Outer_Full	18.61
n2	10	15	1855	CP	256QAM	Inner_Full	16.56
n2	10	15	1855	CP	256QAM	Edge_1RB_Left	16.75
n2	10	15	1855	CP	256QAM	Edge_1RB_Right	16.75
n2	10	15	1855	CP	256QAM	Outer_Full	16.11
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	22.98
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.58
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.57
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.49
n2	10	15	1880	DFT	QPSK	Inner_Full	22.99
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.07
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.06
n2	10	15	1880	DFT	QPSK	Outer_Full	21.68
n2	10	15	1880	DFT	16QAM	Inner_Full	22.10
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.49
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.52
n2	10	15	1880	DFT	16QAM	Outer_Full	20.62
n2	10	15	1880	DFT	64QAM	Inner_Full	20.68
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	20.60
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	20.65
n2	10	15	1880	DFT	64QAM	Outer_Full	20.65
n2	10	15	1880	DFT	256QAM	Inner_Full	18.60
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	18.70
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	18.73
n2	10	15	1880	DFT	256QAM	Outer_Full	18.61
n2	10	15	1880	CP	QPSK	Inner_Full	21.11
n2	10	15	1880	CP	QPSK	Edge_1RB_Left	20.30
n2	10	15	1880	CP	QPSK	Edge_1RB_Right	20.19
n2	10	15	1880	CP	QPSK	Outer_Full	19.10
n2	10	15	1880	CP	16QAM	Inner_Full	20.62
n2	10	15	1880	CP	16QAM	Edge_1RB_Left	20.36

n2	10	15	1880	CP	16QAM	Edge_1RB_Right	20.37
n2	10	15	1880	CP	16QAM	Outer_Full	19.07
n2	10	15	1880	CP	64QAM	Inner_Full	19.60
n2	10	15	1880	CP	64QAM	Edge_1RB_Left	19.56
n2	10	15	1880	CP	64QAM	Edge_1RB_Right	19.53
n2	10	15	1880	CP	64QAM	Outer_Full	18.61
n2	10	15	1880	CP	256QAM	Inner_Full	16.62
n2	10	15	1880	CP	256QAM	Edge_1RB_Left	16.77
n2	10	15	1880	CP	256QAM	Edge_1RB_Right	16.79
n2	10	15	1880	CP	256QAM	Outer_Full	16.08
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	22.95
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.49
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	22.49
n2	10	15	1905	DFT	QPSK	Inner_Full	22.97
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.06
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.10
n2	10	15	1905	DFT	QPSK	Outer_Full	21.63
n2	10	15	1905	DFT	16QAM	Inner_Full	22.04
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.42
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.60
n2	10	15	1905	DFT	16QAM	Outer_Full	20.61
n2	10	15	1905	DFT	64QAM	Inner_Full	20.76
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.61
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.66
n2	10	15	1905	DFT	64QAM	Outer_Full	20.65
n2	10	15	1905	DFT	256QAM	Inner_Full	18.59
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	18.65
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	18.70
n2	10	15	1905	DFT	256QAM	Outer_Full	18.57
n2	10	15	1905	CP	QPSK	Inner_Full	21.16
n2	10	15	1905	CP	QPSK	Edge_1RB_Left	20.08
n2	10	15	1905	CP	QPSK	Edge_1RB_Right	20.16
n2	10	15	1905	CP	QPSK	Outer_Full	19.09
n2	10	15	1905	CP	16QAM	Inner_Full	20.67
n2	10	15	1905	CP	16QAM	Edge_1RB_Left	20.31
n2	10	15	1905	CP	16QAM	Edge_1RB_Right	20.29

n2	10	15	1905	CP	16QAM	Outer_Full	19.10
n2	10	15	1905	CP	64QAM	Inner_Full	19.61
n2	10	15	1905	CP	64QAM	Edge_1RB_Left	19.51
n2	10	15	1905	CP	64QAM	Edge_1RB_Right	19.52
n2	10	15	1905	CP	64QAM	Outer_Full	18.63
n2	10	15	1905	CP	256QAM	Inner_Full	16.59
n2	10	15	1905	CP	256QAM	Edge_1RB_Left	16.75
n2	10	15	1905	CP	256QAM	Edge_1RB_Right	16.82
n2	10	15	1905	CP	256QAM	Outer_Full	16.11
n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.04
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.59
n2	15	15	1857.5	DFT	QPSK	Inner_Full	23.02
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.09
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.05
n2	15	15	1857.5	DFT	QPSK	Outer_Full	21.65
n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.01
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.38
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.53
n2	15	15	1857.5	DFT	16QAM	Outer_Full	20.64
n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.68
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.55
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.64
n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.69
n2	15	15	1857.5	DFT	256QAM	Inner_Full	18.62
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.53
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.69
n2	15	15	1857.5	DFT	256QAM	Outer_Full	18.60
n2	15	15	1857.5	CP	QPSK	Inner_Full	21.17
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.07
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.19
n2	15	15	1857.5	CP	QPSK	Outer_Full	19.19
n2	15	15	1857.5	CP	16QAM	Inner_Full	20.69
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.37
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.34
n2	15	15	1857.5	CP	16QAM	Outer_Full	19.20

n2	15	15	1857.5	CP	64QAM	Inner_Full	19.64
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.50
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	19.57
n2	15	15	1857.5	CP	64QAM	Outer_Full	18.66
n2	15	15	1857.5	CP	256QAM	Inner_Full	16.65
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.74
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.86
n2	15	15	1857.5	CP	256QAM	Outer_Full	16.14
n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	23.00
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.65
n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	22.57
n2	15	15	1880	DFT	QPSK	Inner_Full	23.00
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.08
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.11
n2	15	15	1880	DFT	QPSK	Outer_Full	21.69
n2	15	15	1880	DFT	16QAM	Inner_Full	22.07
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.58
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.54
n2	15	15	1880	DFT	16QAM	Outer_Full	20.66
n2	15	15	1880	DFT	64QAM	Inner_Full	20.68
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.60
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.60
n2	15	15	1880	DFT	64QAM	Outer_Full	20.70
n2	15	15	1880	DFT	256QAM	Inner_Full	18.62
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	18.66
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	18.69
n2	15	15	1880	DFT	256QAM	Outer_Full	18.64
n2	15	15	1880	CP	QPSK	Inner_Full	21.17
n2	15	15	1880	CP	QPSK	Edge_1RB_Left	20.15
n2	15	15	1880	CP	QPSK	Edge_1RB_Right	20.13
n2	15	15	1880	CP	QPSK	Outer_Full	19.18
n2	15	15	1880	CP	16QAM	Inner_Full	20.73
n2	15	15	1880	CP	16QAM	Edge_1RB_Left	20.36
n2	15	15	1880	CP	16QAM	Edge_1RB_Right	20.42
n2	15	15	1880	CP	16QAM	Outer_Full	19.21
n2	15	15	1880	CP	64QAM	Inner_Full	19.70

n2	15	15	1880	CP	64QAM	Edge_1RB_Left	19.54
n2	15	15	1880	CP	64QAM	Edge_1RB_Right	19.60
n2	15	15	1880	CP	64QAM	Outer_Full	18.70
n2	15	15	1880	CP	256QAM	Inner_Full	16.66
n2	15	15	1880	CP	256QAM	Edge_1RB_Left	16.81
n2	15	15	1880	CP	256QAM	Edge_1RB_Right	16.81
n2	15	15	1880	CP	256QAM	Outer_Full	16.15
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	23.02
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.57
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	22.54
n2	15	15	1902.5	DFT	QPSK	Inner_Full	23.03
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.12
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.22
n2	15	15	1902.5	DFT	QPSK	Outer_Full	21.69
n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.06
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.56
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.59
n2	15	15	1902.5	DFT	16QAM	Outer_Full	20.67
n2	15	15	1902.5	DFT	64QAM	Inner_Full	20.73
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	20.61
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.64
n2	15	15	1902.5	DFT	64QAM	Outer_Full	20.73
n2	15	15	1902.5	DFT	256QAM	Inner_Full	18.69
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	18.68
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	18.73
n2	15	15	1902.5	DFT	256QAM	Outer_Full	18.67
n2	15	15	1902.5	CP	QPSK	Inner_Full	21.23
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	20.14
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	20.19
n2	15	15	1902.5	CP	QPSK	Outer_Full	19.20
n2	15	15	1902.5	CP	16QAM	Inner_Full	20.74
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	20.36
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	20.32
n2	15	15	1902.5	CP	16QAM	Outer_Full	19.24
n2	15	15	1902.5	CP	64QAM	Inner_Full	19.71
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	19.54

n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	19.58
n2	15	15	1902.5	CP	64QAM	Outer_Full	18.71
n2	15	15	1902.5	CP	256QAM	Inner_Full	16.69
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	16.78
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	16.84
n2	15	15	1902.5	CP	256QAM	Outer_Full	16.17
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.01
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.58
n2	20	15	1860	DFT	QPSK	Inner_Full	23.07
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.00
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.08
n2	20	15	1860	DFT	QPSK	Outer_Full	21.70
n2	20	15	1860	DFT	16QAM	Inner_Full	22.00
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.41
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.54
n2	20	15	1860	DFT	16QAM	Outer_Full	20.68
n2	20	15	1860	DFT	64QAM	Inner_Full	20.70
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.55
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.66
n2	20	15	1860	DFT	64QAM	Outer_Full	20.69
n2	20	15	1860	DFT	256QAM	Inner_Full	18.65
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.55
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.71
n2	20	15	1860	DFT	256QAM	Outer_Full	18.66
n2	20	15	1860	CP	QPSK	Inner_Full	21.13
n2	20	15	1860	CP	QPSK	Edge_1RB_Left	20.07
n2	20	15	1860	CP	QPSK	Edge_1RB_Right	20.19
n2	20	15	1860	CP	QPSK	Outer_Full	19.16
n2	20	15	1860	CP	16QAM	Inner_Full	20.68
n2	20	15	1860	CP	16QAM	Edge_1RB_Left	20.32
n2	20	15	1860	CP	16QAM	Edge_1RB_Right	20.37
n2	20	15	1860	CP	16QAM	Outer_Full	19.20
n2	20	15	1860	CP	64QAM	Inner_Full	19.69
n2	20	15	1860	CP	64QAM	Edge_1RB_Left	19.49
n2	20	15	1860	CP	64QAM	Edge_1RB_Right	19.56

n2	20	15	1860	CP	64QAM	Outer_Full	18.69
n2	20	15	1860	CP	256QAM	Inner_Full	16.65
n2	20	15	1860	CP	256QAM	Edge_1RB_Left	16.72
n2	20	15	1860	CP	256QAM	Edge_1RB_Right	16.88
n2	20	15	1860	CP	256QAM	Outer_Full	16.21
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	23.03
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.63
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	22.57
n2	20	15	1880	DFT	QPSK	Inner_Full	23.08
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.08
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.14
n2	20	15	1880	DFT	QPSK	Outer_Full	21.73
n2	20	15	1880	DFT	16QAM	Inner_Full	22.04
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.54
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.57
n2	20	15	1880	DFT	16QAM	Outer_Full	20.68
n2	20	15	1880	DFT	64QAM	Inner_Full	20.70
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	20.66
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	20.72
n2	20	15	1880	DFT	64QAM	Outer_Full	20.70
n2	20	15	1880	DFT	256QAM	Inner_Full	18.65
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	18.75
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	18.73
n2	20	15	1880	DFT	256QAM	Outer_Full	18.71
n2	20	15	1880	CP	QPSK	Inner_Full	21.15
n2	20	15	1880	CP	QPSK	Edge_1RB_Left	20.16
n2	20	15	1880	CP	QPSK	Edge_1RB_Right	20.25
n2	20	15	1880	CP	QPSK	Outer_Full	19.15
n2	20	15	1880	CP	16QAM	Inner_Full	20.72
n2	20	15	1880	CP	16QAM	Edge_1RB_Left	20.40
n2	20	15	1880	CP	16QAM	Edge_1RB_Right	20.43
n2	20	15	1880	CP	16QAM	Outer_Full	19.18
n2	20	15	1880	CP	64QAM	Inner_Full	19.69
n2	20	15	1880	CP	64QAM	Edge_1RB_Left	19.57
n2	20	15	1880	CP	64QAM	Edge_1RB_Right	19.64
n2	20	15	1880	CP	64QAM	Outer_Full	18.69

n2	20	15	1880	CP	256QAM	Inner_Full	16.69
n2	20	15	1880	CP	256QAM	Edge_1RB_Left	16.80
n2	20	15	1880	CP	256QAM	Edge_1RB_Right	16.91
n2	20	15	1880	CP	256QAM	Outer_Full	16.19
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	23.06
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.61
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.61
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	22.58
n2	20	15	1900	DFT	QPSK	Inner_Full	23.09
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.13
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.15
n2	20	15	1900	DFT	QPSK	Outer_Full	21.79
n2	20	15	1900	DFT	16QAM	Inner_Full	22.05
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.55
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.55
n2	20	15	1900	DFT	16QAM	Outer_Full	20.77
n2	20	15	1900	DFT	64QAM	Inner_Full	20.76
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.69
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.69
n2	20	15	1900	DFT	64QAM	Outer_Full	20.79
n2	20	15	1900	DFT	256QAM	Inner_Full	18.71
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	18.73
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	18.78
n2	20	15	1900	DFT	256QAM	Outer_Full	18.74
n2	20	15	1900	CP	QPSK	Inner_Full	21.18
n2	20	15	1900	CP	QPSK	Edge_1RB_Left	20.21
n2	20	15	1900	CP	QPSK	Edge_1RB_Right	20.24
n2	20	15	1900	CP	QPSK	Outer_Full	19.19
n2	20	15	1900	CP	16QAM	Inner_Full	20.73
n2	20	15	1900	CP	16QAM	Edge_1RB_Left	20.39
n2	20	15	1900	CP	16QAM	Edge_1RB_Right	20.37
n2	20	15	1900	CP	16QAM	Outer_Full	19.24
n2	20	15	1900	CP	64QAM	Inner_Full	19.72
n2	20	15	1900	CP	64QAM	Edge_1RB_Left	19.58
n2	20	15	1900	CP	64QAM	Edge_1RB_Right	19.58
n2	20	15	1900	CP	64QAM	Outer_Full	18.74
n2	20	15	1900	CP	256QAM	Inner_Full	16.68

n2	20	15	1900	CP	256QAM	Edge_1RB_Left	16.88
n2	20	15	1900	CP	256QAM	Edge_1RB_Right	16.94
n2	20	15	1900	CP	256QAM	Outer_Full	16.20

n5

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.64
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.87
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.94
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.87
n5	5	15	826.5	DFT	QPSK	Inner_Full	24.37
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.20
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.34
n5	5	15	826.5	DFT	QPSK	Outer_Full	23.29
n5	5	15	826.5	DFT	16QAM	Inner_Full	23.29
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.36
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.58
n5	5	15	826.5	DFT	16QAM	Outer_Full	22.32
n5	5	15	826.5	DFT	64QAM	Inner_Full	21.68
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.53
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.68
n5	5	15	826.5	DFT	64QAM	Outer_Full	21.84
n5	5	15	826.5	DFT	256QAM	Inner_Full	20.35
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	20.08
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	20.11
n5	5	15	826.5	DFT	256QAM	Outer_Full	20.19
n5	5	15	826.5	CP	QPSK	Inner_Full	22.90
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	21.36
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	21.38
n5	5	15	826.5	CP	QPSK	Outer_Full	21.35
n5	5	15	826.5	CP	16QAM	Inner_Full	22.44
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.47
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.51
n5	5	15	826.5	CP	16QAM	Outer_Full	21.40
n5	5	15	826.5	CP	64QAM	Inner_Full	20.74
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.55
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.69

n5	5	15	826.5	CP	64QAM	Outer_Full	20.81
n5	5	15	826.5	CP	256QAM	Inner_Full	18.22
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	18.23
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	18.24
n5	5	15	826.5	CP	256QAM	Outer_Full	18.23
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.72
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.04
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.12
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.99
n5	5	15	836.5	DFT	QPSK	Inner_Full	24.44
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.35
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.36
n5	5	15	836.5	DFT	QPSK	Outer_Full	23.33
n5	5	15	836.5	DFT	16QAM	Inner_Full	23.35
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.50
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.61
n5	5	15	836.5	DFT	16QAM	Outer_Full	22.37
n5	5	15	836.5	DFT	64QAM	Inner_Full	21.77
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.63
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.71
n5	5	15	836.5	DFT	64QAM	Outer_Full	21.85
n5	5	15	836.5	DFT	256QAM	Inner_Full	20.24
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	20.19
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	20.09
n5	5	15	836.5	DFT	256QAM	Outer_Full	20.20
n5	5	15	836.5	CP	QPSK	Inner_Full	23.05
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.35
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	21.44
n5	5	15	836.5	CP	QPSK	Outer_Full	21.38
n5	5	15	836.5	CP	16QAM	Inner_Full	22.51
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.47
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.61
n5	5	15	836.5	CP	16QAM	Outer_Full	21.47
n5	5	15	836.5	CP	64QAM	Inner_Full	20.82
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.65
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.71
n5	5	15	836.5	CP	64QAM	Outer_Full	20.86

n5	5	15	836.5	CP	256QAM	Inner_Full	18.20
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	18.25
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	18.27
n5	5	15	836.5	CP	256QAM	Outer_Full	18.16
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	24.65
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.95
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.90
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.92
n5	5	15	846.5	DFT	QPSK	Inner_Full	24.46
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.28
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.28
n5	5	15	846.5	DFT	QPSK	Outer_Full	23.35
n5	5	15	846.5	DFT	16QAM	Inner_Full	23.35
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.48
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.53
n5	5	15	846.5	DFT	16QAM	Outer_Full	22.39
n5	5	15	846.5	DFT	64QAM	Inner_Full	21.79
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.66
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.57
n5	5	15	846.5	DFT	64QAM	Outer_Full	21.92
n5	5	15	846.5	DFT	256QAM	Inner_Full	20.34
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	20.17
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	20.11
n5	5	15	846.5	DFT	256QAM	Outer_Full	20.25
n5	5	15	846.5	CP	QPSK	Inner_Full	22.95
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	21.42
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	21.33
n5	5	15	846.5	CP	QPSK	Outer_Full	21.44
n5	5	15	846.5	CP	16QAM	Inner_Full	22.49
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.57
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.46
n5	5	15	846.5	CP	16QAM	Outer_Full	21.43
n5	5	15	846.5	CP	64QAM	Inner_Full	20.73
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.61
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.64
n5	5	15	846.5	CP	64QAM	Outer_Full	20.85
n5	5	15	846.5	CP	256QAM	Inner_Full	18.24

n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	18.25
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	18.27
n5	5	15	846.5	CP	256QAM	Outer_Full	18.22
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	24.56
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.93
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	24.03
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	23.86
n5	10	15	829	DFT	QPSK	Inner_Full	24.32
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	23.23
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	23.30
n5	10	15	829	DFT	QPSK	Outer_Full	23.27
n5	10	15	829	DFT	16QAM	Inner_Full	23.41
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	22.41
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	22.57
n5	10	15	829	DFT	16QAM	Outer_Full	22.26
n5	10	15	829	DFT	64QAM	Inner_Full	21.75
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	21.64
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	21.69
n5	10	15	829	DFT	64QAM	Outer_Full	21.78
n5	10	15	829	DFT	256QAM	Inner_Full	20.16
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	20.09
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	20.17
n5	10	15	829	DFT	256QAM	Outer_Full	20.13
n5	10	15	829	CP	QPSK	Inner_Full	22.98
n5	10	15	829	CP	QPSK	Edge_1RB_Left	21.36
n5	10	15	829	CP	QPSK	Edge_1RB_Right	21.39
n5	10	15	829	CP	QPSK	Outer_Full	21.35
n5	10	15	829	CP	16QAM	Inner_Full	22.41
n5	10	15	829	CP	16QAM	Edge_1RB_Left	21.53
n5	10	15	829	CP	16QAM	Edge_1RB_Right	21.51
n5	10	15	829	CP	16QAM	Outer_Full	21.28
n5	10	15	829	CP	64QAM	Inner_Full	20.76
n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.68
n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.72
n5	10	15	829	CP	64QAM	Outer_Full	20.72
n5	10	15	829	CP	256QAM	Inner_Full	18.10
n5	10	15	829	CP	256QAM	Edge_1RB_Left	18.29

n5	10	15	829	CP	256QAM	Edge_1RB_Right	18.33
n5	10	15	829	CP	256QAM	Outer_Full	18.16
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.58
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.92
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.01
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.94
n5	10	15	836.5	DFT	QPSK	Inner_Full	24.45
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.18
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.39
n5	10	15	836.5	DFT	QPSK	Outer_Full	23.33
n5	10	15	836.5	DFT	16QAM	Inner_Full	23.33
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.53
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.60
n5	10	15	836.5	DFT	16QAM	Outer_Full	22.29
n5	10	15	836.5	DFT	64QAM	Inner_Full	21.77
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.58
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.77
n5	10	15	836.5	DFT	64QAM	Outer_Full	21.80
n5	10	15	836.5	DFT	256QAM	Inner_Full	20.20
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	20.16
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	20.15
n5	10	15	836.5	DFT	256QAM	Outer_Full	20.16
n5	10	15	836.5	CP	QPSK	Inner_Full	22.98
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	21.34
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	21.42
n5	10	15	836.5	CP	QPSK	Outer_Full	21.38
n5	10	15	836.5	CP	16QAM	Inner_Full	22.45
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.43
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	21.60
n5	10	15	836.5	CP	16QAM	Outer_Full	21.27
n5	10	15	836.5	CP	64QAM	Inner_Full	20.78
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.64
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.79
n5	10	15	836.5	CP	64QAM	Outer_Full	20.80
n5	10	15	836.5	CP	256QAM	Inner_Full	18.13
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	18.23
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	18.27

n5	10	15	836.5	CP	256QAM	Outer_Full	18.13
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	24.52
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.98
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.89
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.85
n5	10	15	844	DFT	QPSK	Inner_Full	24.31
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	23.32
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	23.31
n5	10	15	844	DFT	QPSK	Outer_Full	23.31
n5	10	15	844	DFT	16QAM	Inner_Full	23.25
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	22.53
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	22.49
n5	10	15	844	DFT	16QAM	Outer_Full	22.18
n5	10	15	844	DFT	64QAM	Inner_Full	21.79
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	21.72
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	21.63
n5	10	15	844	DFT	64QAM	Outer_Full	21.72
n5	10	15	844	DFT	256QAM	Inner_Full	20.18
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	20.15
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	20.14
n5	10	15	844	DFT	256QAM	Outer_Full	20.12
n5	10	15	844	CP	QPSK	Inner_Full	23.00
n5	10	15	844	CP	QPSK	Edge_1RB_Left	21.40
n5	10	15	844	CP	QPSK	Edge_1RB_Right	21.39
n5	10	15	844	CP	QPSK	Outer_Full	21.33
n5	10	15	844	CP	16QAM	Inner_Full	22.29
n5	10	15	844	CP	16QAM	Edge_1RB_Left	21.58
n5	10	15	844	CP	16QAM	Edge_1RB_Right	21.53
n5	10	15	844	CP	16QAM	Outer_Full	21.34
n5	10	15	844	CP	64QAM	Inner_Full	20.70
n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.72
n5	10	15	844	CP	64QAM	Edge_1RB_Right	20.66
n5	10	15	844	CP	64QAM	Outer_Full	20.72
n5	10	15	844	CP	256QAM	Inner_Full	18.13
n5	10	15	844	CP	256QAM	Edge_1RB_Left	18.21
n5	10	15	844	CP	256QAM	Edge_1RB_Right	18.26
n5	10	15	844	CP	256QAM	Outer_Full	18.15

n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.49
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.87
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.03
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.85
n5	15	15	831.5	DFT	QPSK	Inner_Full	24.27
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.29
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.39
n5	15	15	831.5	DFT	QPSK	Outer_Full	23.31
n5	15	15	831.5	DFT	16QAM	Inner_Full	23.26
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.39
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.65
n5	15	15	831.5	DFT	16QAM	Outer_Full	22.30
n5	15	15	831.5	DFT	64QAM	Inner_Full	21.68
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.61
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.72
n5	15	15	831.5	DFT	64QAM	Outer_Full	21.71
n5	15	15	831.5	DFT	256QAM	Inner_Full	20.12
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	20.05
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	20.12
n5	15	15	831.5	DFT	256QAM	Outer_Full	20.12
n5	15	15	831.5	CP	QPSK	Inner_Full	22.87
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	21.42
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	21.47
n5	15	15	831.5	CP	QPSK	Outer_Full	21.37
n5	15	15	831.5	CP	16QAM	Inner_Full	22.25
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.43
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.62
n5	15	15	831.5	CP	16QAM	Outer_Full	21.28
n5	15	15	831.5	CP	64QAM	Inner_Full	20.74
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.64
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.77
n5	15	15	831.5	CP	64QAM	Outer_Full	20.80
n5	15	15	831.5	CP	256QAM	Inner_Full	18.13
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	18.26
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	18.29
n5	15	15	831.5	CP	256QAM	Outer_Full	18.12
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.49

n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.11
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.98
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.78
n5	15	15	836.5	DFT	QPSK	Inner_Full	24.37
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.35
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.29
n5	15	15	836.5	DFT	QPSK	Outer_Full	23.31
n5	15	15	836.5	DFT	16QAM	Inner_Full	23.24
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.54
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.58
n5	15	15	836.5	DFT	16QAM	Outer_Full	22.23
n5	15	15	836.5	DFT	64QAM	Inner_Full	21.80
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.66
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.66
n5	15	15	836.5	DFT	64QAM	Outer_Full	21.77
n5	15	15	836.5	DFT	256QAM	Inner_Full	20.09
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	20.12
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	20.14
n5	15	15	836.5	DFT	256QAM	Outer_Full	20.12
n5	15	15	836.5	CP	QPSK	Inner_Full	22.97
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	21.41
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	21.42
n5	15	15	836.5	CP	QPSK	Outer_Full	21.30
n5	15	15	836.5	CP	16QAM	Inner_Full	22.37
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.63
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	21.55
n5	15	15	836.5	CP	16QAM	Outer_Full	21.30
n5	15	15	836.5	CP	64QAM	Inner_Full	20.83
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.71
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.76
n5	15	15	836.5	CP	64QAM	Outer_Full	20.83
n5	15	15	836.5	CP	256QAM	Inner_Full	18.11
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	18.27
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	18.28
n5	15	15	836.5	CP	256QAM	Outer_Full	18.15
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	24.54
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.98

n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.94
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.88
n5	15	15	841.5	DFT	QPSK	Inner_Full	24.29
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.32
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.33
n5	15	15	841.5	DFT	QPSK	Outer_Full	23.32
n5	15	15	841.5	DFT	16QAM	Inner_Full	23.21
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.52
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.55
n5	15	15	841.5	DFT	16QAM	Outer_Full	22.20
n5	15	15	841.5	DFT	64QAM	Inner_Full	21.72
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.63
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.65
n5	15	15	841.5	DFT	64QAM	Outer_Full	21.75
n5	15	15	841.5	DFT	256QAM	Inner_Full	20.16
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	20.12
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	20.13
n5	15	15	841.5	DFT	256QAM	Outer_Full	20.15
n5	15	15	841.5	CP	QPSK	Inner_Full	22.96
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.40
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	21.36
n5	15	15	841.5	CP	QPSK	Outer_Full	21.37
n5	15	15	841.5	CP	16QAM	Inner_Full	22.34
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.54
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	21.56
n5	15	15	841.5	CP	16QAM	Outer_Full	21.35
n5	15	15	841.5	CP	64QAM	Inner_Full	20.77
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.67
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.70
n5	15	15	841.5	CP	64QAM	Outer_Full	20.82
n5	15	15	841.5	CP	256QAM	Inner_Full	18.16
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	18.27
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	18.30
n5	15	15	841.5	CP	256QAM	Outer_Full	18.18
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.40
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.88
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.92

n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.77
n5	20	15	834	DFT	QPSK	Inner_Full	24.34
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	23.25
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	23.30
n5	20	15	834	DFT	QPSK	Outer_Full	23.25
n5	20	15	834	DFT	16QAM	Inner_Full	23.18
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	22.48
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	22.53
n5	20	15	834	DFT	16QAM	Outer_Full	22.20
n5	20	15	834	DFT	64QAM	Inner_Full	21.76
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	21.67
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	21.70
n5	20	15	834	DFT	64QAM	Outer_Full	21.73
n5	20	15	834	DFT	256QAM	Inner_Full	20.11
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	20.00
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	20.10
n5	20	15	834	DFT	256QAM	Outer_Full	20.09
n5	20	15	834	CP	QPSK	Inner_Full	22.87
n5	20	15	834	CP	QPSK	Edge_1RB_Left	21.32
n5	20	15	834	CP	QPSK	Edge_1RB_Right	21.47
n5	20	15	834	CP	QPSK	Outer_Full	21.37
n5	20	15	834	CP	16QAM	Inner_Full	22.29
n5	20	15	834	CP	16QAM	Edge_1RB_Left	21.43
n5	20	15	834	CP	16QAM	Edge_1RB_Right	21.64
n5	20	15	834	CP	16QAM	Outer_Full	21.28
n5	20	15	834	CP	64QAM	Inner_Full	20.80
n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.59
n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.77
n5	20	15	834	CP	64QAM	Outer_Full	20.66
n5	20	15	834	CP	256QAM	Inner_Full	18.09
n5	20	15	834	CP	256QAM	Edge_1RB_Left	18.27
n5	20	15	834	CP	256QAM	Edge_1RB_Right	18.30
n5	20	15	834	CP	256QAM	Outer_Full	18.15
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.48
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.95
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.99
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.82

n5	20	15	836.5	DFT	QPSK	Inner_Full	24.35
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	23.30
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	23.36
n5	20	15	836.5	DFT	QPSK	Outer_Full	23.32
n5	20	15	836.5	DFT	16QAM	Inner_Full	23.22
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.56
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.56
n5	20	15	836.5	DFT	16QAM	Outer_Full	22.31
n5	20	15	836.5	DFT	64QAM	Inner_Full	21.74
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.65
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.71
n5	20	15	836.5	DFT	64QAM	Outer_Full	21.73
n5	20	15	836.5	DFT	256QAM	Inner_Full	20.16
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	20.13
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	20.19
n5	20	15	836.5	DFT	256QAM	Outer_Full	20.15
n5	20	15	836.5	CP	QPSK	Inner_Full	22.94
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	21.36
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	21.42
n5	20	15	836.5	CP	QPSK	Outer_Full	21.33
n5	20	15	836.5	CP	16QAM	Inner_Full	22.30
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.55
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	21.64
n5	20	15	836.5	CP	16QAM	Outer_Full	21.22
n5	20	15	836.5	CP	64QAM	Inner_Full	20.74
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.69
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.81
n5	20	15	836.5	CP	64QAM	Outer_Full	20.78
n5	20	15	836.5	CP	256QAM	Inner_Full	18.11
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	18.27
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	18.34
n5	20	15	836.5	CP	256QAM	Outer_Full	18.17
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	24.53
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	24.01
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.97
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.87
n5	20	15	839	DFT	QPSK	Inner_Full	24.35

n5	20	15	839	DFT	QPSK	Edge_1RB_Left	23.35
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	23.33
n5	20	15	839	DFT	QPSK	Outer_Full	23.37
n5	20	15	839	DFT	16QAM	Inner_Full	23.18
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	22.56
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	22.51
n5	20	15	839	DFT	16QAM	Outer_Full	22.25
n5	20	15	839	DFT	64QAM	Inner_Full	21.72
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	21.71
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	21.71
n5	20	15	839	DFT	64QAM	Outer_Full	21.77
n5	20	15	839	DFT	256QAM	Inner_Full	20.17
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	20.07
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	20.18
n5	20	15	839	DFT	256QAM	Outer_Full	20.20
n5	20	15	839	CP	QPSK	Inner_Full	23.01
n5	20	15	839	CP	QPSK	Edge_1RB_Left	21.46
n5	20	15	839	CP	QPSK	Edge_1RB_Right	21.32
n5	20	15	839	CP	QPSK	Outer_Full	21.27
n5	20	15	839	CP	16QAM	Inner_Full	22.28
n5	20	15	839	CP	16QAM	Edge_1RB_Left	21.55
n5	20	15	839	CP	16QAM	Edge_1RB_Right	21.60
n5	20	15	839	CP	16QAM	Outer_Full	21.30
n5	20	15	839	CP	64QAM	Inner_Full	20.73
n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.65
n5	20	15	839	CP	64QAM	Edge_1RB_Right	20.68
n5	20	15	839	CP	64QAM	Outer_Full	20.71
n5	20	15	839	CP	256QAM	Inner_Full	18.13
n5	20	15	839	CP	256QAM	Edge_1RB_Left	18.26
n5	20	15	839	CP	256QAM	Edge_1RB_Right	18.28
n5	20	15	839	CP	256QAM	Outer_Full	18.16

n7

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	22.78
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.19
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.22

n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	22.22
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.80
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.68
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.61
n7	5	15	2502.5	DFT	QPSK	Outer_Full	21.64
n7	5	15	2502.5	DFT	16QAM	Inner_Full	21.70
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	20.90
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	20.88
n7	5	15	2502.5	DFT	16QAM	Outer_Full	20.71
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.08
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	20.02
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	19.93
n7	5	15	2502.5	DFT	64QAM	Outer_Full	20.19
n7	5	15	2502.5	DFT	256QAM	Inner_Full	18.34
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	18.25
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	18.22
n7	5	15	2502.5	DFT	256QAM	Outer_Full	18.24
n7	5	15	2502.5	CP	QPSK	Inner_Full	21.25
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	19.73
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	19.70
n7	5	15	2502.5	CP	QPSK	Outer_Full	19.80
n7	5	15	2502.5	CP	16QAM	Inner_Full	20.81
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.01
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	19.97
n7	5	15	2502.5	CP	16QAM	Outer_Full	19.88
n7	5	15	2502.5	CP	64QAM	Inner_Full	19.18
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	19.13
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	19.04
n7	5	15	2502.5	CP	64QAM	Outer_Full	19.31
n7	5	15	2502.5	CP	256QAM	Inner_Full	16.23
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	16.30
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	16.30
n7	5	15	2502.5	CP	256QAM	Outer_Full	16.25
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	23.02
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.44
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.48

n7	5	15	2535	DFT	QPSK	Inner_Full	23.00
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.88
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.91
n7	5	15	2535	DFT	QPSK	Outer_Full	21.91
n7	5	15	2535	DFT	16QAM	Inner_Full	21.92
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.14
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.10
n7	5	15	2535	DFT	16QAM	Outer_Full	20.92
n7	5	15	2535	DFT	64QAM	Inner_Full	20.32
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.25
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.25
n7	5	15	2535	DFT	64QAM	Outer_Full	20.48
n7	5	15	2535	DFT	256QAM	Inner_Full	18.56
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.45
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.40
n7	5	15	2535	DFT	256QAM	Outer_Full	18.44
n7	5	15	2535	CP	QPSK	Inner_Full	21.45
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	19.92
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	19.91
n7	5	15	2535	CP	QPSK	Outer_Full	19.98
n7	5	15	2535	CP	16QAM	Inner_Full	20.95
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	20.19
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.13
n7	5	15	2535	CP	16QAM	Outer_Full	20.04
n7	5	15	2535	CP	64QAM	Inner_Full	19.40
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.31
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.26
n7	5	15	2535	CP	64QAM	Outer_Full	19.47
n7	5	15	2535	CP	256QAM	Inner_Full	16.44
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	16.52
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	16.43
n7	5	15	2535	CP	256QAM	Outer_Full	16.42
n7	5	15	2567.5	DFT	$\pi/2$ BPSK	Inner_Full	22.66
n7	5	15	2567.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.12
n7	5	15	2567.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.07
n7	5	15	2567.5	DFT	$\pi/2$ BPSK	Outer_Full	22.10
n7	5	15	2567.5	DFT	QPSK	Inner_Full	22.63

n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.54
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	21.52
n7	5	15	2567.5	DFT	QPSK	Outer_Full	21.56
n7	5	15	2567.5	DFT	16QAM	Inner_Full	21.65
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.82
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.80
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.60
n7	5	15	2567.5	DFT	64QAM	Inner_Full	20.06
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.94
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.88
n7	5	15	2567.5	DFT	64QAM	Outer_Full	20.11
n7	5	15	2567.5	DFT	256QAM	Inner_Full	18.26
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	18.12
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	18.13
n7	5	15	2567.5	DFT	256QAM	Outer_Full	18.21
n7	5	15	2567.5	CP	QPSK	Inner_Full	21.15
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	19.65
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	19.65
n7	5	15	2567.5	CP	QPSK	Outer_Full	19.74
n7	5	15	2567.5	CP	16QAM	Inner_Full	20.71
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	19.90
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	19.87
n7	5	15	2567.5	CP	16QAM	Outer_Full	19.77
n7	5	15	2567.5	CP	64QAM	Inner_Full	19.17
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	19.06
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	18.99
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.23
n7	5	15	2567.5	CP	256QAM	Inner_Full	16.17
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	16.25
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	16.23
n7	5	15	2567.5	CP	256QAM	Outer_Full	16.20
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.75
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	22.31
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	22.26
n7	10	15	2505	DFT	QPSK	Inner_Full	22.71
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	21.73

n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.77
n7	10	15	2505	DFT	QPSK	Outer_Full	21.70
n7	10	15	2505	DFT	16QAM	Inner_Full	21.75
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	20.96
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	21.11
n7	10	15	2505	DFT	16QAM	Outer_Full	20.71
n7	10	15	2505	DFT	64QAM	Inner_Full	20.20
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.10
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	20.26
n7	10	15	2505	DFT	64QAM	Outer_Full	20.19
n7	10	15	2505	DFT	256QAM	Inner_Full	18.25
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	18.34
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	18.32
n7	10	15	2505	DFT	256QAM	Outer_Full	18.22
n7	10	15	2505	CP	QPSK	Inner_Full	21.21
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	19.77
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	19.83
n7	10	15	2505	CP	QPSK	Outer_Full	19.73
n7	10	15	2505	CP	16QAM	Inner_Full	20.65
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.01
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	20.03
n7	10	15	2505	CP	16QAM	Outer_Full	19.75
n7	10	15	2505	CP	64QAM	Inner_Full	19.24
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.15
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	19.26
n7	10	15	2505	CP	64QAM	Outer_Full	19.24
n7	10	15	2505	CP	256QAM	Inner_Full	16.20
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	16.34
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	16.42
n7	10	15	2505	CP	256QAM	Outer_Full	16.21
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	22.95
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.51
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.43
n7	10	15	2535	DFT	QPSK	Inner_Full	22.90
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	22.03
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.95

n7	10	15	2535	DFT	QPSK	Outer_Full	22.00
n7	10	15	2535	DFT	16QAM	Inner_Full	22.02
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	21.30
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	21.29
n7	10	15	2535	DFT	16QAM	Outer_Full	20.92
n7	10	15	2535	DFT	64QAM	Inner_Full	20.45
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.40
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	20.38
n7	10	15	2535	DFT	64QAM	Outer_Full	20.47
n7	10	15	2535	DFT	256QAM	Inner_Full	18.47
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.54
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	18.42
n7	10	15	2535	DFT	256QAM	Outer_Full	18.47
n7	10	15	2535	CP	QPSK	Inner_Full	21.47
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	20.04
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	19.93
n7	10	15	2535	CP	QPSK	Outer_Full	19.93
n7	10	15	2535	CP	16QAM	Inner_Full	20.94
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	20.21
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	20.10
n7	10	15	2535	CP	16QAM	Outer_Full	19.92
n7	10	15	2535	CP	64QAM	Inner_Full	19.42
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.34
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	19.27
n7	10	15	2535	CP	64QAM	Outer_Full	19.41
n7	10	15	2535	CP	256QAM	Inner_Full	16.39
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	16.60
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	16.50
n7	10	15	2535	CP	256QAM	Outer_Full	16.44
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	22.68
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	22.22
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	22.15
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	22.17
n7	10	15	2565	DFT	QPSK	Inner_Full	22.62
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.71
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	21.63
n7	10	15	2565	DFT	QPSK	Outer_Full	21.69

n7	10	15	2565	DFT	16QAM	Inner_Full	21.74
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	21.05
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.91
n7	10	15	2565	DFT	16QAM	Outer_Full	20.65
n7	10	15	2565	DFT	64QAM	Inner_Full	20.17
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	20.16
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	20.03
n7	10	15	2565	DFT	64QAM	Outer_Full	20.18
n7	10	15	2565	DFT	256QAM	Inner_Full	18.21
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	18.24
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	18.18
n7	10	15	2565	DFT	256QAM	Outer_Full	18.16
n7	10	15	2565	CP	QPSK	Inner_Full	21.13
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	19.75
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	19.65
n7	10	15	2565	CP	QPSK	Outer_Full	19.67
n7	10	15	2565	CP	16QAM	Inner_Full	20.59
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	19.93
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.86
n7	10	15	2565	CP	16QAM	Outer_Full	19.67
n7	10	15	2565	CP	64QAM	Inner_Full	19.19
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	19.07
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	19.06
n7	10	15	2565	CP	64QAM	Outer_Full	19.16
n7	10	15	2565	CP	256QAM	Inner_Full	16.15
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	16.31
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	16.27
n7	10	15	2565	CP	256QAM	Outer_Full	16.19
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.73
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.29
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	22.28
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.75
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.78
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.78
n7	15	15	2507.5	DFT	QPSK	Outer_Full	21.75
n7	15	15	2507.5	DFT	16QAM	Inner_Full	21.78

n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	21.03
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	21.06
n7	15	15	2507.5	DFT	16QAM	Outer_Full	20.67
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.19
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.22
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.19
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.24
n7	15	15	2507.5	DFT	256QAM	Inner_Full	18.29
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	18.27
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	18.37
n7	15	15	2507.5	DFT	256QAM	Outer_Full	18.26
n7	15	15	2507.5	CP	QPSK	Inner_Full	21.22
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	19.78
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	19.83
n7	15	15	2507.5	CP	QPSK	Outer_Full	19.79
n7	15	15	2507.5	CP	16QAM	Inner_Full	20.77
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	19.96
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	20.08
n7	15	15	2507.5	CP	16QAM	Outer_Full	19.82
n7	15	15	2507.5	CP	64QAM	Inner_Full	19.27
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	19.13
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	19.19
n7	15	15	2507.5	CP	64QAM	Outer_Full	19.30
n7	15	15	2507.5	CP	256QAM	Inner_Full	16.23
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	16.33
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	16.48
n7	15	15	2507.5	CP	256QAM	Outer_Full	16.23
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	22.86
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.57
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.45
n7	15	15	2535	DFT	QPSK	Inner_Full	22.94
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.97
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	22.01
n7	15	15	2535	DFT	QPSK	Outer_Full	21.99
n7	15	15	2535	DFT	16QAM	Inner_Full	21.96
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	21.26

n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.27
n7	15	15	2535	DFT	16QAM	Outer_Full	20.94
n7	15	15	2535	DFT	64QAM	Inner_Full	20.43
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	20.39
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.47
n7	15	15	2535	DFT	64QAM	Outer_Full	20.46
n7	15	15	2535	DFT	256QAM	Inner_Full	18.48
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	18.44
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.45
n7	15	15	2535	DFT	256QAM	Outer_Full	18.42
n7	15	15	2535	CP	QPSK	Inner_Full	21.44
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	19.94
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	19.94
n7	15	15	2535	CP	QPSK	Outer_Full	19.98
n7	15	15	2535	CP	16QAM	Inner_Full	20.94
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	20.19
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	20.12
n7	15	15	2535	CP	16QAM	Outer_Full	20.04
n7	15	15	2535	CP	64QAM	Inner_Full	19.51
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.35
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.33
n7	15	15	2535	CP	64QAM	Outer_Full	19.47
n7	15	15	2535	CP	256QAM	Inner_Full	16.42
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	16.54
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	16.54
n7	15	15	2535	CP	256QAM	Outer_Full	16.45
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.69
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.15
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	22.19
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.63
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.84
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.65
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.75
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.68
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	21.08
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.92

n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.67
n7	15	15	2562.5	DFT	64QAM	Inner_Full	20.16
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	20.21
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	20.04
n7	15	15	2562.5	DFT	64QAM	Outer_Full	20.19
n7	15	15	2562.5	DFT	256QAM	Inner_Full	18.19
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	18.33
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	18.15
n7	15	15	2562.5	DFT	256QAM	Outer_Full	18.19
n7	15	15	2562.5	CP	QPSK	Inner_Full	21.18
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	19.87
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	19.68
n7	15	15	2562.5	CP	QPSK	Outer_Full	19.71
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.70
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	20.04
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.79
n7	15	15	2562.5	CP	16QAM	Outer_Full	19.79
n7	15	15	2562.5	CP	64QAM	Inner_Full	19.20
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	19.26
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	19.07
n7	15	15	2562.5	CP	64QAM	Outer_Full	19.27
n7	15	15	2562.5	CP	256QAM	Inner_Full	16.25
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	16.43
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	16.26
n7	15	15	2562.5	CP	256QAM	Outer_Full	16.18
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	22.78
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	22.44
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	22.30
n7	20	15	2510	DFT	QPSK	Inner_Full	22.75
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.72
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.91
n7	20	15	2510	DFT	QPSK	Outer_Full	21.81
n7	20	15	2510	DFT	16QAM	Inner_Full	21.72
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	21.08
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	21.16
n7	20	15	2510	DFT	16QAM	Outer_Full	20.83

n7	20	15	2510	DFT	64QAM	Inner_Full	20.33
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	20.22
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	20.31
n7	20	15	2510	DFT	64QAM	Outer_Full	20.31
n7	20	15	2510	DFT	256QAM	Inner_Full	18.26
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.32
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.42
n7	20	15	2510	DFT	256QAM	Outer_Full	18.31
n7	20	15	2510	CP	QPSK	Inner_Full	21.27
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	19.79
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	19.94
n7	20	15	2510	CP	QPSK	Outer_Full	19.75
n7	20	15	2510	CP	16QAM	Inner_Full	20.71
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	19.95
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	20.13
n7	20	15	2510	CP	16QAM	Outer_Full	19.86
n7	20	15	2510	CP	64QAM	Inner_Full	19.27
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	19.13
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.28
n7	20	15	2510	CP	64QAM	Outer_Full	19.27
n7	20	15	2510	CP	256QAM	Inner_Full	16.28
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	16.34
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	16.52
n7	20	15	2510	CP	256QAM	Outer_Full	16.31
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	23.01
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.46
n7	20	15	2535	DFT	QPSK	Inner_Full	22.96
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.99
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	22.00
n7	20	15	2535	DFT	QPSK	Outer_Full	21.97
n7	20	15	2535	DFT	16QAM	Inner_Full	21.90
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	21.26
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.26
n7	20	15	2535	DFT	16QAM	Outer_Full	20.96
n7	20	15	2535	DFT	64QAM	Inner_Full	20.48

n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	20.44
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.41
n7	20	15	2535	DFT	64QAM	Outer_Full	20.53
n7	20	15	2535	DFT	256QAM	Inner_Full	18.51
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	18.41
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	18.39
n7	20	15	2535	DFT	256QAM	Outer_Full	18.46
n7	20	15	2535	CP	QPSK	Inner_Full	21.43
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	19.91
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	19.98
n7	20	15	2535	CP	QPSK	Outer_Full	19.92
n7	20	15	2535	CP	16QAM	Inner_Full	20.94
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	20.15
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	20.16
n7	20	15	2535	CP	16QAM	Outer_Full	20.00
n7	20	15	2535	CP	64QAM	Inner_Full	19.48
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.3
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.31
n7	20	15	2535	CP	64QAM	Outer_Full	19.45
n7	20	15	2535	CP	256QAM	Inner_Full	16.44
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	16.46
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	16.56
n7	20	15	2535	CP	256QAM	Outer_Full	16.41
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.75
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	22.14
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	22.22
n7	20	15	2560	DFT	QPSK	Inner_Full	22.78
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.97
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	21.63
n7	20	15	2560	DFT	QPSK	Outer_Full	21.76
n7	20	15	2560	DFT	16QAM	Inner_Full	21.72
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	21.20
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.88
n7	20	15	2560	DFT	16QAM	Outer_Full	20.77
n7	20	15	2560	DFT	64QAM	Inner_Full	20.23
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	20.34

n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	20.03
n7	20	15	2560	DFT	64QAM	Outer_Full	20.24
n7	20	15	2560	DFT	256QAM	Inner_Full	18.22
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	18.38
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	18.11
n7	20	15	2560	DFT	256QAM	Outer_Full	18.25
n7	20	15	2560	CP	QPSK	Inner_Full	21.19
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	19.90
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	19.66
n7	20	15	2560	CP	QPSK	Outer_Full	19.74
n7	20	15	2560	CP	16QAM	Inner_Full	20.71
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	20.06
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.86
n7	20	15	2560	CP	16QAM	Outer_Full	19.81
n7	20	15	2560	CP	64QAM	Inner_Full	19.27
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.25
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	19.13
n7	20	15	2560	CP	64QAM	Outer_Full	19.31
n7	20	15	2560	CP	256QAM	Inner_Full	16.28
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	16.51
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	16.30
n7	20	15	2560	CP	256QAM	Outer_Full	16.26
n7	25	15	2512.5	DFT	pi/2 BPSK	Inner_Full	22.90
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.30
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.40
n7	25	15	2512.5	DFT	pi/2 BPSK	Outer_Full	22.29
n7	25	15	2512.5	DFT	QPSK	Inner_Full	22.90
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Left	21.72
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Right	21.87
n7	25	15	2512.5	DFT	QPSK	Outer_Full	21.87
n7	25	15	2512.5	DFT	16QAM	Inner_Full	21.87
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Left	20.97
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Right	21.15
n7	25	15	2512.5	DFT	16QAM	Outer_Full	20.86
n7	25	15	2512.5	DFT	64QAM	Inner_Full	20.33
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Left	20.10
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Right	20.26

n7	25	15	2512.5	DFT	64QAM	Outer_Full	20.37
n7	25	15	2512.5	DFT	256QAM	Inner_Full	18.35
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Left	18.21
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Right	18.33
n7	25	15	2512.5	DFT	256QAM	Outer_Full	18.34
n7	25	15	2512.5	CP	QPSK	Inner_Full	21.36
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Left	19.72
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Right	19.89
n7	25	15	2512.5	CP	QPSK	Outer_Full	19.86
n7	25	15	2512.5	CP	16QAM	Inner_Full	20.83
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Left	19.91
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Right	19.95
n7	25	15	2512.5	CP	16QAM	Outer_Full	19.81
n7	25	15	2512.5	CP	64QAM	Inner_Full	19.43
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Left	19.16
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Right	19.25
n7	25	15	2512.5	CP	64QAM	Outer_Full	19.39
n7	25	15	2512.5	CP	256QAM	Inner_Full	16.30
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Left	16.28
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Right	16.46
n7	25	15	2512.5	CP	256QAM	Outer_Full	16.34
n7	25	15	2535	DFT	pi/2 BPSK	Inner_Full	23.03
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.45
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.45
n7	25	15	2535	DFT	pi/2 BPSK	Outer_Full	22.42
n7	25	15	2535	DFT	QPSK	Inner_Full	23.06
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	21.92
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	21.94
n7	25	15	2535	DFT	QPSK	Outer_Full	21.99
n7	25	15	2535	DFT	16QAM	Inner_Full	22.04
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	21.18
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	21.15
n7	25	15	2535	DFT	16QAM	Outer_Full	20.95
n7	25	15	2535	DFT	64QAM	Inner_Full	20.54
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	20.27
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	20.31
n7	25	15	2535	DFT	64QAM	Outer_Full	20.47

n7	25	15	2535	DFT	256QAM	Inner_Full	18.50
n7	25	15	2535	DFT	256QAM	Edge_1RB_Left	18.42
n7	25	15	2535	DFT	256QAM	Edge_1RB_Right	18.34
n7	25	15	2535	DFT	256QAM	Outer_Full	18.50
n7	25	15	2535	CP	QPSK	Inner_Full	21.48
n7	25	15	2535	CP	QPSK	Edge_1RB_Left	19.93
n7	25	15	2535	CP	QPSK	Edge_1RB_Right	19.81
n7	25	15	2535	CP	QPSK	Outer_Full	19.94
n7	25	15	2535	CP	16QAM	Inner_Full	20.97
n7	25	15	2535	CP	16QAM	Edge_1RB_Left	20.09
n7	25	15	2535	CP	16QAM	Edge_1RB_Right	20.08
n7	25	15	2535	CP	16QAM	Outer_Full	19.97
n7	25	15	2535	CP	64QAM	Inner_Full	19.53
n7	25	15	2535	CP	64QAM	Edge_1RB_Left	19.26
n7	25	15	2535	CP	64QAM	Edge_1RB_Right	19.22
n7	25	15	2535	CP	64QAM	Outer_Full	19.45
n7	25	15	2535	CP	256QAM	Inner_Full	16.45
n7	25	15	2535	CP	256QAM	Edge_1RB_Left	16.53
n7	25	15	2535	CP	256QAM	Edge_1RB_Right	16.41
n7	25	15	2535	CP	256QAM	Outer_Full	16.44
n7	25	15	2557.5	DFT	$\pi/2$ BPSK	Inner_Full	22.89
n7	25	15	2557.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.45
n7	25	15	2557.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.12
n7	25	15	2557.5	DFT	$\pi/2$ BPSK	Outer_Full	22.31
n7	25	15	2557.5	DFT	QPSK	Inner_Full	22.84
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Left	21.94
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Right	21.55
n7	25	15	2557.5	DFT	QPSK	Outer_Full	21.85
n7	25	15	2557.5	DFT	16QAM	Inner_Full	21.86
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Left	21.21
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Right	20.75
n7	25	15	2557.5	DFT	16QAM	Outer_Full	20.87
n7	25	15	2557.5	DFT	64QAM	Inner_Full	20.38
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Left	20.32
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Right	19.95
n7	25	15	2557.5	DFT	64QAM	Outer_Full	20.41
n7	25	15	2557.5	DFT	256QAM	Inner_Full	18.34

n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Left	18.34
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Right	18.07
n7	25	15	2557.5	DFT	256QAM	Outer_Full	18.33
n7	25	15	2557.5	CP	QPSK	Inner_Full	21.38
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Left	19.88
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Right	19.60
n7	25	15	2557.5	CP	QPSK	Outer_Full	19.83
n7	25	15	2557.5	CP	16QAM	Inner_Full	20.80
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Left	20.03
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Right	19.79
n7	25	15	2557.5	CP	16QAM	Outer_Full	19.84
n7	25	15	2557.5	CP	64QAM	Inner_Full	19.36
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Left	19.28
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Right	19.05
n7	25	15	2557.5	CP	64QAM	Outer_Full	19.36
n7	25	15	2557.5	CP	256QAM	Inner_Full	16.35
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Left	16.40
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Right	16.28
n7	25	15	2557.5	CP	256QAM	Outer_Full	16.29
n7	30	15	2515	DFT	$\pi/2$ BPSK	Inner_Full	22.90
n7	30	15	2515	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.34
n7	30	15	2515	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.50
n7	30	15	2515	DFT	$\pi/2$ BPSK	Outer_Full	22.38
n7	30	15	2515	DFT	QPSK	Inner_Full	22.92
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	21.76
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	21.96
n7	30	15	2515	DFT	QPSK	Outer_Full	21.93
n7	30	15	2515	DFT	16QAM	Inner_Full	21.92
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	21.07
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	21.26
n7	30	15	2515	DFT	16QAM	Outer_Full	20.86
n7	30	15	2515	DFT	64QAM	Inner_Full	20.38
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	20.14
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	20.35
n7	30	15	2515	DFT	64QAM	Outer_Full	20.42
n7	30	15	2515	DFT	256QAM	Inner_Full	18.38
n7	30	15	2515	DFT	256QAM	Edge_1RB_Left	18.26

n7	30	15	2515	DFT	256QAM	Edge_1RB_Right	18.40
n7	30	15	2515	DFT	256QAM	Outer_Full	18.40
n7	30	15	2515	CP	QPSK	Inner_Full	21.32
n7	30	15	2515	CP	QPSK	Edge_1RB_Left	19.75
n7	30	15	2515	CP	QPSK	Edge_1RB_Right	19.96
n7	30	15	2515	CP	QPSK	Outer_Full	19.88
n7	30	15	2515	CP	16QAM	Inner_Full	20.88
n7	30	15	2515	CP	16QAM	Edge_1RB_Left	19.99
n7	30	15	2515	CP	16QAM	Edge_1RB_Right	20.20
n7	30	15	2515	CP	16QAM	Outer_Full	19.90
n7	30	15	2515	CP	64QAM	Inner_Full	19.41
n7	30	15	2515	CP	64QAM	Edge_1RB_Left	19.17
n7	30	15	2515	CP	64QAM	Edge_1RB_Right	19.39
n7	30	15	2515	CP	64QAM	Outer_Full	19.45
n7	30	15	2515	CP	256QAM	Inner_Full	16.40
n7	30	15	2515	CP	256QAM	Edge_1RB_Left	16.42
n7	30	15	2515	CP	256QAM	Edge_1RB_Right	16.60
n7	30	15	2515	CP	256QAM	Outer_Full	16.42
n7	30	15	2535	DFT	$\pi/2$ BPSK	Inner_Full	23.01
n7	30	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.47
n7	30	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.35
n7	30	15	2535	DFT	$\pi/2$ BPSK	Outer_Full	22.47
n7	30	15	2535	DFT	QPSK	Inner_Full	23.03
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	21.96
n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	21.99
n7	30	15	2535	DFT	QPSK	Outer_Full	22.01
n7	30	15	2535	DFT	16QAM	Inner_Full	22.05
n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	21.23
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	21.23
n7	30	15	2535	DFT	16QAM	Outer_Full	20.98
n7	30	15	2535	DFT	64QAM	Inner_Full	20.50
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	20.33
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	20.35
n7	30	15	2535	DFT	64QAM	Outer_Full	20.46
n7	30	15	2535	DFT	256QAM	Inner_Full	18.52
n7	30	15	2535	DFT	256QAM	Edge_1RB_Left	18.42
n7	30	15	2535	DFT	256QAM	Edge_1RB_Right	18.35

n7	30	15	2535	DFT	256QAM	Outer_Full	18.51
n7	30	15	2535	CP	QPSK	Inner_Full	21.48
n7	30	15	2535	CP	QPSK	Edge_1RB_Left	19.93
n7	30	15	2535	CP	QPSK	Edge_1RB_Right	19.84
n7	30	15	2535	CP	QPSK	Outer_Full	20.06
n7	30	15	2535	CP	16QAM	Inner_Full	20.95
n7	30	15	2535	CP	16QAM	Edge_1RB_Left	20.15
n7	30	15	2535	CP	16QAM	Edge_1RB_Right	20.14
n7	30	15	2535	CP	16QAM	Outer_Full	19.99
n7	30	15	2535	CP	64QAM	Inner_Full	19.59
n7	30	15	2535	CP	64QAM	Edge_1RB_Left	19.40
n7	30	15	2535	CP	64QAM	Edge_1RB_Right	19.34
n7	30	15	2535	CP	64QAM	Outer_Full	19.54
n7	30	15	2535	CP	256QAM	Inner_Full	16.51
n7	30	15	2535	CP	256QAM	Edge_1RB_Left	16.56
n7	30	15	2535	CP	256QAM	Edge_1RB_Right	16.57
n7	30	15	2535	CP	256QAM	Outer_Full	16.55
n7	30	15	2555	DFT	$\pi/2$ BPSK	Inner_Full	22.90
n7	30	15	2555	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.58
n7	30	15	2555	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.14
n7	30	15	2555	DFT	$\pi/2$ BPSK	Outer_Full	22.42
n7	30	15	2555	DFT	QPSK	Inner_Full	22.93
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	22.02
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	21.64
n7	30	15	2555	DFT	QPSK	Outer_Full	21.89
n7	30	15	2555	DFT	16QAM	Inner_Full	21.91
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	21.32
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	20.88
n7	30	15	2555	DFT	16QAM	Outer_Full	20.85
n7	30	15	2555	DFT	64QAM	Inner_Full	20.41
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	20.44
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	20.03
n7	30	15	2555	DFT	64QAM	Outer_Full	20.38
n7	30	15	2555	DFT	256QAM	Inner_Full	18.36
n7	30	15	2555	DFT	256QAM	Edge_1RB_Left	18.52
n7	30	15	2555	DFT	256QAM	Edge_1RB_Right	18.11
n7	30	15	2555	DFT	256QAM	Outer_Full	18.37

n7	30	15	2555	CP	QPSK	Inner_Full	21.33
n7	30	15	2555	CP	QPSK	Edge_1RB_Left	20.05
n7	30	15	2555	CP	QPSK	Edge_1RB_Right	19.70
n7	30	15	2555	CP	QPSK	Outer_Full	19.84
n7	30	15	2555	CP	16QAM	Inner_Full	20.79
n7	30	15	2555	CP	16QAM	Edge_1RB_Left	20.27
n7	30	15	2555	CP	16QAM	Edge_1RB_Right	19.94
n7	30	15	2555	CP	16QAM	Outer_Full	19.85
n7	30	15	2555	CP	64QAM	Inner_Full	19.41
n7	30	15	2555	CP	64QAM	Edge_1RB_Left	19.47
n7	30	15	2555	CP	64QAM	Edge_1RB_Right	19.10
n7	30	15	2555	CP	64QAM	Outer_Full	19.37
n7	30	15	2555	CP	256QAM	Inner_Full	16.37
n7	30	15	2555	CP	256QAM	Edge_1RB_Left	16.69
n7	30	15	2555	CP	256QAM	Edge_1RB_Right	16.35
n7	30	15	2555	CP	256QAM	Outer_Full	16.39
n7	40	15	2520	DFT	$\pi/2$ BPSK	Inner_Full	22.95
n7	40	15	2520	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.31
n7	40	15	2520	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.54
n7	40	15	2520	DFT	$\pi/2$ BPSK	Outer_Full	22.47
n7	40	15	2520	DFT	QPSK	Inner_Full	22.96
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	21.77
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	22.02
n7	40	15	2520	DFT	QPSK	Outer_Full	21.95
n7	40	15	2520	DFT	16QAM	Inner_Full	21.96
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	21.02
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	21.30
n7	40	15	2520	DFT	16QAM	Outer_Full	20.93
n7	40	15	2520	DFT	64QAM	Inner_Full	20.41
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	20.14
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	20.41
n7	40	15	2520	DFT	64QAM	Outer_Full	20.41
n7	40	15	2520	DFT	256QAM	Inner_Full	18.43
n7	40	15	2520	DFT	256QAM	Edge_1RB_Left	18.25
n7	40	15	2520	DFT	256QAM	Edge_1RB_Right	18.46
n7	40	15	2520	DFT	256QAM	Outer_Full	18.42
n7	40	15	2520	CP	QPSK	Inner_Full	21.36

n7	40	15	2520	CP	QPSK	Edge_1RB_Left	19.75
n7	40	15	2520	CP	QPSK	Edge_1RB_Right	20.05
n7	40	15	2520	CP	QPSK	Outer_Full	19.96
n7	40	15	2520	CP	16QAM	Inner_Full	20.89
n7	40	15	2520	CP	16QAM	Edge_1RB_Left	19.98
n7	40	15	2520	CP	16QAM	Edge_1RB_Right	20.30
n7	40	15	2520	CP	16QAM	Outer_Full	19.99
n7	40	15	2520	CP	64QAM	Inner_Full	19.46
n7	40	15	2520	CP	64QAM	Edge_1RB_Left	19.18
n7	40	15	2520	CP	64QAM	Edge_1RB_Right	19.42
n7	40	15	2520	CP	64QAM	Outer_Full	19.50
n7	40	15	2520	CP	256QAM	Inner_Full	16.49
n7	40	15	2520	CP	256QAM	Edge_1RB_Left	16.31
n7	40	15	2520	CP	256QAM	Edge_1RB_Right	16.66
n7	40	15	2520	CP	256QAM	Outer_Full	16.47
n7	40	15	2535	DFT	$\pi/2$ BPSK	Inner_Full	23.00
n7	40	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.42
n7	40	15	2535	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.38
n7	40	15	2535	DFT	$\pi/2$ BPSK	Outer_Full	22.41
n7	40	15	2535	DFT	QPSK	Inner_Full	23.04
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	21.94
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	21.92
n7	40	15	2535	DFT	QPSK	Outer_Full	21.97
n7	40	15	2535	DFT	16QAM	Inner_Full	22.07
n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	21.08
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	21.20
n7	40	15	2535	DFT	16QAM	Outer_Full	20.97
n7	40	15	2535	DFT	64QAM	Inner_Full	20.51
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	20.29
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	20.29
n7	40	15	2535	DFT	64QAM	Outer_Full	20.47
n7	40	15	2535	DFT	256QAM	Inner_Full	18.55
n7	40	15	2535	DFT	256QAM	Edge_1RB_Left	18.39
n7	40	15	2535	DFT	256QAM	Edge_1RB_Right	18.28
n7	40	15	2535	DFT	256QAM	Outer_Full	18.28
n7	40	15	2535	CP	QPSK	Inner_Full	21.49
n7	40	15	2535	CP	QPSK	Edge_1RB_Left	19.88

n7	40	15	2535	CP	QPSK	Edge_1RB_Right	19.87
n7	40	15	2535	CP	QPSK	Outer_Full	19.99
n7	40	15	2535	CP	16QAM	Inner_Full	21.04
n7	40	15	2535	CP	16QAM	Edge_1RB_Left	20.11
n7	40	15	2535	CP	16QAM	Edge_1RB_Right	20.09
n7	40	15	2535	CP	16QAM	Outer_Full	20.00
n7	40	15	2535	CP	64QAM	Inner_Full	19.57
n7	40	15	2535	CP	64QAM	Edge_1RB_Left	19.33
n7	40	15	2535	CP	64QAM	Edge_1RB_Right	19.26
n7	40	15	2535	CP	64QAM	Outer_Full	19.48
n7	40	15	2535	CP	256QAM	Inner_Full	16.51
n7	40	15	2535	CP	256QAM	Edge_1RB_Left	16.52
n7	40	15	2535	CP	256QAM	Edge_1RB_Right	16.48
n7	40	15	2535	CP	256QAM	Outer_Full	16.51
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	22.97
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	22.17
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	22.39
n7	40	15	2550	DFT	QPSK	Inner_Full	22.99
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	22.05
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	21.66
n7	40	15	2550	DFT	QPSK	Outer_Full	21.92
n7	40	15	2550	DFT	16QAM	Inner_Full	22.00
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	21.29
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	20.85
n7	40	15	2550	DFT	16QAM	Outer_Full	20.96
n7	40	15	2550	DFT	64QAM	Inner_Full	20.43
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	20.42
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	20.01
n7	40	15	2550	DFT	64QAM	Outer_Full	20.43
n7	40	15	2550	DFT	256QAM	Inner_Full	18.48
n7	40	15	2550	DFT	256QAM	Edge_1RB_Left	18.48
n7	40	15	2550	DFT	256QAM	Edge_1RB_Right	18.12
n7	40	15	2550	DFT	256QAM	Outer_Full	18.46
n7	40	15	2550	CP	QPSK	Inner_Full	21.49
n7	40	15	2550	CP	QPSK	Edge_1RB_Left	20.02
n7	40	15	2550	CP	QPSK	Edge_1RB_Right	19.70

n7	40	15	2550	CP	QPSK	Outer_Full	19.92
n7	40	15	2550	CP	16QAM	Inner_Full	20.91
n7	40	15	2550	CP	16QAM	Edge_1RB_Left	20.26
n7	40	15	2550	CP	16QAM	Edge_1RB_Right	19.93
n7	40	15	2550	CP	16QAM	Outer_Full	19.93
n7	40	15	2550	CP	64QAM	Inner_Full	19.48
n7	40	15	2550	CP	64QAM	Edge_1RB_Left	19.42
n7	40	15	2550	CP	64QAM	Edge_1RB_Right	19.10
n7	40	15	2550	CP	64QAM	Outer_Full	19.45
n7	40	15	2550	CP	256QAM	Inner_Full	16.49
n7	40	15	2550	CP	256QAM	Edge_1RB_Left	16.64
n7	40	15	2550	CP	256QAM	Edge_1RB_Right	16.29
n7	40	15	2550	CP	256QAM	Outer_Full	16.45
n7	50	15	2525	DFT	pi/2 BPSK	Inner_Full	22.93
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Right	22.41
n7	50	15	2525	DFT	pi/2 BPSK	Outer_Full	22.49
n7	50	15	2525	DFT	QPSK	Inner_Full	22.95
n7	50	15	2525	DFT	QPSK	Edge_1RB_Left	21.75
n7	50	15	2525	DFT	QPSK	Edge_1RB_Right	21.91
n7	50	15	2525	DFT	QPSK	Outer_Full	21.93
n7	50	15	2525	DFT	16QAM	Inner_Full	21.98
n7	50	15	2525	DFT	16QAM	Edge_1RB_Left	20.97
n7	50	15	2525	DFT	16QAM	Edge_1RB_Right	21.13
n7	50	15	2525	DFT	16QAM	Outer_Full	20.94
n7	50	15	2525	DFT	64QAM	Inner_Full	20.43
n7	50	15	2525	DFT	64QAM	Edge_1RB_Left	20.09
n7	50	15	2525	DFT	64QAM	Edge_1RB_Right	20.28
n7	50	15	2525	DFT	64QAM	Outer_Full	20.48
n7	50	15	2525	DFT	256QAM	Inner_Full	18.49
n7	50	15	2525	DFT	256QAM	Edge_1RB_Left	18.20
n7	50	15	2525	DFT	256QAM	Edge_1RB_Right	18.24
n7	50	15	2525	DFT	256QAM	Outer_Full	18.51
n7	50	15	2525	CP	QPSK	Inner_Full	21.40
n7	50	15	2525	CP	QPSK	Edge_1RB_Left	19.69
n7	50	15	2525	CP	QPSK	Edge_1RB_Right	19.81
n7	50	15	2525	CP	QPSK	Outer_Full	19.94

n7	50	15	2525	CP	16QAM	Inner_Full	20.95
n7	50	15	2525	CP	16QAM	Edge_1RB_Left	19.95
n7	50	15	2525	CP	16QAM	Edge_1RB_Right	20.06
n7	50	15	2525	CP	16QAM	Outer_Full	19.96
n7	50	15	2525	CP	64QAM	Inner_Full	19.49
n7	50	15	2525	CP	64QAM	Edge_1RB_Left	19.10
n7	50	15	2525	CP	64QAM	Edge_1RB_Right	19.26
n7	50	15	2525	CP	64QAM	Outer_Full	19.48
n7	50	15	2525	CP	256QAM	Inner_Full	16.46
n7	50	15	2525	CP	256QAM	Edge_1RB_Left	16.32
n7	50	15	2525	CP	256QAM	Edge_1RB_Right	16.41
n7	50	15	2525	CP	256QAM	Outer_Full	16.46
n7	50	15	2535	DFT	pi/2 BPSK	Inner_Full	22.95
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.36
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.19
n7	50	15	2535	DFT	pi/2 BPSK	Outer_Full	22.45
n7	50	15	2535	DFT	QPSK	Inner_Full	23.02
n7	50	15	2535	DFT	QPSK	Edge_1RB_Left	21.86
n7	50	15	2535	DFT	QPSK	Edge_1RB_Right	21.71
n7	50	15	2535	DFT	QPSK	Outer_Full	21.98
n7	50	15	2535	DFT	16QAM	Inner_Full	22.03
n7	50	15	2535	DFT	16QAM	Edge_1RB_Left	21.02
n7	50	15	2535	DFT	16QAM	Edge_1RB_Right	20.93
n7	50	15	2535	DFT	16QAM	Outer_Full	20.93
n7	50	15	2535	DFT	64QAM	Inner_Full	20.49
n7	50	15	2535	DFT	64QAM	Edge_1RB_Left	20.20
n7	50	15	2535	DFT	64QAM	Edge_1RB_Right	20.11
n7	50	15	2535	DFT	64QAM	Outer_Full	20.44
n7	50	15	2535	DFT	256QAM	Inner_Full	18.59
n7	50	15	2535	DFT	256QAM	Edge_1RB_Left	18.30
n7	50	15	2535	DFT	256QAM	Edge_1RB_Right	18.12
n7	50	15	2535	DFT	256QAM	Outer_Full	18.47
n7	50	15	2535	CP	QPSK	Inner_Full	21.49
n7	50	15	2535	CP	QPSK	Edge_1RB_Left	19.79
n7	50	15	2535	CP	QPSK	Edge_1RB_Right	19.63
n7	50	15	2535	CP	QPSK	Outer_Full	19.93
n7	50	15	2535	CP	16QAM	Inner_Full	20.97

n7	50	15	2535	CP	16QAM	Edge_1RB_Left	20.02
n7	50	15	2535	CP	16QAM	Edge_1RB_Right	19.89
n7	50	15	2535	CP	16QAM	Outer_Full	19.95
n7	50	15	2535	CP	64QAM	Inner_Full	19.53
n7	50	15	2535	CP	64QAM	Edge_1RB_Left	19.20
n7	50	15	2535	CP	64QAM	Edge_1RB_Right	19.09
n7	50	15	2535	CP	64QAM	Outer_Full	19.47
n7	50	15	2535	CP	256QAM	Inner_Full	16.52
n7	50	15	2535	CP	256QAM	Edge_1RB_Left	16.46
n7	50	15	2535	CP	256QAM	Edge_1RB_Right	16.29
n7	50	15	2535	CP	256QAM	Outer_Full	16.46
n7	50	15	2545	DFT	pi/2 BPSK	Inner_Full	22.97
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Left	22.41
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Right	22.14
n7	50	15	2545	DFT	pi/2 BPSK	Outer_Full	22.45
n7	50	15	2545	DFT	QPSK	Inner_Full	22.99
n7	50	15	2545	DFT	QPSK	Edge_1RB_Left	21.89
n7	50	15	2545	DFT	QPSK	Edge_1RB_Right	21.63
n7	50	15	2545	DFT	QPSK	Outer_Full	21.93
n7	50	15	2545	DFT	16QAM	Inner_Full	22.02
n7	50	15	2545	DFT	16QAM	Edge_1RB_Left	21.10
n7	50	15	2545	DFT	16QAM	Edge_1RB_Right	20.86
n7	50	15	2545	DFT	16QAM	Outer_Full	20.90
n7	50	15	2545	DFT	64QAM	Inner_Full	20.48
n7	50	15	2545	DFT	64QAM	Edge_1RB_Left	20.35
n7	50	15	2545	DFT	64QAM	Edge_1RB_Right	20.01
n7	50	15	2545	DFT	64QAM	Outer_Full	20.40
n7	50	15	2545	DFT	256QAM	Inner_Full	18.54
n7	50	15	2545	DFT	256QAM	Edge_1RB_Left	18.37
n7	50	15	2545	DFT	256QAM	Edge_1RB_Right	18.07
n7	50	15	2545	DFT	256QAM	Outer_Full	18.47
n7	50	15	2545	CP	QPSK	Inner_Full	21.51
n7	50	15	2545	CP	QPSK	Edge_1RB_Left	19.88
n7	50	15	2545	CP	QPSK	Edge_1RB_Right	19.58
n7	50	15	2545	CP	QPSK	Outer_Full	19.89
n7	50	15	2545	CP	16QAM	Inner_Full	21.00
n7	50	15	2545	CP	16QAM	Edge_1RB_Left	20.12

n7	50	15	2545	CP	16QAM	Edge_1RB_Right	19.88
n7	50	15	2545	CP	16QAM	Outer_Full	19.94
n7	50	15	2545	CP	64QAM	Inner_Full	19.53
n7	50	15	2545	CP	64QAM	Edge_1RB_Left	19.34
n7	50	15	2545	CP	64QAM	Edge_1RB_Right	19.06
n7	50	15	2545	CP	64QAM	Outer_Full	19.49
n7	50	15	2545	CP	256QAM	Inner_Full	16.52
n7	50	15	2545	CP	256QAM	Edge_1RB_Left	16.54
n7	50	15	2545	CP	256QAM	Edge_1RB_Right	16.28
n7	50	15	2545	CP	256QAM	Outer_Full	16.44

n26(814MHz-824MHz)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n26	5	15	816.5	DFT	pi/2 BPSK	Inner_Full	24.60
n26	5	15	816.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.08
n26	5	15	816.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.06
n26	5	15	816.5	DFT	pi/2 BPSK	Outer_Full	24.14
n26	5	15	816.5	DFT	QPSK	Inner_Full	24.62
n26	5	15	816.5	DFT	QPSK	Edge_1RB_Left	23.59
n26	5	15	816.5	DFT	QPSK	Edge_1RB_Right	23.55
n26	5	15	816.5	DFT	QPSK	Outer_Full	23.61
n26	5	15	816.5	DFT	16QAM	Inner_Full	23.60
n26	5	15	816.5	DFT	16QAM	Edge_1RB_Left	22.86
n26	5	15	816.5	DFT	16QAM	Edge_1RB_Right	22.81
n26	5	15	816.5	DFT	16QAM	Outer_Full	22.68
n26	5	15	816.5	DFT	64QAM	Inner_Full	22.05
n26	5	15	816.5	DFT	64QAM	Edge_1RB_Left	21.97
n26	5	15	816.5	DFT	64QAM	Edge_1RB_Right	21.95
n26	5	15	816.5	DFT	64QAM	Outer_Full	22.13
n26	5	15	816.5	DFT	256QAM	Inner_Full	20.19
n26	5	15	816.5	DFT	256QAM	Edge_1RB_Left	20.08
n26	5	15	816.5	DFT	256QAM	Edge_1RB_Right	20.04
n26	5	15	816.5	DFT	256QAM	Outer_Full	20.14
n26	5	15	816.5	CP	QPSK	Inner_Full	23.00
n26	5	15	816.5	CP	QPSK	Edge_1RB_Left	21.50
n26	5	15	816.5	CP	QPSK	Edge_1RB_Right	21.48
n26	5	15	816.5	CP	QPSK	Outer_Full	21.53
n26	5	15	816.5	CP	16QAM	Inner_Full	22.70
n26	5	15	816.5	CP	16QAM	Edge_1RB_Left	21.85
n26	5	15	816.5	CP	16QAM	Edge_1RB_Right	21.76

n26	5	15	816.5	CP	16QAM	Outer_Full	21.65
n26	5	15	816.5	CP	64QAM	Inner_Full	21.02
n26	5	15	816.5	CP	64QAM	Edge_1RB_Left	20.96
n26	5	15	816.5	CP	64QAM	Edge_1RB_Right	20.89
n26	5	15	816.5	CP	64QAM	Outer_Full	21.12
n26	5	15	816.5	CP	256QAM	Inner_Full	18.15
n26	5	15	816.5	CP	256QAM	Edge_1RB_Left	18.25
n26	5	15	816.5	CP	256QAM	Edge_1RB_Right	18.21
n26	5	15	816.5	CP	256QAM	Outer_Full	18.14
n26	5	15	819	DFT	pi/2 BPSK	Inner_Full	24.54
n26	5	15	819	DFT	pi/2 BPSK	Edge_1RB_Left	24.05
n26	5	15	819	DFT	pi/2 BPSK	Edge_1RB_Right	24.07
n26	5	15	819	DFT	pi/2 BPSK	Outer_Full	24.17
n26	5	15	819	DFT	QPSK	Inner_Full	24.59
n26	5	15	819	DFT	QPSK	Edge_1RB_Left	23.55
n26	5	15	819	DFT	QPSK	Edge_1RB_Right	23.56
n26	5	15	819	DFT	QPSK	Outer_Full	23.64
n26	5	15	819	DFT	16QAM	Inner_Full	23.60
n26	5	15	819	DFT	16QAM	Edge_1RB_Left	22.82
n26	5	15	819	DFT	16QAM	Edge_1RB_Right	22.85
n26	5	15	819	DFT	16QAM	Outer_Full	22.61
n26	5	15	819	DFT	64QAM	Inner_Full	22.06
n26	5	15	819	DFT	64QAM	Edge_1RB_Left	21.92
n26	5	15	819	DFT	64QAM	Edge_1RB_Right	21.95
n26	5	15	819	DFT	64QAM	Outer_Full	22.18
n26	5	15	819	DFT	256QAM	Inner_Full	20.14
n26	5	15	819	DFT	256QAM	Edge_1RB_Left	20.08
n26	5	15	819	DFT	256QAM	Edge_1RB_Right	20.00
n26	5	15	819	DFT	256QAM	Outer_Full	20.10
n26	5	15	819	CP	QPSK	Inner_Full	23.01
n26	5	15	819	CP	QPSK	Edge_1RB_Left	21.49
n26	5	15	819	CP	QPSK	Edge_1RB_Right	21.53
n26	5	15	819	CP	QPSK	Outer_Full	21.61
n26	5	15	819	CP	16QAM	Inner_Full	22.69
n26	5	15	819	CP	16QAM	Edge_1RB_Left	21.75
n26	5	15	819	CP	16QAM	Edge_1RB_Right	21.78
n26	5	15	819	CP	16QAM	Outer_Full	21.64
n26	5	15	819	CP	64QAM	Inner_Full	21.04
n26	5	15	819	CP	64QAM	Edge_1RB_Left	20.89
n26	5	15	819	CP	64QAM	Edge_1RB_Right	20.90
n26	5	15	819	CP	64QAM	Outer_Full	21.09
n26	5	15	819	CP	256QAM	Inner_Full	18.12

n26	5	15	819	CP	256QAM	Edge_1RB_Left	18.17
n26	5	15	819	CP	256QAM	Edge_1RB_Right	18.16
n26	5	15	819	CP	256QAM	Outer_Full	18.09
n26	5	15	821.5	DFT	pi/2 BPSK	Inner_Full	24.59
n26	5	15	821.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.03
n26	5	15	821.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.06
n26	5	15	821.5	DFT	pi/2 BPSK	Outer_Full	24.14
n26	5	15	821.5	DFT	QPSK	Inner_Full	24.62
n26	5	15	821.5	DFT	QPSK	Edge_1RB_Left	23.58
n26	5	15	821.5	DFT	QPSK	Edge_1RB_Right	23.52
n26	5	15	821.5	DFT	QPSK	Outer_Full	23.64
n26	5	15	821.5	DFT	16QAM	Inner_Full	23.62
n26	5	15	821.5	DFT	16QAM	Edge_1RB_Left	22.82
n26	5	15	821.5	DFT	16QAM	Edge_1RB_Right	22.77
n26	5	15	821.5	DFT	16QAM	Outer_Full	22.62
n26	5	15	821.5	DFT	64QAM	Inner_Full	22.06
n26	5	15	821.5	DFT	64QAM	Edge_1RB_Left	21.94
n26	5	15	821.5	DFT	64QAM	Edge_1RB_Right	21.95
n26	5	15	821.5	DFT	64QAM	Outer_Full	22.12
n26	5	15	821.5	DFT	256QAM	Inner_Full	20.15
n26	5	15	821.5	DFT	256QAM	Edge_1RB_Left	20.04
n26	5	15	821.5	DFT	256QAM	Edge_1RB_Right	20.00
n26	5	15	821.5	DFT	256QAM	Outer_Full	20.12
n26	5	15	821.5	CP	QPSK	Inner_Full	23.00
n26	5	15	821.5	CP	QPSK	Edge_1RB_Left	21.52
n26	5	15	821.5	CP	QPSK	Edge_1RB_Right	21.47
n26	5	15	821.5	CP	QPSK	Outer_Full	21.62
n26	5	15	821.5	CP	16QAM	Inner_Full	22.69
n26	5	15	821.5	CP	16QAM	Edge_1RB_Left	21.69
n26	5	15	821.5	CP	16QAM	Edge_1RB_Right	21.78
n26	5	15	821.5	CP	16QAM	Outer_Full	21.67
n26	5	15	821.5	CP	64QAM	Inner_Full	21.00
n26	5	15	821.5	CP	64QAM	Edge_1RB_Left	20.91
n26	5	15	821.5	CP	64QAM	Edge_1RB_Right	20.93
n26	5	15	821.5	CP	64QAM	Outer_Full	21.14
n26	5	15	821.5	CP	256QAM	Inner_Full	18.12
n26	5	15	821.5	CP	256QAM	Edge_1RB_Left	18.15
n26	5	15	821.5	CP	256QAM	Edge_1RB_Right	18.17
n26	5	15	821.5	CP	256QAM	Outer_Full	18.07
n26	10	15	819	DFT	pi/2 BPSK	Inner_Full	24.56
n26	10	15	819	DFT	pi/2 BPSK	Edge_1RB_Left	24.13
n26	10	15	819	DFT	pi/2 BPSK	Edge_1RB_Right	24.10

n26	10	15	819	DFT	pi/2 BPSK	Outer_Full	24.06
n26	10	15	819	DFT	QPSK	Inner_Full	24.57
n26	10	15	819	DFT	QPSK	Edge_1RB_Left	23.61
n26	10	15	819	DFT	QPSK	Edge_1RB_Right	23.56
n26	10	15	819	DFT	QPSK	Outer_Full	23.56
n26	10	15	819	DFT	16QAM	Inner_Full	23.64
n26	10	15	819	DFT	16QAM	Edge_1RB_Left	22.92
n26	10	15	819	DFT	16QAM	Edge_1RB_Right	22.84
n26	10	15	819	DFT	16QAM	Outer_Full	22.52
n26	10	15	819	DFT	64QAM	Inner_Full	22.16
n26	10	15	819	DFT	64QAM	Edge_1RB_Left	22.07
n26	10	15	819	DFT	64QAM	Edge_1RB_Right	22.05
n26	10	15	819	DFT	64QAM	Outer_Full	22.06
n26	10	15	819	DFT	256QAM	Inner_Full	20.07
n26	10	15	819	DFT	256QAM	Edge_1RB_Left	20.09
n26	10	15	819	DFT	256QAM	Edge_1RB_Right	20.03
n26	10	15	819	DFT	256QAM	Outer_Full	20.02
n26	10	15	819	CP	QPSK	Inner_Full	23.05
n26	10	15	819	CP	QPSK	Edge_1RB_Left	21.58
n26	10	15	819	CP	QPSK	Edge_1RB_Right	21.56
n26	10	15	819	CP	QPSK	Outer_Full	21.57
n26	10	15	819	CP	16QAM	Inner_Full	22.56
n26	10	15	819	CP	16QAM	Edge_1RB_Left	21.76
n26	10	15	819	CP	16QAM	Edge_1RB_Right	21.82
n26	10	15	819	CP	16QAM	Outer_Full	21.56
n26	10	15	819	CP	64QAM	Inner_Full	21.06
n26	10	15	819	CP	64QAM	Edge_1RB_Left	21.03
n26	10	15	819	CP	64QAM	Edge_1RB_Right	21.02
n26	10	15	819	CP	64QAM	Outer_Full	21.01
n26	10	15	819	CP	256QAM	Inner_Full	18.05
n26	10	15	819	CP	256QAM	Edge_1RB_Left	18.22
n26	10	15	819	CP	256QAM	Edge_1RB_Right	18.24
n26	10	15	819	CP	256QAM	Outer_Full	18.05

n26(824MHz-849MHz)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n26	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.52
n26	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.00
n26	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.98
n26	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	24.06
n26	5	15	826.5	DFT	QPSK	Inner_Full	24.54
n26	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.47

n26	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.50
n26	5	15	826.5	DFT	QPSK	Outer_Full	23.58
n26	5	15	826.5	DFT	16QAM	Inner_Full	23.55
n26	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.73
n26	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.73
n26	5	15	826.5	DFT	16QAM	Outer_Full	22.60
n26	5	15	826.5	DFT	64QAM	Inner_Full	22.00
n26	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.93
n26	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.90
n26	5	15	826.5	DFT	64QAM	Outer_Full	22.05
n26	5	15	826.5	DFT	256QAM	Inner_Full	20.07
n26	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.90
n26	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.92
n26	5	15	826.5	DFT	256QAM	Outer_Full	20.00
n26	5	15	826.5	CP	QPSK	Inner_Full	22.94
n26	5	15	826.5	CP	QPSK	Edge_1RB_Left	21.45
n26	5	15	826.5	CP	QPSK	Edge_1RB_Right	21.44
n26	5	15	826.5	CP	QPSK	Outer_Full	21.52
n26	5	15	826.5	CP	16QAM	Inner_Full	22.63
n26	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.76
n26	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.71
n26	5	15	826.5	CP	16QAM	Outer_Full	21.59
n26	5	15	826.5	CP	64QAM	Inner_Full	20.95
n26	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.87
n26	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.82
n26	5	15	826.5	CP	64QAM	Outer_Full	21.04
n26	5	15	826.5	CP	256QAM	Inner_Full	18.05
n26	5	15	826.5	CP	256QAM	Edge_1RB_Left	18.15
n26	5	15	826.5	CP	256QAM	Edge_1RB_Right	18.11
n26	5	15	826.5	CP	256QAM	Outer_Full	18.02
n26	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.43
n26	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.99
n26	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.87
n26	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.99
n26	5	15	836.5	DFT	QPSK	Inner_Full	24.49
n26	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.45
n26	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.37
n26	5	15	836.5	DFT	QPSK	Outer_Full	23.47
n26	5	15	836.5	DFT	16QAM	Inner_Full	23.47
n26	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.75
n26	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.64
n26	5	15	836.5	DFT	16QAM	Outer_Full	22.48

n26	5	15	836.5	DFT	64QAM	Inner_Full	21.89
n26	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.84
n26	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.80
n26	5	15	836.5	DFT	64QAM	Outer_Full	21.98
n26	5	15	836.5	DFT	256QAM	Inner_Full	19.94
n26	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.94
n26	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.85
n26	5	15	836.5	DFT	256QAM	Outer_Full	19.93
n26	5	15	836.5	CP	QPSK	Inner_Full	22.87
n26	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.40
n26	5	15	836.5	CP	QPSK	Edge_1RB_Right	21.35
n26	5	15	836.5	CP	QPSK	Outer_Full	21.38
n26	5	15	836.5	CP	16QAM	Inner_Full	22.48
n26	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.68
n26	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.60
n26	5	15	836.5	CP	16QAM	Outer_Full	21.49
n26	5	15	836.5	CP	64QAM	Inner_Full	20.88
n26	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.85
n26	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.85
n26	5	15	836.5	CP	64QAM	Outer_Full	20.98
n26	5	15	836.5	CP	256QAM	Inner_Full	17.93
n26	5	15	836.5	CP	256QAM	Edge_1RB_Left	17.99
n26	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.96
n26	5	15	836.5	CP	256QAM	Outer_Full	17.88
n26	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	24.44
n26	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.92
n26	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.88
n26	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.95
n26	5	15	846.5	DFT	QPSK	Inner_Full	24.43
n26	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.42
n26	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.48
n26	5	15	846.5	DFT	QPSK	Outer_Full	23.41
n26	5	15	846.5	DFT	16QAM	Inner_Full	23.42
n26	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.66
n26	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.71
n26	5	15	846.5	DFT	16QAM	Outer_Full	22.47
n26	5	15	846.5	DFT	64QAM	Inner_Full	21.92
n26	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.80
n26	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.84
n26	5	15	846.5	DFT	64QAM	Outer_Full	22.00
n26	5	15	846.5	DFT	256QAM	Inner_Full	19.96
n26	5	15	846.5	DFT	256QAM	Edge_1RB_Left	19.82

n26	5	15	846.5	DFT	256QAM	Edge_1RB_Right	19.88
n26	5	15	846.5	DFT	256QAM	Outer_Full	19.89
n26	5	15	846.5	CP	QPSK	Inner_Full	22.90
n26	5	15	846.5	CP	QPSK	Edge_1RB_Left	21.36
n26	5	15	846.5	CP	QPSK	Edge_1RB_Right	21.34
n26	5	15	846.5	CP	QPSK	Outer_Full	21.39
n26	5	15	846.5	CP	16QAM	Inner_Full	22.51
n26	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.63
n26	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.59
n26	5	15	846.5	CP	16QAM	Outer_Full	21.49
n26	5	15	846.5	CP	64QAM	Inner_Full	20.89
n26	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.75
n26	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.78
n26	5	15	846.5	CP	64QAM	Outer_Full	20.93
n26	5	15	846.5	CP	256QAM	Inner_Full	17.97
n26	5	15	846.5	CP	256QAM	Edge_1RB_Left	18.01
n26	5	15	846.5	CP	256QAM	Edge_1RB_Right	17.95
n26	5	15	846.5	CP	256QAM	Outer_Full	17.88
n26	10	15	829	DFT	pi/2 BPSK	Inner_Full	24.47
n26	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	24.09
n26	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	24.01
n26	10	15	829	DFT	pi/2 BPSK	Outer_Full	24.02
n26	10	15	829	DFT	QPSK	Inner_Full	24.47
n26	10	15	829	DFT	QPSK	Edge_1RB_Left	23.55
n26	10	15	829	DFT	QPSK	Edge_1RB_Right	23.55
n26	10	15	829	DFT	QPSK	Outer_Full	23.54
n26	10	15	829	DFT	16QAM	Inner_Full	23.57
n26	10	15	829	DFT	16QAM	Edge_1RB_Left	22.84
n26	10	15	829	DFT	16QAM	Edge_1RB_Right	22.83
n26	10	15	829	DFT	16QAM	Outer_Full	22.52
n26	10	15	829	DFT	64QAM	Inner_Full	22.01
n26	10	15	829	DFT	64QAM	Edge_1RB_Left	22.02
n26	10	15	829	DFT	64QAM	Edge_1RB_Right	21.97
n26	10	15	829	DFT	64QAM	Outer_Full	22.02
n26	10	15	829	DFT	256QAM	Inner_Full	19.96
n26	10	15	829	DFT	256QAM	Edge_1RB_Left	19.97
n26	10	15	829	DFT	256QAM	Edge_1RB_Right	20.01
n26	10	15	829	DFT	256QAM	Outer_Full	19.96
n26	10	15	829	CP	QPSK	Inner_Full	22.92
n26	10	15	829	CP	QPSK	Edge_1RB_Left	21.56
n26	10	15	829	CP	QPSK	Edge_1RB_Right	21.52
n26	10	15	829	CP	QPSK	Outer_Full	21.48

n26	10	15	829	CP	16QAM	Inner_Full	22.46
n26	10	15	829	CP	16QAM	Edge_1RB_Left	21.83
n26	10	15	829	CP	16QAM	Edge_1RB_Right	21.72
n26	10	15	829	CP	16QAM	Outer_Full	21.46
n26	10	15	829	CP	64QAM	Inner_Full	20.96
n26	10	15	829	CP	64QAM	Edge_1RB_Left	20.97
n26	10	15	829	CP	64QAM	Edge_1RB_Right	20.96
n26	10	15	829	CP	64QAM	Outer_Full	21.00
n26	10	15	829	CP	256QAM	Inner_Full	17.98
n26	10	15	829	CP	256QAM	Edge_1RB_Left	18.17
n26	10	15	829	CP	256QAM	Edge_1RB_Right	18.08
n26	10	15	829	CP	256QAM	Outer_Full	18.02
n26	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.39
n26	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.00
n26	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.98
n26	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.92
n26	10	15	836.5	DFT	QPSK	Inner_Full	24.44
n26	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.50
n26	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.49
n26	10	15	836.5	DFT	QPSK	Outer_Full	23.45
n26	10	15	836.5	DFT	16QAM	Inner_Full	23.46
n26	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.73
n26	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.70
n26	10	15	836.5	DFT	16QAM	Outer_Full	22.40
n26	10	15	836.5	DFT	64QAM	Inner_Full	21.98
n26	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.91
n26	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.87
n26	10	15	836.5	DFT	64QAM	Outer_Full	21.92
n26	10	15	836.5	DFT	256QAM	Inner_Full	19.91
n26	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.96
n26	10	15	836.5	DFT	256QAM	Edge_1RB_Right	19.85
n26	10	15	836.5	DFT	256QAM	Outer_Full	19.94
n26	10	15	836.5	CP	QPSK	Inner_Full	22.88
n26	10	15	836.5	CP	QPSK	Edge_1RB_Left	21.49
n26	10	15	836.5	CP	QPSK	Edge_1RB_Right	21.44
n26	10	15	836.5	CP	QPSK	Outer_Full	21.35
n26	10	15	836.5	CP	16QAM	Inner_Full	22.44
n26	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.70
n26	10	15	836.5	CP	16QAM	Edge_1RB_Right	21.70
n26	10	15	836.5	CP	16QAM	Outer_Full	21.44
n26	10	15	836.5	CP	64QAM	Inner_Full	20.91
n26	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.89

n26	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.84
n26	10	15	836.5	CP	64QAM	Outer_Full	20.91
n26	10	15	836.5	CP	256QAM	Inner_Full	17.90
n26	10	15	836.5	CP	256QAM	Edge_1RB_Left	18.10
n26	10	15	836.5	CP	256QAM	Edge_1RB_Right	18.00
n26	10	15	836.5	CP	256QAM	Outer_Full	17.88
n26	10	15	844	DFT	pi/2 BPSK	Inner_Full	24.39
n26	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.99
n26	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.98
n26	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.95
n26	10	15	844	DFT	QPSK	Inner_Full	24.45
n26	10	15	844	DFT	QPSK	Edge_1RB_Left	23.46
n26	10	15	844	DFT	QPSK	Edge_1RB_Right	23.50
n26	10	15	844	DFT	QPSK	Outer_Full	23.45
n26	10	15	844	DFT	16QAM	Inner_Full	23.51
n26	10	15	844	DFT	16QAM	Edge_1RB_Left	22.74
n26	10	15	844	DFT	16QAM	Edge_1RB_Right	22.74
n26	10	15	844	DFT	16QAM	Outer_Full	22.42
n26	10	15	844	DFT	64QAM	Inner_Full	21.97
n26	10	15	844	DFT	64QAM	Edge_1RB_Left	21.93
n26	10	15	844	DFT	64QAM	Edge_1RB_Right	21.91
n26	10	15	844	DFT	64QAM	Outer_Full	21.95
n26	10	15	844	DFT	256QAM	Inner_Full	19.88
n26	10	15	844	DFT	256QAM	Edge_1RB_Left	19.90
n26	10	15	844	DFT	256QAM	Edge_1RB_Right	19.93
n26	10	15	844	DFT	256QAM	Outer_Full	19.92
n26	10	15	844	CP	QPSK	Inner_Full	22.88
n26	10	15	844	CP	QPSK	Edge_1RB_Left	21.46
n26	10	15	844	CP	QPSK	Edge_1RB_Right	21.43
n26	10	15	844	CP	QPSK	Outer_Full	21.42
n26	10	15	844	CP	16QAM	Inner_Full	22.42
n26	10	15	844	CP	16QAM	Edge_1RB_Left	21.69
n26	10	15	844	CP	16QAM	Edge_1RB_Right	21.64
n26	10	15	844	CP	16QAM	Outer_Full	21.42
n26	10	15	844	CP	64QAM	Inner_Full	20.88
n26	10	15	844	CP	64QAM	Edge_1RB_Left	20.88
n26	10	15	844	CP	64QAM	Edge_1RB_Right	20.86
n26	10	15	844	CP	64QAM	Outer_Full	20.93
n26	10	15	844	CP	256QAM	Inner_Full	17.89
n26	10	15	844	CP	256QAM	Edge_1RB_Left	18.04
n26	10	15	844	CP	256QAM	Edge_1RB_Right	17.98
n26	10	15	844	CP	256QAM	Outer_Full	17.94

n26	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.50
n26	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.06
n26	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.02
n26	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	24.06
n26	15	15	831.5	DFT	QPSK	Inner_Full	24.52
n26	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.57
n26	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.48
n26	15	15	831.5	DFT	QPSK	Outer_Full	23.56
n26	15	15	831.5	DFT	16QAM	Inner_Full	23.57
n26	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.85
n26	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.71
n26	15	15	831.5	DFT	16QAM	Outer_Full	22.51
n26	15	15	831.5	DFT	64QAM	Inner_Full	22.03
n26	15	15	831.5	DFT	64QAM	Edge_1RB_Left	22.03
n26	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.92
n26	15	15	831.5	DFT	64QAM	Outer_Full	22.06
n26	15	15	831.5	DFT	256QAM	Inner_Full	19.95
n26	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.97
n26	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.92
n26	15	15	831.5	DFT	256QAM	Outer_Full	19.92
n26	15	15	831.5	CP	QPSK	Inner_Full	23.00
n26	15	15	831.5	CP	QPSK	Edge_1RB_Left	21.54
n26	15	15	831.5	CP	QPSK	Edge_1RB_Right	21.44
n26	15	15	831.5	CP	QPSK	Outer_Full	21.48
n26	15	15	831.5	CP	16QAM	Inner_Full	22.57
n26	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.79
n26	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.72
n26	15	15	831.5	CP	16QAM	Outer_Full	21.54
n26	15	15	831.5	CP	64QAM	Inner_Full	21.01
n26	15	15	831.5	CP	64QAM	Edge_1RB_Left	21.04
n26	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.90
n26	15	15	831.5	CP	64QAM	Outer_Full	21.05
n26	15	15	831.5	CP	256QAM	Inner_Full	18.03
n26	15	15	831.5	CP	256QAM	Edge_1RB_Left	18.16
n26	15	15	831.5	CP	256QAM	Edge_1RB_Right	18.05
n26	15	15	831.5	CP	256QAM	Outer_Full	17.96
n26	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.46
n26	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.08
n26	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.01
n26	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.99
n26	15	15	836.5	DFT	QPSK	Inner_Full	24.49
n26	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.50

n26	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.52
n26	15	15	836.5	DFT	QPSK	Outer_Full	23.51
n26	15	15	836.5	DFT	16QAM	Inner_Full	23.53
n26	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.79
n26	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.78
n26	15	15	836.5	DFT	16QAM	Outer_Full	22.47
n26	15	15	836.5	DFT	64QAM	Inner_Full	22.04
n26	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.95
n26	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.95
n26	15	15	836.5	DFT	64QAM	Outer_Full	21.97
n26	15	15	836.5	DFT	256QAM	Inner_Full	19.95
n26	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.89
n26	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.85
n26	15	15	836.5	DFT	256QAM	Outer_Full	19.96
n26	15	15	836.5	CP	QPSK	Inner_Full	22.96
n26	15	15	836.5	CP	QPSK	Edge_1RB_Left	21.47
n26	15	15	836.5	CP	QPSK	Edge_1RB_Right	21.50
n26	15	15	836.5	CP	QPSK	Outer_Full	21.51
n26	15	15	836.5	CP	16QAM	Inner_Full	22.53
n26	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.81
n26	15	15	836.5	CP	16QAM	Edge_1RB_Right	21.78
n26	15	15	836.5	CP	16QAM	Outer_Full	21.50
n26	15	15	836.5	CP	64QAM	Inner_Full	20.98
n26	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.95
n26	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.94
n26	15	15	836.5	CP	64QAM	Outer_Full	21.02
n26	15	15	836.5	CP	256QAM	Inner_Full	17.93
n26	15	15	836.5	CP	256QAM	Edge_1RB_Left	18.14
n26	15	15	836.5	CP	256QAM	Edge_1RB_Right	18.11
n26	15	15	836.5	CP	256QAM	Outer_Full	17.95
n26	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	24.45
n26	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.03
n26	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.01
n26	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	24.02
n26	15	15	841.5	DFT	QPSK	Inner_Full	24.50
n26	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.59
n26	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.52
n26	15	15	841.5	DFT	QPSK	Outer_Full	23.51
n26	15	15	841.5	DFT	16QAM	Inner_Full	23.50
n26	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.83
n26	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.79
n26	15	15	841.5	DFT	16QAM	Outer_Full	22.47

n26	15	15	841.5	DFT	64QAM	Inner_Full	21.99
n26	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.98
n26	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.88
n26	15	15	841.5	DFT	64QAM	Outer_Full	22.07
n26	15	15	841.5	DFT	256QAM	Inner_Full	19.93
n26	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.98
n26	15	15	841.5	DFT	256QAM	Edge_1RB_Right	19.94
n26	15	15	841.5	DFT	256QAM	Outer_Full	19.95
n26	15	15	841.5	CP	QPSK	Inner_Full	22.94
n26	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.52
n26	15	15	841.5	CP	QPSK	Edge_1RB_Right	21.46
n26	15	15	841.5	CP	QPSK	Outer_Full	21.55
n26	15	15	841.5	CP	16QAM	Inner_Full	22.53
n26	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.72
n26	15	15	841.5	CP	16QAM	Edge_1RB_Right	21.69
n26	15	15	841.5	CP	16QAM	Outer_Full	21.56
n26	15	15	841.5	CP	64QAM	Inner_Full	21.02
n26	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.94
n26	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.88
n26	15	15	841.5	CP	64QAM	Outer_Full	21.07
n26	15	15	841.5	CP	256QAM	Inner_Full	17.96
n26	15	15	841.5	CP	256QAM	Edge_1RB_Left	18.06
n26	15	15	841.5	CP	256QAM	Edge_1RB_Right	18.02
n26	15	15	841.5	CP	256QAM	Outer_Full	18.00
n26	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.56
n26	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	24.06
n26	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	24.00
n26	20	15	834	DFT	pi/2 BPSK	Outer_Full	24.00
n26	20	15	834	DFT	QPSK	Inner_Full	24.60
n26	20	15	834	DFT	QPSK	Edge_1RB_Left	23.54
n26	20	15	834	DFT	QPSK	Edge_1RB_Right	23.48
n26	20	15	834	DFT	QPSK	Outer_Full	23.49
n26	20	15	834	DFT	16QAM	Inner_Full	23.53
n26	20	15	834	DFT	16QAM	Edge_1RB_Left	22.80
n26	20	15	834	DFT	16QAM	Edge_1RB_Right	22.76
n26	20	15	834	DFT	16QAM	Outer_Full	22.41
n26	20	15	834	DFT	64QAM	Inner_Full	22.05
n26	20	15	834	DFT	64QAM	Edge_1RB_Left	21.99
n26	20	15	834	DFT	64QAM	Edge_1RB_Right	21.90
n26	20	15	834	DFT	64QAM	Outer_Full	21.97
n26	20	15	834	DFT	256QAM	Inner_Full	19.97
n26	20	15	834	DFT	256QAM	Edge_1RB_Left	19.95

n26	20	15	834	DFT	256QAM	Edge_1RB_Right	19.85
n26	20	15	834	DFT	256QAM	Outer_Full	19.90
n26	20	15	834	CP	QPSK	Inner_Full	22.95
n26	20	15	834	CP	QPSK	Edge_1RB_Left	21.53
n26	20	15	834	CP	QPSK	Edge_1RB_Right	21.48
n26	20	15	834	CP	QPSK	Outer_Full	21.44
n26	20	15	834	CP	16QAM	Inner_Full	22.53
n26	20	15	834	CP	16QAM	Edge_1RB_Left	21.81
n26	20	15	834	CP	16QAM	Edge_1RB_Right	21.79
n26	20	15	834	CP	16QAM	Outer_Full	21.44
n26	20	15	834	CP	64QAM	Inner_Full	21.01
n26	20	15	834	CP	64QAM	Edge_1RB_Left	20.96
n26	20	15	834	CP	64QAM	Edge_1RB_Right	20.96
n26	20	15	834	CP	64QAM	Outer_Full	20.92
n26	20	15	834	CP	256QAM	Inner_Full	17.96
n26	20	15	834	CP	256QAM	Edge_1RB_Left	18.15
n26	20	15	834	CP	256QAM	Edge_1RB_Right	18.09
n26	20	15	834	CP	256QAM	Outer_Full	17.92
n26	20	15	836.5	DFT	$\pi/2$ BPSK	Inner_Full	24.54
n26	20	15	836.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	24.09
n26	20	15	836.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	24.03
n26	20	15	836.5	DFT	$\pi/2$ BPSK	Outer_Full	23.94
n26	20	15	836.5	DFT	QPSK	Inner_Full	24.52
n26	20	15	836.5	DFT	QPSK	Edge_1RB_Left	23.55
n26	20	15	836.5	DFT	QPSK	Edge_1RB_Right	23.52
n26	20	15	836.5	DFT	QPSK	Outer_Full	23.51
n26	20	15	836.5	DFT	16QAM	Inner_Full	23.49
n26	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.82
n26	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.75
n26	20	15	836.5	DFT	16QAM	Outer_Full	22.48
n26	20	15	836.5	DFT	64QAM	Inner_Full	22.00
n26	20	15	836.5	DFT	64QAM	Edge_1RB_Left	22.00
n26	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.98
n26	20	15	836.5	DFT	64QAM	Outer_Full	21.96
n26	20	15	836.5	DFT	256QAM	Inner_Full	19.90
n26	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.90
n26	20	15	836.5	DFT	256QAM	Edge_1RB_Right	19.93
n26	20	15	836.5	DFT	256QAM	Outer_Full	19.93
n26	20	15	836.5	CP	QPSK	Inner_Full	22.95
n26	20	15	836.5	CP	QPSK	Edge_1RB_Left	21.53
n26	20	15	836.5	CP	QPSK	Edge_1RB_Right	21.46
n26	20	15	836.5	CP	QPSK	Outer_Full	21.49

n26	20	15	836.5	CP	16QAM	Inner_Full	22.52
n26	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.84
n26	20	15	836.5	CP	16QAM	Edge_1RB_Right	21.72
n26	20	15	836.5	CP	16QAM	Outer_Full	21.44
n26	20	15	836.5	CP	64QAM	Inner_Full	21.03
n26	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.97
n26	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.90
n26	20	15	836.5	CP	64QAM	Outer_Full	20.96
n26	20	15	836.5	CP	256QAM	Inner_Full	17.99
n26	20	15	836.5	CP	256QAM	Edge_1RB_Left	18.10
n26	20	15	836.5	CP	256QAM	Edge_1RB_Right	18.09
n26	20	15	836.5	CP	256QAM	Outer_Full	17.93
n26	20	15	839	DFT	pi/2 BPSK	Inner_Full	24.53
n26	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	24.03
n26	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.99
n26	20	15	839	DFT	pi/2 BPSK	Outer_Full	24.00
n26	20	15	839	DFT	QPSK	Inner_Full	24.52
n26	20	15	839	DFT	QPSK	Edge_1RB_Left	23.51
n26	20	15	839	DFT	QPSK	Edge_1RB_Right	23.51
n26	20	15	839	DFT	QPSK	Outer_Full	23.51
n26	20	15	839	DFT	16QAM	Inner_Full	23.48
n26	20	15	839	DFT	16QAM	Edge_1RB_Left	22.80
n26	20	15	839	DFT	16QAM	Edge_1RB_Right	22.81
n26	20	15	839	DFT	16QAM	Outer_Full	22.52
n26	20	15	839	DFT	64QAM	Inner_Full	22.03
n26	20	15	839	DFT	64QAM	Edge_1RB_Left	21.96
n26	20	15	839	DFT	64QAM	Edge_1RB_Right	21.91
n26	20	15	839	DFT	64QAM	Outer_Full	22.01
n26	20	15	839	DFT	256QAM	Inner_Full	19.97
n26	20	15	839	DFT	256QAM	Edge_1RB_Left	19.90
n26	20	15	839	DFT	256QAM	Edge_1RB_Right	19.91
n26	20	15	839	DFT	256QAM	Outer_Full	20.00
n26	20	15	839	CP	QPSK	Inner_Full	22.97
n26	20	15	839	CP	QPSK	Edge_1RB_Left	21.45
n26	20	15	839	CP	QPSK	Edge_1RB_Right	21.48
n26	20	15	839	CP	QPSK	Outer_Full	21.52
n26	20	15	839	CP	16QAM	Inner_Full	22.47
n26	20	15	839	CP	16QAM	Edge_1RB_Left	21.77
n26	20	15	839	CP	16QAM	Edge_1RB_Right	21.70
n26	20	15	839	CP	16QAM	Outer_Full	21.50
n26	20	15	839	CP	64QAM	Inner_Full	21.02
n26	20	15	839	CP	64QAM	Edge_1RB_Left	20.89

n26	20	15	839	CP	64QAM	Edge_1RB_Right	20.91
n26	20	15	839	CP	64QAM	Outer_Full	21.02
n26	20	15	839	CP	256QAM	Inner_Full	17.96
n26	20	15	839	CP	256QAM	Edge_1RB_Left	18.12
n26	20	15	839	CP	256QAM	Edge_1RB_Right	18.05
n26	20	15	839	CP	256QAM	Outer_Full	18.03

n38

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n38	10	30	2575	DFT	pi/2 BPSK	Inner_Full	24.03
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Left	23.46
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Right	23.50
n38	10	30	2575	DFT	pi/2 BPSK	Outer_Full	23.56
n38	10	30	2575	DFT	QPSK	Inner_Full	24.09
n38	10	30	2575	DFT	QPSK	Edge_1RB_Left	22.98
n38	10	30	2575	DFT	QPSK	Edge_1RB_Right	23.03
n38	10	30	2575	DFT	QPSK	Outer_Full	23.04
n38	10	30	2575	DFT	16QAM	Inner_Full	23.08
n38	10	30	2575	DFT	16QAM	Edge_1RB_Left	22.19
n38	10	30	2575	DFT	16QAM	Edge_1RB_Right	22.14
n38	10	30	2575	DFT	16QAM	Outer_Full	22.02
n38	10	30	2575	DFT	64QAM	Inner_Full	21.49
n38	10	30	2575	DFT	64QAM	Edge_1RB_Left	21.16
n38	10	30	2575	DFT	64QAM	Edge_1RB_Right	21.29
n38	10	30	2575	DFT	64QAM	Outer_Full	21.84
n38	10	30	2575	DFT	256QAM	Inner_Full	19.61
n38	10	30	2575	DFT	256QAM	Edge_1RB_Left	19.52
n38	10	30	2575	DFT	256QAM	Edge_1RB_Right	19.54
n38	10	30	2575	DFT	256QAM	Outer_Full	19.64
n38	10	30	2575	CP	QPSK	Inner_Full	22.57
n38	10	30	2575	CP	QPSK	Edge_1RB_Left	21.04
n38	10	30	2575	CP	QPSK	Edge_1RB_Right	21.07
n38	10	30	2575	CP	QPSK	Outer_Full	20.99
n38	10	30	2575	CP	16QAM	Inner_Full	22.25
n38	10	30	2575	CP	16QAM	Edge_1RB_Left	21.36
n38	10	30	2575	CP	16QAM	Edge_1RB_Right	21.12
n38	10	30	2575	CP	16QAM	Outer_Full	20.98
n38	10	30	2575	CP	64QAM	Inner_Full	20.70

n38	10	30	2575	CP	64QAM	Edge_1RB_Left	20.52
n38	10	30	2575	CP	64QAM	Edge_1RB_Right	20.62
n38	10	30	2575	CP	64QAM	Outer_Full	20.72
n38	10	30	2575	CP	256QAM	Inner_Full	17.63
n38	10	30	2575	CP	256QAM	Edge_1RB_Left	17.58
n38	10	30	2575	CP	256QAM	Edge_1RB_Right	17.66
n38	10	30	2575	CP	256QAM	Outer_Full	17.48
n38	10	30	2595	DFT	pi/2 BPSK	Inner_Full	24.31
n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.83
n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.82
n38	10	30	2595	DFT	pi/2 BPSK	Outer_Full	23.87
n38	10	30	2595	DFT	QPSK	Inner_Full	24.47
n38	10	30	2595	DFT	QPSK	Edge_1RB_Left	23.27
n38	10	30	2595	DFT	QPSK	Edge_1RB_Right	23.33
n38	10	30	2595	DFT	QPSK	Outer_Full	23.26
n38	10	30	2595	DFT	16QAM	Inner_Full	23.45
n38	10	30	2595	DFT	16QAM	Edge_1RB_Left	22.37
n38	10	30	2595	DFT	16QAM	Edge_1RB_Right	22.43
n38	10	30	2595	DFT	16QAM	Outer_Full	22.45
n38	10	30	2595	DFT	64QAM	Inner_Full	21.85
n38	10	30	2595	DFT	64QAM	Edge_1RB_Left	21.60
n38	10	30	2595	DFT	64QAM	Edge_1RB_Right	21.60
n38	10	30	2595	DFT	64QAM	Outer_Full	22.00
n38	10	30	2595	DFT	256QAM	Inner_Full	20.04
n38	10	30	2595	DFT	256QAM	Edge_1RB_Left	19.78
n38	10	30	2595	DFT	256QAM	Edge_1RB_Right	19.88
n38	10	30	2595	DFT	256QAM	Outer_Full	19.86
n38	10	30	2595	CP	QPSK	Inner_Full	22.81
n38	10	30	2595	CP	QPSK	Edge_1RB_Left	21.33
n38	10	30	2595	CP	QPSK	Edge_1RB_Right	21.34
n38	10	30	2595	CP	QPSK	Outer_Full	21.30
n38	10	30	2595	CP	16QAM	Inner_Full	22.43
n38	10	30	2595	CP	16QAM	Edge_1RB_Left	21.45
n38	10	30	2595	CP	16QAM	Edge_1RB_Right	21.29
n38	10	30	2595	CP	16QAM	Outer_Full	21.28
n38	10	30	2595	CP	64QAM	Inner_Full	20.87
n38	10	30	2595	CP	64QAM	Edge_1RB_Left	20.74

n38	10	30	2595	CP	64QAM	Edge_1RB_Right	20.81
n38	10	30	2595	CP	64QAM	Outer_Full	20.78
n38	10	30	2595	CP	256QAM	Inner_Full	17.87
n38	10	30	2595	CP	256QAM	Edge_1RB_Left	17.78
n38	10	30	2595	CP	256QAM	Edge_1RB_Right	17.96
n38	10	30	2595	CP	256QAM	Outer_Full	17.82
n38	10	30	2615	DFT	pi/2 BPSK	Inner_Full	24.29
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Left	23.85
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Right	23.91
n38	10	30	2615	DFT	pi/2 BPSK	Outer_Full	23.93
n38	10	30	2615	DFT	QPSK	Inner_Full	24.44
n38	10	30	2615	DFT	QPSK	Edge_1RB_Left	23.36
n38	10	30	2615	DFT	QPSK	Edge_1RB_Right	23.23
n38	10	30	2615	DFT	QPSK	Outer_Full	23.32
n38	10	30	2615	DFT	16QAM	Inner_Full	23.54
n38	10	30	2615	DFT	16QAM	Edge_1RB_Left	22.44
n38	10	30	2615	DFT	16QAM	Edge_1RB_Right	22.37
n38	10	30	2615	DFT	16QAM	Outer_Full	22.47
n38	10	30	2615	DFT	64QAM	Inner_Full	21.99
n38	10	30	2615	DFT	64QAM	Edge_1RB_Left	21.38
n38	10	30	2615	DFT	64QAM	Edge_1RB_Right	21.59
n38	10	30	2615	DFT	64QAM	Outer_Full	21.97
n38	10	30	2615	DFT	256QAM	Inner_Full	19.99
n38	10	30	2615	DFT	256QAM	Edge_1RB_Left	19.88
n38	10	30	2615	DFT	256QAM	Edge_1RB_Right	19.86
n38	10	30	2615	DFT	256QAM	Outer_Full	19.91
n38	10	30	2615	CP	QPSK	Inner_Full	22.90
n38	10	30	2615	CP	QPSK	Edge_1RB_Left	21.28
n38	10	30	2615	CP	QPSK	Edge_1RB_Right	21.28
n38	10	30	2615	CP	QPSK	Outer_Full	21.48
n38	10	30	2615	CP	16QAM	Inner_Full	22.70
n38	10	30	2615	CP	16QAM	Edge_1RB_Left	21.59
n38	10	30	2615	CP	16QAM	Edge_1RB_Right	21.17
n38	10	30	2615	CP	16QAM	Outer_Full	21.31
n38	10	30	2615	CP	64QAM	Inner_Full	21.06
n38	10	30	2615	CP	64QAM	Edge_1RB_Left	20.76
n38	10	30	2615	CP	64QAM	Edge_1RB_Right	20.87

n38	10	30	2615	CP	64QAM	Outer_Full	21.03
n38	10	30	2615	CP	256QAM	Inner_Full	17.87
n38	10	30	2615	CP	256QAM	Edge_1RB_Left	17.87
n38	10	30	2615	CP	256QAM	Edge_1RB_Right	17.91
n38	10	30	2615	CP	256QAM	Outer_Full	17.96
n38	15	30	2577.5	DFT	pi/2 BPSK	Inner_Full	24.14
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.55
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.79
n38	15	30	2577.5	DFT	pi/2 BPSK	Outer_Full	23.57
n38	15	30	2577.5	DFT	QPSK	Inner_Full	24.20
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Left	23.03
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Right	23.21
n38	15	30	2577.5	DFT	QPSK	Outer_Full	23.06
n38	15	30	2577.5	DFT	16QAM	Inner_Full	23.16
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Left	21.99
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Right	22.14
n38	15	30	2577.5	DFT	16QAM	Outer_Full	22.18
n38	15	30	2577.5	DFT	64QAM	Inner_Full	21.67
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Left	21.17
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Right	21.46
n38	15	30	2577.5	DFT	64QAM	Outer_Full	21.60
n38	15	30	2577.5	DFT	256QAM	Inner_Full	19.61
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Left	19.59
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Right	19.62
n38	15	30	2577.5	DFT	256QAM	Outer_Full	19.52
n38	15	30	2577.5	CP	QPSK	Inner_Full	22.62
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Left	21.05
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Right	21.34
n38	15	30	2577.5	CP	QPSK	Outer_Full	21.08
n38	15	30	2577.5	CP	16QAM	Inner_Full	22.16
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Left	21.13
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Right	21.13
n38	15	30	2577.5	CP	16QAM	Outer_Full	21.12
n38	15	30	2577.5	CP	64QAM	Inner_Full	20.51
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Left	20.46
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Right	20.66
n38	15	30	2577.5	CP	64QAM	Outer_Full	20.64

n38	15	30	2577.5	CP	256QAM	Inner_Full	17.71
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Left	17.64
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Right	17.65
n38	15	30	2577.5	CP	256QAM	Outer_Full	17.65
n38	15	30	2595	DFT	pi/2 BPSK	Inner_Full	24.41
n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.80
n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.91
n38	15	30	2595	DFT	pi/2 BPSK	Outer_Full	23.91
n38	15	30	2595	DFT	QPSK	Inner_Full	24.30
n38	15	30	2595	DFT	QPSK	Edge_1RB_Left	23.34
n38	15	30	2595	DFT	QPSK	Edge_1RB_Right	23.33
n38	15	30	2595	DFT	QPSK	Outer_Full	23.41
n38	15	30	2595	DFT	16QAM	Inner_Full	23.44
n38	15	30	2595	DFT	16QAM	Edge_1RB_Left	22.28
n38	15	30	2595	DFT	16QAM	Edge_1RB_Right	22.40
n38	15	30	2595	DFT	16QAM	Outer_Full	22.32
n38	15	30	2595	DFT	64QAM	Inner_Full	21.90
n38	15	30	2595	DFT	64QAM	Edge_1RB_Left	21.51
n38	15	30	2595	DFT	64QAM	Edge_1RB_Right	21.59
n38	15	30	2595	DFT	64QAM	Outer_Full	21.85
n38	15	30	2595	DFT	256QAM	Inner_Full	19.85
n38	15	30	2595	DFT	256QAM	Edge_1RB_Left	19.81
n38	15	30	2595	DFT	256QAM	Edge_1RB_Right	19.97
n38	15	30	2595	DFT	256QAM	Outer_Full	19.83
n38	15	30	2595	CP	QPSK	Inner_Full	22.91
n38	15	30	2595	CP	QPSK	Edge_1RB_Left	21.41
n38	15	30	2595	CP	QPSK	Edge_1RB_Right	21.44
n38	15	30	2595	CP	QPSK	Outer_Full	21.35
n38	15	30	2595	CP	16QAM	Inner_Full	22.30
n38	15	30	2595	CP	16QAM	Edge_1RB_Left	21.31
n38	15	30	2595	CP	16QAM	Edge_1RB_Right	21.22
n38	15	30	2595	CP	16QAM	Outer_Full	21.34
n38	15	30	2595	CP	64QAM	Inner_Full	20.87
n38	15	30	2595	CP	64QAM	Edge_1RB_Left	20.82
n38	15	30	2595	CP	64QAM	Edge_1RB_Right	20.77
n38	15	30	2595	CP	64QAM	Outer_Full	20.95
n38	15	30	2595	CP	256QAM	Inner_Full	18.00

n38	15	30	2595	CP	256QAM	Edge_1RB_Left	17.85
n38	15	30	2595	CP	256QAM	Edge_1RB_Right	18.04
n38	15	30	2595	CP	256QAM	Outer_Full	17.97
n38	15	30	2612.5	DFT	pi/2 BPSK	Inner_Full	24.41
n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.85
n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.87
n38	15	30	2612.5	DFT	pi/2 BPSK	Outer_Full	23.88
n38	15	30	2612.5	DFT	QPSK	Inner_Full	24.44
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Left	23.31
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Right	23.32
n38	15	30	2612.5	DFT	QPSK	Outer_Full	23.39
n38	15	30	2612.5	DFT	16QAM	Inner_Full	23.46
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Left	22.23
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Right	22.30
n38	15	30	2612.5	DFT	16QAM	Outer_Full	22.41
n38	15	30	2612.5	DFT	64QAM	Inner_Full	22.04
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Left	21.44
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Right	21.50
n38	15	30	2612.5	DFT	64QAM	Outer_Full	21.89
n38	15	30	2612.5	DFT	256QAM	Inner_Full	19.92
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Left	19.88
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Right	19.91
n38	15	30	2612.5	DFT	256QAM	Outer_Full	19.86
n38	15	30	2612.5	CP	QPSK	Inner_Full	22.93
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Left	21.33
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Right	21.45
n38	15	30	2612.5	CP	QPSK	Outer_Full	21.42
n38	15	30	2612.5	CP	16QAM	Inner_Full	22.37
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Left	21.37
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Right	21.29
n38	15	30	2612.5	CP	16QAM	Outer_Full	21.39
n38	15	30	2612.5	CP	64QAM	Inner_Full	20.92
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Left	20.83
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Right	20.83
n38	15	30	2612.5	CP	64QAM	Outer_Full	20.88
n38	15	30	2612.5	CP	256QAM	Inner_Full	17.95
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Left	17.87

n38	15	30	2612.5	CP	256QAM	Edge_1RB_Right	17.94
n38	15	30	2612.5	CP	256QAM	Outer_Full	17.91
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	24.29
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	23.51
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	23.75
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	23.64
n38	20	30	2580	DFT	QPSK	Inner_Full	24.17
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	22.97
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	23.20
n38	20	30	2580	DFT	QPSK	Outer_Full	23.09
n38	20	30	2580	DFT	16QAM	Inner_Full	23.24
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	22.01
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	22.16
n38	20	30	2580	DFT	16QAM	Outer_Full	22.08
n38	20	30	2580	DFT	64QAM	Inner_Full	21.62
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	21.13
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	21.36
n38	20	30	2580	DFT	64QAM	Outer_Full	21.55
n38	20	30	2580	DFT	256QAM	Inner_Full	19.63
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	19.53
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	19.65
n38	20	30	2580	DFT	256QAM	Outer_Full	19.49
n38	20	30	2580	CP	QPSK	Inner_Full	22.80
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	21.01
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	21.23
n38	20	30	2580	CP	QPSK	Outer_Full	21.02
n38	20	30	2580	CP	16QAM	Inner_Full	22.24
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	21.06
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	21.14
n38	20	30	2580	CP	16QAM	Outer_Full	21.10
n38	20	30	2580	CP	64QAM	Inner_Full	20.72
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	20.50
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	20.82
n38	20	30	2580	CP	64QAM	Outer_Full	20.60
n38	20	30	2580	CP	256QAM	Inner_Full	17.67
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	17.56
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	17.76

n38	20	30	2580	CP	256QAM	Outer_Full	17.69
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	24.40
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.83
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.91
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	23.95
n38	20	30	2595	DFT	QPSK	Inner_Full	24.46
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	23.30
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	23.36
n38	20	30	2595	DFT	QPSK	Outer_Full	23.39
n38	20	30	2595	DFT	16QAM	Inner_Full	23.33
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	22.39
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	22.35
n38	20	30	2595	DFT	16QAM	Outer_Full	22.31
n38	20	30	2595	DFT	64QAM	Inner_Full	21.83
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	21.40
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	21.68
n38	20	30	2595	DFT	64QAM	Outer_Full	21.88
n38	20	30	2595	DFT	256QAM	Inner_Full	19.95
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	19.68
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	19.91
n38	20	30	2595	DFT	256QAM	Outer_Full	19.84
n38	20	30	2595	CP	QPSK	Inner_Full	22.94
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	21.34
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	21.46
n38	20	30	2595	CP	QPSK	Outer_Full	21.36
n38	20	30	2595	CP	16QAM	Inner_Full	22.45
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	21.37
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	21.35
n38	20	30	2595	CP	16QAM	Outer_Full	21.39
n38	20	30	2595	CP	64QAM	Inner_Full	21.08
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	20.83
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	20.89
n38	20	30	2595	CP	64QAM	Outer_Full	20.84
n38	20	30	2595	CP	256QAM	Inner_Full	17.88
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	17.82
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	18.04
n38	20	30	2595	CP	256QAM	Outer_Full	17.92

n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	24.49
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	23.90
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	23.96
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	23.93
n38	20	30	2610	DFT	QPSK	Inner_Full	24.48
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	23.35
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	23.42
n38	20	30	2610	DFT	QPSK	Outer_Full	23.46
n38	20	30	2610	DFT	16QAM	Inner_Full	23.42
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	22.39
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	22.32
n38	20	30	2610	DFT	16QAM	Outer_Full	22.41
n38	20	30	2610	DFT	64QAM	Inner_Full	21.92
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	21.59
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	21.60
n38	20	30	2610	DFT	64QAM	Outer_Full	21.90
n38	20	30	2610	DFT	256QAM	Inner_Full	19.96
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	19.91
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	19.93
n38	20	30	2610	DFT	256QAM	Outer_Full	19.96
n38	20	30	2610	CP	QPSK	Inner_Full	23.07
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	21.39
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	21.45
n38	20	30	2610	CP	QPSK	Outer_Full	21.40
n38	20	30	2610	CP	16QAM	Inner_Full	22.48
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	21.40
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	21.35
n38	20	30	2610	CP	16QAM	Outer_Full	21.37
n38	20	30	2610	CP	64QAM	Inner_Full	21.07
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	20.79
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	20.88
n38	20	30	2610	CP	64QAM	Outer_Full	20.93
n38	20	30	2610	CP	256QAM	Inner_Full	17.95
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	17.97
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	18.02
n38	20	30	2610	CP	256QAM	Outer_Full	17.96
n38	25	30	2582.5	DFT	pi/2 BPSK	Inner_Full	24.18

n38	25	30	2582.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.42
n38	25	30	2582.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.72
n38	25	30	2582.5	DFT	pi/2 BPSK	Outer_Full	23.74
n38	25	30	2582.5	DFT	QPSK	Inner_Full	24.24
n38	25	30	2582.5	DFT	QPSK	Edge_1RB_Left	22.88
n38	25	30	2582.5	DFT	QPSK	Edge_1RB_Right	23.08
n38	25	30	2582.5	DFT	QPSK	Outer_Full	23.19
n38	25	30	2582.5	DFT	16QAM	Inner_Full	23.26
n38	25	30	2582.5	DFT	16QAM	Edge_1RB_Left	21.92
n38	25	30	2582.5	DFT	16QAM	Edge_1RB_Right	22.16
n38	25	30	2582.5	DFT	16QAM	Outer_Full	22.15
n38	25	30	2582.5	DFT	64QAM	Inner_Full	21.71
n38	25	30	2582.5	DFT	64QAM	Edge_1RB_Left	21.17
n38	25	30	2582.5	DFT	64QAM	Edge_1RB_Right	21.32
n38	25	30	2582.5	DFT	64QAM	Outer_Full	21.71
n38	25	30	2582.5	DFT	256QAM	Inner_Full	19.61
n38	25	30	2582.5	DFT	256QAM	Edge_1RB_Left	19.42
n38	25	30	2582.5	DFT	256QAM	Edge_1RB_Right	19.66
n38	25	30	2582.5	DFT	256QAM	Outer_Full	19.67
n38	25	30	2582.5	CP	QPSK	Inner_Full	22.68
n38	25	30	2582.5	CP	QPSK	Edge_1RB_Left	20.89
n38	25	30	2582.5	CP	QPSK	Edge_1RB_Right	21.19
n38	25	30	2582.5	CP	QPSK	Outer_Full	21.15
n38	25	30	2582.5	CP	16QAM	Inner_Full	22.16
n38	25	30	2582.5	CP	16QAM	Edge_1RB_Left	20.86
n38	25	30	2582.5	CP	16QAM	Edge_1RB_Right	21.31
n38	25	30	2582.5	CP	16QAM	Outer_Full	21.28
n38	25	30	2582.5	CP	64QAM	Inner_Full	20.65
n38	25	30	2582.5	CP	64QAM	Edge_1RB_Left	20.43
n38	25	30	2582.5	CP	64QAM	Edge_1RB_Right	20.76
n38	25	30	2582.5	CP	64QAM	Outer_Full	20.62
n38	25	30	2582.5	CP	256QAM	Inner_Full	17.69
n38	25	30	2582.5	CP	256QAM	Edge_1RB_Left	17.53
n38	25	30	2582.5	CP	256QAM	Edge_1RB_Right	17.75
n38	25	30	2582.5	CP	256QAM	Outer_Full	17.74
n38	25	30	2595	DFT	pi/2 BPSK	Inner_Full	24.39
n38	25	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.72

n38	25	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.89
n38	25	30	2595	DFT	pi/2 BPSK	Outer_Full	23.97
n38	25	30	2595	DFT	QPSK	Inner_Full	24.45
n38	25	30	2595	DFT	QPSK	Edge_1RB_Left	23.12
n38	25	30	2595	DFT	QPSK	Edge_1RB_Right	23.35
n38	25	30	2595	DFT	QPSK	Outer_Full	23.40
n38	25	30	2595	DFT	16QAM	Inner_Full	23.43
n38	25	30	2595	DFT	16QAM	Edge_1RB_Left	22.23
n38	25	30	2595	DFT	16QAM	Edge_1RB_Right	22.44
n38	25	30	2595	DFT	16QAM	Outer_Full	22.40
n38	25	30	2595	DFT	64QAM	Inner_Full	21.91
n38	25	30	2595	DFT	64QAM	Edge_1RB_Left	21.22
n38	25	30	2595	DFT	64QAM	Edge_1RB_Right	21.48
n38	25	30	2595	DFT	64QAM	Outer_Full	21.86
n38	25	30	2595	DFT	256QAM	Inner_Full	19.89
n38	25	30	2595	DFT	256QAM	Edge_1RB_Left	19.62
n38	25	30	2595	DFT	256QAM	Edge_1RB_Right	19.89
n38	25	30	2595	DFT	256QAM	Outer_Full	19.91
n38	25	30	2595	CP	QPSK	Inner_Full	22.93
n38	25	30	2595	CP	QPSK	Edge_1RB_Left	21.11
n38	25	30	2595	CP	QPSK	Edge_1RB_Right	21.52
n38	25	30	2595	CP	QPSK	Outer_Full	21.48
n38	25	30	2595	CP	16QAM	Inner_Full	22.35
n38	25	30	2595	CP	16QAM	Edge_1RB_Left	21.23
n38	25	30	2595	CP	16QAM	Edge_1RB_Right	21.30
n38	25	30	2595	CP	16QAM	Outer_Full	21.39
n38	25	30	2595	CP	64QAM	Inner_Full	20.88
n38	25	30	2595	CP	64QAM	Edge_1RB_Left	20.64
n38	25	30	2595	CP	64QAM	Edge_1RB_Right	20.87
n38	25	30	2595	CP	64QAM	Outer_Full	20.81
n38	25	30	2595	CP	256QAM	Inner_Full	17.92
n38	25	30	2595	CP	256QAM	Edge_1RB_Left	17.74
n38	25	30	2595	CP	256QAM	Edge_1RB_Right	17.93
n38	25	30	2595	CP	256QAM	Outer_Full	17.92
n38	25	30	2607.5	DFT	pi/2 BPSK	Inner_Full	24.47
n38	25	30	2607.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.72
n38	25	30	2607.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.91

n38	25	30	2607.5	DFT	pi/2 BPSK	Outer_Full	23.91
n38	25	30	2607.5	DFT	QPSK	Inner_Full	24.47
n38	25	30	2607.5	DFT	QPSK	Edge_1RB_Left	23.28
n38	25	30	2607.5	DFT	QPSK	Edge_1RB_Right	23.30
n38	25	30	2607.5	DFT	QPSK	Outer_Full	23.42
n38	25	30	2607.5	DFT	16QAM	Inner_Full	23.50
n38	25	30	2607.5	DFT	16QAM	Edge_1RB_Left	22.25
n38	25	30	2607.5	DFT	16QAM	Edge_1RB_Right	22.33
n38	25	30	2607.5	DFT	16QAM	Outer_Full	22.37
n38	25	30	2607.5	DFT	64QAM	Inner_Full	21.94
n38	25	30	2607.5	DFT	64QAM	Edge_1RB_Left	21.44
n38	25	30	2607.5	DFT	64QAM	Edge_1RB_Right	21.45
n38	25	30	2607.5	DFT	64QAM	Outer_Full	21.90
n38	25	30	2607.5	DFT	256QAM	Inner_Full	19.91
n38	25	30	2607.5	DFT	256QAM	Edge_1RB_Left	19.77
n38	25	30	2607.5	DFT	256QAM	Edge_1RB_Right	19.85
n38	25	30	2607.5	DFT	256QAM	Outer_Full	19.93
n38	25	30	2607.5	CP	QPSK	Inner_Full	23.06
n38	25	30	2607.5	CP	QPSK	Edge_1RB_Left	21.18
n38	25	30	2607.5	CP	QPSK	Edge_1RB_Right	21.46
n38	25	30	2607.5	CP	QPSK	Outer_Full	21.38
n38	25	30	2607.5	CP	16QAM	Inner_Full	22.37
n38	25	30	2607.5	CP	16QAM	Edge_1RB_Left	21.31
n38	25	30	2607.5	CP	16QAM	Edge_1RB_Right	21.39
n38	25	30	2607.5	CP	16QAM	Outer_Full	21.40
n38	25	30	2607.5	CP	64QAM	Inner_Full	20.99
n38	25	30	2607.5	CP	64QAM	Edge_1RB_Left	20.82
n38	25	30	2607.5	CP	64QAM	Edge_1RB_Right	20.78
n38	25	30	2607.5	CP	64QAM	Outer_Full	21.05
n38	25	30	2607.5	CP	256QAM	Inner_Full	17.92
n38	25	30	2607.5	CP	256QAM	Edge_1RB_Left	17.87
n38	25	30	2607.5	CP	256QAM	Edge_1RB_Right	17.89
n38	25	30	2607.5	CP	256QAM	Outer_Full	17.94
n38	30	30	2585	DFT	pi/2 BPSK	Inner_Full	24.23
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Left	23.53
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Right	23.82
n38	30	30	2585	DFT	pi/2 BPSK	Outer_Full	23.79

n38	30	30	2585	DFT	QPSK	Inner_Full	24.22
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	22.98
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	23.25
n38	30	30	2585	DFT	QPSK	Outer_Full	23.20
n38	30	30	2585	DFT	16QAM	Inner_Full	23.24
n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	21.98
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	22.23
n38	30	30	2585	DFT	16QAM	Outer_Full	22.25
n38	30	30	2585	DFT	64QAM	Inner_Full	21.63
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	21.21
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	21.33
n38	30	30	2585	DFT	64QAM	Outer_Full	21.73
n38	30	30	2585	DFT	256QAM	Inner_Full	19.72
n38	30	30	2585	DFT	256QAM	Edge_1RB_Left	19.60
n38	30	30	2585	DFT	256QAM	Edge_1RB_Right	19.82
n38	30	30	2585	DFT	256QAM	Outer_Full	19.71
n38	30	30	2585	CP	QPSK	Inner_Full	22.80
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	20.95
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	21.32
n38	30	30	2585	CP	QPSK	Outer_Full	21.24
n38	30	30	2585	CP	16QAM	Inner_Full	22.31
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	21.00
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	21.23
n38	30	30	2585	CP	16QAM	Outer_Full	21.28
n38	30	30	2585	CP	64QAM	Inner_Full	20.73
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	20.50
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	20.80
n38	30	30	2585	CP	64QAM	Outer_Full	20.74
n38	30	30	2585	CP	256QAM	Inner_Full	17.72
n38	30	30	2585	CP	256QAM	Edge_1RB_Left	17.63
n38	30	30	2585	CP	256QAM	Edge_1RB_Right	17.90
n38	30	30	2585	CP	256QAM	Outer_Full	17.75
n38	30	30	2595	DFT	pi/2 BPSK	Inner_Full	24.41
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.69
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.99
n38	30	30	2595	DFT	pi/2 BPSK	Outer_Full	23.92
n38	30	30	2595	DFT	QPSK	Inner_Full	24.38

n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	23.17
n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	23.38
n38	30	30	2595	DFT	QPSK	Outer_Full	23.37
n38	30	30	2595	DFT	16QAM	Inner_Full	23.43
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	22.22
n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	22.44
n38	30	30	2595	DFT	16QAM	Outer_Full	22.38
n38	30	30	2595	DFT	64QAM	Inner_Full	21.90
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	21.22
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	21.49
n38	30	30	2595	DFT	64QAM	Outer_Full	21.88
n38	30	30	2595	DFT	256QAM	Inner_Full	19.83
n38	30	30	2595	DFT	256QAM	Edge_1RB_Left	19.72
n38	30	30	2595	DFT	256QAM	Edge_1RB_Right	19.91
n38	30	30	2595	DFT	256QAM	Outer_Full	19.86
n38	30	30	2595	CP	QPSK	Inner_Full	22.93
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	21.11
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	21.41
n38	30	30	2595	CP	QPSK	Outer_Full	21.49
n38	30	30	2595	CP	16QAM	Inner_Full	22.43
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	21.20
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	21.22
n38	30	30	2595	CP	16QAM	Outer_Full	21.42
n38	30	30	2595	CP	64QAM	Inner_Full	20.96
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	20.72
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	21.00
n38	30	30	2595	CP	64QAM	Outer_Full	20.98
n38	30	30	2595	CP	256QAM	Inner_Full	17.87
n38	30	30	2595	CP	256QAM	Edge_1RB_Left	17.75
n38	30	30	2595	CP	256QAM	Edge_1RB_Right	18.04
n38	30	30	2595	CP	256QAM	Outer_Full	17.89
n38	30	30	2605	DFT	pi/2 BPSK	Inner_Full	24.44
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Left	23.73
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Right	23.90
n38	30	30	2605	DFT	pi/2 BPSK	Outer_Full	23.95
n38	30	30	2605	DFT	QPSK	Inner_Full	24.36
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	23.24

n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	23.37
n38	30	30	2605	DFT	QPSK	Outer_Full	23.42
n38	30	30	2605	DFT	16QAM	Inner_Full	23.45
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	22.23
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	22.34
n38	30	30	2605	DFT	16QAM	Outer_Full	22.38
n38	30	30	2605	DFT	64QAM	Inner_Full	21.77
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	21.27
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	21.45
n38	30	30	2605	DFT	64QAM	Outer_Full	22.05
n38	30	30	2605	DFT	256QAM	Inner_Full	19.87
n38	30	30	2605	DFT	256QAM	Edge_1RB_Left	19.79
n38	30	30	2605	DFT	256QAM	Edge_1RB_Right	19.95
n38	30	30	2605	DFT	256QAM	Outer_Full	19.91
n38	30	30	2605	CP	QPSK	Inner_Full	23.03
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	21.26
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	21.47
n38	30	30	2605	CP	QPSK	Outer_Full	21.46
n38	30	30	2605	CP	16QAM	Inner_Full	22.48
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	21.26
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	21.38
n38	30	30	2605	CP	16QAM	Outer_Full	21.43
n38	30	30	2605	CP	64QAM	Inner_Full	20.88
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	20.66
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	20.93
n38	30	30	2605	CP	64QAM	Outer_Full	20.94
n38	30	30	2605	CP	256QAM	Inner_Full	17.89
n38	30	30	2605	CP	256QAM	Edge_1RB_Left	17.84
n38	30	30	2605	CP	256QAM	Edge_1RB_Right	18.02
n38	30	30	2605	CP	256QAM	Outer_Full	17.89
n38	40	30	2590	DFT	pi/2 BPSK	Inner_Full	24.38
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Left	23.55
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Right	23.89
n38	40	30	2590	DFT	pi/2 BPSK	Outer_Full	23.85
n38	40	30	2590	DFT	QPSK	Inner_Full	24.34
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	23.00
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	23.36

n38	40	30	2590	DFT	QPSK	Outer_Full	23.33
n38	40	30	2590	DFT	16QAM	Inner_Full	23.32
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	21.99
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	22.48
n38	40	30	2590	DFT	16QAM	Outer_Full	22.26
n38	40	30	2590	DFT	64QAM	Inner_Full	21.83
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	21.07
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	21.56
n38	40	30	2590	DFT	64QAM	Outer_Full	21.76
n38	40	30	2590	DFT	256QAM	Inner_Full	19.84
n38	40	30	2590	DFT	256QAM	Edge_1RB_Left	19.61
n38	40	30	2590	DFT	256QAM	Edge_1RB_Right	19.89
n38	40	30	2590	DFT	256QAM	Outer_Full	19.82
n38	40	30	2590	CP	QPSK	Inner_Full	22.89
n38	40	30	2590	CP	QPSK	Edge_1RB_Left	21.09
n38	40	30	2590	CP	QPSK	Edge_1RB_Right	21.43
n38	40	30	2590	CP	QPSK	Outer_Full	21.30
n38	40	30	2590	CP	16QAM	Inner_Full	22.33
n38	40	30	2590	CP	16QAM	Edge_1RB_Left	20.98
n38	40	30	2590	CP	16QAM	Edge_1RB_Right	21.29
n38	40	30	2590	CP	16QAM	Outer_Full	21.34
n38	40	30	2590	CP	64QAM	Inner_Full	20.79
n38	40	30	2590	CP	64QAM	Edge_1RB_Left	20.53
n38	40	30	2590	CP	64QAM	Edge_1RB_Right	20.78
n38	40	30	2590	CP	64QAM	Outer_Full	20.74
n38	40	30	2590	CP	256QAM	Inner_Full	17.81
n38	40	30	2590	CP	256QAM	Edge_1RB_Left	17.66
n38	40	30	2590	CP	256QAM	Edge_1RB_Right	17.95
n38	40	30	2590	CP	256QAM	Outer_Full	17.80
n38	40	30	2595	DFT	pi/2 BPSK	Inner_Full	24.44
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.57
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.98
n38	40	30	2595	DFT	pi/2 BPSK	Outer_Full	23.89
n38	40	30	2595	DFT	QPSK	Inner_Full	24.33
n38	40	30	2595	DFT	QPSK	Edge_1RB_Left	22.95
n38	40	30	2595	DFT	QPSK	Edge_1RB_Right	23.40
n38	40	30	2595	DFT	QPSK	Outer_Full	23.39

n38	40	30	2595	DFT	16QAM	Inner_Full	23.34
n38	40	30	2595	DFT	16QAM	Edge_1RB_Left	21.96
n38	40	30	2595	DFT	16QAM	Edge_1RB_Right	22.34
n38	40	30	2595	DFT	16QAM	Outer_Full	22.36
n38	40	30	2595	DFT	64QAM	Inner_Full	21.96
n38	40	30	2595	DFT	64QAM	Edge_1RB_Left	21.15
n38	40	30	2595	DFT	64QAM	Edge_1RB_Right	21.54
n38	40	30	2595	DFT	64QAM	Outer_Full	21.92
n38	40	30	2595	DFT	256QAM	Inner_Full	19.88
n38	40	30	2595	DFT	256QAM	Edge_1RB_Left	19.63
n38	40	30	2595	DFT	256QAM	Edge_1RB_Right	19.99
n38	40	30	2595	DFT	256QAM	Outer_Full	19.91
n38	40	30	2595	CP	QPSK	Inner_Full	22.92
n38	40	30	2595	CP	QPSK	Edge_1RB_Left	20.99
n38	40	30	2595	CP	QPSK	Edge_1RB_Right	21.33
n38	40	30	2595	CP	QPSK	Outer_Full	21.38
n38	40	30	2595	CP	16QAM	Inner_Full	22.42
n38	40	30	2595	CP	16QAM	Edge_1RB_Left	21.16
n38	40	30	2595	CP	16QAM	Edge_1RB_Right	21.31
n38	40	30	2595	CP	16QAM	Outer_Full	21.38
n38	40	30	2595	CP	64QAM	Inner_Full	21.01
n38	40	30	2595	CP	64QAM	Edge_1RB_Left	20.50
n38	40	30	2595	CP	64QAM	Edge_1RB_Right	20.81
n38	40	30	2595	CP	64QAM	Outer_Full	20.90
n38	40	30	2595	CP	256QAM	Inner_Full	17.88
n38	40	30	2595	CP	256QAM	Edge_1RB_Left	17.69
n38	40	30	2595	CP	256QAM	Edge_1RB_Right	18.02
n38	40	30	2595	CP	256QAM	Outer_Full	17.86
n38	40	30	2600	DFT	pi/2 BPSK	Inner_Full	24.44
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Left	23.68
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Right	23.96
n38	40	30	2600	DFT	pi/2 BPSK	Outer_Full	23.92
n38	40	30	2600	DFT	QPSK	Inner_Full	24.45
n38	40	30	2600	DFT	QPSK	Edge_1RB_Left	23.21
n38	40	30	2600	DFT	QPSK	Edge_1RB_Right	23.40
n38	40	30	2600	DFT	QPSK	Outer_Full	23.44
n38	40	30	2600	DFT	16QAM	Inner_Full	23.33

n38	40	30	2600	DFT	16QAM	Edge_1RB_Left	22.06
n38	40	30	2600	DFT	16QAM	Edge_1RB_Right	22.37
n38	40	30	2600	DFT	16QAM	Outer_Full	22.40
n38	40	30	2600	DFT	64QAM	Inner_Full	21.89
n38	40	30	2600	DFT	64QAM	Edge_1RB_Left	21.25
n38	40	30	2600	DFT	64QAM	Edge_1RB_Right	21.52
n38	40	30	2600	DFT	64QAM	Outer_Full	21.81
n38	40	30	2600	DFT	256QAM	Inner_Full	19.92
n38	40	30	2600	DFT	256QAM	Edge_1RB_Left	19.68
n38	40	30	2600	DFT	256QAM	Edge_1RB_Right	19.95
n38	40	30	2600	DFT	256QAM	Outer_Full	19.86
n38	40	30	2600	CP	QPSK	Inner_Full	22.96
n38	40	30	2600	CP	QPSK	Edge_1RB_Left	21.17
n38	40	30	2600	CP	QPSK	Edge_1RB_Right	21.42
n38	40	30	2600	CP	QPSK	Outer_Full	21.37
n38	40	30	2600	CP	16QAM	Inner_Full	22.44
n38	40	30	2600	CP	16QAM	Edge_1RB_Left	21.21
n38	40	30	2600	CP	16QAM	Edge_1RB_Right	21.25
n38	40	30	2600	CP	16QAM	Outer_Full	21.39
n38	40	30	2600	CP	64QAM	Inner_Full	20.91
n38	40	30	2600	CP	64QAM	Edge_1RB_Left	20.58
n38	40	30	2600	CP	64QAM	Edge_1RB_Right	20.78
n38	40	30	2600	CP	64QAM	Outer_Full	20.96
n38	40	30	2600	CP	256QAM	Inner_Full	17.90
n38	40	30	2600	CP	256QAM	Edge_1RB_Left	17.72
n38	40	30	2600	CP	256QAM	Edge_1RB_Right	17.98
n38	40	30	2600	CP	256QAM	Outer_Full	17.92

n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	25.87
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.23
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.29
n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	25.42
n41	10	30	2501.01	DFT	QPSK	Inner_Full	25.81
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	23.70
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	23.77

n41	10	30	2501.01	DFT	QPSK	Outer_Full	24.69
n41	10	30	2501.01	DFT	16QAM	Inner_Full	24.91
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	22.90
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	22.84
n41	10	30	2501.01	DFT	16QAM	Outer_Full	24.36
n41	10	30	2501.01	DFT	64QAM	Inner_Full	24.76
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	21.98
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	21.98
n41	10	30	2501.01	DFT	64QAM	Outer_Full	24.48
n41	10	30	2501.01	DFT	256QAM	Inner_Full	22.84
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	21.67
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	21.80
n41	10	30	2501.01	DFT	256QAM	Outer_Full	22.82
n41	10	30	2501.01	CP	QPSK	Inner_Full	25.38
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Left	23.29
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Right	23.49
n41	10	30	2501.01	CP	QPSK	Outer_Full	23.28
n41	10	30	2501.01	CP	16QAM	Inner_Full	25.12
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Left	22.06
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Right	22.35
n41	10	30	2501.01	CP	16QAM	Outer_Full	23.31
n41	10	30	2501.01	CP	64QAM	Inner_Full	24.00
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Left	22.10
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Right	22.29
n41	10	30	2501.01	CP	64QAM	Outer_Full	22.70
n41	10	30	2501.01	CP	256QAM	Inner_Full	21.37
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Left	21.26
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Right	21.31
n41	10	30	2501.01	CP	256QAM	Outer_Full	21.17
n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.84
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.22
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.35
n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.35
n41	10	30	2592.99	DFT	QPSK	Inner_Full	25.89
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.67
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.79
n41	10	30	2592.99	DFT	QPSK	Outer_Full	24.86

n41	10	30	2592.99	DFT	16QAM	Inner_Full	24.94
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.66
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.75
n41	10	30	2592.99	DFT	16QAM	Outer_Full	24.53
n41	10	30	2592.99	DFT	64QAM	Inner_Full	24.85
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.87
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.06
n41	10	30	2592.99	DFT	64QAM	Outer_Full	24.50
n41	10	30	2592.99	DFT	256QAM	Inner_Full	22.99
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.73
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.80
n41	10	30	2592.99	DFT	256QAM	Outer_Full	22.96
n41	10	30	2592.99	CP	QPSK	Inner_Full	25.29
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Left	23.34
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Right	23.42
n41	10	30	2592.99	CP	QPSK	Outer_Full	23.33
n41	10	30	2592.99	CP	16QAM	Inner_Full	24.94
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Left	22.35
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Right	22.20
n41	10	30	2592.99	CP	16QAM	Outer_Full	23.22
n41	10	30	2592.99	CP	64QAM	Inner_Full	23.97
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Left	22.19
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Right	22.30
n41	10	30	2592.99	CP	64QAM	Outer_Full	22.96
n41	10	30	2592.99	CP	256QAM	Inner_Full	21.45
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Left	21.24
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Right	21.35
n41	10	30	2592.99	CP	256QAM	Outer_Full	21.49
n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	25.95
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	22.34
n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	25.42
n41	10	30	2685	DFT	QPSK	Inner_Full	26.01
n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	23.84
n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	23.86
n41	10	30	2685	DFT	QPSK	Outer_Full	24.86
n41	10	30	2685	DFT	16QAM	Inner_Full	25.10

n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	22.85
n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	22.75
n41	10	30	2685	DFT	16QAM	Outer_Full	24.54
n41	10	30	2685	DFT	64QAM	Inner_Full	25.05
n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	22.14
n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	21.98
n41	10	30	2685	DFT	64QAM	Outer_Full	24.69
n41	10	30	2685	DFT	256QAM	Inner_Full	23.32
n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	21.80
n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	21.83
n41	10	30	2685	DFT	256QAM	Outer_Full	22.95
n41	10	30	2685	CP	QPSK	Inner_Full	25.56
n41	10	30	2685	CP	QPSK	Edge_1RB_Left	23.38
n41	10	30	2685	CP	QPSK	Edge_1RB_Right	23.44
n41	10	30	2685	CP	QPSK	Outer_Full	23.30
n41	10	30	2685	CP	16QAM	Inner_Full	25.12
n41	10	30	2685	CP	16QAM	Edge_1RB_Left	22.48
n41	10	30	2685	CP	16QAM	Edge_1RB_Right	22.54
n41	10	30	2685	CP	16QAM	Outer_Full	23.32
n41	10	30	2685	CP	64QAM	Inner_Full	24.13
n41	10	30	2685	CP	64QAM	Edge_1RB_Left	22.28
n41	10	30	2685	CP	64QAM	Edge_1RB_Right	22.38
n41	10	30	2685	CP	64QAM	Outer_Full	22.96
n41	10	30	2685	CP	256QAM	Inner_Full	21.47
n41	10	30	2685	CP	256QAM	Edge_1RB_Left	21.38
n41	10	30	2685	CP	256QAM	Edge_1RB_Right	21.49
n41	10	30	2685	CP	256QAM	Outer_Full	21.34
n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	25.98
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	25.27
n41	15	30	2503.5	DFT	QPSK	Inner_Full	25.85
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	23.70
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	23.85
n41	15	30	2503.5	DFT	QPSK	Outer_Full	24.70
n41	15	30	2503.5	DFT	16QAM	Inner_Full	24.86
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	22.75

n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	22.70
n41	15	30	2503.5	DFT	16QAM	Outer_Full	24.29
n41	15	30	2503.5	DFT	64QAM	Inner_Full	25.02
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	22.09
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	21.93
n41	15	30	2503.5	DFT	64QAM	Outer_Full	24.34
n41	15	30	2503.5	DFT	256QAM	Inner_Full	22.86
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	21.77
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	21.91
n41	15	30	2503.5	DFT	256QAM	Outer_Full	22.82
n41	15	30	2503.5	CP	QPSK	Inner_Full	25.33
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Left	23.36
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Right	23.53
n41	15	30	2503.5	CP	QPSK	Outer_Full	23.34
n41	15	30	2503.5	CP	16QAM	Inner_Full	24.82
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Left	22.23
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Right	22.27
n41	15	30	2503.5	CP	16QAM	Outer_Full	23.34
n41	15	30	2503.5	CP	64QAM	Inner_Full	23.76
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Left	22.12
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Right	22.31
n41	15	30	2503.5	CP	64QAM	Outer_Full	22.81
n41	15	30	2503.5	CP	256QAM	Inner_Full	21.26
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Left	21.28
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Right	21.42
n41	15	30	2503.5	CP	256QAM	Outer_Full	21.30
n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.96
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.18
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.31
n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.43
n41	15	30	2592.99	DFT	QPSK	Inner_Full	25.83
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.65
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.80
n41	15	30	2592.99	DFT	QPSK	Outer_Full	24.83
n41	15	30	2592.99	DFT	16QAM	Inner_Full	24.82
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.63
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.79

n41	15	30	2592.99	DFT	16QAM	Outer_Full	24.40
n41	15	30	2592.99	DFT	64QAM	Inner_Full	24.94
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.83
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.87
n41	15	30	2592.99	DFT	64QAM	Outer_Full	24.36
n41	15	30	2592.99	DFT	256QAM	Inner_Full	22.83
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.78
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.89
n41	15	30	2592.99	DFT	256QAM	Outer_Full	22.91
n41	15	30	2592.99	CP	QPSK	Inner_Full	25.34
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Left	23.23
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Right	23.43
n41	15	30	2592.99	CP	QPSK	Outer_Full	23.36
n41	15	30	2592.99	CP	16QAM	Inner_Full	24.79
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Left	22.28
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Right	22.48
n41	15	30	2592.99	CP	16QAM	Outer_Full	23.36
n41	15	30	2592.99	CP	64QAM	Inner_Full	23.79
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Left	22.19
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Right	22.35
n41	15	30	2592.99	CP	64QAM	Outer_Full	22.78
n41	15	30	2592.99	CP	256QAM	Inner_Full	21.32
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Left	21.31
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Right	21.45
n41	15	30	2592.99	CP	256QAM	Outer_Full	21.36
n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	25.89
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.33
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.28
n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	25.40
n41	15	30	2682.48	DFT	QPSK	Inner_Full	25.85
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	23.74
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	23.80
n41	15	30	2682.48	DFT	QPSK	Outer_Full	24.92
n41	15	30	2682.48	DFT	16QAM	Inner_Full	24.91
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	22.72
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	22.81
n41	15	30	2682.48	DFT	16QAM	Outer_Full	24.41

n41	15	30	2682.48	DFT	64QAM	Inner_Full	25.00
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	22.00
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	21.95
n41	15	30	2682.48	DFT	64QAM	Outer_Full	24.41
n41	15	30	2682.48	DFT	256QAM	Inner_Full	22.83
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	21.83
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	21.93
n41	15	30	2682.48	DFT	256QAM	Outer_Full	22.87
n41	15	30	2682.48	CP	QPSK	Inner_Full	25.48
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Left	23.37
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Right	23.34
n41	15	30	2682.48	CP	QPSK	Outer_Full	23.25
n41	15	30	2682.48	CP	16QAM	Inner_Full	24.87
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Left	22.23
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Right	22.29
n41	15	30	2682.48	CP	16QAM	Outer_Full	23.38
n41	15	30	2682.48	CP	64QAM	Inner_Full	23.77
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Left	22.20
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Right	22.28
n41	15	30	2682.48	CP	64QAM	Outer_Full	22.73
n41	15	30	2682.48	CP	256QAM	Inner_Full	21.37
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Left	21.35
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Right	21.54
n41	15	30	2682.48	CP	256QAM	Outer_Full	21.52
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.94
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.31
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.31
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	25.34
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.91
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	23.68
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	23.79
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.78
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.92
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	22.69
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.93
n41	20	30	2506.02	DFT	16QAM	Outer_Full	24.36
n41	20	30	2506.02	DFT	64QAM	Inner_Full	24.83

n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	22.10
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	22.06
n41	20	30	2506.02	DFT	64QAM	Outer_Full	24.27
n41	20	30	2506.02	DFT	256QAM	Inner_Full	22.86
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	21.91
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	21.88
n41	20	30	2506.02	DFT	256QAM	Outer_Full	22.85
n41	20	30	2506.02	CP	QPSK	Inner_Full	25.40
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	23.17
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	23.41
n41	20	30	2506.02	CP	QPSK	Outer_Full	23.32
n41	20	30	2506.02	CP	16QAM	Inner_Full	24.89
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.14
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.40
n41	20	30	2506.02	CP	16QAM	Outer_Full	23.26
n41	20	30	2506.02	CP	64QAM	Inner_Full	23.95
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	22.18
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	22.29
n41	20	30	2506.02	CP	64QAM	Outer_Full	22.82
n41	20	30	2506.02	CP	256QAM	Inner_Full	21.36
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	21.37
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	21.48
n41	20	30	2506.02	CP	256QAM	Outer_Full	21.44
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.92
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.40
n41	20	30	2592.99	DFT	QPSK	Inner_Full	25.90
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.61
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.87
n41	20	30	2592.99	DFT	QPSK	Outer_Full	24.82
n41	20	30	2592.99	DFT	16QAM	Inner_Full	24.85
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.65
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.68
n41	20	30	2592.99	DFT	16QAM	Outer_Full	24.28
n41	20	30	2592.99	DFT	64QAM	Inner_Full	24.87
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.74

n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.00
n41	20	30	2592.99	DFT	64QAM	Outer_Full	24.31
n41	20	30	2592.99	DFT	256QAM	Inner_Full	23.00
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.77
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.90
n41	20	30	2592.99	DFT	256QAM	Outer_Full	22.80
n41	20	30	2592.99	CP	QPSK	Inner_Full	25.50
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	23.29
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	23.40
n41	20	30	2592.99	CP	QPSK	Outer_Full	23.38
n41	20	30	2592.99	CP	16QAM	Inner_Full	24.91
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.10
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.46
n41	20	30	2592.99	CP	16QAM	Outer_Full	23.36
n41	20	30	2592.99	CP	64QAM	Inner_Full	23.97
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.19
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.45
n41	20	30	2592.99	CP	64QAM	Outer_Full	22.91
n41	20	30	2592.99	CP	256QAM	Inner_Full	21.33
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	21.25
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	21.50
n41	20	30	2592.99	CP	256QAM	Outer_Full	21.41
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	25.94
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.33
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.36
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	25.38
n41	20	30	2679.99	DFT	QPSK	Inner_Full	25.97
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	23.71
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	23.78
n41	20	30	2679.99	DFT	QPSK	Outer_Full	24.89
n41	20	30	2679.99	DFT	16QAM	Inner_Full	24.87
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.74
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.77
n41	20	30	2679.99	DFT	16QAM	Outer_Full	24.38
n41	20	30	2679.99	DFT	64QAM	Inner_Full	24.92
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	21.95
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	21.95

n41	20	30	2679.99	DFT	64QAM	Outer_Full	24.34
n41	20	30	2679.99	DFT	256QAM	Inner_Full	22.91
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	21.81
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.97
n41	20	30	2679.99	DFT	256QAM	Outer_Full	22.84
n41	20	30	2679.99	CP	QPSK	Inner_Full	25.48
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	23.36
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	23.59
n41	20	30	2679.99	CP	QPSK	Outer_Full	23.36
n41	20	30	2679.99	CP	16QAM	Inner_Full	25.04
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	22.23
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	22.23
n41	20	30	2679.99	CP	16QAM	Outer_Full	23.36
n41	20	30	2679.99	CP	64QAM	Inner_Full	23.94
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.16
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.31
n41	20	30	2679.99	CP	64QAM	Outer_Full	22.86
n41	20	30	2679.99	CP	256QAM	Inner_Full	21.46
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	21.36
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	21.45
n41	20	30	2679.99	CP	256QAM	Outer_Full	21.46
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	25.87
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.22
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.44
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	25.32
n41	30	30	2511	DFT	QPSK	Inner_Full	25.77
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	23.69
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	23.78
n41	30	30	2511	DFT	QPSK	Outer_Full	24.87
n41	30	30	2511	DFT	16QAM	Inner_Full	24.85
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.74
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.79
n41	30	30	2511	DFT	16QAM	Outer_Full	24.29
n41	30	30	2511	DFT	64QAM	Inner_Full	24.95
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.95
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.97
n41	30	30	2511	DFT	64QAM	Outer_Full	24.34

n41	30	30	2511	DFT	256QAM	Inner_Full	22.78
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	21.73
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	22.01
n41	30	30	2511	DFT	256QAM	Outer_Full	22.95
n41	30	30	2511	CP	QPSK	Inner_Full	25.34
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	23.14
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	23.62
n41	30	30	2511	CP	QPSK	Outer_Full	23.30
n41	30	30	2511	CP	16QAM	Inner_Full	24.89
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.08
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.29
n41	30	30	2511	CP	16QAM	Outer_Full	23.33
n41	30	30	2511	CP	64QAM	Inner_Full	23.86
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	22.05
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	22.42
n41	30	30	2511	CP	64QAM	Outer_Full	22.90
n41	30	30	2511	CP	256QAM	Inner_Full	21.25
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	21.32
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	21.47
n41	30	30	2511	CP	256QAM	Outer_Full	21.25
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Inner_Full	25.90
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.13
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.41
n41	30	30	2592.99	DFT	$\pi/2$ BPSK	Outer_Full	25.44
n41	30	30	2592.99	DFT	QPSK	Inner_Full	25.98
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.59
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.91
n41	30	30	2592.99	DFT	QPSK	Outer_Full	24.91
n41	30	30	2592.99	DFT	16QAM	Inner_Full	25.00
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.59
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.83
n41	30	30	2592.99	DFT	16QAM	Outer_Full	24.28
n41	30	30	2592.99	DFT	64QAM	Inner_Full	24.82
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.66
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.88
n41	30	30	2592.99	DFT	64QAM	Outer_Full	24.36
n41	30	30	2592.99	DFT	256QAM	Inner_Full	22.87

n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.64
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.00
n41	30	30	2592.99	DFT	256QAM	Outer_Full	22.87
n41	30	30	2592.99	CP	QPSK	Inner_Full	25.40
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	23.13
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	23.47
n41	30	30	2592.99	CP	QPSK	Outer_Full	23.39
n41	30	30	2592.99	CP	16QAM	Inner_Full	24.95
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.02
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	22.30
n41	30	30	2592.99	CP	16QAM	Outer_Full	23.32
n41	30	30	2592.99	CP	64QAM	Inner_Full	23.93
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.04
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.33
n41	30	30	2592.99	CP	64QAM	Outer_Full	22.92
n41	30	30	2592.99	CP	256QAM	Inner_Full	21.38
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	21.10
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	21.47
n41	30	30	2592.99	CP	256QAM	Outer_Full	21.31
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Inner_Full	25.98
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.03
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.29
n41	30	30	2674.98	DFT	$\pi/2$ BPSK	Outer_Full	25.39
n41	30	30	2674.98	DFT	QPSK	Inner_Full	25.89
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	23.55
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	23.75
n41	30	30	2674.98	DFT	QPSK	Outer_Full	24.86
n41	30	30	2674.98	DFT	16QAM	Inner_Full	24.96
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.49
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.78
n41	30	30	2674.98	DFT	16QAM	Outer_Full	24.30
n41	30	30	2674.98	DFT	64QAM	Inner_Full	24.86
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	21.65
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	21.79
n41	30	30	2674.98	DFT	64QAM	Outer_Full	24.32
n41	30	30	2674.98	DFT	256QAM	Inner_Full	22.88
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	21.60

n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.85
n41	30	30	2674.98	DFT	256QAM	Outer_Full	22.80
n41	30	30	2674.98	CP	QPSK	Inner_Full	25.44
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	23.15
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	23.38
n41	30	30	2674.98	CP	QPSK	Outer_Full	23.37
n41	30	30	2674.98	CP	16QAM	Inner_Full	24.97
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	21.95
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	22.20
n41	30	30	2674.98	CP	16QAM	Outer_Full	23.33
n41	30	30	2674.98	CP	64QAM	Inner_Full	23.98
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.05
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.24
n41	30	30	2674.98	CP	64QAM	Outer_Full	22.81
n41	30	30	2674.98	CP	256QAM	Inner_Full	21.39
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	21.15
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	21.41
n41	30	30	2674.98	CP	256QAM	Outer_Full	21.29
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.91
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.34
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	25.45
n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.89
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	23.65
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	23.90
n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.85
n41	40	30	2516.01	DFT	16QAM	Inner_Full	24.83
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	22.98
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	22.98
n41	40	30	2516.01	DFT	16QAM	Outer_Full	24.37
n41	40	30	2516.01	DFT	64QAM	Inner_Full	24.84
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.94
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	22.16
n41	40	30	2516.01	DFT	64QAM	Outer_Full	24.28
n41	40	30	2516.01	DFT	256QAM	Inner_Full	22.82
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	21.81
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	22.08

n41	40	30	2516.01	DFT	256QAM	Outer_Full	22.90
n41	40	30	2516.01	CP	QPSK	Inner_Full	25.50
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	23.66
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	23.49
n41	40	30	2516.01	CP	QPSK	Outer_Full	23.38
n41	40	30	2516.01	CP	16QAM	Inner_Full	24.91
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	22.21
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	22.49
n41	40	30	2516.01	CP	16QAM	Outer_Full	23.38
n41	40	30	2516.01	CP	64QAM	Inner_Full	23.82
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	22.15
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	22.41
n41	40	30	2516.01	CP	64QAM	Outer_Full	22.83
n41	40	30	2516.01	CP	256QAM	Inner_Full	21.41
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	21.34
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	21.47
n41	40	30	2516.01	CP	256QAM	Outer_Full	21.39
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.94
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.08
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.40
n41	40	30	2592.99	DFT	QPSK	Inner_Full	25.87
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.57
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.93
n41	40	30	2592.99	DFT	QPSK	Outer_Full	24.78
n41	40	30	2592.99	DFT	16QAM	Inner_Full	24.83
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.49
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.84
n41	40	30	2592.99	DFT	16QAM	Outer_Full	24.37
n41	40	30	2592.99	DFT	64QAM	Inner_Full	24.96
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.54
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.82
n41	40	30	2592.99	DFT	64QAM	Outer_Full	24.29
n41	40	30	2592.99	DFT	256QAM	Inner_Full	22.89
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.72
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.91
n41	40	30	2592.99	DFT	256QAM	Outer_Full	22.81

n41	40	30	2592.99	CP	QPSK	Inner_Full	25.47
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	23.12
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	23.50
n41	40	30	2592.99	CP	QPSK	Outer_Full	23.48
n41	40	30	2592.99	CP	16QAM	Inner_Full	24.89
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.83
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	22.32
n41	40	30	2592.99	CP	16QAM	Outer_Full	23.37
n41	40	30	2592.99	CP	64QAM	Inner_Full	23.96
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	21.98
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	22.38
n41	40	30	2592.99	CP	64QAM	Outer_Full	22.89
n41	40	30	2592.99	CP	256QAM	Inner_Full	21.43
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	21.18
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	21.48
n41	40	30	2592.99	CP	256QAM	Outer_Full	21.35
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	25.97
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.38
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	25.42
n41	40	30	2670	DFT	QPSK	Inner_Full	25.91
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	23.53
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	23.82
n41	40	30	2670	DFT	QPSK	Outer_Full	24.91
n41	40	30	2670	DFT	16QAM	Inner_Full	24.97
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.63
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.81
n41	40	30	2670	DFT	16QAM	Outer_Full	24.36
n41	40	30	2670	DFT	64QAM	Inner_Full	24.91
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	21.63
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.98
n41	40	30	2670	DFT	64QAM	Outer_Full	24.35
n41	40	30	2670	DFT	256QAM	Inner_Full	22.91
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.73
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	21.92
n41	40	30	2670	DFT	256QAM	Outer_Full	22.84
n41	40	30	2670	CP	QPSK	Inner_Full	25.44

n41	40	30	2670	CP	QPSK	Edge_1RB_Left	23.09
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	23.38
n41	40	30	2670	CP	QPSK	Outer_Full	23.33
n41	40	30	2670	CP	16QAM	Inner_Full	24.96
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	22.07
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	22.28
n41	40	30	2670	CP	16QAM	Outer_Full	23.43
n41	40	30	2670	CP	64QAM	Inner_Full	23.92
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	21.98
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.27
n41	40	30	2670	CP	64QAM	Outer_Full	22.87
n41	40	30	2670	CP	256QAM	Inner_Full	21.42
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	21.20
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	21.41
n41	40	30	2670	CP	256QAM	Outer_Full	21.38
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.92
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.30
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	25.49
n41	50	30	2521.02	DFT	QPSK	Inner_Full	25.94
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	23.68
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	23.72
n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.86
n41	50	30	2521.02	DFT	16QAM	Inner_Full	24.83
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	22.78
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.79
n41	50	30	2521.02	DFT	16QAM	Outer_Full	24.33
n41	50	30	2521.02	DFT	64QAM	Inner_Full	24.90
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	21.93
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.94
n41	50	30	2521.02	DFT	64QAM	Outer_Full	24.35
n41	50	30	2521.02	DFT	256QAM	Inner_Full	22.93
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	21.86
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	21.95
n41	50	30	2521.02	DFT	256QAM	Outer_Full	22.84
n41	50	30	2521.02	CP	QPSK	Inner_Full	25.46
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	23.14

n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	23.42
n41	50	30	2521.02	CP	QPSK	Outer_Full	23.31
n41	50	30	2521.02	CP	16QAM	Inner_Full	24.85
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.12
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.24
n41	50	30	2521.02	CP	16QAM	Outer_Full	23.30
n41	50	30	2521.02	CP	64QAM	Inner_Full	23.95
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	22.07
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	22.27
n41	50	30	2521.02	CP	64QAM	Outer_Full	22.86
n41	50	30	2521.02	CP	256QAM	Inner_Full	21.36
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	21.17
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	21.47
n41	50	30	2521.02	CP	256QAM	Outer_Full	21.38
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.98
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.01
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.44
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.40
n41	50	30	2592.99	DFT	QPSK	Inner_Full	25.89
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.56
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.77
n41	50	30	2592.99	DFT	QPSK	Outer_Full	24.80
n41	50	30	2592.99	DFT	16QAM	Inner_Full	24.82
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.51
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.84
n41	50	30	2592.99	DFT	16QAM	Outer_Full	24.39
n41	50	30	2592.99	DFT	64QAM	Inner_Full	24.88
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.81
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.13
n41	50	30	2592.99	DFT	64QAM	Outer_Full	24.40
n41	50	30	2592.99	DFT	256QAM	Inner_Full	22.88
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.63
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.97
n41	50	30	2592.99	DFT	256QAM	Outer_Full	22.83
n41	50	30	2592.99	CP	QPSK	Inner_Full	25.35
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	23.04
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	23.35

n41	50	30	2592.99	CP	QPSK	Outer_Full	23.31
n41	50	30	2592.99	CP	16QAM	Inner_Full	25.01
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.91
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	22.19
n41	50	30	2592.99	CP	16QAM	Outer_Full	23.34
n41	50	30	2592.99	CP	64QAM	Inner_Full	23.87
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	21.95
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	22.40
n41	50	30	2592.99	CP	64QAM	Outer_Full	22.87
n41	50	30	2592.99	CP	256QAM	Inner_Full	21.33
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	21.14
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	21.53
n41	50	30	2592.99	CP	256QAM	Outer_Full	21.30
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	25.91
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.30
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	25.34
n41	50	30	2664.99	DFT	QPSK	Inner_Full	25.85
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	23.37
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	23.79
n41	50	30	2664.99	DFT	QPSK	Outer_Full	24.76
n41	50	30	2664.99	DFT	16QAM	Inner_Full	24.75
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.38
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.77
n41	50	30	2664.99	DFT	16QAM	Outer_Full	24.29
n41	50	30	2664.99	DFT	64QAM	Inner_Full	24.88
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	21.58
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	21.83
n41	50	30	2664.99	DFT	64QAM	Outer_Full	24.25
n41	50	30	2664.99	DFT	256QAM	Inner_Full	22.90
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.54
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	21.78
n41	50	30	2664.99	DFT	256QAM	Outer_Full	22.81
n41	50	30	2664.99	CP	QPSK	Inner_Full	25.29
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.96
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	23.27
n41	50	30	2664.99	CP	QPSK	Outer_Full	23.27

n41	50	30	2664.99	CP	16QAM	Inner_Full	24.87
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	21.82
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	22.21
n41	50	30	2664.99	CP	16QAM	Outer_Full	23.29
n41	50	30	2664.99	CP	64QAM	Inner_Full	23.80
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	21.89
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.30
n41	50	30	2664.99	CP	64QAM	Outer_Full	22.74
n41	50	30	2664.99	CP	256QAM	Inner_Full	21.29
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	21.03
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	21.37
n41	50	30	2664.99	CP	256QAM	Outer_Full	21.29
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.99
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.23
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	25.42
n41	60	30	2526	DFT	QPSK	Inner_Full	25.94
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	23.52
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	23.62
n41	60	30	2526	DFT	QPSK	Outer_Full	24.82
n41	60	30	2526	DFT	16QAM	Inner_Full	24.84
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	22.55
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	22.67
n41	60	30	2526	DFT	16QAM	Outer_Full	24.30
n41	60	30	2526	DFT	64QAM	Inner_Full	24.92
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.87
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.91
n41	60	30	2526	DFT	64QAM	Outer_Full	24.27
n41	60	30	2526	DFT	256QAM	Inner_Full	22.98
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	21.69
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	21.75
n41	60	30	2526	DFT	256QAM	Outer_Full	22.82
n41	60	30	2526	CP	QPSK	Inner_Full	25.45
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	23.11
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	23.20
n41	60	30	2526	CP	QPSK	Outer_Full	23.35
n41	60	30	2526	CP	16QAM	Inner_Full	24.83

n41	60	30	2526	CP	16QAM	Edge_1RB_Left	22.07
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	22.06
n41	60	30	2526	CP	16QAM	Outer_Full	23.32
n41	60	30	2526	CP	64QAM	Inner_Full	23.93
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.96
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	22.09
n41	60	30	2526	CP	64QAM	Outer_Full	22.83
n41	60	30	2526	CP	256QAM	Inner_Full	21.39
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	21.25
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	21.38
n41	60	30	2526	CP	256QAM	Outer_Full	21.38
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.88
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.45
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.29
n41	60	30	2592.99	DFT	QPSK	Inner_Full	25.80
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.58
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.78
n41	60	30	2592.99	DFT	QPSK	Outer_Full	24.85
n41	60	30	2592.99	DFT	16QAM	Inner_Full	24.89
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.56
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.77
n41	60	30	2592.99	DFT	16QAM	Outer_Full	24.29
n41	60	30	2592.99	DFT	64QAM	Inner_Full	24.81
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.68
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.96
n41	60	30	2592.99	DFT	64QAM	Outer_Full	24.29
n41	60	30	2592.99	DFT	256QAM	Inner_Full	22.85
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.67
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.81
n41	60	30	2592.99	DFT	256QAM	Outer_Full	22.78
n41	60	30	2592.99	CP	QPSK	Inner_Full	25.30
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	23.13
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	23.34
n41	60	30	2592.99	CP	QPSK	Outer_Full	23.22
n41	60	30	2592.99	CP	16QAM	Inner_Full	24.80
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	22.15

n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	22.26
n41	60	30	2592.99	CP	16QAM	Outer_Full	23.27
n41	60	30	2592.99	CP	64QAM	Inner_Full	23.85
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	22.02
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	22.29
n41	60	30	2592.99	CP	64QAM	Outer_Full	22.70
n41	60	30	2592.99	CP	256QAM	Inner_Full	21.28
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	21.19
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	21.45
n41	60	30	2592.99	CP	256QAM	Outer_Full	21.18
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	25.86
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.01
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.32
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	25.26
n41	60	30	2659.98	DFT	QPSK	Inner_Full	25.75
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	23.39
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	23.75
n41	60	30	2659.98	DFT	QPSK	Outer_Full	24.72
n41	60	30	2659.98	DFT	16QAM	Inner_Full	24.75
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	22.39
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.69
n41	60	30	2659.98	DFT	16QAM	Outer_Full	24.20
n41	60	30	2659.98	DFT	64QAM	Inner_Full	24.75
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	21.50
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	21.89
n41	60	30	2659.98	DFT	64QAM	Outer_Full	24.23
n41	60	30	2659.98	DFT	256QAM	Inner_Full	22.85
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.41
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	21.93
n41	60	30	2659.98	DFT	256QAM	Outer_Full	22.71
n41	60	30	2659.98	CP	QPSK	Inner_Full	25.24
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	22.92
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	23.23
n41	60	30	2659.98	CP	QPSK	Outer_Full	23.20
n41	60	30	2659.98	CP	16QAM	Inner_Full	24.78
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	21.96
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	22.17

n41	60	30	2659.98	CP	16QAM	Outer_Full	23.20
n41	60	30	2659.98	CP	64QAM	Inner_Full	23.76
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	21.88
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	22.28
n41	60	30	2659.98	CP	64QAM	Outer_Full	22.70
n41	60	30	2659.98	CP	256QAM	Inner_Full	21.26
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	20.98
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	21.45
n41	60	30	2659.98	CP	256QAM	Outer_Full	21.21
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	26.05
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.04
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	25.36
n41	80	30	2536.02	DFT	QPSK	Inner_Full	25.98
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	23.71
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	23.43
n41	80	30	2536.02	DFT	QPSK	Outer_Full	24.78
n41	80	30	2536.02	DFT	16QAM	Inner_Full	24.91
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	22.84
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	22.46
n41	80	30	2536.02	DFT	16QAM	Outer_Full	24.31
n41	80	30	2536.02	DFT	64QAM	Inner_Full	24.93
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	22.00
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	21.66
n41	80	30	2536.02	DFT	64QAM	Outer_Full	24.28
n41	80	30	2536.02	DFT	256QAM	Inner_Full	22.96
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	21.96
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	21.58
n41	80	30	2536.02	DFT	256QAM	Outer_Full	22.81
n41	80	30	2536.02	CP	QPSK	Inner_Full	25.45
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	23.26
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	23.07
n41	80	30	2536.02	CP	QPSK	Outer_Full	23.28
n41	80	30	2536.02	CP	16QAM	Inner_Full	24.92
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	22.33
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.00
n41	80	30	2536.02	CP	16QAM	Outer_Full	23.22

n41	80	30	2536.02	CP	64QAM	Inner_Full	23.91
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	22.14
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	21.98
n41	80	30	2536.02	CP	64QAM	Outer_Full	22.79
n41	80	30	2536.02	CP	256QAM	Inner_Full	21.43
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	21.35
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	21.16
n41	80	30	2536.02	CP	256QAM	Outer_Full	21.32
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.84
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.41
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.19
n41	80	30	2592.99	DFT	QPSK	Inner_Full	25.72
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.80
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.83
n41	80	30	2592.99	DFT	QPSK	Outer_Full	24.70
n41	80	30	2592.99	DFT	16QAM	Inner_Full	24.75
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.83
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.83
n41	80	30	2592.99	DFT	16QAM	Outer_Full	24.25
n41	80	30	2592.99	DFT	64QAM	Inner_Full	24.76
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.97
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.93
n41	80	30	2592.99	DFT	64QAM	Outer_Full	24.19
n41	80	30	2592.99	DFT	256QAM	Inner_Full	22.89
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.00
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.86
n41	80	30	2592.99	DFT	256QAM	Outer_Full	22.72
n41	80	30	2592.99	CP	QPSK	Inner_Full	25.33
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	23.37
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	23.50
n41	80	30	2592.99	CP	QPSK	Outer_Full	23.21
n41	80	30	2592.99	CP	16QAM	Inner_Full	24.82
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	22.22
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	22.30
n41	80	30	2592.99	CP	16QAM	Outer_Full	23.25
n41	80	30	2592.99	CP	64QAM	Inner_Full	23.78

n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	22.26
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	22.29
n41	80	30	2592.99	CP	64QAM	Outer_Full	22.64
n41	80	30	2592.99	CP	256QAM	Inner_Full	21.25
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	21.44
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	21.45
n41	80	30	2592.99	CP	256QAM	Outer_Full	21.16
n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Inner_Full	25.82
n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Edge_1RB_Left	22.17
n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Edge_1RB_Right	22.52
n41	80	30	2649.99	DFT	$\pi/2$ BPSK	Outer_Full	25.39
n41	80	30	2649.99	DFT	QPSK	Inner_Full	25.80
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	23.50
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	23.96
n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.84
n41	80	30	2649.99	DFT	16QAM	Inner_Full	24.81
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	22.56
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	23.00
n41	80	30	2649.99	DFT	16QAM	Outer_Full	24.33
n41	80	30	2649.99	DFT	64QAM	Inner_Full	24.74
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	21.78
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	22.17
n41	80	30	2649.99	DFT	64QAM	Outer_Full	24.34
n41	80	30	2649.99	DFT	256QAM	Inner_Full	22.90
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	21.65
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	22.08
n41	80	30	2649.99	DFT	256QAM	Outer_Full	22.83
n41	80	30	2649.99	CP	QPSK	Inner_Full	25.36
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	22.97
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	23.45
n41	80	30	2649.99	CP	QPSK	Outer_Full	23.26
n41	80	30	2649.99	CP	16QAM	Inner_Full	24.81
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	21.99
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	22.46
n41	80	30	2649.99	CP	16QAM	Outer_Full	23.32
n41	80	30	2649.99	CP	64QAM	Inner_Full	23.79
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	22.04

n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	22.42
n41	80	30	2649.99	CP	64QAM	Outer_Full	22.82
n41	80	30	2649.99	CP	256QAM	Inner_Full	21.20
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	21.16
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	21.58
n41	80	30	2649.99	CP	256QAM	Outer_Full	21.28
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	26.07
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.11
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	25.32
n41	90	30	2541	DFT	QPSK	Inner_Full	25.90
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	23.71
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	23.47
n41	90	30	2541	DFT	QPSK	Outer_Full	24.82
n41	90	30	2541	DFT	16QAM	Inner_Full	24.87
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.84
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.58
n41	90	30	2541	DFT	16QAM	Outer_Full	24.20
n41	90	30	2541	DFT	64QAM	Inner_Full	24.89
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	22.01
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	21.77
n41	90	30	2541	DFT	64QAM	Outer_Full	24.30
n41	90	30	2541	DFT	256QAM	Inner_Full	23.03
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	21.85
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.64
n41	90	30	2541	DFT	256QAM	Outer_Full	22.77
n41	90	30	2541	CP	QPSK	Inner_Full	25.46
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	23.46
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	23.06
n41	90	30	2541	CP	QPSK	Outer_Full	23.23
n41	90	30	2541	CP	16QAM	Inner_Full	24.92
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	22.33
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.01
n41	90	30	2541	CP	16QAM	Outer_Full	23.27
n41	90	30	2541	CP	64QAM	Inner_Full	23.87
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	22.14
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	22.08

n41	90	30	2541	CP	64QAM	Outer_Full	22.83
n41	90	30	2541	CP	256QAM	Inner_Full	21.42
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	21.47
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	21.22
n41	90	30	2541	CP	256QAM	Outer_Full	21.32
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.89
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.34
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.30
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.22
n41	90	30	2592.99	DFT	QPSK	Inner_Full	25.79
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.79
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.69
n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.72
n41	90	30	2592.99	DFT	16QAM	Inner_Full	24.77
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.88
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.79
n41	90	30	2592.99	DFT	16QAM	Outer_Full	24.16
n41	90	30	2592.99	DFT	64QAM	Inner_Full	24.79
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.09
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.02
n41	90	30	2592.99	DFT	64QAM	Outer_Full	24.22
n41	90	30	2592.99	DFT	256QAM	Inner_Full	22.88
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.92
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.83
n41	90	30	2592.99	DFT	256QAM	Outer_Full	22.65
n41	90	30	2592.99	CP	QPSK	Inner_Full	25.30
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	23.26
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	23.36
n41	90	30	2592.99	CP	QPSK	Outer_Full	23.22
n41	90	30	2592.99	CP	16QAM	Inner_Full	24.70
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	22.30
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	22.30
n41	90	30	2592.99	CP	16QAM	Outer_Full	23.20
n41	90	30	2592.99	CP	64QAM	Inner_Full	23.72
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	22.21
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	22.24
n41	90	30	2592.99	CP	64QAM	Outer_Full	22.70

n41	90	30	2592.99	CP	256QAM	Inner_Full	21.31
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	21.46
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	21.35
n41	90	30	2592.99	CP	256QAM	Outer_Full	21.18
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	25.82
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.43
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	25.32
n41	90	30	2644.98	DFT	QPSK	Inner_Full	25.72
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	23.46
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	23.87
n41	90	30	2644.98	DFT	QPSK	Outer_Full	24.85
n41	90	30	2644.98	DFT	16QAM	Inner_Full	24.68
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	22.51
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	22.90
n41	90	30	2644.98	DFT	16QAM	Outer_Full	24.31
n41	90	30	2644.98	DFT	64QAM	Inner_Full	24.67
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	21.71
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	22.12
n41	90	30	2644.98	DFT	64QAM	Outer_Full	24.36
n41	90	30	2644.98	DFT	256QAM	Inner_Full	22.76
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	21.59
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.96
n41	90	30	2644.98	DFT	256QAM	Outer_Full	22.85
n41	90	30	2644.98	CP	QPSK	Inner_Full	25.25
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	23.04
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	23.49
n41	90	30	2644.98	CP	QPSK	Outer_Full	23.30
n41	90	30	2644.98	CP	16QAM	Inner_Full	24.73
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	21.99
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	22.43
n41	90	30	2644.98	CP	16QAM	Outer_Full	23.36
n41	90	30	2644.98	CP	64QAM	Inner_Full	23.75
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	21.91
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	22.38
n41	90	30	2644.98	CP	64QAM	Outer_Full	22.86
n41	90	30	2644.98	CP	256QAM	Inner_Full	21.23

n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	21.13
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	21.45
n41	90	30	2644.98	CP	256QAM	Outer_Full	21.23
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	25.94
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.40
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.32
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	25.32
n41	100	30	2546.01	DFT	QPSK	Inner_Full	25.89
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	23.69
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	23.64
n41	100	30	2546.01	DFT	QPSK	Outer_Full	24.81
n41	100	30	2546.01	DFT	16QAM	Inner_Full	24.87
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	22.86
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	22.61
n41	100	30	2546.01	DFT	16QAM	Outer_Full	24.23
n41	100	30	2546.01	DFT	64QAM	Inner_Full	24.89
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	22.03
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	22.11
n41	100	30	2546.01	DFT	64QAM	Outer_Full	24.24
n41	100	30	2546.01	DFT	256QAM	Inner_Full	22.93
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	21.96
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.83
n41	100	30	2546.01	DFT	256QAM	Outer_Full	22.77
n41	100	30	2546.01	CP	QPSK	Inner_Full	25.45
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	23.22
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	23.30
n41	100	30	2546.01	CP	QPSK	Outer_Full	23.27
n41	100	30	2546.01	CP	16QAM	Inner_Full	24.83
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	22.17
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	22.17
n41	100	30	2546.01	CP	16QAM	Outer_Full	23.36
n41	100	30	2546.01	CP	64QAM	Inner_Full	23.81
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	22.20
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	22.20
n41	100	30	2546.01	CP	64QAM	Outer_Full	22.75
n41	100	30	2546.01	CP	256QAM	Inner_Full	21.36
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	21.36

n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	21.42
n41	100	30	2546.01	CP	256QAM	Outer_Full	21.26
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.81
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.45
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.26
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.17
n41	100	30	2592.99	DFT	QPSK	Inner_Full	25.73
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.87
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.83
n41	100	30	2592.99	DFT	QPSK	Outer_Full	24.78
n41	100	30	2592.99	DFT	16QAM	Inner_Full	24.74
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.94
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.80
n41	100	30	2592.99	DFT	16QAM	Outer_Full	24.27
n41	100	30	2592.99	DFT	64QAM	Inner_Full	24.78
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.19
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.12
n41	100	30	2592.99	DFT	64QAM	Outer_Full	24.19
n41	100	30	2592.99	DFT	256QAM	Inner_Full	22.80
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.04
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.91
n41	100	30	2592.99	DFT	256QAM	Outer_Full	22.81
n41	100	30	2592.99	CP	QPSK	Inner_Full	25.29
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	23.55
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	23.35
n41	100	30	2592.99	CP	QPSK	Outer_Full	23.27
n41	100	30	2592.99	CP	16QAM	Inner_Full	24.76
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	22.37
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	22.32
n41	100	30	2592.99	CP	16QAM	Outer_Full	23.18
n41	100	30	2592.99	CP	64QAM	Inner_Full	23.69
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	22.37
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	22.19
n41	100	30	2592.99	CP	64QAM	Outer_Full	22.77
n41	100	30	2592.99	CP	256QAM	Inner_Full	21.18
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	21.59
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	21.54

n41	100	30	2592.99	CP	256QAM	Outer_Full	21.25
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.86
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	25.34
n41	100	30	2640	DFT	QPSK	Inner_Full	25.78
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	23.41
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	24.00
n41	100	30	2640	DFT	QPSK	Outer_Full	24.80
n41	100	30	2640	DFT	16QAM	Inner_Full	24.73
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.44
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	23.03
n41	100	30	2640	DFT	16QAM	Outer_Full	24.34
n41	100	30	2640	DFT	64QAM	Inner_Full	24.73
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	21.65
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	22.29
n41	100	30	2640	DFT	64QAM	Outer_Full	24.37
n41	100	30	2640	DFT	256QAM	Inner_Full	22.83
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	21.51
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	22.11
n41	100	30	2640	DFT	256QAM	Outer_Full	22.82
n41	100	30	2640	CP	QPSK	Inner_Full	25.32
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	22.91
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	23.53
n41	100	30	2640	CP	QPSK	Outer_Full	23.38
n41	100	30	2640	CP	16QAM	Inner_Full	24.75
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	21.95
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	22.52
n41	100	30	2640	CP	16QAM	Outer_Full	23.32
n41	100	30	2640	CP	64QAM	Inner_Full	23.68
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	21.89
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	22.36
n41	100	30	2640	CP	64QAM	Outer_Full	22.77
n41	100	30	2640	CP	256QAM	Inner_Full	21.23
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	21.06
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	21.63
n41	100	30	2640	CP	256QAM	Outer_Full	21.28

n66

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	24.73
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.07
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.02
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	24.06
n66	5	15	1712.5	DFT	QPSK	Inner_Full	24.47
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	23.33
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	23.32
n66	5	15	1712.5	DFT	QPSK	Outer_Full	23.41
n66	5	15	1712.5	DFT	16QAM	Inner_Full	23.35
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	22.47
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	22.56
n66	5	15	1712.5	DFT	16QAM	Outer_Full	22.41
n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.77
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	21.69
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.70
n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.89
n66	5	15	1712.5	DFT	256QAM	Inner_Full	20.31
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	20.04
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	19.99
n66	5	15	1712.5	DFT	256QAM	Outer_Full	20.06
n66	5	15	1712.5	CP	QPSK	Inner_Full	22.97
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	21.42
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	21.39
n66	5	15	1712.5	CP	QPSK	Outer_Full	21.47
n66	5	15	1712.5	CP	16QAM	Inner_Full	22.49
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	21.54
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	21.57
n66	5	15	1712.5	CP	16QAM	Outer_Full	21.37
n66	5	15	1712.5	CP	64QAM	Inner_Full	21.01
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	20.81
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.85
n66	5	15	1712.5	CP	64QAM	Outer_Full	21.09
n66	5	15	1712.5	CP	256QAM	Inner_Full	17.98
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	18.03
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	18.11

n66	5	15	1712.5	CP	256QAM	Outer_Full	18.04
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	24.69
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	24.12
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	24.01
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	23.97
n66	5	15	1745	DFT	QPSK	Inner_Full	24.45
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	23.34
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	23.40
n66	5	15	1745	DFT	QPSK	Outer_Full	23.44
n66	5	15	1745	DFT	16QAM	Inner_Full	23.35
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	22.65
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	22.64
n66	5	15	1745	DFT	16QAM	Outer_Full	22.37
n66	5	15	1745	DFT	64QAM	Inner_Full	21.79
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	21.75
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.70
n66	5	15	1745	DFT	64QAM	Outer_Full	21.88
n66	5	15	1745	DFT	256QAM	Inner_Full	20.24
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	20.05
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	20.03
n66	5	15	1745	DFT	256QAM	Outer_Full	20.05
n66	5	15	1745	CP	QPSK	Inner_Full	23.05
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	21.49
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	21.46
n66	5	15	1745	CP	QPSK	Outer_Full	21.50
n66	5	15	1745	CP	16QAM	Inner_Full	22.53
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	21.64
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	21.56
n66	5	15	1745	CP	16QAM	Outer_Full	21.50
n66	5	15	1745	CP	64QAM	Inner_Full	21.05
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.94
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.85
n66	5	15	1745	CP	64QAM	Outer_Full	21.04
n66	5	15	1745	CP	256QAM	Inner_Full	18.02
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	18.02
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	18.12
n66	5	15	1745	CP	256QAM	Outer_Full	18.01

n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	24.54
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.96
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.91
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	23.86
n66	5	15	1777.5	DFT	QPSK	Inner_Full	24.31
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	23.18
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	23.22
n66	5	15	1777.5	DFT	QPSK	Outer_Full	23.29
n66	5	15	1777.5	DFT	16QAM	Inner_Full	23.28
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	22.42
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	22.38
n66	5	15	1777.5	DFT	16QAM	Outer_Full	22.28
n66	5	15	1777.5	DFT	64QAM	Inner_Full	21.75
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	21.52
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	21.60
n66	5	15	1777.5	DFT	64QAM	Outer_Full	21.80
n66	5	15	1777.5	DFT	256QAM	Inner_Full	20.15
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	19.92
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	19.89
n66	5	15	1777.5	DFT	256QAM	Outer_Full	19.90
n66	5	15	1777.5	CP	QPSK	Inner_Full	22.95
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	21.27
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	21.34
n66	5	15	1777.5	CP	QPSK	Outer_Full	21.28
n66	5	15	1777.5	CP	16QAM	Inner_Full	22.35
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	21.46
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	21.50
n66	5	15	1777.5	CP	16QAM	Outer_Full	21.30
n66	5	15	1777.5	CP	64QAM	Inner_Full	20.84
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.78
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.75
n66	5	15	1777.5	CP	64QAM	Outer_Full	20.95
n66	5	15	1777.5	CP	256QAM	Inner_Full	17.86
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	18.00
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	17.94
n66	5	15	1777.5	CP	256QAM	Outer_Full	17.86
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	24.53

n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	24.04
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	23.99
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	23.85
n66	10	15	1715	DFT	QPSK	Inner_Full	24.30
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	23.32
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	23.31
n66	10	15	1715	DFT	QPSK	Outer_Full	23.26
n66	10	15	1715	DFT	16QAM	Inner_Full	23.26
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	22.49
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	22.62
n66	10	15	1715	DFT	16QAM	Outer_Full	22.16
n66	10	15	1715	DFT	64QAM	Inner_Full	21.74
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	21.68
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	21.76
n66	10	15	1715	DFT	64QAM	Outer_Full	21.71
n66	10	15	1715	DFT	256QAM	Inner_Full	20.01
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	20.00
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	20.11
n66	10	15	1715	DFT	256QAM	Outer_Full	19.99
n66	10	15	1715	CP	QPSK	Inner_Full	22.96
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	21.45
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	21.45
n66	10	15	1715	CP	QPSK	Outer_Full	21.39
n66	10	15	1715	CP	16QAM	Inner_Full	22.27
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	21.53
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	21.63
n66	10	15	1715	CP	16QAM	Outer_Full	21.28
n66	10	15	1715	CP	64QAM	Inner_Full	20.99
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	20.81
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	21.00
n66	10	15	1715	CP	64QAM	Outer_Full	20.97
n66	10	15	1715	CP	256QAM	Inner_Full	17.85
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	18.03
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	18.25
n66	10	15	1715	CP	256QAM	Outer_Full	17.95
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	24.51
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	24.12

n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.99
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	23.89
n66	10	15	1745	DFT	QPSK	Inner_Full	24.32
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	23.41
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	23.38
n66	10	15	1745	DFT	QPSK	Outer_Full	23.31
n66	10	15	1745	DFT	16QAM	Inner_Full	23.29
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	22.64
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	22.60
n66	10	15	1745	DFT	16QAM	Outer_Full	22.26
n66	10	15	1745	DFT	64QAM	Inner_Full	21.80
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.76
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	21.75
n66	10	15	1745	DFT	64QAM	Outer_Full	21.80
n66	10	15	1745	DFT	256QAM	Inner_Full	20.09
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	20.11
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	20.06
n66	10	15	1745	DFT	256QAM	Outer_Full	19.93
n66	10	15	1745	CP	QPSK	Inner_Full	22.99
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	21.51
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	21.46
n66	10	15	1745	CP	QPSK	Outer_Full	21.33
n66	10	15	1745	CP	16QAM	Inner_Full	22.35
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	21.64
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	21.62
n66	10	15	1745	CP	16QAM	Outer_Full	21.37
n66	10	15	1745	CP	64QAM	Inner_Full	20.94
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	20.90
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	20.89
n66	10	15	1745	CP	64QAM	Outer_Full	20.96
n66	10	15	1745	CP	256QAM	Inner_Full	17.87
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	18.12
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	18.09
n66	10	15	1745	CP	256QAM	Outer_Full	17.97
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	24.54
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	23.92
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	23.90

n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	23.76
n66	10	15	1775	DFT	QPSK	Inner_Full	24.22
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	23.21
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	23.29
n66	10	15	1775	DFT	QPSK	Outer_Full	23.18
n66	10	15	1775	DFT	16QAM	Inner_Full	23.14
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	22.45
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	22.51
n66	10	15	1775	DFT	16QAM	Outer_Full	22.16
n66	10	15	1775	DFT	64QAM	Inner_Full	21.69
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	21.64
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	21.74
n66	10	15	1775	DFT	64QAM	Outer_Full	21.78
n66	10	15	1775	DFT	256QAM	Inner_Full	19.95
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	19.96
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	19.86
n66	10	15	1775	DFT	256QAM	Outer_Full	19.85
n66	10	15	1775	CP	QPSK	Inner_Full	22.82
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	21.35
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	21.38
n66	10	15	1775	CP	QPSK	Outer_Full	21.26
n66	10	15	1775	CP	16QAM	Inner_Full	22.19
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	21.35
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	21.50
n66	10	15	1775	CP	16QAM	Outer_Full	21.21
n66	10	15	1775	CP	64QAM	Inner_Full	20.84
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	20.77
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	20.80
n66	10	15	1775	CP	64QAM	Outer_Full	20.87
n66	10	15	1775	CP	256QAM	Inner_Full	17.84
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	18.01
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	18.01
n66	10	15	1775	CP	256QAM	Outer_Full	17.84
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	24.56
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.97
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.90
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.94

n66	15	15	1717.5	DFT	QPSK	Inner_Full	24.24
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	23.27
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	23.23
n66	15	15	1717.5	DFT	QPSK	Outer_Full	23.29
n66	15	15	1717.5	DFT	16QAM	Inner_Full	23.28
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	22.49
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	22.53
n66	15	15	1717.5	DFT	16QAM	Outer_Full	22.28
n66	15	15	1717.5	DFT	64QAM	Inner_Full	21.80
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	21.60
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	21.66
n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.85
n66	15	15	1717.5	DFT	256QAM	Inner_Full	20.17
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	19.98
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	20.06
n66	15	15	1717.5	DFT	256QAM	Outer_Full	20.01
n66	15	15	1717.5	CP	QPSK	Inner_Full	22.98
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	21.41
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	21.39
n66	15	15	1717.5	CP	QPSK	Outer_Full	21.39
n66	15	15	1717.5	CP	16QAM	Inner_Full	22.38
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	21.42
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	21.50
n66	15	15	1717.5	CP	16QAM	Outer_Full	21.30
n66	15	15	1717.5	CP	64QAM	Inner_Full	21.04
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	20.79
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	20.97
n66	15	15	1717.5	CP	64QAM	Outer_Full	21.07
n66	15	15	1717.5	CP	256QAM	Inner_Full	17.98
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	18.04
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	18.19
n66	15	15	1717.5	CP	256QAM	Outer_Full	18.02
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	24.50
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	24.03
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.98
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.92
n66	15	15	1745	DFT	QPSK	Inner_Full	24.29

n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	23.42
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	23.32
n66	15	15	1745	DFT	QPSK	Outer_Full	23.31
n66	15	15	1745	DFT	16QAM	Inner_Full	23.31
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	22.60
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	22.60
n66	15	15	1745	DFT	16QAM	Outer_Full	22.28
n66	15	15	1745	DFT	64QAM	Inner_Full	21.79
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.75
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	21.74
n66	15	15	1745	DFT	64QAM	Outer_Full	21.80
n66	15	15	1745	DFT	256QAM	Inner_Full	20.08
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	20.05
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	20.03
n66	15	15	1745	DFT	256QAM	Outer_Full	19.97
n66	15	15	1745	CP	QPSK	Inner_Full	23.02
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	21.49
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	21.45
n66	15	15	1745	CP	QPSK	Outer_Full	21.44
n66	15	15	1745	CP	16QAM	Inner_Full	22.37
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	21.51
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	21.49
n66	15	15	1745	CP	16QAM	Outer_Full	21.30
n66	15	15	1745	CP	64QAM	Inner_Full	20.95
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	20.90
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	20.96
n66	15	15	1745	CP	64QAM	Outer_Full	20.99
n66	15	15	1745	CP	256QAM	Inner_Full	17.97
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	18.12
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	18.12
n66	15	15	1745	CP	256QAM	Outer_Full	17.93
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	24.49
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.93
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.00
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	23.79
n66	15	15	1772.5	DFT	QPSK	Inner_Full	24.20
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	23.24

n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	23.28
n66	15	15	1772.5	DFT	QPSK	Outer_Full	23.24
n66	15	15	1772.5	DFT	16QAM	Inner_Full	23.11
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	22.53
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	22.47
n66	15	15	1772.5	DFT	16QAM	Outer_Full	22.14
n66	15	15	1772.5	DFT	64QAM	Inner_Full	21.65
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	21.69
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	21.66
n66	15	15	1772.5	DFT	64QAM	Outer_Full	21.75
n66	15	15	1772.5	DFT	256QAM	Inner_Full	20.00
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	19.99
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	19.85
n66	15	15	1772.5	DFT	256QAM	Outer_Full	19.91
n66	15	15	1772.5	CP	QPSK	Inner_Full	22.94
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	21.39
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	21.38
n66	15	15	1772.5	CP	QPSK	Outer_Full	21.34
n66	15	15	1772.5	CP	16QAM	Inner_Full	22.25
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	21.47
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	21.48
n66	15	15	1772.5	CP	16QAM	Outer_Full	21.28
n66	15	15	1772.5	CP	64QAM	Inner_Full	20.94
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.78
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	20.77
n66	15	15	1772.5	CP	64QAM	Outer_Full	20.88
n66	15	15	1772.5	CP	256QAM	Inner_Full	17.85
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	18.00
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	18.01
n66	15	15	1772.5	CP	256QAM	Outer_Full	17.81
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	24.56
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	23.91
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.97
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.97
n66	20	15	1720	DFT	QPSK	Inner_Full	24.34
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	23.24
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	23.38

n66	20	15	1720	DFT	QPSK	Outer_Full	23.31
n66	20	15	1720	DFT	16QAM	Inner_Full	23.21
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	22.53
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	22.57
n66	20	15	1720	DFT	16QAM	Outer_Full	22.25
n66	20	15	1720	DFT	64QAM	Inner_Full	21.74
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	21.59
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.75
n66	20	15	1720	DFT	64QAM	Outer_Full	21.73
n66	20	15	1720	DFT	256QAM	Inner_Full	20.12
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	19.89
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	20.05
n66	20	15	1720	DFT	256QAM	Outer_Full	20.10
n66	20	15	1720	CP	QPSK	Inner_Full	23.00
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	21.30
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	21.54
n66	20	15	1720	CP	QPSK	Outer_Full	21.34
n66	20	15	1720	CP	16QAM	Inner_Full	22.39
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	21.57
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	21.68
n66	20	15	1720	CP	16QAM	Outer_Full	21.29
n66	20	15	1720	CP	64QAM	Inner_Full	20.97
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	20.80
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	21.02
n66	20	15	1720	CP	64QAM	Outer_Full	21.01
n66	20	15	1720	CP	256QAM	Inner_Full	17.97
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	17.97
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	18.17
n66	20	15	1720	CP	256QAM	Outer_Full	18.06
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	24.58
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.98
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	24.01
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.91
n66	20	15	1745	DFT	QPSK	Inner_Full	24.36
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	23.29
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	23.36
n66	20	15	1745	DFT	QPSK	Outer_Full	23.32

n66	20	15	1745	DFT	16QAM	Inner_Full	23.21
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	22.60
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	22.63
n66	20	15	1745	DFT	16QAM	Outer_Full	22.30
n66	20	15	1745	DFT	64QAM	Inner_Full	21.78
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.75
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	21.75
n66	20	15	1745	DFT	64QAM	Outer_Full	21.79
n66	20	15	1745	DFT	256QAM	Inner_Full	20.12
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	20.00
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	20.02
n66	20	15	1745	DFT	256QAM	Outer_Full	19.96
n66	20	15	1745	CP	QPSK	Inner_Full	23.05
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	21.45
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	21.44
n66	20	15	1745	CP	QPSK	Outer_Full	21.37
n66	20	15	1745	CP	16QAM	Inner_Full	22.38
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	21.54
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	21.59
n66	20	15	1745	CP	16QAM	Outer_Full	21.29
n66	20	15	1745	CP	64QAM	Inner_Full	20.98
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	20.86
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.93
n66	20	15	1745	CP	64QAM	Outer_Full	20.94
n66	20	15	1745	CP	256QAM	Inner_Full	17.93
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	18.10
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	18.11
n66	20	15	1745	CP	256QAM	Outer_Full	17.94
n66	20	15	1770	DFT	$\pi/2$ BPSK	Inner_Full	24.52
n66	20	15	1770	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.92
n66	20	15	1770	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.92
n66	20	15	1770	DFT	$\pi/2$ BPSK	Outer_Full	23.74
n66	20	15	1770	DFT	QPSK	Inner_Full	24.28
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	23.15
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	23.23
n66	20	15	1770	DFT	QPSK	Outer_Full	23.21
n66	20	15	1770	DFT	16QAM	Inner_Full	23.14

n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	22.46
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	22.41
n66	20	15	1770	DFT	16QAM	Outer_Full	22.14
n66	20	15	1770	DFT	64QAM	Inner_Full	21.71
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	21.58
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	21.70
n66	20	15	1770	DFT	64QAM	Outer_Full	21.67
n66	20	15	1770	DFT	256QAM	Inner_Full	20.00
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	19.97
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	19.89
n66	20	15	1770	DFT	256QAM	Outer_Full	19.94
n66	20	15	1770	CP	QPSK	Inner_Full	22.90
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	21.39
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	21.31
n66	20	15	1770	CP	QPSK	Outer_Full	21.26
n66	20	15	1770	CP	16QAM	Inner_Full	22.24
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	21.46
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	21.58
n66	20	15	1770	CP	16QAM	Outer_Full	21.26
n66	20	15	1770	CP	64QAM	Inner_Full	20.84
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	20.80
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	20.79
n66	20	15	1770	CP	64QAM	Outer_Full	20.84
n66	20	15	1770	CP	256QAM	Inner_Full	17.81
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	18.01
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	18.06
n66	20	15	1770	CP	256QAM	Outer_Full	17.86
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	24.63
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	23.83
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	23.98
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	24.01
n66	30	15	1725	DFT	QPSK	Inner_Full	24.41
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	23.12
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	23.37
n66	30	15	1725	DFT	QPSK	Outer_Full	23.30
n66	30	15	1725	DFT	16QAM	Inner_Full	23.33
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	22.40

n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	22.54
n66	30	15	1725	DFT	16QAM	Outer_Full	22.25
n66	30	15	1725	DFT	64QAM	Inner_Full	21.83
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	21.48
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	21.67
n66	30	15	1725	DFT	64QAM	Outer_Full	21.87
n66	30	15	1725	DFT	256QAM	Inner_Full	20.14
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	19.84
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	20.04
n66	30	15	1725	DFT	256QAM	Outer_Full	20.07
n66	30	15	1725	CP	QPSK	Inner_Full	23.07
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	21.23
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	21.42
n66	30	15	1725	CP	QPSK	Outer_Full	21.42
n66	30	15	1725	CP	16QAM	Inner_Full	22.37
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	21.37
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	21.63
n66	30	15	1725	CP	16QAM	Outer_Full	21.31
n66	30	15	1725	CP	64QAM	Inner_Full	21.03
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	20.72
n66	30	15	1725	CP	64QAM	Edge_1RB_Right	20.98
n66	30	15	1725	CP	64QAM	Outer_Full	21.00
n66	30	15	1725	CP	256QAM	Inner_Full	17.95
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	17.90
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	18.23
n66	30	15	1725	CP	256QAM	Outer_Full	18.01
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	24.66
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.95
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.98
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	23.90
n66	30	15	1745	DFT	QPSK	Inner_Full	24.43
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	23.29
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	23.33
n66	30	15	1745	DFT	QPSK	Outer_Full	23.33
n66	30	15	1745	DFT	16QAM	Inner_Full	23.36
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	22.51
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	22.58

n66	30	15	1745	DFT	16QAM	Outer_Full	22.28
n66	30	15	1745	DFT	64QAM	Inner_Full	21.85
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	21.65
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	21.69
n66	30	15	1745	DFT	64QAM	Outer_Full	21.83
n66	30	15	1745	DFT	256QAM	Inner_Full	20.16
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	20.00
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	19.97
n66	30	15	1745	DFT	256QAM	Outer_Full	20.04
n66	30	15	1745	CP	QPSK	Inner_Full	23.05
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	21.40
n66	30	15	1745	CP	QPSK	Edge_1RB_Right	21.47
n66	30	15	1745	CP	QPSK	Outer_Full	21.36
n66	30	15	1745	CP	16QAM	Inner_Full	22.37
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	21.55
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	21.64
n66	30	15	1745	CP	16QAM	Outer_Full	21.26
n66	30	15	1745	CP	64QAM	Inner_Full	21.04
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	20.94
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	20.93
n66	30	15	1745	CP	64QAM	Outer_Full	20.90
n66	30	15	1745	CP	256QAM	Inner_Full	17.97
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	18.07
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	18.15
n66	30	15	1745	CP	256QAM	Outer_Full	18.00
n66	30	15	1765	DFT	$\pi/2$ BPSK	Inner_Full	24.56
n66	30	15	1765	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.75
n66	30	15	1765	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.86
n66	30	15	1765	DFT	$\pi/2$ BPSK	Outer_Full	23.86
n66	30	15	1765	DFT	QPSK	Inner_Full	24.38
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	23.15
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	23.22
n66	30	15	1765	DFT	QPSK	Outer_Full	23.26
n66	30	15	1765	DFT	16QAM	Inner_Full	23.28
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	22.38
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	22.44
n66	30	15	1765	DFT	16QAM	Outer_Full	22.30

n66	30	15	1765	DFT	64QAM	Inner_Full	21.78
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	21.52
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	21.63
n66	30	15	1765	DFT	64QAM	Outer_Full	21.83
n66	30	15	1765	DFT	256QAM	Inner_Full	20.15
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	19.89
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	19.84
n66	30	15	1765	DFT	256QAM	Outer_Full	19.98
n66	30	15	1765	CP	QPSK	Inner_Full	22.92
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	21.33
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	21.38
n66	30	15	1765	CP	QPSK	Outer_Full	21.32
n66	30	15	1765	CP	16QAM	Inner_Full	22.32
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	21.36
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	21.53
n66	30	15	1765	CP	16QAM	Outer_Full	21.32
n66	30	15	1765	CP	64QAM	Inner_Full	20.88
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	20.72
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	20.76
n66	30	15	1765	CP	64QAM	Outer_Full	20.90
n66	30	15	1765	CP	256QAM	Inner_Full	17.92
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	17.93
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	18.04
n66	30	15	1765	CP	256QAM	Outer_Full	17.93
n66	40	15	1730	DFT	$\pi/2$ BPSK	Inner_Full	24.60
n66	40	15	1730	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.78
n66	40	15	1730	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.73
n66	40	15	1730	DFT	$\pi/2$ BPSK	Outer_Full	23.85
n66	40	15	1730	DFT	QPSK	Inner_Full	24.34
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	23.01
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	23.17
n66	40	15	1730	DFT	QPSK	Outer_Full	23.23
n66	40	15	1730	DFT	16QAM	Inner_Full	23.27
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	22.29
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	22.41
n66	40	15	1730	DFT	16QAM	Outer_Full	22.26
n66	40	15	1730	DFT	64QAM	Inner_Full	21.67

n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	21.35
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	21.50
n66	40	15	1730	DFT	64QAM	Outer_Full	21.72
n66	40	15	1730	DFT	256QAM	Inner_Full	20.13
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	19.79
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	19.94
n66	40	15	1730	DFT	256QAM	Outer_Full	20.06
n66	40	15	1730	CP	QPSK	Inner_Full	23.02
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	21.16
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	21.29
n66	40	15	1730	CP	QPSK	Outer_Full	21.31
n66	40	15	1730	CP	16QAM	Inner_Full	22.33
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	21.28
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	21.49
n66	40	15	1730	CP	16QAM	Outer_Full	21.25
n66	40	15	1730	CP	64QAM	Inner_Full	21.10
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	20.61
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	20.80
n66	40	15	1730	CP	64QAM	Outer_Full	20.95
n66	40	15	1730	CP	256QAM	Inner_Full	17.98
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	17.84
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	18.09
n66	40	15	1730	CP	256QAM	Outer_Full	18.01
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	24.57
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.84
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.86
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	23.86
n66	40	15	1745	DFT	QPSK	Inner_Full	24.40
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	23.07
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	23.31
n66	40	15	1745	DFT	QPSK	Outer_Full	23.29
n66	40	15	1745	DFT	16QAM	Inner_Full	23.34
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	22.38
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	22.55
n66	40	15	1745	DFT	16QAM	Outer_Full	22.26
n66	40	15	1745	DFT	64QAM	Inner_Full	21.86
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	21.54

n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	21.71
n66	40	15	1745	DFT	64QAM	Outer_Full	21.77
n66	40	15	1745	DFT	256QAM	Inner_Full	20.15
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	19.83
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	19.87
n66	40	15	1745	DFT	256QAM	Outer_Full	20.02
n66	40	15	1745	CP	QPSK	Inner_Full	23.02
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	21.26
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	21.35
n66	40	15	1745	CP	QPSK	Outer_Full	21.38
n66	40	15	1745	CP	16QAM	Inner_Full	22.39
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	21.42
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	21.57
n66	40	15	1745	CP	16QAM	Outer_Full	21.35
n66	40	15	1745	CP	64QAM	Inner_Full	20.99
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	20.71
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	20.79
n66	40	15	1745	CP	64QAM	Outer_Full	20.93
n66	40	15	1745	CP	256QAM	Inner_Full	18.00
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	17.88
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	18.05
n66	40	15	1745	CP	256QAM	Outer_Full	18.01
n66	40	15	1760	DFT	$\pi/2$ BPSK	Inner_Full	24.55
n66	40	15	1760	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.82
n66	40	15	1760	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.86
n66	40	15	1760	DFT	$\pi/2$ BPSK	Outer_Full	23.76
n66	40	15	1760	DFT	QPSK	Inner_Full	24.31
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	23.10
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	23.18
n66	40	15	1760	DFT	QPSK	Outer_Full	23.23
n66	40	15	1760	DFT	16QAM	Inner_Full	23.25
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	22.40
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	22.44
n66	40	15	1760	DFT	16QAM	Outer_Full	22.15
n66	40	15	1760	DFT	64QAM	Inner_Full	21.74
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	21.54
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	21.58

n66	40	15	1760	DFT	64QAM	Outer_Full	21.74
n66	40	15	1760	DFT	256QAM	Inner_Full	20.13
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	19.93
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	19.82
n66	40	15	1760	DFT	256QAM	Outer_Full	19.94
n66	40	15	1760	CP	QPSK	Inner_Full	23.00
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	21.25
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	21.24
n66	40	15	1760	CP	QPSK	Outer_Full	21.33
n66	40	15	1760	CP	16QAM	Inner_Full	22.30
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	21.39
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	21.51
n66	40	15	1760	CP	16QAM	Outer_Full	21.25
n66	40	15	1760	CP	64QAM	Inner_Full	20.92
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	20.79
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	20.73
n66	40	15	1760	CP	64QAM	Outer_Full	20.89
n66	40	15	1760	CP	256QAM	Inner_Full	17.87
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	17.96
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	17.89
n66	40	15	1760	CP	256QAM	Outer_Full	17.93

Note: Expanded measurement uncertainty is $U = 0.90\text{dB}$, $k = 1.96$

A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

Rule Part 24.232(b) specifies, "Mobile/portable stations are limited to 2 watts e.i.r.p. Peak power" and 24.232(c) specifies that "Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage." Rule Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts."

Rule Part 27.50(d) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP".

Rule Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

Rule Part 90.542 specifies "Portable stations (hand-held devices) transmitting in the 758-768 MHz band and the 788-798 MHz band are limited to 3 watts ERP."

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = \text{PMea} + \text{GT}$$

Where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as PMea, e.g., dBm or dBW)

PMea measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

A.1.3.3 Measurement result

n2

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.97	20.37	21.77
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	19.86	21.26
n2	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.44	19.84	21.24
n2	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.51	19.91	21.31
n2	5	15	1852.5	DFT	QPSK	Inner_Full	23.04	20.44	21.84
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	21.91	19.31	20.71
n2	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	21.94	19.34	20.74
n2	5	15	1852.5	DFT	QPSK	Outer_Full	21.65	19.05	20.45
n2	5	15	1852.5	DFT	16QAM	Inner_Full	21.97	19.37	20.77
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.29	18.69	20.09
n2	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.36	18.76	20.16
n2	5	15	1852.5	DFT	16QAM	Outer_Full	20.65	18.05	19.45
n2	5	15	1852.5	DFT	64QAM	Inner_Full	20.59	17.99	19.39
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.42	17.82	19.22
n2	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.50	17.90	19.30
n2	5	15	1852.5	DFT	64QAM	Outer_Full	20.63	18.03	19.43
n2	5	15	1852.5	DFT	256QAM	Inner_Full	18.62	16.02	17.42
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.46	15.86	17.26
n2	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.50	15.90	17.30
n2	5	15	1852.5	DFT	256QAM	Outer_Full	18.56	15.96	17.36
n2	5	15	1852.5	CP	QPSK	Inner_Full	21.05	18.45	19.85
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Left	19.99	17.39	18.79
n2	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.03	17.43	18.83
n2	5	15	1852.5	CP	QPSK	Outer_Full	19.07	16.47	17.87
n2	5	15	1852.5	CP	16QAM	Inner_Full	20.69	18.09	19.49
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.26	17.66	19.06
n2	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.32	17.72	19.12
n2	5	15	1852.5	CP	16QAM	Outer_Full	19.16	16.56	17.96

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	5	15	1852.5	CP	64QAM	Inner_Full	19.53	16.93	18.33
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.39	16.79	18.19
n2	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.48	16.88	18.28
n2	5	15	1852.5	CP	64QAM	Outer_Full	18.59	15.99	17.39
n2	5	15	1852.5	CP	256QAM	Inner_Full	16.62	14.02	15.42
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.61	14.01	15.41
n2	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.70	14.10	15.50
n2	5	15	1852.5	CP	256QAM	Outer_Full	16.05	13.45	14.85
n2	5	15	1880	DFT	pi/2 BPSK	Inner_Full	22.99	20.39	21.79
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.43	19.83	21.23
n2	5	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.49	19.89	21.29
n2	5	15	1880	DFT	pi/2 BPSK	Outer_Full	22.50	19.90	21.30
n2	5	15	1880	DFT	QPSK	Inner_Full	22.99	20.39	21.79
n2	5	15	1880	DFT	QPSK	Edge_1RB_Left	21.95	19.35	20.75
n2	5	15	1880	DFT	QPSK	Edge_1RB_Right	21.95	19.35	20.75
n2	5	15	1880	DFT	QPSK	Outer_Full	21.67	19.07	20.47
n2	5	15	1880	DFT	16QAM	Inner_Full	22.01	19.41	20.81
n2	5	15	1880	DFT	16QAM	Edge_1RB_Left	21.36	18.76	20.16
n2	5	15	1880	DFT	16QAM	Edge_1RB_Right	21.35	18.75	20.15
n2	5	15	1880	DFT	16QAM	Outer_Full	20.67	18.07	19.47
n2	5	15	1880	DFT	64QAM	Inner_Full	20.58	17.98	19.38
n2	5	15	1880	DFT	64QAM	Edge_1RB_Left	20.49	17.89	19.29
n2	5	15	1880	DFT	64QAM	Edge_1RB_Right	20.51	17.91	19.31
n2	5	15	1880	DFT	64QAM	Outer_Full	20.66	18.06	19.46
n2	5	15	1880	DFT	256QAM	Inner_Full	18.63	16.03	17.43
n2	5	15	1880	DFT	256QAM	Edge_1RB_Left	18.63	16.03	17.43
n2	5	15	1880	DFT	256QAM	Edge_1RB_Right	18.62	16.02	17.42
n2	5	15	1880	DFT	256QAM	Outer_Full	18.58	15.98	17.38
n2	5	15	1880	CP	QPSK	Inner_Full	21.10	18.50	19.90
n2	5	15	1880	CP	QPSK	Edge_1RB_Left	20.06	17.46	18.86

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	5	15	1880	CP	QPSK	Edge_1RB_Right	20.08	17.48	18.88
n2	5	15	1880	CP	QPSK	Outer_Full	19.12	16.52	17.92
n2	5	15	1880	CP	16QAM	Inner_Full	20.72	18.12	19.52
n2	5	15	1880	CP	16QAM	Edge_1RB_Left	20.32	17.72	19.12
n2	5	15	1880	CP	16QAM	Edge_1RB_Right	20.33	17.73	19.13
n2	5	15	1880	CP	16QAM	Outer_Full	19.18	16.58	17.98
n2	5	15	1880	CP	64QAM	Inner_Full	19.55	16.95	18.35
n2	5	15	1880	CP	64QAM	Edge_1RB_Left	19.47	16.87	18.27
n2	5	15	1880	CP	64QAM	Edge_1RB_Right	19.50	16.90	18.30
n2	5	15	1880	CP	64QAM	Outer_Full	18.67	16.07	17.47
n2	5	15	1880	CP	256QAM	Inner_Full	16.59	13.99	15.39
n2	5	15	1880	CP	256QAM	Edge_1RB_Left	16.69	14.09	15.49
n2	5	15	1880	CP	256QAM	Edge_1RB_Right	16.70	14.10	15.50
n2	5	15	1880	CP	256QAM	Outer_Full	16.06	13.46	14.86
n2	5	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.01	20.41	21.81
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.41	19.81	21.21
n2	5	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	19.82	21.22
n2	5	15	1907.5	DFT	pi/2 BPSK	Outer_Full	22.49	19.89	21.29
n2	5	15	1907.5	DFT	QPSK	Inner_Full	22.94	20.34	21.74
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Left	21.94	19.34	20.74
n2	5	15	1907.5	DFT	QPSK	Edge_1RB_Right	21.98	19.38	20.78
n2	5	15	1907.5	DFT	QPSK	Outer_Full	21.70	19.10	20.50
n2	5	15	1907.5	DFT	16QAM	Inner_Full	21.99	19.39	20.79
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.46	18.86	20.26
n2	5	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.46	18.86	20.26
n2	5	15	1907.5	DFT	16QAM	Outer_Full	20.74	18.14	19.54
n2	5	15	1907.5	DFT	64QAM	Inner_Full	20.70	18.10	19.50
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.51	17.91	19.31
n2	5	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.55	17.95	19.35
n2	5	15	1907.5	DFT	64QAM	Outer_Full	20.74	18.14	19.54

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	5	15	1907.5	DFT	256QAM	Inner_Full	18.75	16.15	17.55
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.63	16.03	17.43
n2	5	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.64	16.04	17.44
n2	5	15	1907.5	DFT	256QAM	Outer_Full	18.63	16.03	17.43
n2	5	15	1907.5	CP	QPSK	Inner_Full	21.12	18.52	19.92
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Left	20.14	17.54	18.94
n2	5	15	1907.5	CP	QPSK	Edge_1RB_Right	20.11	17.51	18.91
n2	5	15	1907.5	CP	QPSK	Outer_Full	19.18	16.58	17.98
n2	5	15	1907.5	CP	16QAM	Inner_Full	20.72	18.12	19.52
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Left	20.30	17.70	19.10
n2	5	15	1907.5	CP	16QAM	Edge_1RB_Right	20.29	17.69	19.09
n2	5	15	1907.5	CP	16QAM	Outer_Full	19.23	16.63	18.03
n2	5	15	1907.5	CP	64QAM	Inner_Full	19.65	17.05	18.45
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Left	19.46	16.86	18.26
n2	5	15	1907.5	CP	64QAM	Edge_1RB_Right	19.46	16.86	18.26
n2	5	15	1907.5	CP	64QAM	Outer_Full	18.72	16.12	17.52
n2	5	15	1907.5	CP	256QAM	Inner_Full	16.65	14.05	15.45
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Left	16.73	14.13	15.53
n2	5	15	1907.5	CP	256QAM	Edge_1RB_Right	16.72	14.12	15.52
n2	5	15	1907.5	CP	256QAM	Outer_Full	16.12	13.52	14.92
n2	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.96	20.36	21.76
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	19.94	21.34
n2	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	19.94	21.34
n2	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.53	19.93	21.33
n2	10	15	1855	DFT	QPSK	Inner_Full	22.99	20.39	21.79
n2	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.97	19.37	20.77
n2	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.04	19.44	20.84
n2	10	15	1855	DFT	QPSK	Outer_Full	21.67	19.07	20.47
n2	10	15	1855	DFT	16QAM	Inner_Full	22.06	19.46	20.86
n2	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.44	18.84	20.24

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.43	18.83	20.23
n2	10	15	1855	DFT	16QAM	Outer_Full	20.61	18.01	19.41
n2	10	15	1855	DFT	64QAM	Inner_Full	20.66	18.06	19.46
n2	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.56	17.96	19.36
n2	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.61	18.01	19.41
n2	10	15	1855	DFT	64QAM	Outer_Full	20.64	18.04	19.44
n2	10	15	1855	DFT	256QAM	Inner_Full	18.58	15.98	17.38
n2	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.58	15.98	17.38
n2	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.60	16.00	17.40
n2	10	15	1855	DFT	256QAM	Outer_Full	18.59	15.99	17.39
n2	10	15	1855	CP	QPSK	Inner_Full	21.11	18.51	19.91
n2	10	15	1855	CP	QPSK	Edge_1RB_Left	20.11	17.51	18.91
n2	10	15	1855	CP	QPSK	Edge_1RB_Right	20.15	17.55	18.95
n2	10	15	1855	CP	QPSK	Outer_Full	19.12	16.52	17.92
n2	10	15	1855	CP	16QAM	Inner_Full	20.65	18.05	19.45
n2	10	15	1855	CP	16QAM	Edge_1RB_Left	20.41	17.81	19.21
n2	10	15	1855	CP	16QAM	Edge_1RB_Right	20.39	17.79	19.19
n2	10	15	1855	CP	16QAM	Outer_Full	19.16	16.56	17.96
n2	10	15	1855	CP	64QAM	Inner_Full	19.62	17.02	18.42
n2	10	15	1855	CP	64QAM	Edge_1RB_Left	19.52	16.92	18.32
n2	10	15	1855	CP	64QAM	Edge_1RB_Right	19.54	16.94	18.34
n2	10	15	1855	CP	64QAM	Outer_Full	18.61	16.01	17.41
n2	10	15	1855	CP	256QAM	Inner_Full	16.56	13.96	15.36
n2	10	15	1855	CP	256QAM	Edge_1RB_Left	16.75	14.15	15.55
n2	10	15	1855	CP	256QAM	Edge_1RB_Right	16.75	14.15	15.55
n2	10	15	1855	CP	256QAM	Outer_Full	16.11	13.51	14.91
n2	10	15	1880	DFT	pi/2 BPSK	Inner_Full	22.98	20.38	21.78
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.58	19.98	21.38
n2	10	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.57	19.97	21.37
n2	10	15	1880	DFT	pi/2 BPSK	Outer_Full	22.49	19.89	21.29

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	10	15	1880	DFT	QPSK	Inner_Full	22.99	20.39	21.79
n2	10	15	1880	DFT	QPSK	Edge_1RB_Left	22.07	19.47	20.87
n2	10	15	1880	DFT	QPSK	Edge_1RB_Right	22.06	19.46	20.86
n2	10	15	1880	DFT	QPSK	Outer_Full	21.68	19.08	20.48
n2	10	15	1880	DFT	16QAM	Inner_Full	22.10	19.50	20.90
n2	10	15	1880	DFT	16QAM	Edge_1RB_Left	21.49	18.89	20.29
n2	10	15	1880	DFT	16QAM	Edge_1RB_Right	21.52	18.92	20.32
n2	10	15	1880	DFT	16QAM	Outer_Full	20.62	18.02	19.42
n2	10	15	1880	DFT	64QAM	Inner_Full	20.68	18.08	19.48
n2	10	15	1880	DFT	64QAM	Edge_1RB_Left	20.60	18.00	19.40
n2	10	15	1880	DFT	64QAM	Edge_1RB_Right	20.65	18.05	19.45
n2	10	15	1880	DFT	64QAM	Outer_Full	20.65	18.05	19.45
n2	10	15	1880	DFT	256QAM	Inner_Full	18.60	16.00	17.40
n2	10	15	1880	DFT	256QAM	Edge_1RB_Left	18.70	16.10	17.50
n2	10	15	1880	DFT	256QAM	Edge_1RB_Right	18.73	16.13	17.53
n2	10	15	1880	DFT	256QAM	Outer_Full	18.61	16.01	17.41
n2	10	15	1880	CP	QPSK	Inner_Full	21.11	18.51	19.91
n2	10	15	1880	CP	QPSK	Edge_1RB_Left	20.30	17.70	19.10
n2	10	15	1880	CP	QPSK	Edge_1RB_Right	20.19	17.59	18.99
n2	10	15	1880	CP	QPSK	Outer_Full	19.10	16.50	17.90
n2	10	15	1880	CP	16QAM	Inner_Full	20.62	18.02	19.42
n2	10	15	1880	CP	16QAM	Edge_1RB_Left	20.36	17.76	19.16
n2	10	15	1880	CP	16QAM	Edge_1RB_Right	20.37	17.77	19.17
n2	10	15	1880	CP	16QAM	Outer_Full	19.07	16.47	17.87
n2	10	15	1880	CP	64QAM	Inner_Full	19.60	17.00	18.40
n2	10	15	1880	CP	64QAM	Edge_1RB_Left	19.56	16.96	18.36
n2	10	15	1880	CP	64QAM	Edge_1RB_Right	19.53	16.93	18.33
n2	10	15	1880	CP	64QAM	Outer_Full	18.61	16.01	17.41
n2	10	15	1880	CP	256QAM	Inner_Full	16.62	14.02	15.42
n2	10	15	1880	CP	256QAM	Edge_1RB_Left	16.77	14.17	15.57

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	10	15	1880	CP	256QAM	Edge_1RB_Right	16.79	14.19	15.59
n2	10	15	1880	CP	256QAM	Outer_Full	16.08	13.48	14.88
n2	10	15	1905	DFT	pi/2 BPSK	Inner_Full	22.95	20.35	21.75
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	19.89	21.29
n2	10	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	19.91	21.31
n2	10	15	1905	DFT	pi/2 BPSK	Outer_Full	22.49	19.89	21.29
n2	10	15	1905	DFT	QPSK	Inner_Full	22.97	20.37	21.77
n2	10	15	1905	DFT	QPSK	Edge_1RB_Left	22.06	19.46	20.86
n2	10	15	1905	DFT	QPSK	Edge_1RB_Right	22.10	19.50	20.90
n2	10	15	1905	DFT	QPSK	Outer_Full	21.63	19.03	20.43
n2	10	15	1905	DFT	16QAM	Inner_Full	22.04	19.44	20.84
n2	10	15	1905	DFT	16QAM	Edge_1RB_Left	21.42	18.82	20.22
n2	10	15	1905	DFT	16QAM	Edge_1RB_Right	21.60	19.00	20.40
n2	10	15	1905	DFT	16QAM	Outer_Full	20.61	18.01	19.41
n2	10	15	1905	DFT	64QAM	Inner_Full	20.76	18.16	19.56
n2	10	15	1905	DFT	64QAM	Edge_1RB_Left	20.61	18.01	19.41
n2	10	15	1905	DFT	64QAM	Edge_1RB_Right	20.66	18.06	19.46
n2	10	15	1905	DFT	64QAM	Outer_Full	20.65	18.05	19.45
n2	10	15	1905	DFT	256QAM	Inner_Full	18.59	15.99	17.39
n2	10	15	1905	DFT	256QAM	Edge_1RB_Left	18.65	16.05	17.45
n2	10	15	1905	DFT	256QAM	Edge_1RB_Right	18.70	16.10	17.50
n2	10	15	1905	DFT	256QAM	Outer_Full	18.57	15.97	17.37
n2	10	15	1905	CP	QPSK	Inner_Full	21.16	18.56	19.96
n2	10	15	1905	CP	QPSK	Edge_1RB_Left	20.08	17.48	18.88
n2	10	15	1905	CP	QPSK	Edge_1RB_Right	20.16	17.56	18.96
n2	10	15	1905	CP	QPSK	Outer_Full	19.09	16.49	17.89
n2	10	15	1905	CP	16QAM	Inner_Full	20.67	18.07	19.47
n2	10	15	1905	CP	16QAM	Edge_1RB_Left	20.31	17.71	19.11
n2	10	15	1905	CP	16QAM	Edge_1RB_Right	20.29	17.69	19.09
n2	10	15	1905	CP	16QAM	Outer_Full	19.10	16.50	17.90

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	10	15	1905	CP	64QAM	Inner_Full	19.61	17.01	18.41
n2	10	15	1905	CP	64QAM	Edge_1RB_Left	19.51	16.91	18.31
n2	10	15	1905	CP	64QAM	Edge_1RB_Right	19.52	16.92	18.32
n2	10	15	1905	CP	64QAM	Outer_Full	18.63	16.03	17.43
n2	10	15	1905	CP	256QAM	Inner_Full	16.59	13.99	15.39
n2	10	15	1905	CP	256QAM	Edge_1RB_Left	16.75	14.15	15.55
n2	10	15	1905	CP	256QAM	Edge_1RB_Right	16.82	14.22	15.62
n2	10	15	1905	CP	256QAM	Outer_Full	16.11	13.51	14.91
n2	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.04	20.44	21.84
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	19.94	21.34
n2	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	19.98	21.38
n2	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.59	19.99	21.39
n2	15	15	1857.5	DFT	QPSK	Inner_Full	23.02	20.42	21.82
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.09	19.49	20.89
n2	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.05	19.45	20.85
n2	15	15	1857.5	DFT	QPSK	Outer_Full	21.65	19.05	20.45
n2	15	15	1857.5	DFT	16QAM	Inner_Full	22.01	19.41	20.81
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.38	18.78	20.18
n2	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.53	18.93	20.33
n2	15	15	1857.5	DFT	16QAM	Outer_Full	20.64	18.04	19.44
n2	15	15	1857.5	DFT	64QAM	Inner_Full	20.68	18.08	19.48
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.55	17.95	19.35
n2	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.64	18.04	19.44
n2	15	15	1857.5	DFT	64QAM	Outer_Full	20.69	18.09	19.49
n2	15	15	1857.5	DFT	256QAM	Inner_Full	18.62	16.02	17.42
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.53	15.93	17.33
n2	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.69	16.09	17.49
n2	15	15	1857.5	DFT	256QAM	Outer_Full	18.60	16.00	17.40
n2	15	15	1857.5	CP	QPSK	Inner_Full	21.17	18.57	19.97
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.07	17.47	18.87

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.19	17.59	18.99
n2	15	15	1857.5	CP	QPSK	Outer_Full	19.19	16.59	17.99
n2	15	15	1857.5	CP	16QAM	Inner_Full	20.69	18.09	19.49
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.37	17.77	19.17
n2	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.34	17.74	19.14
n2	15	15	1857.5	CP	16QAM	Outer_Full	19.20	16.60	18.00
n2	15	15	1857.5	CP	64QAM	Inner_Full	19.64	17.04	18.44
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.50	16.90	18.30
n2	15	15	1857.5	CP	64QAM	Edge_1RB_Right	19.57	16.97	18.37
n2	15	15	1857.5	CP	64QAM	Outer_Full	18.66	16.06	17.46
n2	15	15	1857.5	CP	256QAM	Inner_Full	16.65	14.05	15.45
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.74	14.14	15.54
n2	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.86	14.26	15.66
n2	15	15	1857.5	CP	256QAM	Outer_Full	16.14	13.54	14.94
n2	15	15	1880	DFT	pi/2 BPSK	Inner_Full	23.00	20.40	21.80
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.60	20.00	21.40
n2	15	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.65	20.05	21.45
n2	15	15	1880	DFT	pi/2 BPSK	Outer_Full	22.57	19.97	21.37
n2	15	15	1880	DFT	QPSK	Inner_Full	23.00	20.40	21.80
n2	15	15	1880	DFT	QPSK	Edge_1RB_Left	22.08	19.48	20.88
n2	15	15	1880	DFT	QPSK	Edge_1RB_Right	22.11	19.51	20.91
n2	15	15	1880	DFT	QPSK	Outer_Full	21.69	19.09	20.49
n2	15	15	1880	DFT	16QAM	Inner_Full	22.07	19.47	20.87
n2	15	15	1880	DFT	16QAM	Edge_1RB_Left	21.58	18.98	20.38
n2	15	15	1880	DFT	16QAM	Edge_1RB_Right	21.54	18.94	20.34
n2	15	15	1880	DFT	16QAM	Outer_Full	20.66	18.06	19.46
n2	15	15	1880	DFT	64QAM	Inner_Full	20.68	18.08	19.48
n2	15	15	1880	DFT	64QAM	Edge_1RB_Left	20.60	18.00	19.40
n2	15	15	1880	DFT	64QAM	Edge_1RB_Right	20.60	18.00	19.40
n2	15	15	1880	DFT	64QAM	Outer_Full	20.70	18.10	19.50

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	15	15	1880	DFT	256QAM	Inner_Full	18.62	16.02	17.42
n2	15	15	1880	DFT	256QAM	Edge_1RB_Left	18.66	16.06	17.46
n2	15	15	1880	DFT	256QAM	Edge_1RB_Right	18.69	16.09	17.49
n2	15	15	1880	DFT	256QAM	Outer_Full	18.64	16.04	17.44
n2	15	15	1880	CP	QPSK	Inner_Full	21.17	18.57	19.97
n2	15	15	1880	CP	QPSK	Edge_1RB_Left	20.15	17.55	18.95
n2	15	15	1880	CP	QPSK	Edge_1RB_Right	20.13	17.53	18.93
n2	15	15	1880	CP	QPSK	Outer_Full	19.18	16.58	17.98
n2	15	15	1880	CP	16QAM	Inner_Full	20.73	18.13	19.53
n2	15	15	1880	CP	16QAM	Edge_1RB_Left	20.36	17.76	19.16
n2	15	15	1880	CP	16QAM	Edge_1RB_Right	20.42	17.82	19.22
n2	15	15	1880	CP	16QAM	Outer_Full	19.21	16.61	18.01
n2	15	15	1880	CP	64QAM	Inner_Full	19.70	17.10	18.50
n2	15	15	1880	CP	64QAM	Edge_1RB_Left	19.54	16.94	18.34
n2	15	15	1880	CP	64QAM	Edge_1RB_Right	19.60	17.00	18.40
n2	15	15	1880	CP	64QAM	Outer_Full	18.70	16.10	17.50
n2	15	15	1880	CP	256QAM	Inner_Full	16.66	14.06	15.46
n2	15	15	1880	CP	256QAM	Edge_1RB_Left	16.81	14.21	15.61
n2	15	15	1880	CP	256QAM	Edge_1RB_Right	16.81	14.21	15.61
n2	15	15	1880	CP	256QAM	Outer_Full	16.15	13.55	14.95
n2	15	15	1902.5	DFT	pi/2 BPSK	Inner_Full	23.02	20.42	21.82
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.57	19.97	21.37
n2	15	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	19.98	21.38
n2	15	15	1902.5	DFT	pi/2 BPSK	Outer_Full	22.54	19.94	21.34
n2	15	15	1902.5	DFT	QPSK	Inner_Full	23.03	20.43	21.83
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.12	19.52	20.92
n2	15	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.22	19.62	21.02
n2	15	15	1902.5	DFT	QPSK	Outer_Full	21.69	19.09	20.49
n2	15	15	1902.5	DFT	16QAM	Inner_Full	22.06	19.46	20.86
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Left	21.56	18.96	20.36

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	15	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.59	18.99	20.39
n2	15	15	1902.5	DFT	16QAM	Outer_Full	20.67	18.07	19.47
n2	15	15	1902.5	DFT	64QAM	Inner_Full	20.73	18.13	19.53
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Left	20.61	18.01	19.41
n2	15	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.64	18.04	19.44
n2	15	15	1902.5	DFT	64QAM	Outer_Full	20.73	18.13	19.53
n2	15	15	1902.5	DFT	256QAM	Inner_Full	18.69	16.09	17.49
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Left	18.68	16.08	17.48
n2	15	15	1902.5	DFT	256QAM	Edge_1RB_Right	18.73	16.13	17.53
n2	15	15	1902.5	DFT	256QAM	Outer_Full	18.67	16.07	17.47
n2	15	15	1902.5	CP	QPSK	Inner_Full	21.23	18.63	20.03
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Left	20.14	17.54	18.94
n2	15	15	1902.5	CP	QPSK	Edge_1RB_Right	20.19	17.59	18.99
n2	15	15	1902.5	CP	QPSK	Outer_Full	19.20	16.60	18.00
n2	15	15	1902.5	CP	16QAM	Inner_Full	20.74	18.14	19.54
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Left	20.36	17.76	19.16
n2	15	15	1902.5	CP	16QAM	Edge_1RB_Right	20.32	17.72	19.12
n2	15	15	1902.5	CP	16QAM	Outer_Full	19.24	16.64	18.04
n2	15	15	1902.5	CP	64QAM	Inner_Full	19.71	17.11	18.51
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Left	19.54	16.94	18.34
n2	15	15	1902.5	CP	64QAM	Edge_1RB_Right	19.58	16.98	18.38
n2	15	15	1902.5	CP	64QAM	Outer_Full	18.71	16.11	17.51
n2	15	15	1902.5	CP	256QAM	Inner_Full	16.69	14.09	15.49
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Left	16.78	14.18	15.58
n2	15	15	1902.5	CP	256QAM	Edge_1RB_Right	16.84	14.24	15.64
n2	15	15	1902.5	CP	256QAM	Outer_Full	16.17	13.57	14.97
n2	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.01	20.41	21.81
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	19.94	21.34
n2	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	19.94	21.34
n2	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.58	19.98	21.38

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	20	15	1860	DFT	QPSK	Inner_Full	23.07	20.47	21.87
n2	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.00	19.40	20.80
n2	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.08	19.48	20.88
n2	20	15	1860	DFT	QPSK	Outer_Full	21.70	19.10	20.50
n2	20	15	1860	DFT	16QAM	Inner_Full	22.00	19.40	20.80
n2	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.41	18.81	20.21
n2	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.54	18.94	20.34
n2	20	15	1860	DFT	16QAM	Outer_Full	20.68	18.08	19.48
n2	20	15	1860	DFT	64QAM	Inner_Full	20.70	18.10	19.50
n2	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.55	17.95	19.35
n2	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.66	18.06	19.46
n2	20	15	1860	DFT	64QAM	Outer_Full	20.69	18.09	19.49
n2	20	15	1860	DFT	256QAM	Inner_Full	18.65	16.05	17.45
n2	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.55	15.95	17.35
n2	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.71	16.11	17.51
n2	20	15	1860	DFT	256QAM	Outer_Full	18.66	16.06	17.46
n2	20	15	1860	CP	QPSK	Inner_Full	21.13	18.53	19.93
n2	20	15	1860	CP	QPSK	Edge_1RB_Left	20.07	17.47	18.87
n2	20	15	1860	CP	QPSK	Edge_1RB_Right	20.19	17.59	18.99
n2	20	15	1860	CP	QPSK	Outer_Full	19.16	16.56	17.96
n2	20	15	1860	CP	16QAM	Inner_Full	20.68	18.08	19.48
n2	20	15	1860	CP	16QAM	Edge_1RB_Left	20.32	17.72	19.12
n2	20	15	1860	CP	16QAM	Edge_1RB_Right	20.37	17.77	19.17
n2	20	15	1860	CP	16QAM	Outer_Full	19.20	16.60	18.00
n2	20	15	1860	CP	64QAM	Inner_Full	19.69	17.09	18.49
n2	20	15	1860	CP	64QAM	Edge_1RB_Left	19.49	16.89	18.29
n2	20	15	1860	CP	64QAM	Edge_1RB_Right	19.56	16.96	18.36
n2	20	15	1860	CP	64QAM	Outer_Full	18.69	16.09	17.49
n2	20	15	1860	CP	256QAM	Inner_Full	16.65	14.05	15.45
n2	20	15	1860	CP	256QAM	Edge_1RB_Left	16.72	14.12	15.52

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	20	15	1860	CP	256QAM	Edge_1RB_Right	16.88	14.28	15.68
n2	20	15	1860	CP	256QAM	Outer_Full	16.21	13.61	15.01
n2	20	15	1880	DFT	pi/2 BPSK	Inner_Full	23.03	20.43	21.83
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Left	22.60	20.00	21.40
n2	20	15	1880	DFT	pi/2 BPSK	Edge_1RB_Right	22.63	20.03	21.43
n2	20	15	1880	DFT	pi/2 BPSK	Outer_Full	22.57	19.97	21.37
n2	20	15	1880	DFT	QPSK	Inner_Full	23.08	20.48	21.88
n2	20	15	1880	DFT	QPSK	Edge_1RB_Left	22.08	19.48	20.88
n2	20	15	1880	DFT	QPSK	Edge_1RB_Right	22.14	19.54	20.94
n2	20	15	1880	DFT	QPSK	Outer_Full	21.73	19.13	20.53
n2	20	15	1880	DFT	16QAM	Inner_Full	22.04	19.44	20.84
n2	20	15	1880	DFT	16QAM	Edge_1RB_Left	21.54	18.94	20.34
n2	20	15	1880	DFT	16QAM	Edge_1RB_Right	21.57	18.97	20.37
n2	20	15	1880	DFT	16QAM	Outer_Full	20.68	18.08	19.48
n2	20	15	1880	DFT	64QAM	Inner_Full	20.70	18.10	19.50
n2	20	15	1880	DFT	64QAM	Edge_1RB_Left	20.66	18.06	19.46
n2	20	15	1880	DFT	64QAM	Edge_1RB_Right	20.72	18.12	19.52
n2	20	15	1880	DFT	64QAM	Outer_Full	20.70	18.10	19.50
n2	20	15	1880	DFT	256QAM	Inner_Full	18.65	16.05	17.45
n2	20	15	1880	DFT	256QAM	Edge_1RB_Left	18.75	16.15	17.55
n2	20	15	1880	DFT	256QAM	Edge_1RB_Right	18.73	16.13	17.53
n2	20	15	1880	DFT	256QAM	Outer_Full	18.71	16.11	17.51
n2	20	15	1880	CP	QPSK	Inner_Full	21.15	18.55	19.95
n2	20	15	1880	CP	QPSK	Edge_1RB_Left	20.16	17.56	18.96
n2	20	15	1880	CP	QPSK	Edge_1RB_Right	20.25	17.65	19.05
n2	20	15	1880	CP	QPSK	Outer_Full	19.15	16.55	17.95
n2	20	15	1880	CP	16QAM	Inner_Full	20.72	18.12	19.52
n2	20	15	1880	CP	16QAM	Edge_1RB_Left	20.40	17.80	19.20
n2	20	15	1880	CP	16QAM	Edge_1RB_Right	20.43	17.83	19.23
n2	20	15	1880	CP	16QAM	Outer_Full	19.18	16.58	17.98

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	20	15	1880	CP	64QAM	Inner_Full	19.69	17.09	18.49
n2	20	15	1880	CP	64QAM	Edge_1RB_Left	19.57	16.97	18.37
n2	20	15	1880	CP	64QAM	Edge_1RB_Right	19.64	17.04	18.44
n2	20	15	1880	CP	64QAM	Outer_Full	18.69	16.09	17.49
n2	20	15	1880	CP	256QAM	Inner_Full	16.69	14.09	15.49
n2	20	15	1880	CP	256QAM	Edge_1RB_Left	16.80	14.20	15.60
n2	20	15	1880	CP	256QAM	Edge_1RB_Right	16.91	14.31	15.71
n2	20	15	1880	CP	256QAM	Outer_Full	16.19	13.59	14.99
n2	20	15	1900	DFT	pi/2 BPSK	Inner_Full	23.06	20.46	21.86
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.61	20.01	21.41
n2	20	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	22.61	20.01	21.41
n2	20	15	1900	DFT	pi/2 BPSK	Outer_Full	22.58	19.98	21.38
n2	20	15	1900	DFT	QPSK	Inner_Full	23.09	20.49	21.89
n2	20	15	1900	DFT	QPSK	Edge_1RB_Left	22.13	19.53	20.93
n2	20	15	1900	DFT	QPSK	Edge_1RB_Right	22.15	19.55	20.95
n2	20	15	1900	DFT	QPSK	Outer_Full	21.79	19.19	20.59
n2	20	15	1900	DFT	16QAM	Inner_Full	22.05	19.45	20.85
n2	20	15	1900	DFT	16QAM	Edge_1RB_Left	21.55	18.95	20.35
n2	20	15	1900	DFT	16QAM	Edge_1RB_Right	21.55	18.95	20.35
n2	20	15	1900	DFT	16QAM	Outer_Full	20.77	18.17	19.57
n2	20	15	1900	DFT	64QAM	Inner_Full	20.76	18.16	19.56
n2	20	15	1900	DFT	64QAM	Edge_1RB_Left	20.69	18.09	19.49
n2	20	15	1900	DFT	64QAM	Edge_1RB_Right	20.69	18.09	19.49
n2	20	15	1900	DFT	64QAM	Outer_Full	20.79	18.19	19.59
n2	20	15	1900	DFT	256QAM	Inner_Full	18.71	16.11	17.51
n2	20	15	1900	DFT	256QAM	Edge_1RB_Left	18.73	16.13	17.53
n2	20	15	1900	DFT	256QAM	Edge_1RB_Right	18.78	16.18	17.58
n2	20	15	1900	DFT	256QAM	Outer_Full	18.74	16.14	17.54
n2	20	15	1900	CP	QPSK	Inner_Full	21.18	18.58	19.98
n2	20	15	1900	CP	QPSK	Edge_1RB_Left	20.21	17.61	19.01

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n2	20	15	1900	CP	QPSK	Edge_1RB_Right	20.24	17.64	19.04
n2	20	15	1900	CP	QPSK	Outer_Full	19.19	16.59	17.99
n2	20	15	1900	CP	16QAM	Inner_Full	20.73	18.13	19.53
n2	20	15	1900	CP	16QAM	Edge_1RB_Left	20.39	17.79	19.19
n2	20	15	1900	CP	16QAM	Edge_1RB_Right	20.37	17.77	19.17
n2	20	15	1900	CP	16QAM	Outer_Full	19.24	16.64	18.04
n2	20	15	1900	CP	64QAM	Inner_Full	19.72	17.12	18.52
n2	20	15	1900	CP	64QAM	Edge_1RB_Left	19.58	16.98	18.38
n2	20	15	1900	CP	64QAM	Edge_1RB_Right	19.58	16.98	18.38
n2	20	15	1900	CP	64QAM	Outer_Full	18.74	16.14	17.54
n2	20	15	1900	CP	256QAM	Inner_Full	16.68	14.08	15.48
n2	20	15	1900	CP	256QAM	Edge_1RB_Left	16.88	14.28	15.68
n2	20	15	1900	CP	256QAM	Edge_1RB_Right	16.94	14.34	15.74
n2	20	15	1900	CP	256QAM	Outer_Full	16.20	13.60	15.00

n5

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.64	16.41	20.54
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.87	15.64	19.77
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.94	15.71	19.84
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.87	15.64	19.77
n5	5	15	826.5	DFT	QPSK	Inner_Full	24.37	16.14	20.27
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.20	14.97	19.10
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.34	15.11	19.24
n5	5	15	826.5	DFT	QPSK	Outer_Full	23.29	15.06	19.19
n5	5	15	826.5	DFT	16QAM	Inner_Full	23.29	15.06	19.19
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.36	14.13	18.26
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.58	14.35	18.48
n5	5	15	826.5	DFT	16QAM	Outer_Full	22.32	14.09	18.22
n5	5	15	826.5	DFT	64QAM	Inner_Full	21.68	13.45	17.58

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.53	13.30	17.43
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.68	13.45	17.58
n5	5	15	826.5	DFT	64QAM	Outer_Full	21.84	13.61	17.74
n5	5	15	826.5	DFT	256QAM	Inner_Full	20.35	12.12	16.25
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	20.08	11.85	15.98
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	20.11	11.88	16.01
n5	5	15	826.5	DFT	256QAM	Outer_Full	20.19	11.96	16.09
n5	5	15	826.5	CP	QPSK	Inner_Full	22.90	14.67	18.80
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	21.36	13.13	17.26
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	21.38	13.15	17.28
n5	5	15	826.5	CP	QPSK	Outer_Full	21.35	13.12	17.25
n5	5	15	826.5	CP	16QAM	Inner_Full	22.44	14.21	18.34
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.47	13.24	17.37
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.51	13.28	17.41
n5	5	15	826.5	CP	16QAM	Outer_Full	21.40	13.17	17.30
n5	5	15	826.5	CP	64QAM	Inner_Full	20.74	12.51	16.64
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.55	12.32	16.45
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.69	12.46	16.59
n5	5	15	826.5	CP	64QAM	Outer_Full	20.81	12.58	16.71
n5	5	15	826.5	CP	256QAM	Inner_Full	18.22	9.99	14.12
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	18.23	10.00	14.13
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	18.24	10.01	14.14
n5	5	15	826.5	CP	256QAM	Outer_Full	18.23	10.00	14.13
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.72	16.49	20.62
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.04	15.81	19.94
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.12	15.89	20.02
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.99	15.76	19.89
n5	5	15	836.5	DFT	QPSK	Inner_Full	24.44	16.21	20.34
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.35	15.12	19.25
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.36	15.13	19.26

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	836.5	DFT	QPSK	Outer_Full	23.33	15.10	19.23
n5	5	15	836.5	DFT	16QAM	Inner_Full	23.35	15.12	19.25
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.50	14.27	18.40
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.61	14.38	18.51
n5	5	15	836.5	DFT	16QAM	Outer_Full	22.37	14.14	18.27
n5	5	15	836.5	DFT	64QAM	Inner_Full	21.77	13.54	17.67
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.63	13.40	17.53
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.71	13.48	17.61
n5	5	15	836.5	DFT	64QAM	Outer_Full	21.85	13.62	17.75
n5	5	15	836.5	DFT	256QAM	Inner_Full	20.24	12.01	16.14
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	20.19	11.96	16.09
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	20.09	11.86	15.99
n5	5	15	836.5	DFT	256QAM	Outer_Full	20.20	11.97	16.10
n5	5	15	836.5	CP	QPSK	Inner_Full	23.05	14.82	18.95
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.35	13.12	17.25
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	21.44	13.21	17.34
n5	5	15	836.5	CP	QPSK	Outer_Full	21.38	13.15	17.28
n5	5	15	836.5	CP	16QAM	Inner_Full	22.51	14.28	18.41
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.47	13.24	17.37
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.61	13.38	17.51
n5	5	15	836.5	CP	16QAM	Outer_Full	21.47	13.24	17.37
n5	5	15	836.5	CP	64QAM	Inner_Full	20.82	12.59	16.72
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.65	12.42	16.55
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.71	12.48	16.61
n5	5	15	836.5	CP	64QAM	Outer_Full	20.86	12.63	16.76
n5	5	15	836.5	CP	256QAM	Inner_Full	18.20	9.97	14.10
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	18.25	10.02	14.15
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	18.27	10.04	14.17
n5	5	15	836.5	CP	256QAM	Outer_Full	18.16	9.93	14.06
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	24.65	16.42	20.55

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.95	15.72	19.85
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.90	15.67	19.80
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.92	15.69	19.82
n5	5	15	846.5	DFT	QPSK	Inner_Full	24.46	16.23	20.36
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.28	15.05	19.18
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.28	15.05	19.18
n5	5	15	846.5	DFT	QPSK	Outer_Full	23.35	15.12	19.25
n5	5	15	846.5	DFT	16QAM	Inner_Full	23.35	15.12	19.25
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.48	14.25	18.38
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.53	14.30	18.43
n5	5	15	846.5	DFT	16QAM	Outer_Full	22.39	14.16	18.29
n5	5	15	846.5	DFT	64QAM	Inner_Full	21.79	13.56	17.69
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.66	13.43	17.56
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.57	13.34	17.47
n5	5	15	846.5	DFT	64QAM	Outer_Full	21.92	13.69	17.82
n5	5	15	846.5	DFT	256QAM	Inner_Full	20.34	12.11	16.24
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	20.17	11.94	16.07
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	20.11	11.88	16.01
n5	5	15	846.5	DFT	256QAM	Outer_Full	20.25	12.02	16.15
n5	5	15	846.5	CP	QPSK	Inner_Full	22.95	14.72	18.85
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	21.42	13.19	17.32
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	21.33	13.10	17.23
n5	5	15	846.5	CP	QPSK	Outer_Full	21.44	13.21	17.34
n5	5	15	846.5	CP	16QAM	Inner_Full	22.49	14.26	18.39
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.57	13.34	17.47
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.46	13.23	17.36
n5	5	15	846.5	CP	16QAM	Outer_Full	21.43	13.20	17.33
n5	5	15	846.5	CP	64QAM	Inner_Full	20.73	12.50	16.63
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.61	12.38	16.51
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.64	12.41	16.54

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	5	15	846.5	CP	64QAM	Outer_Full	20.85	12.62	16.75
n5	5	15	846.5	CP	256QAM	Inner_Full	18.24	10.01	14.14
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	18.25	10.02	14.15
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	18.27	10.04	14.17
n5	5	15	846.5	CP	256QAM	Outer_Full	18.22	9.99	14.12
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	24.56	16.33	20.46
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.93	15.70	19.83
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	24.03	15.80	19.93
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	23.86	15.63	19.76
n5	10	15	829	DFT	QPSK	Inner_Full	24.32	16.09	20.22
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	23.23	15.00	19.13
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	23.30	15.07	19.20
n5	10	15	829	DFT	QPSK	Outer_Full	23.27	15.04	19.17
n5	10	15	829	DFT	16QAM	Inner_Full	23.41	15.18	19.31
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	22.41	14.18	18.31
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	22.57	14.34	18.47
n5	10	15	829	DFT	16QAM	Outer_Full	22.26	14.03	18.16
n5	10	15	829	DFT	64QAM	Inner_Full	21.75	13.52	17.65
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	21.64	13.41	17.54
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	21.69	13.46	17.59
n5	10	15	829	DFT	64QAM	Outer_Full	21.78	13.55	17.68
n5	10	15	829	DFT	256QAM	Inner_Full	20.16	11.93	16.06
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	20.09	11.86	15.99
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	20.17	11.94	16.07
n5	10	15	829	DFT	256QAM	Outer_Full	20.13	11.90	16.03
n5	10	15	829	CP	QPSK	Inner_Full	22.98	14.75	18.88
n5	10	15	829	CP	QPSK	Edge_1RB_Left	21.36	13.13	17.26
n5	10	15	829	CP	QPSK	Edge_1RB_Right	21.39	13.16	17.29
n5	10	15	829	CP	QPSK	Outer_Full	21.35	13.12	17.25
n5	10	15	829	CP	16QAM	Inner_Full	22.41	14.18	18.31

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	829	CP	16QAM	Edge_1RB_Left	21.53	13.30	17.43
n5	10	15	829	CP	16QAM	Edge_1RB_Right	21.51	13.28	17.41
n5	10	15	829	CP	16QAM	Outer_Full	21.28	13.05	17.18
n5	10	15	829	CP	64QAM	Inner_Full	20.76	12.53	16.66
n5	10	15	829	CP	64QAM	Edge_1RB_Left	20.68	12.45	16.58
n5	10	15	829	CP	64QAM	Edge_1RB_Right	20.72	12.49	16.62
n5	10	15	829	CP	64QAM	Outer_Full	20.72	12.49	16.62
n5	10	15	829	CP	256QAM	Inner_Full	18.10	9.87	14.00
n5	10	15	829	CP	256QAM	Edge_1RB_Left	18.29	10.06	14.19
n5	10	15	829	CP	256QAM	Edge_1RB_Right	18.33	10.10	14.23
n5	10	15	829	CP	256QAM	Outer_Full	18.16	9.93	14.06
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.58	16.35	20.48
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.92	15.69	19.82
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.01	15.78	19.91
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.94	15.71	19.84
n5	10	15	836.5	DFT	QPSK	Inner_Full	24.45	16.22	20.35
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.18	14.95	19.08
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.39	15.16	19.29
n5	10	15	836.5	DFT	QPSK	Outer_Full	23.33	15.10	19.23
n5	10	15	836.5	DFT	16QAM	Inner_Full	23.33	15.10	19.23
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.53	14.30	18.43
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.60	14.37	18.50
n5	10	15	836.5	DFT	16QAM	Outer_Full	22.29	14.06	18.19
n5	10	15	836.5	DFT	64QAM	Inner_Full	21.77	13.54	17.67
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.58	13.35	17.48
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.77	13.54	17.67
n5	10	15	836.5	DFT	64QAM	Outer_Full	21.80	13.57	17.70
n5	10	15	836.5	DFT	256QAM	Inner_Full	20.20	11.97	16.10
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	20.16	11.93	16.06
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	20.15	11.92	16.05

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	836.5	DFT	256QAM	Outer_Full	20.16	11.93	16.06
n5	10	15	836.5	CP	QPSK	Inner_Full	22.98	14.75	18.88
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	21.34	13.11	17.24
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	21.42	13.19	17.32
n5	10	15	836.5	CP	QPSK	Outer_Full	21.38	13.15	17.28
n5	10	15	836.5	CP	16QAM	Inner_Full	22.45	14.22	18.35
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.43	13.20	17.33
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	21.60	13.37	17.50
n5	10	15	836.5	CP	16QAM	Outer_Full	21.27	13.04	17.17
n5	10	15	836.5	CP	64QAM	Inner_Full	20.78	12.55	16.68
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.64	12.41	16.54
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.79	12.56	16.69
n5	10	15	836.5	CP	64QAM	Outer_Full	20.80	12.57	16.70
n5	10	15	836.5	CP	256QAM	Inner_Full	18.13	9.90	14.03
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	18.23	10.00	14.13
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	18.27	10.04	14.17
n5	10	15	836.5	CP	256QAM	Outer_Full	18.13	9.90	14.03
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	24.52	16.29	20.42
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.98	15.75	19.88
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.89	15.66	19.79
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.85	15.62	19.75
n5	10	15	844	DFT	QPSK	Inner_Full	24.31	16.08	20.21
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	23.32	15.09	19.22
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	23.31	15.08	19.21
n5	10	15	844	DFT	QPSK	Outer_Full	23.31	15.08	19.21
n5	10	15	844	DFT	16QAM	Inner_Full	23.25	15.02	19.15
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	22.53	14.30	18.43
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	22.49	14.26	18.39
n5	10	15	844	DFT	16QAM	Outer_Full	22.18	13.95	18.08
n5	10	15	844	DFT	64QAM	Inner_Full	21.79	13.56	17.69

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	21.72	13.49	17.62
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	21.63	13.40	17.53
n5	10	15	844	DFT	64QAM	Outer_Full	21.72	13.49	17.62
n5	10	15	844	DFT	256QAM	Inner_Full	20.18	11.95	16.08
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	20.15	11.92	16.05
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	20.14	11.91	16.04
n5	10	15	844	DFT	256QAM	Outer_Full	20.12	11.89	16.02
n5	10	15	844	CP	QPSK	Inner_Full	23.00	14.77	18.90
n5	10	15	844	CP	QPSK	Edge_1RB_Left	21.40	13.17	17.30
n5	10	15	844	CP	QPSK	Edge_1RB_Right	21.39	13.16	17.29
n5	10	15	844	CP	QPSK	Outer_Full	21.33	13.10	17.23
n5	10	15	844	CP	16QAM	Inner_Full	22.29	14.06	18.19
n5	10	15	844	CP	16QAM	Edge_1RB_Left	21.58	13.35	17.48
n5	10	15	844	CP	16QAM	Edge_1RB_Right	21.53	13.30	17.43
n5	10	15	844	CP	16QAM	Outer_Full	21.34	13.11	17.24
n5	10	15	844	CP	64QAM	Inner_Full	20.70	12.47	16.60
n5	10	15	844	CP	64QAM	Edge_1RB_Left	20.72	12.49	16.62
n5	10	15	844	CP	64QAM	Edge_1RB_Right	20.66	12.43	16.56
n5	10	15	844	CP	64QAM	Outer_Full	20.72	12.49	16.62
n5	10	15	844	CP	256QAM	Inner_Full	18.13	9.90	14.03
n5	10	15	844	CP	256QAM	Edge_1RB_Left	18.21	9.98	14.11
n5	10	15	844	CP	256QAM	Edge_1RB_Right	18.26	10.03	14.16
n5	10	15	844	CP	256QAM	Outer_Full	18.15	9.92	14.05
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.49	16.26	20.39
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.87	15.64	19.77
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.03	15.80	19.93
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.85	15.62	19.75
n5	15	15	831.5	DFT	QPSK	Inner_Full	24.27	16.04	20.17
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.29	15.06	19.19
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.39	15.16	19.29

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	831.5	DFT	QPSK	Outer_Full	23.31	15.08	19.21
n5	15	15	831.5	DFT	16QAM	Inner_Full	23.26	15.03	19.16
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.39	14.16	18.29
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.65	14.42	18.55
n5	15	15	831.5	DFT	16QAM	Outer_Full	22.30	14.07	18.20
n5	15	15	831.5	DFT	64QAM	Inner_Full	21.68	13.45	17.58
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.61	13.38	17.51
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.72	13.49	17.62
n5	15	15	831.5	DFT	64QAM	Outer_Full	21.71	13.48	17.61
n5	15	15	831.5	DFT	256QAM	Inner_Full	20.12	11.89	16.02
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	20.05	11.82	15.95
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	20.12	11.89	16.02
n5	15	15	831.5	DFT	256QAM	Outer_Full	20.12	11.89	16.02
n5	15	15	831.5	CP	QPSK	Inner_Full	22.87	14.64	18.77
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	21.42	13.19	17.32
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	21.47	13.24	17.37
n5	15	15	831.5	CP	QPSK	Outer_Full	21.37	13.14	17.27
n5	15	15	831.5	CP	16QAM	Inner_Full	22.25	14.02	18.15
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.43	13.20	17.33
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.62	13.39	17.52
n5	15	15	831.5	CP	16QAM	Outer_Full	21.28	13.05	17.18
n5	15	15	831.5	CP	64QAM	Inner_Full	20.74	12.51	16.64
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.64	12.41	16.54
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.77	12.54	16.67
n5	15	15	831.5	CP	64QAM	Outer_Full	20.80	12.57	16.70
n5	15	15	831.5	CP	256QAM	Inner_Full	18.13	9.90	14.03
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	18.26	10.03	14.16
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	18.29	10.06	14.19
n5	15	15	831.5	CP	256QAM	Outer_Full	18.12	9.89	14.02
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.49	16.26	20.39

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.11	15.88	20.01
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.98	15.75	19.88
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.78	15.55	19.68
n5	15	15	836.5	DFT	QPSK	Inner_Full	24.37	16.14	20.27
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.35	15.12	19.25
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.29	15.06	19.19
n5	15	15	836.5	DFT	QPSK	Outer_Full	23.31	15.08	19.21
n5	15	15	836.5	DFT	16QAM	Inner_Full	23.24	15.01	19.14
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.54	14.31	18.44
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.58	14.35	18.48
n5	15	15	836.5	DFT	16QAM	Outer_Full	22.23	14.00	18.13
n5	15	15	836.5	DFT	64QAM	Inner_Full	21.80	13.57	17.70
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.66	13.43	17.56
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.66	13.43	17.56
n5	15	15	836.5	DFT	64QAM	Outer_Full	21.77	13.54	17.67
n5	15	15	836.5	DFT	256QAM	Inner_Full	20.09	11.86	15.99
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	20.12	11.89	16.02
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	20.14	11.91	16.04
n5	15	15	836.5	DFT	256QAM	Outer_Full	20.12	11.89	16.02
n5	15	15	836.5	CP	QPSK	Inner_Full	22.97	14.74	18.87
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	21.41	13.18	17.31
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	21.42	13.19	17.32
n5	15	15	836.5	CP	QPSK	Outer_Full	21.30	13.07	17.20
n5	15	15	836.5	CP	16QAM	Inner_Full	22.37	14.14	18.27
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.63	13.40	17.53
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	21.55	13.32	17.45
n5	15	15	836.5	CP	16QAM	Outer_Full	21.30	13.07	17.20
n5	15	15	836.5	CP	64QAM	Inner_Full	20.83	12.60	16.73
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.71	12.48	16.61
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.76	12.53	16.66

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	836.5	CP	64QAM	Outer_Full	20.83	12.60	16.73
n5	15	15	836.5	CP	256QAM	Inner_Full	18.11	9.88	14.01
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	18.27	10.04	14.17
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	18.28	10.05	14.18
n5	15	15	836.5	CP	256QAM	Outer_Full	18.15	9.92	14.05
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	24.54	16.31	20.44
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.98	15.75	19.88
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.94	15.71	19.84
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.88	15.65	19.78
n5	15	15	841.5	DFT	QPSK	Inner_Full	24.29	16.06	20.19
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.32	15.09	19.22
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.33	15.10	19.23
n5	15	15	841.5	DFT	QPSK	Outer_Full	23.32	15.09	19.22
n5	15	15	841.5	DFT	16QAM	Inner_Full	23.21	14.98	19.11
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.52	14.29	18.42
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.55	14.32	18.45
n5	15	15	841.5	DFT	16QAM	Outer_Full	22.20	13.97	18.10
n5	15	15	841.5	DFT	64QAM	Inner_Full	21.72	13.49	17.62
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.63	13.40	17.53
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.65	13.42	17.55
n5	15	15	841.5	DFT	64QAM	Outer_Full	21.75	13.52	17.65
n5	15	15	841.5	DFT	256QAM	Inner_Full	20.16	11.93	16.06
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	20.12	11.89	16.02
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	20.13	11.90	16.03
n5	15	15	841.5	DFT	256QAM	Outer_Full	20.15	11.92	16.05
n5	15	15	841.5	CP	QPSK	Inner_Full	22.96	14.73	18.86
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.40	13.17	17.30
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	21.36	13.13	17.26
n5	15	15	841.5	CP	QPSK	Outer_Full	21.37	13.14	17.27
n5	15	15	841.5	CP	16QAM	Inner_Full	22.34	14.11	18.24

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.54	13.31	17.44
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	21.56	13.33	17.46
n5	15	15	841.5	CP	16QAM	Outer_Full	21.35	13.12	17.25
n5	15	15	841.5	CP	64QAM	Inner_Full	20.77	12.54	16.67
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.67	12.44	16.57
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.70	12.47	16.60
n5	15	15	841.5	CP	64QAM	Outer_Full	20.82	12.59	16.72
n5	15	15	841.5	CP	256QAM	Inner_Full	18.16	9.93	14.06
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	18.27	10.04	14.17
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	18.30	10.07	14.20
n5	15	15	841.5	CP	256QAM	Outer_Full	18.18	9.95	14.08
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.40	16.17	20.30
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.88	15.65	19.78
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.92	15.69	19.82
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.77	15.54	19.67
n5	20	15	834	DFT	QPSK	Inner_Full	24.34	16.11	20.24
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	23.25	15.02	19.15
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	23.30	15.07	19.20
n5	20	15	834	DFT	QPSK	Outer_Full	23.25	15.02	19.15
n5	20	15	834	DFT	16QAM	Inner_Full	23.18	14.95	19.08
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	22.48	14.25	18.38
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	22.53	14.30	18.43
n5	20	15	834	DFT	16QAM	Outer_Full	22.20	13.97	18.10
n5	20	15	834	DFT	64QAM	Inner_Full	21.76	13.53	17.66
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	21.67	13.44	17.57
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	21.70	13.47	17.60
n5	20	15	834	DFT	64QAM	Outer_Full	21.73	13.50	17.63
n5	20	15	834	DFT	256QAM	Inner_Full	20.11	11.88	16.01
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	20.00	11.77	15.90
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	20.10	11.87	16.00

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	834	DFT	256QAM	Outer_Full	20.09	11.86	15.99
n5	20	15	834	CP	QPSK	Inner_Full	22.87	14.64	18.77
n5	20	15	834	CP	QPSK	Edge_1RB_Left	21.32	13.09	17.22
n5	20	15	834	CP	QPSK	Edge_1RB_Right	21.47	13.24	17.37
n5	20	15	834	CP	QPSK	Outer_Full	21.37	13.14	17.27
n5	20	15	834	CP	16QAM	Inner_Full	22.29	14.06	18.19
n5	20	15	834	CP	16QAM	Edge_1RB_Left	21.43	13.20	17.33
n5	20	15	834	CP	16QAM	Edge_1RB_Right	21.64	13.41	17.54
n5	20	15	834	CP	16QAM	Outer_Full	21.28	13.05	17.18
n5	20	15	834	CP	64QAM	Inner_Full	20.80	12.57	16.70
n5	20	15	834	CP	64QAM	Edge_1RB_Left	20.59	12.36	16.49
n5	20	15	834	CP	64QAM	Edge_1RB_Right	20.77	12.54	16.67
n5	20	15	834	CP	64QAM	Outer_Full	20.66	12.43	16.56
n5	20	15	834	CP	256QAM	Inner_Full	18.09	9.86	13.99
n5	20	15	834	CP	256QAM	Edge_1RB_Left	18.27	10.04	14.17
n5	20	15	834	CP	256QAM	Edge_1RB_Right	18.30	10.07	14.20
n5	20	15	834	CP	256QAM	Outer_Full	18.15	9.92	14.05
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.48	16.25	20.38
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.95	15.72	19.85
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.99	15.76	19.89
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.82	15.59	19.72
n5	20	15	836.5	DFT	QPSK	Inner_Full	24.35	16.12	20.25
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	23.30	15.07	19.20
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	23.36	15.13	19.26
n5	20	15	836.5	DFT	QPSK	Outer_Full	23.32	15.09	19.22
n5	20	15	836.5	DFT	16QAM	Inner_Full	23.22	14.99	19.12
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.56	14.33	18.46
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.56	14.33	18.46
n5	20	15	836.5	DFT	16QAM	Outer_Full	22.31	14.08	18.21
n5	20	15	836.5	DFT	64QAM	Inner_Full	21.74	13.51	17.64

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.65	13.42	17.55
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.71	13.48	17.61
n5	20	15	836.5	DFT	64QAM	Outer_Full	21.73	13.50	17.63
n5	20	15	836.5	DFT	256QAM	Inner_Full	20.16	11.93	16.06
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	20.13	11.90	16.03
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	20.19	11.96	16.09
n5	20	15	836.5	DFT	256QAM	Outer_Full	20.15	11.92	16.05
n5	20	15	836.5	CP	QPSK	Inner_Full	22.94	14.71	18.84
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	21.36	13.13	17.26
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	21.42	13.19	17.32
n5	20	15	836.5	CP	QPSK	Outer_Full	21.33	13.10	17.23
n5	20	15	836.5	CP	16QAM	Inner_Full	22.30	14.07	18.20
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.55	13.32	17.45
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	21.64	13.41	17.54
n5	20	15	836.5	CP	16QAM	Outer_Full	21.22	12.99	17.12
n5	20	15	836.5	CP	64QAM	Inner_Full	20.74	12.51	16.64
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.69	12.46	16.59
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.81	12.58	16.71
n5	20	15	836.5	CP	64QAM	Outer_Full	20.78	12.55	16.68
n5	20	15	836.5	CP	256QAM	Inner_Full	18.11	9.88	14.01
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	18.27	10.04	14.17
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	18.34	10.11	14.24
n5	20	15	836.5	CP	256QAM	Outer_Full	18.17	9.94	14.07
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	24.53	16.30	20.43
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	24.01	15.78	19.91
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.97	15.74	19.87
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.87	15.64	19.77
n5	20	15	839	DFT	QPSK	Inner_Full	24.35	16.12	20.25
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	23.35	15.12	19.25
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	23.33	15.10	19.23

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n5	20	15	839	DFT	QPSK	Outer_Full	23.37	15.14	19.27
n5	20	15	839	DFT	16QAM	Inner_Full	23.18	14.95	19.08
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	22.56	14.33	18.46
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	22.51	14.28	18.41
n5	20	15	839	DFT	16QAM	Outer_Full	22.25	14.02	18.15
n5	20	15	839	DFT	64QAM	Inner_Full	21.72	13.49	17.62
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	21.71	13.48	17.61
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	21.71	13.48	17.61
n5	20	15	839	DFT	64QAM	Outer_Full	21.77	13.54	17.67
n5	20	15	839	DFT	256QAM	Inner_Full	20.17	11.94	16.07
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	20.07	11.84	15.97
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	20.18	11.95	16.08
n5	20	15	839	DFT	256QAM	Outer_Full	20.20	11.97	16.10
n5	20	15	839	CP	QPSK	Inner_Full	23.01	14.78	18.91
n5	20	15	839	CP	QPSK	Edge_1RB_Left	21.46	13.23	17.36
n5	20	15	839	CP	QPSK	Edge_1RB_Right	21.32	13.09	17.22
n5	20	15	839	CP	QPSK	Outer_Full	21.27	13.04	17.17
n5	20	15	839	CP	16QAM	Inner_Full	22.28	14.05	18.18
n5	20	15	839	CP	16QAM	Edge_1RB_Left	21.55	13.32	17.45
n5	20	15	839	CP	16QAM	Edge_1RB_Right	21.60	13.37	17.50
n5	20	15	839	CP	16QAM	Outer_Full	21.30	13.07	17.20
n5	20	15	839	CP	64QAM	Inner_Full	20.73	12.50	16.63
n5	20	15	839	CP	64QAM	Edge_1RB_Left	20.65	12.42	16.55
n5	20	15	839	CP	64QAM	Edge_1RB_Right	20.68	12.45	16.58
n5	20	15	839	CP	64QAM	Outer_Full	20.71	12.48	16.61
n5	20	15	839	CP	256QAM	Inner_Full	18.13	9.90	14.03
n5	20	15	839	CP	256QAM	Edge_1RB_Left	18.26	10.03	14.16
n5	20	15	839	CP	256QAM	Edge_1RB_Right	18.28	10.05	14.18
n5	20	15	839	CP	256QAM	Outer_Full	18.16	9.93	14.06

n7

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	22.78	17.88	17.18
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.19	17.29	16.59
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.22	17.32	16.62
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	22.22	17.32	16.62
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.80	17.90	17.20
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.68	16.78	16.08
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.61	16.71	16.01
n7	5	15	2502.5	DFT	QPSK	Outer_Full	21.64	16.74	16.04
n7	5	15	2502.5	DFT	16QAM	Inner_Full	21.70	16.80	16.10
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	20.90	16.00	15.30
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	20.88	15.98	15.28
n7	5	15	2502.5	DFT	16QAM	Outer_Full	20.71	15.81	15.11
n7	5	15	2502.5	DFT	64QAM	Inner_Full	20.08	15.18	14.48
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	20.02	15.12	14.42
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	19.93	15.03	14.33
n7	5	15	2502.5	DFT	64QAM	Outer_Full	20.19	15.29	14.59
n7	5	15	2502.5	DFT	256QAM	Inner_Full	18.34	13.44	12.74
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	18.25	13.35	12.65
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	18.22	13.32	12.62
n7	5	15	2502.5	DFT	256QAM	Outer_Full	18.24	13.34	12.64
n7	5	15	2502.5	CP	QPSK	Inner_Full	21.25	16.35	15.65
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	19.73	14.83	14.13
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	19.70	14.80	14.10
n7	5	15	2502.5	CP	QPSK	Outer_Full	19.80	14.90	14.20
n7	5	15	2502.5	CP	16QAM	Inner_Full	20.81	15.91	15.21
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	20.01	15.11	14.41
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	19.97	15.07	14.37
n7	5	15	2502.5	CP	16QAM	Outer_Full	19.88	14.98	14.28
n7	5	15	2502.5	CP	64QAM	Inner_Full	19.18	14.28	13.58

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	19.13	14.23	13.53
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	19.04	14.14	13.44
n7	5	15	2502.5	CP	64QAM	Outer_Full	19.31	14.41	13.71
n7	5	15	2502.5	CP	256QAM	Inner_Full	16.23	11.33	10.63
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	16.30	11.40	10.70
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	16.30	11.40	10.70
n7	5	15	2502.5	CP	256QAM	Outer_Full	16.25	11.35	10.65
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	23.02	18.12	17.42
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	17.52	16.82
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.44	17.54	16.84
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.48	17.58	16.88
n7	5	15	2535	DFT	QPSK	Inner_Full	23.00	18.10	17.40
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.88	16.98	16.28
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.91	17.01	16.31
n7	5	15	2535	DFT	QPSK	Outer_Full	21.91	17.01	16.31
n7	5	15	2535	DFT	16QAM	Inner_Full	21.92	17.02	16.32
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.14	16.24	15.54
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.10	16.20	15.50
n7	5	15	2535	DFT	16QAM	Outer_Full	20.92	16.02	15.32
n7	5	15	2535	DFT	64QAM	Inner_Full	20.32	15.42	14.72
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.25	15.35	14.65
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.25	15.35	14.65
n7	5	15	2535	DFT	64QAM	Outer_Full	20.48	15.58	14.88
n7	5	15	2535	DFT	256QAM	Inner_Full	18.56	13.66	12.96
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.45	13.55	12.85
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.40	13.50	12.80
n7	5	15	2535	DFT	256QAM	Outer_Full	18.44	13.54	12.84
n7	5	15	2535	CP	QPSK	Inner_Full	21.45	16.55	15.85
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	19.92	15.02	14.32
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	19.91	15.01	14.31

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2535	CP	QPSK	Outer_Full	19.98	15.08	14.38
n7	5	15	2535	CP	16QAM	Inner_Full	20.95	16.05	15.35
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	20.19	15.29	14.59
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.13	15.23	14.53
n7	5	15	2535	CP	16QAM	Outer_Full	20.04	15.14	14.44
n7	5	15	2535	CP	64QAM	Inner_Full	19.40	14.50	13.80
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.31	14.41	13.71
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.26	14.36	13.66
n7	5	15	2535	CP	64QAM	Outer_Full	19.47	14.57	13.87
n7	5	15	2535	CP	256QAM	Inner_Full	16.44	11.54	10.84
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	16.52	11.62	10.92
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	16.43	11.53	10.83
n7	5	15	2535	CP	256QAM	Outer_Full	16.42	11.52	10.82
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	22.66	17.76	17.06
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.12	17.22	16.52
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.07	17.17	16.47
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	22.10	17.20	16.50
n7	5	15	2567.5	DFT	QPSK	Inner_Full	22.63	17.73	17.03
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.54	16.64	15.94
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	21.52	16.62	15.92
n7	5	15	2567.5	DFT	QPSK	Outer_Full	21.56	16.66	15.96
n7	5	15	2567.5	DFT	16QAM	Inner_Full	21.65	16.75	16.05
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.82	15.92	15.22
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.80	15.90	15.20
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.60	15.70	15.00
n7	5	15	2567.5	DFT	64QAM	Inner_Full	20.06	15.16	14.46
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.94	15.04	14.34
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.88	14.98	14.28
n7	5	15	2567.5	DFT	64QAM	Outer_Full	20.11	15.21	14.51
n7	5	15	2567.5	DFT	256QAM	Inner_Full	18.26	13.36	12.66

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	18.12	13.22	12.52
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	18.13	13.23	12.53
n7	5	15	2567.5	DFT	256QAM	Outer_Full	18.21	13.31	12.61
n7	5	15	2567.5	CP	QPSK	Inner_Full	21.15	16.25	15.55
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	19.65	14.75	14.05
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	19.65	14.75	14.05
n7	5	15	2567.5	CP	QPSK	Outer_Full	19.74	14.84	14.14
n7	5	15	2567.5	CP	16QAM	Inner_Full	20.71	15.81	15.11
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	19.90	15.00	14.30
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	19.87	14.97	14.27
n7	5	15	2567.5	CP	16QAM	Outer_Full	19.77	14.87	14.17
n7	5	15	2567.5	CP	64QAM	Inner_Full	19.17	14.27	13.57
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	19.06	14.16	13.46
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	18.99	14.09	13.39
n7	5	15	2567.5	CP	64QAM	Outer_Full	19.23	14.33	13.63
n7	5	15	2567.5	CP	256QAM	Inner_Full	16.17	11.27	10.57
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	16.25	11.35	10.65
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	16.23	11.33	10.63
n7	5	15	2567.5	CP	256QAM	Outer_Full	16.20	11.30	10.60
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	22.75	17.85	17.15
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	17.38	16.68
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	22.31	17.41	16.71
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	22.26	17.36	16.66
n7	10	15	2505	DFT	QPSK	Inner_Full	22.71	17.81	17.11
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	21.73	16.83	16.13
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.77	16.87	16.17
n7	10	15	2505	DFT	QPSK	Outer_Full	21.70	16.80	16.10
n7	10	15	2505	DFT	16QAM	Inner_Full	21.75	16.85	16.15
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	20.96	16.06	15.36
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	21.11	16.21	15.51

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2505	DFT	16QAM	Outer_Full	20.71	15.81	15.11
n7	10	15	2505	DFT	64QAM	Inner_Full	20.20	15.30	14.60
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	20.10	15.20	14.50
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	20.26	15.36	14.66
n7	10	15	2505	DFT	64QAM	Outer_Full	20.19	15.29	14.59
n7	10	15	2505	DFT	256QAM	Inner_Full	18.25	13.35	12.65
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	18.34	13.44	12.74
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	18.32	13.42	12.72
n7	10	15	2505	DFT	256QAM	Outer_Full	18.22	13.32	12.62
n7	10	15	2505	CP	QPSK	Inner_Full	21.21	16.31	15.61
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	19.77	14.87	14.17
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	19.83	14.93	14.23
n7	10	15	2505	CP	QPSK	Outer_Full	19.73	14.83	14.13
n7	10	15	2505	CP	16QAM	Inner_Full	20.65	15.75	15.05
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	20.01	15.11	14.41
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	20.03	15.13	14.43
n7	10	15	2505	CP	16QAM	Outer_Full	19.75	14.85	14.15
n7	10	15	2505	CP	64QAM	Inner_Full	19.24	14.34	13.64
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	19.15	14.25	13.55
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	19.26	14.36	13.66
n7	10	15	2505	CP	64QAM	Outer_Full	19.24	14.34	13.64
n7	10	15	2505	CP	256QAM	Inner_Full	16.20	11.30	10.60
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	16.34	11.44	10.74
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	16.42	11.52	10.82
n7	10	15	2505	CP	256QAM	Outer_Full	16.21	11.31	10.61
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	22.95	18.05	17.35
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	17.61	16.91
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	17.58	16.88
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.43	17.53	16.83
n7	10	15	2535	DFT	QPSK	Inner_Full	22.90	18.00	17.30

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	22.03	17.13	16.43
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.95	17.05	16.35
n7	10	15	2535	DFT	QPSK	Outer_Full	22.00	17.10	16.40
n7	10	15	2535	DFT	16QAM	Inner_Full	22.02	17.12	16.42
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	21.30	16.40	15.70
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	21.29	16.39	15.69
n7	10	15	2535	DFT	16QAM	Outer_Full	20.92	16.02	15.32
n7	10	15	2535	DFT	64QAM	Inner_Full	20.45	15.55	14.85
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.40	15.50	14.80
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	20.38	15.48	14.78
n7	10	15	2535	DFT	64QAM	Outer_Full	20.47	15.57	14.87
n7	10	15	2535	DFT	256QAM	Inner_Full	18.47	13.57	12.87
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.54	13.64	12.94
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	18.42	13.52	12.82
n7	10	15	2535	DFT	256QAM	Outer_Full	18.47	13.57	12.87
n7	10	15	2535	CP	QPSK	Inner_Full	21.47	16.57	15.87
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	20.04	15.14	14.44
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	19.93	15.03	14.33
n7	10	15	2535	CP	QPSK	Outer_Full	19.93	15.03	14.33
n7	10	15	2535	CP	16QAM	Inner_Full	20.94	16.04	15.34
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	20.21	15.31	14.61
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	20.10	15.20	14.50
n7	10	15	2535	CP	16QAM	Outer_Full	19.92	15.02	14.32
n7	10	15	2535	CP	64QAM	Inner_Full	19.42	14.52	13.82
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.34	14.44	13.74
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	19.27	14.37	13.67
n7	10	15	2535	CP	64QAM	Outer_Full	19.41	14.51	13.81
n7	10	15	2535	CP	256QAM	Inner_Full	16.39	11.49	10.79
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	16.60	11.70	11.00
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	16.50	11.60	10.90

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2535	CP	256QAM	Outer_Full	16.44	11.54	10.84
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	22.68	17.78	17.08
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	22.22	17.32	16.62
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	22.15	17.25	16.55
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	22.17	17.27	16.57
n7	10	15	2565	DFT	QPSK	Inner_Full	22.62	17.72	17.02
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.71	16.81	16.11
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	21.63	16.73	16.03
n7	10	15	2565	DFT	QPSK	Outer_Full	21.69	16.79	16.09
n7	10	15	2565	DFT	16QAM	Inner_Full	21.74	16.84	16.14
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	21.05	16.15	15.45
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.91	16.01	15.31
n7	10	15	2565	DFT	16QAM	Outer_Full	20.65	15.75	15.05
n7	10	15	2565	DFT	64QAM	Inner_Full	20.17	15.27	14.57
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	20.16	15.26	14.56
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	20.03	15.13	14.43
n7	10	15	2565	DFT	64QAM	Outer_Full	20.18	15.28	14.58
n7	10	15	2565	DFT	256QAM	Inner_Full	18.21	13.31	12.61
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	18.24	13.34	12.64
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	18.18	13.28	12.58
n7	10	15	2565	DFT	256QAM	Outer_Full	18.16	13.26	12.56
n7	10	15	2565	CP	QPSK	Inner_Full	21.13	16.23	15.53
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	19.75	14.85	14.15
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	19.65	14.75	14.05
n7	10	15	2565	CP	QPSK	Outer_Full	19.67	14.77	14.07
n7	10	15	2565	CP	16QAM	Inner_Full	20.59	15.69	14.99
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	19.93	15.03	14.33
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.86	14.96	14.26
n7	10	15	2565	CP	16QAM	Outer_Full	19.67	14.77	14.07
n7	10	15	2565	CP	64QAM	Inner_Full	19.19	14.29	13.59

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	19.07	14.17	13.47
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	19.06	14.16	13.46
n7	10	15	2565	CP	64QAM	Outer_Full	19.16	14.26	13.56
n7	10	15	2565	CP	256QAM	Inner_Full	16.15	11.25	10.55
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	16.31	11.41	10.71
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	16.27	11.37	10.67
n7	10	15	2565	CP	256QAM	Outer_Full	16.19	11.29	10.59
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.73	17.83	17.13
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	17.39	16.69
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	17.39	16.69
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	22.28	17.38	16.68
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.75	17.85	17.15
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.78	16.88	16.18
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.78	16.88	16.18
n7	15	15	2507.5	DFT	QPSK	Outer_Full	21.75	16.85	16.15
n7	15	15	2507.5	DFT	16QAM	Inner_Full	21.78	16.88	16.18
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	21.03	16.13	15.43
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	21.06	16.16	15.46
n7	15	15	2507.5	DFT	16QAM	Outer_Full	20.67	15.77	15.07
n7	15	15	2507.5	DFT	64QAM	Inner_Full	20.19	15.29	14.59
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	20.22	15.32	14.62
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	20.19	15.29	14.59
n7	15	15	2507.5	DFT	64QAM	Outer_Full	20.24	15.34	14.64
n7	15	15	2507.5	DFT	256QAM	Inner_Full	18.29	13.39	12.69
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	18.27	13.37	12.67
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	18.37	13.47	12.77
n7	15	15	2507.5	DFT	256QAM	Outer_Full	18.26	13.36	12.66
n7	15	15	2507.5	CP	QPSK	Inner_Full	21.22	16.32	15.62
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	19.78	14.88	14.18
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	19.83	14.93	14.23

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2507.5	CP	QPSK	Outer_Full	19.79	14.89	14.19
n7	15	15	2507.5	CP	16QAM	Inner_Full	20.77	15.87	15.17
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	19.96	15.06	14.36
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	20.08	15.18	14.48
n7	15	15	2507.5	CP	16QAM	Outer_Full	19.82	14.92	14.22
n7	15	15	2507.5	CP	64QAM	Inner_Full	19.27	14.37	13.67
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	19.13	14.23	13.53
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	19.19	14.29	13.59
n7	15	15	2507.5	CP	64QAM	Outer_Full	19.30	14.40	13.70
n7	15	15	2507.5	CP	256QAM	Inner_Full	16.23	11.33	10.63
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	16.33	11.43	10.73
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	16.48	11.58	10.88
n7	15	15	2507.5	CP	256QAM	Outer_Full	16.23	11.33	10.63
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	22.86	17.96	17.26
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.50	17.60	16.90
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.57	17.67	16.97
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.45	17.55	16.85
n7	15	15	2535	DFT	QPSK	Inner_Full	22.94	18.04	17.34
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.97	17.07	16.37
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	22.01	17.11	16.41
n7	15	15	2535	DFT	QPSK	Outer_Full	21.99	17.09	16.39
n7	15	15	2535	DFT	16QAM	Inner_Full	21.96	17.06	16.36
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	21.26	16.36	15.66
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.27	16.37	15.67
n7	15	15	2535	DFT	16QAM	Outer_Full	20.94	16.04	15.34
n7	15	15	2535	DFT	64QAM	Inner_Full	20.43	15.53	14.83
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	20.39	15.49	14.79
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.47	15.57	14.87
n7	15	15	2535	DFT	64QAM	Outer_Full	20.46	15.56	14.86
n7	15	15	2535	DFT	256QAM	Inner_Full	18.48	13.58	12.88

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	18.44	13.54	12.84
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.45	13.55	12.85
n7	15	15	2535	DFT	256QAM	Outer_Full	18.42	13.52	12.82
n7	15	15	2535	CP	QPSK	Inner_Full	21.44	16.54	15.84
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	19.94	15.04	14.34
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	19.94	15.04	14.34
n7	15	15	2535	CP	QPSK	Outer_Full	19.98	15.08	14.38
n7	15	15	2535	CP	16QAM	Inner_Full	20.94	16.04	15.34
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	20.19	15.29	14.59
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	20.12	15.22	14.52
n7	15	15	2535	CP	16QAM	Outer_Full	20.04	15.14	14.44
n7	15	15	2535	CP	64QAM	Inner_Full	19.51	14.61	13.91
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.35	14.45	13.75
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.33	14.43	13.73
n7	15	15	2535	CP	64QAM	Outer_Full	19.47	14.57	13.87
n7	15	15	2535	CP	256QAM	Inner_Full	16.42	11.52	10.82
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	16.54	11.64	10.94
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	16.54	11.64	10.94
n7	15	15	2535	CP	256QAM	Outer_Full	16.45	11.55	10.85
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.69	17.79	17.09
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.32	17.42	16.72
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.15	17.25	16.55
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	22.19	17.29	16.59
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.63	17.73	17.03
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.84	16.94	16.24
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.65	16.75	16.05
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.75	16.85	16.15
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.68	16.78	16.08
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	21.08	16.18	15.48
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.92	16.02	15.32

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.67	15.77	15.07
n7	15	15	2562.5	DFT	64QAM	Inner_Full	20.16	15.26	14.56
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	20.21	15.31	14.61
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	20.04	15.14	14.44
n7	15	15	2562.5	DFT	64QAM	Outer_Full	20.19	15.29	14.59
n7	15	15	2562.5	DFT	256QAM	Inner_Full	18.19	13.29	12.59
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	18.33	13.43	12.73
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	18.15	13.25	12.55
n7	15	15	2562.5	DFT	256QAM	Outer_Full	18.19	13.29	12.59
n7	15	15	2562.5	CP	QPSK	Inner_Full	21.18	16.28	15.58
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	19.87	14.97	14.27
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	19.68	14.78	14.08
n7	15	15	2562.5	CP	QPSK	Outer_Full	19.71	14.81	14.11
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.70	15.80	15.10
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	20.04	15.14	14.44
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.79	14.89	14.19
n7	15	15	2562.5	CP	16QAM	Outer_Full	19.79	14.89	14.19
n7	15	15	2562.5	CP	64QAM	Inner_Full	19.20	14.30	13.60
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	19.26	14.36	13.66
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	19.07	14.17	13.47
n7	15	15	2562.5	CP	64QAM	Outer_Full	19.27	14.37	13.67
n7	15	15	2562.5	CP	256QAM	Inner_Full	16.25	11.35	10.65
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	16.43	11.53	10.83
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	16.26	11.36	10.66
n7	15	15	2562.5	CP	256QAM	Outer_Full	16.18	11.28	10.58
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	22.78	17.88	17.18
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	17.39	16.69
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	22.44	17.54	16.84
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	22.30	17.40	16.70
n7	20	15	2510	DFT	QPSK	Inner_Full	22.75	17.85	17.15

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.72	16.82	16.12
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.91	17.01	16.31
n7	20	15	2510	DFT	QPSK	Outer_Full	21.81	16.91	16.21
n7	20	15	2510	DFT	16QAM	Inner_Full	21.72	16.82	16.12
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	21.08	16.18	15.48
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	21.16	16.26	15.56
n7	20	15	2510	DFT	16QAM	Outer_Full	20.83	15.93	15.23
n7	20	15	2510	DFT	64QAM	Inner_Full	20.33	15.43	14.73
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	20.22	15.32	14.62
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	20.31	15.41	14.71
n7	20	15	2510	DFT	64QAM	Outer_Full	20.31	15.41	14.71
n7	20	15	2510	DFT	256QAM	Inner_Full	18.26	13.36	12.66
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	18.32	13.42	12.72
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.42	13.52	12.82
n7	20	15	2510	DFT	256QAM	Outer_Full	18.31	13.41	12.71
n7	20	15	2510	CP	QPSK	Inner_Full	21.27	16.37	15.67
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	19.79	14.89	14.19
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	19.94	15.04	14.34
n7	20	15	2510	CP	QPSK	Outer_Full	19.75	14.85	14.15
n7	20	15	2510	CP	16QAM	Inner_Full	20.71	15.81	15.11
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	19.95	15.05	14.35
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	20.13	15.23	14.53
n7	20	15	2510	CP	16QAM	Outer_Full	19.86	14.96	14.26
n7	20	15	2510	CP	64QAM	Inner_Full	19.27	14.37	13.67
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	19.13	14.23	13.53
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.28	14.38	13.68
n7	20	15	2510	CP	64QAM	Outer_Full	19.27	14.37	13.67
n7	20	15	2510	CP	256QAM	Inner_Full	16.28	11.38	10.68
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	16.34	11.44	10.74
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	16.52	11.62	10.92

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2510	CP	256QAM	Outer_Full	16.31	11.41	10.71
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	23.01	18.11	17.41
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.54	17.64	16.94
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.56	17.66	16.96
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.46	17.56	16.86
n7	20	15	2535	DFT	QPSK	Inner_Full	22.96	18.06	17.36
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.99	17.09	16.39
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	22.00	17.10	16.40
n7	20	15	2535	DFT	QPSK	Outer_Full	21.97	17.07	16.37
n7	20	15	2535	DFT	16QAM	Inner_Full	21.90	17.00	16.30
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	21.26	16.36	15.66
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.26	16.36	15.66
n7	20	15	2535	DFT	16QAM	Outer_Full	20.96	16.06	15.36
n7	20	15	2535	DFT	64QAM	Inner_Full	20.48	15.58	14.88
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	20.44	15.54	14.84
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.41	15.51	14.81
n7	20	15	2535	DFT	64QAM	Outer_Full	20.53	15.63	14.93
n7	20	15	2535	DFT	256QAM	Inner_Full	18.51	13.61	12.91
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	18.41	13.51	12.81
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	18.39	13.49	12.79
n7	20	15	2535	DFT	256QAM	Outer_Full	18.46	13.56	12.86
n7	20	15	2535	CP	QPSK	Inner_Full	21.43	16.53	15.83
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	19.91	15.01	14.31
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	19.98	15.08	14.38
n7	20	15	2535	CP	QPSK	Outer_Full	19.92	15.02	14.32
n7	20	15	2535	CP	16QAM	Inner_Full	20.94	16.04	15.34
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	20.15	15.25	14.55
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	20.16	15.26	14.56
n7	20	15	2535	CP	16QAM	Outer_Full	20.00	15.10	14.40
n7	20	15	2535	CP	64QAM	Inner_Full	19.48	14.58	13.88

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.30	14.40	13.70
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.31	14.41	13.71
n7	20	15	2535	CP	64QAM	Outer_Full	19.45	14.55	13.85
n7	20	15	2535	CP	256QAM	Inner_Full	16.44	11.54	10.84
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	16.46	11.56	10.86
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	16.56	11.66	10.96
n7	20	15	2535	CP	256QAM	Outer_Full	16.41	11.51	10.81
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.75	17.85	17.15
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	17.56	16.86
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	22.14	17.24	16.54
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	22.22	17.32	16.62
n7	20	15	2560	DFT	QPSK	Inner_Full	22.78	17.88	17.18
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.97	17.07	16.37
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	21.63	16.73	16.03
n7	20	15	2560	DFT	QPSK	Outer_Full	21.76	16.86	16.16
n7	20	15	2560	DFT	16QAM	Inner_Full	21.72	16.82	16.12
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	21.20	16.30	15.60
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.88	15.98	15.28
n7	20	15	2560	DFT	16QAM	Outer_Full	20.77	15.87	15.17
n7	20	15	2560	DFT	64QAM	Inner_Full	20.23	15.33	14.63
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	20.34	15.44	14.74
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	20.03	15.13	14.43
n7	20	15	2560	DFT	64QAM	Outer_Full	20.24	15.34	14.64
n7	20	15	2560	DFT	256QAM	Inner_Full	18.22	13.32	12.62
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	18.38	13.48	12.78
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	18.11	13.21	12.51
n7	20	15	2560	DFT	256QAM	Outer_Full	18.25	13.35	12.65
n7	20	15	2560	CP	QPSK	Inner_Full	21.19	16.29	15.59
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	19.90	15.00	14.30
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	19.66	14.76	14.06

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	20	15	2560	CP	QPSK	Outer_Full	19.74	14.84	14.14
n7	20	15	2560	CP	16QAM	Inner_Full	20.71	15.81	15.11
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	20.06	15.16	14.46
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.86	14.96	14.26
n7	20	15	2560	CP	16QAM	Outer_Full	19.81	14.91	14.21
n7	20	15	2560	CP	64QAM	Inner_Full	19.27	14.37	13.67
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.25	14.35	13.65
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	19.13	14.23	13.53
n7	20	15	2560	CP	64QAM	Outer_Full	19.31	14.41	13.71
n7	20	15	2560	CP	256QAM	Inner_Full	16.28	11.38	10.68
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	16.51	11.61	10.91
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	16.30	11.40	10.70
n7	20	15	2560	CP	256QAM	Outer_Full	16.26	11.36	10.66
n7	25	15	2512.5	DFT	pi/2 BPSK	Inner_Full	22.90	18.00	17.30
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.30	17.40	16.70
n7	25	15	2512.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.40	17.50	16.80
n7	25	15	2512.5	DFT	pi/2 BPSK	Outer_Full	22.29	17.39	16.69
n7	25	15	2512.5	DFT	QPSK	Inner_Full	22.90	18.00	17.30
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Left	21.72	16.82	16.12
n7	25	15	2512.5	DFT	QPSK	Edge_1RB_Right	21.87	16.97	16.27
n7	25	15	2512.5	DFT	QPSK	Outer_Full	21.87	16.97	16.27
n7	25	15	2512.5	DFT	16QAM	Inner_Full	21.87	16.97	16.27
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Left	20.97	16.07	15.37
n7	25	15	2512.5	DFT	16QAM	Edge_1RB_Right	21.15	16.25	15.55
n7	25	15	2512.5	DFT	16QAM	Outer_Full	20.86	15.96	15.26
n7	25	15	2512.5	DFT	64QAM	Inner_Full	20.33	15.43	14.73
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Left	20.10	15.20	14.50
n7	25	15	2512.5	DFT	64QAM	Edge_1RB_Right	20.26	15.36	14.66
n7	25	15	2512.5	DFT	64QAM	Outer_Full	20.37	15.47	14.77
n7	25	15	2512.5	DFT	256QAM	Inner_Full	18.35	13.45	12.75

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Left	18.21	13.31	12.61
n7	25	15	2512.5	DFT	256QAM	Edge_1RB_Right	18.33	13.43	12.73
n7	25	15	2512.5	DFT	256QAM	Outer_Full	18.34	13.44	12.74
n7	25	15	2512.5	CP	QPSK	Inner_Full	21.36	16.46	15.76
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Left	19.72	14.82	14.12
n7	25	15	2512.5	CP	QPSK	Edge_1RB_Right	19.89	14.99	14.29
n7	25	15	2512.5	CP	QPSK	Outer_Full	19.86	14.96	14.26
n7	25	15	2512.5	CP	16QAM	Inner_Full	20.83	15.93	15.23
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Left	19.91	15.01	14.31
n7	25	15	2512.5	CP	16QAM	Edge_1RB_Right	19.95	15.05	14.35
n7	25	15	2512.5	CP	16QAM	Outer_Full	19.81	14.91	14.21
n7	25	15	2512.5	CP	64QAM	Inner_Full	19.43	14.53	13.83
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Left	19.16	14.26	13.56
n7	25	15	2512.5	CP	64QAM	Edge_1RB_Right	19.25	14.35	13.65
n7	25	15	2512.5	CP	64QAM	Outer_Full	19.39	14.49	13.79
n7	25	15	2512.5	CP	256QAM	Inner_Full	16.30	11.40	10.70
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Left	16.28	11.38	10.68
n7	25	15	2512.5	CP	256QAM	Edge_1RB_Right	16.46	11.56	10.86
n7	25	15	2512.5	CP	256QAM	Outer_Full	16.34	11.44	10.74
n7	25	15	2535	DFT	pi/2 BPSK	Inner_Full	23.03	18.13	17.43
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	17.55	16.85
n7	25	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.45	17.55	16.85
n7	25	15	2535	DFT	pi/2 BPSK	Outer_Full	22.42	17.52	16.82
n7	25	15	2535	DFT	QPSK	Inner_Full	23.06	18.16	17.46
n7	25	15	2535	DFT	QPSK	Edge_1RB_Left	21.92	17.02	16.32
n7	25	15	2535	DFT	QPSK	Edge_1RB_Right	21.94	17.04	16.34
n7	25	15	2535	DFT	QPSK	Outer_Full	21.99	17.09	16.39
n7	25	15	2535	DFT	16QAM	Inner_Full	22.04	17.14	16.44
n7	25	15	2535	DFT	16QAM	Edge_1RB_Left	21.18	16.28	15.58
n7	25	15	2535	DFT	16QAM	Edge_1RB_Right	21.15	16.25	15.55

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2535	DFT	16QAM	Outer_Full	20.95	16.05	15.35
n7	25	15	2535	DFT	64QAM	Inner_Full	20.54	15.64	14.94
n7	25	15	2535	DFT	64QAM	Edge_1RB_Left	20.27	15.37	14.67
n7	25	15	2535	DFT	64QAM	Edge_1RB_Right	20.31	15.41	14.71
n7	25	15	2535	DFT	64QAM	Outer_Full	20.47	15.57	14.87
n7	25	15	2535	DFT	256QAM	Inner_Full	18.50	13.60	12.90
n7	25	15	2535	DFT	256QAM	Edge_1RB_Left	18.42	13.52	12.82
n7	25	15	2535	DFT	256QAM	Edge_1RB_Right	18.34	13.44	12.74
n7	25	15	2535	DFT	256QAM	Outer_Full	18.50	13.60	12.90
n7	25	15	2535	CP	QPSK	Inner_Full	21.48	16.58	15.88
n7	25	15	2535	CP	QPSK	Edge_1RB_Left	19.93	15.03	14.33
n7	25	15	2535	CP	QPSK	Edge_1RB_Right	19.81	14.91	14.21
n7	25	15	2535	CP	QPSK	Outer_Full	19.94	15.04	14.34
n7	25	15	2535	CP	16QAM	Inner_Full	20.97	16.07	15.37
n7	25	15	2535	CP	16QAM	Edge_1RB_Left	20.09	15.19	14.49
n7	25	15	2535	CP	16QAM	Edge_1RB_Right	20.08	15.18	14.48
n7	25	15	2535	CP	16QAM	Outer_Full	19.97	15.07	14.37
n7	25	15	2535	CP	64QAM	Inner_Full	19.53	14.63	13.93
n7	25	15	2535	CP	64QAM	Edge_1RB_Left	19.26	14.36	13.66
n7	25	15	2535	CP	64QAM	Edge_1RB_Right	19.22	14.32	13.62
n7	25	15	2535	CP	64QAM	Outer_Full	19.45	14.55	13.85
n7	25	15	2535	CP	256QAM	Inner_Full	16.45	11.55	10.85
n7	25	15	2535	CP	256QAM	Edge_1RB_Left	16.53	11.63	10.93
n7	25	15	2535	CP	256QAM	Edge_1RB_Right	16.41	11.51	10.81
n7	25	15	2535	CP	256QAM	Outer_Full	16.44	11.54	10.84
n7	25	15	2557.5	DFT	pi/2 BPSK	Inner_Full	22.89	17.99	17.29
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	17.55	16.85
n7	25	15	2557.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.12	17.22	16.52
n7	25	15	2557.5	DFT	pi/2 BPSK	Outer_Full	22.31	17.41	16.71
n7	25	15	2557.5	DFT	QPSK	Inner_Full	22.84	17.94	17.24

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Left	21.94	17.04	16.34
n7	25	15	2557.5	DFT	QPSK	Edge_1RB_Right	21.55	16.65	15.95
n7	25	15	2557.5	DFT	QPSK	Outer_Full	21.85	16.95	16.25
n7	25	15	2557.5	DFT	16QAM	Inner_Full	21.86	16.96	16.26
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Left	21.21	16.31	15.61
n7	25	15	2557.5	DFT	16QAM	Edge_1RB_Right	20.75	15.85	15.15
n7	25	15	2557.5	DFT	16QAM	Outer_Full	20.87	15.97	15.27
n7	25	15	2557.5	DFT	64QAM	Inner_Full	20.38	15.48	14.78
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Left	20.32	15.42	14.72
n7	25	15	2557.5	DFT	64QAM	Edge_1RB_Right	19.95	15.05	14.35
n7	25	15	2557.5	DFT	64QAM	Outer_Full	20.41	15.51	14.81
n7	25	15	2557.5	DFT	256QAM	Inner_Full	18.34	13.44	12.74
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Left	18.34	13.44	12.74
n7	25	15	2557.5	DFT	256QAM	Edge_1RB_Right	18.07	13.17	12.47
n7	25	15	2557.5	DFT	256QAM	Outer_Full	18.33	13.43	12.73
n7	25	15	2557.5	CP	QPSK	Inner_Full	21.38	16.48	15.78
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Left	19.88	14.98	14.28
n7	25	15	2557.5	CP	QPSK	Edge_1RB_Right	19.60	14.70	14.00
n7	25	15	2557.5	CP	QPSK	Outer_Full	19.83	14.93	14.23
n7	25	15	2557.5	CP	16QAM	Inner_Full	20.80	15.90	15.20
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Left	20.03	15.13	14.43
n7	25	15	2557.5	CP	16QAM	Edge_1RB_Right	19.79	14.89	14.19
n7	25	15	2557.5	CP	16QAM	Outer_Full	19.84	14.94	14.24
n7	25	15	2557.5	CP	64QAM	Inner_Full	19.36	14.46	13.76
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Left	19.28	14.38	13.68
n7	25	15	2557.5	CP	64QAM	Edge_1RB_Right	19.05	14.15	13.45
n7	25	15	2557.5	CP	64QAM	Outer_Full	19.36	14.46	13.76
n7	25	15	2557.5	CP	256QAM	Inner_Full	16.35	11.45	10.75
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Left	16.40	11.50	10.80
n7	25	15	2557.5	CP	256QAM	Edge_1RB_Right	16.28	11.38	10.68

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	25	15	2557.5	CP	256QAM	Outer_Full	16.29	11.39	10.69
n7	30	15	2515	DFT	pi/2 BPSK	Inner_Full	22.90	18.00	17.30
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Left	22.34	17.44	16.74
n7	30	15	2515	DFT	pi/2 BPSK	Edge_1RB_Right	22.50	17.60	16.90
n7	30	15	2515	DFT	pi/2 BPSK	Outer_Full	22.38	17.48	16.78
n7	30	15	2515	DFT	QPSK	Inner_Full	22.92	18.02	17.32
n7	30	15	2515	DFT	QPSK	Edge_1RB_Left	21.76	16.86	16.16
n7	30	15	2515	DFT	QPSK	Edge_1RB_Right	21.96	17.06	16.36
n7	30	15	2515	DFT	QPSK	Outer_Full	21.93	17.03	16.33
n7	30	15	2515	DFT	16QAM	Inner_Full	21.92	17.02	16.32
n7	30	15	2515	DFT	16QAM	Edge_1RB_Left	21.07	16.17	15.47
n7	30	15	2515	DFT	16QAM	Edge_1RB_Right	21.26	16.36	15.66
n7	30	15	2515	DFT	16QAM	Outer_Full	20.86	15.96	15.26
n7	30	15	2515	DFT	64QAM	Inner_Full	20.38	15.48	14.78
n7	30	15	2515	DFT	64QAM	Edge_1RB_Left	20.14	15.24	14.54
n7	30	15	2515	DFT	64QAM	Edge_1RB_Right	20.35	15.45	14.75
n7	30	15	2515	DFT	64QAM	Outer_Full	20.42	15.52	14.82
n7	30	15	2515	DFT	256QAM	Inner_Full	18.38	13.48	12.78
n7	30	15	2515	DFT	256QAM	Edge_1RB_Left	18.26	13.36	12.66
n7	30	15	2515	DFT	256QAM	Edge_1RB_Right	18.40	13.50	12.80
n7	30	15	2515	DFT	256QAM	Outer_Full	18.40	13.50	12.80
n7	30	15	2515	CP	QPSK	Inner_Full	21.32	16.42	15.72
n7	30	15	2515	CP	QPSK	Edge_1RB_Left	19.75	14.85	14.15
n7	30	15	2515	CP	QPSK	Edge_1RB_Right	19.96	15.06	14.36
n7	30	15	2515	CP	QPSK	Outer_Full	19.88	14.98	14.28
n7	30	15	2515	CP	16QAM	Inner_Full	20.88	15.98	15.28
n7	30	15	2515	CP	16QAM	Edge_1RB_Left	19.99	15.09	14.39
n7	30	15	2515	CP	16QAM	Edge_1RB_Right	20.20	15.30	14.60
n7	30	15	2515	CP	16QAM	Outer_Full	19.90	15.00	14.30
n7	30	15	2515	CP	64QAM	Inner_Full	19.41	14.51	13.81

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2515	CP	64QAM	Edge_1RB_Left	19.17	14.27	13.57
n7	30	15	2515	CP	64QAM	Edge_1RB_Right	19.39	14.49	13.79
n7	30	15	2515	CP	64QAM	Outer_Full	19.45	14.55	13.85
n7	30	15	2515	CP	256QAM	Inner_Full	16.40	11.50	10.80
n7	30	15	2515	CP	256QAM	Edge_1RB_Left	16.42	11.52	10.82
n7	30	15	2515	CP	256QAM	Edge_1RB_Right	16.60	11.70	11.00
n7	30	15	2515	CP	256QAM	Outer_Full	16.42	11.52	10.82
n7	30	15	2535	DFT	pi/2 BPSK	Inner_Full	23.01	18.11	17.41
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.47	17.57	16.87
n7	30	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.35	17.45	16.75
n7	30	15	2535	DFT	pi/2 BPSK	Outer_Full	22.47	17.57	16.87
n7	30	15	2535	DFT	QPSK	Inner_Full	23.03	18.13	17.43
n7	30	15	2535	DFT	QPSK	Edge_1RB_Left	21.96	17.06	16.36
n7	30	15	2535	DFT	QPSK	Edge_1RB_Right	21.99	17.09	16.39
n7	30	15	2535	DFT	QPSK	Outer_Full	22.01	17.11	16.41
n7	30	15	2535	DFT	16QAM	Inner_Full	22.05	17.15	16.45
n7	30	15	2535	DFT	16QAM	Edge_1RB_Left	21.23	16.33	15.63
n7	30	15	2535	DFT	16QAM	Edge_1RB_Right	21.23	16.33	15.63
n7	30	15	2535	DFT	16QAM	Outer_Full	20.98	16.08	15.38
n7	30	15	2535	DFT	64QAM	Inner_Full	20.50	15.60	14.90
n7	30	15	2535	DFT	64QAM	Edge_1RB_Left	20.33	15.43	14.73
n7	30	15	2535	DFT	64QAM	Edge_1RB_Right	20.35	15.45	14.75
n7	30	15	2535	DFT	64QAM	Outer_Full	20.46	15.56	14.86
n7	30	15	2535	DFT	256QAM	Inner_Full	18.52	13.62	12.92
n7	30	15	2535	DFT	256QAM	Edge_1RB_Left	18.42	13.52	12.82
n7	30	15	2535	DFT	256QAM	Edge_1RB_Right	18.35	13.45	12.75
n7	30	15	2535	DFT	256QAM	Outer_Full	18.51	13.61	12.91
n7	30	15	2535	CP	QPSK	Inner_Full	21.48	16.58	15.88
n7	30	15	2535	CP	QPSK	Edge_1RB_Left	19.93	15.03	14.33
n7	30	15	2535	CP	QPSK	Edge_1RB_Right	19.84	14.94	14.24

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2535	CP	QPSK	Outer_Full	20.06	15.16	14.46
n7	30	15	2535	CP	16QAM	Inner_Full	20.95	16.05	15.35
n7	30	15	2535	CP	16QAM	Edge_1RB_Left	20.15	15.25	14.55
n7	30	15	2535	CP	16QAM	Edge_1RB_Right	20.14	15.24	14.54
n7	30	15	2535	CP	16QAM	Outer_Full	19.99	15.09	14.39
n7	30	15	2535	CP	64QAM	Inner_Full	19.59	14.69	13.99
n7	30	15	2535	CP	64QAM	Edge_1RB_Left	19.40	14.50	13.80
n7	30	15	2535	CP	64QAM	Edge_1RB_Right	19.34	14.44	13.74
n7	30	15	2535	CP	64QAM	Outer_Full	19.54	14.64	13.94
n7	30	15	2535	CP	256QAM	Inner_Full	16.51	11.61	10.91
n7	30	15	2535	CP	256QAM	Edge_1RB_Left	16.56	11.66	10.96
n7	30	15	2535	CP	256QAM	Edge_1RB_Right	16.57	11.67	10.97
n7	30	15	2535	CP	256QAM	Outer_Full	16.55	11.65	10.95
n7	30	15	2555	DFT	pi/2 BPSK	Inner_Full	22.90	18.00	17.30
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Left	22.58	17.68	16.98
n7	30	15	2555	DFT	pi/2 BPSK	Edge_1RB_Right	22.14	17.24	16.54
n7	30	15	2555	DFT	pi/2 BPSK	Outer_Full	22.42	17.52	16.82
n7	30	15	2555	DFT	QPSK	Inner_Full	22.93	18.03	17.33
n7	30	15	2555	DFT	QPSK	Edge_1RB_Left	22.02	17.12	16.42
n7	30	15	2555	DFT	QPSK	Edge_1RB_Right	21.64	16.74	16.04
n7	30	15	2555	DFT	QPSK	Outer_Full	21.89	16.99	16.29
n7	30	15	2555	DFT	16QAM	Inner_Full	21.91	17.01	16.31
n7	30	15	2555	DFT	16QAM	Edge_1RB_Left	21.32	16.42	15.72
n7	30	15	2555	DFT	16QAM	Edge_1RB_Right	20.88	15.98	15.28
n7	30	15	2555	DFT	16QAM	Outer_Full	20.85	15.95	15.25
n7	30	15	2555	DFT	64QAM	Inner_Full	20.41	15.51	14.81
n7	30	15	2555	DFT	64QAM	Edge_1RB_Left	20.44	15.54	14.84
n7	30	15	2555	DFT	64QAM	Edge_1RB_Right	20.03	15.13	14.43
n7	30	15	2555	DFT	64QAM	Outer_Full	20.38	15.48	14.78
n7	30	15	2555	DFT	256QAM	Inner_Full	18.36	13.46	12.76

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	30	15	2555	DFT	256QAM	Edge_1RB_Left	18.52	13.62	12.92
n7	30	15	2555	DFT	256QAM	Edge_1RB_Right	18.11	13.21	12.51
n7	30	15	2555	DFT	256QAM	Outer_Full	18.37	13.47	12.77
n7	30	15	2555	CP	QPSK	Inner_Full	21.33	16.43	15.73
n7	30	15	2555	CP	QPSK	Edge_1RB_Left	20.05	15.15	14.45
n7	30	15	2555	CP	QPSK	Edge_1RB_Right	19.70	14.80	14.10
n7	30	15	2555	CP	QPSK	Outer_Full	19.84	14.94	14.24
n7	30	15	2555	CP	16QAM	Inner_Full	20.79	15.89	15.19
n7	30	15	2555	CP	16QAM	Edge_1RB_Left	20.27	15.37	14.67
n7	30	15	2555	CP	16QAM	Edge_1RB_Right	19.94	15.04	14.34
n7	30	15	2555	CP	16QAM	Outer_Full	19.85	14.95	14.25
n7	30	15	2555	CP	64QAM	Inner_Full	19.41	14.51	13.81
n7	30	15	2555	CP	64QAM	Edge_1RB_Left	19.47	14.57	13.87
n7	30	15	2555	CP	64QAM	Edge_1RB_Right	19.10	14.20	13.50
n7	30	15	2555	CP	64QAM	Outer_Full	19.37	14.47	13.77
n7	30	15	2555	CP	256QAM	Inner_Full	16.37	11.47	10.77
n7	30	15	2555	CP	256QAM	Edge_1RB_Left	16.69	11.79	11.09
n7	30	15	2555	CP	256QAM	Edge_1RB_Right	16.35	11.45	10.75
n7	30	15	2555	CP	256QAM	Outer_Full	16.39	11.49	10.79
n7	40	15	2520	DFT	pi/2 BPSK	Inner_Full	22.95	18.05	17.35
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Left	22.31	17.41	16.71
n7	40	15	2520	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	17.64	16.94
n7	40	15	2520	DFT	pi/2 BPSK	Outer_Full	22.47	17.57	16.87
n7	40	15	2520	DFT	QPSK	Inner_Full	22.96	18.06	17.36
n7	40	15	2520	DFT	QPSK	Edge_1RB_Left	21.77	16.87	16.17
n7	40	15	2520	DFT	QPSK	Edge_1RB_Right	22.02	17.12	16.42
n7	40	15	2520	DFT	QPSK	Outer_Full	21.95	17.05	16.35
n7	40	15	2520	DFT	16QAM	Inner_Full	21.96	17.06	16.36
n7	40	15	2520	DFT	16QAM	Edge_1RB_Left	21.02	16.12	15.42
n7	40	15	2520	DFT	16QAM	Edge_1RB_Right	21.30	16.40	15.70

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2520	DFT	16QAM	Outer_Full	20.93	16.03	15.33
n7	40	15	2520	DFT	64QAM	Inner_Full	20.41	15.51	14.81
n7	40	15	2520	DFT	64QAM	Edge_1RB_Left	20.14	15.24	14.54
n7	40	15	2520	DFT	64QAM	Edge_1RB_Right	20.41	15.51	14.81
n7	40	15	2520	DFT	64QAM	Outer_Full	20.41	15.51	14.81
n7	40	15	2520	DFT	256QAM	Inner_Full	18.43	13.53	12.83
n7	40	15	2520	DFT	256QAM	Edge_1RB_Left	18.25	13.35	12.65
n7	40	15	2520	DFT	256QAM	Edge_1RB_Right	18.46	13.56	12.86
n7	40	15	2520	DFT	256QAM	Outer_Full	18.42	13.52	12.82
n7	40	15	2520	CP	QPSK	Inner_Full	21.36	16.46	15.76
n7	40	15	2520	CP	QPSK	Edge_1RB_Left	19.75	14.85	14.15
n7	40	15	2520	CP	QPSK	Edge_1RB_Right	20.05	15.15	14.45
n7	40	15	2520	CP	QPSK	Outer_Full	19.96	15.06	14.36
n7	40	15	2520	CP	16QAM	Inner_Full	20.89	15.99	15.29
n7	40	15	2520	CP	16QAM	Edge_1RB_Left	19.98	15.08	14.38
n7	40	15	2520	CP	16QAM	Edge_1RB_Right	20.30	15.40	14.70
n7	40	15	2520	CP	16QAM	Outer_Full	19.99	15.09	14.39
n7	40	15	2520	CP	64QAM	Inner_Full	19.46	14.56	13.86
n7	40	15	2520	CP	64QAM	Edge_1RB_Left	19.18	14.28	13.58
n7	40	15	2520	CP	64QAM	Edge_1RB_Right	19.42	14.52	13.82
n7	40	15	2520	CP	64QAM	Outer_Full	19.50	14.60	13.90
n7	40	15	2520	CP	256QAM	Inner_Full	16.49	11.59	10.89
n7	40	15	2520	CP	256QAM	Edge_1RB_Left	16.31	11.41	10.71
n7	40	15	2520	CP	256QAM	Edge_1RB_Right	16.66	11.76	11.06
n7	40	15	2520	CP	256QAM	Outer_Full	16.47	11.57	10.87
n7	40	15	2535	DFT	pi/2 BPSK	Inner_Full	23.00	18.10	17.40
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	17.52	16.82
n7	40	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.38	17.48	16.78
n7	40	15	2535	DFT	pi/2 BPSK	Outer_Full	22.41	17.51	16.81
n7	40	15	2535	DFT	QPSK	Inner_Full	23.04	18.14	17.44

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2535	DFT	QPSK	Edge_1RB_Left	21.94	17.04	16.34
n7	40	15	2535	DFT	QPSK	Edge_1RB_Right	21.92	17.02	16.32
n7	40	15	2535	DFT	QPSK	Outer_Full	21.97	17.07	16.37
n7	40	15	2535	DFT	16QAM	Inner_Full	22.07	17.17	16.47
n7	40	15	2535	DFT	16QAM	Edge_1RB_Left	21.08	16.18	15.48
n7	40	15	2535	DFT	16QAM	Edge_1RB_Right	21.20	16.30	15.60
n7	40	15	2535	DFT	16QAM	Outer_Full	20.97	16.07	15.37
n7	40	15	2535	DFT	64QAM	Inner_Full	20.51	15.61	14.91
n7	40	15	2535	DFT	64QAM	Edge_1RB_Left	20.29	15.39	14.69
n7	40	15	2535	DFT	64QAM	Edge_1RB_Right	20.29	15.39	14.69
n7	40	15	2535	DFT	64QAM	Outer_Full	20.47	15.57	14.87
n7	40	15	2535	DFT	256QAM	Inner_Full	18.55	13.65	12.95
n7	40	15	2535	DFT	256QAM	Edge_1RB_Left	18.39	13.49	12.79
n7	40	15	2535	DFT	256QAM	Edge_1RB_Right	18.28	13.38	12.68
n7	40	15	2535	DFT	256QAM	Outer_Full	18.28	13.38	12.68
n7	40	15	2535	CP	QPSK	Inner_Full	21.49	16.59	15.89
n7	40	15	2535	CP	QPSK	Edge_1RB_Left	19.88	14.98	14.28
n7	40	15	2535	CP	QPSK	Edge_1RB_Right	19.87	14.97	14.27
n7	40	15	2535	CP	QPSK	Outer_Full	19.99	15.09	14.39
n7	40	15	2535	CP	16QAM	Inner_Full	21.04	16.14	15.44
n7	40	15	2535	CP	16QAM	Edge_1RB_Left	20.11	15.21	14.51
n7	40	15	2535	CP	16QAM	Edge_1RB_Right	20.09	15.19	14.49
n7	40	15	2535	CP	16QAM	Outer_Full	20.00	15.10	14.40
n7	40	15	2535	CP	64QAM	Inner_Full	19.57	14.67	13.97
n7	40	15	2535	CP	64QAM	Edge_1RB_Left	19.33	14.43	13.73
n7	40	15	2535	CP	64QAM	Edge_1RB_Right	19.26	14.36	13.66
n7	40	15	2535	CP	64QAM	Outer_Full	19.48	14.58	13.88
n7	40	15	2535	CP	256QAM	Inner_Full	16.51	11.61	10.91
n7	40	15	2535	CP	256QAM	Edge_1RB_Left	16.52	11.62	10.92
n7	40	15	2535	CP	256QAM	Edge_1RB_Right	16.48	11.58	10.88

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2535	CP	256QAM	Outer_Full	16.51	11.61	10.91
n7	40	15	2550	DFT	pi/2 BPSK	Inner_Full	22.97	18.07	17.37
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	17.66	16.96
n7	40	15	2550	DFT	pi/2 BPSK	Edge_1RB_Right	22.17	17.27	16.57
n7	40	15	2550	DFT	pi/2 BPSK	Outer_Full	22.39	17.49	16.79
n7	40	15	2550	DFT	QPSK	Inner_Full	22.99	18.09	17.39
n7	40	15	2550	DFT	QPSK	Edge_1RB_Left	22.05	17.15	16.45
n7	40	15	2550	DFT	QPSK	Edge_1RB_Right	21.66	16.76	16.06
n7	40	15	2550	DFT	QPSK	Outer_Full	21.92	17.02	16.32
n7	40	15	2550	DFT	16QAM	Inner_Full	22.00	17.10	16.40
n7	40	15	2550	DFT	16QAM	Edge_1RB_Left	21.29	16.39	15.69
n7	40	15	2550	DFT	16QAM	Edge_1RB_Right	20.85	15.95	15.25
n7	40	15	2550	DFT	16QAM	Outer_Full	20.96	16.06	15.36
n7	40	15	2550	DFT	64QAM	Inner_Full	20.43	15.53	14.83
n7	40	15	2550	DFT	64QAM	Edge_1RB_Left	20.42	15.52	14.82
n7	40	15	2550	DFT	64QAM	Edge_1RB_Right	20.01	15.11	14.41
n7	40	15	2550	DFT	64QAM	Outer_Full	20.43	15.53	14.83
n7	40	15	2550	DFT	256QAM	Inner_Full	18.48	13.58	12.88
n7	40	15	2550	DFT	256QAM	Edge_1RB_Left	18.48	13.58	12.88
n7	40	15	2550	DFT	256QAM	Edge_1RB_Right	18.12	13.22	12.52
n7	40	15	2550	DFT	256QAM	Outer_Full	18.46	13.56	12.86
n7	40	15	2550	CP	QPSK	Inner_Full	21.49	16.59	15.89
n7	40	15	2550	CP	QPSK	Edge_1RB_Left	20.02	15.12	14.42
n7	40	15	2550	CP	QPSK	Edge_1RB_Right	19.70	14.80	14.10
n7	40	15	2550	CP	QPSK	Outer_Full	19.92	15.02	14.32
n7	40	15	2550	CP	16QAM	Inner_Full	20.91	16.01	15.31
n7	40	15	2550	CP	16QAM	Edge_1RB_Left	20.26	15.36	14.66
n7	40	15	2550	CP	16QAM	Edge_1RB_Right	19.93	15.03	14.33
n7	40	15	2550	CP	16QAM	Outer_Full	19.93	15.03	14.33
n7	40	15	2550	CP	64QAM	Inner_Full	19.48	14.58	13.88

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	40	15	2550	CP	64QAM	Edge_1RB_Left	19.42	14.52	13.82
n7	40	15	2550	CP	64QAM	Edge_1RB_Right	19.10	14.20	13.50
n7	40	15	2550	CP	64QAM	Outer_Full	19.45	14.55	13.85
n7	40	15	2550	CP	256QAM	Inner_Full	16.49	11.59	10.89
n7	40	15	2550	CP	256QAM	Edge_1RB_Left	16.64	11.74	11.04
n7	40	15	2550	CP	256QAM	Edge_1RB_Right	16.29	11.39	10.69
n7	40	15	2550	CP	256QAM	Outer_Full	16.45	11.55	10.85
n7	50	15	2525	DFT	pi/2 BPSK	Inner_Full	22.93	18.03	17.33
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	17.35	16.65
n7	50	15	2525	DFT	pi/2 BPSK	Edge_1RB_Right	22.41	17.51	16.81
n7	50	15	2525	DFT	pi/2 BPSK	Outer_Full	22.49	17.59	16.89
n7	50	15	2525	DFT	QPSK	Inner_Full	22.95	18.05	17.35
n7	50	15	2525	DFT	QPSK	Edge_1RB_Left	21.75	16.85	16.15
n7	50	15	2525	DFT	QPSK	Edge_1RB_Right	21.91	17.01	16.31
n7	50	15	2525	DFT	QPSK	Outer_Full	21.93	17.03	16.33
n7	50	15	2525	DFT	16QAM	Inner_Full	21.98	17.08	16.38
n7	50	15	2525	DFT	16QAM	Edge_1RB_Left	20.97	16.07	15.37
n7	50	15	2525	DFT	16QAM	Edge_1RB_Right	21.13	16.23	15.53
n7	50	15	2525	DFT	16QAM	Outer_Full	20.94	16.04	15.34
n7	50	15	2525	DFT	64QAM	Inner_Full	20.43	15.53	14.83
n7	50	15	2525	DFT	64QAM	Edge_1RB_Left	20.09	15.19	14.49
n7	50	15	2525	DFT	64QAM	Edge_1RB_Right	20.28	15.38	14.68
n7	50	15	2525	DFT	64QAM	Outer_Full	20.48	15.58	14.88
n7	50	15	2525	DFT	256QAM	Inner_Full	18.49	13.59	12.89
n7	50	15	2525	DFT	256QAM	Edge_1RB_Left	18.20	13.30	12.60
n7	50	15	2525	DFT	256QAM	Edge_1RB_Right	18.24	13.34	12.64
n7	50	15	2525	DFT	256QAM	Outer_Full	18.51	13.61	12.91
n7	50	15	2525	CP	QPSK	Inner_Full	21.40	16.50	15.80
n7	50	15	2525	CP	QPSK	Edge_1RB_Left	19.69	14.79	14.09
n7	50	15	2525	CP	QPSK	Edge_1RB_Right	19.81	14.91	14.21

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	50	15	2525	CP	QPSK	Outer_Full	19.94	15.04	14.34
n7	50	15	2525	CP	16QAM	Inner_Full	20.95	16.05	15.35
n7	50	15	2525	CP	16QAM	Edge_1RB_Left	19.95	15.05	14.35
n7	50	15	2525	CP	16QAM	Edge_1RB_Right	20.06	15.16	14.46
n7	50	15	2525	CP	16QAM	Outer_Full	19.96	15.06	14.36
n7	50	15	2525	CP	64QAM	Inner_Full	19.49	14.59	13.89
n7	50	15	2525	CP	64QAM	Edge_1RB_Left	19.10	14.20	13.50
n7	50	15	2525	CP	64QAM	Edge_1RB_Right	19.26	14.36	13.66
n7	50	15	2525	CP	64QAM	Outer_Full	19.48	14.58	13.88
n7	50	15	2525	CP	256QAM	Inner_Full	16.46	11.56	10.86
n7	50	15	2525	CP	256QAM	Edge_1RB_Left	16.32	11.42	10.72
n7	50	15	2525	CP	256QAM	Edge_1RB_Right	16.41	11.51	10.81
n7	50	15	2525	CP	256QAM	Outer_Full	16.46	11.56	10.86
n7	50	15	2535	DFT	pi/2 BPSK	Inner_Full	22.95	18.05	17.35
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.36	17.46	16.76
n7	50	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.19	17.29	16.59
n7	50	15	2535	DFT	pi/2 BPSK	Outer_Full	22.45	17.55	16.85
n7	50	15	2535	DFT	QPSK	Inner_Full	23.02	18.12	17.42
n7	50	15	2535	DFT	QPSK	Edge_1RB_Left	21.86	16.96	16.26
n7	50	15	2535	DFT	QPSK	Edge_1RB_Right	21.71	16.81	16.11
n7	50	15	2535	DFT	QPSK	Outer_Full	21.98	17.08	16.38
n7	50	15	2535	DFT	16QAM	Inner_Full	22.03	17.13	16.43
n7	50	15	2535	DFT	16QAM	Edge_1RB_Left	21.02	16.12	15.42
n7	50	15	2535	DFT	16QAM	Edge_1RB_Right	20.93	16.03	15.33
n7	50	15	2535	DFT	16QAM	Outer_Full	20.93	16.03	15.33
n7	50	15	2535	DFT	64QAM	Inner_Full	20.49	15.59	14.89
n7	50	15	2535	DFT	64QAM	Edge_1RB_Left	20.20	15.30	14.60
n7	50	15	2535	DFT	64QAM	Edge_1RB_Right	20.11	15.21	14.51
n7	50	15	2535	DFT	64QAM	Outer_Full	20.44	15.54	14.84
n7	50	15	2535	DFT	256QAM	Inner_Full	18.59	13.69	12.99

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	50	15	2535	DFT	256QAM	Edge_1RB_Left	18.30	13.40	12.70
n7	50	15	2535	DFT	256QAM	Edge_1RB_Right	18.12	13.22	12.52
n7	50	15	2535	DFT	256QAM	Outer_Full	18.47	13.57	12.87
n7	50	15	2535	CP	QPSK	Inner_Full	21.49	16.59	15.89
n7	50	15	2535	CP	QPSK	Edge_1RB_Left	19.79	14.89	14.19
n7	50	15	2535	CP	QPSK	Edge_1RB_Right	19.63	14.73	14.03
n7	50	15	2535	CP	QPSK	Outer_Full	19.93	15.03	14.33
n7	50	15	2535	CP	16QAM	Inner_Full	20.97	16.07	15.37
n7	50	15	2535	CP	16QAM	Edge_1RB_Left	20.02	15.12	14.42
n7	50	15	2535	CP	16QAM	Edge_1RB_Right	19.89	14.99	14.29
n7	50	15	2535	CP	16QAM	Outer_Full	19.95	15.05	14.35
n7	50	15	2535	CP	64QAM	Inner_Full	19.53	14.63	13.93
n7	50	15	2535	CP	64QAM	Edge_1RB_Left	19.20	14.30	13.60
n7	50	15	2535	CP	64QAM	Edge_1RB_Right	19.09	14.19	13.49
n7	50	15	2535	CP	64QAM	Outer_Full	19.47	14.57	13.87
n7	50	15	2535	CP	256QAM	Inner_Full	16.52	11.62	10.92
n7	50	15	2535	CP	256QAM	Edge_1RB_Left	16.46	11.56	10.86
n7	50	15	2535	CP	256QAM	Edge_1RB_Right	16.29	11.39	10.69
n7	50	15	2535	CP	256QAM	Outer_Full	16.46	11.56	10.86
n7	50	15	2545	DFT	pi/2 BPSK	Inner_Full	22.97	18.07	17.37
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Left	22.41	17.51	16.81
n7	50	15	2545	DFT	pi/2 BPSK	Edge_1RB_Right	22.14	17.24	16.54
n7	50	15	2545	DFT	pi/2 BPSK	Outer_Full	22.45	17.55	16.85
n7	50	15	2545	DFT	QPSK	Inner_Full	22.99	18.09	17.39
n7	50	15	2545	DFT	QPSK	Edge_1RB_Left	21.89	16.99	16.29
n7	50	15	2545	DFT	QPSK	Edge_1RB_Right	21.63	16.73	16.03
n7	50	15	2545	DFT	QPSK	Outer_Full	21.93	17.03	16.33
n7	50	15	2545	DFT	16QAM	Inner_Full	22.02	17.12	16.42
n7	50	15	2545	DFT	16QAM	Edge_1RB_Left	21.10	16.20	15.50
n7	50	15	2545	DFT	16QAM	Edge_1RB_Right	20.86	15.96	15.26

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n7	50	15	2545	DFT	16QAM	Outer_Full	20.90	16.00	15.30
n7	50	15	2545	DFT	64QAM	Inner_Full	20.48	15.58	14.88
n7	50	15	2545	DFT	64QAM	Edge_1RB_Left	20.35	15.45	14.75
n7	50	15	2545	DFT	64QAM	Edge_1RB_Right	20.01	15.11	14.41
n7	50	15	2545	DFT	64QAM	Outer_Full	20.40	15.50	14.80
n7	50	15	2545	DFT	256QAM	Inner_Full	18.54	13.64	12.94
n7	50	15	2545	DFT	256QAM	Edge_1RB_Left	18.37	13.47	12.77
n7	50	15	2545	DFT	256QAM	Edge_1RB_Right	18.07	13.17	12.47
n7	50	15	2545	DFT	256QAM	Outer_Full	18.47	13.57	12.87
n7	50	15	2545	CP	QPSK	Inner_Full	21.51	16.61	15.91
n7	50	15	2545	CP	QPSK	Edge_1RB_Left	19.88	14.98	14.28
n7	50	15	2545	CP	QPSK	Edge_1RB_Right	19.58	14.68	13.98
n7	50	15	2545	CP	QPSK	Outer_Full	19.89	14.99	14.29
n7	50	15	2545	CP	16QAM	Inner_Full	21.00	16.10	15.40
n7	50	15	2545	CP	16QAM	Edge_1RB_Left	20.12	15.22	14.52
n7	50	15	2545	CP	16QAM	Edge_1RB_Right	19.88	14.98	14.28
n7	50	15	2545	CP	16QAM	Outer_Full	19.94	15.04	14.34
n7	50	15	2545	CP	64QAM	Inner_Full	19.53	14.63	13.93
n7	50	15	2545	CP	64QAM	Edge_1RB_Left	19.34	14.44	13.74
n7	50	15	2545	CP	64QAM	Edge_1RB_Right	19.06	14.16	13.46
n7	50	15	2545	CP	64QAM	Outer_Full	19.49	14.59	13.89
n7	50	15	2545	CP	256QAM	Inner_Full	16.52	11.62	10.92
n7	50	15	2545	CP	256QAM	Edge_1RB_Left	16.54	11.64	10.94
n7	50	15	2545	CP	256QAM	Edge_1RB_Right	16.28	11.38	10.68
n7	50	15	2545	CP	256QAM	Outer_Full	16.44	11.54	10.84

n26(814MHz-824MHz)

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	816.5	DFT	pi/2 BPSK	Inner_Full	24.60	16.20	20.30
n26	5	15	816.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.08	15.68	19.78

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	816.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.06	15.66	19.76
n26	5	15	816.5	DFT	pi/2 BPSK	Outer_Full	24.14	15.74	19.84
n26	5	15	816.5	DFT	QPSK	Inner_Full	24.62	16.22	20.32
n26	5	15	816.5	DFT	QPSK	Edge_1RB_Left	23.59	15.19	19.29
n26	5	15	816.5	DFT	QPSK	Edge_1RB_Right	23.55	15.15	19.25
n26	5	15	816.5	DFT	QPSK	Outer_Full	23.61	15.21	19.31
n26	5	15	816.5	DFT	16QAM	Inner_Full	23.60	15.20	19.30
n26	5	15	816.5	DFT	16QAM	Edge_1RB_Left	22.86	14.46	18.56
n26	5	15	816.5	DFT	16QAM	Edge_1RB_Right	22.81	14.41	18.51
n26	5	15	816.5	DFT	16QAM	Outer_Full	22.68	14.28	18.38
n26	5	15	816.5	DFT	64QAM	Inner_Full	22.05	13.65	17.75
n26	5	15	816.5	DFT	64QAM	Edge_1RB_Left	21.97	13.57	17.67
n26	5	15	816.5	DFT	64QAM	Edge_1RB_Right	21.95	13.55	17.65
n26	5	15	816.5	DFT	64QAM	Outer_Full	22.13	13.73	17.83
n26	5	15	816.5	DFT	256QAM	Inner_Full	20.19	11.79	15.89
n26	5	15	816.5	DFT	256QAM	Edge_1RB_Left	20.08	11.68	15.78
n26	5	15	816.5	DFT	256QAM	Edge_1RB_Right	20.04	11.64	15.74
n26	5	15	816.5	DFT	256QAM	Outer_Full	20.14	11.74	15.84
n26	5	15	816.5	CP	QPSK	Inner_Full	23.00	14.60	18.70
n26	5	15	816.5	CP	QPSK	Edge_1RB_Left	21.50	13.10	17.20
n26	5	15	816.5	CP	QPSK	Edge_1RB_Right	21.48	13.08	17.18
n26	5	15	816.5	CP	QPSK	Outer_Full	21.53	13.13	17.23
n26	5	15	816.5	CP	16QAM	Inner_Full	22.70	14.30	18.40
n26	5	15	816.5	CP	16QAM	Edge_1RB_Left	21.85	13.45	17.55
n26	5	15	816.5	CP	16QAM	Edge_1RB_Right	21.76	13.36	17.46
n26	5	15	816.5	CP	16QAM	Outer_Full	21.65	13.25	17.35
n26	5	15	816.5	CP	64QAM	Inner_Full	21.02	12.62	16.72
n26	5	15	816.5	CP	64QAM	Edge_1RB_Left	20.96	12.56	16.66
n26	5	15	816.5	CP	64QAM	Edge_1RB_Right	20.89	12.49	16.59
n26	5	15	816.5	CP	64QAM	Outer_Full	21.12	12.72	16.82

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	816.5	CP	256QAM	Inner_Full	18.15	9.75	13.85
n26	5	15	816.5	CP	256QAM	Edge_1RB_Left	18.25	9.85	13.95
n26	5	15	816.5	CP	256QAM	Edge_1RB_Right	18.21	9.81	13.91
n26	5	15	816.5	CP	256QAM	Outer_Full	18.14	9.74	13.84
n26	5	15	819	DFT	pi/2 BPSK	Inner_Full	24.54	16.14	20.24
n26	5	15	819	DFT	pi/2 BPSK	Edge_1RB_Left	24.05	15.65	19.75
n26	5	15	819	DFT	pi/2 BPSK	Edge_1RB_Right	24.07	15.67	19.77
n26	5	15	819	DFT	pi/2 BPSK	Outer_Full	24.17	15.77	19.87
n26	5	15	819	DFT	QPSK	Inner_Full	24.59	16.19	20.29
n26	5	15	819	DFT	QPSK	Edge_1RB_Left	23.55	15.15	19.25
n26	5	15	819	DFT	QPSK	Edge_1RB_Right	23.56	15.16	19.26
n26	5	15	819	DFT	QPSK	Outer_Full	23.64	15.24	19.34
n26	5	15	819	DFT	16QAM	Inner_Full	23.60	15.20	19.30
n26	5	15	819	DFT	16QAM	Edge_1RB_Left	22.82	14.42	18.52
n26	5	15	819	DFT	16QAM	Edge_1RB_Right	22.85	14.45	18.55
n26	5	15	819	DFT	16QAM	Outer_Full	22.61	14.21	18.31
n26	5	15	819	DFT	64QAM	Inner_Full	22.06	13.66	17.76
n26	5	15	819	DFT	64QAM	Edge_1RB_Left	21.92	13.52	17.62
n26	5	15	819	DFT	64QAM	Edge_1RB_Right	21.95	13.55	17.65
n26	5	15	819	DFT	64QAM	Outer_Full	22.18	13.78	17.88
n26	5	15	819	DFT	256QAM	Inner_Full	20.14	11.74	15.84
n26	5	15	819	DFT	256QAM	Edge_1RB_Left	20.08	11.68	15.78
n26	5	15	819	DFT	256QAM	Edge_1RB_Right	20.00	11.60	15.70
n26	5	15	819	DFT	256QAM	Outer_Full	20.10	11.70	15.80
n26	5	15	819	CP	QPSK	Inner_Full	23.01	14.61	18.71
n26	5	15	819	CP	QPSK	Edge_1RB_Left	21.49	13.09	17.19
n26	5	15	819	CP	QPSK	Edge_1RB_Right	21.53	13.13	17.23
n26	5	15	819	CP	QPSK	Outer_Full	21.61	13.21	17.31
n26	5	15	819	CP	16QAM	Inner_Full	22.69	14.29	18.39
n26	5	15	819	CP	16QAM	Edge_1RB_Left	21.75	13.35	17.45

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	819	CP	16QAM	Edge_1RB_Right	21.78	13.38	17.48
n26	5	15	819	CP	16QAM	Outer_Full	21.64	13.24	17.34
n26	5	15	819	CP	64QAM	Inner_Full	21.04	12.64	16.74
n26	5	15	819	CP	64QAM	Edge_1RB_Left	20.89	12.49	16.59
n26	5	15	819	CP	64QAM	Edge_1RB_Right	20.90	12.50	16.60
n26	5	15	819	CP	64QAM	Outer_Full	21.09	12.69	16.79
n26	5	15	819	CP	256QAM	Inner_Full	18.12	9.72	13.82
n26	5	15	819	CP	256QAM	Edge_1RB_Left	18.17	9.77	13.87
n26	5	15	819	CP	256QAM	Edge_1RB_Right	18.16	9.76	13.86
n26	5	15	819	CP	256QAM	Outer_Full	18.09	9.69	13.79
n26	5	15	821.5	DFT	pi/2 BPSK	Inner_Full	24.59	16.19	20.29
n26	5	15	821.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.03	15.63	19.73
n26	5	15	821.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.06	15.66	19.76
n26	5	15	821.5	DFT	pi/2 BPSK	Outer_Full	24.14	15.74	19.84
n26	5	15	821.5	DFT	QPSK	Inner_Full	24.62	16.22	20.32
n26	5	15	821.5	DFT	QPSK	Edge_1RB_Left	23.58	15.18	19.28
n26	5	15	821.5	DFT	QPSK	Edge_1RB_Right	23.52	15.12	19.22
n26	5	15	821.5	DFT	QPSK	Outer_Full	23.64	15.24	19.34
n26	5	15	821.5	DFT	16QAM	Inner_Full	23.62	15.22	19.32
n26	5	15	821.5	DFT	16QAM	Edge_1RB_Left	22.82	14.42	18.52
n26	5	15	821.5	DFT	16QAM	Edge_1RB_Right	22.77	14.37	18.47
n26	5	15	821.5	DFT	16QAM	Outer_Full	22.62	14.22	18.32
n26	5	15	821.5	DFT	64QAM	Inner_Full	22.06	13.66	17.76
n26	5	15	821.5	DFT	64QAM	Edge_1RB_Left	21.94	13.54	17.64
n26	5	15	821.5	DFT	64QAM	Edge_1RB_Right	21.95	13.55	17.65
n26	5	15	821.5	DFT	64QAM	Outer_Full	22.12	13.72	17.82
n26	5	15	821.5	DFT	256QAM	Inner_Full	20.15	11.75	15.85
n26	5	15	821.5	DFT	256QAM	Edge_1RB_Left	20.04	11.64	15.74
n26	5	15	821.5	DFT	256QAM	Edge_1RB_Right	20.00	11.60	15.70
n26	5	15	821.5	DFT	256QAM	Outer_Full	20.12	11.72	15.82

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	821.5	CP	QPSK	Inner_Full	23.00	14.60	18.70
n26	5	15	821.5	CP	QPSK	Edge_1RB_Left	21.52	13.12	17.22
n26	5	15	821.5	CP	QPSK	Edge_1RB_Right	21.47	13.07	17.17
n26	5	15	821.5	CP	QPSK	Outer_Full	21.62	13.22	17.32
n26	5	15	821.5	CP	16QAM	Inner_Full	22.69	14.29	18.39
n26	5	15	821.5	CP	16QAM	Edge_1RB_Left	21.69	13.29	17.39
n26	5	15	821.5	CP	16QAM	Edge_1RB_Right	21.78	13.38	17.48
n26	5	15	821.5	CP	16QAM	Outer_Full	21.67	13.27	17.37
n26	5	15	821.5	CP	64QAM	Inner_Full	21.00	12.60	16.70
n26	5	15	821.5	CP	64QAM	Edge_1RB_Left	20.91	12.51	16.61
n26	5	15	821.5	CP	64QAM	Edge_1RB_Right	20.93	12.53	16.63
n26	5	15	821.5	CP	64QAM	Outer_Full	21.14	12.74	16.84
n26	5	15	821.5	CP	256QAM	Inner_Full	18.12	9.72	13.82
n26	5	15	821.5	CP	256QAM	Edge_1RB_Left	18.15	9.75	13.85
n26	5	15	821.5	CP	256QAM	Edge_1RB_Right	18.17	9.77	13.87
n26	5	15	821.5	CP	256QAM	Outer_Full	18.07	9.67	13.77
n26	10	15	819	DFT	pi/2 BPSK	Inner_Full	24.56	16.16	20.26
n26	10	15	819	DFT	pi/2 BPSK	Edge_1RB_Left	24.13	15.73	19.83
n26	10	15	819	DFT	pi/2 BPSK	Edge_1RB_Right	24.10	15.70	19.80
n26	10	15	819	DFT	pi/2 BPSK	Outer_Full	24.06	15.66	19.76
n26	10	15	819	DFT	QPSK	Inner_Full	24.57	16.17	20.27
n26	10	15	819	DFT	QPSK	Edge_1RB_Left	23.61	15.21	19.31
n26	10	15	819	DFT	QPSK	Edge_1RB_Right	23.56	15.16	19.26
n26	10	15	819	DFT	QPSK	Outer_Full	23.56	15.16	19.26
n26	10	15	819	DFT	16QAM	Inner_Full	23.64	15.24	19.34
n26	10	15	819	DFT	16QAM	Edge_1RB_Left	22.92	14.52	18.62
n26	10	15	819	DFT	16QAM	Edge_1RB_Right	22.84	14.44	18.54
n26	10	15	819	DFT	16QAM	Outer_Full	22.52	14.12	18.22
n26	10	15	819	DFT	64QAM	Inner_Full	22.16	13.76	17.86
n26	10	15	819	DFT	64QAM	Edge_1RB_Left	22.07	13.67	17.77

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	10	15	819	DFT	64QAM	Edge_1RB_Right	22.05	13.65	17.75
n26	10	15	819	DFT	64QAM	Outer_Full	22.06	13.66	17.76
n26	10	15	819	DFT	256QAM	Inner_Full	20.07	11.67	15.77
n26	10	15	819	DFT	256QAM	Edge_1RB_Left	20.09	11.69	15.79
n26	10	15	819	DFT	256QAM	Edge_1RB_Right	20.03	11.63	15.73
n26	10	15	819	DFT	256QAM	Outer_Full	20.02	11.62	15.72
n26	10	15	819	CP	QPSK	Inner_Full	23.05	14.65	18.75
n26	10	15	819	CP	QPSK	Edge_1RB_Left	21.58	13.18	17.28
n26	10	15	819	CP	QPSK	Edge_1RB_Right	21.56	13.16	17.26
n26	10	15	819	CP	QPSK	Outer_Full	21.57	13.17	17.27
n26	10	15	819	CP	16QAM	Inner_Full	22.56	14.16	18.26
n26	10	15	819	CP	16QAM	Edge_1RB_Left	21.76	13.36	17.46
n26	10	15	819	CP	16QAM	Edge_1RB_Right	21.82	13.42	17.52
n26	10	15	819	CP	16QAM	Outer_Full	21.56	13.16	17.26
n26	10	15	819	CP	64QAM	Inner_Full	21.06	12.66	16.76
n26	10	15	819	CP	64QAM	Edge_1RB_Left	21.03	12.63	16.73
n26	10	15	819	CP	64QAM	Edge_1RB_Right	21.02	12.62	16.72
n26	10	15	819	CP	64QAM	Outer_Full	21.01	12.61	16.71
n26	10	15	819	CP	256QAM	Inner_Full	18.05	9.65	13.75
n26	10	15	819	CP	256QAM	Edge_1RB_Left	18.22	9.82	13.92
n26	10	15	819	CP	256QAM	Edge_1RB_Right	18.24	9.84	13.94
n26	10	15	819	CP	256QAM	Outer_Full	18.05	9.65	13.75

n26(824MHz-849MHz)

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.52	16.12	20.22
n26	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.00	15.60	19.70
n26	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.98	15.58	19.68
n26	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	24.06	15.66	19.76
n26	5	15	826.5	DFT	QPSK	Inner_Full	24.54	16.14	20.24

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.47	15.07	19.17
n26	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.50	15.10	19.20
n26	5	15	826.5	DFT	QPSK	Outer_Full	23.58	15.18	19.28
n26	5	15	826.5	DFT	16QAM	Inner_Full	23.55	15.15	19.25
n26	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.73	14.33	18.43
n26	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.73	14.33	18.43
n26	5	15	826.5	DFT	16QAM	Outer_Full	22.60	14.20	18.30
n26	5	15	826.5	DFT	64QAM	Inner_Full	22.00	13.60	17.70
n26	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.93	13.53	17.63
n26	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.90	13.50	17.60
n26	5	15	826.5	DFT	64QAM	Outer_Full	22.05	13.65	17.75
n26	5	15	826.5	DFT	256QAM	Inner_Full	20.07	11.67	15.77
n26	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.90	11.50	15.60
n26	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.92	11.52	15.62
n26	5	15	826.5	DFT	256QAM	Outer_Full	20.00	11.60	15.70
n26	5	15	826.5	CP	QPSK	Inner_Full	22.94	14.54	18.64
n26	5	15	826.5	CP	QPSK	Edge_1RB_Left	21.45	13.05	17.15
n26	5	15	826.5	CP	QPSK	Edge_1RB_Right	21.44	13.04	17.14
n26	5	15	826.5	CP	QPSK	Outer_Full	21.52	13.12	17.22
n26	5	15	826.5	CP	16QAM	Inner_Full	22.63	14.23	18.33
n26	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.76	13.36	17.46
n26	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.71	13.31	17.41
n26	5	15	826.5	CP	16QAM	Outer_Full	21.59	13.19	17.29
n26	5	15	826.5	CP	64QAM	Inner_Full	20.95	12.55	16.65
n26	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.87	12.47	16.57
n26	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.82	12.42	16.52
n26	5	15	826.5	CP	64QAM	Outer_Full	21.04	12.64	16.74
n26	5	15	826.5	CP	256QAM	Inner_Full	18.05	9.65	13.75
n26	5	15	826.5	CP	256QAM	Edge_1RB_Left	18.15	9.75	13.85
n26	5	15	826.5	CP	256QAM	Edge_1RB_Right	18.11	9.71	13.81

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	826.5	CP	256QAM	Outer_Full	18.02	9.62	13.72
n26	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.43	16.03	20.13
n26	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.99	15.59	19.69
n26	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.87	15.47	19.57
n26	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.99	15.59	19.69
n26	5	15	836.5	DFT	QPSK	Inner_Full	24.49	16.09	20.19
n26	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.45	15.05	19.15
n26	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.37	14.97	19.07
n26	5	15	836.5	DFT	QPSK	Outer_Full	23.47	15.07	19.17
n26	5	15	836.5	DFT	16QAM	Inner_Full	23.47	15.07	19.17
n26	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.75	14.35	18.45
n26	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.64	14.24	18.34
n26	5	15	836.5	DFT	16QAM	Outer_Full	22.48	14.08	18.18
n26	5	15	836.5	DFT	64QAM	Inner_Full	21.89	13.49	17.59
n26	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.84	13.44	17.54
n26	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.80	13.40	17.50
n26	5	15	836.5	DFT	64QAM	Outer_Full	21.98	13.58	17.68
n26	5	15	836.5	DFT	256QAM	Inner_Full	19.94	11.54	15.64
n26	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.94	11.54	15.64
n26	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.85	11.45	15.55
n26	5	15	836.5	DFT	256QAM	Outer_Full	19.93	11.53	15.63
n26	5	15	836.5	CP	QPSK	Inner_Full	22.87	14.47	18.57
n26	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.40	13.00	17.10
n26	5	15	836.5	CP	QPSK	Edge_1RB_Right	21.35	12.95	17.05
n26	5	15	836.5	CP	QPSK	Outer_Full	21.38	12.98	17.08
n26	5	15	836.5	CP	16QAM	Inner_Full	22.48	14.08	18.18
n26	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.68	13.28	17.38
n26	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.60	13.20	17.30
n26	5	15	836.5	CP	16QAM	Outer_Full	21.49	13.09	17.19
n26	5	15	836.5	CP	64QAM	Inner_Full	20.88	12.48	16.58

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.85	12.45	16.55
n26	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.85	12.45	16.55
n26	5	15	836.5	CP	64QAM	Outer_Full	20.98	12.58	16.68
n26	5	15	836.5	CP	256QAM	Inner_Full	17.93	9.53	13.63
n26	5	15	836.5	CP	256QAM	Edge_1RB_Left	17.99	9.59	13.69
n26	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.96	9.56	13.66
n26	5	15	836.5	CP	256QAM	Outer_Full	17.88	9.48	13.58
n26	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	24.44	16.04	20.14
n26	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.92	15.52	19.62
n26	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.88	15.48	19.58
n26	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.95	15.55	19.65
n26	5	15	846.5	DFT	QPSK	Inner_Full	24.43	16.03	20.13
n26	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.42	15.02	19.12
n26	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.48	15.08	19.18
n26	5	15	846.5	DFT	QPSK	Outer_Full	23.41	15.01	19.11
n26	5	15	846.5	DFT	16QAM	Inner_Full	23.42	15.02	19.12
n26	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.66	14.26	18.36
n26	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.71	14.31	18.41
n26	5	15	846.5	DFT	16QAM	Outer_Full	22.47	14.07	18.17
n26	5	15	846.5	DFT	64QAM	Inner_Full	21.92	13.52	17.62
n26	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.80	13.40	17.50
n26	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.84	13.44	17.54
n26	5	15	846.5	DFT	64QAM	Outer_Full	22.00	13.60	17.70
n26	5	15	846.5	DFT	256QAM	Inner_Full	19.96	11.56	15.66
n26	5	15	846.5	DFT	256QAM	Edge_1RB_Left	19.82	11.42	15.52
n26	5	15	846.5	DFT	256QAM	Edge_1RB_Right	19.88	11.48	15.58
n26	5	15	846.5	DFT	256QAM	Outer_Full	19.89	11.49	15.59
n26	5	15	846.5	CP	QPSK	Inner_Full	22.90	14.50	18.60
n26	5	15	846.5	CP	QPSK	Edge_1RB_Left	21.36	12.96	17.06
n26	5	15	846.5	CP	QPSK	Edge_1RB_Right	21.34	12.94	17.04

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	5	15	846.5	CP	QPSK	Outer_Full	21.39	12.99	17.09
n26	5	15	846.5	CP	16QAM	Inner_Full	22.51	14.11	18.21
n26	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.63	13.23	17.33
n26	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.59	13.19	17.29
n26	5	15	846.5	CP	16QAM	Outer_Full	21.49	13.09	17.19
n26	5	15	846.5	CP	64QAM	Inner_Full	20.89	12.49	16.59
n26	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.75	12.35	16.45
n26	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.78	12.38	16.48
n26	5	15	846.5	CP	64QAM	Outer_Full	20.93	12.53	16.63
n26	5	15	846.5	CP	256QAM	Inner_Full	17.97	9.57	13.67
n26	5	15	846.5	CP	256QAM	Edge_1RB_Left	18.01	9.61	13.71
n26	5	15	846.5	CP	256QAM	Edge_1RB_Right	17.95	9.55	13.65
n26	5	15	846.5	CP	256QAM	Outer_Full	17.88	9.48	13.58
n26	10	15	829	DFT	pi/2 BPSK	Inner_Full	24.47	16.07	20.17
n26	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	24.09	15.69	19.79
n26	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	24.01	15.61	19.71
n26	10	15	829	DFT	pi/2 BPSK	Outer_Full	24.02	15.62	19.72
n26	10	15	829	DFT	QPSK	Inner_Full	24.47	16.07	20.17
n26	10	15	829	DFT	QPSK	Edge_1RB_Left	23.55	15.15	19.25
n26	10	15	829	DFT	QPSK	Edge_1RB_Right	23.55	15.15	19.25
n26	10	15	829	DFT	QPSK	Outer_Full	23.54	15.14	19.24
n26	10	15	829	DFT	16QAM	Inner_Full	23.57	15.17	19.27
n26	10	15	829	DFT	16QAM	Edge_1RB_Left	22.84	14.44	18.54
n26	10	15	829	DFT	16QAM	Edge_1RB_Right	22.83	14.43	18.53
n26	10	15	829	DFT	16QAM	Outer_Full	22.52	14.12	18.22
n26	10	15	829	DFT	64QAM	Inner_Full	22.01	13.61	17.71
n26	10	15	829	DFT	64QAM	Edge_1RB_Left	22.02	13.62	17.72
n26	10	15	829	DFT	64QAM	Edge_1RB_Right	21.97	13.57	17.67
n26	10	15	829	DFT	64QAM	Outer_Full	22.02	13.62	17.72
n26	10	15	829	DFT	256QAM	Inner_Full	19.96	11.56	15.66

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	10	15	829	DFT	256QAM	Edge_1RB_Left	19.97	11.57	15.67
n26	10	15	829	DFT	256QAM	Edge_1RB_Right	20.01	11.61	15.71
n26	10	15	829	DFT	256QAM	Outer_Full	19.96	11.56	15.66
n26	10	15	829	CP	QPSK	Inner_Full	22.92	14.52	18.62
n26	10	15	829	CP	QPSK	Edge_1RB_Left	21.56	13.16	17.26
n26	10	15	829	CP	QPSK	Edge_1RB_Right	21.52	13.12	17.22
n26	10	15	829	CP	QPSK	Outer_Full	21.48	13.08	17.18
n26	10	15	829	CP	16QAM	Inner_Full	22.46	14.06	18.16
n26	10	15	829	CP	16QAM	Edge_1RB_Left	21.83	13.43	17.53
n26	10	15	829	CP	16QAM	Edge_1RB_Right	21.72	13.32	17.42
n26	10	15	829	CP	16QAM	Outer_Full	21.46	13.06	17.16
n26	10	15	829	CP	64QAM	Inner_Full	20.96	12.56	16.66
n26	10	15	829	CP	64QAM	Edge_1RB_Left	20.97	12.57	16.67
n26	10	15	829	CP	64QAM	Edge_1RB_Right	20.96	12.56	16.66
n26	10	15	829	CP	64QAM	Outer_Full	21.00	12.60	16.70
n26	10	15	829	CP	256QAM	Inner_Full	17.98	9.58	13.68
n26	10	15	829	CP	256QAM	Edge_1RB_Left	18.17	9.77	13.87
n26	10	15	829	CP	256QAM	Edge_1RB_Right	18.08	9.68	13.78
n26	10	15	829	CP	256QAM	Outer_Full	18.02	9.62	13.72
n26	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.39	15.99	20.09
n26	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.00	15.60	19.70
n26	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.98	15.58	19.68
n26	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.92	15.52	19.62
n26	10	15	836.5	DFT	QPSK	Inner_Full	24.44	16.04	20.14
n26	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.50	15.10	19.20
n26	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.49	15.09	19.19
n26	10	15	836.5	DFT	QPSK	Outer_Full	23.45	15.05	19.15
n26	10	15	836.5	DFT	16QAM	Inner_Full	23.46	15.06	19.16
n26	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.73	14.33	18.43
n26	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.70	14.30	18.40

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	10	15	836.5	DFT	16QAM	Outer_Full	22.40	14.00	18.10
n26	10	15	836.5	DFT	64QAM	Inner_Full	21.98	13.58	17.68
n26	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.91	13.51	17.61
n26	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.87	13.47	17.57
n26	10	15	836.5	DFT	64QAM	Outer_Full	21.92	13.52	17.62
n26	10	15	836.5	DFT	256QAM	Inner_Full	19.91	11.51	15.61
n26	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.96	11.56	15.66
n26	10	15	836.5	DFT	256QAM	Edge_1RB_Right	19.85	11.45	15.55
n26	10	15	836.5	DFT	256QAM	Outer_Full	19.94	11.54	15.64
n26	10	15	836.5	CP	QPSK	Inner_Full	22.88	14.48	18.58
n26	10	15	836.5	CP	QPSK	Edge_1RB_Left	21.49	13.09	17.19
n26	10	15	836.5	CP	QPSK	Edge_1RB_Right	21.44	13.04	17.14
n26	10	15	836.5	CP	QPSK	Outer_Full	21.35	12.95	17.05
n26	10	15	836.5	CP	16QAM	Inner_Full	22.44	14.04	18.14
n26	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.70	13.30	17.40
n26	10	15	836.5	CP	16QAM	Edge_1RB_Right	21.70	13.30	17.40
n26	10	15	836.5	CP	16QAM	Outer_Full	21.44	13.04	17.14
n26	10	15	836.5	CP	64QAM	Inner_Full	20.91	12.51	16.61
n26	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.89	12.49	16.59
n26	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.84	12.44	16.54
n26	10	15	836.5	CP	64QAM	Outer_Full	20.91	12.51	16.61
n26	10	15	836.5	CP	256QAM	Inner_Full	17.90	9.50	13.60
n26	10	15	836.5	CP	256QAM	Edge_1RB_Left	18.10	9.70	13.80
n26	10	15	836.5	CP	256QAM	Edge_1RB_Right	18.00	9.60	13.70
n26	10	15	836.5	CP	256QAM	Outer_Full	17.88	9.48	13.58
n26	10	15	844	DFT	pi/2 BPSK	Inner_Full	24.39	15.99	20.09
n26	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.99	15.59	19.69
n26	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.98	15.58	19.68
n26	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.95	15.55	19.65
n26	10	15	844	DFT	QPSK	Inner_Full	24.45	16.05	20.15

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	10	15	844	DFT	QPSK	Edge_1RB_Left	23.46	15.06	19.16
n26	10	15	844	DFT	QPSK	Edge_1RB_Right	23.50	15.10	19.20
n26	10	15	844	DFT	QPSK	Outer_Full	23.45	15.05	19.15
n26	10	15	844	DFT	16QAM	Inner_Full	23.51	15.11	19.21
n26	10	15	844	DFT	16QAM	Edge_1RB_Left	22.74	14.34	18.44
n26	10	15	844	DFT	16QAM	Edge_1RB_Right	22.74	14.34	18.44
n26	10	15	844	DFT	16QAM	Outer_Full	22.42	14.02	18.12
n26	10	15	844	DFT	64QAM	Inner_Full	21.97	13.57	17.67
n26	10	15	844	DFT	64QAM	Edge_1RB_Left	21.93	13.53	17.63
n26	10	15	844	DFT	64QAM	Edge_1RB_Right	21.91	13.51	17.61
n26	10	15	844	DFT	64QAM	Outer_Full	21.95	13.55	17.65
n26	10	15	844	DFT	256QAM	Inner_Full	19.88	11.48	15.58
n26	10	15	844	DFT	256QAM	Edge_1RB_Left	19.90	11.50	15.60
n26	10	15	844	DFT	256QAM	Edge_1RB_Right	19.93	11.53	15.63
n26	10	15	844	DFT	256QAM	Outer_Full	19.92	11.52	15.62
n26	10	15	844	CP	QPSK	Inner_Full	22.88	14.48	18.58
n26	10	15	844	CP	QPSK	Edge_1RB_Left	21.46	13.06	17.16
n26	10	15	844	CP	QPSK	Edge_1RB_Right	21.43	13.03	17.13
n26	10	15	844	CP	QPSK	Outer_Full	21.42	13.02	17.12
n26	10	15	844	CP	16QAM	Inner_Full	22.42	14.02	18.12
n26	10	15	844	CP	16QAM	Edge_1RB_Left	21.69	13.29	17.39
n26	10	15	844	CP	16QAM	Edge_1RB_Right	21.64	13.24	17.34
n26	10	15	844	CP	16QAM	Outer_Full	21.42	13.02	17.12
n26	10	15	844	CP	64QAM	Inner_Full	20.88	12.48	16.58
n26	10	15	844	CP	64QAM	Edge_1RB_Left	20.88	12.48	16.58
n26	10	15	844	CP	64QAM	Edge_1RB_Right	20.86	12.46	16.56
n26	10	15	844	CP	64QAM	Outer_Full	20.93	12.53	16.63
n26	10	15	844	CP	256QAM	Inner_Full	17.89	9.49	13.59
n26	10	15	844	CP	256QAM	Edge_1RB_Left	18.04	9.64	13.74
n26	10	15	844	CP	256QAM	Edge_1RB_Right	17.98	9.58	13.68

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	10	15	844	CP	256QAM	Outer_Full	17.94	9.54	13.64
n26	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.50	16.10	20.20
n26	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.06	15.66	19.76
n26	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.02	15.62	19.72
n26	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	24.06	15.66	19.76
n26	15	15	831.5	DFT	QPSK	Inner_Full	24.52	16.12	20.22
n26	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.57	15.17	19.27
n26	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.48	15.08	19.18
n26	15	15	831.5	DFT	QPSK	Outer_Full	23.56	15.16	19.26
n26	15	15	831.5	DFT	16QAM	Inner_Full	23.57	15.17	19.27
n26	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.85	14.45	18.55
n26	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.71	14.31	18.41
n26	15	15	831.5	DFT	16QAM	Outer_Full	22.51	14.11	18.21
n26	15	15	831.5	DFT	64QAM	Inner_Full	22.03	13.63	17.73
n26	15	15	831.5	DFT	64QAM	Edge_1RB_Left	22.03	13.63	17.73
n26	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.92	13.52	17.62
n26	15	15	831.5	DFT	64QAM	Outer_Full	22.06	13.66	17.76
n26	15	15	831.5	DFT	256QAM	Inner_Full	19.95	11.55	15.65
n26	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.97	11.57	15.67
n26	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.92	11.52	15.62
n26	15	15	831.5	DFT	256QAM	Outer_Full	19.92	11.52	15.62
n26	15	15	831.5	CP	QPSK	Inner_Full	23.00	14.60	18.70
n26	15	15	831.5	CP	QPSK	Edge_1RB_Left	21.54	13.14	17.24
n26	15	15	831.5	CP	QPSK	Edge_1RB_Right	21.44	13.04	17.14
n26	15	15	831.5	CP	QPSK	Outer_Full	21.48	13.08	17.18
n26	15	15	831.5	CP	16QAM	Inner_Full	22.57	14.17	18.27
n26	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.79	13.39	17.49
n26	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.72	13.32	17.42
n26	15	15	831.5	CP	16QAM	Outer_Full	21.54	13.14	17.24
n26	15	15	831.5	CP	64QAM	Inner_Full	21.01	12.61	16.71

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	15	15	831.5	CP	64QAM	Edge_1RB_Left	21.04	12.64	16.74
n26	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.90	12.50	16.60
n26	15	15	831.5	CP	64QAM	Outer_Full	21.05	12.65	16.75
n26	15	15	831.5	CP	256QAM	Inner_Full	18.03	9.63	13.73
n26	15	15	831.5	CP	256QAM	Edge_1RB_Left	18.16	9.76	13.86
n26	15	15	831.5	CP	256QAM	Edge_1RB_Right	18.05	9.65	13.75
n26	15	15	831.5	CP	256QAM	Outer_Full	17.96	9.56	13.66
n26	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.46	16.06	20.16
n26	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.08	15.68	19.78
n26	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.01	15.61	19.71
n26	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.99	15.59	19.69
n26	15	15	836.5	DFT	QPSK	Inner_Full	24.49	16.09	20.19
n26	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.50	15.10	19.20
n26	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.52	15.12	19.22
n26	15	15	836.5	DFT	QPSK	Outer_Full	23.51	15.11	19.21
n26	15	15	836.5	DFT	16QAM	Inner_Full	23.53	15.13	19.23
n26	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.79	14.39	18.49
n26	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.78	14.38	18.48
n26	15	15	836.5	DFT	16QAM	Outer_Full	22.47	14.07	18.17
n26	15	15	836.5	DFT	64QAM	Inner_Full	22.04	13.64	17.74
n26	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.95	13.55	17.65
n26	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.95	13.55	17.65
n26	15	15	836.5	DFT	64QAM	Outer_Full	21.97	13.57	17.67
n26	15	15	836.5	DFT	256QAM	Inner_Full	19.95	11.55	15.65
n26	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.89	11.49	15.59
n26	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.85	11.45	15.55
n26	15	15	836.5	DFT	256QAM	Outer_Full	19.96	11.56	15.66
n26	15	15	836.5	CP	QPSK	Inner_Full	22.96	14.56	18.66
n26	15	15	836.5	CP	QPSK	Edge_1RB_Left	21.47	13.07	17.17
n26	15	15	836.5	CP	QPSK	Edge_1RB_Right	21.50	13.10	17.20

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	15	15	836.5	CP	QPSK	Outer_Full	21.51	13.11	17.21
n26	15	15	836.5	CP	16QAM	Inner_Full	22.53	14.13	18.23
n26	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.81	13.41	17.51
n26	15	15	836.5	CP	16QAM	Edge_1RB_Right	21.78	13.38	17.48
n26	15	15	836.5	CP	16QAM	Outer_Full	21.50	13.10	17.20
n26	15	15	836.5	CP	64QAM	Inner_Full	20.98	12.58	16.68
n26	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.95	12.55	16.65
n26	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.94	12.54	16.64
n26	15	15	836.5	CP	64QAM	Outer_Full	21.02	12.62	16.72
n26	15	15	836.5	CP	256QAM	Inner_Full	17.93	9.53	13.63
n26	15	15	836.5	CP	256QAM	Edge_1RB_Left	18.14	9.74	13.84
n26	15	15	836.5	CP	256QAM	Edge_1RB_Right	18.11	9.71	13.81
n26	15	15	836.5	CP	256QAM	Outer_Full	17.95	9.55	13.65
n26	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	24.45	16.05	20.15
n26	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.03	15.63	19.73
n26	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.01	15.61	19.71
n26	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	24.02	15.62	19.72
n26	15	15	841.5	DFT	QPSK	Inner_Full	24.50	16.10	20.20
n26	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.59	15.19	19.29
n26	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.52	15.12	19.22
n26	15	15	841.5	DFT	QPSK	Outer_Full	23.51	15.11	19.21
n26	15	15	841.5	DFT	16QAM	Inner_Full	23.50	15.10	19.20
n26	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.83	14.43	18.53
n26	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.79	14.39	18.49
n26	15	15	841.5	DFT	16QAM	Outer_Full	22.47	14.07	18.17
n26	15	15	841.5	DFT	64QAM	Inner_Full	21.99	13.59	17.69
n26	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.98	13.58	17.68
n26	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.88	13.48	17.58
n26	15	15	841.5	DFT	64QAM	Outer_Full	22.07	13.67	17.77
n26	15	15	841.5	DFT	256QAM	Inner_Full	19.93	11.53	15.63

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.98	11.58	15.68
n26	15	15	841.5	DFT	256QAM	Edge_1RB_Right	19.94	11.54	15.64
n26	15	15	841.5	DFT	256QAM	Outer_Full	19.95	11.55	15.65
n26	15	15	841.5	CP	QPSK	Inner_Full	22.94	14.54	18.64
n26	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.52	13.12	17.22
n26	15	15	841.5	CP	QPSK	Edge_1RB_Right	21.46	13.06	17.16
n26	15	15	841.5	CP	QPSK	Outer_Full	21.55	13.15	17.25
n26	15	15	841.5	CP	16QAM	Inner_Full	22.53	14.13	18.23
n26	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.72	13.32	17.42
n26	15	15	841.5	CP	16QAM	Edge_1RB_Right	21.69	13.29	17.39
n26	15	15	841.5	CP	16QAM	Outer_Full	21.56	13.16	17.26
n26	15	15	841.5	CP	64QAM	Inner_Full	21.02	12.62	16.72
n26	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.94	12.54	16.64
n26	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.88	12.48	16.58
n26	15	15	841.5	CP	64QAM	Outer_Full	21.07	12.67	16.77
n26	15	15	841.5	CP	256QAM	Inner_Full	17.96	9.56	13.66
n26	15	15	841.5	CP	256QAM	Edge_1RB_Left	18.06	9.66	13.76
n26	15	15	841.5	CP	256QAM	Edge_1RB_Right	18.02	9.62	13.72
n26	15	15	841.5	CP	256QAM	Outer_Full	18.00	9.60	13.70
n26	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.56	16.16	20.26
n26	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	24.06	15.66	19.76
n26	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	24.00	15.60	19.70
n26	20	15	834	DFT	pi/2 BPSK	Outer_Full	24.00	15.60	19.70
n26	20	15	834	DFT	QPSK	Inner_Full	24.60	16.20	20.30
n26	20	15	834	DFT	QPSK	Edge_1RB_Left	23.54	15.14	19.24
n26	20	15	834	DFT	QPSK	Edge_1RB_Right	23.48	15.08	19.18
n26	20	15	834	DFT	QPSK	Outer_Full	23.49	15.09	19.19
n26	20	15	834	DFT	16QAM	Inner_Full	23.53	15.13	19.23
n26	20	15	834	DFT	16QAM	Edge_1RB_Left	22.80	14.40	18.50
n26	20	15	834	DFT	16QAM	Edge_1RB_Right	22.76	14.36	18.46

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	20	15	834	DFT	16QAM	Outer_Full	22.41	14.01	18.11
n26	20	15	834	DFT	64QAM	Inner_Full	22.05	13.65	17.75
n26	20	15	834	DFT	64QAM	Edge_1RB_Left	21.99	13.59	17.69
n26	20	15	834	DFT	64QAM	Edge_1RB_Right	21.90	13.50	17.60
n26	20	15	834	DFT	64QAM	Outer_Full	21.97	13.57	17.67
n26	20	15	834	DFT	256QAM	Inner_Full	19.97	11.57	15.67
n26	20	15	834	DFT	256QAM	Edge_1RB_Left	19.95	11.55	15.65
n26	20	15	834	DFT	256QAM	Edge_1RB_Right	19.85	11.45	15.55
n26	20	15	834	DFT	256QAM	Outer_Full	19.90	11.50	15.60
n26	20	15	834	CP	QPSK	Inner_Full	22.95	14.55	18.65
n26	20	15	834	CP	QPSK	Edge_1RB_Left	21.53	13.13	17.23
n26	20	15	834	CP	QPSK	Edge_1RB_Right	21.48	13.08	17.18
n26	20	15	834	CP	QPSK	Outer_Full	21.44	13.04	17.14
n26	20	15	834	CP	16QAM	Inner_Full	22.53	14.13	18.23
n26	20	15	834	CP	16QAM	Edge_1RB_Left	21.81	13.41	17.51
n26	20	15	834	CP	16QAM	Edge_1RB_Right	21.79	13.39	17.49
n26	20	15	834	CP	16QAM	Outer_Full	21.44	13.04	17.14
n26	20	15	834	CP	64QAM	Inner_Full	21.01	12.61	16.71
n26	20	15	834	CP	64QAM	Edge_1RB_Left	20.96	12.56	16.66
n26	20	15	834	CP	64QAM	Edge_1RB_Right	20.96	12.56	16.66
n26	20	15	834	CP	64QAM	Outer_Full	20.92	12.52	16.62
n26	20	15	834	CP	256QAM	Inner_Full	17.96	9.56	13.66
n26	20	15	834	CP	256QAM	Edge_1RB_Left	18.15	9.75	13.85
n26	20	15	834	CP	256QAM	Edge_1RB_Right	18.09	9.69	13.79
n26	20	15	834	CP	256QAM	Outer_Full	17.92	9.52	13.62
n26	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.54	16.14	20.24
n26	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.09	15.69	19.79
n26	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.03	15.63	19.73
n26	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.94	15.54	19.64
n26	20	15	836.5	DFT	QPSK	Inner_Full	24.52	16.12	20.22

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	20	15	836.5	DFT	QPSK	Edge_1RB_Left	23.55	15.15	19.25
n26	20	15	836.5	DFT	QPSK	Edge_1RB_Right	23.52	15.12	19.22
n26	20	15	836.5	DFT	QPSK	Outer_Full	23.51	15.11	19.21
n26	20	15	836.5	DFT	16QAM	Inner_Full	23.49	15.09	19.19
n26	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.82	14.42	18.52
n26	20	15	836.5	DFT	16QAM	Edge_1RB_Right	22.75	14.35	18.45
n26	20	15	836.5	DFT	16QAM	Outer_Full	22.48	14.08	18.18
n26	20	15	836.5	DFT	64QAM	Inner_Full	22.00	13.60	17.70
n26	20	15	836.5	DFT	64QAM	Edge_1RB_Left	22.00	13.60	17.70
n26	20	15	836.5	DFT	64QAM	Edge_1RB_Right	21.98	13.58	17.68
n26	20	15	836.5	DFT	64QAM	Outer_Full	21.96	13.56	17.66
n26	20	15	836.5	DFT	256QAM	Inner_Full	19.90	11.50	15.60
n26	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.90	11.50	15.60
n26	20	15	836.5	DFT	256QAM	Edge_1RB_Right	19.93	11.53	15.63
n26	20	15	836.5	DFT	256QAM	Outer_Full	19.93	11.53	15.63
n26	20	15	836.5	CP	QPSK	Inner_Full	22.95	14.55	18.65
n26	20	15	836.5	CP	QPSK	Edge_1RB_Left	21.53	13.13	17.23
n26	20	15	836.5	CP	QPSK	Edge_1RB_Right	21.46	13.06	17.16
n26	20	15	836.5	CP	QPSK	Outer_Full	21.49	13.09	17.19
n26	20	15	836.5	CP	16QAM	Inner_Full	22.52	14.12	18.22
n26	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.84	13.44	17.54
n26	20	15	836.5	CP	16QAM	Edge_1RB_Right	21.72	13.32	17.42
n26	20	15	836.5	CP	16QAM	Outer_Full	21.44	13.04	17.14
n26	20	15	836.5	CP	64QAM	Inner_Full	21.03	12.63	16.73
n26	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.97	12.57	16.67
n26	20	15	836.5	CP	64QAM	Edge_1RB_Right	20.90	12.50	16.60
n26	20	15	836.5	CP	64QAM	Outer_Full	20.96	12.56	16.66
n26	20	15	836.5	CP	256QAM	Inner_Full	17.99	9.59	13.69
n26	20	15	836.5	CP	256QAM	Edge_1RB_Left	18.10	9.70	13.80
n26	20	15	836.5	CP	256QAM	Edge_1RB_Right	18.09	9.69	13.79

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	20	15	836.5	CP	256QAM	Outer_Full	17.93	9.53	13.63
n26	20	15	839	DFT	pi/2 BPSK	Inner_Full	24.53	16.13	20.23
n26	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	24.03	15.63	19.73
n26	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.99	15.59	19.69
n26	20	15	839	DFT	pi/2 BPSK	Outer_Full	24.00	15.60	19.70
n26	20	15	839	DFT	QPSK	Inner_Full	24.52	16.12	20.22
n26	20	15	839	DFT	QPSK	Edge_1RB_Left	23.51	15.11	19.21
n26	20	15	839	DFT	QPSK	Edge_1RB_Right	23.51	15.11	19.21
n26	20	15	839	DFT	QPSK	Outer_Full	23.51	15.11	19.21
n26	20	15	839	DFT	16QAM	Inner_Full	23.48	15.08	19.18
n26	20	15	839	DFT	16QAM	Edge_1RB_Left	22.80	14.40	18.50
n26	20	15	839	DFT	16QAM	Edge_1RB_Right	22.81	14.41	18.51
n26	20	15	839	DFT	16QAM	Outer_Full	22.52	14.12	18.22
n26	20	15	839	DFT	64QAM	Inner_Full	22.03	13.63	17.73
n26	20	15	839	DFT	64QAM	Edge_1RB_Left	21.96	13.56	17.66
n26	20	15	839	DFT	64QAM	Edge_1RB_Right	21.91	13.51	17.61
n26	20	15	839	DFT	64QAM	Outer_Full	22.01	13.61	17.71
n26	20	15	839	DFT	256QAM	Inner_Full	19.97	11.57	15.67
n26	20	15	839	DFT	256QAM	Edge_1RB_Left	19.90	11.50	15.60
n26	20	15	839	DFT	256QAM	Edge_1RB_Right	19.91	11.51	15.61
n26	20	15	839	DFT	256QAM	Outer_Full	20.00	11.60	15.70
n26	20	15	839	CP	QPSK	Inner_Full	22.97	14.57	18.67
n26	20	15	839	CP	QPSK	Edge_1RB_Left	21.45	13.05	17.15
n26	20	15	839	CP	QPSK	Edge_1RB_Right	21.48	13.08	17.18
n26	20	15	839	CP	QPSK	Outer_Full	21.52	13.12	17.22
n26	20	15	839	CP	16QAM	Inner_Full	22.47	14.07	18.17
n26	20	15	839	CP	16QAM	Edge_1RB_Left	21.77	13.37	17.47
n26	20	15	839	CP	16QAM	Edge_1RB_Right	21.70	13.30	17.40
n26	20	15	839	CP	16QAM	Outer_Full	21.50	13.10	17.20
n26	20	15	839	CP	64QAM	Inner_Full	21.02	12.62	16.72

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n26	20	15	839	CP	64QAM	Edge_1RB_Left	20.89	12.49	16.59
n26	20	15	839	CP	64QAM	Edge_1RB_Right	20.91	12.51	16.61
n26	20	15	839	CP	64QAM	Outer_Full	21.02	12.62	16.72
n26	20	15	839	CP	256QAM	Inner_Full	17.96	9.56	13.66
n26	20	15	839	CP	256QAM	Edge_1RB_Left	18.12	9.72	13.82
n26	20	15	839	CP	256QAM	Edge_1RB_Right	18.05	9.65	13.75
n26	20	15	839	CP	256QAM	Outer_Full	18.03	9.63	13.73

n38

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	10	30	2575	DFT	pi/2 BPSK	Inner_Full	24.03	19.08	18.36
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Left	23.46	18.51	17.79
n38	10	30	2575	DFT	pi/2 BPSK	Edge_1RB_Right	23.50	18.55	17.83
n38	10	30	2575	DFT	pi/2 BPSK	Outer_Full	23.56	18.61	17.89
n38	10	30	2575	DFT	QPSK	Inner_Full	24.09	19.14	18.42
n38	10	30	2575	DFT	QPSK	Edge_1RB_Left	22.98	18.03	17.31
n38	10	30	2575	DFT	QPSK	Edge_1RB_Right	23.03	18.08	17.36
n38	10	30	2575	DFT	QPSK	Outer_Full	23.04	18.09	17.37
n38	10	30	2575	DFT	16QAM	Inner_Full	23.08	18.13	17.41
n38	10	30	2575	DFT	16QAM	Edge_1RB_Left	22.19	17.24	16.52
n38	10	30	2575	DFT	16QAM	Edge_1RB_Right	22.14	17.19	16.47
n38	10	30	2575	DFT	16QAM	Outer_Full	22.02	17.07	16.35
n38	10	30	2575	DFT	64QAM	Inner_Full	21.49	16.54	15.82
n38	10	30	2575	DFT	64QAM	Edge_1RB_Left	21.16	16.21	15.49
n38	10	30	2575	DFT	64QAM	Edge_1RB_Right	21.29	16.34	15.62
n38	10	30	2575	DFT	64QAM	Outer_Full	21.84	16.89	16.17
n38	10	30	2575	DFT	256QAM	Inner_Full	19.61	14.66	13.94
n38	10	30	2575	DFT	256QAM	Edge_1RB_Left	19.52	14.57	13.85
n38	10	30	2575	DFT	256QAM	Edge_1RB_Right	19.54	14.59	13.87
n38	10	30	2575	DFT	256QAM	Outer_Full	19.64	14.69	13.97

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	10	30	2575	CP	QPSK	Inner_Full	22.57	17.62	16.90
n38	10	30	2575	CP	QPSK	Edge_1RB_Left	21.04	16.09	15.37
n38	10	30	2575	CP	QPSK	Edge_1RB_Right	21.07	16.12	15.40
n38	10	30	2575	CP	QPSK	Outer_Full	20.99	16.04	15.32
n38	10	30	2575	CP	16QAM	Inner_Full	22.25	17.30	16.58
n38	10	30	2575	CP	16QAM	Edge_1RB_Left	21.36	16.41	15.69
n38	10	30	2575	CP	16QAM	Edge_1RB_Right	21.12	16.17	15.45
n38	10	30	2575	CP	16QAM	Outer_Full	20.98	16.03	15.31
n38	10	30	2575	CP	64QAM	Inner_Full	20.70	15.75	15.03
n38	10	30	2575	CP	64QAM	Edge_1RB_Left	20.52	15.57	14.85
n38	10	30	2575	CP	64QAM	Edge_1RB_Right	20.62	15.67	14.95
n38	10	30	2575	CP	64QAM	Outer_Full	20.72	15.77	15.05
n38	10	30	2575	CP	256QAM	Inner_Full	17.63	12.68	11.96
n38	10	30	2575	CP	256QAM	Edge_1RB_Left	17.58	12.63	11.91
n38	10	30	2575	CP	256QAM	Edge_1RB_Right	17.66	12.71	11.99
n38	10	30	2575	CP	256QAM	Outer_Full	17.48	12.53	11.81
n38	10	30	2595	DFT	pi/2 BPSK	Inner_Full	24.31	19.36	18.64
n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.83	18.88	18.16
n38	10	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.82	18.87	18.15
n38	10	30	2595	DFT	pi/2 BPSK	Outer_Full	23.87	18.92	18.20
n38	10	30	2595	DFT	QPSK	Inner_Full	24.47	19.52	18.80
n38	10	30	2595	DFT	QPSK	Edge_1RB_Left	23.27	18.32	17.60
n38	10	30	2595	DFT	QPSK	Edge_1RB_Right	23.33	18.38	17.66
n38	10	30	2595	DFT	QPSK	Outer_Full	23.26	18.31	17.59
n38	10	30	2595	DFT	16QAM	Inner_Full	23.45	18.50	17.78
n38	10	30	2595	DFT	16QAM	Edge_1RB_Left	22.37	17.42	16.70
n38	10	30	2595	DFT	16QAM	Edge_1RB_Right	22.43	17.48	16.76
n38	10	30	2595	DFT	16QAM	Outer_Full	22.45	17.50	16.78
n38	10	30	2595	DFT	64QAM	Inner_Full	21.85	16.90	16.18
n38	10	30	2595	DFT	64QAM	Edge_1RB_Left	21.60	16.65	15.93

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	10	30	2595	DFT	64QAM	Edge_1RB_Right	21.60	16.65	15.93
n38	10	30	2595	DFT	64QAM	Outer_Full	22.00	17.05	16.33
n38	10	30	2595	DFT	256QAM	Inner_Full	20.04	15.09	14.37
n38	10	30	2595	DFT	256QAM	Edge_1RB_Left	19.78	14.83	14.11
n38	10	30	2595	DFT	256QAM	Edge_1RB_Right	19.88	14.93	14.21
n38	10	30	2595	DFT	256QAM	Outer_Full	19.86	14.91	14.19
n38	10	30	2595	CP	QPSK	Inner_Full	22.81	17.86	17.14
n38	10	30	2595	CP	QPSK	Edge_1RB_Left	21.33	16.38	15.66
n38	10	30	2595	CP	QPSK	Edge_1RB_Right	21.34	16.39	15.67
n38	10	30	2595	CP	QPSK	Outer_Full	21.30	16.35	15.63
n38	10	30	2595	CP	16QAM	Inner_Full	22.43	17.48	16.76
n38	10	30	2595	CP	16QAM	Edge_1RB_Left	21.45	16.50	15.78
n38	10	30	2595	CP	16QAM	Edge_1RB_Right	21.29	16.34	15.62
n38	10	30	2595	CP	16QAM	Outer_Full	21.28	16.33	15.61
n38	10	30	2595	CP	64QAM	Inner_Full	20.87	15.92	15.20
n38	10	30	2595	CP	64QAM	Edge_1RB_Left	20.74	15.79	15.07
n38	10	30	2595	CP	64QAM	Edge_1RB_Right	20.81	15.86	15.14
n38	10	30	2595	CP	64QAM	Outer_Full	20.78	15.83	15.11
n38	10	30	2595	CP	256QAM	Inner_Full	17.87	12.92	12.20
n38	10	30	2595	CP	256QAM	Edge_1RB_Left	17.78	12.83	12.11
n38	10	30	2595	CP	256QAM	Edge_1RB_Right	17.96	13.01	12.29
n38	10	30	2595	CP	256QAM	Outer_Full	17.82	12.87	12.15
n38	10	30	2615	DFT	pi/2 BPSK	Inner_Full	24.29	19.34	18.62
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Left	23.85	18.90	18.18
n38	10	30	2615	DFT	pi/2 BPSK	Edge_1RB_Right	23.91	18.96	18.24
n38	10	30	2615	DFT	pi/2 BPSK	Outer_Full	23.93	18.98	18.26
n38	10	30	2615	DFT	QPSK	Inner_Full	24.44	19.49	18.77
n38	10	30	2615	DFT	QPSK	Edge_1RB_Left	23.36	18.41	17.69
n38	10	30	2615	DFT	QPSK	Edge_1RB_Right	23.23	18.28	17.56
n38	10	30	2615	DFT	QPSK	Outer_Full	23.32	18.37	17.65

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	10	30	2615	DFT	16QAM	Inner_Full	23.54	18.59	17.87
n38	10	30	2615	DFT	16QAM	Edge_1RB_Left	22.44	17.49	16.77
n38	10	30	2615	DFT	16QAM	Edge_1RB_Right	22.37	17.42	16.70
n38	10	30	2615	DFT	16QAM	Outer_Full	22.47	17.52	16.80
n38	10	30	2615	DFT	64QAM	Inner_Full	21.99	17.04	16.32
n38	10	30	2615	DFT	64QAM	Edge_1RB_Left	21.38	16.43	15.71
n38	10	30	2615	DFT	64QAM	Edge_1RB_Right	21.59	16.64	15.92
n38	10	30	2615	DFT	64QAM	Outer_Full	21.97	17.02	16.30
n38	10	30	2615	DFT	256QAM	Inner_Full	19.99	15.04	14.32
n38	10	30	2615	DFT	256QAM	Edge_1RB_Left	19.88	14.93	14.21
n38	10	30	2615	DFT	256QAM	Edge_1RB_Right	19.86	14.91	14.19
n38	10	30	2615	DFT	256QAM	Outer_Full	19.91	14.96	14.24
n38	10	30	2615	CP	QPSK	Inner_Full	22.90	17.95	17.23
n38	10	30	2615	CP	QPSK	Edge_1RB_Left	21.28	16.33	15.61
n38	10	30	2615	CP	QPSK	Edge_1RB_Right	21.28	16.33	15.61
n38	10	30	2615	CP	QPSK	Outer_Full	21.48	16.53	15.81
n38	10	30	2615	CP	16QAM	Inner_Full	22.70	17.75	17.03
n38	10	30	2615	CP	16QAM	Edge_1RB_Left	21.59	16.64	15.92
n38	10	30	2615	CP	16QAM	Edge_1RB_Right	21.17	16.22	15.50
n38	10	30	2615	CP	16QAM	Outer_Full	21.31	16.36	15.64
n38	10	30	2615	CP	64QAM	Inner_Full	21.06	16.11	15.39
n38	10	30	2615	CP	64QAM	Edge_1RB_Left	20.76	15.81	15.09
n38	10	30	2615	CP	64QAM	Edge_1RB_Right	20.87	15.92	15.20
n38	10	30	2615	CP	64QAM	Outer_Full	21.03	16.08	15.36
n38	10	30	2615	CP	256QAM	Inner_Full	17.87	12.92	12.20
n38	10	30	2615	CP	256QAM	Edge_1RB_Left	17.87	12.92	12.20
n38	10	30	2615	CP	256QAM	Edge_1RB_Right	17.91	12.96	12.24
n38	10	30	2615	CP	256QAM	Outer_Full	17.96	13.01	12.29
n38	15	30	2577.5	DFT	pi/2 BPSK	Inner_Full	24.14	19.19	18.47
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.55	18.60	17.88

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	15	30	2577.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.79	18.84	18.12
n38	15	30	2577.5	DFT	pi/2 BPSK	Outer_Full	23.57	18.62	17.90
n38	15	30	2577.5	DFT	QPSK	Inner_Full	24.20	19.25	18.53
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Left	23.03	18.08	17.36
n38	15	30	2577.5	DFT	QPSK	Edge_1RB_Right	23.21	18.26	17.54
n38	15	30	2577.5	DFT	QPSK	Outer_Full	23.06	18.11	17.39
n38	15	30	2577.5	DFT	16QAM	Inner_Full	23.16	18.21	17.49
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Left	21.99	17.04	16.32
n38	15	30	2577.5	DFT	16QAM	Edge_1RB_Right	22.14	17.19	16.47
n38	15	30	2577.5	DFT	16QAM	Outer_Full	22.18	17.23	16.51
n38	15	30	2577.5	DFT	64QAM	Inner_Full	21.67	16.72	16.00
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Left	21.17	16.22	15.50
n38	15	30	2577.5	DFT	64QAM	Edge_1RB_Right	21.46	16.51	15.79
n38	15	30	2577.5	DFT	64QAM	Outer_Full	21.60	16.65	15.93
n38	15	30	2577.5	DFT	256QAM	Inner_Full	19.61	14.66	13.94
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Left	19.59	14.64	13.92
n38	15	30	2577.5	DFT	256QAM	Edge_1RB_Right	19.62	14.67	13.95
n38	15	30	2577.5	DFT	256QAM	Outer_Full	19.52	14.57	13.85
n38	15	30	2577.5	CP	QPSK	Inner_Full	22.62	17.67	16.95
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Left	21.05	16.10	15.38
n38	15	30	2577.5	CP	QPSK	Edge_1RB_Right	21.34	16.39	15.67
n38	15	30	2577.5	CP	QPSK	Outer_Full	21.08	16.13	15.41
n38	15	30	2577.5	CP	16QAM	Inner_Full	22.16	17.21	16.49
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Left	21.13	16.18	15.46
n38	15	30	2577.5	CP	16QAM	Edge_1RB_Right	21.13	16.18	15.46
n38	15	30	2577.5	CP	16QAM	Outer_Full	21.12	16.17	15.45
n38	15	30	2577.5	CP	64QAM	Inner_Full	20.51	15.56	14.84
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Left	20.46	15.51	14.79
n38	15	30	2577.5	CP	64QAM	Edge_1RB_Right	20.66	15.71	14.99
n38	15	30	2577.5	CP	64QAM	Outer_Full	20.64	15.69	14.97

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	15	30	2577.5	CP	256QAM	Inner_Full	17.71	12.76	12.04
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Left	17.64	12.69	11.97
n38	15	30	2577.5	CP	256QAM	Edge_1RB_Right	17.65	12.70	11.98
n38	15	30	2577.5	CP	256QAM	Outer_Full	17.65	12.70	11.98
n38	15	30	2595	DFT	pi/2 BPSK	Inner_Full	24.41	19.46	18.74
n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.80	18.85	18.13
n38	15	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.91	18.96	18.24
n38	15	30	2595	DFT	pi/2 BPSK	Outer_Full	23.91	18.96	18.24
n38	15	30	2595	DFT	QPSK	Inner_Full	24.30	19.35	18.63
n38	15	30	2595	DFT	QPSK	Edge_1RB_Left	23.34	18.39	17.67
n38	15	30	2595	DFT	QPSK	Edge_1RB_Right	23.33	18.38	17.66
n38	15	30	2595	DFT	QPSK	Outer_Full	23.41	18.46	17.74
n38	15	30	2595	DFT	16QAM	Inner_Full	23.44	18.49	17.77
n38	15	30	2595	DFT	16QAM	Edge_1RB_Left	22.28	17.33	16.61
n38	15	30	2595	DFT	16QAM	Edge_1RB_Right	22.40	17.45	16.73
n38	15	30	2595	DFT	16QAM	Outer_Full	22.32	17.37	16.65
n38	15	30	2595	DFT	64QAM	Inner_Full	21.90	16.95	16.23
n38	15	30	2595	DFT	64QAM	Edge_1RB_Left	21.51	16.56	15.84
n38	15	30	2595	DFT	64QAM	Edge_1RB_Right	21.59	16.64	15.92
n38	15	30	2595	DFT	64QAM	Outer_Full	21.85	16.90	16.18
n38	15	30	2595	DFT	256QAM	Inner_Full	19.85	14.90	14.18
n38	15	30	2595	DFT	256QAM	Edge_1RB_Left	19.81	14.86	14.14
n38	15	30	2595	DFT	256QAM	Edge_1RB_Right	19.97	15.02	14.30
n38	15	30	2595	DFT	256QAM	Outer_Full	19.83	14.88	14.16
n38	15	30	2595	CP	QPSK	Inner_Full	22.91	17.96	17.24
n38	15	30	2595	CP	QPSK	Edge_1RB_Left	21.41	16.46	15.74
n38	15	30	2595	CP	QPSK	Edge_1RB_Right	21.44	16.49	15.77
n38	15	30	2595	CP	QPSK	Outer_Full	21.35	16.40	15.68
n38	15	30	2595	CP	16QAM	Inner_Full	22.30	17.35	16.63
n38	15	30	2595	CP	16QAM	Edge_1RB_Left	21.31	16.36	15.64

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	15	30	2595	CP	16QAM	Edge_1RB_Right	21.22	16.27	15.55
n38	15	30	2595	CP	16QAM	Outer_Full	21.34	16.39	15.67
n38	15	30	2595	CP	64QAM	Inner_Full	20.87	15.92	15.20
n38	15	30	2595	CP	64QAM	Edge_1RB_Left	20.82	15.87	15.15
n38	15	30	2595	CP	64QAM	Edge_1RB_Right	20.77	15.82	15.10
n38	15	30	2595	CP	64QAM	Outer_Full	20.95	16.00	15.28
n38	15	30	2595	CP	256QAM	Inner_Full	18.00	13.05	12.33
n38	15	30	2595	CP	256QAM	Edge_1RB_Left	17.85	12.90	12.18
n38	15	30	2595	CP	256QAM	Edge_1RB_Right	18.04	13.09	12.37
n38	15	30	2595	CP	256QAM	Outer_Full	17.97	13.02	12.30
n38	15	30	2612.5	DFT	pi/2 BPSK	Inner_Full	24.41	19.46	18.74
n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.85	18.90	18.18
n38	15	30	2612.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.87	18.92	18.20
n38	15	30	2612.5	DFT	pi/2 BPSK	Outer_Full	23.88	18.93	18.21
n38	15	30	2612.5	DFT	QPSK	Inner_Full	24.44	19.49	18.77
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Left	23.31	18.36	17.64
n38	15	30	2612.5	DFT	QPSK	Edge_1RB_Right	23.32	18.37	17.65
n38	15	30	2612.5	DFT	QPSK	Outer_Full	23.39	18.44	17.72
n38	15	30	2612.5	DFT	16QAM	Inner_Full	23.46	18.51	17.79
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Left	22.23	17.28	16.56
n38	15	30	2612.5	DFT	16QAM	Edge_1RB_Right	22.30	17.35	16.63
n38	15	30	2612.5	DFT	16QAM	Outer_Full	22.41	17.46	16.74
n38	15	30	2612.5	DFT	64QAM	Inner_Full	22.04	17.09	16.37
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Left	21.44	16.49	15.77
n38	15	30	2612.5	DFT	64QAM	Edge_1RB_Right	21.50	16.55	15.83
n38	15	30	2612.5	DFT	64QAM	Outer_Full	21.89	16.94	16.22
n38	15	30	2612.5	DFT	256QAM	Inner_Full	19.92	14.97	14.25
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Left	19.88	14.93	14.21
n38	15	30	2612.5	DFT	256QAM	Edge_1RB_Right	19.91	14.96	14.24
n38	15	30	2612.5	DFT	256QAM	Outer_Full	19.86	14.91	14.19

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	15	30	2612.5	CP	QPSK	Inner_Full	22.93	17.98	17.26
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Left	21.33	16.38	15.66
n38	15	30	2612.5	CP	QPSK	Edge_1RB_Right	21.45	16.50	15.78
n38	15	30	2612.5	CP	QPSK	Outer_Full	21.42	16.47	15.75
n38	15	30	2612.5	CP	16QAM	Inner_Full	22.37	17.42	16.70
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Left	21.37	16.42	15.70
n38	15	30	2612.5	CP	16QAM	Edge_1RB_Right	21.29	16.34	15.62
n38	15	30	2612.5	CP	16QAM	Outer_Full	21.39	16.44	15.72
n38	15	30	2612.5	CP	64QAM	Inner_Full	20.92	15.97	15.25
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Left	20.83	15.88	15.16
n38	15	30	2612.5	CP	64QAM	Edge_1RB_Right	20.83	15.88	15.16
n38	15	30	2612.5	CP	64QAM	Outer_Full	20.88	15.93	15.21
n38	15	30	2612.5	CP	256QAM	Inner_Full	17.95	13.00	12.28
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Left	17.87	12.92	12.20
n38	15	30	2612.5	CP	256QAM	Edge_1RB_Right	17.94	12.99	12.27
n38	15	30	2612.5	CP	256QAM	Outer_Full	17.91	12.96	12.24
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	24.29	19.34	18.62
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	23.51	18.56	17.84
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	23.75	18.80	18.08
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	23.64	18.69	17.97
n38	20	30	2580	DFT	QPSK	Inner_Full	24.17	19.22	18.50
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	22.97	18.02	17.30
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	23.20	18.25	17.53
n38	20	30	2580	DFT	QPSK	Outer_Full	23.09	18.14	17.42
n38	20	30	2580	DFT	16QAM	Inner_Full	23.24	18.29	17.57
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	22.01	17.06	16.34
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	22.16	17.21	16.49
n38	20	30	2580	DFT	16QAM	Outer_Full	22.08	17.13	16.41
n38	20	30	2580	DFT	64QAM	Inner_Full	21.62	16.67	15.95
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	21.13	16.18	15.46

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	21.36	16.41	15.69
n38	20	30	2580	DFT	64QAM	Outer_Full	21.55	16.60	15.88
n38	20	30	2580	DFT	256QAM	Inner_Full	19.63	14.68	13.96
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	19.53	14.58	13.86
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	19.65	14.70	13.98
n38	20	30	2580	DFT	256QAM	Outer_Full	19.49	14.54	13.82
n38	20	30	2580	CP	QPSK	Inner_Full	22.80	17.85	17.13
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	21.01	16.06	15.34
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	21.23	16.28	15.56
n38	20	30	2580	CP	QPSK	Outer_Full	21.02	16.07	15.35
n38	20	30	2580	CP	16QAM	Inner_Full	22.24	17.29	16.57
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	21.06	16.11	15.39
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	21.14	16.19	15.47
n38	20	30	2580	CP	16QAM	Outer_Full	21.10	16.15	15.43
n38	20	30	2580	CP	64QAM	Inner_Full	20.72	15.77	15.05
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	20.50	15.55	14.83
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	20.82	15.87	15.15
n38	20	30	2580	CP	64QAM	Outer_Full	20.60	15.65	14.93
n38	20	30	2580	CP	256QAM	Inner_Full	17.67	12.72	12.00
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	17.56	12.61	11.89
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	17.76	12.81	12.09
n38	20	30	2580	CP	256QAM	Outer_Full	17.69	12.74	12.02
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	24.40	19.45	18.73
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.83	18.88	18.16
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.91	18.96	18.24
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	23.95	19.00	18.28
n38	20	30	2595	DFT	QPSK	Inner_Full	24.46	19.51	18.79
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	23.30	18.35	17.63
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	23.36	18.41	17.69
n38	20	30	2595	DFT	QPSK	Outer_Full	23.39	18.44	17.72

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2595	DFT	16QAM	Inner_Full	23.33	18.38	17.66
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	22.39	17.44	16.72
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	22.35	17.40	16.68
n38	20	30	2595	DFT	16QAM	Outer_Full	22.31	17.36	16.64
n38	20	30	2595	DFT	64QAM	Inner_Full	21.83	16.88	16.16
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	21.40	16.45	15.73
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	21.68	16.73	16.01
n38	20	30	2595	DFT	64QAM	Outer_Full	21.88	16.93	16.21
n38	20	30	2595	DFT	256QAM	Inner_Full	19.95	15.00	14.28
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	19.68	14.73	14.01
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	19.91	14.96	14.24
n38	20	30	2595	DFT	256QAM	Outer_Full	19.84	14.89	14.17
n38	20	30	2595	CP	QPSK	Inner_Full	22.94	17.99	17.27
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	21.34	16.39	15.67
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	21.46	16.51	15.79
n38	20	30	2595	CP	QPSK	Outer_Full	21.36	16.41	15.69
n38	20	30	2595	CP	16QAM	Inner_Full	22.45	17.50	16.78
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	21.37	16.42	15.70
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	21.35	16.40	15.68
n38	20	30	2595	CP	16QAM	Outer_Full	21.39	16.44	15.72
n38	20	30	2595	CP	64QAM	Inner_Full	21.08	16.13	15.41
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	20.83	15.88	15.16
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	20.89	15.94	15.22
n38	20	30	2595	CP	64QAM	Outer_Full	20.84	15.89	15.17
n38	20	30	2595	CP	256QAM	Inner_Full	17.88	12.93	12.21
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	17.82	12.87	12.15
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	18.04	13.09	12.37
n38	20	30	2595	CP	256QAM	Outer_Full	17.92	12.97	12.25
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	24.49	19.54	18.82
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	23.90	18.95	18.23

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	23.96	19.01	18.29
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	23.93	18.98	18.26
n38	20	30	2610	DFT	QPSK	Inner_Full	24.48	19.53	18.81
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	23.35	18.40	17.68
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	23.42	18.47	17.75
n38	20	30	2610	DFT	QPSK	Outer_Full	23.46	18.51	17.79
n38	20	30	2610	DFT	16QAM	Inner_Full	23.42	18.47	17.75
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	22.39	17.44	16.72
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	22.32	17.37	16.65
n38	20	30	2610	DFT	16QAM	Outer_Full	22.41	17.46	16.74
n38	20	30	2610	DFT	64QAM	Inner_Full	21.92	16.97	16.25
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	21.59	16.64	15.92
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	21.60	16.65	15.93
n38	20	30	2610	DFT	64QAM	Outer_Full	21.90	16.95	16.23
n38	20	30	2610	DFT	256QAM	Inner_Full	19.96	15.01	14.29
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	19.91	14.96	14.24
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	19.93	14.98	14.26
n38	20	30	2610	DFT	256QAM	Outer_Full	19.96	15.01	14.29
n38	20	30	2610	CP	QPSK	Inner_Full	23.07	18.12	17.40
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	21.39	16.44	15.72
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	21.45	16.50	15.78
n38	20	30	2610	CP	QPSK	Outer_Full	21.40	16.45	15.73
n38	20	30	2610	CP	16QAM	Inner_Full	22.48	17.53	16.81
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	21.40	16.45	15.73
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	21.35	16.40	15.68
n38	20	30	2610	CP	16QAM	Outer_Full	21.37	16.42	15.70
n38	20	30	2610	CP	64QAM	Inner_Full	21.07	16.12	15.40
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	20.79	15.84	15.12
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	20.88	15.93	15.21
n38	20	30	2610	CP	64QAM	Outer_Full	20.93	15.98	15.26

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	20	30	2610	CP	256QAM	Inner_Full	17.95	13.00	12.28
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	17.97	13.02	12.30
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	18.02	13.07	12.35
n38	20	30	2610	CP	256QAM	Outer_Full	17.96	13.01	12.29
n38	25	30	2582.5	DFT	pi/2 BPSK	Inner_Full	24.18	19.23	18.51
n38	25	30	2582.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.42	18.47	17.75
n38	25	30	2582.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.72	18.77	18.05
n38	25	30	2582.5	DFT	pi/2 BPSK	Outer_Full	23.74	18.79	18.07
n38	25	30	2582.5	DFT	QPSK	Inner_Full	24.24	19.29	18.57
n38	25	30	2582.5	DFT	QPSK	Edge_1RB_Left	22.88	17.93	17.21
n38	25	30	2582.5	DFT	QPSK	Edge_1RB_Right	23.08	18.13	17.41
n38	25	30	2582.5	DFT	QPSK	Outer_Full	23.19	18.24	17.52
n38	25	30	2582.5	DFT	16QAM	Inner_Full	23.26	18.31	17.59
n38	25	30	2582.5	DFT	16QAM	Edge_1RB_Left	21.92	16.97	16.25
n38	25	30	2582.5	DFT	16QAM	Edge_1RB_Right	22.16	17.21	16.49
n38	25	30	2582.5	DFT	16QAM	Outer_Full	22.15	17.20	16.48
n38	25	30	2582.5	DFT	64QAM	Inner_Full	21.71	16.76	16.04
n38	25	30	2582.5	DFT	64QAM	Edge_1RB_Left	21.17	16.22	15.50
n38	25	30	2582.5	DFT	64QAM	Edge_1RB_Right	21.32	16.37	15.65
n38	25	30	2582.5	DFT	64QAM	Outer_Full	21.71	16.76	16.04
n38	25	30	2582.5	DFT	256QAM	Inner_Full	19.61	14.66	13.94
n38	25	30	2582.5	DFT	256QAM	Edge_1RB_Left	19.42	14.47	13.75
n38	25	30	2582.5	DFT	256QAM	Edge_1RB_Right	19.66	14.71	13.99
n38	25	30	2582.5	DFT	256QAM	Outer_Full	19.67	14.72	14.00
n38	25	30	2582.5	CP	QPSK	Inner_Full	22.68	17.73	17.01
n38	25	30	2582.5	CP	QPSK	Edge_1RB_Left	20.89	15.94	15.22
n38	25	30	2582.5	CP	QPSK	Edge_1RB_Right	21.19	16.24	15.52
n38	25	30	2582.5	CP	QPSK	Outer_Full	21.15	16.20	15.48
n38	25	30	2582.5	CP	16QAM	Inner_Full	22.16	17.21	16.49
n38	25	30	2582.5	CP	16QAM	Edge_1RB_Left	20.86	15.91	15.19

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	25	30	2582.5	CP	16QAM	Edge_1RB_Right	21.31	16.36	15.64
n38	25	30	2582.5	CP	16QAM	Outer_Full	21.28	16.33	15.61
n38	25	30	2582.5	CP	64QAM	Inner_Full	20.65	15.70	14.98
n38	25	30	2582.5	CP	64QAM	Edge_1RB_Left	20.43	15.48	14.76
n38	25	30	2582.5	CP	64QAM	Edge_1RB_Right	20.76	15.81	15.09
n38	25	30	2582.5	CP	64QAM	Outer_Full	20.62	15.67	14.95
n38	25	30	2582.5	CP	256QAM	Inner_Full	17.69	12.74	12.02
n38	25	30	2582.5	CP	256QAM	Edge_1RB_Left	17.53	12.58	11.86
n38	25	30	2582.5	CP	256QAM	Edge_1RB_Right	17.75	12.80	12.08
n38	25	30	2582.5	CP	256QAM	Outer_Full	17.74	12.79	12.07
n38	25	30	2595	DFT	pi/2 BPSK	Inner_Full	24.39	19.44	18.72
n38	25	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.72	18.77	18.05
n38	25	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.89	18.94	18.22
n38	25	30	2595	DFT	pi/2 BPSK	Outer_Full	23.97	19.02	18.30
n38	25	30	2595	DFT	QPSK	Inner_Full	24.45	19.50	18.78
n38	25	30	2595	DFT	QPSK	Edge_1RB_Left	23.12	18.17	17.45
n38	25	30	2595	DFT	QPSK	Edge_1RB_Right	23.35	18.40	17.68
n38	25	30	2595	DFT	QPSK	Outer_Full	23.40	18.45	17.73
n38	25	30	2595	DFT	16QAM	Inner_Full	23.43	18.48	17.76
n38	25	30	2595	DFT	16QAM	Edge_1RB_Left	22.23	17.28	16.56
n38	25	30	2595	DFT	16QAM	Edge_1RB_Right	22.44	17.49	16.77
n38	25	30	2595	DFT	16QAM	Outer_Full	22.40	17.45	16.73
n38	25	30	2595	DFT	64QAM	Inner_Full	21.91	16.96	16.24
n38	25	30	2595	DFT	64QAM	Edge_1RB_Left	21.22	16.27	15.55
n38	25	30	2595	DFT	64QAM	Edge_1RB_Right	21.48	16.53	15.81
n38	25	30	2595	DFT	64QAM	Outer_Full	21.86	16.91	16.19
n38	25	30	2595	DFT	256QAM	Inner_Full	19.89	14.94	14.22
n38	25	30	2595	DFT	256QAM	Edge_1RB_Left	19.62	14.67	13.95
n38	25	30	2595	DFT	256QAM	Edge_1RB_Right	19.89	14.94	14.22
n38	25	30	2595	DFT	256QAM	Outer_Full	19.91	14.96	14.24

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	25	30	2595	CP	QPSK	Inner_Full	22.93	17.98	17.26
n38	25	30	2595	CP	QPSK	Edge_1RB_Left	21.11	16.16	15.44
n38	25	30	2595	CP	QPSK	Edge_1RB_Right	21.52	16.57	15.85
n38	25	30	2595	CP	QPSK	Outer_Full	21.48	16.53	15.81
n38	25	30	2595	CP	16QAM	Inner_Full	22.35	17.40	16.68
n38	25	30	2595	CP	16QAM	Edge_1RB_Left	21.23	16.28	15.56
n38	25	30	2595	CP	16QAM	Edge_1RB_Right	21.30	16.35	15.63
n38	25	30	2595	CP	16QAM	Outer_Full	21.39	16.44	15.72
n38	25	30	2595	CP	64QAM	Inner_Full	20.88	15.93	15.21
n38	25	30	2595	CP	64QAM	Edge_1RB_Left	20.64	15.69	14.97
n38	25	30	2595	CP	64QAM	Edge_1RB_Right	20.87	15.92	15.20
n38	25	30	2595	CP	64QAM	Outer_Full	20.81	15.86	15.14
n38	25	30	2595	CP	256QAM	Inner_Full	17.92	12.97	12.25
n38	25	30	2595	CP	256QAM	Edge_1RB_Left	17.74	12.79	12.07
n38	25	30	2595	CP	256QAM	Edge_1RB_Right	17.93	12.98	12.26
n38	25	30	2595	CP	256QAM	Outer_Full	17.92	12.97	12.25
n38	25	30	2607.5	DFT	pi/2 BPSK	Inner_Full	24.47	19.52	18.80
n38	25	30	2607.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.72	18.77	18.05
n38	25	30	2607.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.91	18.96	18.24
n38	25	30	2607.5	DFT	pi/2 BPSK	Outer_Full	23.91	18.96	18.24
n38	25	30	2607.5	DFT	QPSK	Inner_Full	24.47	19.52	18.80
n38	25	30	2607.5	DFT	QPSK	Edge_1RB_Left	23.28	18.33	17.61
n38	25	30	2607.5	DFT	QPSK	Edge_1RB_Right	23.30	18.35	17.63
n38	25	30	2607.5	DFT	QPSK	Outer_Full	23.42	18.47	17.75
n38	25	30	2607.5	DFT	16QAM	Inner_Full	23.50	18.55	17.83
n38	25	30	2607.5	DFT	16QAM	Edge_1RB_Left	22.25	17.30	16.58
n38	25	30	2607.5	DFT	16QAM	Edge_1RB_Right	22.33	17.38	16.66
n38	25	30	2607.5	DFT	16QAM	Outer_Full	22.37	17.42	16.70
n38	25	30	2607.5	DFT	64QAM	Inner_Full	21.94	16.99	16.27
n38	25	30	2607.5	DFT	64QAM	Edge_1RB_Left	21.44	16.49	15.77

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	25	30	2607.5	DFT	64QAM	Edge_1RB_Right	21.45	16.50	15.78
n38	25	30	2607.5	DFT	64QAM	Outer_Full	21.90	16.95	16.23
n38	25	30	2607.5	DFT	256QAM	Inner_Full	19.91	14.96	14.24
n38	25	30	2607.5	DFT	256QAM	Edge_1RB_Left	19.77	14.82	14.10
n38	25	30	2607.5	DFT	256QAM	Edge_1RB_Right	19.85	14.90	14.18
n38	25	30	2607.5	DFT	256QAM	Outer_Full	19.93	14.98	14.26
n38	25	30	2607.5	CP	QPSK	Inner_Full	23.06	18.11	17.39
n38	25	30	2607.5	CP	QPSK	Edge_1RB_Left	21.18	16.23	15.51
n38	25	30	2607.5	CP	QPSK	Edge_1RB_Right	21.46	16.51	15.79
n38	25	30	2607.5	CP	QPSK	Outer_Full	21.38	16.43	15.71
n38	25	30	2607.5	CP	16QAM	Inner_Full	22.37	17.42	16.70
n38	25	30	2607.5	CP	16QAM	Edge_1RB_Left	21.31	16.36	15.64
n38	25	30	2607.5	CP	16QAM	Edge_1RB_Right	21.39	16.44	15.72
n38	25	30	2607.5	CP	16QAM	Outer_Full	21.40	16.45	15.73
n38	25	30	2607.5	CP	64QAM	Inner_Full	20.99	16.04	15.32
n38	25	30	2607.5	CP	64QAM	Edge_1RB_Left	20.82	15.87	15.15
n38	25	30	2607.5	CP	64QAM	Edge_1RB_Right	20.78	15.83	15.11
n38	25	30	2607.5	CP	64QAM	Outer_Full	21.05	16.10	15.38
n38	25	30	2607.5	CP	256QAM	Inner_Full	17.92	12.97	12.25
n38	25	30	2607.5	CP	256QAM	Edge_1RB_Left	17.87	12.92	12.20
n38	25	30	2607.5	CP	256QAM	Edge_1RB_Right	17.89	12.94	12.22
n38	25	30	2607.5	CP	256QAM	Outer_Full	17.94	12.99	12.27
n38	30	30	2585	DFT	pi/2 BPSK	Inner_Full	24.23	19.28	18.56
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Left	23.53	18.58	17.86
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Right	23.82	18.87	18.15
n38	30	30	2585	DFT	pi/2 BPSK	Outer_Full	23.79	18.84	18.12
n38	30	30	2585	DFT	QPSK	Inner_Full	24.22	19.27	18.55
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	22.98	18.03	17.31
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	23.25	18.30	17.58
n38	30	30	2585	DFT	QPSK	Outer_Full	23.20	18.25	17.53

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2585	DFT	16QAM	Inner_Full	23.24	18.29	17.57
n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	21.98	17.03	16.31
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	22.23	17.28	16.56
n38	30	30	2585	DFT	16QAM	Outer_Full	22.25	17.30	16.58
n38	30	30	2585	DFT	64QAM	Inner_Full	21.63	16.68	15.96
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	21.21	16.26	15.54
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	21.33	16.38	15.66
n38	30	30	2585	DFT	64QAM	Outer_Full	21.73	16.78	16.06
n38	30	30	2585	DFT	256QAM	Inner_Full	19.72	14.77	14.05
n38	30	30	2585	DFT	256QAM	Edge_1RB_Left	19.60	14.65	13.93
n38	30	30	2585	DFT	256QAM	Edge_1RB_Right	19.82	14.87	14.15
n38	30	30	2585	DFT	256QAM	Outer_Full	19.71	14.76	14.04
n38	30	30	2585	CP	QPSK	Inner_Full	22.80	17.85	17.13
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	20.95	16.00	15.28
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	21.32	16.37	15.65
n38	30	30	2585	CP	QPSK	Outer_Full	21.24	16.29	15.57
n38	30	30	2585	CP	16QAM	Inner_Full	22.31	17.36	16.64
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	21.00	16.05	15.33
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	21.23	16.28	15.56
n38	30	30	2585	CP	16QAM	Outer_Full	21.28	16.33	15.61
n38	30	30	2585	CP	64QAM	Inner_Full	20.73	15.78	15.06
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	20.50	15.55	14.83
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	20.80	15.85	15.13
n38	30	30	2585	CP	64QAM	Outer_Full	20.74	15.79	15.07
n38	30	30	2585	CP	256QAM	Inner_Full	17.72	12.77	12.05
n38	30	30	2585	CP	256QAM	Edge_1RB_Left	17.63	12.68	11.96
n38	30	30	2585	CP	256QAM	Edge_1RB_Right	17.90	12.95	12.23
n38	30	30	2585	CP	256QAM	Outer_Full	17.75	12.80	12.08
n38	30	30	2595	DFT	pi/2 BPSK	Inner_Full	24.41	19.46	18.74
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.69	18.74	18.02

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.99	19.04	18.32
n38	30	30	2595	DFT	pi/2 BPSK	Outer_Full	23.92	18.97	18.25
n38	30	30	2595	DFT	QPSK	Inner_Full	24.38	19.43	18.71
n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	23.17	18.22	17.50
n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	23.38	18.43	17.71
n38	30	30	2595	DFT	QPSK	Outer_Full	23.37	18.42	17.70
n38	30	30	2595	DFT	16QAM	Inner_Full	23.43	18.48	17.76
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	22.22	17.27	16.55
n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	22.44	17.49	16.77
n38	30	30	2595	DFT	16QAM	Outer_Full	22.38	17.43	16.71
n38	30	30	2595	DFT	64QAM	Inner_Full	21.90	16.95	16.23
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	21.22	16.27	15.55
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	21.49	16.54	15.82
n38	30	30	2595	DFT	64QAM	Outer_Full	21.88	16.93	16.21
n38	30	30	2595	DFT	256QAM	Inner_Full	19.83	14.88	14.16
n38	30	30	2595	DFT	256QAM	Edge_1RB_Left	19.72	14.77	14.05
n38	30	30	2595	DFT	256QAM	Edge_1RB_Right	19.91	14.96	14.24
n38	30	30	2595	DFT	256QAM	Outer_Full	19.86	14.91	14.19
n38	30	30	2595	CP	QPSK	Inner_Full	22.93	17.98	17.26
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	21.11	16.16	15.44
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	21.41	16.46	15.74
n38	30	30	2595	CP	QPSK	Outer_Full	21.49	16.54	15.82
n38	30	30	2595	CP	16QAM	Inner_Full	22.43	17.48	16.76
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	21.20	16.25	15.53
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	21.22	16.27	15.55
n38	30	30	2595	CP	16QAM	Outer_Full	21.42	16.47	15.75
n38	30	30	2595	CP	64QAM	Inner_Full	20.96	16.01	15.29
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	20.72	15.77	15.05
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	21.00	16.05	15.33
n38	30	30	2595	CP	64QAM	Outer_Full	20.98	16.03	15.31

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2595	CP	256QAM	Inner_Full	17.87	12.92	12.20
n38	30	30	2595	CP	256QAM	Edge_1RB_Left	17.75	12.80	12.08
n38	30	30	2595	CP	256QAM	Edge_1RB_Right	18.04	13.09	12.37
n38	30	30	2595	CP	256QAM	Outer_Full	17.89	12.94	12.22
n38	30	30	2605	DFT	pi/2 BPSK	Inner_Full	24.44	19.49	18.77
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Left	23.73	18.78	18.06
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Right	23.90	18.95	18.23
n38	30	30	2605	DFT	pi/2 BPSK	Outer_Full	23.95	19.00	18.28
n38	30	30	2605	DFT	QPSK	Inner_Full	24.36	19.41	18.69
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	23.24	18.29	17.57
n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	23.37	18.42	17.70
n38	30	30	2605	DFT	QPSK	Outer_Full	23.42	18.47	17.75
n38	30	30	2605	DFT	16QAM	Inner_Full	23.45	18.50	17.78
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	22.23	17.28	16.56
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	22.34	17.39	16.67
n38	30	30	2605	DFT	16QAM	Outer_Full	22.38	17.43	16.71
n38	30	30	2605	DFT	64QAM	Inner_Full	21.77	16.82	16.10
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	21.27	16.32	15.60
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	21.45	16.50	15.78
n38	30	30	2605	DFT	64QAM	Outer_Full	22.05	17.10	16.38
n38	30	30	2605	DFT	256QAM	Inner_Full	19.87	14.92	14.20
n38	30	30	2605	DFT	256QAM	Edge_1RB_Left	19.79	14.84	14.12
n38	30	30	2605	DFT	256QAM	Edge_1RB_Right	19.95	15.00	14.28
n38	30	30	2605	DFT	256QAM	Outer_Full	19.91	14.96	14.24
n38	30	30	2605	CP	QPSK	Inner_Full	23.03	18.08	17.36
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	21.26	16.31	15.59
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	21.47	16.52	15.80
n38	30	30	2605	CP	QPSK	Outer_Full	21.46	16.51	15.79
n38	30	30	2605	CP	16QAM	Inner_Full	22.48	17.53	16.81
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	21.26	16.31	15.59

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	21.38	16.43	15.71
n38	30	30	2605	CP	16QAM	Outer_Full	21.43	16.48	15.76
n38	30	30	2605	CP	64QAM	Inner_Full	20.88	15.93	15.21
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	20.66	15.71	14.99
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	20.93	15.98	15.26
n38	30	30	2605	CP	64QAM	Outer_Full	20.94	15.99	15.27
n38	30	30	2605	CP	256QAM	Inner_Full	17.89	12.94	12.22
n38	30	30	2605	CP	256QAM	Edge_1RB_Left	17.84	12.89	12.17
n38	30	30	2605	CP	256QAM	Edge_1RB_Right	18.02	13.07	12.35
n38	30	30	2605	CP	256QAM	Outer_Full	17.89	12.94	12.22
n38	40	30	2590	DFT	pi/2 BPSK	Inner_Full	24.38	19.43	18.71
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Left	23.55	18.60	17.88
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Right	23.89	18.94	18.22
n38	40	30	2590	DFT	pi/2 BPSK	Outer_Full	23.85	18.90	18.18
n38	40	30	2590	DFT	QPSK	Inner_Full	24.34	19.39	18.67
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	23.00	18.05	17.33
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	23.36	18.41	17.69
n38	40	30	2590	DFT	QPSK	Outer_Full	23.33	18.38	17.66
n38	40	30	2590	DFT	16QAM	Inner_Full	23.32	18.37	17.65
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	21.99	17.04	16.32
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	22.48	17.53	16.81
n38	40	30	2590	DFT	16QAM	Outer_Full	22.26	17.31	16.59
n38	40	30	2590	DFT	64QAM	Inner_Full	21.83	16.88	16.16
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	21.07	16.12	15.40
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	21.56	16.61	15.89
n38	40	30	2590	DFT	64QAM	Outer_Full	21.76	16.81	16.09
n38	40	30	2590	DFT	256QAM	Inner_Full	19.84	14.89	14.17
n38	40	30	2590	DFT	256QAM	Edge_1RB_Left	19.61	14.66	13.94
n38	40	30	2590	DFT	256QAM	Edge_1RB_Right	19.89	14.94	14.22
n38	40	30	2590	DFT	256QAM	Outer_Full	19.82	14.87	14.15

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2590	CP	QPSK	Inner_Full	22.89	17.94	17.22
n38	40	30	2590	CP	QPSK	Edge_1RB_Left	21.09	16.14	15.42
n38	40	30	2590	CP	QPSK	Edge_1RB_Right	21.43	16.48	15.76
n38	40	30	2590	CP	QPSK	Outer_Full	21.30	16.35	15.63
n38	40	30	2590	CP	16QAM	Inner_Full	22.33	17.38	16.66
n38	40	30	2590	CP	16QAM	Edge_1RB_Left	20.98	16.03	15.31
n38	40	30	2590	CP	16QAM	Edge_1RB_Right	21.29	16.34	15.62
n38	40	30	2590	CP	16QAM	Outer_Full	21.34	16.39	15.67
n38	40	30	2590	CP	64QAM	Inner_Full	20.79	15.84	15.12
n38	40	30	2590	CP	64QAM	Edge_1RB_Left	20.53	15.58	14.86
n38	40	30	2590	CP	64QAM	Edge_1RB_Right	20.78	15.83	15.11
n38	40	30	2590	CP	64QAM	Outer_Full	20.74	15.79	15.07
n38	40	30	2590	CP	256QAM	Inner_Full	17.81	12.86	12.14
n38	40	30	2590	CP	256QAM	Edge_1RB_Left	17.66	12.71	11.99
n38	40	30	2590	CP	256QAM	Edge_1RB_Right	17.95	13.00	12.28
n38	40	30	2590	CP	256QAM	Outer_Full	17.80	12.85	12.13
n38	40	30	2595	DFT	pi/2 BPSK	Inner_Full	24.44	19.49	18.77
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.57	18.62	17.90
n38	40	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.98	19.03	18.31
n38	40	30	2595	DFT	pi/2 BPSK	Outer_Full	23.89	18.94	18.22
n38	40	30	2595	DFT	QPSK	Inner_Full	24.33	19.38	18.66
n38	40	30	2595	DFT	QPSK	Edge_1RB_Left	22.95	18.00	17.28
n38	40	30	2595	DFT	QPSK	Edge_1RB_Right	23.40	18.45	17.73
n38	40	30	2595	DFT	QPSK	Outer_Full	23.39	18.44	17.72
n38	40	30	2595	DFT	16QAM	Inner_Full	23.34	18.39	17.67
n38	40	30	2595	DFT	16QAM	Edge_1RB_Left	21.96	17.01	16.29
n38	40	30	2595	DFT	16QAM	Edge_1RB_Right	22.34	17.39	16.67
n38	40	30	2595	DFT	16QAM	Outer_Full	22.36	17.41	16.69
n38	40	30	2595	DFT	64QAM	Inner_Full	21.96	17.01	16.29
n38	40	30	2595	DFT	64QAM	Edge_1RB_Left	21.15	16.20	15.48

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2595	DFT	64QAM	Edge_1RB_Right	21.54	16.59	15.87
n38	40	30	2595	DFT	64QAM	Outer_Full	21.92	16.97	16.25
n38	40	30	2595	DFT	256QAM	Inner_Full	19.88	14.93	14.21
n38	40	30	2595	DFT	256QAM	Edge_1RB_Left	19.63	14.68	13.96
n38	40	30	2595	DFT	256QAM	Edge_1RB_Right	19.99	15.04	14.32
n38	40	30	2595	DFT	256QAM	Outer_Full	19.91	14.96	14.24
n38	40	30	2595	CP	QPSK	Inner_Full	22.92	17.97	17.25
n38	40	30	2595	CP	QPSK	Edge_1RB_Left	20.99	16.04	15.32
n38	40	30	2595	CP	QPSK	Edge_1RB_Right	21.33	16.38	15.66
n38	40	30	2595	CP	QPSK	Outer_Full	21.38	16.43	15.71
n38	40	30	2595	CP	16QAM	Inner_Full	22.42	17.47	16.75
n38	40	30	2595	CP	16QAM	Edge_1RB_Left	21.16	16.21	15.49
n38	40	30	2595	CP	16QAM	Edge_1RB_Right	21.31	16.36	15.64
n38	40	30	2595	CP	16QAM	Outer_Full	21.38	16.43	15.71
n38	40	30	2595	CP	64QAM	Inner_Full	21.01	16.06	15.34
n38	40	30	2595	CP	64QAM	Edge_1RB_Left	20.50	15.55	14.83
n38	40	30	2595	CP	64QAM	Edge_1RB_Right	20.81	15.86	15.14
n38	40	30	2595	CP	64QAM	Outer_Full	20.90	15.95	15.23
n38	40	30	2595	CP	256QAM	Inner_Full	17.88	12.93	12.21
n38	40	30	2595	CP	256QAM	Edge_1RB_Left	17.69	12.74	12.02
n38	40	30	2595	CP	256QAM	Edge_1RB_Right	18.02	13.07	12.35
n38	40	30	2595	CP	256QAM	Outer_Full	17.86	12.91	12.19
n38	40	30	2600	DFT	pi/2 BPSK	Inner_Full	24.44	19.49	18.77
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Left	23.68	18.73	18.01
n38	40	30	2600	DFT	pi/2 BPSK	Edge_1RB_Right	23.96	19.01	18.29
n38	40	30	2600	DFT	pi/2 BPSK	Outer_Full	23.92	18.97	18.25
n38	40	30	2600	DFT	QPSK	Inner_Full	24.45	19.50	18.78
n38	40	30	2600	DFT	QPSK	Edge_1RB_Left	23.21	18.26	17.54
n38	40	30	2600	DFT	QPSK	Edge_1RB_Right	23.40	18.45	17.73
n38	40	30	2600	DFT	QPSK	Outer_Full	23.44	18.49	17.77

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n38	40	30	2600	DFT	16QAM	Inner_Full	23.33	18.38	17.66
n38	40	30	2600	DFT	16QAM	Edge_1RB_Left	22.06	17.11	16.39
n38	40	30	2600	DFT	16QAM	Edge_1RB_Right	22.37	17.42	16.70
n38	40	30	2600	DFT	16QAM	Outer_Full	22.40	17.45	16.73
n38	40	30	2600	DFT	64QAM	Inner_Full	21.89	16.94	16.22
n38	40	30	2600	DFT	64QAM	Edge_1RB_Left	21.25	16.30	15.58
n38	40	30	2600	DFT	64QAM	Edge_1RB_Right	21.52	16.57	15.85
n38	40	30	2600	DFT	64QAM	Outer_Full	21.81	16.86	16.14
n38	40	30	2600	DFT	256QAM	Inner_Full	19.92	14.97	14.25
n38	40	30	2600	DFT	256QAM	Edge_1RB_Left	19.68	14.73	14.01
n38	40	30	2600	DFT	256QAM	Edge_1RB_Right	19.95	15.00	14.28
n38	40	30	2600	DFT	256QAM	Outer_Full	19.86	14.91	14.19
n38	40	30	2600	CP	QPSK	Inner_Full	22.96	18.01	17.29
n38	40	30	2600	CP	QPSK	Edge_1RB_Left	21.17	16.22	15.50
n38	40	30	2600	CP	QPSK	Edge_1RB_Right	21.42	16.47	15.75
n38	40	30	2600	CP	QPSK	Outer_Full	21.37	16.42	15.70
n38	40	30	2600	CP	16QAM	Inner_Full	22.44	17.49	16.77
n38	40	30	2600	CP	16QAM	Edge_1RB_Left	21.21	16.26	15.54
n38	40	30	2600	CP	16QAM	Edge_1RB_Right	21.25	16.30	15.58
n38	40	30	2600	CP	16QAM	Outer_Full	21.39	16.44	15.72
n38	40	30	2600	CP	64QAM	Inner_Full	20.91	15.96	15.24
n38	40	30	2600	CP	64QAM	Edge_1RB_Left	20.58	15.63	14.91
n38	40	30	2600	CP	64QAM	Edge_1RB_Right	20.78	15.83	15.11
n38	40	30	2600	CP	64QAM	Outer_Full	20.96	16.01	15.29
n38	40	30	2600	CP	256QAM	Inner_Full	17.90	12.95	12.23
n38	40	30	2600	CP	256QAM	Edge_1RB_Left	17.72	12.77	12.05
n38	40	30	2600	CP	256QAM	Edge_1RB_Right	17.98	13.03	12.31
n38	40	30	2600	CP	256QAM	Outer_Full	17.92	12.97	12.25

n41

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	25.87	20.93	20.37
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.23	17.29	16.73
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	17.35	16.79
n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	25.42	20.48	19.92
n41	10	30	2501.01	DFT	QPSK	Inner_Full	25.81	20.87	20.31
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	23.70	18.76	18.20
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	23.77	18.83	18.27
n41	10	30	2501.01	DFT	QPSK	Outer_Full	24.69	19.75	19.19
n41	10	30	2501.01	DFT	16QAM	Inner_Full	24.91	19.97	19.41
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	22.90	17.96	17.40
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	22.84	17.90	17.34
n41	10	30	2501.01	DFT	16QAM	Outer_Full	24.36	19.42	18.86
n41	10	30	2501.01	DFT	64QAM	Inner_Full	24.76	19.82	19.26
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	21.98	17.04	16.48
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	21.98	17.04	16.48
n41	10	30	2501.01	DFT	64QAM	Outer_Full	24.48	19.54	18.98
n41	10	30	2501.01	DFT	256QAM	Inner_Full	22.84	17.90	17.34
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	21.67	16.73	16.17
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	21.80	16.86	16.30
n41	10	30	2501.01	DFT	256QAM	Outer_Full	22.82	17.88	17.32
n41	10	30	2501.01	CP	QPSK	Inner_Full	25.38	20.44	19.88
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Left	23.29	18.35	17.79
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Right	23.49	18.55	17.99
n41	10	30	2501.01	CP	QPSK	Outer_Full	23.28	18.34	17.78
n41	10	30	2501.01	CP	16QAM	Inner_Full	25.12	20.18	19.62
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Left	22.06	17.12	16.56
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Right	22.35	17.41	16.85
n41	10	30	2501.01	CP	16QAM	Outer_Full	23.31	18.37	17.81

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	10	30	2501.01	CP	64QAM	Inner_Full	24.00	19.06	18.50
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Left	22.10	17.16	16.60
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Right	22.29	17.35	16.79
n41	10	30	2501.01	CP	64QAM	Outer_Full	22.70	17.76	17.20
n41	10	30	2501.01	CP	256QAM	Inner_Full	21.37	16.43	15.87
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Left	21.26	16.32	15.76
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Right	21.31	16.37	15.81
n41	10	30	2501.01	CP	256QAM	Outer_Full	21.17	16.23	15.67
n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.84	20.90	20.34
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.22	17.28	16.72
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.35	17.41	16.85
n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.35	20.41	19.85
n41	10	30	2592.99	DFT	QPSK	Inner_Full	25.89	20.95	20.39
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.67	18.73	18.17
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.79	18.85	18.29
n41	10	30	2592.99	DFT	QPSK	Outer_Full	24.86	19.92	19.36
n41	10	30	2592.99	DFT	16QAM	Inner_Full	24.94	20.00	19.44
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.66	17.72	17.16
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.75	17.81	17.25
n41	10	30	2592.99	DFT	16QAM	Outer_Full	24.53	19.59	19.03
n41	10	30	2592.99	DFT	64QAM	Inner_Full	24.85	19.91	19.35
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.87	16.93	16.37
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.06	17.12	16.56
n41	10	30	2592.99	DFT	64QAM	Outer_Full	24.50	19.56	19.00
n41	10	30	2592.99	DFT	256QAM	Inner_Full	22.99	18.05	17.49
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.73	16.79	16.23
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.80	16.86	16.30
n41	10	30	2592.99	DFT	256QAM	Outer_Full	22.96	18.02	17.46
n41	10	30	2592.99	CP	QPSK	Inner_Full	25.29	20.35	19.79
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Left	23.34	18.40	17.84

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Right	23.42	18.48	17.92
n41	10	30	2592.99	CP	QPSK	Outer_Full	23.33	18.39	17.83
n41	10	30	2592.99	CP	16QAM	Inner_Full	24.94	20.00	19.44
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Left	22.35	17.41	16.85
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Right	22.20	17.26	16.70
n41	10	30	2592.99	CP	16QAM	Outer_Full	23.22	18.28	17.72
n41	10	30	2592.99	CP	64QAM	Inner_Full	23.97	19.03	18.47
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Left	22.19	17.25	16.69
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Right	22.30	17.36	16.80
n41	10	30	2592.99	CP	64QAM	Outer_Full	22.96	18.02	17.46
n41	10	30	2592.99	CP	256QAM	Inner_Full	21.45	16.51	15.95
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Left	21.24	16.30	15.74
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Right	21.35	16.41	15.85
n41	10	30	2592.99	CP	256QAM	Outer_Full	21.49	16.55	15.99
n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	25.95	21.01	20.45
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.35	17.41	16.85
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	22.34	17.40	16.84
n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	25.42	20.48	19.92
n41	10	30	2685	DFT	QPSK	Inner_Full	26.01	21.07	20.51
n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	23.84	18.90	18.34
n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	23.86	18.92	18.36
n41	10	30	2685	DFT	QPSK	Outer_Full	24.86	19.92	19.36
n41	10	30	2685	DFT	16QAM	Inner_Full	25.10	20.16	19.60
n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	22.85	17.91	17.35
n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	22.75	17.81	17.25
n41	10	30	2685	DFT	16QAM	Outer_Full	24.54	19.60	19.04
n41	10	30	2685	DFT	64QAM	Inner_Full	25.05	20.11	19.55
n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	22.14	17.20	16.64
n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	21.98	17.04	16.48
n41	10	30	2685	DFT	64QAM	Outer_Full	24.69	19.75	19.19

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	10	30	2685	DFT	256QAM	Inner_Full	23.32	18.38	17.82
n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	21.80	16.86	16.30
n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	21.83	16.89	16.33
n41	10	30	2685	DFT	256QAM	Outer_Full	22.95	18.01	17.45
n41	10	30	2685	CP	QPSK	Inner_Full	25.56	20.62	20.06
n41	10	30	2685	CP	QPSK	Edge_1RB_Left	23.38	18.44	17.88
n41	10	30	2685	CP	QPSK	Edge_1RB_Right	23.44	18.50	17.94
n41	10	30	2685	CP	QPSK	Outer_Full	23.30	18.36	17.80
n41	10	30	2685	CP	16QAM	Inner_Full	25.12	20.18	19.62
n41	10	30	2685	CP	16QAM	Edge_1RB_Left	22.48	17.54	16.98
n41	10	30	2685	CP	16QAM	Edge_1RB_Right	22.54	17.60	17.04
n41	10	30	2685	CP	16QAM	Outer_Full	23.32	18.38	17.82
n41	10	30	2685	CP	64QAM	Inner_Full	24.13	19.19	18.63
n41	10	30	2685	CP	64QAM	Edge_1RB_Left	22.28	17.34	16.78
n41	10	30	2685	CP	64QAM	Edge_1RB_Right	22.38	17.44	16.88
n41	10	30	2685	CP	64QAM	Outer_Full	22.96	18.02	17.46
n41	10	30	2685	CP	256QAM	Inner_Full	21.47	16.53	15.97
n41	10	30	2685	CP	256QAM	Edge_1RB_Left	21.38	16.44	15.88
n41	10	30	2685	CP	256QAM	Edge_1RB_Right	21.49	16.55	15.99
n41	10	30	2685	CP	256QAM	Outer_Full	21.34	16.40	15.84
n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	25.98	21.04	20.48
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	17.34	16.78
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	17.39	16.83
n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	25.27	20.33	19.77
n41	15	30	2503.5	DFT	QPSK	Inner_Full	25.85	20.91	20.35
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	23.70	18.76	18.20
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	23.85	18.91	18.35
n41	15	30	2503.5	DFT	QPSK	Outer_Full	24.70	19.76	19.20
n41	15	30	2503.5	DFT	16QAM	Inner_Full	24.86	19.92	19.36
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	22.75	17.81	17.25

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	22.70	17.76	17.20
n41	15	30	2503.5	DFT	16QAM	Outer_Full	24.29	19.35	18.79
n41	15	30	2503.5	DFT	64QAM	Inner_Full	25.02	20.08	19.52
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	22.09	17.15	16.59
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	21.93	16.99	16.43
n41	15	30	2503.5	DFT	64QAM	Outer_Full	24.34	19.40	18.84
n41	15	30	2503.5	DFT	256QAM	Inner_Full	22.86	17.92	17.36
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	21.77	16.83	16.27
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	21.91	16.97	16.41
n41	15	30	2503.5	DFT	256QAM	Outer_Full	22.82	17.88	17.32
n41	15	30	2503.5	CP	QPSK	Inner_Full	25.33	20.39	19.83
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Left	23.36	18.42	17.86
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Right	23.53	18.59	18.03
n41	15	30	2503.5	CP	QPSK	Outer_Full	23.34	18.40	17.84
n41	15	30	2503.5	CP	16QAM	Inner_Full	24.82	19.88	19.32
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Left	22.23	17.29	16.73
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Right	22.27	17.33	16.77
n41	15	30	2503.5	CP	16QAM	Outer_Full	23.34	18.40	17.84
n41	15	30	2503.5	CP	64QAM	Inner_Full	23.76	18.82	18.26
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Left	22.12	17.18	16.62
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Right	22.31	17.37	16.81
n41	15	30	2503.5	CP	64QAM	Outer_Full	22.81	17.87	17.31
n41	15	30	2503.5	CP	256QAM	Inner_Full	21.26	16.32	15.76
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Left	21.28	16.34	15.78
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Right	21.42	16.48	15.92
n41	15	30	2503.5	CP	256QAM	Outer_Full	21.30	16.36	15.80
n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.96	21.02	20.46
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.18	17.24	16.68
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.31	17.37	16.81
n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.43	20.49	19.93

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	15	30	2592.99	DFT	QPSK	Inner_Full	25.83	20.89	20.33
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.65	18.71	18.15
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.80	18.86	18.30
n41	15	30	2592.99	DFT	QPSK	Outer_Full	24.83	19.89	19.33
n41	15	30	2592.99	DFT	16QAM	Inner_Full	24.82	19.88	19.32
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.63	17.69	17.13
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.79	17.85	17.29
n41	15	30	2592.99	DFT	16QAM	Outer_Full	24.40	19.46	18.90
n41	15	30	2592.99	DFT	64QAM	Inner_Full	24.94	20.00	19.44
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.83	16.89	16.33
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.87	16.93	16.37
n41	15	30	2592.99	DFT	64QAM	Outer_Full	24.36	19.42	18.86
n41	15	30	2592.99	DFT	256QAM	Inner_Full	22.83	17.89	17.33
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.78	16.84	16.28
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.89	16.95	16.39
n41	15	30	2592.99	DFT	256QAM	Outer_Full	22.91	17.97	17.41
n41	15	30	2592.99	CP	QPSK	Inner_Full	25.34	20.40	19.84
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Left	23.23	18.29	17.73
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Right	23.43	18.49	17.93
n41	15	30	2592.99	CP	QPSK	Outer_Full	23.36	18.42	17.86
n41	15	30	2592.99	CP	16QAM	Inner_Full	24.79	19.85	19.29
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Left	22.28	17.34	16.78
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Right	22.48	17.54	16.98
n41	15	30	2592.99	CP	16QAM	Outer_Full	23.36	18.42	17.86
n41	15	30	2592.99	CP	64QAM	Inner_Full	23.79	18.85	18.29
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Left	22.19	17.25	16.69
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Right	22.35	17.41	16.85
n41	15	30	2592.99	CP	64QAM	Outer_Full	22.78	17.84	17.28
n41	15	30	2592.99	CP	256QAM	Inner_Full	21.32	16.38	15.82
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Left	21.31	16.37	15.81

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Right	21.45	16.51	15.95
n41	15	30	2592.99	CP	256QAM	Outer_Full	21.36	16.42	15.86
n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	25.89	20.95	20.39
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.33	17.39	16.83
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.28	17.34	16.78
n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	25.40	20.46	19.90
n41	15	30	2682.48	DFT	QPSK	Inner_Full	25.85	20.91	20.35
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	23.74	18.80	18.24
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	23.80	18.86	18.30
n41	15	30	2682.48	DFT	QPSK	Outer_Full	24.92	19.98	19.42
n41	15	30	2682.48	DFT	16QAM	Inner_Full	24.91	19.97	19.41
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	22.72	17.78	17.22
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	22.81	17.87	17.31
n41	15	30	2682.48	DFT	16QAM	Outer_Full	24.41	19.47	18.91
n41	15	30	2682.48	DFT	64QAM	Inner_Full	25.00	20.06	19.50
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	22.00	17.06	16.50
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	21.95	17.01	16.45
n41	15	30	2682.48	DFT	64QAM	Outer_Full	24.41	19.47	18.91
n41	15	30	2682.48	DFT	256QAM	Inner_Full	22.83	17.89	17.33
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	21.83	16.89	16.33
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	21.93	16.99	16.43
n41	15	30	2682.48	DFT	256QAM	Outer_Full	22.87	17.93	17.37
n41	15	30	2682.48	CP	QPSK	Inner_Full	25.48	20.54	19.98
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Left	23.37	18.43	17.87
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Right	23.34	18.40	17.84
n41	15	30	2682.48	CP	QPSK	Outer_Full	23.25	18.31	17.75
n41	15	30	2682.48	CP	16QAM	Inner_Full	24.87	19.93	19.37
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Left	22.23	17.29	16.73
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Right	22.29	17.35	16.79
n41	15	30	2682.48	CP	16QAM	Outer_Full	23.38	18.44	17.88

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	15	30	2682.48	CP	64QAM	Inner_Full	23.77	18.83	18.27
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Left	22.20	17.26	16.70
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Right	22.28	17.34	16.78
n41	15	30	2682.48	CP	64QAM	Outer_Full	22.73	17.79	17.23
n41	15	30	2682.48	CP	256QAM	Inner_Full	21.37	16.43	15.87
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Left	21.35	16.41	15.85
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Right	21.54	16.60	16.04
n41	15	30	2682.48	CP	256QAM	Outer_Full	21.52	16.58	16.02
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.94	21.00	20.44
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.31	17.37	16.81
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.31	17.37	16.81
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	25.34	20.40	19.84
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.91	20.97	20.41
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	23.68	18.74	18.18
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	23.79	18.85	18.29
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.78	19.84	19.28
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.92	19.98	19.42
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	22.69	17.75	17.19
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.93	17.99	17.43
n41	20	30	2506.02	DFT	16QAM	Outer_Full	24.36	19.42	18.86
n41	20	30	2506.02	DFT	64QAM	Inner_Full	24.83	19.89	19.33
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	22.10	17.16	16.60
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	22.06	17.12	16.56
n41	20	30	2506.02	DFT	64QAM	Outer_Full	24.27	19.33	18.77
n41	20	30	2506.02	DFT	256QAM	Inner_Full	22.86	17.92	17.36
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	21.91	16.97	16.41
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	21.88	16.94	16.38
n41	20	30	2506.02	DFT	256QAM	Outer_Full	22.85	17.91	17.35
n41	20	30	2506.02	CP	QPSK	Inner_Full	25.40	20.46	19.90
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	23.17	18.23	17.67

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	23.41	18.47	17.91
n41	20	30	2506.02	CP	QPSK	Outer_Full	23.32	18.38	17.82
n41	20	30	2506.02	CP	16QAM	Inner_Full	24.89	19.95	19.39
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.14	17.20	16.64
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.40	17.46	16.90
n41	20	30	2506.02	CP	16QAM	Outer_Full	23.26	18.32	17.76
n41	20	30	2506.02	CP	64QAM	Inner_Full	23.95	19.01	18.45
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	22.18	17.24	16.68
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	22.29	17.35	16.79
n41	20	30	2506.02	CP	64QAM	Outer_Full	22.82	17.88	17.32
n41	20	30	2506.02	CP	256QAM	Inner_Full	21.36	16.42	15.86
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	21.37	16.43	15.87
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	21.48	16.54	15.98
n41	20	30	2506.02	CP	256QAM	Outer_Full	21.44	16.50	15.94
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.92	20.98	20.42
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	17.23	16.67
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	17.39	16.83
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.40	20.46	19.90
n41	20	30	2592.99	DFT	QPSK	Inner_Full	25.90	20.96	20.40
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.61	18.67	18.11
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.87	18.93	18.37
n41	20	30	2592.99	DFT	QPSK	Outer_Full	24.82	19.88	19.32
n41	20	30	2592.99	DFT	16QAM	Inner_Full	24.85	19.91	19.35
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.65	17.71	17.15
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.68	17.74	17.18
n41	20	30	2592.99	DFT	16QAM	Outer_Full	24.28	19.34	18.78
n41	20	30	2592.99	DFT	64QAM	Inner_Full	24.87	19.93	19.37
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.74	16.80	16.24
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.00	17.06	16.50
n41	20	30	2592.99	DFT	64QAM	Outer_Full	24.31	19.37	18.81

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2592.99	DFT	256QAM	Inner_Full	23.00	18.06	17.50
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.77	16.83	16.27
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.90	16.96	16.40
n41	20	30	2592.99	DFT	256QAM	Outer_Full	22.80	17.86	17.30
n41	20	30	2592.99	CP	QPSK	Inner_Full	25.50	20.56	20.00
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	23.29	18.35	17.79
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	23.40	18.46	17.90
n41	20	30	2592.99	CP	QPSK	Outer_Full	23.38	18.44	17.88
n41	20	30	2592.99	CP	16QAM	Inner_Full	24.91	19.97	19.41
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.10	17.16	16.60
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.46	17.52	16.96
n41	20	30	2592.99	CP	16QAM	Outer_Full	23.36	18.42	17.86
n41	20	30	2592.99	CP	64QAM	Inner_Full	23.97	19.03	18.47
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.19	17.25	16.69
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.45	17.51	16.95
n41	20	30	2592.99	CP	64QAM	Outer_Full	22.91	17.97	17.41
n41	20	30	2592.99	CP	256QAM	Inner_Full	21.33	16.39	15.83
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	21.25	16.31	15.75
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	21.50	16.56	16.00
n41	20	30	2592.99	CP	256QAM	Outer_Full	21.41	16.47	15.91
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	25.94	21.00	20.44
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.33	17.39	16.83
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.36	17.42	16.86
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	25.38	20.44	19.88
n41	20	30	2679.99	DFT	QPSK	Inner_Full	25.97	21.03	20.47
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	23.71	18.77	18.21
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	23.78	18.84	18.28
n41	20	30	2679.99	DFT	QPSK	Outer_Full	24.89	19.95	19.39
n41	20	30	2679.99	DFT	16QAM	Inner_Full	24.87	19.93	19.37
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.74	17.80	17.24

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.77	17.83	17.27
n41	20	30	2679.99	DFT	16QAM	Outer_Full	24.38	19.44	18.88
n41	20	30	2679.99	DFT	64QAM	Inner_Full	24.92	19.98	19.42
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	21.95	17.01	16.45
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	21.95	17.01	16.45
n41	20	30	2679.99	DFT	64QAM	Outer_Full	24.34	19.40	18.84
n41	20	30	2679.99	DFT	256QAM	Inner_Full	22.91	17.97	17.41
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	21.81	16.87	16.31
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.97	17.03	16.47
n41	20	30	2679.99	DFT	256QAM	Outer_Full	22.84	17.90	17.34
n41	20	30	2679.99	CP	QPSK	Inner_Full	25.48	20.54	19.98
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	23.36	18.42	17.86
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	23.59	18.65	18.09
n41	20	30	2679.99	CP	QPSK	Outer_Full	23.36	18.42	17.86
n41	20	30	2679.99	CP	16QAM	Inner_Full	25.04	20.10	19.54
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	22.23	17.29	16.73
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	22.23	17.29	16.73
n41	20	30	2679.99	CP	16QAM	Outer_Full	23.36	18.42	17.86
n41	20	30	2679.99	CP	64QAM	Inner_Full	23.94	19.00	18.44
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.16	17.22	16.66
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.31	17.37	16.81
n41	20	30	2679.99	CP	64QAM	Outer_Full	22.86	17.92	17.36
n41	20	30	2679.99	CP	256QAM	Inner_Full	21.46	16.52	15.96
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	21.36	16.42	15.86
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	21.45	16.51	15.95
n41	20	30	2679.99	CP	256QAM	Outer_Full	21.46	16.52	15.96
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	25.87	20.93	20.37
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.22	17.28	16.72
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.44	17.50	16.94
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	25.32	20.38	19.82

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2511	DFT	QPSK	Inner_Full	25.77	20.83	20.27
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	23.69	18.75	18.19
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	23.78	18.84	18.28
n41	30	30	2511	DFT	QPSK	Outer_Full	24.87	19.93	19.37
n41	30	30	2511	DFT	16QAM	Inner_Full	24.85	19.91	19.35
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.74	17.80	17.24
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.79	17.85	17.29
n41	30	30	2511	DFT	16QAM	Outer_Full	24.29	19.35	18.79
n41	30	30	2511	DFT	64QAM	Inner_Full	24.95	20.01	19.45
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.95	17.01	16.45
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.97	17.03	16.47
n41	30	30	2511	DFT	64QAM	Outer_Full	24.34	19.40	18.84
n41	30	30	2511	DFT	256QAM	Inner_Full	22.78	17.84	17.28
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	21.73	16.79	16.23
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	22.01	17.07	16.51
n41	30	30	2511	DFT	256QAM	Outer_Full	22.95	18.01	17.45
n41	30	30	2511	CP	QPSK	Inner_Full	25.34	20.40	19.84
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	23.14	18.20	17.64
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	23.62	18.68	18.12
n41	30	30	2511	CP	QPSK	Outer_Full	23.30	18.36	17.80
n41	30	30	2511	CP	16QAM	Inner_Full	24.89	19.95	19.39
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.08	17.14	16.58
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.29	17.35	16.79
n41	30	30	2511	CP	16QAM	Outer_Full	23.33	18.39	17.83
n41	30	30	2511	CP	64QAM	Inner_Full	23.86	18.92	18.36
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	22.05	17.11	16.55
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	22.42	17.48	16.92
n41	30	30	2511	CP	64QAM	Outer_Full	22.90	17.96	17.40
n41	30	30	2511	CP	256QAM	Inner_Full	21.25	16.31	15.75
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	21.32	16.38	15.82

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	21.47	16.53	15.97
n41	30	30	2511	CP	256QAM	Outer_Full	21.25	16.31	15.75
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.90	20.96	20.40
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.13	17.19	16.63
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.41	17.47	16.91
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.44	20.50	19.94
n41	30	30	2592.99	DFT	QPSK	Inner_Full	25.98	21.04	20.48
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.59	18.65	18.09
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.91	18.97	18.41
n41	30	30	2592.99	DFT	QPSK	Outer_Full	24.91	19.97	19.41
n41	30	30	2592.99	DFT	16QAM	Inner_Full	25.00	20.06	19.50
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.59	17.65	17.09
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.83	17.89	17.33
n41	30	30	2592.99	DFT	16QAM	Outer_Full	24.28	19.34	18.78
n41	30	30	2592.99	DFT	64QAM	Inner_Full	24.82	19.88	19.32
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.66	16.72	16.16
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.88	16.94	16.38
n41	30	30	2592.99	DFT	64QAM	Outer_Full	24.36	19.42	18.86
n41	30	30	2592.99	DFT	256QAM	Inner_Full	22.87	17.93	17.37
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.64	16.70	16.14
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	22.00	17.06	16.50
n41	30	30	2592.99	DFT	256QAM	Outer_Full	22.87	17.93	17.37
n41	30	30	2592.99	CP	QPSK	Inner_Full	25.40	20.46	19.90
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	23.13	18.19	17.63
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	23.47	18.53	17.97
n41	30	30	2592.99	CP	QPSK	Outer_Full	23.39	18.45	17.89
n41	30	30	2592.99	CP	16QAM	Inner_Full	24.95	20.01	19.45
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.02	17.08	16.52
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	22.30	17.36	16.80
n41	30	30	2592.99	CP	16QAM	Outer_Full	23.32	18.38	17.82

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2592.99	CP	64QAM	Inner_Full	23.93	18.99	18.43
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.04	17.10	16.54
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.33	17.39	16.83
n41	30	30	2592.99	CP	64QAM	Outer_Full	22.92	17.98	17.42
n41	30	30	2592.99	CP	256QAM	Inner_Full	21.38	16.44	15.88
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	21.10	16.16	15.60
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	21.47	16.53	15.97
n41	30	30	2592.99	CP	256QAM	Outer_Full	21.31	16.37	15.81
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	25.98	21.04	20.48
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.03	17.09	16.53
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.29	17.35	16.79
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	25.39	20.45	19.89
n41	30	30	2674.98	DFT	QPSK	Inner_Full	25.89	20.95	20.39
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	23.55	18.61	18.05
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	23.75	18.81	18.25
n41	30	30	2674.98	DFT	QPSK	Outer_Full	24.86	19.92	19.36
n41	30	30	2674.98	DFT	16QAM	Inner_Full	24.96	20.02	19.46
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.49	17.55	16.99
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.78	17.84	17.28
n41	30	30	2674.98	DFT	16QAM	Outer_Full	24.30	19.36	18.80
n41	30	30	2674.98	DFT	64QAM	Inner_Full	24.86	19.92	19.36
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	21.65	16.71	16.15
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	21.79	16.85	16.29
n41	30	30	2674.98	DFT	64QAM	Outer_Full	24.32	19.38	18.82
n41	30	30	2674.98	DFT	256QAM	Inner_Full	22.88	17.94	17.38
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	21.60	16.66	16.10
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.85	16.91	16.35
n41	30	30	2674.98	DFT	256QAM	Outer_Full	22.80	17.86	17.30
n41	30	30	2674.98	CP	QPSK	Inner_Full	25.44	20.50	19.94
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	23.15	18.21	17.65

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	23.38	18.44	17.88
n41	30	30	2674.98	CP	QPSK	Outer_Full	23.37	18.43	17.87
n41	30	30	2674.98	CP	16QAM	Inner_Full	24.97	20.03	19.47
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	21.95	17.01	16.45
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	22.20	17.26	16.70
n41	30	30	2674.98	CP	16QAM	Outer_Full	23.33	18.39	17.83
n41	30	30	2674.98	CP	64QAM	Inner_Full	23.98	19.04	18.48
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.05	17.11	16.55
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.24	17.30	16.74
n41	30	30	2674.98	CP	64QAM	Outer_Full	22.81	17.87	17.31
n41	30	30	2674.98	CP	256QAM	Inner_Full	21.39	16.45	15.89
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	21.15	16.21	15.65
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	21.41	16.47	15.91
n41	30	30	2674.98	CP	256QAM	Outer_Full	21.29	16.35	15.79
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.91	20.97	20.41
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.34	17.40	16.84
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	17.57	17.01
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	25.45	20.51	19.95
n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.89	20.95	20.39
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	23.65	18.71	18.15
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	23.90	18.96	18.40
n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.85	19.91	19.35
n41	40	30	2516.01	DFT	16QAM	Inner_Full	24.83	19.89	19.33
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	22.98	18.04	17.48
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	22.98	18.04	17.48
n41	40	30	2516.01	DFT	16QAM	Outer_Full	24.37	19.43	18.87
n41	40	30	2516.01	DFT	64QAM	Inner_Full	24.84	19.90	19.34
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.94	17.00	16.44
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	22.16	17.22	16.66
n41	40	30	2516.01	DFT	64QAM	Outer_Full	24.28	19.34	18.78

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2516.01	DFT	256QAM	Inner_Full	22.82	17.88	17.32
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	21.81	16.87	16.31
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	22.08	17.14	16.58
n41	40	30	2516.01	DFT	256QAM	Outer_Full	22.90	17.96	17.40
n41	40	30	2516.01	CP	QPSK	Inner_Full	25.50	20.56	20.00
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	23.66	18.72	18.16
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	23.49	18.55	17.99
n41	40	30	2516.01	CP	QPSK	Outer_Full	23.38	18.44	17.88
n41	40	30	2516.01	CP	16QAM	Inner_Full	24.91	19.97	19.41
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	22.21	17.27	16.71
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	22.49	17.55	16.99
n41	40	30	2516.01	CP	16QAM	Outer_Full	23.38	18.44	17.88
n41	40	30	2516.01	CP	64QAM	Inner_Full	23.82	18.88	18.32
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	22.15	17.21	16.65
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	22.41	17.47	16.91
n41	40	30	2516.01	CP	64QAM	Outer_Full	22.83	17.89	17.33
n41	40	30	2516.01	CP	256QAM	Inner_Full	21.41	16.47	15.91
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	21.34	16.40	15.84
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	21.47	16.53	15.97
n41	40	30	2516.01	CP	256QAM	Outer_Full	21.39	16.45	15.89
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.94	21.00	20.44
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	17.14	16.58
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	17.57	17.01
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.40	20.46	19.90
n41	40	30	2592.99	DFT	QPSK	Inner_Full	25.87	20.93	20.37
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.57	18.63	18.07
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.93	18.99	18.43
n41	40	30	2592.99	DFT	QPSK	Outer_Full	24.78	19.84	19.28
n41	40	30	2592.99	DFT	16QAM	Inner_Full	24.83	19.89	19.33
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.49	17.55	16.99

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.84	17.90	17.34
n41	40	30	2592.99	DFT	16QAM	Outer_Full	24.37	19.43	18.87
n41	40	30	2592.99	DFT	64QAM	Inner_Full	24.96	20.02	19.46
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.54	16.60	16.04
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.82	16.88	16.32
n41	40	30	2592.99	DFT	64QAM	Outer_Full	24.29	19.35	18.79
n41	40	30	2592.99	DFT	256QAM	Inner_Full	22.89	17.95	17.39
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.72	16.78	16.22
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.91	16.97	16.41
n41	40	30	2592.99	DFT	256QAM	Outer_Full	22.81	17.87	17.31
n41	40	30	2592.99	CP	QPSK	Inner_Full	25.47	20.53	19.97
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	23.12	18.18	17.62
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	23.50	18.56	18.00
n41	40	30	2592.99	CP	QPSK	Outer_Full	23.48	18.54	17.98
n41	40	30	2592.99	CP	16QAM	Inner_Full	24.89	19.95	19.39
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.83	16.89	16.33
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	22.32	17.38	16.82
n41	40	30	2592.99	CP	16QAM	Outer_Full	23.37	18.43	17.87
n41	40	30	2592.99	CP	64QAM	Inner_Full	23.96	19.02	18.46
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	21.98	17.04	16.48
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	22.38	17.44	16.88
n41	40	30	2592.99	CP	64QAM	Outer_Full	22.89	17.95	17.39
n41	40	30	2592.99	CP	256QAM	Inner_Full	21.43	16.49	15.93
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	21.18	16.24	15.68
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	21.48	16.54	15.98
n41	40	30	2592.99	CP	256QAM	Outer_Full	21.35	16.41	15.85
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	25.97	21.03	20.47
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	17.15	16.59
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.38	17.44	16.88
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	25.42	20.48	19.92

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2670	DFT	QPSK	Inner_Full	25.91	20.97	20.41
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	23.53	18.59	18.03
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	23.82	18.88	18.32
n41	40	30	2670	DFT	QPSK	Outer_Full	24.91	19.97	19.41
n41	40	30	2670	DFT	16QAM	Inner_Full	24.97	20.03	19.47
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.63	17.69	17.13
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.81	17.87	17.31
n41	40	30	2670	DFT	16QAM	Outer_Full	24.36	19.42	18.86
n41	40	30	2670	DFT	64QAM	Inner_Full	24.91	19.97	19.41
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	21.63	16.69	16.13
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.98	17.04	16.48
n41	40	30	2670	DFT	64QAM	Outer_Full	24.35	19.41	18.85
n41	40	30	2670	DFT	256QAM	Inner_Full	22.91	17.97	17.41
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.73	16.79	16.23
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	21.92	16.98	16.42
n41	40	30	2670	DFT	256QAM	Outer_Full	22.84	17.90	17.34
n41	40	30	2670	CP	QPSK	Inner_Full	25.44	20.50	19.94
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	23.09	18.15	17.59
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	23.38	18.44	17.88
n41	40	30	2670	CP	QPSK	Outer_Full	23.33	18.39	17.83
n41	40	30	2670	CP	16QAM	Inner_Full	24.96	20.02	19.46
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	22.07	17.13	16.57
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	22.28	17.34	16.78
n41	40	30	2670	CP	16QAM	Outer_Full	23.43	18.49	17.93
n41	40	30	2670	CP	64QAM	Inner_Full	23.92	18.98	18.42
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	21.98	17.04	16.48
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.27	17.33	16.77
n41	40	30	2670	CP	64QAM	Outer_Full	22.87	17.93	17.37
n41	40	30	2670	CP	256QAM	Inner_Full	21.42	16.48	15.92
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	21.20	16.26	15.70

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	21.41	16.47	15.91
n41	40	30	2670	CP	256QAM	Outer_Full	21.38	16.44	15.88
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.92	20.98	20.42
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	17.34	16.78
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.30	17.36	16.80
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	25.49	20.55	19.99
n41	50	30	2521.02	DFT	QPSK	Inner_Full	25.94	21.00	20.44
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	23.68	18.74	18.18
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	23.72	18.78	18.22
n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.86	19.92	19.36
n41	50	30	2521.02	DFT	16QAM	Inner_Full	24.83	19.89	19.33
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	22.78	17.84	17.28
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.79	17.85	17.29
n41	50	30	2521.02	DFT	16QAM	Outer_Full	24.33	19.39	18.83
n41	50	30	2521.02	DFT	64QAM	Inner_Full	24.90	19.96	19.40
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	21.93	16.99	16.43
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.94	17.00	16.44
n41	50	30	2521.02	DFT	64QAM	Outer_Full	24.35	19.41	18.85
n41	50	30	2521.02	DFT	256QAM	Inner_Full	22.93	17.99	17.43
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	21.86	16.92	16.36
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	21.95	17.01	16.45
n41	50	30	2521.02	DFT	256QAM	Outer_Full	22.84	17.90	17.34
n41	50	30	2521.02	CP	QPSK	Inner_Full	25.46	20.52	19.96
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	23.14	18.20	17.64
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	23.42	18.48	17.92
n41	50	30	2521.02	CP	QPSK	Outer_Full	23.31	18.37	17.81
n41	50	30	2521.02	CP	16QAM	Inner_Full	24.85	19.91	19.35
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.12	17.18	16.62
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.24	17.30	16.74
n41	50	30	2521.02	CP	16QAM	Outer_Full	23.30	18.36	17.80

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2521.02	CP	64QAM	Inner_Full	23.95	19.01	18.45
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	22.07	17.13	16.57
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	22.27	17.33	16.77
n41	50	30	2521.02	CP	64QAM	Outer_Full	22.86	17.92	17.36
n41	50	30	2521.02	CP	256QAM	Inner_Full	21.36	16.42	15.86
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	21.17	16.23	15.67
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	21.47	16.53	15.97
n41	50	30	2521.02	CP	256QAM	Outer_Full	21.38	16.44	15.88
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.98	21.04	20.48
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.01	17.07	16.51
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.44	17.50	16.94
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.40	20.46	19.90
n41	50	30	2592.99	DFT	QPSK	Inner_Full	25.89	20.95	20.39
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.56	18.62	18.06
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.77	18.83	18.27
n41	50	30	2592.99	DFT	QPSK	Outer_Full	24.80	19.86	19.30
n41	50	30	2592.99	DFT	16QAM	Inner_Full	24.82	19.88	19.32
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.51	17.57	17.01
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.84	17.90	17.34
n41	50	30	2592.99	DFT	16QAM	Outer_Full	24.39	19.45	18.89
n41	50	30	2592.99	DFT	64QAM	Inner_Full	24.88	19.94	19.38
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.81	16.87	16.31
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.13	17.19	16.63
n41	50	30	2592.99	DFT	64QAM	Outer_Full	24.40	19.46	18.90
n41	50	30	2592.99	DFT	256QAM	Inner_Full	22.88	17.94	17.38
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.63	16.69	16.13
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.97	17.03	16.47
n41	50	30	2592.99	DFT	256QAM	Outer_Full	22.83	17.89	17.33
n41	50	30	2592.99	CP	QPSK	Inner_Full	25.35	20.41	19.85
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	23.04	18.10	17.54

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	23.35	18.41	17.85
n41	50	30	2592.99	CP	QPSK	Outer_Full	23.31	18.37	17.81
n41	50	30	2592.99	CP	16QAM	Inner_Full	25.01	20.07	19.51
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.91	16.97	16.41
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	22.19	17.25	16.69
n41	50	30	2592.99	CP	16QAM	Outer_Full	23.34	18.40	17.84
n41	50	30	2592.99	CP	64QAM	Inner_Full	23.87	18.93	18.37
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	21.95	17.01	16.45
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	22.40	17.46	16.90
n41	50	30	2592.99	CP	64QAM	Outer_Full	22.87	17.93	17.37
n41	50	30	2592.99	CP	256QAM	Inner_Full	21.33	16.39	15.83
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	21.14	16.20	15.64
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	21.53	16.59	16.03
n41	50	30	2592.99	CP	256QAM	Outer_Full	21.30	16.36	15.80
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	25.91	20.97	20.41
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	17.04	16.48
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.30	17.36	16.80
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	25.34	20.40	19.84
n41	50	30	2664.99	DFT	QPSK	Inner_Full	25.85	20.91	20.35
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	23.37	18.43	17.87
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	23.79	18.85	18.29
n41	50	30	2664.99	DFT	QPSK	Outer_Full	24.76	19.82	19.26
n41	50	30	2664.99	DFT	16QAM	Inner_Full	24.75	19.81	19.25
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.38	17.44	16.88
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.77	17.83	17.27
n41	50	30	2664.99	DFT	16QAM	Outer_Full	24.29	19.35	18.79
n41	50	30	2664.99	DFT	64QAM	Inner_Full	24.88	19.94	19.38
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	21.58	16.64	16.08
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	21.83	16.89	16.33
n41	50	30	2664.99	DFT	64QAM	Outer_Full	24.25	19.31	18.75

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	50	30	2664.99	DFT	256QAM	Inner_Full	22.90	17.96	17.40
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.54	16.60	16.04
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	21.78	16.84	16.28
n41	50	30	2664.99	DFT	256QAM	Outer_Full	22.81	17.87	17.31
n41	50	30	2664.99	CP	QPSK	Inner_Full	25.29	20.35	19.79
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.96	18.02	17.46
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	23.27	18.33	17.77
n41	50	30	2664.99	CP	QPSK	Outer_Full	23.27	18.33	17.77
n41	50	30	2664.99	CP	16QAM	Inner_Full	24.87	19.93	19.37
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	21.82	16.88	16.32
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	22.21	17.27	16.71
n41	50	30	2664.99	CP	16QAM	Outer_Full	23.29	18.35	17.79
n41	50	30	2664.99	CP	64QAM	Inner_Full	23.80	18.86	18.30
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	21.89	16.95	16.39
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.30	17.36	16.80
n41	50	30	2664.99	CP	64QAM	Outer_Full	22.74	17.80	17.24
n41	50	30	2664.99	CP	256QAM	Inner_Full	21.29	16.35	15.79
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	21.03	16.09	15.53
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	21.37	16.43	15.87
n41	50	30	2664.99	CP	256QAM	Outer_Full	21.29	16.35	15.79
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.99	21.05	20.49
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.23	17.29	16.73
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.21	17.27	16.71
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	25.42	20.48	19.92
n41	60	30	2526	DFT	QPSK	Inner_Full	25.94	21.00	20.44
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	23.52	18.58	18.02
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	23.62	18.68	18.12
n41	60	30	2526	DFT	QPSK	Outer_Full	24.82	19.88	19.32
n41	60	30	2526	DFT	16QAM	Inner_Full	24.84	19.90	19.34
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	22.55	17.61	17.05

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	22.67	17.73	17.17
n41	60	30	2526	DFT	16QAM	Outer_Full	24.30	19.36	18.80
n41	60	30	2526	DFT	64QAM	Inner_Full	24.92	19.98	19.42
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.87	16.93	16.37
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.91	16.97	16.41
n41	60	30	2526	DFT	64QAM	Outer_Full	24.27	19.33	18.77
n41	60	30	2526	DFT	256QAM	Inner_Full	22.98	18.04	17.48
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	21.69	16.75	16.19
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	21.75	16.81	16.25
n41	60	30	2526	DFT	256QAM	Outer_Full	22.82	17.88	17.32
n41	60	30	2526	CP	QPSK	Inner_Full	25.45	20.51	19.95
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	23.11	18.17	17.61
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	23.20	18.26	17.70
n41	60	30	2526	CP	QPSK	Outer_Full	23.35	18.41	17.85
n41	60	30	2526	CP	16QAM	Inner_Full	24.83	19.89	19.33
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	22.07	17.13	16.57
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	22.06	17.12	16.56
n41	60	30	2526	CP	16QAM	Outer_Full	23.32	18.38	17.82
n41	60	30	2526	CP	64QAM	Inner_Full	23.93	18.99	18.43
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.96	17.02	16.46
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	22.09	17.15	16.59
n41	60	30	2526	CP	64QAM	Outer_Full	22.83	17.89	17.33
n41	60	30	2526	CP	256QAM	Inner_Full	21.39	16.45	15.89
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	21.25	16.31	15.75
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	21.38	16.44	15.88
n41	60	30	2526	CP	256QAM	Outer_Full	21.38	16.44	15.88
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.88	20.94	20.38
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	17.23	16.67
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.45	17.51	16.95
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.29	20.35	19.79

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2592.99	DFT	QPSK	Inner_Full	25.80	20.86	20.30
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.58	18.64	18.08
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.78	18.84	18.28
n41	60	30	2592.99	DFT	QPSK	Outer_Full	24.85	19.91	19.35
n41	60	30	2592.99	DFT	16QAM	Inner_Full	24.89	19.95	19.39
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.56	17.62	17.06
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.77	17.83	17.27
n41	60	30	2592.99	DFT	16QAM	Outer_Full	24.29	19.35	18.79
n41	60	30	2592.99	DFT	64QAM	Inner_Full	24.81	19.87	19.31
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.68	16.74	16.18
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.96	17.02	16.46
n41	60	30	2592.99	DFT	64QAM	Outer_Full	24.29	19.35	18.79
n41	60	30	2592.99	DFT	256QAM	Inner_Full	22.85	17.91	17.35
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.67	16.73	16.17
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.81	16.87	16.31
n41	60	30	2592.99	DFT	256QAM	Outer_Full	22.78	17.84	17.28
n41	60	30	2592.99	CP	QPSK	Inner_Full	25.30	20.36	19.80
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	23.13	18.19	17.63
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	23.34	18.40	17.84
n41	60	30	2592.99	CP	QPSK	Outer_Full	23.22	18.28	17.72
n41	60	30	2592.99	CP	16QAM	Inner_Full	24.80	19.86	19.30
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	22.15	17.21	16.65
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	22.26	17.32	16.76
n41	60	30	2592.99	CP	16QAM	Outer_Full	23.27	18.33	17.77
n41	60	30	2592.99	CP	64QAM	Inner_Full	23.85	18.91	18.35
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	22.02	17.08	16.52
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	22.29	17.35	16.79
n41	60	30	2592.99	CP	64QAM	Outer_Full	22.70	17.76	17.20
n41	60	30	2592.99	CP	256QAM	Inner_Full	21.28	16.34	15.78
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	21.19	16.25	15.69

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	21.45	16.51	15.95
n41	60	30	2592.99	CP	256QAM	Outer_Full	21.18	16.24	15.68
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	25.86	20.92	20.36
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.01	17.07	16.51
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.32	17.38	16.82
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	25.26	20.32	19.76
n41	60	30	2659.98	DFT	QPSK	Inner_Full	25.75	20.81	20.25
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	23.39	18.45	17.89
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	23.75	18.81	18.25
n41	60	30	2659.98	DFT	QPSK	Outer_Full	24.72	19.78	19.22
n41	60	30	2659.98	DFT	16QAM	Inner_Full	24.75	19.81	19.25
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	22.39	17.45	16.89
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.69	17.75	17.19
n41	60	30	2659.98	DFT	16QAM	Outer_Full	24.20	19.26	18.70
n41	60	30	2659.98	DFT	64QAM	Inner_Full	24.75	19.81	19.25
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	21.50	16.56	16.00
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	21.89	16.95	16.39
n41	60	30	2659.98	DFT	64QAM	Outer_Full	24.23	19.29	18.73
n41	60	30	2659.98	DFT	256QAM	Inner_Full	22.85	17.91	17.35
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.41	16.47	15.91
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	21.93	16.99	16.43
n41	60	30	2659.98	DFT	256QAM	Outer_Full	22.71	17.77	17.21
n41	60	30	2659.98	CP	QPSK	Inner_Full	25.24	20.30	19.74
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	22.92	17.98	17.42
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	23.23	18.29	17.73
n41	60	30	2659.98	CP	QPSK	Outer_Full	23.20	18.26	17.70
n41	60	30	2659.98	CP	16QAM	Inner_Full	24.78	19.84	19.28
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	21.96	17.02	16.46
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	22.17	17.23	16.67
n41	60	30	2659.98	CP	16QAM	Outer_Full	23.20	18.26	17.70

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	60	30	2659.98	CP	64QAM	Inner_Full	23.76	18.82	18.26
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	21.88	16.94	16.38
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	22.28	17.34	16.78
n41	60	30	2659.98	CP	64QAM	Outer_Full	22.70	17.76	17.20
n41	60	30	2659.98	CP	256QAM	Inner_Full	21.26	16.32	15.76
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	20.98	16.04	15.48
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	21.45	16.51	15.95
n41	60	30	2659.98	CP	256QAM	Outer_Full	21.21	16.27	15.71
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	26.05	21.11	20.55
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	17.35	16.79
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.04	17.10	16.54
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	25.36	20.42	19.86
n41	80	30	2536.02	DFT	QPSK	Inner_Full	25.98	21.04	20.48
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	23.71	18.77	18.21
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	23.43	18.49	17.93
n41	80	30	2536.02	DFT	QPSK	Outer_Full	24.78	19.84	19.28
n41	80	30	2536.02	DFT	16QAM	Inner_Full	24.91	19.97	19.41
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	22.84	17.90	17.34
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	22.46	17.52	16.96
n41	80	30	2536.02	DFT	16QAM	Outer_Full	24.31	19.37	18.81
n41	80	30	2536.02	DFT	64QAM	Inner_Full	24.93	19.99	19.43
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	22.00	17.06	16.50
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	21.66	16.72	16.16
n41	80	30	2536.02	DFT	64QAM	Outer_Full	24.28	19.34	18.78
n41	80	30	2536.02	DFT	256QAM	Inner_Full	22.96	18.02	17.46
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	21.96	17.02	16.46
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	21.58	16.64	16.08
n41	80	30	2536.02	DFT	256QAM	Outer_Full	22.81	17.87	17.31
n41	80	30	2536.02	CP	QPSK	Inner_Full	25.45	20.51	19.95
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	23.26	18.32	17.76

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	23.07	18.13	17.57
n41	80	30	2536.02	CP	QPSK	Outer_Full	23.28	18.34	17.78
n41	80	30	2536.02	CP	16QAM	Inner_Full	24.92	19.98	19.42
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	22.33	17.39	16.83
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.00	17.06	16.50
n41	80	30	2536.02	CP	16QAM	Outer_Full	23.22	18.28	17.72
n41	80	30	2536.02	CP	64QAM	Inner_Full	23.91	18.97	18.41
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	22.14	17.20	16.64
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	21.98	17.04	16.48
n41	80	30	2536.02	CP	64QAM	Outer_Full	22.79	17.85	17.29
n41	80	30	2536.02	CP	256QAM	Inner_Full	21.43	16.49	15.93
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	21.35	16.41	15.85
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	21.16	16.22	15.66
n41	80	30	2536.02	CP	256QAM	Outer_Full	21.32	16.38	15.82
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.84	20.90	20.34
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.41	17.47	16.91
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	17.31	16.75
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.19	20.25	19.69
n41	80	30	2592.99	DFT	QPSK	Inner_Full	25.72	20.78	20.22
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.80	18.86	18.30
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.83	18.89	18.33
n41	80	30	2592.99	DFT	QPSK	Outer_Full	24.70	19.76	19.20
n41	80	30	2592.99	DFT	16QAM	Inner_Full	24.75	19.81	19.25
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.83	17.89	17.33
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.83	17.89	17.33
n41	80	30	2592.99	DFT	16QAM	Outer_Full	24.25	19.31	18.75
n41	80	30	2592.99	DFT	64QAM	Inner_Full	24.76	19.82	19.26
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.97	17.03	16.47
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.93	16.99	16.43
n41	80	30	2592.99	DFT	64QAM	Outer_Full	24.19	19.25	18.69

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2592.99	DFT	256QAM	Inner_Full	22.89	17.95	17.39
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.00	17.06	16.50
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.86	16.92	16.36
n41	80	30	2592.99	DFT	256QAM	Outer_Full	22.72	17.78	17.22
n41	80	30	2592.99	CP	QPSK	Inner_Full	25.33	20.39	19.83
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	23.37	18.43	17.87
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	23.50	18.56	18.00
n41	80	30	2592.99	CP	QPSK	Outer_Full	23.21	18.27	17.71
n41	80	30	2592.99	CP	16QAM	Inner_Full	24.82	19.88	19.32
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	22.22	17.28	16.72
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	22.30	17.36	16.80
n41	80	30	2592.99	CP	16QAM	Outer_Full	23.25	18.31	17.75
n41	80	30	2592.99	CP	64QAM	Inner_Full	23.78	18.84	18.28
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	22.26	17.32	16.76
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	22.29	17.35	16.79
n41	80	30	2592.99	CP	64QAM	Outer_Full	22.64	17.70	17.14
n41	80	30	2592.99	CP	256QAM	Inner_Full	21.25	16.31	15.75
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	21.44	16.50	15.94
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	21.45	16.51	15.95
n41	80	30	2592.99	CP	256QAM	Outer_Full	21.16	16.22	15.66
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	25.82	20.88	20.32
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	17.23	16.67
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	17.58	17.02
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	25.39	20.45	19.89
n41	80	30	2649.99	DFT	QPSK	Inner_Full	25.80	20.86	20.30
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	23.50	18.56	18.00
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	23.96	19.02	18.46
n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.84	19.90	19.34
n41	80	30	2649.99	DFT	16QAM	Inner_Full	24.81	19.87	19.31
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	22.56	17.62	17.06

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	23.00	18.06	17.50
n41	80	30	2649.99	DFT	16QAM	Outer_Full	24.33	19.39	18.83
n41	80	30	2649.99	DFT	64QAM	Inner_Full	24.74	19.80	19.24
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	21.78	16.84	16.28
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	22.17	17.23	16.67
n41	80	30	2649.99	DFT	64QAM	Outer_Full	24.34	19.40	18.84
n41	80	30	2649.99	DFT	256QAM	Inner_Full	22.90	17.96	17.40
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	21.65	16.71	16.15
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	22.08	17.14	16.58
n41	80	30	2649.99	DFT	256QAM	Outer_Full	22.83	17.89	17.33
n41	80	30	2649.99	CP	QPSK	Inner_Full	25.36	20.42	19.86
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	22.97	18.03	17.47
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	23.45	18.51	17.95
n41	80	30	2649.99	CP	QPSK	Outer_Full	23.26	18.32	17.76
n41	80	30	2649.99	CP	16QAM	Inner_Full	24.81	19.87	19.31
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	21.99	17.05	16.49
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	22.46	17.52	16.96
n41	80	30	2649.99	CP	16QAM	Outer_Full	23.32	18.38	17.82
n41	80	30	2649.99	CP	64QAM	Inner_Full	23.79	18.85	18.29
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	22.04	17.10	16.54
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	22.42	17.48	16.92
n41	80	30	2649.99	CP	64QAM	Outer_Full	22.82	17.88	17.32
n41	80	30	2649.99	CP	256QAM	Inner_Full	21.20	16.26	15.70
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	21.16	16.22	15.66
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	21.58	16.64	16.08
n41	80	30	2649.99	CP	256QAM	Outer_Full	21.28	16.34	15.78
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	26.07	21.13	20.57
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	17.48	16.92
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.11	17.17	16.61
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	25.32	20.38	19.82

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2541	DFT	QPSK	Inner_Full	25.90	20.96	20.40
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	23.71	18.77	18.21
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	23.47	18.53	17.97
n41	90	30	2541	DFT	QPSK	Outer_Full	24.82	19.88	19.32
n41	90	30	2541	DFT	16QAM	Inner_Full	24.87	19.93	19.37
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.84	17.90	17.34
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.58	17.64	17.08
n41	90	30	2541	DFT	16QAM	Outer_Full	24.20	19.26	18.70
n41	90	30	2541	DFT	64QAM	Inner_Full	24.89	19.95	19.39
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	22.01	17.07	16.51
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	21.77	16.83	16.27
n41	90	30	2541	DFT	64QAM	Outer_Full	24.30	19.36	18.80
n41	90	30	2541	DFT	256QAM	Inner_Full	23.03	18.09	17.53
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	21.85	16.91	16.35
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.64	16.70	16.14
n41	90	30	2541	DFT	256QAM	Outer_Full	22.77	17.83	17.27
n41	90	30	2541	CP	QPSK	Inner_Full	25.46	20.52	19.96
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	23.46	18.52	17.96
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	23.06	18.12	17.56
n41	90	30	2541	CP	QPSK	Outer_Full	23.23	18.29	17.73
n41	90	30	2541	CP	16QAM	Inner_Full	24.92	19.98	19.42
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	22.33	17.39	16.83
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.01	17.07	16.51
n41	90	30	2541	CP	16QAM	Outer_Full	23.27	18.33	17.77
n41	90	30	2541	CP	64QAM	Inner_Full	23.87	18.93	18.37
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	22.14	17.20	16.64
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	22.08	17.14	16.58
n41	90	30	2541	CP	64QAM	Outer_Full	22.83	17.89	17.33
n41	90	30	2541	CP	256QAM	Inner_Full	21.42	16.48	15.92
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	21.47	16.53	15.97

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	21.22	16.28	15.72
n41	90	30	2541	CP	256QAM	Outer_Full	21.32	16.38	15.82
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.89	20.95	20.39
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.34	17.40	16.84
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.30	17.36	16.80
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.22	20.28	19.72
n41	90	30	2592.99	DFT	QPSK	Inner_Full	25.79	20.85	20.29
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.79	18.85	18.29
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.69	18.75	18.19
n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.72	19.78	19.22
n41	90	30	2592.99	DFT	16QAM	Inner_Full	24.77	19.83	19.27
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.88	17.94	17.38
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.79	17.85	17.29
n41	90	30	2592.99	DFT	16QAM	Outer_Full	24.16	19.22	18.66
n41	90	30	2592.99	DFT	64QAM	Inner_Full	24.79	19.85	19.29
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.09	17.15	16.59
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.02	17.08	16.52
n41	90	30	2592.99	DFT	64QAM	Outer_Full	24.22	19.28	18.72
n41	90	30	2592.99	DFT	256QAM	Inner_Full	22.88	17.94	17.38
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.92	16.98	16.42
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.83	16.89	16.33
n41	90	30	2592.99	DFT	256QAM	Outer_Full	22.65	17.71	17.15
n41	90	30	2592.99	CP	QPSK	Inner_Full	25.30	20.36	19.80
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	23.26	18.32	17.76
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	23.36	18.42	17.86
n41	90	30	2592.99	CP	QPSK	Outer_Full	23.22	18.28	17.72
n41	90	30	2592.99	CP	16QAM	Inner_Full	24.70	19.76	19.20
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	22.30	17.36	16.80
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	22.30	17.36	16.80
n41	90	30	2592.99	CP	16QAM	Outer_Full	23.20	18.26	17.70

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2592.99	CP	64QAM	Inner_Full	23.72	18.78	18.22
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	22.21	17.27	16.71
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	22.24	17.30	16.74
n41	90	30	2592.99	CP	64QAM	Outer_Full	22.70	17.76	17.20
n41	90	30	2592.99	CP	256QAM	Inner_Full	21.31	16.37	15.81
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	21.46	16.52	15.96
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	21.35	16.41	15.85
n41	90	30	2592.99	CP	256QAM	Outer_Full	21.18	16.24	15.68
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	25.82	20.88	20.32
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	17.21	16.65
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.43	17.49	16.93
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	25.32	20.38	19.82
n41	90	30	2644.98	DFT	QPSK	Inner_Full	25.72	20.78	20.22
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	23.46	18.52	17.96
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	23.87	18.93	18.37
n41	90	30	2644.98	DFT	QPSK	Outer_Full	24.85	19.91	19.35
n41	90	30	2644.98	DFT	16QAM	Inner_Full	24.68	19.74	19.18
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	22.51	17.57	17.01
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	22.90	17.96	17.40
n41	90	30	2644.98	DFT	16QAM	Outer_Full	24.31	19.37	18.81
n41	90	30	2644.98	DFT	64QAM	Inner_Full	24.67	19.73	19.17
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	21.71	16.77	16.21
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	22.12	17.18	16.62
n41	90	30	2644.98	DFT	64QAM	Outer_Full	24.36	19.42	18.86
n41	90	30	2644.98	DFT	256QAM	Inner_Full	22.76	17.82	17.26
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	21.59	16.65	16.09
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.96	17.02	16.46
n41	90	30	2644.98	DFT	256QAM	Outer_Full	22.85	17.91	17.35
n41	90	30	2644.98	CP	QPSK	Inner_Full	25.25	20.31	19.75
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	23.04	18.10	17.54

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	23.49	18.55	17.99
n41	90	30	2644.98	CP	QPSK	Outer_Full	23.30	18.36	17.80
n41	90	30	2644.98	CP	16QAM	Inner_Full	24.73	19.79	19.23
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	21.99	17.05	16.49
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	22.43	17.49	16.93
n41	90	30	2644.98	CP	16QAM	Outer_Full	23.36	18.42	17.86
n41	90	30	2644.98	CP	64QAM	Inner_Full	23.75	18.81	18.25
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	21.91	16.97	16.41
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	22.38	17.44	16.88
n41	90	30	2644.98	CP	64QAM	Outer_Full	22.86	17.92	17.36
n41	90	30	2644.98	CP	256QAM	Inner_Full	21.23	16.29	15.73
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	21.13	16.19	15.63
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	21.45	16.51	15.95
n41	90	30	2644.98	CP	256QAM	Outer_Full	21.23	16.29	15.73
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	25.94	21.00	20.44
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.40	17.46	16.90
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.32	17.38	16.82
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	25.32	20.38	19.82
n41	100	30	2546.01	DFT	QPSK	Inner_Full	25.89	20.95	20.39
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	23.69	18.75	18.19
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	23.64	18.70	18.14
n41	100	30	2546.01	DFT	QPSK	Outer_Full	24.81	19.87	19.31
n41	100	30	2546.01	DFT	16QAM	Inner_Full	24.87	19.93	19.37
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	22.86	17.92	17.36
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	22.61	17.67	17.11
n41	100	30	2546.01	DFT	16QAM	Outer_Full	24.23	19.29	18.73
n41	100	30	2546.01	DFT	64QAM	Inner_Full	24.89	19.95	19.39
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	22.03	17.09	16.53
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	22.11	17.17	16.61
n41	100	30	2546.01	DFT	64QAM	Outer_Full	24.24	19.30	18.74

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2546.01	DFT	256QAM	Inner_Full	22.93	17.99	17.43
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	21.96	17.02	16.46
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.83	16.89	16.33
n41	100	30	2546.01	DFT	256QAM	Outer_Full	22.77	17.83	17.27
n41	100	30	2546.01	CP	QPSK	Inner_Full	25.45	20.51	19.95
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	23.22	18.28	17.72
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	23.30	18.36	17.80
n41	100	30	2546.01	CP	QPSK	Outer_Full	23.27	18.33	17.77
n41	100	30	2546.01	CP	16QAM	Inner_Full	24.83	19.89	19.33
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	22.17	17.23	16.67
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	22.17	17.23	16.67
n41	100	30	2546.01	CP	16QAM	Outer_Full	23.36	18.42	17.86
n41	100	30	2546.01	CP	64QAM	Inner_Full	23.81	18.87	18.31
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	22.20	17.26	16.70
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	22.20	17.26	16.70
n41	100	30	2546.01	CP	64QAM	Outer_Full	22.75	17.81	17.25
n41	100	30	2546.01	CP	256QAM	Inner_Full	21.36	16.42	15.86
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	21.36	16.42	15.86
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	21.42	16.48	15.92
n41	100	30	2546.01	CP	256QAM	Outer_Full	21.26	16.32	15.76
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.81	20.87	20.31
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.45	17.51	16.95
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.26	17.32	16.76
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.17	20.23	19.67
n41	100	30	2592.99	DFT	QPSK	Inner_Full	25.73	20.79	20.23
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	23.87	18.93	18.37
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	23.83	18.89	18.33
n41	100	30	2592.99	DFT	QPSK	Outer_Full	24.78	19.84	19.28
n41	100	30	2592.99	DFT	16QAM	Inner_Full	24.74	19.80	19.24
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.94	18.00	17.44

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.80	17.86	17.30
n41	100	30	2592.99	DFT	16QAM	Outer_Full	24.27	19.33	18.77
n41	100	30	2592.99	DFT	64QAM	Inner_Full	24.78	19.84	19.28
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.19	17.25	16.69
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.12	17.18	16.62
n41	100	30	2592.99	DFT	64QAM	Outer_Full	24.19	19.25	18.69
n41	100	30	2592.99	DFT	256QAM	Inner_Full	22.80	17.86	17.30
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	22.04	17.10	16.54
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.91	16.97	16.41
n41	100	30	2592.99	DFT	256QAM	Outer_Full	22.81	17.87	17.31
n41	100	30	2592.99	CP	QPSK	Inner_Full	25.29	20.35	19.79
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	23.55	18.61	18.05
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	23.35	18.41	17.85
n41	100	30	2592.99	CP	QPSK	Outer_Full	23.27	18.33	17.77
n41	100	30	2592.99	CP	16QAM	Inner_Full	24.76	19.82	19.26
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	22.37	17.43	16.87
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	22.32	17.38	16.82
n41	100	30	2592.99	CP	16QAM	Outer_Full	23.18	18.24	17.68
n41	100	30	2592.99	CP	64QAM	Inner_Full	23.69	18.75	18.19
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	22.37	17.43	16.87
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	22.19	17.25	16.69
n41	100	30	2592.99	CP	64QAM	Outer_Full	22.77	17.83	17.27
n41	100	30	2592.99	CP	256QAM	Inner_Full	21.18	16.24	15.68
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	21.59	16.65	16.09
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	21.54	16.60	16.04
n41	100	30	2592.99	CP	256QAM	Outer_Full	21.25	16.31	15.75
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.86	20.92	20.36
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	17.03	16.47
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	17.60	17.04
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	25.34	20.40	19.84

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2640	DFT	QPSK	Inner_Full	25.78	20.84	20.28
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	23.41	18.47	17.91
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	24.00	19.06	18.50
n41	100	30	2640	DFT	QPSK	Outer_Full	24.80	19.86	19.30
n41	100	30	2640	DFT	16QAM	Inner_Full	24.73	19.79	19.23
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.44	17.50	16.94
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	23.03	18.09	17.53
n41	100	30	2640	DFT	16QAM	Outer_Full	24.34	19.40	18.84
n41	100	30	2640	DFT	64QAM	Inner_Full	24.73	19.79	19.23
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	21.65	16.71	16.15
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	22.29	17.35	16.79
n41	100	30	2640	DFT	64QAM	Outer_Full	24.37	19.43	18.87
n41	100	30	2640	DFT	256QAM	Inner_Full	22.83	17.89	17.33
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	21.51	16.57	16.01
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	22.11	17.17	16.61
n41	100	30	2640	DFT	256QAM	Outer_Full	22.82	17.88	17.32
n41	100	30	2640	CP	QPSK	Inner_Full	25.32	20.38	19.82
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	22.91	17.97	17.41
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	23.53	18.59	18.03
n41	100	30	2640	CP	QPSK	Outer_Full	23.38	18.44	17.88
n41	100	30	2640	CP	16QAM	Inner_Full	24.75	19.81	19.25
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	21.95	17.01	16.45
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	22.52	17.58	17.02
n41	100	30	2640	CP	16QAM	Outer_Full	23.32	18.38	17.82
n41	100	30	2640	CP	64QAM	Inner_Full	23.68	18.74	18.18
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	21.89	16.95	16.39
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	22.36	17.42	16.86
n41	100	30	2640	CP	64QAM	Outer_Full	22.77	17.83	17.27
n41	100	30	2640	CP	256QAM	Inner_Full	21.23	16.29	15.73
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	21.06	16.12	15.56

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	21.63	16.69	16.13
n41	100	30	2640	CP	256QAM	Outer_Full	21.28	16.34	15.78

n66

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	24.73	21.53	20.23
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	24.07	20.87	19.57
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.02	20.82	19.52
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	24.06	20.86	19.56
n66	5	15	1712.5	DFT	QPSK	Inner_Full	24.47	21.27	19.97
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	23.33	20.13	18.83
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	23.32	20.12	18.82
n66	5	15	1712.5	DFT	QPSK	Outer_Full	23.41	20.21	18.91
n66	5	15	1712.5	DFT	16QAM	Inner_Full	23.35	20.15	18.85
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	22.47	19.27	17.97
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	22.56	19.36	18.06
n66	5	15	1712.5	DFT	16QAM	Outer_Full	22.41	19.21	17.91
n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.77	18.57	17.27
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	21.69	18.49	17.19
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.70	18.50	17.20
n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.89	18.69	17.39
n66	5	15	1712.5	DFT	256QAM	Inner_Full	20.31	17.11	15.81
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	20.04	16.84	15.54
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	19.99	16.79	15.49
n66	5	15	1712.5	DFT	256QAM	Outer_Full	20.06	16.86	15.56
n66	5	15	1712.5	CP	QPSK	Inner_Full	22.97	19.77	18.47
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	21.42	18.22	16.92
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	21.39	18.19	16.89
n66	5	15	1712.5	CP	QPSK	Outer_Full	21.47	18.27	16.97
n66	5	15	1712.5	CP	16QAM	Inner_Full	22.49	19.29	17.99

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	21.54	18.34	17.04
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	21.57	18.37	17.07
n66	5	15	1712.5	CP	16QAM	Outer_Full	21.37	18.17	16.87
n66	5	15	1712.5	CP	64QAM	Inner_Full	21.01	17.81	16.51
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	20.81	17.61	16.31
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.85	17.65	16.35
n66	5	15	1712.5	CP	64QAM	Outer_Full	21.09	17.89	16.59
n66	5	15	1712.5	CP	256QAM	Inner_Full	17.98	14.78	13.48
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	18.03	14.83	13.53
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	18.11	14.91	13.61
n66	5	15	1712.5	CP	256QAM	Outer_Full	18.04	14.84	13.54
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	24.69	21.49	20.19
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	24.12	20.92	19.62
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	24.01	20.81	19.51
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	23.97	20.77	19.47
n66	5	15	1745	DFT	QPSK	Inner_Full	24.45	21.25	19.95
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	23.34	20.14	18.84
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	23.40	20.20	18.90
n66	5	15	1745	DFT	QPSK	Outer_Full	23.44	20.24	18.94
n66	5	15	1745	DFT	16QAM	Inner_Full	23.35	20.15	18.85
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	22.65	19.45	18.15
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	22.64	19.44	18.14
n66	5	15	1745	DFT	16QAM	Outer_Full	22.37	19.17	17.87
n66	5	15	1745	DFT	64QAM	Inner_Full	21.79	18.59	17.29
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	21.75	18.55	17.25
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.70	18.50	17.20
n66	5	15	1745	DFT	64QAM	Outer_Full	21.88	18.68	17.38
n66	5	15	1745	DFT	256QAM	Inner_Full	20.24	17.04	15.74
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	20.05	16.85	15.55
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	20.03	16.83	15.53

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1745	DFT	256QAM	Outer_Full	20.05	16.85	15.55
n66	5	15	1745	CP	QPSK	Inner_Full	23.05	19.85	18.55
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	21.49	18.29	16.99
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	21.46	18.26	16.96
n66	5	15	1745	CP	QPSK	Outer_Full	21.50	18.30	17.00
n66	5	15	1745	CP	16QAM	Inner_Full	22.53	19.33	18.03
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	21.64	18.44	17.14
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	21.56	18.36	17.06
n66	5	15	1745	CP	16QAM	Outer_Full	21.50	18.30	17.00
n66	5	15	1745	CP	64QAM	Inner_Full	21.05	17.85	16.55
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.94	17.74	16.44
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.85	17.65	16.35
n66	5	15	1745	CP	64QAM	Outer_Full	21.04	17.84	16.54
n66	5	15	1745	CP	256QAM	Inner_Full	18.02	14.82	13.52
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	18.02	14.82	13.52
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	18.12	14.92	13.62
n66	5	15	1745	CP	256QAM	Outer_Full	18.01	14.81	13.51
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	24.54	21.34	20.04
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.96	20.76	19.46
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.91	20.71	19.41
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	23.86	20.66	19.36
n66	5	15	1777.5	DFT	QPSK	Inner_Full	24.31	21.11	19.81
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	23.18	19.98	18.68
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	23.22	20.02	18.72
n66	5	15	1777.5	DFT	QPSK	Outer_Full	23.29	20.09	18.79
n66	5	15	1777.5	DFT	16QAM	Inner_Full	23.28	20.08	18.78
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	22.42	19.22	17.92
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	22.38	19.18	17.88
n66	5	15	1777.5	DFT	16QAM	Outer_Full	22.28	19.08	17.78
n66	5	15	1777.5	DFT	64QAM	Inner_Full	21.75	18.55	17.25

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	21.52	18.32	17.02
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	21.60	18.40	17.10
n66	5	15	1777.5	DFT	64QAM	Outer_Full	21.80	18.60	17.30
n66	5	15	1777.5	DFT	256QAM	Inner_Full	20.15	16.95	15.65
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	19.92	16.72	15.42
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	19.89	16.69	15.39
n66	5	15	1777.5	DFT	256QAM	Outer_Full	19.90	16.70	15.40
n66	5	15	1777.5	CP	QPSK	Inner_Full	22.95	19.75	18.45
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	21.27	18.07	16.77
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	21.34	18.14	16.84
n66	5	15	1777.5	CP	QPSK	Outer_Full	21.28	18.08	16.78
n66	5	15	1777.5	CP	16QAM	Inner_Full	22.35	19.15	17.85
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	21.46	18.26	16.96
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	21.50	18.30	17.00
n66	5	15	1777.5	CP	16QAM	Outer_Full	21.30	18.10	16.80
n66	5	15	1777.5	CP	64QAM	Inner_Full	20.84	17.64	16.34
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.78	17.58	16.28
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.75	17.55	16.25
n66	5	15	1777.5	CP	64QAM	Outer_Full	20.95	17.75	16.45
n66	5	15	1777.5	CP	256QAM	Inner_Full	17.86	14.66	13.36
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	18.00	14.80	13.50
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	17.94	14.74	13.44
n66	5	15	1777.5	CP	256QAM	Outer_Full	17.86	14.66	13.36
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	24.53	21.33	20.03
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	24.04	20.84	19.54
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	23.99	20.79	19.49
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	23.85	20.65	19.35
n66	10	15	1715	DFT	QPSK	Inner_Full	24.30	21.10	19.80
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	23.32	20.12	18.82
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	23.31	20.11	18.81

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1715	DFT	QPSK	Outer_Full	23.26	20.06	18.76
n66	10	15	1715	DFT	16QAM	Inner_Full	23.26	20.06	18.76
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	22.49	19.29	17.99
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	22.62	19.42	18.12
n66	10	15	1715	DFT	16QAM	Outer_Full	22.16	18.96	17.66
n66	10	15	1715	DFT	64QAM	Inner_Full	21.74	18.54	17.24
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	21.68	18.48	17.18
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	21.76	18.56	17.26
n66	10	15	1715	DFT	64QAM	Outer_Full	21.71	18.51	17.21
n66	10	15	1715	DFT	256QAM	Inner_Full	20.01	16.81	15.51
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	20.00	16.80	15.50
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	20.11	16.91	15.61
n66	10	15	1715	DFT	256QAM	Outer_Full	19.99	16.79	15.49
n66	10	15	1715	CP	QPSK	Inner_Full	22.96	19.76	18.46
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	21.45	18.25	16.95
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	21.45	18.25	16.95
n66	10	15	1715	CP	QPSK	Outer_Full	21.39	18.19	16.89
n66	10	15	1715	CP	16QAM	Inner_Full	22.27	19.07	17.77
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	21.53	18.33	17.03
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	21.63	18.43	17.13
n66	10	15	1715	CP	16QAM	Outer_Full	21.28	18.08	16.78
n66	10	15	1715	CP	64QAM	Inner_Full	20.99	17.79	16.49
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	20.81	17.61	16.31
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	21.00	17.80	16.50
n66	10	15	1715	CP	64QAM	Outer_Full	20.97	17.77	16.47
n66	10	15	1715	CP	256QAM	Inner_Full	17.85	14.65	13.35
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	18.03	14.83	13.53
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	18.25	15.05	13.75
n66	10	15	1715	CP	256QAM	Outer_Full	17.95	14.75	13.45
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	24.51	21.31	20.01

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	24.12	20.92	19.62
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.99	20.79	19.49
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	23.89	20.69	19.39
n66	10	15	1745	DFT	QPSK	Inner_Full	24.32	21.12	19.82
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	23.41	20.21	18.91
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	23.38	20.18	18.88
n66	10	15	1745	DFT	QPSK	Outer_Full	23.31	20.11	18.81
n66	10	15	1745	DFT	16QAM	Inner_Full	23.29	20.09	18.79
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	22.64	19.44	18.14
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	22.60	19.40	18.10
n66	10	15	1745	DFT	16QAM	Outer_Full	22.26	19.06	17.76
n66	10	15	1745	DFT	64QAM	Inner_Full	21.80	18.60	17.30
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.76	18.56	17.26
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	21.75	18.55	17.25
n66	10	15	1745	DFT	64QAM	Outer_Full	21.80	18.60	17.30
n66	10	15	1745	DFT	256QAM	Inner_Full	20.09	16.89	15.59
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	20.11	16.91	15.61
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	20.06	16.86	15.56
n66	10	15	1745	DFT	256QAM	Outer_Full	19.93	16.73	15.43
n66	10	15	1745	CP	QPSK	Inner_Full	22.99	19.79	18.49
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	21.51	18.31	17.01
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	21.46	18.26	16.96
n66	10	15	1745	CP	QPSK	Outer_Full	21.33	18.13	16.83
n66	10	15	1745	CP	16QAM	Inner_Full	22.35	19.15	17.85
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	21.64	18.44	17.14
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	21.62	18.42	17.12
n66	10	15	1745	CP	16QAM	Outer_Full	21.37	18.17	16.87
n66	10	15	1745	CP	64QAM	Inner_Full	20.94	17.74	16.44
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	20.90	17.70	16.40
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	20.89	17.69	16.39

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1745	CP	64QAM	Outer_Full	20.96	17.76	16.46
n66	10	15	1745	CP	256QAM	Inner_Full	17.87	14.67	13.37
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	18.12	14.92	13.62
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	18.09	14.89	13.59
n66	10	15	1745	CP	256QAM	Outer_Full	17.97	14.77	13.47
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	24.54	21.34	20.04
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	23.92	20.72	19.42
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	23.90	20.70	19.40
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	23.76	20.56	19.26
n66	10	15	1775	DFT	QPSK	Inner_Full	24.22	21.02	19.72
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	23.21	20.01	18.71
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	23.29	20.09	18.79
n66	10	15	1775	DFT	QPSK	Outer_Full	23.18	19.98	18.68
n66	10	15	1775	DFT	16QAM	Inner_Full	23.14	19.94	18.64
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	22.45	19.25	17.95
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	22.51	19.31	18.01
n66	10	15	1775	DFT	16QAM	Outer_Full	22.16	18.96	17.66
n66	10	15	1775	DFT	64QAM	Inner_Full	21.69	18.49	17.19
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	21.64	18.44	17.14
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	21.74	18.54	17.24
n66	10	15	1775	DFT	64QAM	Outer_Full	21.78	18.58	17.28
n66	10	15	1775	DFT	256QAM	Inner_Full	19.95	16.75	15.45
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	19.96	16.76	15.46
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	19.86	16.66	15.36
n66	10	15	1775	DFT	256QAM	Outer_Full	19.85	16.65	15.35
n66	10	15	1775	CP	QPSK	Inner_Full	22.82	19.62	18.32
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	21.35	18.15	16.85
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	21.38	18.18	16.88
n66	10	15	1775	CP	QPSK	Outer_Full	21.26	18.06	16.76
n66	10	15	1775	CP	16QAM	Inner_Full	22.19	18.99	17.69

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	21.35	18.15	16.85
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	21.50	18.30	17.00
n66	10	15	1775	CP	16QAM	Outer_Full	21.21	18.01	16.71
n66	10	15	1775	CP	64QAM	Inner_Full	20.84	17.64	16.34
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	20.77	17.57	16.27
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	20.80	17.60	16.30
n66	10	15	1775	CP	64QAM	Outer_Full	20.87	17.67	16.37
n66	10	15	1775	CP	256QAM	Inner_Full	17.84	14.64	13.34
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	18.01	14.81	13.51
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	18.01	14.81	13.51
n66	10	15	1775	CP	256QAM	Outer_Full	17.84	14.64	13.34
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	24.56	21.36	20.06
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.97	20.77	19.47
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.90	20.70	19.40
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.94	20.74	19.44
n66	15	15	1717.5	DFT	QPSK	Inner_Full	24.24	21.04	19.74
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	23.27	20.07	18.77
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	23.23	20.03	18.73
n66	15	15	1717.5	DFT	QPSK	Outer_Full	23.29	20.09	18.79
n66	15	15	1717.5	DFT	16QAM	Inner_Full	23.28	20.08	18.78
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	22.49	19.29	17.99
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	22.53	19.33	18.03
n66	15	15	1717.5	DFT	16QAM	Outer_Full	22.28	19.08	17.78
n66	15	15	1717.5	DFT	64QAM	Inner_Full	21.80	18.60	17.30
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	21.60	18.40	17.10
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	21.66	18.46	17.16
n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.85	18.65	17.35
n66	15	15	1717.5	DFT	256QAM	Inner_Full	20.17	16.97	15.67
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	19.98	16.78	15.48
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	20.06	16.86	15.56

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1717.5	DFT	256QAM	Outer_Full	20.01	16.81	15.51
n66	15	15	1717.5	CP	QPSK	Inner_Full	22.98	19.78	18.48
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	21.41	18.21	16.91
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	21.39	18.19	16.89
n66	15	15	1717.5	CP	QPSK	Outer_Full	21.39	18.19	16.89
n66	15	15	1717.5	CP	16QAM	Inner_Full	22.38	19.18	17.88
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	21.42	18.22	16.92
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	21.50	18.30	17.00
n66	15	15	1717.5	CP	16QAM	Outer_Full	21.30	18.10	16.80
n66	15	15	1717.5	CP	64QAM	Inner_Full	21.04	17.84	16.54
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	20.79	17.59	16.29
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	20.97	17.77	16.47
n66	15	15	1717.5	CP	64QAM	Outer_Full	21.07	17.87	16.57
n66	15	15	1717.5	CP	256QAM	Inner_Full	17.98	14.78	13.48
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	18.04	14.84	13.54
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	18.19	14.99	13.69
n66	15	15	1717.5	CP	256QAM	Outer_Full	18.02	14.82	13.52
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	24.50	21.30	20.00
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	24.03	20.83	19.53
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.98	20.78	19.48
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.92	20.72	19.42
n66	15	15	1745	DFT	QPSK	Inner_Full	24.29	21.09	19.79
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	23.42	20.22	18.92
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	23.32	20.12	18.82
n66	15	15	1745	DFT	QPSK	Outer_Full	23.31	20.11	18.81
n66	15	15	1745	DFT	16QAM	Inner_Full	23.31	20.11	18.81
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	22.60	19.40	18.10
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	22.60	19.40	18.10
n66	15	15	1745	DFT	16QAM	Outer_Full	22.28	19.08	17.78
n66	15	15	1745	DFT	64QAM	Inner_Full	21.79	18.59	17.29

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.75	18.55	17.25
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	21.74	18.54	17.24
n66	15	15	1745	DFT	64QAM	Outer_Full	21.80	18.60	17.30
n66	15	15	1745	DFT	256QAM	Inner_Full	20.08	16.88	15.58
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	20.05	16.85	15.55
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	20.03	16.83	15.53
n66	15	15	1745	DFT	256QAM	Outer_Full	19.97	16.77	15.47
n66	15	15	1745	CP	QPSK	Inner_Full	23.02	19.82	18.52
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	21.49	18.29	16.99
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	21.45	18.25	16.95
n66	15	15	1745	CP	QPSK	Outer_Full	21.44	18.24	16.94
n66	15	15	1745	CP	16QAM	Inner_Full	22.37	19.17	17.87
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	21.51	18.31	17.01
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	21.49	18.29	16.99
n66	15	15	1745	CP	16QAM	Outer_Full	21.30	18.10	16.80
n66	15	15	1745	CP	64QAM	Inner_Full	20.95	17.75	16.45
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	20.90	17.70	16.40
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	20.96	17.76	16.46
n66	15	15	1745	CP	64QAM	Outer_Full	20.99	17.79	16.49
n66	15	15	1745	CP	256QAM	Inner_Full	17.97	14.77	13.47
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	18.12	14.92	13.62
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	18.12	14.92	13.62
n66	15	15	1745	CP	256QAM	Outer_Full	17.93	14.73	13.43
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	24.49	21.29	19.99
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.93	20.73	19.43
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	24.00	20.80	19.50
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	23.79	20.59	19.29
n66	15	15	1772.5	DFT	QPSK	Inner_Full	24.20	21.00	19.70
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	23.24	20.04	18.74
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	23.28	20.08	18.78

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	15	15	1772.5	DFT	QPSK	Outer_Full	23.24	20.04	18.74
n66	15	15	1772.5	DFT	16QAM	Inner_Full	23.11	19.91	18.61
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	22.53	19.33	18.03
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	22.47	19.27	17.97
n66	15	15	1772.5	DFT	16QAM	Outer_Full	22.14	18.94	17.64
n66	15	15	1772.5	DFT	64QAM	Inner_Full	21.65	18.45	17.15
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	21.69	18.49	17.19
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	21.66	18.46	17.16
n66	15	15	1772.5	DFT	64QAM	Outer_Full	21.75	18.55	17.25
n66	15	15	1772.5	DFT	256QAM	Inner_Full	20.00	16.80	15.50
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	19.99	16.79	15.49
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	19.85	16.65	15.35
n66	15	15	1772.5	DFT	256QAM	Outer_Full	19.91	16.71	15.41
n66	15	15	1772.5	CP	QPSK	Inner_Full	22.94	19.74	18.44
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	21.39	18.19	16.89
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	21.38	18.18	16.88
n66	15	15	1772.5	CP	QPSK	Outer_Full	21.34	18.14	16.84
n66	15	15	1772.5	CP	16QAM	Inner_Full	22.25	19.05	17.75
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	21.47	18.27	16.97
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	21.48	18.28	16.98
n66	15	15	1772.5	CP	16QAM	Outer_Full	21.28	18.08	16.78
n66	15	15	1772.5	CP	64QAM	Inner_Full	20.94	17.74	16.44
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.78	17.58	16.28
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	20.77	17.57	16.27
n66	15	15	1772.5	CP	64QAM	Outer_Full	20.88	17.68	16.38
n66	15	15	1772.5	CP	256QAM	Inner_Full	17.85	14.65	13.35
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	18.00	14.80	13.50
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	18.01	14.81	13.51
n66	15	15	1772.5	CP	256QAM	Outer_Full	17.81	14.61	13.31
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	24.56	21.36	20.06

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	23.91	20.71	19.41
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.97	20.77	19.47
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.97	20.77	19.47
n66	20	15	1720	DFT	QPSK	Inner_Full	24.34	21.14	19.84
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	23.24	20.04	18.74
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	23.38	20.18	18.88
n66	20	15	1720	DFT	QPSK	Outer_Full	23.31	20.11	18.81
n66	20	15	1720	DFT	16QAM	Inner_Full	23.21	20.01	18.71
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	22.53	19.33	18.03
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	22.57	19.37	18.07
n66	20	15	1720	DFT	16QAM	Outer_Full	22.25	19.05	17.75
n66	20	15	1720	DFT	64QAM	Inner_Full	21.74	18.54	17.24
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	21.59	18.39	17.09
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.75	18.55	17.25
n66	20	15	1720	DFT	64QAM	Outer_Full	21.73	18.53	17.23
n66	20	15	1720	DFT	256QAM	Inner_Full	20.12	16.92	15.62
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	19.89	16.69	15.39
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	20.05	16.85	15.55
n66	20	15	1720	DFT	256QAM	Outer_Full	20.10	16.90	15.60
n66	20	15	1720	CP	QPSK	Inner_Full	23.00	19.80	18.50
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	21.30	18.10	16.80
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	21.54	18.34	17.04
n66	20	15	1720	CP	QPSK	Outer_Full	21.34	18.14	16.84
n66	20	15	1720	CP	16QAM	Inner_Full	22.39	19.19	17.89
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	21.57	18.37	17.07
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	21.68	18.48	17.18
n66	20	15	1720	CP	16QAM	Outer_Full	21.29	18.09	16.79
n66	20	15	1720	CP	64QAM	Inner_Full	20.97	17.77	16.47
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	20.80	17.60	16.30
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	21.02	17.82	16.52

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1720	CP	64QAM	Outer_Full	21.01	17.81	16.51
n66	20	15	1720	CP	256QAM	Inner_Full	17.97	14.77	13.47
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	17.97	14.77	13.47
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	18.17	14.97	13.67
n66	20	15	1720	CP	256QAM	Outer_Full	18.06	14.86	13.56
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	24.58	21.38	20.08
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.98	20.78	19.48
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	24.01	20.81	19.51
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.91	20.71	19.41
n66	20	15	1745	DFT	QPSK	Inner_Full	24.36	21.16	19.86
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	23.29	20.09	18.79
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	23.36	20.16	18.86
n66	20	15	1745	DFT	QPSK	Outer_Full	23.32	20.12	18.82
n66	20	15	1745	DFT	16QAM	Inner_Full	23.21	20.01	18.71
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	22.60	19.40	18.10
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	22.63	19.43	18.13
n66	20	15	1745	DFT	16QAM	Outer_Full	22.30	19.10	17.80
n66	20	15	1745	DFT	64QAM	Inner_Full	21.78	18.58	17.28
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.75	18.55	17.25
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	21.75	18.55	17.25
n66	20	15	1745	DFT	64QAM	Outer_Full	21.79	18.59	17.29
n66	20	15	1745	DFT	256QAM	Inner_Full	20.12	16.92	15.62
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	20.00	16.80	15.50
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	20.02	16.82	15.52
n66	20	15	1745	DFT	256QAM	Outer_Full	19.96	16.76	15.46
n66	20	15	1745	CP	QPSK	Inner_Full	23.05	19.85	18.55
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	21.45	18.25	16.95
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	21.44	18.24	16.94
n66	20	15	1745	CP	QPSK	Outer_Full	21.37	18.17	16.87
n66	20	15	1745	CP	16QAM	Inner_Full	22.38	19.18	17.88

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	21.54	18.34	17.04
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	21.59	18.39	17.09
n66	20	15	1745	CP	16QAM	Outer_Full	21.29	18.09	16.79
n66	20	15	1745	CP	64QAM	Inner_Full	20.98	17.78	16.48
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	20.86	17.66	16.36
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.93	17.73	16.43
n66	20	15	1745	CP	64QAM	Outer_Full	20.94	17.74	16.44
n66	20	15	1745	CP	256QAM	Inner_Full	17.93	14.73	13.43
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	18.10	14.90	13.60
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	18.11	14.91	13.61
n66	20	15	1745	CP	256QAM	Outer_Full	17.94	14.74	13.44
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	24.52	21.32	20.02
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	23.92	20.72	19.42
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	23.92	20.72	19.42
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	23.74	20.54	19.24
n66	20	15	1770	DFT	QPSK	Inner_Full	24.28	21.08	19.78
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	23.15	19.95	18.65
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	23.23	20.03	18.73
n66	20	15	1770	DFT	QPSK	Outer_Full	23.21	20.01	18.71
n66	20	15	1770	DFT	16QAM	Inner_Full	23.14	19.94	18.64
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	22.46	19.26	17.96
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	22.41	19.21	17.91
n66	20	15	1770	DFT	16QAM	Outer_Full	22.14	18.94	17.64
n66	20	15	1770	DFT	64QAM	Inner_Full	21.71	18.51	17.21
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	21.58	18.38	17.08
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	21.70	18.50	17.20
n66	20	15	1770	DFT	64QAM	Outer_Full	21.67	18.47	17.17
n66	20	15	1770	DFT	256QAM	Inner_Full	20.00	16.80	15.50
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	19.97	16.77	15.47
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	19.89	16.69	15.39

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	20	15	1770	DFT	256QAM	Outer_Full	19.94	16.74	15.44
n66	20	15	1770	CP	QPSK	Inner_Full	22.90	19.70	18.40
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	21.39	18.19	16.89
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	21.31	18.11	16.81
n66	20	15	1770	CP	QPSK	Outer_Full	21.26	18.06	16.76
n66	20	15	1770	CP	16QAM	Inner_Full	22.24	19.04	17.74
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	21.46	18.26	16.96
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	21.58	18.38	17.08
n66	20	15	1770	CP	16QAM	Outer_Full	21.26	18.06	16.76
n66	20	15	1770	CP	64QAM	Inner_Full	20.84	17.64	16.34
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	20.80	17.60	16.30
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	20.79	17.59	16.29
n66	20	15	1770	CP	64QAM	Outer_Full	20.84	17.64	16.34
n66	20	15	1770	CP	256QAM	Inner_Full	17.81	14.61	13.31
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	18.01	14.81	13.51
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	18.06	14.86	13.56
n66	20	15	1770	CP	256QAM	Outer_Full	17.86	14.66	13.36
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	24.63	21.43	20.13
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	23.83	20.63	19.33
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	23.98	20.78	19.48
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	24.01	20.81	19.51
n66	30	15	1725	DFT	QPSK	Inner_Full	24.41	21.21	19.91
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	23.12	19.92	18.62
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	23.37	20.17	18.87
n66	30	15	1725	DFT	QPSK	Outer_Full	23.30	20.10	18.80
n66	30	15	1725	DFT	16QAM	Inner_Full	23.33	20.13	18.83
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	22.40	19.20	17.90
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	22.54	19.34	18.04
n66	30	15	1725	DFT	16QAM	Outer_Full	22.25	19.05	17.75
n66	30	15	1725	DFT	64QAM	Inner_Full	21.83	18.63	17.33

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	21.48	18.28	16.98
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	21.67	18.47	17.17
n66	30	15	1725	DFT	64QAM	Outer_Full	21.87	18.67	17.37
n66	30	15	1725	DFT	256QAM	Inner_Full	20.14	16.94	15.64
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	19.84	16.64	15.34
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	20.04	16.84	15.54
n66	30	15	1725	DFT	256QAM	Outer_Full	20.07	16.87	15.57
n66	30	15	1725	CP	QPSK	Inner_Full	23.07	19.87	18.57
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	21.23	18.03	16.73
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	21.42	18.22	16.92
n66	30	15	1725	CP	QPSK	Outer_Full	21.42	18.22	16.92
n66	30	15	1725	CP	16QAM	Inner_Full	22.37	19.17	17.87
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	21.37	18.17	16.87
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	21.63	18.43	17.13
n66	30	15	1725	CP	16QAM	Outer_Full	21.31	18.11	16.81
n66	30	15	1725	CP	64QAM	Inner_Full	21.03	17.83	16.53
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	20.72	17.52	16.22
n66	30	15	1725	CP	64QAM	Edge_1RB_Right	20.98	17.78	16.48
n66	30	15	1725	CP	64QAM	Outer_Full	21.00	17.80	16.50
n66	30	15	1725	CP	256QAM	Inner_Full	17.95	14.75	13.45
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	17.90	14.70	13.40
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	18.23	15.03	13.73
n66	30	15	1725	CP	256QAM	Outer_Full	18.01	14.81	13.51
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	24.66	21.46	20.16
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.95	20.75	19.45
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.98	20.78	19.48
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	23.90	20.70	19.40
n66	30	15	1745	DFT	QPSK	Inner_Full	24.43	21.23	19.93
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	23.29	20.09	18.79
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	23.33	20.13	18.83

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1745	DFT	QPSK	Outer_Full	23.33	20.13	18.83
n66	30	15	1745	DFT	16QAM	Inner_Full	23.36	20.16	18.86
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	22.51	19.31	18.01
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	22.58	19.38	18.08
n66	30	15	1745	DFT	16QAM	Outer_Full	22.28	19.08	17.78
n66	30	15	1745	DFT	64QAM	Inner_Full	21.85	18.65	17.35
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	21.65	18.45	17.15
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	21.69	18.49	17.19
n66	30	15	1745	DFT	64QAM	Outer_Full	21.83	18.63	17.33
n66	30	15	1745	DFT	256QAM	Inner_Full	20.16	16.96	15.66
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	20.00	16.80	15.50
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	19.97	16.77	15.47
n66	30	15	1745	DFT	256QAM	Outer_Full	20.04	16.84	15.54
n66	30	15	1745	CP	QPSK	Inner_Full	23.05	19.85	18.55
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	21.40	18.20	16.90
n66	30	15	1745	CP	QPSK	Edge_1RB_Right	21.47	18.27	16.97
n66	30	15	1745	CP	QPSK	Outer_Full	21.36	18.16	16.86
n66	30	15	1745	CP	16QAM	Inner_Full	22.37	19.17	17.87
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	21.55	18.35	17.05
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	21.64	18.44	17.14
n66	30	15	1745	CP	16QAM	Outer_Full	21.26	18.06	16.76
n66	30	15	1745	CP	64QAM	Inner_Full	21.04	17.84	16.54
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	20.94	17.74	16.44
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	20.93	17.73	16.43
n66	30	15	1745	CP	64QAM	Outer_Full	20.90	17.70	16.40
n66	30	15	1745	CP	256QAM	Inner_Full	17.97	14.77	13.47
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	18.07	14.87	13.57
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	18.15	14.95	13.65
n66	30	15	1745	CP	256QAM	Outer_Full	18.00	14.80	13.50
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	24.56	21.36	20.06

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	23.75	20.55	19.25
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	23.86	20.66	19.36
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	23.86	20.66	19.36
n66	30	15	1765	DFT	QPSK	Inner_Full	24.38	21.18	19.88
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	23.15	19.95	18.65
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	23.22	20.02	18.72
n66	30	15	1765	DFT	QPSK	Outer_Full	23.26	20.06	18.76
n66	30	15	1765	DFT	16QAM	Inner_Full	23.28	20.08	18.78
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	22.38	19.18	17.88
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	22.44	19.24	17.94
n66	30	15	1765	DFT	16QAM	Outer_Full	22.30	19.10	17.80
n66	30	15	1765	DFT	64QAM	Inner_Full	21.78	18.58	17.28
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	21.52	18.32	17.02
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	21.63	18.43	17.13
n66	30	15	1765	DFT	64QAM	Outer_Full	21.83	18.63	17.33
n66	30	15	1765	DFT	256QAM	Inner_Full	20.15	16.95	15.65
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	19.89	16.69	15.39
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	19.84	16.64	15.34
n66	30	15	1765	DFT	256QAM	Outer_Full	19.98	16.78	15.48
n66	30	15	1765	CP	QPSK	Inner_Full	22.92	19.72	18.42
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	21.33	18.13	16.83
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	21.38	18.18	16.88
n66	30	15	1765	CP	QPSK	Outer_Full	21.32	18.12	16.82
n66	30	15	1765	CP	16QAM	Inner_Full	22.32	19.12	17.82
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	21.36	18.16	16.86
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	21.53	18.33	17.03
n66	30	15	1765	CP	16QAM	Outer_Full	21.32	18.12	16.82
n66	30	15	1765	CP	64QAM	Inner_Full	20.88	17.68	16.38
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	20.72	17.52	16.22
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	20.76	17.56	16.26

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	30	15	1765	CP	64QAM	Outer_Full	20.90	17.70	16.40
n66	30	15	1765	CP	256QAM	Inner_Full	17.92	14.72	13.42
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	17.93	14.73	13.43
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	18.04	14.84	13.54
n66	30	15	1765	CP	256QAM	Outer_Full	17.93	14.73	13.43
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	24.60	21.40	20.10
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	23.78	20.58	19.28
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	23.73	20.53	19.23
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	23.85	20.65	19.35
n66	40	15	1730	DFT	QPSK	Inner_Full	24.34	21.14	19.84
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	23.01	19.81	18.51
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	23.17	19.97	18.67
n66	40	15	1730	DFT	QPSK	Outer_Full	23.23	20.03	18.73
n66	40	15	1730	DFT	16QAM	Inner_Full	23.27	20.07	18.77
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	22.29	19.09	17.79
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	22.41	19.21	17.91
n66	40	15	1730	DFT	16QAM	Outer_Full	22.26	19.06	17.76
n66	40	15	1730	DFT	64QAM	Inner_Full	21.67	18.47	17.17
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	21.35	18.15	16.85
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	21.50	18.30	17.00
n66	40	15	1730	DFT	64QAM	Outer_Full	21.72	18.52	17.22
n66	40	15	1730	DFT	256QAM	Inner_Full	20.13	16.93	15.63
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	19.79	16.59	15.29
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	19.94	16.74	15.44
n66	40	15	1730	DFT	256QAM	Outer_Full	20.06	16.86	15.56
n66	40	15	1730	CP	QPSK	Inner_Full	23.02	19.82	18.52
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	21.16	17.96	16.66
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	21.29	18.09	16.79
n66	40	15	1730	CP	QPSK	Outer_Full	21.31	18.11	16.81
n66	40	15	1730	CP	16QAM	Inner_Full	22.33	19.13	17.83

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	21.28	18.08	16.78
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	21.49	18.29	16.99
n66	40	15	1730	CP	16QAM	Outer_Full	21.25	18.05	16.75
n66	40	15	1730	CP	64QAM	Inner_Full	21.10	17.90	16.60
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	20.61	17.41	16.11
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	20.80	17.60	16.30
n66	40	15	1730	CP	64QAM	Outer_Full	20.95	17.75	16.45
n66	40	15	1730	CP	256QAM	Inner_Full	17.98	14.78	13.48
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	17.84	14.64	13.34
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	18.09	14.89	13.59
n66	40	15	1730	CP	256QAM	Outer_Full	18.01	14.81	13.51
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	24.57	21.37	20.07
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.84	20.64	19.34
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.86	20.66	19.36
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	23.86	20.66	19.36
n66	40	15	1745	DFT	QPSK	Inner_Full	24.40	21.20	19.90
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	23.07	19.87	18.57
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	23.31	20.11	18.81
n66	40	15	1745	DFT	QPSK	Outer_Full	23.29	20.09	18.79
n66	40	15	1745	DFT	16QAM	Inner_Full	23.34	20.14	18.84
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	22.38	19.18	17.88
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	22.55	19.35	18.05
n66	40	15	1745	DFT	16QAM	Outer_Full	22.26	19.06	17.76
n66	40	15	1745	DFT	64QAM	Inner_Full	21.86	18.66	17.36
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	21.54	18.34	17.04
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	21.71	18.51	17.21
n66	40	15	1745	DFT	64QAM	Outer_Full	21.77	18.57	17.27
n66	40	15	1745	DFT	256QAM	Inner_Full	20.15	16.95	15.65
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	19.83	16.63	15.33
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	19.87	16.67	15.37

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1745	DFT	256QAM	Outer_Full	20.02	16.82	15.52
n66	40	15	1745	CP	QPSK	Inner_Full	23.02	19.82	18.52
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	21.26	18.06	16.76
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	21.35	18.15	16.85
n66	40	15	1745	CP	QPSK	Outer_Full	21.38	18.18	16.88
n66	40	15	1745	CP	16QAM	Inner_Full	22.39	19.19	17.89
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	21.42	18.22	16.92
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	21.57	18.37	17.07
n66	40	15	1745	CP	16QAM	Outer_Full	21.35	18.15	16.85
n66	40	15	1745	CP	64QAM	Inner_Full	20.99	17.79	16.49
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	20.71	17.51	16.21
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	20.79	17.59	16.29
n66	40	15	1745	CP	64QAM	Outer_Full	20.93	17.73	16.43
n66	40	15	1745	CP	256QAM	Inner_Full	18.00	14.80	13.50
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	17.88	14.68	13.38
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	18.05	14.85	13.55
n66	40	15	1745	CP	256QAM	Outer_Full	18.01	14.81	13.51
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	24.55	21.35	20.05
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	23.82	20.62	19.32
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	23.86	20.66	19.36
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	23.76	20.56	19.26
n66	40	15	1760	DFT	QPSK	Inner_Full	24.31	21.11	19.81
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	23.10	19.90	18.60
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	23.18	19.98	18.68
n66	40	15	1760	DFT	QPSK	Outer_Full	23.23	20.03	18.73
n66	40	15	1760	DFT	16QAM	Inner_Full	23.25	20.05	18.75
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	22.40	19.20	17.90
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	22.44	19.24	17.94
n66	40	15	1760	DFT	16QAM	Outer_Full	22.15	18.95	17.65
n66	40	15	1760	DFT	64QAM	Inner_Full	21.74	18.54	17.24

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Upper)	ERP/EIRP (dBm) (Lower)
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	21.54	18.34	17.04
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	21.58	18.38	17.08
n66	40	15	1760	DFT	64QAM	Outer_Full	21.74	18.54	17.24
n66	40	15	1760	DFT	256QAM	Inner_Full	20.13	16.93	15.63
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	19.93	16.73	15.43
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	19.82	16.62	15.32
n66	40	15	1760	DFT	256QAM	Outer_Full	19.94	16.74	15.44
n66	40	15	1760	CP	QPSK	Inner_Full	23.00	19.80	18.50
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	21.25	18.05	16.75
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	21.24	18.04	16.74
n66	40	15	1760	CP	QPSK	Outer_Full	21.33	18.13	16.83
n66	40	15	1760	CP	16QAM	Inner_Full	22.30	19.10	17.80
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	21.39	18.19	16.89
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	21.51	18.31	17.01
n66	40	15	1760	CP	16QAM	Outer_Full	21.25	18.05	16.75
n66	40	15	1760	CP	64QAM	Inner_Full	20.92	17.72	16.42
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	20.79	17.59	16.29
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	20.73	17.53	16.23
n66	40	15	1760	CP	64QAM	Outer_Full	20.89	17.69	16.39
n66	40	15	1760	CP	256QAM	Inner_Full	17.87	14.67	13.37
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	17.96	14.76	13.46
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	17.89	14.69	13.39
n66	40	15	1760	CP	256QAM	Outer_Full	17.93	14.73	13.43

A.2 FIELD STRENGTH OF SPURIOUS RADIATION

Reference

FCC: CFR 2.1053, 22.917,24.238, 27.53.


A.2.1 Measurement Method

This measurement is carried out in fully-anechoic chamber FAC-3.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz as outlined in Part 22.917, 24.238,27.53(m) (h) . The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of the NR Band.

The procedure of radiated spurious emissions is as follows:

1. For radiated emissions measurements performed at frequencies less than or equal to 1 GHz, EUT was placed on a 80 cm high non-conductive stand at a 3 meter test distance from the receive antenna. For radiated measurements performed at frequencies above 1 GHz, EUT was placed on a 1.5 meter high non-conductive stand at a 3 meter test distance from the receive antenna. Receiving antenna was placed on the antenna mast 3 meters from the EUT. For emission measurements. The receiving antenna shall be varied from 1 m to 4 m in height above the reference ground in a search for the relative positioning that produces the maximum radiated signal level. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and adjusting the receiving antenna polarization. The radiated emission measurements of all transmit frequencies in three channels (High, Middle, Low) were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, an substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna and adjusts the level of the signal generator output until the value of the receiver reaches the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss (P_{pl}) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain(dBi) (G_a) should be recorded after test.

An amplifier should be connected in for the test.

The Path loss (P_{pl}) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} - P_{pl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15\text{dB}$.

A.2.2 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of the NR Band. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of the NR Band into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this.

Only worst case result is given below.

Upper antenna

n2, 5MHz, DFT-OFDM, QPSK, Channel 370500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3136.50	-67.07	1.10	11.50	-56.67	-13.00	H
5200.13	-61.79	1.60	12.50	-50.89	-13.00	H
6937.29	-66.54	1.80	12.40	-55.94	-13.00	H
9839.79	-65.23	2.30	11.20	-56.33	-13.00	H
14220.44	-62.51	2.50	11.90	-53.11	-13.00	H
17619.81	-55.39	3.30	12.80	-45.89	-13.00	H

n2, 5MHz, DFT-OFDM, QPSK, Channel 376000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3139.88	-67.13	1.10	11.50	-56.73	-13.00	H
5694.00	-65.18	1.30	13.10	-53.38	-13.00	H
7809.00	-66.82	1.80	11.30	-57.32	-13.00	H
11199.91	-62.27	2.50	10.50	-54.27	-13.00	H
14777.38	-60.03	2.50	11.20	-51.33	-13.00	H
17616.75	-55.28	3.30	12.80	-45.78	-13.00	H

n2, 5MHz, DFT-OFDM, QPSK, Channel 381500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3364.13	-68.15	1.10	11.50	-57.75	-13.00	H
5716.50	-62.33	1.50	13.10	-50.73	-13.00	H
7811.89	-66.87	1.80	11.30	-57.37	-13.00	H
10577.46	-63.89	2.20	10.80	-55.29	-13.00	H
14434.38	-62.22	2.60	11.90	-52.92	-13.00	H
17597.94	-55.71	3.30	12.80	-46.21	-13.00	H

n5, 5MHz, DFT-OFDM, QPSK, Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
6192.38	-56.89	1.60	13.10	-47.54	-13.00	V
4697.25	-56.20	1.30	12.50	-47.15	-13.00	V
3107.25	-57.10	1.00	11.50	-48.75	-13.00	V
5847.38	-54.80	1.40	13.10	-45.25	-13.00	V
9869.92	-54.77	2.20	11.20	-47.92	-13.00	V
11860.69	-51.56	2.50	11.00	-45.21	-13.00	V

n5, 5MHz, DFT-OFDM, QPSK, Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
12392.97	-53.22	2.60	12.60	-45.37	-13.00	V
6989.60	-56.28	1.80	12.40	-47.83	-13.00	V
3732.00	-58.02	1.10	12.20	-49.07	-13.00	V
5685.00	-54.63	1.30	13.10	-44.98	-13.00	V
4295.25	-56.36	1.20	12.40	-47.31	-13.00	V
9852.56	-54.45	2.30	11.20	-47.70	-13.00	V

n5, 5MHz, DFT-OFDM, QPSK, Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
9815.44	-54.49	2.30	11.20	-47.74	-13.00	V
5450.63	-54.01	1.30	12.50	-44.96	-13.00	V
4098.38	-55.59	1.30	12.40	-46.64	-13.00	V
6963.80	-56.00	1.80	12.40	-47.55	-13.00	V
3138.38	-57.05	1.10	11.50	-48.80	-13.00	V
11899.50	-51.78	2.50	11.00	-45.43	-13.00	V

n7, 5MHz, DFT-OFDM, QPSK, Channel 500500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5001.38	-53.22	1.30	12.50	-42.02	-25.00	H
11934.00	-52.08	2.60	11.00	-43.68	-25.00	H
7501.38	-47.84	1.90	11.30	-38.44	-25.00	H
17937.23	-45.75	3.20	12.80	-36.15	-25.00	H
10002.00	-50.84	2.20	11.30	-41.74	-25.00	H
4133.63	-56.18	1.20	12.40	-44.98	-25.00	H

n7, 5MHz, DFT-OFDM, QPSK, Channel 507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5066.25	-52.58	1.20	12.50	-41.28	-25.00	H
16874.31	-49.70	2.90	16.50	-36.10	-25.00	H
4089.38	-56.45	1.30	12.40	-45.35	-25.00	H
10132.15	-51.34	2.00	11.30	-42.04	-25.00	H
17917.38	-45.33	3.20	12.80	-35.73	-25.00	H
5727.00	-55.14	1.50	13.10	-43.54	-25.00	H

n7, 5MHz, DFT-OFDM, QPSK, Channel 513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4108.13	-56.87	1.20	12.40	-45.67	-25.00	H
5688.75	-54.87	1.30	13.10	-43.07	-25.00	H
17931.23	-45.46	3.20	12.80	-35.86	-25.00	H
10262.31	-49.97	2.10	11.30	-40.77	-25.00	H
5440.13	-54.57	1.30	12.50	-43.37	-25.00	H
16852.62	-50.01	2.90	16.50	-36.41	-25.00	H

n26(814MHz-824MHz), 5MHz, DFT-OFDM, QPSK, Channel 163300

Frequency(MHz)	PMea(dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5301.75	-54.80	1.60	12.50	-46.05	-13.00	V
5889.00	-55.74	1.50	13.10	-46.29	-13.00	V
6618.86	-56.56	1.70	12.40	-48.01	-13.00	H
7660.43	-58.54	1.80	11.30	-51.19	-13.00	V
8424.86	-56.43	1.80	11.30	-49.08	-13.00	H
9241.57	-57.99	2.10	11.60	-50.64	-13.00	H

n26(814MHz-824MHz), 5MHz, DFT-OFDM, QPSK, Channel 163800

Frequency(MHz)	PMea(dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5712.38	-55.69	1.50	13.10	-46.24	-13.00	H
6566.00	-55.28	1.70	12.40	-46.73	-13.00	V
7327.14	-59.32	1.70	12.00	-51.17	-13.00	H
7897.86	-58.04	1.70	11.30	-50.59	-13.00	H
8874.71	-57.96	1.90	12.00	-50.01	-13.00	H
9728.43	-56.83	2.20	11.20	-49.98	-13.00	V

n26(814MHz-824MHz), 5MHz, DFT-OFDM, QPSK, Channel 164300

Frequency(MHz)	PMea(dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5247.00	-55.18	1.80	12.50	-46.63	-13.00	H
5896.88	-55.09	1.50	13.10	-45.64	-13.00	H
6394.14	-58.27	1.60	13.10	-48.92	-13.00	H
7465.86	-60.29	1.90	12.00	-52.34	-13.00	H
8334.29	-58.77	1.80	11.30	-51.42	-13.00	H
9064.71	-56.76	2.20	11.60	-49.51	-13.00	H

n26(824MHz-849MHz), 5MHz, DFT-OFDM, QPSK, Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
6361.57	-57.51	1.60	13.10	-48.16	-13.00	V
7244.57	-59.18	1.90	12.00	-51.23	-13.00	V
7814.57	-57.72	1.80	11.30	-50.37	-13.00	V
8313.00	-58.25	1.90	11.30	-51.00	-13.00	H
8927.43	-57.35	2.00	12.00	-49.50	-13.00	V
9574.00	-56.73	2.10	11.20	-49.78	-13.00	V

n26(824MHz-849MHz), 5MHz, DFT-OFDM, QPSK, Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
5814.00	-54.89	1.50	13.10	-45.44	-13.00	H
6577.29	-56.68	1.70	12.40	-48.13	-13.00	V
7531.71	-58.41	1.90	11.30	-51.16	-13.00	V
8320.71	-57.57	1.90	11.30	-50.32	-13.00	V
8902.14	-58.21	1.90	12.00	-50.26	-13.00	H
9845.29	-56.61	2.30	11.20	-49.86	-13.00	H

n26(824MHz-849MHz), 5MHz, DFT-OFDM, QPSK, Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
5639.25	-55.05	1.30	13.10	-45.40	-13.00	V
6311.00	-58.43	1.60	13.10	-49.08	-13.00	V
7314.71	-57.53	1.90	12.00	-49.58	-13.00	V
8092.57	-57.95	1.80	11.30	-50.60	-13.00	V
8897.43	-58.02	1.90	12.00	-50.07	-13.00	V
9731.43	-56.97	2.20	11.20	-50.12	-13.00	H

n38, 10MHz, DFT-OFDM, QPSK, Channel 515000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9894.46	-55.10	2.20	11.20	-46.10	-25.00	V
12470.31	-53.55	2.60	12.60	-43.55	-25.00	V
4092.75	-56.12	1.30	12.40	-45.02	-25.00	V
5353.13	-54.90	1.30	12.50	-43.70	-25.00	V
5822.63	-55.34	1.40	13.10	-43.64	-25.00	V
17898.92	-45.12	3.60	12.80	-35.92	-25.00	V

n38, 10MHz, DFT-OFDM, QPSK, Channel 519000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
16890.92	-50.39	2.90	16.50	-36.79	-25.00	V
4100.25	-56.49	1.30	12.40	-45.39	-25.00	V
11897.54	-52.26	2.50	11.00	-43.76	-25.00	V
7779.23	-56.20	1.80	11.30	-46.70	-25.00	V
5713.50	-54.97	1.50	13.10	-43.37	-25.00	V
17609.08	-45.77	3.30	12.80	-36.27	-25.00	V

n38, 10MHz, DFT-OFDM, QPSK, Channel 523000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
17916.92	-45.54	3.20	12.80	-35.94	-25.00	V
11913.69	-51.79	2.60	11.00	-43.39	-25.00	V
16899.69	-50.39	2.90	16.50	-36.79	-25.00	V
9869.54	-55.29	2.20	11.20	-46.29	-25.00	V
4074.38	-56.54	1.30	12.40	-45.44	-25.00	V
5875.50	-55.01	1.40	13.10	-43.31	-25.00	V

n41, 10MHz, DFT-OFDM, QPSK, Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4075.13	-56.28	1.30	12.40	-45.18	-25.00	H
5182.50	-50.70	1.60	12.50	-39.80	-25.00	H
5728.13	-54.91	1.50	13.10	-43.31	-25.00	H
9818.31	-55.64	2.30	11.20	-46.74	-25.00	H
13338.46	-54.51	2.30	13.30	-43.51	-25.00	H
17932.15	-44.97	3.20	12.80	-35.37	-25.00	H

n41, 10MHz, DFT-OFDM, QPSK, Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4086.38	-55.61	1.30	12.40	-44.51	-25.00	H
5182.50	-50.35	1.60	12.50	-39.45	-25.00	H
10364.77	-50.57	2.30	11.30	-41.57	-25.00	H
11910.92	-50.97	2.50	11.00	-42.47	-25.00	H
16928.77	-49.99	2.90	16.50	-36.39	-25.00	H
17891.54	-44.49	3.60	12.80	-35.29	-25.00	H

n41, 10MHz, DFT-OFDM, QPSK, Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4232.25	-56.90	1.20	12.40	-45.70	-25.00	H
5182.50	-52.92	1.60	12.50	-42.02	-25.00	H
5907.75	-54.91	1.50	13.10	-43.31	-25.00	H
10364.77	-51.45	2.30	11.30	-42.45	-25.00	H
16927.38	-49.97	2.90	16.50	-36.37	-25.00	H
17962.15	-45.18	3.20	12.80	-35.58	-25.00	H

n66, 5MHz, DFT-OFDM, QPSK, Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3140.63	-66.94	1.00	11.50	-56.44	-13.00	H
4787.25	-66.40	1.30	12.50	-55.20	-13.00	H
6807.59	-66.55	1.60	12.40	-55.75	-13.00	H
9808.93	-65.07	2.30	11.20	-56.17	-13.00	H
13826.25	-62.98	2.50	12.40	-53.08	-13.00	H
17601.44	-55.60	3.30	12.80	-46.10	-13.00	H

n66, 5MHz, DFT-OFDM, QPSK, Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3340.13	-68.53	1.10	11.50	-58.13	-13.00	H
5134.88	-65.83	1.30	12.50	-54.63	-13.00	H
6996.59	-66.93	1.80	12.40	-56.33	-13.00	H
9899.57	-65.35	2.20	11.20	-56.35	-13.00	H
13618.88	-64.21	2.40	12.40	-54.21	-13.00	H
16869.94	-60.19	2.90	16.50	-46.59	-13.00	H

n66, 5MHz, DFT-OFDM, QPSK, Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3133.13	-67.15	1.10	11.50	-56.75	-13.00	H
4788.75	-66.52	1.30	12.50	-55.32	-13.00	H
6894.38	-66.82	1.80	12.40	-56.22	-13.00	H
10080.38	-66.36	2.00	11.30	-57.06	-13.00	H
13909.81	-63.32	2.20	12.40	-53.12	-13.00	H
17581.31	-55.67	3.30	12.80	-46.17	-13.00	H

DC_66A_n5A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10551.43	-54.66	2.30	10.80	-46.16	-13.00	H
11872.71	-52.99	2.50	11.00	-44.49	-13.00	H
13155.00	-56.01	2.30	13.30	-45.01	-13.00	H
14558.57	-51.23	2.60	11.20	-42.63	-13.00	H
15617.57	-52.98	2.70	15.60	-40.08	-13.00	H
16819.29	-51.62	2.90	16.50	-38.02	-13.00	H

DC_66A_n5A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
8952.00	-58.63	2.00	12.00	-48.63	-13.00	H
10098.86	-57.76	2.00	11.30	-48.46	-13.00	H
11151.43	-52.90	2.50	10.50	-44.90	-13.00	H
12396.43	-54.99	2.60	12.60	-44.99	-13.00	H
13810.29	-53.96	2.50	12.40	-44.06	-13.00	H
15941.14	-52.92	2.60	15.60	-39.92	-13.00	H

DC_66A_n5A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9732.00	-57.29	2.20	11.20	-48.29	-13.00	H
11186.14	-53.50	2.50	10.50	-45.50	-13.00	H
12274.29	-55.08	2.60	12.60	-45.08	-13.00	H
13810.29	-53.96	2.50	12.40	-44.06	-13.00	H
15134.57	-52.27	2.50	12.40	-42.37	-13.00	H
16864.71	-50.96	2.90	16.50	-37.36	-13.00	H

DC_4A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 500500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11015.54	-54.90	2.30	10.50	-46.70	-25.00	H
11880.92	-52.95	2.50	11.00	-44.45	-25.00	H
12700.62	-56.35	2.60	13.80	-45.15	-25.00	H
14048.77	-53.50	2.50	11.90	-44.10	-25.00	H
15246.46	-54.52	2.50	12.40	-44.62	-25.00	H
16632.46	-52.48	2.60	16.50	-38.58	-25.00	H

DC_4A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11900.31	-53.25	2.50	11.00	-44.75	-25.00	H
13080.92	-55.50	2.30	13.30	-44.50	-25.00	H
14048.77	-53.50	2.50	11.90	-44.10	-25.00	H
14952.92	-50.68	2.70	11.20	-42.18	-25.00	H
15874.62	-53.30	2.40	15.60	-40.10	-25.00	H
16896.46	-51.11	2.90	16.50	-37.51	-25.00	H

DC_4A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13156.62	-55.35	2.30	13.30	-44.35	-25.00	H
13829.54	-54.80	2.50	12.40	-44.90	-25.00	H
14855.08	-51.11	2.70	11.20	-42.61	-25.00	H
15509.08	-54.72	2.40	15.60	-41.52	-25.00	H
16253.54	-54.29	2.70	17.40	-39.59	-25.00	H
16853.54	-51.56	2.90	16.50	-37.96	-25.00	H

DC_5A_n38A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 515000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
14517.00	-51.55	2.60	11.20	-42.95	-25.00	H
15086.57	-50.91	2.40	12.40	-40.91	-25.00	H
15563.14	-53.63	2.40	15.60	-40.43	-25.00	H
16288.29	-53.59	2.70	17.40	-38.89	-25.00	H
16742.14	-49.99	2.90	16.50	-36.39	-25.00	V
17601.86	-46.12	3.30	12.80	-36.62	-25.00	V

DC_5A_n38A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 519000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
7755.86	-56.56	1.80	11.30	-47.06	-25.00	H
9849.43	-55.12	2.30	11.20	-46.22	-25.00	H
11170.71	-53.14	2.50	10.50	-45.14	-25.00	V
13152.00	-55.28	2.30	13.30	-44.28	-25.00	H
15086.57	-50.91	2.40	12.40	-40.91	-25.00	H
16742.14	-49.99	2.90	16.50	-36.39	-25.00	V

DC_5A_n38A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 523000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13664.57	-53.39	2.40	12.40	-43.39	-25.00	H
14489.14	-52.05	2.60	11.90	-42.75	-25.00	H
14993.14	-50.73	2.40	11.20	-41.93	-25.00	H
15579.86	-53.53	2.40	15.60	-40.33	-25.00	H
16141.29	-53.68	2.60	17.40	-38.88	-25.00	H
16611.86	-52.00	2.60	16.50	-38.10	-25.00	V

DC_4A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
12390.92	-54.54	2.60	12.60	-44.54	-25.00	H
13282.15	-55.64	2.40	13.30	-44.74	-25.00	H
14217.23	-52.95	2.50	11.90	-43.55	-25.00	H
15464.77	-51.34	2.40	12.40	-41.34	-25.00	H
16404.00	-54.49	2.70	17.40	-39.79	-25.00	H
17603.08	-49.53	3.30	12.80	-40.03	-25.00	H

DC_4A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10671.23	-55.69	2.20	10.80	-47.09	-25.00	H
11934.46	-52.41	2.60	11.00	-44.01	-25.00	H
13163.54	-55.77	2.40	13.30	-44.87	-25.00	H
14108.31	-54.66	2.50	11.90	-45.26	-25.00	H
15464.77	-51.34	2.40	12.40	-41.34	-25.00	H
16771.38	-51.12	2.90	16.50	-37.52	-25.00	H

DC_4A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9076.62	-57.27	2.20	11.60	-47.87	-25.00	H
10578.92	-54.46	2.20	10.80	-45.86	-25.00	H
11934.46	-52.41	2.60	11.00	-44.01	-25.00	H
14217.23	-52.95	2.50	11.90	-43.55	-25.00	H
15660.00	-53.97	2.70	15.60	-41.07	-25.00	H
16719.69	-52.39	2.90	16.50	-38.79	-25.00	H

DC_26A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9894.00	-56.60	2.20	11.20	-47.60	-25.00	H
11189.08	-54.03	2.50	10.50	-46.03	-25.00	H
12526.15	-56.73	2.40	13.80	-45.33	-25.00	H
14551.85	-52.33	2.60	11.20	-43.73	-25.00	H
15888.92	-52.78	2.40	15.60	-39.58	-25.00	H
16771.38	-51.12	2.90	16.50	-37.52	-25.00	H

DC_26A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10663.85	-55.90	2.20	10.80	-47.30	-25.00	H
11354.77	-54.51	2.50	10.50	-46.51	-25.00	H
12165.23	-55.68	2.60	12.60	-45.68	-25.00	H
13059.23	-57.02	2.30	13.30	-46.02	-25.00	H
14115.69	-53.88	2.50	11.90	-44.48	-25.00	H
15698.77	-53.92	2.70	15.60	-41.02	-25.00	H

DC_26A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11635.38	-53.40	2.60	11.00	-45.00	-25.00	H
12594.46	-57.63	2.40	13.80	-46.23	-25.00	H
13805.54	-54.08	2.50	12.40	-44.18	-25.00	H
14790.92	-51.14	2.50	11.20	-42.44	-25.00	H
15916.62	-53.06	2.60	15.60	-40.06	-25.00	H
16931.08	-51.35	2.90	16.50	-37.75	-25.00	H

DC_7A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
14456.25	-62.49	2.60	11.90	-53.19	-13.00	H
15088.00	-61.85	2.40	12.40	-51.85	-13.00	H
15590.25	-63.51	2.70	15.60	-50.61	-13.00	H
16248.25	-63.96	2.70	17.40	-49.26	-13.00	H
16604.81	-62.23	2.60	16.50	-48.33	-13.00	H
16894.88	-60.27	2.90	16.50	-46.67	-13.00	H

DC_7A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13358.56	-65.78	2.30	13.30	-54.78	-13.00	H
13923.38	-63.21	2.20	12.40	-53.01	-13.00	H
14554.69	-61.59	2.60	11.20	-52.99	-13.00	H
15144.88	-61.26	2.50	12.40	-51.36	-13.00	H
15720.63	-63.73	2.70	15.60	-50.83	-13.00	H
16516.88	-62.63	2.70	16.50	-48.83	-13.00	H

DC_7A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13196.69	-65.50	2.40	13.30	-54.60	-13.00	H
14760.75	-61.01	2.50	11.20	-52.31	-13.00	H
15914.44	-62.72	2.60	15.60	-49.72	-13.00	H
16429.81	-63.46	2.70	17.40	-48.76	-13.00	H
16806.06	-61.52	2.90	16.50	-47.92	-13.00	H
17486.38	-59.19	2.90	14.50	-47.59	-13.00	H

DC_12A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
14400.25	-62.35	2.60	11.90	-53.05	-13.00	H
14941.88	-61.09	2.70	11.20	-52.59	-13.00	H
15569.25	-63.16	2.40	15.60	-49.96	-13.00	H
16124.44	-64.27	2.60	17.40	-49.47	-13.00	H
16894.88	-60.27	2.90	16.50	-46.67	-13.00	H
17513.94	-57.15	2.90	12.80	-47.25	-13.00	H

DC_12A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11898.54	-62.30	2.50	11.00	-53.80	-13.00	H
13152.50	-64.92	2.30	13.30	-53.92	-13.00	H
14311.88	-62.72	2.60	11.90	-53.42	-13.00	H
15569.25	-63.16	2.40	15.60	-49.96	-13.00	H
16860.31	-60.57	2.90	16.50	-46.97	-13.00	H
17646.50	-56.04	3.30	12.80	-46.54	-13.00	H

DC_12A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
14416.00	-62.88	2.60	11.90	-53.58	-13.00	H
14821.56	-61.57	2.50	11.20	-52.87	-13.00	H
15239.38	-62.67	2.50	12.40	-52.77	-13.00	H
15879.88	-62.70	2.40	15.60	-49.50	-13.00	H
16792.06	-61.53	2.90	16.50	-47.93	-13.00	H
17435.63	-60.04	2.90	14.50	-48.44	-13.00	H

DC_13A_n66A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
14417.75	-62.53	2.60	11.90	-53.23	-13.00	H
14760.75	-61.01	2.50	11.20	-52.31	-13.00	H
15118.19	-61.78	2.40	12.40	-51.78	-13.00	H
15569.25	-63.16	2.40	15.60	-49.96	-13.00	H
16315.63	-63.68	2.70	17.40	-48.98	-13.00	H
16894.88	-60.27	2.90	16.50	-46.67	-13.00	H

DC_13A_n66A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13923.38	-63.21	2.20	12.40	-53.01	-13.00	H
14521.88	-62.04	2.60	11.20	-53.44	-13.00	H
15161.94	-61.32	2.50	12.40	-51.42	-13.00	H
15879.88	-62.70	2.40	15.60	-49.50	-13.00	H
16556.25	-61.91	2.60	16.50	-48.01	-13.00	H
17533.63	-56.92	2.90	12.80	-47.02	-13.00	H

DC_13A_n66A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13346.75	-65.65	2.30	13.30	-54.65	-13.00	H
13923.38	-63.21	2.20	12.40	-53.01	-13.00	H
14559.50	-61.80	2.60	11.20	-53.20	-13.00	H
15161.94	-61.32	2.50	12.40	-51.42	-13.00	H
15899.56	-62.79	2.60	15.60	-49.79	-13.00	H
16682.25	-62.36	2.60	16.50	-48.46	-13.00	H

Lower antenna

n2, 5MHz, DFT-OFDM, QPSK, Channel 370500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11878.15	-52.49	2.50	11.00	-43.99	-13.00	H
12831.69	-55.58	2.70	13.80	-44.48	-13.00	H
13877.08	-54.06	2.20	12.40	-43.86	-13.00	H
15839.08	-52.21	2.40	15.60	-39.01	-13.00	H
16820.31	-50.35	2.90	16.50	-36.75	-13.00	H
17892.92	-45.47	3.60	12.80	-36.27	-13.00	H

n2, 5MHz, DFT-OFDM, QPSK, Channel 376000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11201.54	-52.45	2.50	10.50	-44.45	-13.00	H
11890.15	-52.56	2.50	11.00	-44.06	-13.00	H
12362.31	-54.72	2.60	12.60	-44.72	-13.00	H
14932.62	-49.94	2.70	11.20	-41.44	-13.00	H
16894.62	-50.59	2.90	16.50	-36.99	-13.00	H
17908.62	-45.61	3.60	12.80	-36.41	-13.00	H

n2, 5MHz, DFT-OFDM, QPSK, Channel 381500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
12597.23	-55.72	2.40	13.80	-44.32	-13.00	H
13784.77	-53.79	2.50	12.40	-43.89	-13.00	H
14785.85	-49.68	2.50	11.20	-40.98	-13.00	H
15155.08	-51.12	2.50	12.40	-41.22	-13.00	H
16884.00	-50.02	2.90	16.50	-36.42	-13.00	H
17634.92	-46.54	3.30	12.80	-37.04	-13.00	H

n5, 5MHz, DFT-OFDM, QPSK, Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8831.57	-58.57	1.90	12.00	-50.62	-13.00	V
10558.29	-54.61	2.30	10.80	-48.26	-13.00	V
11906.57	-52.50	2.50	11.00	-46.15	-13.00	V
13750.71	-54.17	2.50	12.40	-46.42	-13.00	V
15415.29	-51.18	2.70	12.40	-43.63	-13.00	V
16886.57	-50.91	2.90	16.50	-39.46	-13.00	V

n5, 5MHz, DFT-OFDM, QPSK, Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
8253.86	-56.98	1.90	11.30	-49.73	-13.00	V
9843.00	-56.13	2.30	11.20	-49.38	-13.00	V
11142.86	-52.17	2.50	10.50	-46.32	-13.00	V
12355.71	-53.98	2.60	12.60	-46.13	-13.00	V
14556.86	-50.43	2.60	11.20	-43.98	-13.00	V
16928.57	-49.69	2.90	16.50	-38.24	-13.00	V

n5, 5MHz, DFT-OFDM, QPSK, Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
9060.00	-57.47	2.20	11.60	-50.22	-13.00	V
10478.14	-53.96	2.30	11.30	-47.11	-13.00	V
11895.43	-52.08	2.50	11.00	-45.73	-13.00	V
13809.00	-53.32	2.50	12.40	-45.57	-13.00	V
15652.71	-52.76	2.70	15.60	-42.01	-13.00	V
16859.14	-50.37	2.90	16.50	-38.92	-13.00	V

n7, 5MHz, DFT-OFDM, QPSK, Channel 500500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
7598.77	-56.05	1.80	11.30	-46.55	-25.00	H
9600.46	-56.67	2.10	11.20	-47.57	-25.00	H
11147.54	-52.94	2.50	10.50	-44.94	-25.00	H
13308.46	-54.87	2.30	13.30	-43.87	-25.00	H
14807.08	-50.88	2.50	11.20	-42.18	-25.00	H
16967.08	-50.87	2.90	16.50	-37.27	-25.00	H

n7, 5MHz, DFT-OFDM, QPSK, Channel 507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10576.62	-54.44	2.20	10.80	-45.84	-25.00	H
11891.08	-52.19	2.50	11.00	-43.69	-25.00	H
13301.08	-54.98	2.30	13.30	-43.98	-25.00	H
14354.77	-52.58	2.60	11.90	-43.28	-25.00	H
15528.46	-54.21	2.40	15.60	-41.01	-25.00	H
16822.62	-49.85	2.90	16.50	-36.25	-25.00	H

n7, 5MHz, DFT-OFDM, QPSK, Channel 513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10134.00	-55.24	2.00	11.30	-45.94	-25.00	H
11190.46	-53.38	2.50	10.50	-45.38	-25.00	H
12425.54	-52.98	2.60	12.60	-42.98	-25.00	H
13833.23	-52.66	2.20	12.40	-42.46	-25.00	H
15161.08	-50.82	2.50	12.40	-40.92	-25.00	H
16835.54	-50.98	2.90	16.50	-37.38	-25.00	H

n26(814MHz-824MHz), 5MHz, DFT-OFDM, QPSK, Channel 163300

Frequency(MHz)	PMea(dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5635.12	-56.52	1.30	13.10	-46.87	-13.00	H
6574.00	-58.04	1.70	12.40	-49.49	-13.00	V
7455.57	-58.24	1.90	12.00	-50.29	-13.00	V
8518.14	-58.92	2.10	12.00	-51.17	-13.00	V
9117.29	-57.30	2.10	11.60	-49.95	-13.00	H
9881.71	-55.30	2.20	11.20	-48.45	-13.00	H

n26(814MHz-824MHz), 5MHz, DFT-OFDM, QPSK, Channel 163800

Frequency(MHz)	PMea(dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5635.12	-56.52	1.30	13.10	-46.87	-13.00	H
6574.00	-58.04	1.70	12.40	-49.49	-13.00	V
7455.57	-58.24	1.90	12.00	-50.29	-13.00	V
8518.14	-58.92	2.10	12.00	-51.17	-13.00	V
9117.29	-57.30	2.10	11.60	-49.95	-13.00	H
9881.71	-55.30	2.20	11.20	-48.45	-13.00	H

n26(814MHz-824MHz), 5MHz, DFT-OFDM, QPSK, Channel 164300

Frequency(MHz)	PMea(dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
5635.12	-56.52	1.30	13.10	-46.87	-13.00	H
6574.00	-58.04	1.70	12.40	-49.49	-13.00	V
7455.57	-58.24	1.90	12.00	-50.29	-13.00	V
8518.14	-58.92	2.10	12.00	-51.17	-13.00	V
9117.29	-57.30	2.10	11.60	-49.95	-13.00	H
9881.71	-55.30	2.20	11.20	-48.45	-13.00	H

n26(824MHz-849MHz), 5MHz, DFT-OFDM, QPSK, Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
5923.12	-55.20	1.50	13.10	-45.75	-13.00	V
6696.86	-57.39	1.70	12.40	-48.84	-13.00	V
7350.86	-59.44	1.70	12.00	-51.29	-13.00	H
8140.71	-58.65	1.80	11.30	-51.30	-13.00	H
8930.14	-57.12	2.00	12.00	-49.27	-13.00	H
9854.14	-55.77	2.30	11.20	-49.02	-13.00	V

n26(824MHz-849MHz), 5MHz, DFT-OFDM, QPSK, Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
5712.75	-54.42	1.50	13.10	-44.97	-13.00	H
6437.71	-57.77	1.60	13.10	-48.42	-13.00	H
7552.71	-57.27	1.80	11.30	-49.92	-13.00	H
8258.00	-57.30	1.90	11.30	-50.05	-13.00	H
8971.29	-57.95	2.00	12.00	-50.10	-13.00	V
9811.43	-54.96	2.30	11.20	-48.21	-13.00	H

n26(824MHz-849MHz), 5MHz, DFT-OFDM, QPSK, Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak ERP(dBm)	Limit (dBm)	Polarization
5823.00	-55.64	1.40	13.10	-46.09	-13.00	H
6322.00	-56.71	1.60	13.10	-47.36	-13.00	V
6868.00	-57.22	1.80	12.40	-48.77	-13.00	V
7565.86	-57.43	1.80	11.30	-50.08	-13.00	H
8274.29	-57.18	1.90	11.30	-49.93	-13.00	V
8835.86	-57.02	1.90	12.00	-49.07	-13.00	H

n38, 10MHz, DFT-OFDM, QPSK, Channel 515000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4097.25	-55.65	1.30	12.40	-44.55	-25.00	V
5693.25	-55.31	1.30	13.10	-43.51	-25.00	V
9848.77	-55.09	2.30	11.20	-46.19	-25.00	V
11844.92	-51.40	2.50	11.00	-42.90	-25.00	V
16920.46	-50.22	2.90	16.50	-36.62	-25.00	V
17947.85	-45.49	3.20	12.80	-35.89	-25.00	V

n38, 10MHz, DFT-OFDM, QPSK, Channel 519000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
4221.75	-56.51	1.20	12.40	-45.31	-25.00	V
5693.63	-55.26	1.30	13.10	-43.46	-25.00	V
6964.15	-57.04	1.80	12.40	-46.44	-25.00	V
9906.00	-55.53	2.20	11.20	-46.53	-25.00	V
11863.85	-51.62	2.50	11.00	-43.12	-25.00	V
17944.62	-45.54	3.20	12.80	-35.94	-25.00	V

n38, 10MHz, DFT-OFDM, QPSK, Channel 523000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3832.88	-57.80	1.20	12.20	-46.80	-25.00	V
5911.88	-54.85	1.50	13.10	-43.25	-25.00	V
9835.38	-54.46	2.30	11.20	-45.56	-25.00	V
12271.38	-52.87	2.60	12.60	-42.87	-25.00	V
16944.92	-49.73	2.90	16.50	-36.13	-25.00	V
17941.38	-45.29	3.20	12.80	-35.69	-25.00	V

n41, 10MHz, DFT-OFDM, QPSK, Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3576.00	-58.01	1.10	12.20	-46.91	-25.00	H
5182.13	-52.67	1.60	12.50	-41.77	-25.00	H
7315.85	-59.28	1.90	12.00	-49.18	-25.00	H
10364.31	-51.80	2.30	11.30	-42.80	-25.00	H
13831.38	-52.64	2.20	12.40	-42.44	-25.00	H
16763.08	-50.81	2.90	16.50	-37.21	-25.00	H

n41, 10MHz, DFT-OFDM, QPSK, Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3663.00	-58.03	1.20	12.20	-47.03	-25.00	H
5182.50	-50.47	1.60	12.50	-39.57	-25.00	H
7757.08	-59.25	1.80	11.30	-49.75	-25.00	H
10364.31	-52.69	2.30	11.30	-43.69	-25.00	H
12994.62	-55.85	2.50	13.80	-44.55	-25.00	H
17525.08	-46.72	2.90	12.80	-36.82	-25.00	H

n41, 10MHz, DFT-OFDM, QPSK, Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3342.38	-57.82	1.10	11.50	-47.42	-25.00	H
5182.88	-52.79	1.60	12.50	-41.89	-25.00	H
7278.00	-58.09	1.90	12.00	-47.99	-25.00	H
10364.77	-52.89	2.30	11.30	-43.89	-25.00	H
13837.85	-53.38	2.20	12.40	-43.18	-25.00	H
16956.00	-49.89	2.90	16.50	-36.29	-25.00	H

n66, 5MHz, DFT-OFDM, QPSK, Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
3139.88	-67.16	1.10	11.50	-56.76	-13.00	H
5125.13	-65.64	1.30	12.50	-54.44	-13.00	H
7813.82	-66.71	1.80	11.30	-57.21	-13.00	H
11151.21	-62.24	2.50	10.50	-54.24	-13.00	H
15165.00	-60.32	2.50	12.40	-50.42	-13.00	H
17613.69	-55.75	3.30	12.80	-46.25	-13.00	H

n66, 5MHz, DFT-OFDM, QPSK, Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13521.31	-64.85	2.50	12.40	-54.95	-13.00	H
14400.69	-62.68	2.60	11.90	-53.38	-13.00	H
15116.00	-60.88	2.40	12.40	-50.88	-13.00	H
15929.31	-62.47	2.60	15.60	-49.47	-13.00	H
16848.50	-60.47	2.90	16.50	-46.87	-13.00	H
17925.63	-55.89	3.20	12.80	-46.29	-13.00	H

n66, 5MHz, DFT-OFDM, QPSK, Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
12358.98	-64.73	2.60	12.60	-54.73	-13.00	H
13295.13	-64.97	2.30	13.30	-53.97	-13.00	H
14192.44	-63.19	2.50	11.90	-53.79	-13.00	H
15133.50	-61.03	2.50	12.40	-51.13	-13.00	H
16848.94	-60.22	2.90	16.50	-46.62	-13.00	H
17622.44	-56.02	3.30	12.80	-46.52	-13.00	H

DC_66A_n5A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 165300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10385.57	-55.93	2.30	11.30	-46.93	-13.00	H
12342.86	-56.19	2.60	12.60	-46.19	-13.00	H
13155.00	-56.01	2.30	13.30	-45.01	-13.00	H
13881.00	-54.88	2.20	12.40	-44.68	-13.00	H
14558.57	-51.23	2.60	11.20	-42.63	-13.00	H
16094.57	-55.75	2.60	17.40	-40.95	-13.00	H

DC_66A_n5A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 167300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11872.71	-52.99	2.50	11.00	-44.49	-13.00	H
12571.29	-56.80	2.40	13.80	-45.40	-13.00	H
13866.43	-54.48	2.20	12.40	-44.28	-13.00	H
14742.00	-51.88	2.50	11.20	-43.18	-13.00	H
15859.29	-54.14	2.40	15.60	-40.94	-13.00	H
16819.29	-51.62	2.90	16.50	-38.02	-13.00	H

DC_66A_n5A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 169300

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11806.29	-53.99	2.50	11.00	-45.49	-13.00	H
12976.71	-56.84	2.50	13.80	-45.54	-13.00	H
13872.86	-53.79	2.20	12.40	-43.59	-13.00	H
15053.14	-53.18	2.40	12.40	-43.18	-13.00	H
15795.43	-53.31	2.40	15.60	-40.11	-13.00	H
16628.57	-52.12	2.60	16.50	-38.22	-13.00	H

DC_4A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 500500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
12389.08	-54.97	2.60	12.60	-44.97	-25.00	H
13833.23	-54.48	2.20	12.40	-44.28	-25.00	H
14952.92	-50.68	2.70	11.20	-42.18	-25.00	H
15675.69	-53.68	2.70	15.60	-40.78	-25.00	H
16290.00	-53.77	2.70	17.40	-39.07	-25.00	H
16938.00	-51.29	2.90	16.50	-37.69	-25.00	H

DC_4A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 507000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11929.85	-53.61	2.60	11.00	-45.21	-25.00	H
13142.31	-56.18	2.30	13.30	-45.18	-25.00	H
13846.15	-54.54	2.20	12.40	-44.34	-25.00	H
14788.62	-51.32	2.50	11.20	-42.62	-25.00	H
16290.00	-53.77	2.70	17.40	-39.07	-25.00	H
17586.00	-46.65	3.30	12.80	-37.15	-25.00	H

DC_4A_n7A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 513500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13758.00	-54.39	2.50	12.40	-44.49	-25.00	H
14824.62	-51.60	2.50	11.20	-42.90	-25.00	H
15874.62	-53.30	2.40	15.60	-40.10	-25.00	H
16631.08	-53.32	2.60	16.50	-39.42	-25.00	H
17485.85	-49.33	2.90	14.50	-37.73	-25.00	H
17805.69	-47.43	3.60	12.80	-38.23	-25.00	H

DC_5A_n38A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 515000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9169.71	-58.29	2.10	11.60	-48.79	-25.00	H
10680.43	-54.66	2.40	10.80	-46.26	-25.00	H
12353.14	-54.58	2.60	12.60	-44.58	-25.00	H
13805.57	-53.67	2.50	12.40	-43.77	-25.00	H
15357.43	-51.14	2.70	12.40	-41.44	-25.00	V
16896.43	-50.47	2.90	16.50	-36.87	-25.00	V

DC_5A_n38A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 519000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9634.71	-56.18	2.10	11.20	-47.08	-25.00	H
11158.71	-53.24	2.50	10.50	-45.24	-25.00	H
11907.43	-52.36	2.50	11.00	-43.86	-25.00	V
13151.14	-55.57	2.30	13.30	-44.57	-25.00	H
15086.57	-50.91	2.40	12.40	-40.91	-25.00	H
16742.14	-49.99	2.90	16.50	-36.39	-25.00	V

DC_5A_n38A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 523000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10425.86	-54.37	2.30	11.30	-45.37	-25.00	H
11808.43	-53.06	2.50	11.00	-44.56	-25.00	H
13197.00	-55.46	2.40	13.30	-44.56	-25.00	H
15110.57	-51.84	2.40	12.40	-41.84	-25.00	H
16812.86	-51.34	2.90	16.50	-37.74	-25.00	H
17601.86	-46.12	3.30	12.80	-36.62	-25.00	V

DC_4A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11173.85	-53.39	2.50	10.50	-45.39	-25.00	H
12222.00	-55.35	2.60	12.60	-45.35	-25.00	H
13996.15	-54.20	2.50	12.40	-44.30	-25.00	H
15178.15	-52.70	2.50	12.40	-42.80	-25.00	H
16205.54	-54.54	2.60	17.40	-39.74	-25.00	H
16869.23	-52.09	2.90	16.50	-38.49	-25.00	H

DC_4A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
8994.00	-58.64	2.00	12.00	-48.64	-25.00	H
10593.69	-55.23	2.20	10.80	-46.63	-25.00	H
12382.62	-55.34	2.60	12.60	-45.34	-25.00	H
13805.54	-54.08	2.50	12.40	-44.18	-25.00	H
14940.00	-50.94	2.70	11.20	-42.44	-25.00	H
16724.77	-52.25	2.90	16.50	-38.65	-25.00	H

DC_4A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10422.46	-55.78	2.30	11.30	-46.78	-25.00	H
11173.85	-53.39	2.50	10.50	-45.39	-25.00	H
12253.85	-55.83	2.60	12.60	-45.83	-25.00	H
13359.69	-56.87	2.30	13.30	-45.87	-25.00	H
14940.00	-50.94	2.70	11.20	-42.44	-25.00	H
16463.54	-54.52	2.70	17.40	-39.82	-25.00	H

DC_26A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 500202

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10762.15	-55.51	2.40	10.80	-47.11	-25.00	H
12222.00	-55.35	2.60	12.60	-45.35	-25.00	H
13282.15	-55.64	2.40	13.30	-44.74	-25.00	H
14217.23	-52.95	2.50	11.90	-43.55	-25.00	H
15578.77	-54.58	2.40	15.60	-41.38	-25.00	H
16771.38	-51.12	2.90	16.50	-37.52	-25.00	H

DC_26A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 518598

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
10112.77	-57.38	2.00	11.30	-48.08	-25.00	H
10833.69	-55.60	2.30	10.80	-47.10	-25.00	H
12535.38	-56.49	2.40	13.80	-45.09	-25.00	H
14379.69	-53.36	2.60	11.90	-44.06	-25.00	H
15888.92	-52.78	2.40	15.60	-39.58	-25.00	H
16771.38	-51.12	2.90	16.50	-37.52	-25.00	H

DC_26A_n41A, 1.4MHz+10MHz, DFT-OFDM, QPSK, NR Channel 537000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
9768.00	-56.55	2.30	11.20	-47.65	-25.00	H
10515.23	-55.27	2.30	10.80	-46.77	-25.00	H
11173.85	-53.39	2.50	10.50	-45.39	-25.00	H
12914.31	-57.09	2.50	13.80	-45.79	-25.00	H
14217.23	-52.95	2.50	11.90	-43.55	-25.00	H
16404.00	-54.49	2.70	17.40	-39.79	-25.00	H

DC_7A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13252.69	-65.35	2.40	13.30	-54.45	-13.00	H
13828.88	-63.35	2.50	12.40	-53.45	-13.00	H
14404.19	-62.74	2.60	11.90	-53.44	-13.00	H
15153.19	-61.82	2.50	12.40	-51.92	-13.00	H
15965.19	-62.77	2.60	15.60	-49.77	-13.00	H
16929.88	-61.34	2.90	16.50	-47.74	-13.00	H

DC_7A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13965.81	-64.07	2.20	12.40	-53.87	-13.00	H
14821.13	-61.43	2.50	11.20	-52.73	-13.00	H
15657.63	-62.99	2.70	15.60	-50.09	-13.00	H
16239.50	-64.40	2.70	17.40	-49.70	-13.00	H
16819.63	-61.03	2.90	16.50	-47.43	-13.00	H
17507.81	-57.08	2.90	12.80	-47.18	-13.00	H

DC_7A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
11908.66	-62.44	2.50	11.00	-53.94	-13.00	H
13106.13	-65.42	2.30	13.30	-54.42	-13.00	H
13891.88	-63.90	2.20	12.40	-53.70	-13.00	H
14769.94	-60.83	2.50	11.20	-52.13	-13.00	H
15551.31	-63.33	2.40	15.60	-50.13	-13.00	H
16927.25	-60.41	2.90	16.50	-46.81	-13.00	H

DC_12A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
14400.25	-62.35	2.60	11.90	-53.05	-13.00	H
14941.88	-61.09	2.70	11.20	-52.59	-13.00	H
15569.25	-63.16	2.40	15.60	-49.96	-13.00	H
16124.44	-64.27	2.60	17.40	-49.47	-13.00	H
16894.88	-60.27	2.90	16.50	-46.67	-13.00	H
17513.94	-57.15	2.90	12.80	-47.25	-13.00	H

DC_12A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13848.56	-64.03	2.20	12.40	-53.83	-13.00	H
14324.56	-63.14	2.60	11.90	-53.84	-13.00	H
15089.75	-62.16	2.40	12.40	-52.16	-13.00	H
15879.88	-62.70	2.40	15.60	-49.50	-13.00	H
16516.88	-62.63	2.70	16.50	-48.83	-13.00	H
16927.25	-60.41	2.90	16.50	-46.81	-13.00	H

DC_12A_n66A, 1.4MHz+5MHz, DFT-OFDM, QPSK, NR Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
14247.56	-63.63	2.50	11.90	-54.23	-13.00	H
14781.31	-61.42	2.50	11.20	-52.72	-13.00	H
15132.63	-61.31	2.50	12.40	-51.41	-13.00	H
16124.44	-64.27	2.60	17.40	-49.47	-13.00	H
16787.69	-61.62	2.90	16.50	-48.02	-13.00	H
17608.44	-55.80	3.30	12.80	-46.30	-13.00	H

DC_13A_n66A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 342500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
15144.88	-61.26	2.50	12.40	-51.36	-13.00	H
15590.25	-63.51	2.70	15.60	-50.61	-13.00	H
16185.25	-64.27	2.60	17.40	-49.47	-13.00	H
16733.88	-62.02	2.90	16.50	-48.42	-13.00	H
17456.19	-59.51	2.90	14.50	-47.91	-13.00	H
17895.88	-56.06	3.60	12.80	-46.86	-13.00	H

DC_13A_n66A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 349000

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
14682.44	-62.46	2.50	11.20	-53.76	-13.00	H
15089.75	-62.16	2.40	12.40	-52.16	-13.00	H
15532.06	-64.33	2.40	15.60	-51.13	-13.00	H
16124.44	-64.27	2.60	17.40	-49.47	-13.00	H
16894.88	-60.27	2.90	16.50	-46.67	-13.00	H
17408.50	-60.00	2.90	14.50	-48.40	-13.00	H

DC_13A_n66A, 5MHz+5MHz, DFT-OFDM, QPSK, NR Channel 355500

Frequency(MHz)	P _{Mea} (dBm)	Path Loss	Antenna Gain	Peak EIRP(dBm)	Limit (dBm)	Polarization
13331.88	-65.57	2.30	13.30	-54.57	-13.00	H
13923.38	-63.21	2.20	12.40	-53.01	-13.00	H
14456.25	-62.49	2.60	11.90	-53.19	-13.00	H
15144.88	-61.26	2.50	12.40	-51.36	-13.00	H
15899.56	-62.79	2.60	15.60	-49.79	-13.00	H
16611.81	-62.42	2.60	16.50	-48.52	-13.00	H

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 2.87\text{dB}(30\text{MHz}-3\text{GHz})/3.35\text{dB}(3\text{GHz}-18\text{GHz})/2.68\text{dB}(18\text{GHz}-40\text{GHz})$, $k = 2$

A.3 FREQUENCY STABILITY

Reference

FCC: CFR Part 2.1055, 22.355, 27.54.

A.3.1 Method of Measurement

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of E7515B DIGITAL RADIO COMMUNICATION TESTER.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the E7515B and in a simulated call on middle channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Remeasure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments remeasuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the E7515B and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

A.3.2 Measurement Limit

According to the JTC standard the frequency stability of the carrier shall be accurate to within 0.1 ppm of the received frequency from the base station. This accuracy is sufficient to meet Sec. 24.235, Frequency Stability. The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d) (2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of between 3.6V and 4.45V, with a nominal voltage of 3.87V. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress. These voltages represent a tolerance from -7% to 15%. For the purposes of measuring frequency stability these voltage limits are to be used.

A.3.3 Measurement results

n2, 20MHz bandwidth (worst case of all bandwidths)

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	1850.160	1908.768		
50				2.50	0.0013
40				-29.30	0.0156
30				-3.90	0.0021
10				-3.80	0.0020
0				-3.40	0.0018
-10				2.30	0.0012
-20				-5.90	0.0031
-30				-2.70	0.0014

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.80	20	1850.160	1908.768	-2.90	0.0015
9.00				-2.70	0.0014

n5, 5MHz bandwidth (worst case of all bandwidths)

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	824.128	847.784		
50				-0.70	0.0008
40				-2.00	0.0024
30				-2.30	0.0027
10				-0.10	0.0001
0				-1.80	0.0022
-10				-2.40	0.0029
-20				-0.10	0.0001
-30				2.10	0.0025

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.80	20	824.128	847.784	-2.80	0.0033
9.00				-0.40	0.0005

Expanded measurement uncertainty is 10Hz, $k = 2$

n7, 20MHz bandwidth (worst case of all bandwidths)
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	2500.352	2569.584		
50				-7.30	0.0029
40				-3.50	0.0014
30				4.90	0.0019
10				-6.90	0.0027
0				-2.60	0.0010
-10				-0.10	0.0000
-20				-9.80	0.0039
-30				-11.40	0.0045

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.80	20	2500.352	2569.584	-5.70	0.0022
9.00				-4.00	0.0016

Expanded measurement uncertainty is 10Hz, $k = 2$
n26(814 MHz -824MHz), 10MHz bandwidth (worst case of all bandwidths)
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	814.192	823.488		
50				-1.20	0.0015
40				-0.40	0.0005
30				2.40	0.0029
10				0.80	0.0010
0				-1.70	0.0021
-10				1.00	0.0012
-20				-1.80	0.0022
-30				-1.90	0.0023

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.80	20	814.192	823.488	-5.70	-0.10
9.00				-4.00	-1.50

Expanded measurement uncertainty is 10Hz, $k = 2$

n26(824 MHz -849MHz), 10MHz bandwidth (worst case of all bandwidths)
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	824.240	847.656		
50				0.90	0.0011
40				-0.30	0.0004
30				-2.60	0.0031
10				-1.40	0.0017
0				-3.20	0.0038
-10				-0.50	0.0006
-20				1.20	0.0014
-30				2.00	0.0024

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.80	20	824.240	847.656	-0.10	0.0001
9.00				-1.70	0.0020

Expanded measurement uncertainty is 10Hz, $k = 2$
n38, 20MHz bandwidth (worst case of all bandwidths)
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	2570.800	2619.136		
50				-3.50	0.0013
40				-5.20	0.0020
30				-5.60	0.0022
10				-5.90	0.0023
0				-4.80	0.0018
-10				-4.30	0.0017
-20				-8.70	0.0034
-30				-2.60	0.0010

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.80	20	2570.800	2619.136	-5.80	0.0022
9.00				-1.90	0.0007

Expanded measurement uncertainty is 10Hz, $k = 2$

n41, 20MHz bandwidth (worst case of all bandwidths)
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	2496.784	2689.184		
50				-1.10	0.0004
40				1.60	0.0006
30				-0.20	0.0001
10				1.20	0.0005
0				-3.60	0.0014
-10				-1.20	0.0005
-20				-7.50	0.0029
-30				-7.10	0.0027

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.80	20	2496.784	2689.184	-0.20	0.0001
9.00				-5.80	0.0022

Expanded measurement uncertainty is 10Hz, $k = 2$
n66, 20MHz bandwidth (worst case of all bandwidths)
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	7.66	1710.032	1779.968		
50				-0.30	0.0002
40				2.60	0.0015
30				0.30	0.0002
10				0.90	0.0005
0				4.30	0.0025
-10				5.70	0.0033
-20				4.60	0.0026
-30				1.40	0.0008

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
6.80	20	1710.032	1779.968	6.00	0.0034
9.00				-0.60	0.0003

Expanded measurement uncertainty is 10Hz, $k = 2$

A.4 OCCUPIED BANDWIDTH

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the extreme and mid frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:


- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.

n2


n2,5MHz(99% OBW)

Frequency (MHz)	Occupied Bandwidth (99% OBW) (MHz)								
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM	CP-256QAM
1852.5	4.523	4.498	4.498	4.514	4.500	4.491	4.504	4.520	4.487
1880	4.522	4.496	4.508	4.524	4.506	4.509	4.503	4.520	4.486
1907.5	4.522	4.487	4.503	4.517	4.507	4.502	4.505	4.507	4.488


n2,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% OBW)




n2,5MHz Bandwidth,DFT-s-QPSK (99% OBW)



n2,5MHz Bandwidth,DFT-s-16QAM (99% OBW)



n2,5MHz Bandwidth,DFT-s-64QAM (99% OBW)



n2,5MHz Bandwidth,DFT-s-256QAM (99% OBW)