

Test report No:
2560724R.705

FCC TEST REPORT

Product Name	Nokia Industrial 5G fieldrouter FRRO505c
Trademark	Nokia
Model and /or type reference	FRRO505c
FCC ID	2AVO2FRRO505C
Applicant's name / address	Nokia of America Corp 3201 Olympus Blvd, Dallas, TX 75019, US
Test method requested, standard	FCC CFR Title 47 Part 22 & 24 & 27 & 90 & 96 ANSI C63.26: 2015 ANSI/TIA-603-E: 2016
Verdict Summary	IN COMPLIANCE
Documented by (name / position & signature)	Tim Cao/ Project Manager 
Approved by (name / position & signature)	Frank He/ Technical Manager 
Date of issue	2025-08-12
Report Version	V1.0
Report template No.	Template_FCC-WWAN-RF-V1.0

INDEX

	page
General conditions	3
Environmental conditions	3
Possible test case verdicts	4
Abbreviations.....	4
Document History.....	5
Remarks and Comments	5
Used Equipment.....	6
Uncertainty	8
1 General Information	9
2 Description of Test Setup.....	14
3 Verdict summary section.....	15
3.1 Standards	15
3.2 Deviation(s) from the Standard(s) / Test Specification(s).....	15
3.3 Overview of results	16
3.4 Worst-case configuration and mode.....	17
3.5 Test Facility.....	18
4 Test Results	19
4.1 Effective (Isotropic) Radiated Power Output	19
4.1.1 Limit	19
4.1.2 Test Setup	20
4.1.3 Test Procedure	20
4.2 Radiated Emissions	21
4.2.1 Limit	21
4.2.2 Test Setup	23
4.2.3 Test Procedure	23
4.3 Test setup photo and EUT Photo	24
Appendix A: test data of Effective (Isotropic) Radiated Power Output Data.....	25
Appendix B: test data of Field Strength of Spurious Radiation	769

COMPETENCES AND GUARANTEES

DEKRA is a testing laboratory competent to carry out the tests described in this report.

In order to assure the traceability to other national and international laboratories, DEKRA has a calibration and maintenance program for its measurement equipment.

DEKRA guarantees the reliability of the data presented in this report, which is the result of the measurements and the tests performed to the item under test on the date and under the conditions stated in the report and it is based on the knowledge and technical facilities available at DEKRA at the time of performance of the test.

DEKRA is liable to the client for the maintenance of the confidentiality of all information related to the item under test and the results of the test.

The results presented in this Test Report apply only to the particular item under test established in this document.

IMPORTANT: No parts of this report may be reproduced or quoted out of context, in any form or by any means, except in full, without the previous written permission of DEKRA.

GENERAL CONDITIONS

Test Location	No. 8213, Fanhua Avenue, Baohe District, Hefei City, Anhui Province, China
Date(receive sample)	Jun. 24, 2025
Date (start test)	Jun. 30, 2025
Date (finish test)	Aug. 04, 2025

1. This report is only referred to the item that has undergone the test.
2. This report does not constitute or imply on its own an approval of the product by the Certification Bodies or Competent Authorities.
3. This document is only valid if complete; no partial reproduction can be made without previous written permission of DEKRA.
4. This test report cannot be used partially or in full for publicity and/or promotional purposes without previous written permission of DEKRA.

ENVIRONMENTAL CONDITIONS

The climatic conditions during the tests are within the limits specified by the manufacturer for the operation of the EUT and the test equipment. The climatic conditions during the tests were within the following limits:

Ambient temperature	15 °C - 35 °C
Relative Humidity air	30% - 60%

If explicitly required in the basic standard or applied product / product family standard the climatic values are recorded and documented separately in this test report.

POSSIBLE TEST CASE VERDICTS

Test case does not apply to test object	N/A
Test object does meet requirement	P (Pass) / PASS
Test object does not meet requirement	F (Fail) / FAIL
Not measured	N/M

ABBREVIATIONS

For the purposes of the present document, the following abbreviations apply:

EUT	: Equipment Under Test
PK	: Peak
QP	: Quasi-Peak
CAV	: CISPR Average
AV	: Average
CDN	: Coupling Decoupling Network
SAC	: Semi-Anechoic Chamber
OATS	: Open Area Test Site
BW	: Bandwidth
AM	: Amplitude Modulation
PM	: Pulse Modulation
HCP	: Horizontal Coupling Plane
VCP	: Vertical Coupling Plane
U_N	: Nominal voltage
T_x	: Transmitter
R_x	: Receiver
N/A	: Not Applicable
N/M	: Not Measured
RMS	: Root Mean Squar
NT	: Normal Temperature
HT	: High Extreme Test Temperature
LT	: Low Extreme Test Temperature
NV	: Normal Voltage
HV	: High Extreme Test Voltage
LV	: Low Extreme Test Voltage

DOCUMENT HISTORY

Report No.	Version	Description	Issued Date
2560724R.705	V1.0	Initial issue of report.	2025-08-12

REMARKS AND COMMENTS

1. The equipment under test (EUT) does meet the essential requirements of the stated standard(s)/test(s).
2. These test results on a sample of the device are for the purpose of demonstrating Compliance with FCC Part 22,24,27,90,96.
3. The measurement result is considered in conformance with the requirement if it is within the prescribed limit, it is not necessary to account the uncertainty associated with the measurement result.
4. The test results relate only to the samples tested.
5. The test report shall not be reproduced without the written approval of DEKRA Testing and Certification (Suzhou) Co., Ltd.
6. This report will not be used for social proof function in China market.
7. DEKRA declines any responsibility with the following test data provided by customer that may affect the validity of result:

- Chapter 1 General Information

USED EQUIPMENT

Conducted Test / TR7

Instrument	Manufacturer	Model No.	Serial No.	Cal. Date	Next Cal. Date	Firmware Version	Software version
LTE Test System							
Wideband Radio Communication Tester	R&S	CMW 500	170870	2025.05.10	2026.05.09	X 4.0.62.11	N/A
Signal analyzer	R&S	FSV30	104212	2025.05.10	2026.05.09	3.40	N/A
ESG Vector Signal Generator	Agilent	E4438C	MY49070163	2024.10.19	2025.10.18	C.05.85	N/A
RF Control Unit	Tonscend	JS0806-1	168060022	2025.06.10	2026.06.09	N/A	N/A
PSG Analog Signal Generator	Agilent	E8257D	MY44321116	2025.05.10	2026.05.09	C.06.27	N/A
Filter box	Tonscend	N/A	N/A	2025.03.15	2026.03.14	N/A	N/A
NRTest System							
MXA Signal Analyzer	Keysight	N9020A	MY56060147	2025.03.23	2026.03.22	A.17.55	N/A
Universal Switch Control Unit	Agilent	N9370A	MY46130177	N/A	N/A	N/A	N/A
RF Interface Box	Agilent	N1960-80103	MY45490191	N/A	N/A	N/A	N/A
UXM 5G Wireless Test Platform	Keysight	E7515B	MY58120445	2025.04.10	2026.04.09	1.5.8.24601	N/A
FR1 Switching Unit	Keysight	C8880A	MY59270153	N/A	N/A	N/A	N/A
2.4mm to 3.5mm adapter	Keysight	11901D	26793	N/A	N/A	N/A	N/A
LOW-PROFILE MODULAR POWER SYSTEM MAINFRAME	Keysight	N6700C	MY56015129	N/A	N/A	N/A	N/A
High and low temperature and fast temperature change test box	ASTUOD	ASTD-FBT-225K	N/A	2025.03.16	2026.03.15	N/A	N/A
Temperature/Humidity Meter	RTS	RTS-8S	RF06	2025.06.17	2026.06.16	N/A	N/A
Test Software	Tonscend	JS1120	JS1120-8	N/A	N/A	N/A	V3.1.46

Radiated Emissions (9kHz-40GHz) / AC6

Instrument	Manufacturer	Model No.	Serial No.	Cal. Date	Next Cal. Date	Firmware Version	Software version
Signal analyzer	R&S	FSV30	104212	2025.05.10	2026.05.09	A 08.54	N/A
Half Wave Tuned Dipole Antenna	COM-POWER	AD-100	40137	2023.04.07	2026.04.06	N/A	N/A
Horn Antenna	RFSPIN	DRH18-E	CE2C07A18EN	2024.12.07	2025.12.06	N/A	N/A

TRILOG Broadband Antenna	SCHWARZBECK	VULB 9168	01231	2025.05.28	2026.05.27	N/A	N/A
Pre-Amplifier	XH	LNA1845	LNA23040284	2025.05.17	2026.05.16	N/A	N/A
Pre-Amplifier	SCHWARZBECK	BBV 9721	00114	2025.05.17	2026.05.16	N/A	N/A
Loop Antenna	R&S	HFH2-Z2E	101149	2025.04.16	2026.04.15	N/A	N/A
Coaxial Cable	N/A	N/A	2225	2024.06.11	2025.06.10	N/A	N/A
Coaxial Cable	N/A	N/A	2225	2025.06.10	2026.06.09	N/A	N/A
Notch Filter	Micro-mve	MFN-2400.2485.S1	AN0003N	2025.06.10	2026.06.09	N/A	N/A
Notch Filter	Micro-mve	MFN-2400.2485.S1	AN0003N	2025.06.10	2026.06.09	N/A	N/A
Temperature/Humidity Meter	RTS	RTS-8S	RF04	2024.07.04	2025.07.03	N/A	N/A
Temperature/Humidity Meter	RTS	RTS-8S	RF04	2025.06.17	2026.06.16	N/A	N/A
Temperature/Humidity Meter	RTS	RTS-8S	RF08	2024.07.04	2025.07.03	N/A	N/A
Temperature/Humidity Meter	RTS	RTS-8S	RF08	2025.06.17	2026.06.16	N/A	N/A
Test Software	DEKRA	Quietek EMI V3	N/A	N/A	N/A	N/A	3

UNCERTAINTY

Uncertainties have been calculated according to the DEKRA internal document. The reported expanded uncertainties are based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95%. The Uncertainties is comply with standard required as below.

Test item	Uncertainty
RF Output Power	± 1.2 dB
Frequency Stability	± 10 Hz
Occupied Bandwidth	± 10 Hz
Spurious Emissions at antenna terminals	± 1.2 dB
Spurious Emissions at antenna terminals at Block Edges	± 1.2 dB
Radiated Emission(30MHz~1GHz)	Horizontal: 30MHz~200MHz: 4.6 dB 200MHz~1GHz: 4.1 dB Vertical: 30MHz~200MHz: 4.8 dB 200MHz~1GHz: 4.1 dB
Radiated Emission(1GHz~40GHz)	Horizontal: 1GHz~18GHz: 5.0 dB Vertical: 1GHz~18GHz: 4.8 dB Horizontal: 18GHz~40GHz: 4.7 dB Vertical: 18GHz~40GHz: 4.6 dB

1 GENERAL INFORMATION

Product Name	Nokia Industrial 5G fieldrouter FRRO505c	
Model No.	FRRO505c	
Trademark.	Nokia	
FCC ID.....	2AVO2FRRO505C	
Manufacturer	Shanghai Smawave Technology Co., Ltd	
Manufacturer Address	2/F, Building 8, 1001 North Qinzhou Road, Xuhui District, Shanghai, China	
SN.....	RF Radiated	RO505A00252300029
Wireless module information	Trade mark	Quectel
	Model No.	RM520N-GL
	FCC ID	XMR2023RM520NGL
Wireless specification	LTE, NR	
Support Band(s)	LTE	FDD Band 2/4/5/7/12/13/14/17/25/26/30/66/71 TDD Band 38/41/48/42/43
	NR	FDD NR Band 2/5/7/12/13/14/25/26/30/66/70/71 TDD NR Band 38/41/48/77/78
Uplink.....	Band 2: 1850-1910 MHz Band 4: 1710-1755 MHz Band 5: 824-849 MHz Band 7: 2500-2570 MHz Band 12: 699-716 MHz Band 13: 777-787 MHz Band 14: 788-798 MHz Band 17: 704-716 MHz Band 25: 1850-1915 MHz Band 26: 814-849 MHz Band 30: 2305-2315 MHz Band 66: 1710-1780 MHz Band 70: 1965-1710 MHz Band 71: 663-698 MHz Band 38: 2570-2620 MHz Band 41: 2496-2690 MHz Band 42: 3450-3550 MHz Band 43: 3700-3800 MHz Band 48: 3550-3700 MHz Band 77: 3450-3550 MHz, 3700-3980 MHz Band 78: 3450-3550 MHz, 3700-3800 MHz	
Downlink	Band 2: 1930-1990 MHz Band 4: 2110-2155 MHz Band 5: 869-894 MHz Band 7: 2620-2690 MHz Band 12: 729-746 MHz Band 13: 746-756 MHz Band 14: 758-768 MHz Band 17: 734-746 MHz Band 25: 1930-1995 MHz Band 26: 859-894 MHz	

	Band 30: 2350-2360 MHz Band 66: 2110-2200 MHz Band 70: 1995-2020 MHz Band 71: 617-652 MHz Band 38: 2570-2620 MHz Band 41: 2496-2690 MHz Band 42: 3450-3550 MHz Band 43: 3700-3800 MHz Band 48: 3550-3700 MHz Band 77: 3450-3550 MHz, 3700-3980 MHz Band 78: 3450-3550 MHz, 3700-3800 MHz	
SCS and Channel Bandwidth(MHz):	LTE Band 2	1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 4	1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 5	1.4 MHz / 3 MHz / 5 MHz / 10 MHz
	LTE Band 7	5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 12	1.4 MHz / 3 MHz / 5 MHz / 10 MHz
	LTE Band 13	5 MHz / 10 MHz
	LTE Band 14	5 MHz / 10 MHz
	LTE Band 17	5 MHz / 10 MHz
	LTE Band 25	1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 26	1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz
	LTE Band 30	5 MHz / 10 MHz
	LTE Band 38	5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 41	5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 42	5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 43	5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 48	5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 66	1.4 MHz / 3 MHz / 5 MHz / 10 MHz / 15 MHz / 20 MHz
	LTE Band 71	5 MHz / 10 MHz / 15 MHz / 20 MHz
	n2_SCS 15kHz	5 MHz / 10 MHz / 15 MHz / 20 MHz / 25 MHz / 30 MHz / 40 MHz
	n5_SCS 15kHz	5 MHz / 10 MHz / 15 MHz / 20 MHz
	n7_SCS 15kHz	5 MHz / 10 MHz / 15 MHz / 20 MHz / 25 MHz / 30 MHz / 40 MHz
	n12_SCS 15kHz	5 MHz / 10 MHz / 15 MHz
	n13_SCS 15kHz	5 MHz / 10 MHz
	n14_SCS 15kHz	5 MHz / 10 MHz
	n25_SCS 15kHz	5 MHz / 10 MHz / 15 MHz / 20 MHz / 25 MHz / 30 MHz / 40 MHz
	N26_SCS 15kHz	5 MHz / 10 MHz / 15 MHz / 20 MHz
	n30_SCS 15kHz	5 MHz / 10 MHz
	n66_SCS 15kHz	5 MHz / 10 MHz / 15 MHz / 20 MHz / 25 MHz / 30 MHz / 40 MHz
	n70_SCS 15kHz	5 MHz / 10 MHz / 15 MHz
	n71_SCS 15kHz	5 MHz / 10 MHz / 15 MHz / 20 MHz
	n38_SCS 30kHz	10 MHz / 15 MHz / 20 MHz / 25 MHz / 30 MHz / 40 MHz

	n41_SCS 30kHz	10 MHz / 15 MHz / 20 MHz / 25 MHz / 30 MHz / 40 MHz / 50 MHz / 60 MHz / 70 MHz / 80 MHz / 90 MHz / 100 MHz
	n48_SCS 30kHz	10 MHz / 15 MHz / 20 MHz / 30 MHz / 40 MHz
	n77_SCS 30kHz	10 MHz / 15 MHz / 20 MHz / 25 MHz / 30 MHz / 40 MHz / 50 MHz / 60 MHz / 70 MHz / 80 MHz / 90 MHz / 100 MHz
	n78_SCS 30kHz	10 MHz / 15 MHz / 20 MHz / 25 MHz / 30 MHz / 40 MHz / 50 MHz / 60 MHz / 70 MHz / 80 MHz / 90 MHz / 100 MHz
LTE UL CA	LTE UL CA_2C; LTE UL CA_5B; LTE UL CA_7C; LTE UL CA_38C; LTE UL CA_41C; LTE UL CA_42C; LTE UL CA_43C; LTE UL CA_66B; LTE UL CA_66C; LTE UL CA_2A-4A; LTE UL CA_2A-5A; LTE UL CA_2A-7A; LTE UL CA_2A-12A; LTE UL CA_2A-13A; LTE UL CA_2A-30A; LTE UL CA_2A-66A; LTE UL CA_4A-5A; LTE UL CA_4A-7A; LTE UL CA_4A-12A; LTE UL CA_4A-13A; LTE UL CA_4A-30A; LTE UL CA_5A-7A; LTE UL CA_5A-30A; LTE UL CA_5A-66A; LTE UL CA_12A-30A; LTE UL CA_12A-66A; LTE UL CA_13A-66A; LTE UL CA_14A-30A;	
ENDC	DC_13A_n66A;DC_5A_n2A;DC_14A_n2A;DC_30A_n2A;DC_2A_n5A; DC_30A_n5A;DC_66A_n5A;DC_2A_n12A;DC_66A_n12A;DC_2A_n66A; DC_5A_n66A;DC_12A_n66A;DC_14A_n66A;DC_30A_n66A;DC_12A_n2A; DC_66A_n2A;DC_71A_n2A;DC_12A_n41A;DC_71A_n66A;DC_2A_n71A DC_66A_n71A;DC_66A_n25A;DC_25A_n41A;DC_12A_n78A;DC_13A_n78A DC_25A_n78A;DC_12A_n77A;DC_13A_n77A;DC_14A_n77A;DC_26A_n78A DC_2A_n78A;DC_26A_n41A;DC_2A_n41A;DC_7A_n5A;DC_38A_n78A DC_7A_n71A;DC_41A_n78A;DC_5A_n7A;DC_12A_n7A;DC_66A_n7A DC_13A_n2A; DC_7A_n66A;DC_4A_n78A;DC_20A_n77A DC_5A_n78A;DC_4A_n41A;DC_66A_n38A;DC_2A_n38A;DC_12A_n38A DC_4A_n38A;DC_5A_n38A;DC_66A_n78A;DC_12A_n25A;DC_25A_n77A DC_2A_n77A;DC_71A_n78A;DC_71A_n38A;DC_13A_n7A;DC_5A_n41A DC_66A_n41A;DC_2A_n7A;DC_7A_n2A;DC_5A_n40A;DC_30A_n77A DC_41A_n77A;DC_7A_n78A; DC_66A_n28A;DC_71A_n41A DC_28A_n66A;DC_30A_n12A;DC_2A_n14A;DC_30A_n14A;DC_66A_n14A DC_2A_n30A;DC_5A_n30A;DC_12A_n30A;DC_14A_n30A;DC_66A_n30A DC_71A_n7A;DC_7A_n12A;DC_5A_n77A;DC_66A_n77A;DC_71A_n77A DC_4A_n2A;DC_7A_n25A;DC_71A_n25A;DC_5A_n25A;DC_26A_n25A DC_4A_n7A;DC_13A_n25A;DC_7A_n77A;	
NR UL CA.....	n25A-n41A; n41A-n66A; n41A-n71A ;n7A-n78A ;n5A-n78A n66A-n78A;n7A-n77A;n2A-n77A;n5A-n77A;n66A-n77A n30A-n77A;n71A-n77A;n71A-n78A;n25A-n78A;n38A-n66A n25A-n77A;n25A-n38A;n13A-n77A; n2A-n41A	
Type of Modulation	DFT-s-OFDM Pi/2 BPSK DFT-s-OFDM QPSK DFT-s-OFDM 16QAM DFT-s-OFDM 64QAM DFT-s-OFDM 256QAM CP-OFDM QPSK	



	CP-OFDM 16QAM CP-OFDM 64QAM CP-OFDM 256QAM
Antenna Type	Dipole
Note: The product has two identical WWAN modules built in. Each module is equipped with four antennas, for a total of eight WWAN antennas. The eight antennas are exactly the same, and the two modules work completely independently. After evaluation, this report only presents test data of one module.	

Remark:

1. As above information is provided and confirmed by the applicant. DEKRA is not liable to the accuracy, suitability, reliability or/and integrity of the information.

	Band NO.		Frequency (Uplink)	Antenna Usage				Antenna Gain(dBi)
Antenna port of WWAN module 1 (Shell silk screen)	LTE	NR		ANT1-1	ANT1-0	ANT1-3	ANT1-2	
Antenna port of WWAN module 2 (Shell silk screen)				ANT2-1	ANT2-0	ANT2-3	ANT2-2	
Module antenna interface screen printing				ANT0	ANT1	ANT2	ANT3	
WWAN FDD	2	2	1850-1910 MHz	TX0/PRX	PRX MIMO	TX1/DRX MIMO	DRX	4.9
	4		1710-1755 MHz	TX0/PRX	PRX MIMO	TX1/DRX MIMO	DRX	4.94
	5	5	824-849 MHz	TX0/PRX			TX1/DRX	1.63
	7	7	2500-2570 MHz	TX0/PRX	PRX MIMO	TX1/DRX MIMO	DRX	2.4
	12	12	699-716 MHz	TX0/PRX			TX1/DRX	1.36
	13	13	777-787 MHz	TX0/PRX			TX1/DRX	2.07
	14	14	788-798 MHz	TX0/PRX			TX1/DRX	1.76
	17		704-716 MHz	TX0/PRX			TX1/DRX	1.32
	25	25	1850-1915 MHz	TX0/PRX	PRX MIMO	TX1/DRX MIMO	DRX	4.92
	26	26	814-849 MHz	TX0/PRX			TX1/DRX	1.63
	30	30	2305-2315 MHz	TX0/PRX	PRX MIMO	TX1/DRX MIMO	DRX	-0.07
	66	66	1710-1780 MHz	TX0/PRX	PRX MIMO	TX1/DRX MIMO	DRX	4.94
		70	1695-1710MHz	TX0/PRX	PRX MIMO	TX1/DRX MIMO	DRX	4.74
	71	71	663-698 MHz	TX0/PRX			TX1/DRX	1.36
WWAN TDD	38	38	2570-2620 MHz	TX0/PRX	PRX MIMO	TX1/DRX MIMO	DRX	2.4
	41	41	2496-2690 MHz	TX0/PRX	PRX MIMO	TX1/DRX MIMO	DRX	2.4
	42		3450-3550 MHz	TX1/DRX	PRX MIMO	TX0/PRX	DRX MIMO	-0.61
	43		3700-3800 MHz	TX1/DRX	PRX MIMO	TX0/PRX	DRX MIMO	-0.61
	48	48	3550-3700 MHz	TX1/DRX	PRX MIMO	TX0/PRX	DRX MIMO	-1.21
		77	3450-3550 MHz, 3700-3980 MHz	TX1/DRX	PRX MIMO	TX0/PRX	DRX MIMO	-0.61
		78	3450-3550 MHz, 3700-3800 MHz	TX1/DRX	PRX MIMO	TX0/PRX	DRX MIMO	-0.61

Remark:

As above information is provided and confirmed by the applicant. DEKRA is not liable to the accuracy, suitability, reliability or/and integrity of the information.

2 DESCRIPTION OF TEST SETUP

Auxiliary equipment	Type / Version	Manufacturer	Supplied by
Wideband Radio Communication Tester	CMW 500	R&S	230Vac
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
software	Type / Version	Manufacturer	Supplied by
CMW 500 / Anritsu MT8000 / Anritsu MT8821	N/A	N/A	N/A

Accessories Information	Cable		
	Length used during test [m]	Attached during test	Shielded
N/A	1	☒	☐
N/A	8	☒	☐

Note1 : Regards to the frequency band operation: the middle frequency channel were selected to perform the test, then shown on this report.

Note 2: For portable device, radiated tests was verified over X, Y, Z axis, and shown the worst case on this report.

3 VERDICT SUMMARY SECTION

This chapter presents an overview of standards and results. Refer to the next chapters for details of measured test results and applied test levels.

3.1 Standards

Standard	Year	Description
FCC CFR Title 47 Part 2	2024	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
FCC CFR Title 47 Part 22	2024	Public Mobile Services
FCC CFR Title 47 Part 24	2024	Personal Communications Services
FCC CFR Title 47 Part 27	2024	Miscellaneous Wireless Communications Services
FCC CFR Title 47 Part 90	2024	PRIVATE LAND MOBILE RADIO SERVICES
FCC CFR Title 47 Part 96	2024	CITIZENS BROADBAND RADIO SERVICE
ANSI C63.26	2015	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services
ANSI TIA-603-E	2016	Land Mobile FM or PM Communications Equipment Measurement and performance Standards
KDB971168 D01 v03r01	2018	Measurement Guidance for Certification of Licensed Digital Transmitters
KDB971168 D02 v02r01	2023	Miscellaneous and Basic Review and Approval Items for Transmitting Equipment Used in Licensed Radio Services

3.2 Deviation(s) from the Standard(s) / Test Specification(s)

The following deviation(s) was / were made from the published requirements of the listed standards: N/A.

(Please define the deviations from the standard(s) if applicable)

3.3 Overview of results

FCC Part 22			
Requirement – Test case	Basic standard(s)	Verdict	Remark
Effective (Isotropic) Radiated Power Output Data	Section 22.913	PASS	Refer to Appendix A for test data
Field Strength of Spurious Radiation	Section 22.917	PASS	Refer to Appendix B for test data

FCC Part 24			
Requirement – Test case	Basic standard(s)	Verdict	Remark
Effective (Isotropic) Radiated Power Output Data	Section 24.232	PASS	Refer to Appendix A for test data
Field Strength of Spurious Radiation	Section 24.238	PASS	Refer to Appendix B for test data

FCC Part 27			
Requirement – Test case	Basic standard(s)	Verdict	Remark
Effective (Isotropic) Radiated Power Output Data	Section 27.50	PASS	Refer to Appendix A for test data
Field Strength of Spurious Radiation	Section 27.53	PASS	Refer to Appendix B for test data

FCC Part 90			
Requirement – Test case	Basic standard(s)	Verdict	Remark
Effective (Isotropic) Radiated Power Output Data	Section 90.542 Section 90.635	PASS	Refer to Appendix A for test data
Field Strength of Spurious Radiation	Section 90.543 Section 90.691	PASS	Refer to Appendix B for test data

FCC Part 96			
Requirement – Test case	Basic standard(s)	Verdict	Remark
Effective (Isotropic) Radiated Power Output Data	Section 96.41	PASS	Refer to Appendix A for test data
Field Strength of Spurious Radiation	Section 96.41	PASS	Refer to Appendix B for test data

3.4 Worst-case configuration and mode

The Worst Test Modes and Channel Details

1. The EUT has been tested under operating condition.
2. The testing mode in this report is the worst one selected for the module certification report.
3. During the testing process, two WWAN modules were respectively connected to a base station, with the same parameters set. The test was conducted under exactly the same conditions.
4. For NR, we conducted a thorough test of the NR SA and performed a radiated spurious verification of the combination with the highest output power in each band of the NSA, with no change in the results. Therefore, only the worst-case data is displayed.

3.5 Test Facility

USA : FCC Designation Number: CN1199

4 TEST RESULTS

4.1 Effective (Isotropic) Radiated Power Output

VERDICT: PASS

4.1.1 Limit

Standard: FCC § 2.1046 & 22.913(a) & 24.232(c) & 27.50(a) & 27.50(b) & 27.50(c) & 27.50(d) & 27.50(h) & 27.50(j) & 27.50(k) & 90.635(b) & 90.542(a) & 96.41(b)

According to FCC section 22.913(a) (5), the Effective Radiated Power (ERP) of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC section 24.232(c), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

According to FCC section 27.50(a) (3), for mobile and portable stations transmitting in the 2305-2315MHz band or the 2350-2360MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards.

FCC section 27.50(b) (10), portable stations (hand-held devices) transmitting in the 746-757MHz, 776- 788MHz, and 805-806MHz bands are limited to 3 watts ERP.

FCC section 27.50(c) (10), portable stations (hand-held devices) in the 600MHz uplink band and the 698- 746MHz band, and fixed and mobile stations in the 600MHz uplink band are limited to 3 watts ERP.

FCC section 27.50(d) (4), fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

(7) Fixed, mobile, and portable (hand-held) stations operating in the 2000-2020 MHz band are limited to 2 watts EIRP.

And FCC section 27.50(h) (2), for mobile and other user stations, mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

FCC section 27.50(j) (3), for mobile, and portable (hand-held) stations operating in the 3700-3980 MHz band are limited to 1 watt EIRP.

FCC section 27.50(k) (3), Mobile devices are limited to 1Watt (30 dBm) EIRP in the 3450-3550 MHz band.

According to FCC section 90.635(b), the maximum output power of the transmitter for mobile stations is 100 watts (20dBW).

According to FCC section 90.542(a) (7), portable stations (hand-held devices) transmitting in the 758-768 MHz band and the 788-798 MHz band are limited to 3 watts ERP.


FCC section 96.41(b), the maximum effective isotropic radiated power (EIRP) and maximum Power Spectral Density (PSD) of any CBSD and End User Device must comply with the limits shown in the table in this paragraph below:

Device	Maximum EIRP (dBm/10 megahertz)	Maximum PSD (dBm/MHz)
End User Device	23	N/A
Category A CBSD	30	20
Category B CBSD ^{note1}	47	37


Note1: Category B CBSDs will only be authorized for use after an ESC is approved and commercially deployed consistent with §§ 96.15 and 96.67.

4.1.2 Test Setup

30MHz-1GHz Test Setup



Above 1GHz Test Setup



4.1.3 Test Procedure

	References Rule	Chapter	Item
☒	ANSI C63.26-2015	5.2	RF output power measurement procedures
The conducted RF Output Power measurements were made at the RF output terminals of the EUT using the power meter of the Universal Radio Communication tester R&S CMW500, selecting maximum transmission power of the EUT and different modes of modulation. Peak to average ratio(PAPR) is used equation $PAPR(dB)=PPK(dBm)-PAVG(dBm)$, where PPK is measured peak power, and PAVG is measured average power. The maximum equivalent isotropically radiated power(e.i.r.p.) is calculated by adding the declared maximum antenna gain(dBi). The maximum effective radiated power e.r.p. is calculated form the maximum equivalent isotropically radiated power(e.i.r.p.) by subtracting 2.15 dB: $E.R.P = E.I.R.P. - 2.15\text{ dB}$			

4.2 Radiated Emissions

VERDICT: PASS

4.2.1 Limit

Standard: FCC § 2.1053 & 22.917(a) & 24.238(a) & 27.53(a) & 27.53(c) & 27.53(f) & 27.53(g) & 27.53(h) & 27.53(l) & 27.53(m) & 27.53(n) & 90.691 & 90.543 & 96.41(e)

FCC § 22.917(a) & 24.238(a)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This is calculated to be -13 dBm.

FCC § 27.53(a) (4)

For mobile and portable stations operating in the 2305-2315MHz and 2350-2360MHz bands:

(1) By a factor of not less than: $43 + 10 \log(P)$ dB on all frequencies between 2305 and 2320MHz and on all frequencies between 2345 and 2360MHz that are outside the licensed band(s) of operation, not less than $55 + 10 \log(P)$ dB on all frequencies between 2320 and 2324MHz and on all frequencies between 2341 and 2345MHz, not less than $61 + 10 \log(P)$ dB on all frequencies between 2324 and 2328MHz and on all frequencies between 2337 and 2341MHz, and not less than $67 + 10 \log(P)$ dB on all frequencies between 2328 and 2337MHz.

(2) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2300 and 2305MHz, $55 + 10 \log(P)$ dB on all frequencies between 2296 and 2300MHz, $61 + 10 \log(P)$ dB on all frequencies between 2292 and 2296MHz, $67 + 10 \log(P)$ dB on all frequencies between 2288 and 2292MHz, and $70 + 10 \log(P)$ dB below 2288MHz.

(3) By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2360 and 2365MHz, and not less than $70 + 10 \log(P)$ dB above 2365MHz.

FCC § 27.53(c)

For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

(1) On any frequency outside the 746–758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;

(2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;

(3) On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than $76 + 10 \log(P)$ dB in a 6.25 kHz band segment, for base and fixed stations;

(4) On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

(5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater.

However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed;

(6) Compliance with the provisions of paragraphs (c)(3) and (c)(4) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment. FCC § 27.53(f)

For operations in the 746–758 MHz, 775–788 MHz, and 805–806 MHz bands, emissions in the band 1559–1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC § 27.53(g)

For operations in the 600MHz band and the 698-746MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC § 27.53(h) (1)

Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180- 2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

FCC § 27.53(l) (2)

For mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

FCC §27.53(m) (4)

For mobile digital stations (BRS and EBS stations), the attenuation factor shall be not less than:

- 40+10logP dB (-10 dBm, 100 nW) on all frequencies between the channel edge and 5 MHz from the channel edge.
- 43+10logP dB (-13 dBm, 50 nW) on all frequencies between 5 MHz and X MHz from the channel edge,
- 55+10logP dB (-25 dBm, 3 nW) on all frequencies more than X MHz from the channel edge, where X is the greater of 6 MHz or the actual emission bandwidth (26 dB).

In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

FCC §27.53(n) (2)

For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

FCC §90.691

(a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

(b) When an emission outside of the authorized bandwidth causes harmful interference, the Commission may, at its discretion, require greater attenuation than specified in this section.

FCC §90.543

(e) For operations in the 758–768 MHz and the 788–798 MHz bands, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

(1) On all frequencies between 769–775 MHz and 799–805 MHz, by a factor not less than $76 + 10 \log(P)$ dB in a 6.25 kHz band segment, for base and fixed stations.

(2) On all frequencies between 769–775 MHz and 799–805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations.

(3) On any frequency between 775–788 MHz, above 805 MHz, and below 758 MHz, by at least $43 + 10 \log(P)$ dB.

(4) Compliance with the provisions of paragraphs (e)(1) and (2) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.

(f) For operations in the 758–775 MHz and 788–805 MHz bands, all emissions including harmonics in the band 1559–1610 MHz shall be limited to -70 dBW/ MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.


FCC §96.41(e)

The conducted power of any emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any emission shall not exceed -25 dBm/MHz. The conducted power of any emissions below 3530 MHz or above 3720 MHz shall not exceed -40 dBm/MHz.


Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

4.2.2 Test Setup

30MHz-1GHz Test Setup:



Above 1GHz Test Setup:



4.2.3 Test Procedure

	Reference Rule	Chapter	Description
☒	ANSI C63.26	5.5	Radiated emissions testing

The spectrum was scanned from 9 kHz to the 10th harmonic of the highest frequency generated within the equipment.

Emissions below 18 GHz were measured at a 3 meter test distance.

The EUT was tested in three orthogonal axes and in all possible test configurations and poisoning when measurement antenna is oriented in both horizontal and vertical polarization, the worst case emissions was showed in the report.

Radiated emissions were used the substitution method described in ANSI/TIA-603-E-2016.

Radiated emissions were measured with 100kHz RBW below 1GHz and 1MHz RBW above 1GHz.

According to specification, the power of emissions shall be attenuated below the transmitter power (P) by a factor of at least $X + 10 \log (P)$ dB. P in watts. The specification can be interpreted as an absolute limit when the specified attenuation is actually subtracted from the maximum permissible transmitter power [i.e., $10 \log P - \{X + 10 \log P\}$], resulting in an absolute level of -X dBW [or $(-X + 30)$ dBm].

4.3 Test setup photo and EUT Photo	VERDICT: PASS

Remark: The test setup photo and EUT Photo please see appendix.

Appendix A: test data of Effective (Isotropic) Radiated Power Output Data

LTE B2:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.62	28.52	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.72	28.62	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.33	28.23	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.62	27.52	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.89	27.79	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.46	28.36	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.88	28.78	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	23.01	27.91	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.34	28.24	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.57	28.47	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.45	28.35	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.78	27.68	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.66	27.56	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	23.21	28.11	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.65	27.55	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.61	26.51	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	23.02	27.92	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.82	27.72	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.89	27.79	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.56	26.46	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	23.09	27.99	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	22.85	27.75	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	23.26	28.16	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.81	26.71	33	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	22.73	27.63	33	PASS
Band2	1.4MHz	64QAM	18607	1RB#2	21.94	26.84	33	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	21.73	26.63	33	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	20.68	25.58	33	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	21.95	26.85	33	PASS
Band2	1.4MHz	64QAM	18900	1RB#2	22.07	26.97	33	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	22.03	26.93	33	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	21.2	26.1	33	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	21.88	26.78	33	PASS
Band2	1.4MHz	64QAM	19193	1RB#2	21.91	26.81	33	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	21.83	26.73	33	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	20.36	25.26	33	PASS
Band2	1.4MHz	256QAM	18607	1RB#0	18.69	23.59	33	PASS
Band2	1.4MHz	256QAM	18607	1RB#2	18.89	23.79	33	PASS
Band2	1.4MHz	256QAM	18607	1RB#5	18.56	23.46	33	PASS
Band2	1.4MHz	256QAM	18607	6RB#0	18.35	23.25	33	PASS

Band2	1.4MHz	256QAM	18900	1RB#0	19.22	24.12	33	PASS
Band2	1.4MHz	256QAM	18900	1RB#2	19.19	24.09	33	PASS
Band2	1.4MHz	256QAM	18900	1RB#5	18.74	23.64	33	PASS
Band2	1.4MHz	256QAM	18900	6RB#0	18.97	23.87	33	PASS
Band2	1.4MHz	256QAM	19193	1RB#0	18.69	23.59	33	PASS
Band2	1.4MHz	256QAM	19193	1RB#2	18.62	23.52	33	PASS
Band2	1.4MHz	256QAM	19193	1RB#5	18.46	23.36	33	PASS
Band2	1.4MHz	256QAM	19193	6RB#0	18.66	23.56	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.32	28.22	33	PASS
Band2	3MHz	QPSK	18615	1RB#8	24.06	28.96	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.71	28.61	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.45	27.35	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.49	28.39	33	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.78	28.68	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	24	28.9	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.84	27.74	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.48	28.38	33	PASS
Band2	3MHz	QPSK	19185	1RB#8	23.4	28.3	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.45	28.35	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.7	27.6	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.93	27.83	33	PASS
Band2	3MHz	16QAM	18615	1RB#8	22.97	27.87	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.79	27.69	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.77	26.67	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.46	27.36	33	PASS
Band2	3MHz	16QAM	18900	1RB#8	22.85	27.75	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.93	27.83	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	22.1	27	33	PASS
Band2	3MHz	16QAM	19185	1RB#0	23.21	28.11	33	PASS
Band2	3MHz	16QAM	19185	1RB#8	22.8	27.7	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.95	27.85	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.4	26.3	33	PASS
Band2	3MHz	64QAM	18615	1RB#0	21.63	26.53	33	PASS
Band2	3MHz	64QAM	18615	1RB#8	21.95	26.85	33	PASS
Band2	3MHz	64QAM	18615	1RB#14	21.56	26.46	33	PASS
Band2	3MHz	64QAM	18615	15RB#0	20.46	25.36	33	PASS
Band2	3MHz	64QAM	18900	1RB#0	21.45	26.35	33	PASS
Band2	3MHz	64QAM	18900	1RB#8	21.96	26.86	33	PASS
Band2	3MHz	64QAM	18900	1RB#14	22.28	27.18	33	PASS
Band2	3MHz	64QAM	18900	15RB#0	20.73	25.63	33	PASS
Band2	3MHz	64QAM	19185	1RB#0	21.78	26.68	33	PASS
Band2	3MHz	64QAM	19185	1RB#8	21.81	26.71	33	PASS
Band2	3MHz	64QAM	19185	1RB#14	22.25	27.15	33	PASS
Band2	3MHz	64QAM	19185	15RB#0	20.93	25.83	33	PASS
Band2	3MHz	256QAM	18615	1RB#0	18.76	23.66	33	PASS
Band2	3MHz	256QAM	18615	1RB#8	18.78	23.68	33	PASS

Band2	3MHz	256QAM	18615	1RB#14	18.49	23.39	33	PASS
Band2	3MHz	256QAM	18615	15RB#0	18.62	23.52	33	PASS
Band2	3MHz	256QAM	18900	1RB#0	18.56	23.46	33	PASS
Band2	3MHz	256QAM	18900	1RB#8	18.96	23.86	33	PASS
Band2	3MHz	256QAM	18900	1RB#14	19.13	24.03	33	PASS
Band2	3MHz	256QAM	18900	15RB#0	18.61	23.51	33	PASS
Band2	3MHz	256QAM	19185	1RB#0	18.96	23.86	33	PASS
Band2	3MHz	256QAM	19185	1RB#8	18.94	23.84	33	PASS
Band2	3MHz	256QAM	19185	1RB#14	18.64	23.54	33	PASS
Band2	3MHz	256QAM	19185	15RB#0	18.42	23.32	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.52	28.42	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.61	28.51	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.92	28.82	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.98	27.88	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.27	28.17	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.94	28.84	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.43	28.33	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.62	27.52	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	23.68	28.58	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.55	28.45	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.67	28.57	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.97	27.87	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.62	27.52	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.91	27.81	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.9	27.8	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.99	26.89	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.86	27.76	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.96	27.86	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.56	27.46	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.73	26.63	33	PASS
Band2	5MHz	16QAM	19175	1RB#0	22.56	27.46	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	23.17	28.07	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	23.07	27.97	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.82	26.72	33	PASS
Band2	5MHz	64QAM	18625	1RB#0	21.69	26.59	33	PASS
Band2	5MHz	64QAM	18625	1RB#12	22.17	27.07	33	PASS
Band2	5MHz	64QAM	18625	1RB#24	22.22	27.12	33	PASS
Band2	5MHz	64QAM	18625	25RB#0	20.52	25.42	33	PASS
Band2	5MHz	64QAM	18900	1RB#0	22.16	27.06	33	PASS
Band2	5MHz	64QAM	18900	1RB#12	21.99	26.89	33	PASS
Band2	5MHz	64QAM	18900	1RB#24	22.01	26.91	33	PASS
Band2	5MHz	64QAM	18900	25RB#0	20.57	25.47	33	PASS
Band2	5MHz	64QAM	19175	1RB#0	21.84	26.74	33	PASS
Band2	5MHz	64QAM	19175	1RB#12	21.72	26.62	33	PASS
Band2	5MHz	64QAM	19175	1RB#24	22.23	27.13	33	PASS
Band2	5MHz	64QAM	19175	25RB#0	20.82	25.72	33	PASS

Band2	5MHz	256QAM	18625	1RB#0	18.48	23.38	33	PASS
Band2	5MHz	256QAM	18625	1RB#12	18.71	23.61	33	PASS
Band2	5MHz	256QAM	18625	1RB#24	18.96	23.86	33	PASS
Band2	5MHz	256QAM	18625	25RB#0	18.94	23.84	33	PASS
Band2	5MHz	256QAM	18900	1RB#0	18.63	23.53	33	PASS
Band2	5MHz	256QAM	18900	1RB#12	18.53	23.43	33	PASS
Band2	5MHz	256QAM	18900	1RB#24	18.67	23.57	33	PASS
Band2	5MHz	256QAM	18900	25RB#0	19.01	23.91	33	PASS
Band2	5MHz	256QAM	19175	1RB#0	18.71	23.61	33	PASS
Band2	5MHz	256QAM	19175	1RB#12	19.1	24	33	PASS
Band2	5MHz	256QAM	19175	1RB#24	18.63	23.53	33	PASS
Band2	5MHz	256QAM	19175	25RB#0	18.63	23.53	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.49	28.39	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.88	28.78	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.71	28.61	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.5	27.4	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.28	28.18	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	24.04	28.94	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.67	28.57	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.53	27.43	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	23.62	28.52	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.79	28.69	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	24.03	28.93	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.88	27.78	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.44	27.34	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	23.13	28.03	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.82	27.72	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	22.02	26.92	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.52	27.42	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.85	27.75	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.56	27.46	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.94	26.84	33	PASS
Band2	10MHz	16QAM	19150	1RB#0	23.09	27.99	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.7	27.6	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.76	27.66	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.68	26.58	33	PASS
Band2	10MHz	64QAM	18650	1RB#0	21.64	26.54	33	PASS
Band2	10MHz	64QAM	18650	1RB#24	21.7	26.6	33	PASS
Band2	10MHz	64QAM	18650	1RB#49	22.03	26.93	33	PASS
Band2	10MHz	64QAM	18650	50RB#0	21.09	25.99	33	PASS
Band2	10MHz	64QAM	18900	1RB#0	22.01	26.91	33	PASS
Band2	10MHz	64QAM	18900	1RB#24	21.75	26.65	33	PASS
Band2	10MHz	64QAM	18900	1RB#49	22.4	27.3	33	PASS
Band2	10MHz	64QAM	18900	50RB#0	20.75	25.65	33	PASS
Band2	10MHz	64QAM	19150	1RB#0	21.81	26.71	33	PASS
Band2	10MHz	64QAM	19150	1RB#24	22.17	27.07	33	PASS

Band2	10MHz	64QAM	19150	1RB#49	21.91	26.81	33	PASS
Band2	10MHz	64QAM	19150	50RB#0	21.05	25.95	33	PASS
Band2	10MHz	256QAM	18650	1RB#0	18.35	23.25	33	PASS
Band2	10MHz	256QAM	18650	1RB#24	18.69	23.59	33	PASS
Band2	10MHz	256QAM	18650	1RB#49	18.55	23.45	33	PASS
Band2	10MHz	256QAM	18650	50RB#0	18.41	23.31	33	PASS
Band2	10MHz	256QAM	18900	1RB#0	19.08	23.98	33	PASS
Band2	10MHz	256QAM	18900	1RB#24	18.87	23.77	33	PASS
Band2	10MHz	256QAM	18900	1RB#49	18.59	23.49	33	PASS
Band2	10MHz	256QAM	18900	50RB#0	18.78	23.68	33	PASS
Band2	10MHz	256QAM	19150	1RB#0	18.87	23.77	33	PASS
Band2	10MHz	256QAM	19150	1RB#24	19.17	24.07	33	PASS
Band2	10MHz	256QAM	19150	1RB#49	18.62	23.52	33	PASS
Band2	10MHz	256QAM	19150	50RB#0	18.55	23.45	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.36	28.26	33	PASS
Band2	15MHz	QPSK	18675	1RB#38	23.91	28.81	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.87	28.77	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.32	27.22	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.51	28.41	33	PASS
Band2	15MHz	QPSK	18900	1RB#38	23.89	28.79	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.6	28.5	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.53	27.43	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.31	28.21	33	PASS
Band2	15MHz	QPSK	19125	1RB#38	23.64	28.54	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.68	28.58	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.61	27.51	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.72	27.62	33	PASS
Band2	15MHz	16QAM	18675	1RB#38	22.65	27.55	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	23.01	27.91	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.89	26.79	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.5	27.4	33	PASS
Band2	15MHz	16QAM	18900	1RB#38	22.68	27.58	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.94	27.84	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.62	26.52	33	PASS
Band2	15MHz	16QAM	19125	1RB#0	22.57	27.47	33	PASS
Band2	15MHz	16QAM	19125	1RB#38	22.43	27.33	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.63	27.53	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.73	26.63	33	PASS
Band2	15MHz	64QAM	18675	1RB#0	21.46	26.36	33	PASS
Band2	15MHz	64QAM	18675	1RB#38	21.86	26.76	33	PASS
Band2	15MHz	64QAM	18675	1RB#74	21.91	26.81	33	PASS
Band2	15MHz	64QAM	18675	75RB#0	20.91	25.81	33	PASS
Band2	15MHz	64QAM	18900	1RB#0	21.39	26.29	33	PASS
Band2	15MHz	64QAM	18900	1RB#38	21.74	26.64	33	PASS
Band2	15MHz	64QAM	18900	1RB#74	21.67	26.57	33	PASS
Band2	15MHz	64QAM	18900	75RB#0	20.74	25.64	33	PASS

Band2	15MHz	64QAM	19125	1RB#0	21.64	26.54	33	PASS
Band2	15MHz	64QAM	19125	1RB#38	21.36	26.26	33	PASS
Band2	15MHz	64QAM	19125	1RB#74	21.88	26.78	33	PASS
Band2	15MHz	64QAM	19125	75RB#0	20.91	25.81	33	PASS
Band2	15MHz	256QAM	18675	1RB#0	18.5	23.4	33	PASS
Band2	15MHz	256QAM	18675	1RB#38	18.57	23.47	33	PASS
Band2	15MHz	256QAM	18675	1RB#74	19	23.9	33	PASS
Band2	15MHz	256QAM	18675	75RB#0	18.86	23.76	33	PASS
Band2	15MHz	256QAM	18900	1RB#0	18.26	23.16	33	PASS
Band2	15MHz	256QAM	18900	1RB#38	18.64	23.54	33	PASS
Band2	15MHz	256QAM	18900	1RB#74	19.27	24.17	33	PASS
Band2	15MHz	256QAM	18900	75RB#0	18.59	23.49	33	PASS
Band2	15MHz	256QAM	19125	1RB#0	18.94	23.84	33	PASS
Band2	15MHz	256QAM	19125	1RB#38	18.56	23.46	33	PASS
Band2	15MHz	256QAM	19125	1RB#74	18.6	23.5	33	PASS
Band2	15MHz	256QAM	19125	75RB#0	18.4	23.3	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	24.19	29.09	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.25	28.15	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.81	28.71	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.73	27.63	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.76	28.66	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.58	28.48	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.4	28.3	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.47	27.37	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.77	28.67	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.79	28.69	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.87	28.77	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.64	27.54	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.86	27.76	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.59	27.49	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.66	27.56	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.35	26.25	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.72	27.62	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	23.2	28.1	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.84	27.74	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.88	26.78	33	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.87	27.77	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.8	27.7	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.59	27.49	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.7	26.6	33	PASS
Band2	20MHz	64QAM	18700	1RB#0	21.99	26.89	33	PASS
Band2	20MHz	64QAM	18700	1RB#49	21.83	26.73	33	PASS
Band2	20MHz	64QAM	18700	1RB#99	21.45	26.35	33	PASS
Band2	20MHz	64QAM	18700	100RB#0	20.44	25.34	33	PASS
Band2	20MHz	64QAM	18900	1RB#0	21.87	26.77	33	PASS
Band2	20MHz	64QAM	18900	1RB#49	22.03	26.93	33	PASS

Band2	20MHz	64QAM	18900	1RB#99	21.71	26.61	33	PASS
Band2	20MHz	64QAM	18900	100RB#0	20.81	25.71	33	PASS
Band2	20MHz	64QAM	19100	1RB#0	21.84	26.74	33	PASS
Band2	20MHz	64QAM	19100	1RB#49	21.98	26.88	33	PASS
Band2	20MHz	64QAM	19100	1RB#99	21.65	26.55	33	PASS
Band2	20MHz	64QAM	19100	100RB#0	20.69	25.59	33	PASS
Band2	20MHz	256QAM	18700	1RB#0	18.16	23.06	33	PASS
Band2	20MHz	256QAM	18700	1RB#49	18.98	23.88	33	PASS
Band2	20MHz	256QAM	18700	1RB#99	18.58	23.48	33	PASS
Band2	20MHz	256QAM	18700	100RB#0	18.37	23.27	33	PASS
Band2	20MHz	256QAM	18900	1RB#0	18.6	23.5	33	PASS
Band2	20MHz	256QAM	18900	1RB#49	18.56	23.46	33	PASS
Band2	20MHz	256QAM	18900	1RB#99	19.21	24.11	33	PASS
Band2	20MHz	256QAM	18900	100RB#0	18.92	23.82	33	PASS
Band2	20MHz	256QAM	19100	1RB#0	18.26	23.16	33	PASS
Band2	20MHz	256QAM	19100	1RB#49	18.59	23.49	33	PASS
Band2	20MHz	256QAM	19100	1RB#99	18.43	23.33	33	PASS
Band2	20MHz	256QAM	19100	100RB#0	18.51	23.41	33	PASS

LTE B4:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band4	1.4MHz	QPSK	19957	1RB#0	23.75	28.69	30	PASS
Band4	1.4MHz	QPSK	19957	1RB#2	23.98	28.92	30	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	23.47	28.41	30	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	22.49	27.43	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	23.21	28.15	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#2	23.41	28.35	30	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	23.58	28.52	30	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	22.42	27.36	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	23.5	28.44	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#2	23.4	28.34	30	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	23.45	28.39	30	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	22.62	27.56	30	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	22.58	27.52	30	PASS
Band4	1.4MHz	16QAM	19957	1RB#2	23.08	28.02	30	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	23.21	28.15	30	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	22.1	27.04	30	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	22.89	27.83	30	PASS
Band4	1.4MHz	16QAM	20175	1RB#2	23.07	28.01	30	PASS
Band4	1.4MHz	16QAM	20175	1RB#5	22.75	27.69	30	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	22.16	27.1	30	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	23	27.94	30	PASS
Band4	1.4MHz	16QAM	20393	1RB#2	22.8	27.74	30	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	22.79	27.73	30	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	21.46	26.4	30	PASS
Band4	1.4MHz	64QAM	19957	1RB#0	21.85	26.79	30	PASS
Band4	1.4MHz	64QAM	19957	1RB#2	21.79	26.73	30	PASS
Band4	1.4MHz	64QAM	19957	1RB#5	21.65	26.59	30	PASS
Band4	1.4MHz	64QAM	19957	6RB#0	20.49	25.43	30	PASS
Band4	1.4MHz	64QAM	20175	1RB#0	21.69	26.63	30	PASS
Band4	1.4MHz	64QAM	20175	1RB#2	21.65	26.59	30	PASS
Band4	1.4MHz	64QAM	20175	1RB#5	21.84	26.78	30	PASS
Band4	1.4MHz	64QAM	20175	6RB#0	20.77	25.71	30	PASS
Band4	1.4MHz	64QAM	20393	1RB#0	22.16	27.1	30	PASS
Band4	1.4MHz	64QAM	20393	1RB#2	21.76	26.7	30	PASS
Band4	1.4MHz	64QAM	20393	1RB#5	21.52	26.46	30	PASS
Band4	1.4MHz	64QAM	20393	6RB#0	20.98	25.92	30	PASS
Band4	1.4MHz	256QAM	19957	1RB#0	18.89	23.83	30	PASS
Band4	1.4MHz	256QAM	19957	1RB#2	18.67	23.61	30	PASS
Band4	1.4MHz	256QAM	19957	1RB#5	18.51	23.45	30	PASS
Band4	1.4MHz	256QAM	19957	6RB#0	18.47	23.41	30	PASS
Band4	1.4MHz	256QAM	20175	1RB#0	18.95	23.89	30	PASS
Band4	1.4MHz	256QAM	20175	1RB#2	18.91	23.85	30	PASS

Band4	1.4MHz	256QAM	20175	1RB#5	19.19	24.13	30	PASS
Band4	1.4MHz	256QAM	20175	6RB#0	18.45	23.39	30	PASS
Band4	1.4MHz	256QAM	20393	1RB#0	18.57	23.51	30	PASS
Band4	1.4MHz	256QAM	20393	1RB#2	18.95	23.89	30	PASS
Band4	1.4MHz	256QAM	20393	1RB#5	18.52	23.46	30	PASS
Band4	1.4MHz	256QAM	20393	6RB#0	18.57	23.51	30	PASS
Band4	3MHz	QPSK	19965	1RB#0	24.19	29.13	30	PASS
Band4	3MHz	QPSK	19965	1RB#8	24.04	28.98	30	PASS
Band4	3MHz	QPSK	19965	1RB#14	23.69	28.63	30	PASS
Band4	3MHz	QPSK	19965	15RB#0	23	27.94	30	PASS
Band4	3MHz	QPSK	20175	1RB#0	24.09	29.03	30	PASS
Band4	3MHz	QPSK	20175	1RB#8	23.48	28.42	30	PASS
Band4	3MHz	QPSK	20175	1RB#14	23.72	28.66	30	PASS
Band4	3MHz	QPSK	20175	15RB#0	22.76	27.7	30	PASS
Band4	3MHz	QPSK	20385	1RB#0	23.67	28.61	30	PASS
Band4	3MHz	QPSK	20385	1RB#8	23.58	28.52	30	PASS
Band4	3MHz	QPSK	20385	1RB#14	23.55	28.49	30	PASS
Band4	3MHz	QPSK	20385	15RB#0	23.02	27.96	30	PASS
Band4	3MHz	16QAM	19965	1RB#0	23.25	28.19	30	PASS
Band4	3MHz	16QAM	19965	1RB#8	22.88	27.82	30	PASS
Band4	3MHz	16QAM	19965	1RB#14	23.24	28.18	30	PASS
Band4	3MHz	16QAM	19965	15RB#0	22.11	27.05	30	PASS
Band4	3MHz	16QAM	20175	1RB#0	22.65	27.59	30	PASS
Band4	3MHz	16QAM	20175	1RB#8	22.95	27.89	30	PASS
Band4	3MHz	16QAM	20175	1RB#14	22.85	27.79	30	PASS
Band4	3MHz	16QAM	20175	15RB#0	21.41	26.35	30	PASS
Band4	3MHz	16QAM	20385	1RB#0	23.22	28.16	30	PASS
Band4	3MHz	16QAM	20385	1RB#8	22.79	27.73	30	PASS
Band4	3MHz	16QAM	20385	1RB#14	22.9	27.84	30	PASS
Band4	3MHz	16QAM	20385	15RB#0	21.86	26.8	30	PASS
Band4	3MHz	64QAM	19965	1RB#0	23.65	28.59	30	PASS
Band4	3MHz	64QAM	19965	1RB#8	21.79	26.73	30	PASS
Band4	3MHz	64QAM	19965	1RB#14	21.64	26.58	30	PASS
Band4	3MHz	64QAM	19965	15RB#0	20.59	25.53	30	PASS
Band4	3MHz	64QAM	20175	1RB#0	21.83	26.77	30	PASS
Band4	3MHz	64QAM	20175	1RB#8	21.63	26.57	30	PASS
Band4	3MHz	64QAM	20175	1RB#14	21.98	26.92	30	PASS
Band4	3MHz	64QAM	20175	15RB#0	21.01	25.95	30	PASS
Band4	3MHz	64QAM	20385	1RB#0	21.69	26.63	30	PASS
Band4	3MHz	64QAM	20385	1RB#8	21.52	26.46	30	PASS
Band4	3MHz	64QAM	20385	1RB#14	21.93	26.87	30	PASS
Band4	3MHz	64QAM	20385	15RB#0	20.59	25.53	30	PASS
Band4	3MHz	256QAM	19965	1RB#0	19.07	24.01	30	PASS
Band4	3MHz	256QAM	19965	1RB#8	18.73	23.67	30	PASS
Band4	3MHz	256QAM	19965	1RB#14	19.2	24.14	30	PASS
Band4	3MHz	256QAM	19965	15RB#0	18.54	23.48	30	PASS

Band4	3MHz	256QAM	20175	1RB#0	18.91	23.85	30	PASS
Band4	3MHz	256QAM	20175	1RB#8	18.53	23.47	30	PASS
Band4	3MHz	256QAM	20175	1RB#14	19.01	23.95	30	PASS
Band4	3MHz	256QAM	20175	15RB#0	18.42	23.36	30	PASS
Band4	3MHz	256QAM	20385	1RB#0	18.85	23.79	30	PASS
Band4	3MHz	256QAM	20385	1RB#8	18.7	23.64	30	PASS
Band4	3MHz	256QAM	20385	1RB#14	18.66	23.6	30	PASS
Band4	3MHz	256QAM	20385	15RB#0	18.7	23.64	30	PASS
Band4	5MHz	QPSK	19975	1RB#0	23.36	28.3	30	PASS
Band4	5MHz	QPSK	19975	1RB#12	23.94	28.88	30	PASS
Band4	5MHz	QPSK	19975	1RB#24	23.54	28.48	30	PASS
Band4	5MHz	QPSK	19975	25RB#0	22.92	27.86	30	PASS
Band4	5MHz	QPSK	20175	1RB#0	24.01	28.95	30	PASS
Band4	5MHz	QPSK	20175	1RB#12	23.66	28.6	30	PASS
Band4	5MHz	QPSK	20175	1RB#24	24.03	28.97	30	PASS
Band4	5MHz	QPSK	20175	25RB#0	22.46	27.4	30	PASS
Band4	5MHz	QPSK	20375	1RB#0	23.37	28.31	30	PASS
Band4	5MHz	QPSK	20375	1RB#12	23.96	28.9	30	PASS
Band4	5MHz	QPSK	20375	1RB#24	23.54	28.48	30	PASS
Band4	5MHz	QPSK	20375	25RB#0	22.68	27.62	30	PASS
Band4	5MHz	16QAM	19975	1RB#0	23.1	28.04	30	PASS
Band4	5MHz	16QAM	19975	1RB#12	22.92	27.86	30	PASS
Band4	5MHz	16QAM	19975	1RB#24	23.01	27.95	30	PASS
Band4	5MHz	16QAM	19975	25RB#0	22.08	27.02	30	PASS
Band4	5MHz	16QAM	20175	1RB#0	22.9	27.84	30	PASS
Band4	5MHz	16QAM	20175	1RB#12	22.62	27.56	30	PASS
Band4	5MHz	16QAM	20175	1RB#24	23.2	28.14	30	PASS
Band4	5MHz	16QAM	20175	25RB#0	21.95	26.89	30	PASS
Band4	5MHz	16QAM	20375	1RB#0	23.05	27.99	30	PASS
Band4	5MHz	16QAM	20375	1RB#12	22.88	27.82	30	PASS
Band4	5MHz	16QAM	20375	1RB#24	22.97	27.91	30	PASS
Band4	5MHz	16QAM	20375	25RB#0	22.09	27.03	30	PASS
Band4	5MHz	64QAM	19975	1RB#0	22	26.94	30	PASS
Band4	5MHz	64QAM	19975	1RB#12	22.37	27.31	30	PASS
Band4	5MHz	64QAM	19975	1RB#24	22.09	27.03	30	PASS
Band4	5MHz	64QAM	19975	25RB#0	20.79	25.73	30	PASS
Band4	5MHz	64QAM	20175	1RB#0	21.85	26.79	30	PASS
Band4	5MHz	64QAM	20175	1RB#12	22.18	27.12	30	PASS
Band4	5MHz	64QAM	20175	1RB#24	21.84	26.78	30	PASS
Band4	5MHz	64QAM	20175	25RB#0	20.71	25.65	30	PASS
Band4	5MHz	64QAM	20375	1RB#0	21.93	26.87	30	PASS
Band4	5MHz	64QAM	20375	1RB#12	21.71	26.65	30	PASS
Band4	5MHz	64QAM	20375	1RB#24	21.68	26.62	30	PASS
Band4	5MHz	64QAM	20375	25RB#0	20.37	25.31	30	PASS
Band4	5MHz	256QAM	19975	1RB#0	18.61	23.55	30	PASS
Band4	5MHz	256QAM	19975	1RB#12	18.75	23.69	30	PASS

Band4	5MHz	256QAM	19975	1RB#24	18.76	23.7	30	PASS
Band4	5MHz	256QAM	19975	25RB#0	19.05	23.99	30	PASS
Band4	5MHz	256QAM	20175	1RB#0	18.48	23.42	30	PASS
Band4	5MHz	256QAM	20175	1RB#12	19.2	24.14	30	PASS
Band4	5MHz	256QAM	20175	1RB#24	18.99	23.93	30	PASS
Band4	5MHz	256QAM	20175	25RB#0	18.64	23.58	30	PASS
Band4	5MHz	256QAM	20375	1RB#0	18.9	23.84	30	PASS
Band4	5MHz	256QAM	20375	1RB#12	19.02	23.96	30	PASS
Band4	5MHz	256QAM	20375	1RB#24	18.95	23.89	30	PASS
Band4	5MHz	256QAM	20375	25RB#0	18.43	23.37	30	PASS
Band4	10MHz	QPSK	20000	1RB#0	23.99	28.93	30	PASS
Band4	10MHz	QPSK	20000	1RB#24	24	28.94	30	PASS
Band4	10MHz	QPSK	20000	1RB#49	23.49	28.43	30	PASS
Band4	10MHz	QPSK	20000	50RB#0	23.06	28	30	PASS
Band4	10MHz	QPSK	20175	1RB#0	23.62	28.56	30	PASS
Band4	10MHz	QPSK	20175	1RB#24	24.04	28.98	30	PASS
Band4	10MHz	QPSK	20175	1RB#49	23.71	28.65	30	PASS
Band4	10MHz	QPSK	20175	50RB#0	23.13	28.07	30	PASS
Band4	10MHz	QPSK	20350	1RB#0	23.75	28.69	30	PASS
Band4	10MHz	QPSK	20350	1RB#24	24.02	28.96	30	PASS
Band4	10MHz	QPSK	20350	1RB#49	23.38	28.32	30	PASS
Band4	10MHz	QPSK	20350	50RB#0	23.09	28.03	30	PASS
Band4	10MHz	16QAM	20000	1RB#0	23.15	28.09	30	PASS
Band4	10MHz	16QAM	20000	1RB#24	23.17	28.11	30	PASS
Band4	10MHz	16QAM	20000	1RB#49	23.34	28.28	30	PASS
Band4	10MHz	16QAM	20000	50RB#0	22.22	27.16	30	PASS
Band4	10MHz	16QAM	20175	1RB#0	22.87	27.81	30	PASS
Band4	10MHz	16QAM	20175	1RB#24	23.3	28.24	30	PASS
Band4	10MHz	16QAM	20175	1RB#49	22.79	27.73	30	PASS
Band4	10MHz	16QAM	20175	50RB#0	22.14	27.08	30	PASS
Band4	10MHz	16QAM	20350	1RB#0	22.64	27.58	30	PASS
Band4	10MHz	16QAM	20350	1RB#24	22.71	27.65	30	PASS
Band4	10MHz	16QAM	20350	1RB#49	22.51	27.45	30	PASS
Band4	10MHz	16QAM	20350	50RB#0	22.1	27.04	30	PASS
Band4	10MHz	64QAM	20000	1RB#0	21.71	26.65	30	PASS
Band4	10MHz	64QAM	20000	1RB#24	22.34	27.28	30	PASS
Band4	10MHz	64QAM	20000	1RB#49	22.23	27.17	30	PASS
Band4	10MHz	64QAM	20000	50RB#0	20.59	25.53	30	PASS
Band4	10MHz	64QAM	20175	1RB#0	22.19	27.13	30	PASS
Band4	10MHz	64QAM	20175	1RB#24	22.36	27.3	30	PASS
Band4	10MHz	64QAM	20175	1RB#49	21.75	26.69	30	PASS
Band4	10MHz	64QAM	20175	50RB#0	21.04	25.98	30	PASS
Band4	10MHz	64QAM	20350	1RB#0	22.07	27.01	30	PASS
Band4	10MHz	64QAM	20350	1RB#24	22.02	26.96	30	PASS
Band4	10MHz	64QAM	20350	1RB#49	22.14	27.08	30	PASS
Band4	10MHz	64QAM	20350	50RB#0	20.84	25.78	30	PASS

Band4	10MHz	256QAM	20000	1RB#0	18.74	23.68	30	PASS
Band4	10MHz	256QAM	20000	1RB#24	19.13	24.07	30	PASS
Band4	10MHz	256QAM	20000	1RB#49	19.02	23.96	30	PASS
Band4	10MHz	256QAM	20000	50RB#0	19.09	24.03	30	PASS
Band4	10MHz	256QAM	20175	1RB#0	18.84	23.78	30	PASS
Band4	10MHz	256QAM	20175	1RB#24	18.94	23.88	30	PASS
Band4	10MHz	256QAM	20175	1RB#49	19.03	23.97	30	PASS
Band4	10MHz	256QAM	20175	50RB#0	18.94	23.88	30	PASS
Band4	10MHz	256QAM	20350	1RB#0	18.75	23.69	30	PASS
Band4	10MHz	256QAM	20350	1RB#24	18.99	23.93	30	PASS
Band4	10MHz	256QAM	20350	1RB#49	18.68	23.62	30	PASS
Band4	10MHz	256QAM	20350	50RB#0	18.46	23.4	30	PASS
Band4	15MHz	QPSK	20025	1RB#0	23.5	28.44	30	PASS
Band4	15MHz	QPSK	20025	1RB#38	23.53	28.47	30	PASS
Band4	15MHz	QPSK	20025	1RB#74	24	28.94	30	PASS
Band4	15MHz	QPSK	20025	75RB#0	22.54	27.48	30	PASS
Band4	15MHz	QPSK	20175	1RB#0	23.99	28.93	30	PASS
Band4	15MHz	QPSK	20175	1RB#38	23.6	28.54	30	PASS
Band4	15MHz	QPSK	20175	1RB#74	23.83	28.77	30	PASS
Band4	15MHz	QPSK	20175	75RB#0	22.27	27.21	30	PASS
Band4	15MHz	QPSK	20325	1RB#0	23.72	28.66	30	PASS
Band4	15MHz	QPSK	20325	1RB#38	23.34	28.28	30	PASS
Band4	15MHz	QPSK	20325	1RB#74	23.74	28.68	30	PASS
Band4	15MHz	QPSK	20325	75RB#0	22.83	27.77	30	PASS
Band4	15MHz	16QAM	20025	1RB#0	22.97	27.91	30	PASS
Band4	15MHz	16QAM	20025	1RB#38	22.84	27.78	30	PASS
Band4	15MHz	16QAM	20025	1RB#74	22.69	27.63	30	PASS
Band4	15MHz	16QAM	20025	75RB#0	21.89	26.83	30	PASS
Band4	15MHz	16QAM	20175	1RB#0	22.94	27.88	30	PASS
Band4	15MHz	16QAM	20175	1RB#38	22.74	27.68	30	PASS
Band4	15MHz	16QAM	20175	1RB#74	22.79	27.73	30	PASS
Band4	15MHz	16QAM	20175	75RB#0	21.84	26.78	30	PASS
Band4	15MHz	16QAM	20325	1RB#0	22.88	27.82	30	PASS
Band4	15MHz	16QAM	20325	1RB#38	22.32	27.26	30	PASS
Band4	15MHz	16QAM	20325	1RB#74	22.59	27.53	30	PASS
Band4	15MHz	16QAM	20325	75RB#0	21.54	26.48	30	PASS
Band4	15MHz	64QAM	20025	1RB#0	21.97	26.91	30	PASS
Band4	15MHz	64QAM	20025	1RB#38	21.93	26.87	30	PASS
Band4	15MHz	64QAM	20025	1RB#74	21.75	26.69	30	PASS
Band4	15MHz	64QAM	20025	75RB#0	20.42	25.36	30	PASS
Band4	15MHz	64QAM	20175	1RB#0	21.45	26.39	30	PASS
Band4	15MHz	64QAM	20175	1RB#38	21.79	26.73	30	PASS
Band4	15MHz	64QAM	20175	1RB#74	21.52	26.46	30	PASS
Band4	15MHz	64QAM	20175	75RB#0	20.46	25.4	30	PASS
Band4	15MHz	64QAM	20325	1RB#0	22.11	27.05	30	PASS
Band4	15MHz	64QAM	20325	1RB#38	21.42	26.36	30	PASS

Band4	15MHz	64QAM	20325	1RB#74	21.78	26.72	30	PASS
Band4	15MHz	64QAM	20325	75RB#0	20.84	25.78	30	PASS
Band4	15MHz	256QAM	20025	1RB#0	18.73	23.67	30	PASS
Band4	15MHz	256QAM	20025	1RB#38	18.49	23.43	30	PASS
Band4	15MHz	256QAM	20025	1RB#74	18.34	23.28	30	PASS
Band4	15MHz	256QAM	20025	75RB#0	18.59	23.53	30	PASS
Band4	15MHz	256QAM	20175	1RB#0	18.86	23.8	30	PASS
Band4	15MHz	256QAM	20175	1RB#38	18.66	23.6	30	PASS
Band4	15MHz	256QAM	20175	1RB#74	19	23.94	30	PASS
Band4	15MHz	256QAM	20175	75RB#0	18.76	23.7	30	PASS
Band4	15MHz	256QAM	20325	1RB#0	18.26	23.2	30	PASS
Band4	15MHz	256QAM	20325	1RB#38	18.86	23.8	30	PASS
Band4	15MHz	256QAM	20325	1RB#74	18.64	23.58	30	PASS
Band4	15MHz	256QAM	20325	75RB#0	18.37	23.31	30	PASS
Band4	20MHz	QPSK	20050	1RB#0	23.67	28.61	30	PASS
Band4	20MHz	QPSK	20050	1RB#49	23.79	28.73	30	PASS
Band4	20MHz	QPSK	20050	1RB#99	23.54	28.48	30	PASS
Band4	20MHz	QPSK	20050	100RB#0	23.02	27.96	30	PASS
Band4	20MHz	QPSK	20175	1RB#0	23.23	28.17	30	PASS
Band4	20MHz	QPSK	20175	1RB#49	23.61	28.55	30	PASS
Band4	20MHz	QPSK	20175	1RB#99	23.85	28.79	30	PASS
Band4	20MHz	QPSK	20175	100RB#0	22.69	27.63	30	PASS
Band4	20MHz	QPSK	20300	1RB#0	23.7	28.64	30	PASS
Band4	20MHz	QPSK	20300	1RB#49	23.23	28.17	30	PASS
Band4	20MHz	QPSK	20300	1RB#99	23.93	28.87	30	PASS
Band4	20MHz	QPSK	20300	100RB#0	22.56	27.5	30	PASS
Band4	20MHz	16QAM	20050	1RB#0	22.58	27.52	30	PASS
Band4	20MHz	16QAM	20050	1RB#49	23.15	28.09	30	PASS
Band4	20MHz	16QAM	20050	1RB#99	22.83	27.77	30	PASS
Band4	20MHz	16QAM	20050	100RB#0	21.43	26.37	30	PASS
Band4	20MHz	16QAM	20175	1RB#0	22.65	27.59	30	PASS
Band4	20MHz	16QAM	20175	1RB#49	22.66	27.6	30	PASS
Band4	20MHz	16QAM	20175	1RB#99	22.68	27.62	30	PASS
Band4	20MHz	16QAM	20175	100RB#0	21.66	26.6	30	PASS
Band4	20MHz	16QAM	20300	1RB#0	22.79	27.73	30	PASS
Band4	20MHz	16QAM	20300	1RB#49	22.36	27.3	30	PASS
Band4	20MHz	16QAM	20300	1RB#99	22.96	27.9	30	PASS
Band4	20MHz	16QAM	20300	100RB#0	21.36	26.3	30	PASS
Band4	20MHz	64QAM	20050	1RB#0	21.41	26.35	30	PASS
Band4	20MHz	64QAM	20050	1RB#49	22.11	27.05	30	PASS
Band4	20MHz	64QAM	20050	1RB#99	22.11	27.05	30	PASS
Band4	20MHz	64QAM	20050	100RB#0	21.1	26.04	30	PASS
Band4	20MHz	64QAM	20175	1RB#0	21.82	26.76	30	PASS
Band4	20MHz	64QAM	20175	1RB#49	21.99	26.93	30	PASS
Band4	20MHz	64QAM	20175	1RB#99	22.11	27.05	30	PASS
Band4	20MHz	64QAM	20175	100RB#0	20.35	25.29	30	PASS

Band4	20MHz	64QAM	20300	1RB#0	22.11	27.05	30	PASS
Band4	20MHz	64QAM	20300	1RB#49	21.83	26.77	30	PASS
Band4	20MHz	64QAM	20300	1RB#99	21.82	26.76	30	PASS
Band4	20MHz	64QAM	20300	100RB#0	20.77	25.71	30	PASS
Band4	20MHz	256QAM	20050	1RB#0	18.44	23.38	30	PASS
Band4	20MHz	256QAM	20050	1RB#49	18.55	23.49	30	PASS
Band4	20MHz	256QAM	20050	1RB#99	19.03	23.97	30	PASS
Band4	20MHz	256QAM	20050	100RB#0	19.03	23.97	30	PASS
Band4	20MHz	256QAM	20175	1RB#0	18.84	23.78	30	PASS
Band4	20MHz	256QAM	20175	1RB#49	18.86	23.8	30	PASS
Band4	20MHz	256QAM	20175	1RB#99	19	23.94	30	PASS
Band4	20MHz	256QAM	20175	100RB#0	18.84	23.78	30	PASS
Band4	20MHz	256QAM	20300	1RB#0	18.22	23.16	30	PASS
Band4	20MHz	256QAM	20300	1RB#49	18.52	23.46	30	PASS
Band4	20MHz	256QAM	20300	1RB#99	18.74	23.68	30	PASS
Band4	20MHz	256QAM	20300	100RB#0	18.52	23.46	30	PASS

LTE B5:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	24.11	25.74	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.98	25.61	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.91	25.54	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.62	24.25	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.77	25.4	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.59	25.22	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.56	25.19	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.94	24.57	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.58	25.21	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.48	25.11	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.51	25.14	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.87	24.5	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	23.12	24.75	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	23.35	24.98	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.68	24.31	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.75	23.38	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	23.27	24.9	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	23.3	24.93	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	23.29	24.92	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.5	23.13	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	22.78	24.41	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.66	24.29	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.84	24.47	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	22.13	23.76	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	22.44	24.07	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#2	21.97	23.6	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#5	21.74	23.37	38.45	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	21.24	22.87	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	21.85	23.48	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#2	22.57	24.2	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#5	22.1	23.73	38.45	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	20.46	22.09	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	21.66	23.29	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#2	22.32	23.95	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#5	21.95	23.58	38.45	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	21.15	22.78	38.45	PASS
Band5	1.4MHz	256QAM	20407	1RB#0	18.85	20.48	38.45	PASS
Band5	1.4MHz	256QAM	20407	1RB#2	18.85	20.48	38.45	PASS
Band5	1.4MHz	256QAM	20407	1RB#5	18.99	20.62	38.45	PASS
Band5	1.4MHz	256QAM	20407	6RB#0	18.75	20.38	38.45	PASS
Band5	1.4MHz	256QAM	20525	1RB#0	18.94	20.57	38.45	PASS
Band5	1.4MHz	256QAM	20525	1RB#2	18.96	20.59	38.45	PASS

Band5	1.4MHz	256QAM	20525	1RB#5	19.29	20.92	38.45	PASS
Band5	1.4MHz	256QAM	20525	6RB#0	18.74	20.37	38.45	PASS
Band5	1.4MHz	256QAM	20643	1RB#0	18.87	20.5	38.45	PASS
Band5	1.4MHz	256QAM	20643	1RB#2	19.03	20.66	38.45	PASS
Band5	1.4MHz	256QAM	20643	1RB#5	19.19	20.82	38.45	PASS
Band5	1.4MHz	256QAM	20643	6RB#0	19	20.63	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.57	25.2	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#8	23.8	25.43	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.89	25.52	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	23.23	24.86	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.72	25.35	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#8	23.64	25.27	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.56	25.19	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.65	24.28	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#0	24.05	25.68	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#8	23.72	25.35	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	24.02	25.65	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	23.21	24.84	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	23.35	24.98	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.9	24.53	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	23.11	24.74	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	22.14	23.77	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.72	24.35	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#8	23.17	24.8	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	23.05	24.68	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	22.12	23.75	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	23.05	24.68	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#8	23.26	24.89	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	23.01	24.64	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.96	23.59	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#0	22	23.63	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#8	22.33	23.96	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#14	21.7	23.33	38.45	PASS
Band5	3MHz	64QAM	20415	15RB#0	21.1	22.73	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#0	21.6	23.23	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#8	22.5	24.13	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#14	21.79	23.42	38.45	PASS
Band5	3MHz	64QAM	20525	15RB#0	21.09	22.72	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#0	22.05	23.68	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#8	22.12	23.75	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#14	21.82	23.45	38.45	PASS
Band5	3MHz	64QAM	20635	15RB#0	21.17	22.8	38.45	PASS
Band5	3MHz	256QAM	20415	1RB#0	19.1	20.73	38.45	PASS
Band5	3MHz	256QAM	20415	1RB#8	19.09	20.72	38.45	PASS
Band5	3MHz	256QAM	20415	1RB#14	18.88	20.51	38.45	PASS
Band5	3MHz	256QAM	20415	15RB#0	18.98	20.61	38.45	PASS

Band5	3MHz	256QAM	20525	1RB#0	18.63	20.26	38.45	PASS
Band5	3MHz	256QAM	20525	1RB#8	19.04	20.67	38.45	PASS
Band5	3MHz	256QAM	20525	1RB#14	19.05	20.68	38.45	PASS
Band5	3MHz	256QAM	20525	15RB#0	18.88	20.51	38.45	PASS
Band5	3MHz	256QAM	20635	1RB#0	19.01	20.64	38.45	PASS
Band5	3MHz	256QAM	20635	1RB#8	18.86	20.49	38.45	PASS
Band5	3MHz	256QAM	20635	1RB#14	18.93	20.56	38.45	PASS
Band5	3MHz	256QAM	20635	15RB#0	18.89	20.52	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	24.29	25.92	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.93	25.56	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.48	25.11	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.91	24.54	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.45	25.08	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.86	25.49	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.56	25.19	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.64	24.27	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.1	24.73	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	24.01	25.64	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	24.11	25.74	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	23.05	24.68	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	23.33	24.96	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.96	24.59	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	23.03	24.66	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	22.16	23.79	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	23.1	24.73	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	23.25	24.88	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.87	24.5	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	22.22	23.85	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#0	22.67	24.3	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.7	24.33	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	23.39	25.02	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.62	23.25	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#0	22.47	24.1	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#12	21.91	23.54	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#24	21.87	23.5	38.45	PASS
Band5	5MHz	64QAM	20425	25RB#0	20.94	22.57	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#0	21.74	23.37	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#12	21.71	23.34	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#24	21.67	23.3	38.45	PASS
Band5	5MHz	64QAM	20525	25RB#0	20.64	22.27	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#0	22.29	23.92	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#12	21.93	23.56	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#24	22.08	23.71	38.45	PASS
Band5	5MHz	64QAM	20625	25RB#0	20.59	22.22	38.45	PASS
Band5	5MHz	256QAM	20425	1RB#0	18.73	20.36	38.45	PASS
Band5	5MHz	256QAM	20425	1RB#12	19.01	20.64	38.45	PASS

Band5	5MHz	256QAM	20425	1RB#24	18.82	20.45	38.45	PASS
Band5	5MHz	256QAM	20425	25RB#0	18.72	20.35	38.45	PASS
Band5	5MHz	256QAM	20525	1RB#0	18.79	20.42	38.45	PASS
Band5	5MHz	256QAM	20525	1RB#12	18.93	20.56	38.45	PASS
Band5	5MHz	256QAM	20525	1RB#24	18.97	20.6	38.45	PASS
Band5	5MHz	256QAM	20525	25RB#0	18.72	20.35	38.45	PASS
Band5	5MHz	256QAM	20625	1RB#0	19	20.63	38.45	PASS
Band5	5MHz	256QAM	20625	1RB#12	18.64	20.27	38.45	PASS
Band5	5MHz	256QAM	20625	1RB#24	19.16	20.79	38.45	PASS
Band5	5MHz	256QAM	20625	25RB#0	19	20.63	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.52	25.15	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.63	25.26	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.49	25.12	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	23.06	24.69	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.73	25.36	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.76	25.39	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.7	25.33	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.64	24.27	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.59	25.22	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.71	25.34	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.48	25.11	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	23.28	24.91	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	23.3	24.93	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	23.06	24.69	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.55	24.18	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.6	23.23	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.96	24.59	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	23.32	24.95	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	23.23	24.86	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.57	23.2	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	22.6	24.23	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.7	24.33	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	23.24	24.87	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.87	23.5	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#0	22.21	23.84	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#24	21.92	23.55	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#49	21.76	23.39	38.45	PASS
Band5	10MHz	64QAM	20450	50RB#0	20.88	22.51	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#0	22.45	24.08	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#24	22.03	23.66	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#49	22.13	23.76	38.45	PASS
Band5	10MHz	64QAM	20525	50RB#0	20.88	22.51	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#0	22.09	23.72	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#24	21.73	23.36	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#49	21.61	23.24	38.45	PASS
Band5	10MHz	64QAM	20600	50RB#0	21.32	22.95	38.45	PASS

Band5	10MHz	256QAM	20450	1RB#0	19.24	20.87	38.45	PASS
Band5	10MHz	256QAM	20450	1RB#24	19.28	20.91	38.45	PASS
Band5	10MHz	256QAM	20450	1RB#49	19.21	20.84	38.45	PASS
Band5	10MHz	256QAM	20450	50RB#0	19.24	20.87	38.45	PASS
Band5	10MHz	256QAM	20525	1RB#0	18.83	20.46	38.45	PASS
Band5	10MHz	256QAM	20525	1RB#24	18.91	20.54	38.45	PASS
Band5	10MHz	256QAM	20525	1RB#49	18.86	20.49	38.45	PASS
Band5	10MHz	256QAM	20525	50RB#0	18.6	20.23	38.45	PASS
Band5	10MHz	256QAM	20600	1RB#0	19.19	20.82	38.45	PASS
Band5	10MHz	256QAM	20600	1RB#24	18.62	20.25	38.45	PASS
Band5	10MHz	256QAM	20600	1RB#49	19.21	20.84	38.45	PASS
Band5	10MHz	256QAM	20600	50RB#0	18.9	20.53	38.45	PASS

LTE B7:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	23.53	25.93	33	PASS
Band7	5MHz	QPSK	20775	1RB#12	23.8	26.2	33	PASS
Band7	5MHz	QPSK	20775	1RB#24	24.14	26.54	33	PASS
Band7	5MHz	QPSK	20775	25RB#0	22.63	25.03	33	PASS
Band7	5MHz	QPSK	21100	1RB#0	23.38	25.78	33	PASS
Band7	5MHz	QPSK	21100	1RB#12	23.88	26.28	33	PASS
Band7	5MHz	QPSK	21100	1RB#24	24.09	26.49	33	PASS
Band7	5MHz	QPSK	21100	25RB#0	22.72	25.12	33	PASS
Band7	5MHz	QPSK	21425	1RB#0	23.33	25.73	33	PASS
Band7	5MHz	QPSK	21425	1RB#12	23.69	26.09	33	PASS
Band7	5MHz	QPSK	21425	1RB#24	23.3	25.7	33	PASS
Band7	5MHz	QPSK	21425	25RB#0	23.86	26.26	33	PASS
Band7	5MHz	16QAM	20775	1RB#0	22.64	25.04	33	PASS
Band7	5MHz	16QAM	20775	1RB#12	23.26	25.66	33	PASS
Band7	5MHz	16QAM	20775	1RB#24	22.65	25.05	33	PASS
Band7	5MHz	16QAM	20775	25RB#0	21.79	24.19	33	PASS
Band7	5MHz	16QAM	21100	1RB#0	22.49	24.89	33	PASS
Band7	5MHz	16QAM	21100	1RB#12	22.91	25.31	33	PASS
Band7	5MHz	16QAM	21100	1RB#24	22.83	25.23	33	PASS
Band7	5MHz	16QAM	21100	25RB#0	21.85	24.25	33	PASS
Band7	5MHz	16QAM	21425	1RB#0	22.78	25.18	33	PASS
Band7	5MHz	16QAM	21425	1RB#12	23.15	25.55	33	PASS
Band7	5MHz	16QAM	21425	1RB#24	23.04	25.44	33	PASS
Band7	5MHz	16QAM	21425	25RB#0	21.85	24.25	33	PASS
Band7	5MHz	64QAM	20775	1RB#0	21.63	24.03	33	PASS
Band7	5MHz	64QAM	20775	1RB#12	22.03	24.43	33	PASS
Band7	5MHz	64QAM	20775	1RB#24	22.11	24.51	33	PASS
Band7	5MHz	64QAM	20775	25RB#0	21.05	23.45	33	PASS
Band7	5MHz	64QAM	21100	1RB#0	21.75	24.15	33	PASS
Band7	5MHz	64QAM	21100	1RB#12	22.03	24.43	33	PASS
Band7	5MHz	64QAM	21100	1RB#24	21.6	24	33	PASS
Band7	5MHz	64QAM	21100	25RB#0	20.95	23.35	33	PASS
Band7	5MHz	64QAM	21425	1RB#0	21.65	24.05	33	PASS
Band7	5MHz	64QAM	21425	1RB#12	21.82	24.22	33	PASS
Band7	5MHz	64QAM	21425	1RB#24	21.64	24.04	33	PASS
Band7	5MHz	64QAM	21425	25RB#0	20.32	22.72	33	PASS
Band7	5MHz	256QAM	20775	1RB#0	19.85	22.25	33	PASS
Band7	5MHz	256QAM	20775	1RB#12	18.9	21.3	33	PASS
Band7	5MHz	256QAM	20775	1RB#24	18.85	21.25	33	PASS
Band7	5MHz	256QAM	20775	25RB#0	19.17	21.57	33	PASS
Band7	5MHz	256QAM	21100	1RB#0	19.07	21.47	33	PASS
Band7	5MHz	256QAM	21100	1RB#12	18.69	21.09	33	PASS

Band7	5MHz	256QAM	21100	1RB#24	18.87	21.27	33	PASS
Band7	5MHz	256QAM	21100	25RB#0	18.92	21.32	33	PASS
Band7	5MHz	256QAM	21425	1RB#0	18.56	20.96	33	PASS
Band7	5MHz	256QAM	21425	1RB#12	18.88	21.28	33	PASS
Band7	5MHz	256QAM	21425	1RB#24	18.51	20.91	33	PASS
Band7	5MHz	256QAM	21425	25RB#0	18.67	21.07	33	PASS
Band7	10MHz	QPSK	20800	1RB#0	23.8	26.2	33	PASS
Band7	10MHz	QPSK	20800	1RB#24	23.91	26.31	33	PASS
Band7	10MHz	QPSK	20800	1RB#49	24.07	26.47	33	PASS
Band7	10MHz	QPSK	20800	50RB#0	22.79	25.19	33	PASS
Band7	10MHz	QPSK	21100	1RB#0	23.8	26.2	33	PASS
Band7	10MHz	QPSK	21100	1RB#24	23.53	25.93	33	PASS
Band7	10MHz	QPSK	21100	1RB#49	23.66	26.06	33	PASS
Band7	10MHz	QPSK	21100	50RB#0	22.79	25.19	33	PASS
Band7	10MHz	QPSK	21400	1RB#0	23	25.4	33	PASS
Band7	10MHz	QPSK	21400	1RB#24	23.54	25.94	33	PASS
Band7	10MHz	QPSK	21400	1RB#49	23.77	26.17	33	PASS
Band7	10MHz	QPSK	21400	50RB#0	23.02	25.42	33	PASS
Band7	10MHz	16QAM	20800	1RB#0	23.12	25.52	33	PASS
Band7	10MHz	16QAM	20800	1RB#24	22.88	25.28	33	PASS
Band7	10MHz	16QAM	20800	1RB#49	23.23	25.63	33	PASS
Band7	10MHz	16QAM	20800	50RB#0	21.96	24.36	33	PASS
Band7	10MHz	16QAM	21100	1RB#0	22.93	25.33	33	PASS
Band7	10MHz	16QAM	21100	1RB#24	22.99	25.39	33	PASS
Band7	10MHz	16QAM	21100	1RB#49	22.63	25.03	33	PASS
Band7	10MHz	16QAM	21100	50RB#0	21.59	23.99	33	PASS
Band7	10MHz	16QAM	21400	1RB#0	22.59	24.99	33	PASS
Band7	10MHz	16QAM	21400	1RB#24	22.78	25.18	33	PASS
Band7	10MHz	16QAM	21400	1RB#49	22.55	24.95	33	PASS
Band7	10MHz	16QAM	21400	50RB#0	22.02	24.42	33	PASS
Band7	10MHz	64QAM	20800	1RB#0	22.23	24.63	33	PASS
Band7	10MHz	64QAM	20800	1RB#24	22.15	24.55	33	PASS
Band7	10MHz	64QAM	20800	1RB#49	21.83	24.23	33	PASS
Band7	10MHz	64QAM	20800	50RB#0	21.04	23.44	33	PASS
Band7	10MHz	64QAM	21100	1RB#0	22.36	24.76	33	PASS
Band7	10MHz	64QAM	21100	1RB#24	21.8	24.2	33	PASS
Band7	10MHz	64QAM	21100	1RB#49	21.69	24.09	33	PASS
Band7	10MHz	64QAM	21100	50RB#0	20.6	23	33	PASS
Band7	10MHz	64QAM	21400	1RB#0	21.78	24.18	33	PASS
Band7	10MHz	64QAM	21400	1RB#24	21.6	24	33	PASS
Band7	10MHz	64QAM	21400	1RB#49	21.37	23.77	33	PASS
Band7	10MHz	64QAM	21400	50RB#0	20.65	23.05	33	PASS
Band7	10MHz	256QAM	20800	1RB#0	18.71	21.11	33	PASS
Band7	10MHz	256QAM	20800	1RB#24	18.73	21.13	33	PASS
Band7	10MHz	256QAM	20800	1RB#49	18.75	21.15	33	PASS
Band7	10MHz	256QAM	20800	50RB#0	18.72	21.12	33	PASS

Band7	10MHz	256QAM	21100	1RB#0	18.76	21.16	33	PASS
Band7	10MHz	256QAM	21100	1RB#24	19.14	21.54	33	PASS
Band7	10MHz	256QAM	21100	1RB#49	18.65	21.05	33	PASS
Band7	10MHz	256QAM	21100	50RB#0	18.36	20.76	33	PASS
Band7	10MHz	256QAM	21400	1RB#0	19.03	21.43	33	PASS
Band7	10MHz	256QAM	21400	1RB#24	18.76	21.16	33	PASS
Band7	10MHz	256QAM	21400	1RB#49	18.4	20.8	33	PASS
Band7	10MHz	256QAM	21400	50RB#0	18.64	21.04	33	PASS
Band7	15MHz	QPSK	20825	1RB#0	23.46	25.86	33	PASS
Band7	15MHz	QPSK	20825	1RB#38	24.09	26.49	33	PASS
Band7	15MHz	QPSK	20825	1RB#74	23.34	25.74	33	PASS
Band7	15MHz	QPSK	20825	75RB#0	22.71	25.11	33	PASS
Band7	15MHz	QPSK	21100	1RB#0	23.39	25.79	33	PASS
Band7	15MHz	QPSK	21100	1RB#38	23.57	25.97	33	PASS
Band7	15MHz	QPSK	21100	1RB#74	24.04	26.44	33	PASS
Band7	15MHz	QPSK	21100	75RB#0	22.7	25.1	33	PASS
Band7	15MHz	QPSK	21375	1RB#0	23.86	26.26	33	PASS
Band7	15MHz	QPSK	21375	1RB#38	23.23	25.63	33	PASS
Band7	15MHz	QPSK	21375	1RB#74	23.61	26.01	33	PASS
Band7	15MHz	QPSK	21375	75RB#0	22.44	24.84	33	PASS
Band7	15MHz	16QAM	20825	1RB#0	22.76	25.16	33	PASS
Band7	15MHz	16QAM	20825	1RB#38	22.53	24.93	33	PASS
Band7	15MHz	16QAM	20825	1RB#74	22.71	25.11	33	PASS
Band7	15MHz	16QAM	20825	75RB#0	22.05	24.45	33	PASS
Band7	15MHz	16QAM	21100	1RB#0	22.65	25.05	33	PASS
Band7	15MHz	16QAM	21100	1RB#38	23.17	25.57	33	PASS
Band7	15MHz	16QAM	21100	1RB#74	22.92	25.32	33	PASS
Band7	15MHz	16QAM	21100	75RB#0	21.88	24.28	33	PASS
Band7	15MHz	16QAM	21375	1RB#0	22.41	24.81	33	PASS
Band7	15MHz	16QAM	21375	1RB#38	22.9	25.3	33	PASS
Band7	15MHz	16QAM	21375	1RB#74	22.59	24.99	33	PASS
Band7	15MHz	16QAM	21375	75RB#0	21.47	23.87	33	PASS
Band7	15MHz	64QAM	20825	1RB#0	21.62	24.02	33	PASS
Band7	15MHz	64QAM	20825	1RB#38	21.86	24.26	33	PASS
Band7	15MHz	64QAM	20825	1RB#74	22.2	24.6	33	PASS
Band7	15MHz	64QAM	20825	75RB#0	20.87	23.27	33	PASS
Band7	15MHz	64QAM	21100	1RB#0	21.8	24.2	33	PASS
Band7	15MHz	64QAM	21100	1RB#38	22.09	24.49	33	PASS
Band7	15MHz	64QAM	21100	1RB#74	21.89	24.29	33	PASS
Band7	15MHz	64QAM	21100	75RB#0	20.44	22.84	33	PASS
Band7	15MHz	64QAM	21375	1RB#0	21.63	24.03	33	PASS
Band7	15MHz	64QAM	21375	1RB#38	21.54	23.94	33	PASS
Band7	15MHz	64QAM	21375	1RB#74	21.68	24.08	33	PASS
Band7	15MHz	64QAM	21375	75RB#0	20.93	23.33	33	PASS
Band7	15MHz	256QAM	20825	1RB#0	18.87	21.27	33	PASS
Band7	15MHz	256QAM	20825	1RB#38	18.67	21.07	33	PASS

Band7	15MHz	256QAM	20825	1RB#74	19	21.4	33	PASS
Band7	15MHz	256QAM	20825	75RB#0	19.05	21.45	33	PASS
Band7	15MHz	256QAM	21100	1RB#0	18.57	20.97	33	PASS
Band7	15MHz	256QAM	21100	1RB#38	18.71	21.11	33	PASS
Band7	15MHz	256QAM	21100	1RB#74	18.91	21.31	33	PASS
Band7	15MHz	256QAM	21100	75RB#0	18.94	21.34	33	PASS
Band7	15MHz	256QAM	21375	1RB#0	18.79	21.19	33	PASS
Band7	15MHz	256QAM	21375	1RB#38	18.96	21.36	33	PASS
Band7	15MHz	256QAM	21375	1RB#74	18.32	20.72	33	PASS
Band7	15MHz	256QAM	21375	75RB#0	18.72	21.12	33	PASS
Band7	20MHz	QPSK	20850	1RB#0	23.8	26.2	33	PASS
Band7	20MHz	QPSK	20850	1RB#49	23.9	26.3	33	PASS
Band7	20MHz	QPSK	20850	1RB#99	23.49	25.89	33	PASS
Band7	20MHz	QPSK	20850	100RB#0	22.78	25.18	33	PASS
Band7	20MHz	QPSK	21100	1RB#0	23.41	25.81	33	PASS
Band7	20MHz	QPSK	21100	1RB#49	23.82	26.22	33	PASS
Band7	20MHz	QPSK	21100	1RB#99	23.78	26.18	33	PASS
Band7	20MHz	QPSK	21100	100RB#0	22.77	25.17	33	PASS
Band7	20MHz	QPSK	21350	1RB#0	23.36	25.76	33	PASS
Band7	20MHz	QPSK	21350	1RB#49	23.75	26.15	33	PASS
Band7	20MHz	QPSK	21350	1RB#99	23.48	25.88	33	PASS
Band7	20MHz	QPSK	21350	100RB#0	22.63	25.03	33	PASS
Band7	20MHz	16QAM	20850	1RB#0	23.13	25.53	33	PASS
Band7	20MHz	16QAM	20850	1RB#49	23.06	25.46	33	PASS
Band7	20MHz	16QAM	20850	1RB#99	22.62	25.02	33	PASS
Band7	20MHz	16QAM	20850	100RB#0	21.84	24.24	33	PASS
Band7	20MHz	16QAM	21100	1RB#0	22.9	25.3	33	PASS
Band7	20MHz	16QAM	21100	1RB#49	22.81	25.21	33	PASS
Band7	20MHz	16QAM	21100	1RB#99	23.05	25.45	33	PASS
Band7	20MHz	16QAM	21100	100RB#0	21.92	24.32	33	PASS
Band7	20MHz	16QAM	21350	1RB#0	22.42	24.82	33	PASS
Band7	20MHz	16QAM	21350	1RB#49	23.11	25.51	33	PASS
Band7	20MHz	16QAM	21350	1RB#99	22.55	24.95	33	PASS
Band7	20MHz	16QAM	21350	100RB#0	21.84	24.24	33	PASS
Band7	20MHz	64QAM	20850	1RB#0	21.61	24.01	33	PASS
Band7	20MHz	64QAM	20850	1RB#49	21.75	24.15	33	PASS
Band7	20MHz	64QAM	20850	1RB#99	21.99	24.39	33	PASS
Band7	20MHz	64QAM	20850	100RB#0	21.06	23.46	33	PASS
Band7	20MHz	64QAM	21100	1RB#0	21.97	24.37	33	PASS
Band7	20MHz	64QAM	21100	1RB#49	22.07	24.47	33	PASS
Band7	20MHz	64QAM	21100	1RB#99	21.78	24.18	33	PASS
Band7	20MHz	64QAM	21100	100RB#0	20.28	22.68	33	PASS
Band7	20MHz	64QAM	21350	1RB#0	21.48	23.88	33	PASS
Band7	20MHz	64QAM	21350	1RB#49	21.49	23.89	33	PASS
Band7	20MHz	64QAM	21350	1RB#99	21.7	24.1	33	PASS
Band7	20MHz	64QAM	21350	100RB#0	20.29	22.69	33	PASS

Band7	20MHz	256QAM	20850	1RB#0	18.98	21.38	33	PASS
Band7	20MHz	256QAM	20850	1RB#49	19.06	21.46	33	PASS
Band7	20MHz	256QAM	20850	1RB#99	18.54	20.94	33	PASS
Band7	20MHz	256QAM	20850	100RB#0	19.07	21.47	33	PASS
Band7	20MHz	256QAM	21100	1RB#0	18.9	21.3	33	PASS
Band7	20MHz	256QAM	21100	1RB#49	18.93	21.33	33	PASS
Band7	20MHz	256QAM	21100	1RB#99	18.45	20.85	33	PASS
Band7	20MHz	256QAM	21100	100RB#0	18.56	20.96	33	PASS
Band7	20MHz	256QAM	21350	1RB#0	18.53	20.93	33	PASS
Band7	20MHz	256QAM	21350	1RB#49	18.41	20.81	33	PASS
Band7	20MHz	256QAM	21350	1RB#99	18.26	20.66	33	PASS
Band7	20MHz	256QAM	21350	100RB#0	18.54	20.94	33	PASS

LTE B12:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	23.92	25.28	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	23.71	25.07	34.77	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	23.81	25.17	34.77	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	22.57	23.93	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	24	25.36	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	23.65	25.01	34.77	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	23.44	24.8	34.77	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	23.05	24.41	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	23.78	25.14	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	24.05	25.41	34.77	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	23.63	24.99	34.77	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	22.69	24.05	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	23.19	24.55	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	23.01	24.37	34.77	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	22.61	23.97	34.77	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	21.7	23.06	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	22.65	24.01	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	22.8	24.16	34.77	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	22.58	23.94	34.77	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	21.82	23.18	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	23.22	24.58	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	23.05	24.41	34.77	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	22.87	24.23	34.77	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	21.89	23.25	34.77	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	22.06	23.42	34.77	PASS
Band12	1.4MHz	64QAM	23017	1RB#2	21.98	23.34	34.77	PASS
Band12	1.4MHz	64QAM	23017	1RB#5	21.85	23.21	34.77	PASS
Band12	1.4MHz	64QAM	23017	6RB#0	20.91	22.27	34.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	22.19	23.55	34.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#2	21.98	23.34	34.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#5	22.14	23.5	34.77	PASS
Band12	1.4MHz	64QAM	23095	6RB#0	20.65	22.01	34.77	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	22.14	23.5	34.77	PASS
Band12	1.4MHz	64QAM	23173	1RB#2	21.53	22.89	34.77	PASS
Band12	1.4MHz	64QAM	23173	1RB#5	21.62	22.98	34.77	PASS
Band12	1.4MHz	64QAM	23173	6RB#0	20.98	22.34	34.77	PASS
Band12	1.4MHz	256QAM	23017	1RB#0	18.55	19.91	34.77	PASS
Band12	1.4MHz	256QAM	23017	1RB#2	18.97	20.33	34.77	PASS
Band12	1.4MHz	256QAM	23017	1RB#5	18.44	19.8	34.77	PASS
Band12	1.4MHz	256QAM	23017	6RB#0	19.02	20.38	34.77	PASS
Band12	1.4MHz	256QAM	23095	1RB#0	18.41	19.77	34.77	PASS
Band12	1.4MHz	256QAM	23095	1RB#2	19.25	20.61	34.77	PASS

Band12	1.4MHz	256QAM	23095	1RB#5	19.04	20.4	34.77	PASS
Band12	1.4MHz	256QAM	23095	6RB#0	18.73	20.09	34.77	PASS
Band12	1.4MHz	256QAM	23173	1RB#0	19.28	20.64	34.77	PASS
Band12	1.4MHz	256QAM	23173	1RB#2	18.89	20.25	34.77	PASS
Band12	1.4MHz	256QAM	23173	1RB#5	18.47	19.83	34.77	PASS
Band12	1.4MHz	256QAM	23173	6RB#0	18.58	19.94	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#0	23.8	25.16	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#8	24.18	25.54	34.77	PASS
Band12	3MHz	QPSK	23025	1RB#14	23.29	24.65	34.77	PASS
Band12	3MHz	QPSK	23025	15RB#0	23.03	24.39	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#0	23.46	24.82	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#8	23.75	25.11	34.77	PASS
Band12	3MHz	QPSK	23095	1RB#14	23.82	25.18	34.77	PASS
Band12	3MHz	QPSK	23095	15RB#0	22.49	23.85	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#0	23.3	24.66	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#8	23.98	25.34	34.77	PASS
Band12	3MHz	QPSK	23165	1RB#14	23.66	25.02	34.77	PASS
Band12	3MHz	QPSK	23165	15RB#0	23.05	24.41	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#0	22.95	24.31	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#8	22.95	24.31	34.77	PASS
Band12	3MHz	16QAM	23025	1RB#14	22.77	24.13	34.77	PASS
Band12	3MHz	16QAM	23025	15RB#0	21.94	23.3	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#0	22.69	24.05	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#8	23.1	24.46	34.77	PASS
Band12	3MHz	16QAM	23095	1RB#14	22.87	24.23	34.77	PASS
Band12	3MHz	16QAM	23095	15RB#0	21.41	22.77	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#0	22.55	23.91	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#8	22.73	24.09	34.77	PASS
Band12	3MHz	16QAM	23165	1RB#14	23.11	24.47	34.77	PASS
Band12	3MHz	16QAM	23165	15RB#0	22.1	23.46	34.77	PASS
Band12	3MHz	64QAM	23025	1RB#0	22.13	23.49	34.77	PASS
Band12	3MHz	64QAM	23025	1RB#8	21.95	23.31	34.77	PASS
Band12	3MHz	64QAM	23025	1RB#14	21.95	23.31	34.77	PASS
Band12	3MHz	64QAM	23025	15RB#0	20.95	22.31	34.77	PASS
Band12	3MHz	64QAM	23095	1RB#0	21.78	23.14	34.77	PASS
Band12	3MHz	64QAM	23095	1RB#8	22.24	23.6	34.77	PASS
Band12	3MHz	64QAM	23095	1RB#14	21.56	22.92	34.77	PASS
Band12	3MHz	64QAM	23095	15RB#0	20.57	21.93	34.77	PASS
Band12	3MHz	64QAM	23165	1RB#0	21.8	23.16	34.77	PASS
Band12	3MHz	64QAM	23165	1RB#8	21.89	23.25	34.77	PASS
Band12	3MHz	64QAM	23165	1RB#14	21.89	23.25	34.77	PASS
Band12	3MHz	64QAM	23165	15RB#0	20.8	22.16	34.77	PASS
Band12	3MHz	256QAM	23025	1RB#0	18.77	20.13	34.77	PASS
Band12	3MHz	256QAM	23025	1RB#8	18.67	20.03	34.77	PASS
Band12	3MHz	256QAM	23025	1RB#14	18.59	19.95	34.77	PASS
Band12	3MHz	256QAM	23025	15RB#0	19	20.36	34.77	PASS

Band12	3MHz	256QAM	23095	1RB#0	18.96	20.32	34.77	PASS
Band12	3MHz	256QAM	23095	1RB#8	18.49	19.85	34.77	PASS
Band12	3MHz	256QAM	23095	1RB#14	18.69	20.05	34.77	PASS
Band12	3MHz	256QAM	23095	15RB#0	18.65	20.01	34.77	PASS
Band12	3MHz	256QAM	23165	1RB#0	18.98	20.34	34.77	PASS
Band12	3MHz	256QAM	23165	1RB#8	18.68	20.04	34.77	PASS
Band12	3MHz	256QAM	23165	1RB#14	18.96	20.32	34.77	PASS
Band12	3MHz	256QAM	23165	15RB#0	18.63	19.99	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#0	23.93	25.29	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#12	23.81	25.17	34.77	PASS
Band12	5MHz	QPSK	23035	1RB#24	23.43	24.79	34.77	PASS
Band12	5MHz	QPSK	23035	25RB#0	22.87	24.23	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#0	22.74	24.1	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#12	23.7	25.06	34.77	PASS
Band12	5MHz	QPSK	23095	1RB#24	23.76	25.12	34.77	PASS
Band12	5MHz	QPSK	23095	25RB#0	22.77	24.13	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#0	23.16	24.52	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#12	23.63	24.99	34.77	PASS
Band12	5MHz	QPSK	23155	1RB#24	23.93	25.29	34.77	PASS
Band12	5MHz	QPSK	23155	25RB#0	22.74	24.1	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#0	23.21	24.57	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#12	23.1	24.46	34.77	PASS
Band12	5MHz	16QAM	23035	1RB#24	22.53	23.89	34.77	PASS
Band12	5MHz	16QAM	23035	25RB#0	21.85	23.21	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#0	22.46	23.82	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#12	23.15	24.51	34.77	PASS
Band12	5MHz	16QAM	23095	1RB#24	22.91	24.27	34.77	PASS
Band12	5MHz	16QAM	23095	25RB#0	21.48	22.84	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#0	23.1	24.46	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#12	23.25	24.61	34.77	PASS
Band12	5MHz	16QAM	23155	1RB#24	23.11	24.47	34.77	PASS
Band12	5MHz	16QAM	23155	25RB#0	21.44	22.8	34.77	PASS
Band12	5MHz	64QAM	23035	1RB#0	22.12	23.48	34.77	PASS
Band12	5MHz	64QAM	23035	1RB#12	22.36	23.72	34.77	PASS
Band12	5MHz	64QAM	23035	1RB#24	21.66	23.02	34.77	PASS
Band12	5MHz	64QAM	23035	25RB#0	20.84	22.2	34.77	PASS
Band12	5MHz	64QAM	23095	1RB#0	22.29	23.65	34.77	PASS
Band12	5MHz	64QAM	23095	1RB#12	22.02	23.38	34.77	PASS
Band12	5MHz	64QAM	23095	1RB#24	22.16	23.52	34.77	PASS
Band12	5MHz	64QAM	23095	25RB#0	20.65	22.01	34.77	PASS
Band12	5MHz	64QAM	23155	1RB#0	22.06	23.42	34.77	PASS
Band12	5MHz	64QAM	23155	1RB#12	22.23	23.59	34.77	PASS
Band12	5MHz	64QAM	23155	1RB#24	21.77	23.13	34.77	PASS
Band12	5MHz	64QAM	23155	25RB#0	20.84	22.2	34.77	PASS
Band12	5MHz	256QAM	23035	1RB#0	19.12	20.48	34.77	PASS
Band12	5MHz	256QAM	23035	1RB#12	18.74	20.1	34.77	PASS

Band12	5MHz	256QAM	23035	1RB#24	18.7	20.06	34.77	PASS
Band12	5MHz	256QAM	23035	25RB#0	18.83	20.19	34.77	PASS
Band12	5MHz	256QAM	23095	1RB#0	19.03	20.39	34.77	PASS
Band12	5MHz	256QAM	23095	1RB#12	18.72	20.08	34.77	PASS
Band12	5MHz	256QAM	23095	1RB#24	18.75	20.11	34.77	PASS
Band12	5MHz	256QAM	23095	25RB#0	18.48	19.84	34.77	PASS
Band12	5MHz	256QAM	23155	1RB#0	18.79	20.15	34.77	PASS
Band12	5MHz	256QAM	23155	1RB#12	19.07	20.43	34.77	PASS
Band12	5MHz	256QAM	23155	1RB#24	18.74	20.1	34.77	PASS
Band12	5MHz	256QAM	23155	25RB#0	18.69	20.05	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#0	23.61	24.97	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#24	23.44	24.8	34.77	PASS
Band12	10MHz	QPSK	23060	1RB#49	23.86	25.22	34.77	PASS
Band12	10MHz	QPSK	23060	50RB#0	22.61	23.97	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#0	23.33	24.69	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#24	23.88	25.24	34.77	PASS
Band12	10MHz	QPSK	23095	1RB#49	23.96	25.32	34.77	PASS
Band12	10MHz	QPSK	23095	50RB#0	22.84	24.2	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#0	23.68	25.04	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#24	23.81	25.17	34.77	PASS
Band12	10MHz	QPSK	23130	1RB#49	23.75	25.11	34.77	PASS
Band12	10MHz	QPSK	23130	50RB#0	22.57	23.93	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#0	23.08	24.44	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#24	22.63	23.99	34.77	PASS
Band12	10MHz	16QAM	23060	1RB#49	22.43	23.79	34.77	PASS
Band12	10MHz	16QAM	23060	50RB#0	21.94	23.3	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#0	22.74	24.1	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#24	22.85	24.21	34.77	PASS
Band12	10MHz	16QAM	23095	1RB#49	22.94	24.3	34.77	PASS
Band12	10MHz	16QAM	23095	50RB#0	22.14	23.5	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#0	23.11	24.47	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#24	23.24	24.6	34.77	PASS
Band12	10MHz	16QAM	23130	1RB#49	23.23	24.59	34.77	PASS
Band12	10MHz	16QAM	23130	50RB#0	21.75	23.11	34.77	PASS
Band12	10MHz	64QAM	23060	1RB#0	22.14	23.5	34.77	PASS
Band12	10MHz	64QAM	23060	1RB#24	21.79	23.15	34.77	PASS
Band12	10MHz	64QAM	23060	1RB#49	22.36	23.72	34.77	PASS
Band12	10MHz	64QAM	23060	50RB#0	20.94	22.3	34.77	PASS
Band12	10MHz	64QAM	23095	1RB#0	21.8	23.16	34.77	PASS
Band12	10MHz	64QAM	23095	1RB#24	21.72	23.08	34.77	PASS
Band12	10MHz	64QAM	23095	1RB#49	22.31	23.67	34.77	PASS
Band12	10MHz	64QAM	23095	50RB#0	20.43	21.79	34.77	PASS
Band12	10MHz	64QAM	23130	1RB#0	21.94	23.3	34.77	PASS
Band12	10MHz	64QAM	23130	1RB#24	22.14	23.5	34.77	PASS
Band12	10MHz	64QAM	23130	1RB#49	21.62	22.98	34.77	PASS
Band12	10MHz	64QAM	23130	50RB#0	20.97	22.33	34.77	PASS

Band12	10MHz	256QAM	23060	1RB#0	18.66	20.02	34.77	PASS
Band12	10MHz	256QAM	23060	1RB#24	18.69	20.05	34.77	PASS
Band12	10MHz	256QAM	23060	1RB#49	18.99	20.35	34.77	PASS
Band12	10MHz	256QAM	23060	50RB#0	18.81	20.17	34.77	PASS
Band12	10MHz	256QAM	23095	1RB#0	18.55	19.91	34.77	PASS
Band12	10MHz	256QAM	23095	1RB#24	18.77	20.13	34.77	PASS
Band12	10MHz	256QAM	23095	1RB#49	19.13	20.49	34.77	PASS
Band12	10MHz	256QAM	23095	50RB#0	18.5	19.86	34.77	PASS
Band12	10MHz	256QAM	23130	1RB#0	19.09	20.45	34.77	PASS
Band12	10MHz	256QAM	23130	1RB#24	18.59	19.95	34.77	PASS
Band12	10MHz	256QAM	23130	1RB#49	19.05	20.41	34.77	PASS
Band12	10MHz	256QAM	23130	50RB#0	18.49	19.85	34.77	PASS

LTE B13:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	23.53	25.6	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#12	23.82	25.89	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#24	23.86	25.93	34.77	PASS
Band13	5MHz	QPSK	23205	25RB#0	22.99	25.06	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#0	23.49	25.56	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#12	23.59	25.66	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#24	23.4	25.47	34.77	PASS
Band13	5MHz	QPSK	23230	25RB#0	22.66	24.73	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#0	23.56	25.63	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#12	24.05	26.12	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#24	23.99	26.06	34.77	PASS
Band13	5MHz	QPSK	23255	25RB#0	22.34	24.41	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#0	22.8	24.87	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#12	23.21	25.28	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#24	23.19	25.26	34.77	PASS
Band13	5MHz	16QAM	23205	25RB#0	21.87	23.94	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#0	23.14	25.21	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#12	22.62	24.69	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#24	23.05	25.12	34.77	PASS
Band13	5MHz	16QAM	23230	25RB#0	22.13	24.2	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#0	23.1	25.17	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#12	22.71	24.78	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#24	22.97	25.04	34.77	PASS
Band13	5MHz	16QAM	23255	25RB#0	22.02	24.09	34.77	PASS
Band13	5MHz	64QAM	23205	1RB#0	22.31	24.38	34.77	PASS
Band13	5MHz	64QAM	23205	1RB#12	22.17	24.24	34.77	PASS
Band13	5MHz	64QAM	23205	1RB#24	22.04	24.11	34.77	PASS
Band13	5MHz	64QAM	23205	25RB#0	20.57	22.64	34.77	PASS
Band13	5MHz	64QAM	23230	1RB#0	21.85	23.92	34.77	PASS
Band13	5MHz	64QAM	23230	1RB#12	21.87	23.94	34.77	PASS
Band13	5MHz	64QAM	23230	1RB#24	22.04	24.11	34.77	PASS
Band13	5MHz	64QAM	23230	25RB#0	20.99	23.06	34.77	PASS
Band13	5MHz	64QAM	23255	1RB#0	21.87	23.94	34.77	PASS
Band13	5MHz	64QAM	23255	1RB#12	22.18	24.25	34.77	PASS
Band13	5MHz	64QAM	23255	1RB#24	22.03	24.1	34.77	PASS
Band13	5MHz	64QAM	23255	25RB#0	20.45	22.52	34.77	PASS
Band13	5MHz	256QAM	23205	1RB#0	18.76	20.83	34.77	PASS
Band13	5MHz	256QAM	23205	1RB#12	18.9	20.97	34.77	PASS
Band13	5MHz	256QAM	23205	1RB#24	18.86	20.93	34.77	PASS
Band13	5MHz	256QAM	23205	25RB#0	19.02	21.09	34.77	PASS
Band13	5MHz	256QAM	23230	1RB#0	18.61	20.68	34.77	PASS
Band13	5MHz	256QAM	23230	1RB#12	18.78	20.85	34.77	PASS

Band13	5MHz	256QAM	23230	1RB#24	18.74	20.81	34.77	PASS
Band13	5MHz	256QAM	23230	25RB#0	18.59	20.66	34.77	PASS
Band13	5MHz	256QAM	23255	1RB#0	18.56	20.63	34.77	PASS
Band13	5MHz	256QAM	23255	1RB#12	18.52	20.59	34.77	PASS
Band13	5MHz	256QAM	23255	1RB#24	19.06	21.13	34.77	PASS
Band13	5MHz	256QAM	23255	25RB#0	18.5	20.57	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#0	23.93	26	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#24	23.69	25.76	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#49	23.46	25.53	34.77	PASS
Band13	10MHz	QPSK	23230	50RB#0	22.79	24.86	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#0	23.1	25.17	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#24	23.05	25.12	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#49	22.7	24.77	34.77	PASS
Band13	10MHz	16QAM	23230	50RB#0	21.94	24.01	34.77	PASS
Band13	10MHz	64QAM	23230	1RB#0	21.72	23.79	34.77	PASS
Band13	10MHz	64QAM	23230	1RB#24	21.98	24.05	34.77	PASS
Band13	10MHz	64QAM	23230	1RB#49	21.86	23.93	34.77	PASS
Band13	10MHz	64QAM	23230	50RB#0	21.24	23.31	34.77	PASS
Band13	10MHz	256QAM	23230	1RB#0	18.7	20.77	34.77	PASS
Band13	10MHz	256QAM	23230	1RB#24	19.14	21.21	34.77	PASS
Band13	10MHz	256QAM	23230	1RB#49	18.4	20.47	34.77	PASS
Band13	10MHz	256QAM	23230	50RB#0	19.02	21.09	34.77	PASS

LTE B14:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band14	5MHz	QPSK	23305	1RB#0	23.85	25.61	34.77	PASS
Band14	5MHz	QPSK	23305	1RB#12	23.55	25.31	34.77	PASS
Band14	5MHz	QPSK	23305	1RB#24	23.93	25.69	34.77	PASS
Band14	5MHz	QPSK	23305	25RB#0	22.91	24.67	34.77	PASS
Band14	5MHz	QPSK	23330	1RB#0	23.78	25.54	34.77	PASS
Band14	5MHz	QPSK	23330	1RB#12	23.96	25.72	34.77	PASS
Band14	5MHz	QPSK	23330	1RB#24	23.55	25.31	34.77	PASS
Band14	5MHz	QPSK	23330	25RB#0	22.81	24.57	34.77	PASS
Band14	5MHz	QPSK	23355	1RB#0	23.7	25.46	34.77	PASS
Band14	5MHz	QPSK	23355	1RB#12	23.97	25.73	34.77	PASS
Band14	5MHz	QPSK	23355	1RB#24	23.48	25.24	34.77	PASS
Band14	5MHz	QPSK	23355	25RB#0	23.02	24.78	34.77	PASS
Band14	5MHz	16QAM	23305	1RB#0	23.15	24.91	34.77	PASS
Band14	5MHz	16QAM	23305	1RB#12	22.82	24.58	34.77	PASS
Band14	5MHz	16QAM	23305	1RB#24	23.28	25.04	34.77	PASS
Band14	5MHz	16QAM	23305	25RB#0	22.07	23.83	34.77	PASS
Band14	5MHz	16QAM	23330	1RB#0	23.17	24.93	34.77	PASS
Band14	5MHz	16QAM	23330	1RB#12	23.07	24.83	34.77	PASS
Band14	5MHz	16QAM	23330	1RB#24	23.08	24.84	34.77	PASS
Band14	5MHz	16QAM	23330	25RB#0	21.53	23.29	34.77	PASS
Band14	5MHz	16QAM	23355	1RB#0	22.71	24.47	34.77	PASS
Band14	5MHz	16QAM	23355	1RB#12	22.82	24.58	34.77	PASS
Band14	5MHz	16QAM	23355	1RB#24	22.82	24.58	34.77	PASS
Band14	5MHz	16QAM	23355	25RB#0	21.6	23.36	34.77	PASS
Band14	5MHz	64QAM	23305	1RB#0	21.61	23.37	34.77	PASS
Band14	5MHz	64QAM	23305	1RB#12	22.34	24.1	34.77	PASS
Band14	5MHz	64QAM	23305	1RB#24	21.83	23.59	34.77	PASS
Band14	5MHz	64QAM	23305	25RB#0	20.67	22.43	34.77	PASS
Band14	5MHz	64QAM	23330	1RB#0	22.33	24.09	34.77	PASS
Band14	5MHz	64QAM	23330	1RB#12	21.63	23.39	34.77	PASS
Band14	5MHz	64QAM	23330	1RB#24	21.89	23.65	34.77	PASS
Band14	5MHz	64QAM	23330	25RB#0	20.73	22.49	34.77	PASS
Band14	5MHz	64QAM	23355	1RB#0	22.1	23.86	34.77	PASS
Band14	5MHz	64QAM	23355	1RB#12	21.84	23.6	34.77	PASS
Band14	5MHz	64QAM	23355	1RB#24	22.09	23.85	34.77	PASS
Band14	5MHz	64QAM	23355	25RB#0	20.69	22.45	34.77	PASS
Band14	5MHz	256QAM	23305	1RB#0	18.53	20.29	34.77	PASS
Band14	5MHz	256QAM	23305	1RB#12	19.17	20.93	34.77	PASS
Band14	5MHz	256QAM	23305	1RB#24	18.9	20.66	34.77	PASS
Band14	5MHz	256QAM	23305	25RB#0	18.99	20.75	34.77	PASS
Band14	5MHz	256QAM	23330	1RB#0	19.11	20.87	34.77	PASS
Band14	5MHz	256QAM	23330	1RB#12	18.83	20.59	34.77	PASS

Band14	5MHz	256QAM	23330	1RB#24	18.84	20.6	34.77	PASS
Band14	5MHz	256QAM	23330	25RB#0	18.82	20.58	34.77	PASS
Band14	5MHz	256QAM	23355	1RB#0	18.93	20.69	34.77	PASS
Band14	5MHz	256QAM	23355	1RB#12	18.57	20.33	34.77	PASS
Band14	5MHz	256QAM	23355	1RB#24	19.02	20.78	34.77	PASS
Band14	5MHz	256QAM	23355	25RB#0	18.45	20.21	34.77	PASS
Band14	10MHz	QPSK	23330	1RB#0	23.72	25.48	34.77	PASS
Band14	10MHz	QPSK	23330	1RB#24	23.81	25.57	34.77	PASS
Band14	10MHz	QPSK	23330	1RB#49	23.88	25.64	34.77	PASS
Band14	10MHz	QPSK	23330	50RB#0	22.84	24.6	34.77	PASS
Band14	10MHz	16QAM	23330	1RB#0	23.09	24.85	34.77	PASS
Band14	10MHz	16QAM	23330	1RB#24	22.72	24.48	34.77	PASS
Band14	10MHz	16QAM	23330	1RB#49	22.87	24.63	34.77	PASS
Band14	10MHz	16QAM	23330	50RB#0	22.1	23.86	34.77	PASS
Band14	10MHz	64QAM	23330	1RB#0	21.98	23.74	34.77	PASS
Band14	10MHz	64QAM	23330	1RB#24	21.92	23.68	34.77	PASS
Band14	10MHz	64QAM	23330	1RB#49	21.57	23.33	34.77	PASS
Band14	10MHz	64QAM	23330	50RB#0	20.56	22.32	34.77	PASS
Band14	10MHz	256QAM	23330	1RB#0	18.88	20.64	34.77	PASS
Band14	10MHz	256QAM	23330	1RB#24	19.3	21.06	34.77	PASS
Band14	10MHz	256QAM	23330	1RB#49	18.89	20.65	34.77	PASS
Band14	10MHz	256QAM	23330	50RB#0	18.52	20.28	34.77	PASS

LTE B17:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band17	5MHz	QPSK	23755	1RB#0	23.55	24.87	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#12	23.75	25.07	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#24	23.89	25.21	34.77	PASS
Band17	5MHz	QPSK	23755	25RB#0	22.56	23.88	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#0	23.39	24.71	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#12	23.72	25.04	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#24	23.55	24.87	34.77	PASS
Band17	5MHz	QPSK	23790	25RB#0	22.48	23.8	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#0	24.07	25.39	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#12	23.87	25.19	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#24	23.89	25.21	34.77	PASS
Band17	5MHz	QPSK	23825	25RB#0	22.89	24.21	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#0	22.65	23.97	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#12	23.01	24.33	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#24	22.57	23.89	34.77	PASS
Band17	5MHz	16QAM	23755	25RB#0	21.45	22.77	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#0	22.92	24.24	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#12	22.72	24.04	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#24	22.71	24.03	34.77	PASS
Band17	5MHz	16QAM	23790	25RB#0	21.57	22.89	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#0	23.25	24.57	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#12	22.49	23.81	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#24	22.97	24.29	34.77	PASS
Band17	5MHz	16QAM	23825	25RB#0	21.5	22.82	34.77	PASS
Band17	5MHz	64QAM	23755	1RB#0	22.19	23.51	34.77	PASS
Band17	5MHz	64QAM	23755	1RB#12	21.46	22.78	34.77	PASS
Band17	5MHz	64QAM	23755	1RB#24	21.8	23.12	34.77	PASS
Band17	5MHz	64QAM	23755	25RB#0	20.98	22.3	34.77	PASS
Band17	5MHz	64QAM	23790	1RB#0	21.47	22.79	34.77	PASS
Band17	5MHz	64QAM	23790	1RB#12	21.98	23.3	34.77	PASS
Band17	5MHz	64QAM	23790	1RB#24	21.66	22.98	34.77	PASS
Band17	5MHz	64QAM	23790	25RB#0	20.37	21.69	34.77	PASS
Band17	5MHz	64QAM	23825	1RB#0	21.98	23.3	34.77	PASS
Band17	5MHz	64QAM	23825	1RB#12	21.73	23.05	34.77	PASS
Band17	5MHz	64QAM	23825	1RB#24	22.04	23.36	34.77	PASS
Band17	5MHz	64QAM	23825	25RB#0	20.54	21.86	34.77	PASS
Band17	5MHz	256QAM	23755	1RB#0	18.44	19.76	34.77	PASS
Band17	5MHz	256QAM	23755	1RB#12	18.62	19.94	34.77	PASS
Band17	5MHz	256QAM	23755	1RB#24	18.56	19.88	34.77	PASS
Band17	5MHz	256QAM	23755	25RB#0	18.65	19.97	34.77	PASS
Band17	5MHz	256QAM	23790	1RB#0	18.91	20.23	34.77	PASS
Band17	5MHz	256QAM	23790	1RB#12	18.82	20.14	34.77	PASS

Band17	5MHz	256QAM	23790	1RB#24	18.59	19.91	34.77	PASS
Band17	5MHz	256QAM	23790	25RB#0	18.53	19.85	34.77	PASS
Band17	5MHz	256QAM	23825	1RB#0	18.69	20.01	34.77	PASS
Band17	5MHz	256QAM	23825	1RB#12	18.7	20.02	34.77	PASS
Band17	5MHz	256QAM	23825	1RB#24	18.9	20.22	34.77	PASS
Band17	5MHz	256QAM	23825	25RB#0	18.6	19.92	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#0	24.1	25.42	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#24	23.54	24.86	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#49	23.42	24.74	34.77	PASS
Band17	10MHz	QPSK	23780	50RB#0	22.79	24.11	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#0	23.83	25.15	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#24	24.1	25.42	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#49	23.53	24.85	34.77	PASS
Band17	10MHz	QPSK	23790	50RB#0	22.58	23.9	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#0	23.78	25.1	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#24	23.48	24.8	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#49	23.63	24.95	34.77	PASS
Band17	10MHz	QPSK	23800	50RB#0	22.56	23.88	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#0	22.95	24.27	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#24	22.98	24.3	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#49	22.84	24.16	34.77	PASS
Band17	10MHz	16QAM	23780	50RB#0	21.97	23.29	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#0	22.53	23.85	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#24	23.2	24.52	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#49	22.96	24.28	34.77	PASS
Band17	10MHz	16QAM	23790	50RB#0	21.91	23.23	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#0	22.69	24.01	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#24	22.66	23.98	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#49	22.68	24	34.77	PASS
Band17	10MHz	16QAM	23800	50RB#0	21.8	23.12	34.77	PASS
Band17	10MHz	64QAM	23780	1RB#0	21.79	23.11	34.77	PASS
Band17	10MHz	64QAM	23780	1RB#24	21.6	22.92	34.77	PASS
Band17	10MHz	64QAM	23780	1RB#49	21.48	22.8	34.77	PASS
Band17	10MHz	64QAM	23780	50RB#0	21.02	22.34	34.77	PASS
Band17	10MHz	64QAM	23790	1RB#0	21.94	23.26	34.77	PASS
Band17	10MHz	64QAM	23790	1RB#24	21.93	23.25	34.77	PASS
Band17	10MHz	64QAM	23790	1RB#49	22.22	23.54	34.77	PASS
Band17	10MHz	64QAM	23790	50RB#0	20.82	22.14	34.77	PASS
Band17	10MHz	64QAM	23800	1RB#0	21.95	23.27	34.77	PASS
Band17	10MHz	64QAM	23800	1RB#24	21.61	22.93	34.77	PASS
Band17	10MHz	64QAM	23800	1RB#49	22.1	23.42	34.77	PASS
Band17	10MHz	64QAM	23800	50RB#0	20.96	22.28	34.77	PASS
Band17	10MHz	256QAM	23780	1RB#0	18.74	20.06	34.77	PASS
Band17	10MHz	256QAM	23780	1RB#24	18.91	20.23	34.77	PASS
Band17	10MHz	256QAM	23780	1RB#49	18.5	19.82	34.77	PASS
Band17	10MHz	256QAM	23780	50RB#0	19.1	20.42	34.77	PASS

Band17	10MHz	256QAM	23790	1RB#0	19.08	20.4	34.77	PASS
Band17	10MHz	256QAM	23790	1RB#24	18.87	20.19	34.77	PASS
Band17	10MHz	256QAM	23790	1RB#49	18.45	19.77	34.77	PASS
Band17	10MHz	256QAM	23790	50RB#0	18.93	20.25	34.77	PASS
Band17	10MHz	256QAM	23800	1RB#0	18.63	19.95	34.77	PASS
Band17	10MHz	256QAM	23800	1RB#24	18.79	20.11	34.77	PASS
Band17	10MHz	256QAM	23800	1RB#49	18.6	19.92	34.77	PASS
Band17	10MHz	256QAM	23800	50RB#0	18.75	20.07	34.77	PASS

LTE B25:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	23.72	28.64	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.71	28.63	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.26	28.18	33	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	21.95	26.87	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	23.18	28.1	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	23.47	28.39	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.83	28.75	33	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.52	27.44	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.29	28.21	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	23.28	28.2	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	23.58	28.5	33	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.53	27.45	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	22.55	27.47	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	22.95	27.87	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	22.78	27.7	33	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	21.73	26.65	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	22.55	27.47	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	22.95	27.87	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	22.74	27.66	33	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	21.58	26.5	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	22.16	27.08	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	22.9	27.82	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	22.8	27.72	33	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	21.87	26.79	33	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	22.23	27.15	33	PASS
Band25	1.4MHz	64QAM	26047	1RB#2	21.44	26.36	33	PASS
Band25	1.4MHz	64QAM	26047	1RB#5	21.75	26.67	33	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	20.72	25.64	33	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	21.66	26.58	33	PASS
Band25	1.4MHz	64QAM	26365	1RB#2	22.63	27.55	33	PASS
Band25	1.4MHz	64QAM	26365	1RB#5	21.35	26.27	33	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	20.5	25.42	33	PASS
Band25	1.4MHz	64QAM	26683	1RB#0	21.52	26.44	33	PASS
Band25	1.4MHz	64QAM	26683	1RB#2	21.31	26.23	33	PASS
Band25	1.4MHz	64QAM	26683	1RB#5	21.36	26.28	33	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	20.67	25.59	33	PASS
Band25	1.4MHz	256QAM	26047	1RB#0	18.67	23.59	33	PASS
Band25	1.4MHz	256QAM	26047	1RB#2	18.22	23.14	33	PASS
Band25	1.4MHz	256QAM	26047	1RB#5	18.56	23.48	33	PASS
Band25	1.4MHz	256QAM	26047	6RB#0	18.3	23.22	33	PASS
Band25	1.4MHz	256QAM	26365	1RB#0	18.05	22.97	33	PASS
Band25	1.4MHz	256QAM	26365	1RB#2	18.52	23.44	33	PASS

Band25	1.4MHz	256QAM	26365	1RB#5	18.79	23.71	33	PASS
Band25	1.4MHz	256QAM	26365	6RB#0	18.64	23.56	33	PASS
Band25	1.4MHz	256QAM	26683	1RB#0	18.45	23.37	33	PASS
Band25	1.4MHz	256QAM	26683	1RB#2	18.71	23.63	33	PASS
Band25	1.4MHz	256QAM	26683	1RB#5	18.38	23.3	33	PASS
Band25	1.4MHz	256QAM	26683	6RB#0	18.29	23.21	33	PASS
Band25	3MHz	QPSK	26055	1RB#0	23.67	28.59	33	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.67	28.59	33	PASS
Band25	3MHz	QPSK	26055	1RB#14	22.99	27.91	33	PASS
Band25	3MHz	QPSK	26055	15RB#0	22.19	27.11	33	PASS
Band25	3MHz	QPSK	26365	1RB#0	23.4	28.32	33	PASS
Band25	3MHz	QPSK	26365	1RB#8	23.65	28.57	33	PASS
Band25	3MHz	QPSK	26365	1RB#14	23.48	28.4	33	PASS
Band25	3MHz	QPSK	26365	15RB#0	22.36	27.28	33	PASS
Band25	3MHz	QPSK	26675	1RB#0	22.98	27.9	33	PASS
Band25	3MHz	QPSK	26675	1RB#8	23.77	28.69	33	PASS
Band25	3MHz	QPSK	26675	1RB#14	23.28	28.2	33	PASS
Band25	3MHz	QPSK	26675	15RB#0	22.17	27.09	33	PASS
Band25	3MHz	16QAM	26055	1RB#0	22.41	27.33	33	PASS
Band25	3MHz	16QAM	26055	1RB#8	22.84	27.76	33	PASS
Band25	3MHz	16QAM	26055	1RB#14	22.47	27.39	33	PASS
Band25	3MHz	16QAM	26055	15RB#0	21.61	26.53	33	PASS
Band25	3MHz	16QAM	26365	1RB#0	22.3	27.22	33	PASS
Band25	3MHz	16QAM	26365	1RB#8	22.49	27.41	33	PASS
Band25	3MHz	16QAM	26365	1RB#14	22.77	27.69	33	PASS
Band25	3MHz	16QAM	26365	15RB#0	21.67	26.59	33	PASS
Band25	3MHz	16QAM	26675	1RB#0	22.37	27.29	33	PASS
Band25	3MHz	16QAM	26675	1RB#8	22.69	27.61	33	PASS
Band25	3MHz	16QAM	26675	1RB#14	22.79	27.71	33	PASS
Band25	3MHz	16QAM	26675	15RB#0	21.4	26.32	33	PASS
Band25	3MHz	64QAM	26055	1RB#0	22.97	27.89	33	PASS
Band25	3MHz	64QAM	26055	1RB#8	21.38	26.3	33	PASS
Band25	3MHz	64QAM	26055	1RB#14	21.86	26.78	33	PASS
Band25	3MHz	64QAM	26055	15RB#0	20.86	25.78	33	PASS
Band25	3MHz	64QAM	26365	1RB#0	21.39	26.31	33	PASS
Band25	3MHz	64QAM	26365	1RB#8	21.96	26.88	33	PASS
Band25	3MHz	64QAM	26365	1RB#14	22.01	26.93	33	PASS
Band25	3MHz	64QAM	26365	15RB#0	20.42	25.34	33	PASS
Band25	3MHz	64QAM	26675	1RB#0	21.26	26.18	33	PASS
Band25	3MHz	64QAM	26675	1RB#8	21.99	26.91	33	PASS
Band25	3MHz	64QAM	26675	1RB#14	21.89	26.81	33	PASS
Band25	3MHz	64QAM	26675	15RB#0	20.56	25.48	33	PASS
Band25	3MHz	256QAM	26055	1RB#0	18.27	23.19	33	PASS
Band25	3MHz	256QAM	26055	1RB#8	18.75	23.67	33	PASS
Band25	3MHz	256QAM	26055	1RB#14	18.59	23.51	33	PASS
Band25	3MHz	256QAM	26055	15RB#0	18.29	23.21	33	PASS

Band25	3MHz	256QAM	26365	1RB#0	18.43	23.35	33	PASS
Band25	3MHz	256QAM	26365	1RB#8	18.88	23.8	33	PASS
Band25	3MHz	256QAM	26365	1RB#14	18.42	23.34	33	PASS
Band25	3MHz	256QAM	26365	15RB#0	18.21	23.13	33	PASS
Band25	3MHz	256QAM	26675	1RB#0	18.55	23.47	33	PASS
Band25	3MHz	256QAM	26675	1RB#8	18.51	23.43	33	PASS
Band25	3MHz	256QAM	26675	1RB#14	18.52	23.44	33	PASS
Band25	3MHz	256QAM	26675	15RB#0	18.28	23.2	33	PASS
Band25	5MHz	QPSK	26065	1RB#0	23.64	28.56	33	PASS
Band25	5MHz	QPSK	26065	1RB#12	23.45	28.37	33	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.32	28.24	33	PASS
Band25	5MHz	QPSK	26065	25RB#0	22.8	27.72	33	PASS
Band25	5MHz	QPSK	26365	1RB#0	23.82	28.74	33	PASS
Band25	5MHz	QPSK	26365	1RB#12	23.43	28.35	33	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.78	28.7	33	PASS
Band25	5MHz	QPSK	26365	25RB#0	22.41	27.33	33	PASS
Band25	5MHz	QPSK	26665	1RB#0	23.63	28.55	33	PASS
Band25	5MHz	QPSK	26665	1RB#12	23.15	28.07	33	PASS
Band25	5MHz	QPSK	26665	1RB#24	23.82	28.74	33	PASS
Band25	5MHz	QPSK	26665	25RB#0	22.31	27.23	33	PASS
Band25	5MHz	16QAM	26065	1RB#0	22.9	27.82	33	PASS
Band25	5MHz	16QAM	26065	1RB#12	22.48	27.4	33	PASS
Band25	5MHz	16QAM	26065	1RB#24	22.47	27.39	33	PASS
Band25	5MHz	16QAM	26065	25RB#0	21.47	26.39	33	PASS
Band25	5MHz	16QAM	26365	1RB#0	22.73	27.65	33	PASS
Band25	5MHz	16QAM	26365	1RB#12	22.51	27.43	33	PASS
Band25	5MHz	16QAM	26365	1RB#24	22.55	27.47	33	PASS
Band25	5MHz	16QAM	26365	25RB#0	21.36	26.28	33	PASS
Band25	5MHz	16QAM	26665	1RB#0	22.9	27.82	33	PASS
Band25	5MHz	16QAM	26665	1RB#12	23.05	27.97	33	PASS
Band25	5MHz	16QAM	26665	1RB#24	22.69	27.61	33	PASS
Band25	5MHz	16QAM	26665	25RB#0	21.65	26.57	33	PASS
Band25	5MHz	64QAM	26065	1RB#0	21.42	26.34	33	PASS
Band25	5MHz	64QAM	26065	1RB#12	21.52	26.44	33	PASS
Band25	5MHz	64QAM	26065	1RB#24	21.89	26.81	33	PASS
Band25	5MHz	64QAM	26065	25RB#0	20.48	25.4	33	PASS
Band25	5MHz	64QAM	26365	1RB#0	21.79	26.71	33	PASS
Band25	5MHz	64QAM	26365	1RB#12	21.59	26.51	33	PASS
Band25	5MHz	64QAM	26365	1RB#24	21.6	26.52	33	PASS
Band25	5MHz	64QAM	26365	25RB#0	20.23	25.15	33	PASS
Band25	5MHz	64QAM	26665	1RB#0	21.73	26.65	33	PASS
Band25	5MHz	64QAM	26665	1RB#12	21.93	26.85	33	PASS
Band25	5MHz	64QAM	26665	1RB#24	21.69	26.61	33	PASS
Band25	5MHz	64QAM	26665	25RB#0	20.53	25.45	33	PASS
Band25	5MHz	256QAM	26065	1RB#0	18.88	23.8	33	PASS
Band25	5MHz	256QAM	26065	1RB#12	18.47	23.39	33	PASS

Band25	5MHz	256QAM	26065	1RB#24	18.93	23.85	33	PASS
Band25	5MHz	256QAM	26065	25RB#0	18.66	23.58	33	PASS
Band25	5MHz	256QAM	26365	1RB#0	18.82	23.74	33	PASS
Band25	5MHz	256QAM	26365	1RB#12	18.89	23.81	33	PASS
Band25	5MHz	256QAM	26365	1RB#24	18.66	23.58	33	PASS
Band25	5MHz	256QAM	26365	25RB#0	18.37	23.29	33	PASS
Band25	5MHz	256QAM	26665	1RB#0	18.51	23.43	33	PASS
Band25	5MHz	256QAM	26665	1RB#12	19.01	23.93	33	PASS
Band25	5MHz	256QAM	26665	1RB#24	18.27	23.19	33	PASS
Band25	5MHz	256QAM	26665	25RB#0	18.3	23.22	33	PASS
Band25	10MHz	QPSK	26090	1RB#0	23.68	28.6	33	PASS
Band25	10MHz	QPSK	26090	1RB#24	23.9	28.82	33	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.53	28.45	33	PASS
Band25	10MHz	QPSK	26090	50RB#0	22.82	27.74	33	PASS
Band25	10MHz	QPSK	26365	1RB#0	23.42	28.34	33	PASS
Band25	10MHz	QPSK	26365	1RB#24	23.75	28.67	33	PASS
Band25	10MHz	QPSK	26365	1RB#49	23.78	28.7	33	PASS
Band25	10MHz	QPSK	26365	50RB#0	22.26	27.18	33	PASS
Band25	10MHz	QPSK	26640	1RB#0	23.33	28.25	33	PASS
Band25	10MHz	QPSK	26640	1RB#24	23.98	28.9	33	PASS
Band25	10MHz	QPSK	26640	1RB#49	23.44	28.36	33	PASS
Band25	10MHz	QPSK	26640	50RB#0	22.75	27.67	33	PASS
Band25	10MHz	16QAM	26090	1RB#0	23.02	27.94	33	PASS
Band25	10MHz	16QAM	26090	1RB#24	22.72	27.64	33	PASS
Band25	10MHz	16QAM	26090	1RB#49	22.71	27.63	33	PASS
Band25	10MHz	16QAM	26090	50RB#0	21.93	26.85	33	PASS
Band25	10MHz	16QAM	26365	1RB#0	22.8	27.72	33	PASS
Band25	10MHz	16QAM	26365	1RB#24	22.86	27.78	33	PASS
Band25	10MHz	16QAM	26365	1RB#49	22.73	27.65	33	PASS
Band25	10MHz	16QAM	26365	50RB#0	21.53	26.45	33	PASS
Band25	10MHz	16QAM	26640	1RB#0	22.72	27.64	33	PASS
Band25	10MHz	16QAM	26640	1RB#24	22.46	27.38	33	PASS
Band25	10MHz	16QAM	26640	1RB#49	22.68	27.6	33	PASS
Band25	10MHz	16QAM	26640	50RB#0	22.05	26.97	33	PASS
Band25	10MHz	64QAM	26090	1RB#0	21.54	26.46	33	PASS
Band25	10MHz	64QAM	26090	1RB#24	21.76	26.68	33	PASS
Band25	10MHz	64QAM	26090	1RB#49	21.72	26.64	33	PASS
Band25	10MHz	64QAM	26090	50RB#0	20.82	25.74	33	PASS
Band25	10MHz	64QAM	26365	1RB#0	21.83	26.75	33	PASS
Band25	10MHz	64QAM	26365	1RB#24	22.12	27.04	33	PASS
Band25	10MHz	64QAM	26365	1RB#49	22.16	27.08	33	PASS
Band25	10MHz	64QAM	26365	50RB#0	20.84	25.76	33	PASS
Band25	10MHz	64QAM	26640	1RB#0	21.62	26.54	33	PASS
Band25	10MHz	64QAM	26640	1RB#24	22.03	26.95	33	PASS
Band25	10MHz	64QAM	26640	1RB#49	21.63	26.55	33	PASS
Band25	10MHz	64QAM	26640	50RB#0	20.86	25.78	33	PASS

Band25	10MHz	256QAM	26090	1RB#0	18.87	23.79	33	PASS
Band25	10MHz	256QAM	26090	1RB#24	18.56	23.48	33	PASS
Band25	10MHz	256QAM	26090	1RB#49	18.56	23.48	33	PASS
Band25	10MHz	256QAM	26090	50RB#0	18.69	23.61	33	PASS
Band25	10MHz	256QAM	26365	1RB#0	18.68	23.6	33	PASS
Band25	10MHz	256QAM	26365	1RB#24	19.11	24.03	33	PASS
Band25	10MHz	256QAM	26365	1RB#49	19.01	23.93	33	PASS
Band25	10MHz	256QAM	26365	50RB#0	18.67	23.59	33	PASS
Band25	10MHz	256QAM	26640	1RB#0	18.62	23.54	33	PASS
Band25	10MHz	256QAM	26640	1RB#24	18.77	23.69	33	PASS
Band25	10MHz	256QAM	26640	1RB#49	18.81	23.73	33	PASS
Band25	10MHz	256QAM	26640	50RB#0	18.93	23.85	33	PASS
Band25	15MHz	QPSK	26115	1RB#0	23.42	28.34	33	PASS
Band25	15MHz	QPSK	26115	1RB#38	23.15	28.07	33	PASS
Band25	15MHz	QPSK	26115	1RB#74	23.29	28.21	33	PASS
Band25	15MHz	QPSK	26115	75RB#0	22.33	27.25	33	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.53	28.45	33	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.85	28.77	33	PASS
Band25	15MHz	QPSK	26365	1RB#74	23.26	28.18	33	PASS
Band25	15MHz	QPSK	26365	75RB#0	22.8	27.72	33	PASS
Band25	15MHz	QPSK	26615	1RB#0	23.95	28.87	33	PASS
Band25	15MHz	QPSK	26615	1RB#38	24.07	28.99	33	PASS
Band25	15MHz	QPSK	26615	1RB#74	23.53	28.45	33	PASS
Band25	15MHz	QPSK	26615	75RB#0	22.7	27.62	33	PASS
Band25	15MHz	16QAM	26115	1RB#0	22.85	27.77	33	PASS
Band25	15MHz	16QAM	26115	1RB#38	22.2	27.12	33	PASS
Band25	15MHz	16QAM	26115	1RB#74	22.09	27.01	33	PASS
Band25	15MHz	16QAM	26115	75RB#0	21.66	26.58	33	PASS
Band25	15MHz	16QAM	26365	1RB#0	22.57	27.49	33	PASS
Band25	15MHz	16QAM	26365	1RB#38	22.97	27.89	33	PASS
Band25	15MHz	16QAM	26365	1RB#74	22.91	27.83	33	PASS
Band25	15MHz	16QAM	26365	75RB#0	21.63	26.55	33	PASS
Band25	15MHz	16QAM	26615	1RB#0	22.53	27.45	33	PASS
Band25	15MHz	16QAM	26615	1RB#38	22.68	27.6	33	PASS
Band25	15MHz	16QAM	26615	1RB#74	22.88	27.8	33	PASS
Band25	15MHz	16QAM	26615	75RB#0	21.3	26.22	33	PASS
Band25	15MHz	64QAM	26115	1RB#0	21.3	26.22	33	PASS
Band25	15MHz	64QAM	26115	1RB#38	21.98	26.9	33	PASS
Band25	15MHz	64QAM	26115	1RB#74	21.63	26.55	33	PASS
Band25	15MHz	64QAM	26115	75RB#0	20.61	25.53	33	PASS
Band25	15MHz	64QAM	26365	1RB#0	21.8	26.72	33	PASS
Band25	15MHz	64QAM	26365	1RB#38	21.95	26.87	33	PASS
Band25	15MHz	64QAM	26365	1RB#74	21.36	26.28	33	PASS
Band25	15MHz	64QAM	26365	75RB#0	20.38	25.3	33	PASS
Band25	15MHz	64QAM	26615	1RB#0	21.42	26.34	33	PASS
Band25	15MHz	64QAM	26615	1RB#38	21.96	26.88	33	PASS

Band25	15MHz	64QAM	26615	1RB#74	21.24	26.16	33	PASS
Band25	15MHz	64QAM	26615	75RB#0	20.5	25.42	33	PASS
Band25	15MHz	256QAM	26115	1RB#0	18.19	23.11	33	PASS
Band25	15MHz	256QAM	26115	1RB#38	18.26	23.18	33	PASS
Band25	15MHz	256QAM	26115	1RB#74	18.63	23.55	33	PASS
Band25	15MHz	256QAM	26115	75RB#0	18.75	23.67	33	PASS
Band25	15MHz	256QAM	26365	1RB#0	18.81	23.73	33	PASS
Band25	15MHz	256QAM	26365	1RB#38	18.73	23.65	33	PASS
Band25	15MHz	256QAM	26365	1RB#74	18.66	23.58	33	PASS
Band25	15MHz	256QAM	26365	75RB#0	18.61	23.53	33	PASS
Band25	15MHz	256QAM	26615	1RB#0	18.25	23.17	33	PASS
Band25	15MHz	256QAM	26615	1RB#38	18.54	23.46	33	PASS
Band25	15MHz	256QAM	26615	1RB#74	18.83	23.75	33	PASS
Band25	15MHz	256QAM	26615	75RB#0	18.32	23.24	33	PASS
Band25	20MHz	QPSK	26140	1RB#0	23.25	28.17	33	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.68	28.6	33	PASS
Band25	20MHz	QPSK	26140	1RB#99	23.66	28.58	33	PASS
Band25	20MHz	QPSK	26140	100RB#0	22.72	27.64	33	PASS
Band25	20MHz	QPSK	26365	1RB#0	23.66	28.58	33	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.76	28.68	33	PASS
Band25	20MHz	QPSK	26365	1RB#99	23.22	28.14	33	PASS
Band25	20MHz	QPSK	26365	100RB#0	22.32	27.24	33	PASS
Band25	20MHz	QPSK	26590	1RB#0	23.42	28.34	33	PASS
Band25	20MHz	QPSK	26590	1RB#49	23.73	28.65	33	PASS
Band25	20MHz	QPSK	26590	1RB#99	23.06	27.98	33	PASS
Band25	20MHz	QPSK	26590	100RB#0	22.63	27.55	33	PASS
Band25	20MHz	16QAM	26140	1RB#0	22.7	27.62	33	PASS
Band25	20MHz	16QAM	26140	1RB#49	22.37	27.29	33	PASS
Band25	20MHz	16QAM	26140	1RB#99	22.5	27.42	33	PASS
Band25	20MHz	16QAM	26140	100RB#0	21.25	26.17	33	PASS
Band25	20MHz	16QAM	26365	1RB#0	22.29	27.21	33	PASS
Band25	20MHz	16QAM	26365	1RB#49	22.96	27.88	33	PASS
Band25	20MHz	16QAM	26365	1RB#99	22.86	27.78	33	PASS
Band25	20MHz	16QAM	26365	100RB#0	21.25	26.17	33	PASS
Band25	20MHz	16QAM	26590	1RB#0	22.62	27.54	33	PASS
Band25	20MHz	16QAM	26590	1RB#49	22.72	27.64	33	PASS
Band25	20MHz	16QAM	26590	1RB#99	22.8	27.72	33	PASS
Band25	20MHz	16QAM	26590	100RB#0	21.58	26.5	33	PASS
Band25	20MHz	64QAM	26140	1RB#0	21.6	26.52	33	PASS
Band25	20MHz	64QAM	26140	1RB#49	22.07	26.99	33	PASS
Band25	20MHz	64QAM	26140	1RB#99	21.72	26.64	33	PASS
Band25	20MHz	64QAM	26140	100RB#0	20.61	25.53	33	PASS
Band25	20MHz	64QAM	26365	1RB#0	21.34	26.26	33	PASS
Band25	20MHz	64QAM	26365	1RB#49	21.7	26.62	33	PASS
Band25	20MHz	64QAM	26365	1RB#99	21.93	26.85	33	PASS
Band25	20MHz	64QAM	26365	100RB#0	20.75	25.67	33	PASS

Band25	20MHz	64QAM	26590	1RB#0	21.47	26.39	33	PASS
Band25	20MHz	64QAM	26590	1RB#49	21.29	26.21	33	PASS
Band25	20MHz	64QAM	26590	1RB#99	21.49	26.41	33	PASS
Band25	20MHz	64QAM	26590	100RB#0	20.87	25.79	33	PASS
Band25	20MHz	256QAM	26140	1RB#0	18.86	23.78	33	PASS
Band25	20MHz	256QAM	26140	1RB#49	18.67	23.59	33	PASS
Band25	20MHz	256QAM	26140	1RB#99	18.59	23.51	33	PASS
Band25	20MHz	256QAM	26140	100RB#0	18.38	23.3	33	PASS
Band25	20MHz	256QAM	26365	1RB#0	18.23	23.15	33	PASS
Band25	20MHz	256QAM	26365	1RB#49	18.81	23.73	33	PASS
Band25	20MHz	256QAM	26365	1RB#99	18.83	23.75	33	PASS
Band25	20MHz	256QAM	26365	100RB#0	18.49	23.41	33	PASS
Band25	20MHz	256QAM	26590	1RB#0	18.28	23.2	33	PASS
Band25	20MHz	256QAM	26590	1RB#49	18.66	23.58	33	PASS
Band25	20MHz	256QAM	26590	1RB#99	18.67	23.59	33	PASS
Band25	20MHz	256QAM	26590	100RB#0	18.52	23.44	33	PASS

LTE B26 814-824MHZ:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Limit(dBm)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	19.24	50	PASS
Band26	1.4MHz	QPSK	26697	1RB#2	19.83	50	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	19.08	50	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	21.2	50	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	19.21	50	PASS
Band26	1.4MHz	QPSK	26740	1RB#2	19.63	50	PASS
Band26	1.4MHz	QPSK	26740	1RB#5	19.59	50	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	21.65	50	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	19.68	50	PASS
Band26	1.4MHz	QPSK	26783	1RB#2	22.09	50	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	19.9	50	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	19.67	50	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	21.86	50	PASS
Band26	1.4MHz	16QAM	26697	1RB#2	21.38	50	PASS
Band26	1.4MHz	16QAM	26697	1RB#5	21.11	50	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	20.71	50	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	21.87	50	PASS
Band26	1.4MHz	16QAM	26740	1RB#2	21.79	50	PASS
Band26	1.4MHz	16QAM	26740	1RB#5	21.78	50	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	20.3	50	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	21.16	50	PASS
Band26	1.4MHz	16QAM	26783	1RB#2	21.73	50	PASS
Band26	1.4MHz	16QAM	26783	1RB#5	21.5	50	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	20.71	50	PASS
Band26	1.4MHz	64QAM	26697	1RB#0	20.7	50	PASS
Band26	1.4MHz	64QAM	26697	1RB#2	20.55	50	PASS
Band26	1.4MHz	64QAM	26697	1RB#5	20.1	50	PASS
Band26	1.4MHz	64QAM	26697	6RB#0	19.15	50	PASS
Band26	1.4MHz	64QAM	26740	1RB#0	20.71	50	PASS
Band26	1.4MHz	64QAM	26740	1RB#2	20.37	50	PASS
Band26	1.4MHz	64QAM	26740	1RB#5	20.6	50	PASS
Band26	1.4MHz	64QAM	26740	6RB#0	19.74	50	PASS
Band26	1.4MHz	64QAM	26783	1RB#0	20.6	50	PASS
Band26	1.4MHz	64QAM	26783	1RB#2	20.53	50	PASS
Band26	1.4MHz	64QAM	26783	1RB#5	20.6	50	PASS
Band26	1.4MHz	64QAM	26783	6RB#0	19.87	50	PASS
Band26	1.4MHz	256QAM	26697	1RB#0	17.22	50	PASS
Band26	1.4MHz	256QAM	26697	1RB#2	17.21	50	PASS
Band26	1.4MHz	256QAM	26697	1RB#5	17.2	50	PASS
Band26	1.4MHz	256QAM	26697	6RB#0	17.37	50	PASS
Band26	1.4MHz	256QAM	26740	1RB#0	17.37	50	PASS
Band26	1.4MHz	256QAM	26740	1RB#2	17.53	50	PASS

Band26	1.4MHz	256QAM	26740	1RB#5	17.66	50	PASS
Band26	1.4MHz	256QAM	26740	6RB#0	17.44	50	PASS
Band26	1.4MHz	256QAM	26783	1RB#0	17.33	50	PASS
Band26	1.4MHz	256QAM	26783	1RB#2	18.08	50	PASS
Band26	1.4MHz	256QAM	26783	1RB#5	17.87	50	PASS
Band26	1.4MHz	256QAM	26783	6RB#0	17.85	50	PASS
Band26	3MHz	QPSK	26705	1RB#0	19.48	50	PASS
Band26	3MHz	QPSK	26705	1RB#8	19.13	50	PASS
Band26	3MHz	QPSK	26705	1RB#14	19.56	50	PASS
Band26	3MHz	QPSK	26705	15RB#0	20.7	50	PASS
Band26	3MHz	QPSK	26740	1RB#0	19.18	50	PASS
Band26	3MHz	QPSK	26740	1RB#8	19.49	50	PASS
Band26	3MHz	QPSK	26740	1RB#14	19.52	50	PASS
Band26	3MHz	QPSK	26740	15RB#0	20.41	50	PASS
Band26	3MHz	QPSK	26775	1RB#0	20.6	50	PASS
Band26	3MHz	QPSK	26775	1RB#8	22.38	50	PASS
Band26	3MHz	QPSK	26775	1RB#14	19.24	50	PASS
Band26	3MHz	QPSK	26775	15RB#0	20.58	50	PASS
Band26	3MHz	16QAM	26705	1RB#0	21.69	50	PASS
Band26	3MHz	16QAM	26705	1RB#8	21.24	50	PASS
Band26	3MHz	16QAM	26705	1RB#14	21.24	50	PASS
Band26	3MHz	16QAM	26705	15RB#0	20.18	50	PASS
Band26	3MHz	16QAM	26740	1RB#0	21.36	50	PASS
Band26	3MHz	16QAM	26740	1RB#8	21.83	50	PASS
Band26	3MHz	16QAM	26740	1RB#14	21.66	50	PASS
Band26	3MHz	16QAM	26740	15RB#0	20.48	50	PASS
Band26	3MHz	16QAM	26775	1RB#0	21.49	50	PASS
Band26	3MHz	16QAM	26775	1RB#8	21.42	50	PASS
Band26	3MHz	16QAM	26775	1RB#14	21.51	50	PASS
Band26	3MHz	16QAM	26775	15RB#0	20.55	50	PASS
Band26	3MHz	64QAM	26705	1RB#0	20.87	50	PASS
Band26	3MHz	64QAM	26705	1RB#8	20.31	50	PASS
Band26	3MHz	64QAM	26705	1RB#14	20.33	50	PASS
Band26	3MHz	64QAM	26705	15RB#0	19.71	50	PASS
Band26	3MHz	64QAM	26740	1RB#0	20.43	50	PASS
Band26	3MHz	64QAM	26740	1RB#8	20.44	50	PASS
Band26	3MHz	64QAM	26740	1RB#14	21.04	50	PASS
Band26	3MHz	64QAM	26740	15RB#0	19.65	50	PASS
Band26	3MHz	64QAM	26775	1RB#0	20.41	50	PASS
Band26	3MHz	64QAM	26775	1RB#8	20.99	50	PASS
Band26	3MHz	64QAM	26775	1RB#14	20.31	50	PASS
Band26	3MHz	64QAM	26775	15RB#0	19.74	50	PASS
Band26	3MHz	256QAM	26705	1RB#0	17.35	50	PASS
Band26	3MHz	256QAM	26705	1RB#8	17.53	50	PASS
Band26	3MHz	256QAM	26705	1RB#14	17.43	50	PASS
Band26	3MHz	256QAM	26705	15RB#0	17.31	50	PASS

Band26	3MHz	256QAM	26740	1RB#0	17.4	50	PASS
Band26	3MHz	256QAM	26740	1RB#8	17.61	50	PASS
Band26	3MHz	256QAM	26740	1RB#14	17.63	50	PASS
Band26	3MHz	256QAM	26740	15RB#0	17.85	50	PASS
Band26	3MHz	256QAM	26775	1RB#0	17.41	50	PASS
Band26	3MHz	256QAM	26775	1RB#8	17.6	50	PASS
Band26	3MHz	256QAM	26775	1RB#14	17.61	50	PASS
Band26	3MHz	256QAM	26775	15RB#0	17.75	50	PASS
Band26	5MHz	QPSK	26715	1RB#0	20.28	50	PASS
Band26	5MHz	QPSK	26715	1RB#12	22.49	50	PASS
Band26	5MHz	QPSK	26715	1RB#24	19.49	50	PASS
Band26	5MHz	QPSK	26715	25RB#0	20.6	50	PASS
Band26	5MHz	QPSK	26740	1RB#0	20.46	50	PASS
Band26	5MHz	QPSK	26740	1RB#12	22.22	50	PASS
Band26	5MHz	QPSK	26740	1RB#24	19.42	50	PASS
Band26	5MHz	QPSK	26740	25RB#0	20.51	50	PASS
Band26	5MHz	QPSK	26765	1RB#0	20.87	50	PASS
Band26	5MHz	QPSK	26765	1RB#12	22.77	50	PASS
Band26	5MHz	QPSK	26765	1RB#24	19.25	50	PASS
Band26	5MHz	QPSK	26765	25RB#0	20.76	50	PASS
Band26	5MHz	16QAM	26715	1RB#0	21.57	50	PASS
Band26	5MHz	16QAM	26715	1RB#12	21.52	50	PASS
Band26	5MHz	16QAM	26715	1RB#24	21.56	50	PASS
Band26	5MHz	16QAM	26715	25RB#0	20.5	50	PASS
Band26	5MHz	16QAM	26740	1RB#0	21.79	50	PASS
Band26	5MHz	16QAM	26740	1RB#12	22.01	50	PASS
Band26	5MHz	16QAM	26740	1RB#24	21.8	50	PASS
Band26	5MHz	16QAM	26740	25RB#0	20.39	50	PASS
Band26	5MHz	16QAM	26765	1RB#0	21.53	50	PASS
Band26	5MHz	16QAM	26765	1RB#12	21.41	50	PASS
Band26	5MHz	16QAM	26765	1RB#24	21.76	50	PASS
Band26	5MHz	16QAM	26765	25RB#0	20.44	50	PASS
Band26	5MHz	64QAM	26715	1RB#0	20.5	50	PASS
Band26	5MHz	64QAM	26715	1RB#12	20.63	50	PASS
Band26	5MHz	64QAM	26715	1RB#24	20.44	50	PASS
Band26	5MHz	64QAM	26715	25RB#0	19.19	50	PASS
Band26	5MHz	64QAM	26740	1RB#0	20.95	50	PASS
Band26	5MHz	64QAM	26740	1RB#12	20.48	50	PASS
Band26	5MHz	64QAM	26740	1RB#24	20.42	50	PASS
Band26	5MHz	64QAM	26740	25RB#0	19.75	50	PASS
Band26	5MHz	64QAM	26765	1RB#0	20.96	50	PASS
Band26	5MHz	64QAM	26765	1RB#12	20.39	50	PASS
Band26	5MHz	64QAM	26765	1RB#24	20.87	50	PASS
Band26	5MHz	64QAM	26765	25RB#0	19.45	50	PASS
Band26	5MHz	256QAM	26715	1RB#0	17.45	50	PASS
Band26	5MHz	256QAM	26715	1RB#12	17.54	50	PASS

Band26	5MHz	256QAM	26715	1RB#24	17.47	50	PASS
Band26	5MHz	256QAM	26715	25RB#0	17.41	50	PASS
Band26	5MHz	256QAM	26740	1RB#0	16.91	50	PASS
Band26	5MHz	256QAM	26740	1RB#12	17.53	50	PASS
Band26	5MHz	256QAM	26740	1RB#24	17.68	50	PASS
Band26	5MHz	256QAM	26740	25RB#0	17.32	50	PASS
Band26	5MHz	256QAM	26765	1RB#0	17.74	50	PASS
Band26	5MHz	256QAM	26765	1RB#12	17.53	50	PASS
Band26	5MHz	256QAM	26765	1RB#24	17.7	50	PASS
Band26	5MHz	256QAM	26765	25RB#0	17.39	50	PASS
Band26	10MHz	QPSK	26740	1RB#0	22.5	50	PASS
Band26	10MHz	QPSK	26740	1RB#24	22.9	50	PASS
Band26	10MHz	QPSK	26740	1RB#49	22.69	50	PASS
Band26	10MHz	QPSK	26740	50RB#0	21.44	50	PASS
Band26	10MHz	16QAM	26740	1RB#0	21.8	50	PASS
Band26	10MHz	16QAM	26740	1RB#24	21.75	50	PASS
Band26	10MHz	16QAM	26740	1RB#49	21.45	50	PASS
Band26	10MHz	16QAM	26740	50RB#0	20.35	50	PASS
Band26	10MHz	64QAM	26740	1RB#0	20.79	50	PASS
Band26	10MHz	64QAM	26740	1RB#24	20.37	50	PASS
Band26	10MHz	64QAM	26740	1RB#49	20.49	50	PASS
Band26	10MHz	64QAM	26740	50RB#0	19.64	50	PASS
Band26	10MHz	256QAM	26740	1RB#0	17.67	50	PASS
Band26	10MHz	256QAM	26740	1RB#24	17.51	50	PASS
Band26	10MHz	256QAM	26740	1RB#49	17.67	50	PASS
Band26	10MHz	256QAM	26740	50RB#0	17.75	50	PASS

LTE B26 824-849MHZ:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	22.26	23.89	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	22.29	23.92	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	22.34	23.97	38.45	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	21.75	23.38	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	22.38	24.01	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	22.67	24.3	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	22.88	24.51	38.45	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	21.38	23.01	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	22.79	24.42	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	22.5	24.13	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	23.01	24.64	38.45	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	21.78	23.41	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	21.86	23.49	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	21.94	23.57	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	21.62	23.25	38.45	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	20.47	22.1	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	22.04	23.67	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	22.13	23.76	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	21.67	23.3	38.45	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	20.48	22.11	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	21.86	23.49	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	22.27	23.9	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	22.12	23.75	38.45	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	20.65	22.28	38.45	PASS
Band26	1.4MHz	64QAM	26797	1RB#0	20.74	22.37	38.45	PASS
Band26	1.4MHz	64QAM	26797	1RB#2	20.84	22.47	38.45	PASS
Band26	1.4MHz	64QAM	26797	1RB#5	21.01	22.64	38.45	PASS
Band26	1.4MHz	64QAM	26797	6RB#0	19.46	21.09	38.45	PASS
Band26	1.4MHz	64QAM	26915	1RB#0	21.09	22.72	38.45	PASS
Band26	1.4MHz	64QAM	26915	1RB#2	21.2	22.83	38.45	PASS
Band26	1.4MHz	64QAM	26915	1RB#5	20.82	22.45	38.45	PASS
Band26	1.4MHz	64QAM	26915	6RB#0	20.1	21.73	38.45	PASS
Band26	1.4MHz	64QAM	27033	1RB#0	20.72	22.35	38.45	PASS
Band26	1.4MHz	64QAM	27033	1RB#2	21.06	22.69	38.45	PASS
Band26	1.4MHz	64QAM	27033	1RB#5	20.77	22.4	38.45	PASS
Band26	1.4MHz	64QAM	27033	6RB#0	19.6	21.23	38.45	PASS
Band26	1.4MHz	256QAM	26797	1RB#0	22.44	24.07	38.45	PASS
Band26	1.4MHz	256QAM	26797	1RB#2	22.8	24.43	38.45	PASS
Band26	1.4MHz	256QAM	26797	1RB#5	22.44	24.07	38.45	PASS
Band26	1.4MHz	256QAM	26797	6RB#0	21.7	23.33	38.45	PASS
Band26	1.4MHz	256QAM	26915	1RB#0	22.58	24.21	38.45	PASS
Band26	1.4MHz	256QAM	26915	1RB#2	22.79	24.42	38.45	PASS

Band26	1.4MHz	256QAM	26915	1RB#5	22.6	24.23	38.45	PASS
Band26	1.4MHz	256QAM	26915	6RB#0	21.91	23.54	38.45	PASS
Band26	1.4MHz	256QAM	27033	1RB#0	22.51	24.14	38.45	PASS
Band26	1.4MHz	256QAM	27033	1RB#2	22.57	24.2	38.45	PASS
Band26	1.4MHz	256QAM	27033	1RB#5	22.43	24.06	38.45	PASS
Band26	1.4MHz	256QAM	27033	6RB#0	21.72	23.35	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#0	21.8	23.43	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#8	22.06	23.69	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#14	22.25	23.88	38.45	PASS
Band26	3MHz	QPSK	26805	15RB#0	20.78	22.41	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#0	21.77	23.4	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#8	21.95	23.58	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#14	21.62	23.25	38.45	PASS
Band26	3MHz	QPSK	26915	15RB#0	20.64	22.27	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#0	22.31	23.94	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#8	21.92	23.55	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#14	22.01	23.64	38.45	PASS
Band26	3MHz	QPSK	27025	15RB#0	21.01	22.64	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#0	20.73	22.36	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#8	21.1	22.73	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#14	20.52	22.15	38.45	PASS
Band26	3MHz	16QAM	26805	15RB#0	19.67	21.3	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#0	21.1	22.73	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#8	21.03	22.66	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#14	20.67	22.3	38.45	PASS
Band26	3MHz	16QAM	26915	15RB#0	19.84	21.47	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#0	21.07	22.7	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#8	20.99	22.62	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#14	21.1	22.73	38.45	PASS
Band26	3MHz	16QAM	27025	15RB#0	19.55	21.18	38.45	PASS
Band26	3MHz	64QAM	26805	1RB#0	22.4	24.03	38.45	PASS
Band26	3MHz	64QAM	26805	1RB#8	22.41	24.04	38.45	PASS
Band26	3MHz	64QAM	26805	1RB#14	22.32	23.95	38.45	PASS
Band26	3MHz	64QAM	26805	15RB#0	21.9	23.53	38.45	PASS
Band26	3MHz	64QAM	26915	1RB#0	22.54	24.17	38.45	PASS
Band26	3MHz	64QAM	26915	1RB#8	22.59	24.22	38.45	PASS
Band26	3MHz	64QAM	26915	1RB#14	22.53	24.16	38.45	PASS
Band26	3MHz	64QAM	26915	15RB#0	21.93	23.56	38.45	PASS
Band26	3MHz	64QAM	27025	1RB#0	22.47	24.1	38.45	PASS
Band26	3MHz	64QAM	27025	1RB#8	22.93	24.56	38.45	PASS
Band26	3MHz	64QAM	27025	1RB#14	22.78	24.41	38.45	PASS
Band26	3MHz	64QAM	27025	15RB#0	21.72	23.35	38.45	PASS
Band26	3MHz	256QAM	26805	1RB#0	22.18	23.81	38.45	PASS
Band26	3MHz	256QAM	26805	1RB#8	21.93	23.56	38.45	PASS
Band26	3MHz	256QAM	26805	1RB#14	22.14	23.77	38.45	PASS
Band26	3MHz	256QAM	26805	15RB#0	20.68	22.31	38.45	PASS

Band26	3MHz	256QAM	26915	1RB#0	22.3	23.93	38.45	PASS
Band26	3MHz	256QAM	26915	1RB#8	22.01	23.64	38.45	PASS
Band26	3MHz	256QAM	26915	1RB#14	21.99	23.62	38.45	PASS
Band26	3MHz	256QAM	26915	15RB#0	20.63	22.26	38.45	PASS
Band26	3MHz	256QAM	27025	1RB#0	22.3	23.93	38.45	PASS
Band26	3MHz	256QAM	27025	1RB#8	21.96	23.59	38.45	PASS
Band26	3MHz	256QAM	27025	1RB#14	22.28	23.91	38.45	PASS
Band26	3MHz	256QAM	27025	15RB#0	20.88	22.51	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#0	20.97	22.6	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#12	21.07	22.7	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#24	20.59	22.22	38.45	PASS
Band26	5MHz	QPSK	26815	25RB#0	19.68	21.31	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#0	21.09	22.72	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#12	21.11	22.74	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#24	21.29	22.92	38.45	PASS
Band26	5MHz	QPSK	26915	25RB#0	19.69	21.32	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#0	21.23	22.86	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#12	20.92	22.55	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#24	20.97	22.6	38.45	PASS
Band26	5MHz	QPSK	27015	25RB#0	19.78	21.41	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#0	22.69	24.32	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#12	22.61	24.24	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#24	22.36	23.99	38.45	PASS
Band26	5MHz	16QAM	26815	25RB#0	21.5	23.13	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#0	22.67	24.3	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#12	22.49	24.12	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#24	22.36	23.99	38.45	PASS
Band26	5MHz	16QAM	26915	25RB#0	21.8	23.43	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#0	22.56	24.19	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#12	22.74	24.37	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#24	22.75	24.38	38.45	PASS
Band26	5MHz	16QAM	27015	25RB#0	22.05	23.68	38.45	PASS
Band26	5MHz	64QAM	26815	1RB#0	22.03	23.66	38.45	PASS
Band26	5MHz	64QAM	26815	1RB#12	21.81	23.44	38.45	PASS
Band26	5MHz	64QAM	26815	1RB#24	21.67	23.3	38.45	PASS
Band26	5MHz	64QAM	26815	25RB#0	20.78	22.41	38.45	PASS
Band26	5MHz	64QAM	26915	1RB#0	22.01	23.64	38.45	PASS
Band26	5MHz	64QAM	26915	1RB#12	22.23	23.86	38.45	PASS
Band26	5MHz	64QAM	26915	1RB#24	22.05	23.68	38.45	PASS
Band26	5MHz	64QAM	26915	25RB#0	20.66	22.29	38.45	PASS
Band26	5MHz	64QAM	27015	1RB#0	21.89	23.52	38.45	PASS
Band26	5MHz	64QAM	27015	1RB#12	22.03	23.66	38.45	PASS
Band26	5MHz	64QAM	27015	1RB#24	22.08	23.71	38.45	PASS
Band26	5MHz	64QAM	27015	25RB#0	20.8	22.43	38.45	PASS
Band26	5MHz	256QAM	26815	1RB#0	20.59	22.22	38.45	PASS
Band26	5MHz	256QAM	26815	1RB#12	20.94	22.57	38.45	PASS

Band26	5MHz	256QAM	26815	1RB#24	21.21	22.84	38.45	PASS
Band26	5MHz	256QAM	26815	25RB#0	19.76	21.39	38.45	PASS
Band26	5MHz	256QAM	26915	1RB#0	20.82	22.45	38.45	PASS
Band26	5MHz	256QAM	26915	1RB#12	20.98	22.61	38.45	PASS
Band26	5MHz	256QAM	26915	1RB#24	20.55	22.18	38.45	PASS
Band26	5MHz	256QAM	26915	25RB#0	20.11	21.74	38.45	PASS
Band26	5MHz	256QAM	27015	1RB#0	21.2	22.83	38.45	PASS
Band26	5MHz	256QAM	27015	1RB#12	20.71	22.34	38.45	PASS
Band26	5MHz	256QAM	27015	1RB#24	20.88	22.51	38.45	PASS
Band26	5MHz	256QAM	27015	25RB#0	19.93	21.56	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#0	22.82	24.45	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#24	22.85	24.48	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#49	22.67	24.3	38.45	PASS
Band26	10MHz	QPSK	26840	50RB#0	21.38	23.01	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#0	22.78	24.41	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#24	22.45	24.08	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#49	22.15	23.78	38.45	PASS
Band26	10MHz	QPSK	26915	50RB#0	21.48	23.11	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#0	22.78	24.41	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#24	22.33	23.96	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#49	22.23	23.86	38.45	PASS
Band26	10MHz	QPSK	26990	50RB#0	21.99	23.62	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#0	21.85	23.48	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#24	21.82	23.45	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#49	22.05	23.68	38.45	PASS
Band26	10MHz	16QAM	26840	50RB#0	20.93	22.56	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#0	21.97	23.6	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#24	22.04	23.67	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#49	21.61	23.24	38.45	PASS
Band26	10MHz	16QAM	26915	50RB#0	20.57	22.2	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#0	21.54	23.17	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#24	22.02	23.65	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#49	21.9	23.53	38.45	PASS
Band26	10MHz	16QAM	26990	50RB#0	20.95	22.58	38.45	PASS
Band26	10MHz	64QAM	26840	1RB#0	20.49	22.12	38.45	PASS
Band26	10MHz	64QAM	26840	1RB#24	21.1	22.73	38.45	PASS
Band26	10MHz	64QAM	26840	1RB#49	20.66	22.29	38.45	PASS
Band26	10MHz	64QAM	26840	50RB#0	19.75	21.38	38.45	PASS
Band26	10MHz	64QAM	26915	1RB#0	20.14	21.77	38.45	PASS
Band26	10MHz	64QAM	26915	1RB#24	20.48	22.11	38.45	PASS
Band26	10MHz	64QAM	26915	1RB#49	20.6	22.23	38.45	PASS
Band26	10MHz	64QAM	26915	50RB#0	19.36	20.99	38.45	PASS
Band26	10MHz	64QAM	26990	1RB#0	20.65	22.28	38.45	PASS
Band26	10MHz	64QAM	26990	1RB#24	20.59	22.22	38.45	PASS
Band26	10MHz	64QAM	26990	1RB#49	20.68	22.31	38.45	PASS
Band26	10MHz	64QAM	26990	50RB#0	19.45	21.08	38.45	PASS

Band26	10MHz	256QAM	26840	1RB#0	22.4	24.03	38.45	PASS
Band26	10MHz	256QAM	26840	1RB#24	22.69	24.32	38.45	PASS
Band26	10MHz	256QAM	26840	1RB#49	22.59	24.22	38.45	PASS
Band26	10MHz	256QAM	26840	50RB#0	21.65	23.28	38.45	PASS
Band26	10MHz	256QAM	26915	1RB#0	22.55	24.18	38.45	PASS
Band26	10MHz	256QAM	26915	1RB#24	22.8	24.43	38.45	PASS
Band26	10MHz	256QAM	26915	1RB#49	22.49	24.12	38.45	PASS
Band26	10MHz	256QAM	26915	50RB#0	21.58	23.21	38.45	PASS
Band26	10MHz	256QAM	26990	1RB#0	22.4	24.03	38.45	PASS
Band26	10MHz	256QAM	26990	1RB#24	22.46	24.09	38.45	PASS
Band26	10MHz	256QAM	26990	1RB#49	22.78	24.41	38.45	PASS
Band26	10MHz	256QAM	26990	50RB#0	21.3	22.93	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#0	22.23	23.86	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#38	22	23.63	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#74	22.06	23.69	38.45	PASS
Band26	15MHz	QPSK	26865	75RB#0	20.9	22.53	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#0	22.14	23.77	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#38	22.31	23.94	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#74	21.77	23.4	38.45	PASS
Band26	15MHz	QPSK	26915	75RB#0	20.7	22.33	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#0	22.29	23.92	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#38	22.16	23.79	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#74	22.18	23.81	38.45	PASS
Band26	15MHz	QPSK	26965	75RB#0	20.62	22.25	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#0	20.59	22.22	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#38	20.99	22.62	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#74	20.63	22.26	38.45	PASS
Band26	15MHz	16QAM	26865	75RB#0	19.71	21.34	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#0	21.08	22.71	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#38	21.16	22.79	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#74	21.12	22.75	38.45	PASS
Band26	15MHz	16QAM	26915	75RB#0	19.83	21.46	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#0	20.66	22.29	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#38	20.79	22.42	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#74	20.9	22.53	38.45	PASS
Band26	15MHz	16QAM	26965	75RB#0	19.5	21.13	38.45	PASS
Band26	15MHz	64QAM	26865	1RB#0	22.65	24.28	38.45	PASS
Band26	15MHz	64QAM	26865	1RB#38	22.53	24.16	38.45	PASS
Band26	15MHz	64QAM	26865	1RB#74	22.47	24.1	38.45	PASS
Band26	15MHz	64QAM	26865	75RB#0	21.49	23.12	38.45	PASS
Band26	15MHz	64QAM	26915	1RB#0	23.11	24.74	38.45	PASS
Band26	15MHz	64QAM	26915	1RB#38	23.02	24.65	38.45	PASS
Band26	15MHz	64QAM	26915	1RB#74	23.03	24.66	38.45	PASS
Band26	15MHz	64QAM	26915	75RB#0	21.97	23.6	38.45	PASS
Band26	15MHz	64QAM	26965	1RB#0	22.97	24.6	38.45	PASS
Band26	15MHz	64QAM	26965	1RB#38	22.38	24.01	38.45	PASS

Band26	15MHz	64QAM	26965	1RB#74	22.66	24.29	38.45	PASS
Band26	15MHz	64QAM	26965	75RB#0	21.96	23.59	38.45	PASS
Band26	15MHz	256QAM	26865	1RB#0	21.97	23.6	38.45	PASS
Band26	15MHz	256QAM	26865	1RB#38	22.08	23.71	38.45	PASS
Band26	15MHz	256QAM	26865	1RB#74	22.13	23.76	38.45	PASS
Band26	15MHz	256QAM	26865	75RB#0	20.38	22.01	38.45	PASS
Band26	15MHz	256QAM	26915	1RB#0	22.32	23.95	38.45	PASS
Band26	15MHz	256QAM	26915	1RB#38	22.07	23.7	38.45	PASS
Band26	15MHz	256QAM	26915	1RB#74	22.18	23.81	38.45	PASS
Band26	15MHz	256QAM	26915	75RB#0	20.65	22.28	38.45	PASS
Band26	15MHz	256QAM	26965	1RB#0	21.82	23.45	38.45	PASS
Band26	15MHz	256QAM	26965	1RB#38	21.86	23.49	38.45	PASS
Band26	15MHz	256QAM	26965	1RB#74	21.61	23.24	38.45	PASS
Band26	15MHz	256QAM	26965	75RB#0	20.49	22.12	38.45	PASS

LTE B30:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band30	5MHz	QPSK	27685	1RB#0	22.95	22.88	23.98	PASS
Band30	5MHz	QPSK	27685	1RB#12	22.7	22.63	23.98	PASS
Band30	5MHz	QPSK	27685	1RB#24	22.9	22.83	23.98	PASS
Band30	5MHz	QPSK	27685	25RB#0	21.82	21.75	23.98	PASS
Band30	5MHz	QPSK	27710	1RB#0	23.01	22.94	23.98	PASS
Band30	5MHz	QPSK	27710	1RB#12	23.05	22.98	23.98	PASS
Band30	5MHz	QPSK	27710	1RB#24	23.14	23.07	23.98	PASS
Band30	5MHz	QPSK	27710	25RB#0	22.23	22.16	23.98	PASS
Band30	5MHz	QPSK	27735	1RB#0	23.06	22.99	23.98	PASS
Band30	5MHz	QPSK	27735	1RB#12	22.52	22.45	23.98	PASS
Band30	5MHz	QPSK	27735	1RB#24	23.05	22.98	23.98	PASS
Band30	5MHz	QPSK	27735	25RB#0	21.9	21.83	23.98	PASS
Band30	5MHz	16QAM	27685	1RB#0	22.08	22.01	23.98	PASS
Band30	5MHz	16QAM	27685	1RB#12	22.09	22.02	23.98	PASS
Band30	5MHz	16QAM	27685	1RB#24	22.26	22.19	23.98	PASS
Band30	5MHz	16QAM	27685	25RB#0	20.87	20.8	23.98	PASS
Band30	5MHz	16QAM	27710	1RB#0	22.57	22.5	23.98	PASS
Band30	5MHz	16QAM	27710	1RB#12	22.07	22	23.98	PASS
Band30	5MHz	16QAM	27710	1RB#24	21.84	21.77	23.98	PASS
Band30	5MHz	16QAM	27710	25RB#0	21.15	21.08	23.98	PASS
Band30	5MHz	16QAM	27735	1RB#0	21.62	21.55	23.98	PASS
Band30	5MHz	16QAM	27735	1RB#12	21.88	21.81	23.98	PASS
Band30	5MHz	16QAM	27735	1RB#24	22.09	22.02	23.98	PASS
Band30	5MHz	16QAM	27735	25RB#0	20.73	20.66	23.98	PASS
Band30	5MHz	64QAM	27685	1RB#0	21.17	21.1	23.98	PASS
Band30	5MHz	64QAM	27685	1RB#12	20.87	20.8	23.98	PASS
Band30	5MHz	64QAM	27685	1RB#24	21.18	21.11	23.98	PASS
Band30	5MHz	64QAM	27685	25RB#0	20.37	20.3	23.98	PASS
Band30	5MHz	64QAM	27710	1RB#0	21.26	21.19	23.98	PASS
Band30	5MHz	64QAM	27710	1RB#12	21.32	21.25	23.98	PASS
Band30	5MHz	64QAM	27710	1RB#24	21.16	21.09	23.98	PASS
Band30	5MHz	64QAM	27710	25RB#0	20.2	20.13	23.98	PASS
Band30	5MHz	64QAM	27735	1RB#0	21.32	21.25	23.98	PASS
Band30	5MHz	64QAM	27735	1RB#12	21.56	21.49	23.98	PASS
Band30	5MHz	64QAM	27735	1RB#24	20.86	20.79	23.98	PASS
Band30	5MHz	64QAM	27735	25RB#0	20.11	20.04	23.98	PASS
Band30	5MHz	256QAM	27685	1RB#0	18.33	18.26	23.98	PASS
Band30	5MHz	256QAM	27685	1RB#12	18.2	18.13	23.98	PASS
Band30	5MHz	256QAM	27685	1RB#24	17.68	17.61	23.98	PASS
Band30	5MHz	256QAM	27685	25RB#0	18.36	18.29	23.98	PASS
Band30	5MHz	256QAM	27710	1RB#0	17.66	17.59	23.98	PASS
Band30	5MHz	256QAM	27710	1RB#12	17.84	17.77	23.98	PASS

Band30	5MHz	256QAM	27710	1RB#24	17.71	17.64	23.98	PASS
Band30	5MHz	256QAM	27710	25RB#0	17.86	17.79	23.98	PASS
Band30	5MHz	256QAM	27735	1RB#0	18.26	18.19	23.98	PASS
Band30	5MHz	256QAM	27735	1RB#12	18.38	18.31	23.98	PASS
Band30	5MHz	256QAM	27735	1RB#24	17.86	17.79	23.98	PASS
Band30	5MHz	256QAM	27735	25RB#0	17.62	17.55	23.98	PASS
Band30	10MHz	QPSK	27710	1RB#0	23.2	23.13	23.98	PASS
Band30	10MHz	QPSK	27710	1RB#24	22.89	22.82	23.98	PASS
Band30	10MHz	QPSK	27710	1RB#49	22.99	22.92	23.98	PASS
Band30	10MHz	QPSK	27710	50RB#0	21.81	21.74	23.98	PASS
Band30	10MHz	16QAM	27710	1RB#0	22.35	22.28	23.98	PASS
Band30	10MHz	16QAM	27710	1RB#24	22.27	22.2	23.98	PASS
Band30	10MHz	16QAM	27710	1RB#49	21.84	21.77	23.98	PASS
Band30	10MHz	16QAM	27710	50RB#0	21.03	20.96	23.98	PASS
Band30	10MHz	64QAM	27710	1RB#0	21.27	21.2	23.98	PASS
Band30	10MHz	64QAM	27710	1RB#24	21.21	21.14	23.98	PASS
Band30	10MHz	64QAM	27710	1RB#49	21.26	21.19	23.98	PASS
Band30	10MHz	64QAM	27710	50RB#0	19.95	19.88	23.98	PASS
Band30	10MHz	256QAM	27710	1RB#0	18.16	18.09	23.98	PASS
Band30	10MHz	256QAM	27710	1RB#24	17.85	17.78	23.98	PASS
Band30	10MHz	256QAM	27710	1RB#49	17.61	17.54	23.98	PASS
Band30	10MHz	256QAM	27710	50RB#0	17.87	17.8	23.98	PASS

LTE B30:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band38	5MHz	QPSK	37775	1RB#0	25.45	27.85	33	PASS
Band38	5MHz	16QAM	37775	1RB#0	24.64	27.04	33	PASS
Band38	5MHz	64QAM	37775	1RB#0	24.14	26.54	33	PASS
Band38	5MHz	256QAM	37775	1RB#0	20.97	23.37	33	PASS
Band38	5MHz	QPSK	37775	1RB#12	25.62	28.02	33	PASS
Band38	5MHz	16QAM	37775	1RB#12	24.84	27.24	33	PASS
Band38	5MHz	64QAM	37775	1RB#12	23.99	26.39	33	PASS
Band38	5MHz	256QAM	37775	1RB#12	20.66	23.06	33	PASS
Band38	5MHz	QPSK	37775	1RB#24	25.48	27.88	33	PASS
Band38	5MHz	16QAM	37775	1RB#24	24.75	27.15	33	PASS
Band38	5MHz	64QAM	37775	1RB#24	24.09	26.49	33	PASS
Band38	5MHz	256QAM	37775	1RB#24	20.74	23.14	33	PASS
Band38	5MHz	QPSK	37775	25RB#0	24.36	26.76	33	PASS
Band38	5MHz	16QAM	37775	25RB#0	23.93	26.33	33	PASS
Band38	5MHz	64QAM	37775	25RB#0	22.61	25.01	33	PASS
Band38	5MHz	256QAM	37775	25RB#0	20.79	23.19	33	PASS
Band38	5MHz	QPSK	38000	1RB#0	25.53	27.93	33	PASS
Band38	5MHz	16QAM	38000	1RB#0	24.7	27.1	33	PASS
Band38	5MHz	64QAM	38000	1RB#0	24.65	27.05	33	PASS
Band38	5MHz	256QAM	38000	1RB#0	21.07	23.47	33	PASS
Band38	5MHz	QPSK	38000	1RB#12	26.24	28.64	33	PASS
Band38	5MHz	16QAM	38000	1RB#12	25.31	27.71	33	PASS
Band38	5MHz	64QAM	38000	1RB#12	24.53	26.93	33	PASS
Band38	5MHz	256QAM	38000	1RB#12	21.37	23.77	33	PASS
Band38	5MHz	QPSK	38000	1RB#24	25.73	28.13	33	PASS
Band38	5MHz	16QAM	38000	1RB#24	24.99	27.39	33	PASS
Band38	5MHz	64QAM	38000	1RB#24	24.07	26.47	33	PASS
Band38	5MHz	256QAM	38000	1RB#24	21.01	23.41	33	PASS
Band38	5MHz	QPSK	38000	25RB#0	24.95	27.35	33	PASS
Band38	5MHz	16QAM	38000	25RB#0	24.11	26.51	33	PASS
Band38	5MHz	64QAM	38000	25RB#0	23.23	25.63	33	PASS
Band38	5MHz	256QAM	38000	25RB#0	20.93	23.33	33	PASS
Band38	5MHz	QPSK	38225	1RB#0	25.18	27.58	33	PASS
Band38	5MHz	16QAM	38225	1RB#0	24.37	26.77	33	PASS
Band38	5MHz	64QAM	38225	1RB#0	24.11	26.51	33	PASS
Band38	5MHz	256QAM	38225	1RB#0	20.33	22.73	33	PASS
Band38	5MHz	QPSK	38225	1RB#12	25.19	27.59	33	PASS
Band38	5MHz	16QAM	38225	1RB#12	24.78	27.18	33	PASS
Band38	5MHz	64QAM	38225	1RB#12	24.19	26.59	33	PASS
Band38	5MHz	256QAM	38225	1RB#12	20.26	22.66	33	PASS
Band38	5MHz	QPSK	38225	1RB#24	25.21	27.61	33	PASS
Band38	5MHz	16QAM	38225	1RB#24	24.63	27.03	33	PASS

Band38	5MHz	64QAM	38225	1RB#24	23.62	26.02	33	PASS
Band38	5MHz	256QAM	38225	1RB#24	20.26	22.66	33	PASS
Band38	5MHz	QPSK	38225	25RB#0	24.39	26.79	33	PASS
Band38	5MHz	16QAM	38225	25RB#0	23.79	26.19	33	PASS
Band38	5MHz	64QAM	38225	25RB#0	22.61	25.01	33	PASS
Band38	5MHz	256QAM	38225	25RB#0	20.24	22.64	33	PASS
Band38	10MHz	QPSK	37800	1RB#0	25.71	28.11	33	PASS
Band38	10MHz	16QAM	37800	1RB#0	24.66	27.06	33	PASS
Band38	10MHz	64QAM	37800	1RB#0	24.16	26.56	33	PASS
Band38	10MHz	256QAM	37800	1RB#0	20.97	23.37	33	PASS
Band38	10MHz	QPSK	37800	1RB#24	25.45	27.85	33	PASS
Band38	10MHz	16QAM	37800	1RB#24	24.65	27.05	33	PASS
Band38	10MHz	64QAM	37800	1RB#24	23.85	26.25	33	PASS
Band38	10MHz	256QAM	37800	1RB#24	20.89	23.29	33	PASS
Band38	10MHz	QPSK	37800	1RB#49	25.71	28.11	33	PASS
Band38	10MHz	16QAM	37800	1RB#49	25	27.4	33	PASS
Band38	10MHz	64QAM	37800	1RB#49	24.25	26.65	33	PASS
Band38	10MHz	256QAM	37800	1RB#49	21.03	23.43	33	PASS
Band38	10MHz	QPSK	37800	50RB#0	24.56	26.96	33	PASS
Band38	10MHz	16QAM	37800	50RB#0	23.65	26.05	33	PASS
Band38	10MHz	64QAM	37800	50RB#0	22.58	24.98	33	PASS
Band38	10MHz	256QAM	37800	50RB#0	20.71	23.11	33	PASS
Band38	10MHz	QPSK	38000	1RB#0	25.64	28.04	33	PASS
Band38	10MHz	16QAM	38000	1RB#0	25.29	27.69	33	PASS
Band38	10MHz	64QAM	38000	1RB#0	24.48	26.88	33	PASS
Band38	10MHz	256QAM	38000	1RB#0	20.88	23.28	33	PASS
Band38	10MHz	QPSK	38000	1RB#24	26.26	28.66	33	PASS
Band38	10MHz	16QAM	38000	1RB#24	25.36	27.76	33	PASS
Band38	10MHz	64QAM	38000	1RB#24	24.18	26.58	33	PASS
Band38	10MHz	256QAM	38000	1RB#24	21.04	23.44	33	PASS
Band38	10MHz	QPSK	38000	1RB#49	25.51	27.91	33	PASS
Band38	10MHz	16QAM	38000	1RB#49	25.08	27.48	33	PASS
Band38	10MHz	64QAM	38000	1RB#49	23.85	26.25	33	PASS
Band38	10MHz	256QAM	38000	1RB#49	20.6	23	33	PASS
Band38	10MHz	QPSK	38000	50RB#0	25.24	27.64	33	PASS
Band38	10MHz	16QAM	38000	50RB#0	23.83	26.23	33	PASS
Band38	10MHz	64QAM	38000	50RB#0	22.73	25.13	33	PASS
Band38	10MHz	256QAM	38000	50RB#0	21.13	23.53	33	PASS
Band38	10MHz	QPSK	38200	1RB#0	25.49	27.89	33	PASS
Band38	10MHz	16QAM	38200	1RB#0	24.79	27.19	33	PASS
Band38	10MHz	64QAM	38200	1RB#0	23.77	26.17	33	PASS
Band38	10MHz	256QAM	38200	1RB#0	20.74	23.14	33	PASS
Band38	10MHz	QPSK	38200	1RB#24	25.38	27.78	33	PASS
Band38	10MHz	16QAM	38200	1RB#24	24.53	26.93	33	PASS
Band38	10MHz	64QAM	38200	1RB#24	24.23	26.63	33	PASS
Band38	10MHz	256QAM	38200	1RB#24	20.67	23.07	33	PASS

Band38	10MHz	QPSK	38200	1RB#49	25.47	27.87	33	PASS
Band38	10MHz	16QAM	38200	1RB#49	24.46	26.86	33	PASS
Band38	10MHz	64QAM	38200	1RB#49	23.73	26.13	33	PASS
Band38	10MHz	256QAM	38200	1RB#49	20.88	23.28	33	PASS
Band38	10MHz	QPSK	38200	50RB#0	24.84	27.24	33	PASS
Band38	10MHz	16QAM	38200	50RB#0	23.8	26.2	33	PASS
Band38	10MHz	64QAM	38200	50RB#0	22.57	24.97	33	PASS
Band38	10MHz	256QAM	38200	50RB#0	20.4	22.8	33	PASS
Band38	15MHz	QPSK	37825	1RB#0	25.32	27.72	33	PASS
Band38	15MHz	16QAM	37825	1RB#0	24.39	26.79	33	PASS
Band38	15MHz	64QAM	37825	1RB#0	23.9	26.3	33	PASS
Band38	15MHz	256QAM	37825	1RB#0	20.67	23.07	33	PASS
Band38	15MHz	QPSK	37825	1RB#38	25.36	27.76	33	PASS
Band38	15MHz	16QAM	37825	1RB#38	24.5	26.9	33	PASS
Band38	15MHz	64QAM	37825	1RB#38	23.94	26.34	33	PASS
Band38	15MHz	256QAM	37825	1RB#38	20.83	23.23	33	PASS
Band38	15MHz	QPSK	37825	1RB#74	25.68	28.08	33	PASS
Band38	15MHz	16QAM	37825	1RB#74	25.03	27.43	33	PASS
Band38	15MHz	64QAM	37825	1RB#74	23.75	26.15	33	PASS
Band38	15MHz	256QAM	37825	1RB#74	21.73	24.13	33	PASS
Band38	15MHz	QPSK	37825	75RB#0	24.86	27.26	33	PASS
Band38	15MHz	16QAM	37825	75RB#0	23.8	26.2	33	PASS
Band38	15MHz	64QAM	37825	75RB#0	23.04	25.44	33	PASS
Band38	15MHz	256QAM	37825	75RB#0	20.63	23.03	33	PASS
Band38	15MHz	QPSK	38000	1RB#0	25.97	28.37	33	PASS
Band38	15MHz	16QAM	38000	1RB#0	24.7	27.1	33	PASS
Band38	15MHz	64QAM	38000	1RB#0	24.11	26.51	33	PASS
Band38	15MHz	256QAM	38000	1RB#0	20.58	22.98	33	PASS
Band38	15MHz	QPSK	38000	1RB#38	25.97	28.37	33	PASS
Band38	15MHz	16QAM	38000	1RB#38	25.02	27.42	33	PASS
Band38	15MHz	64QAM	38000	1RB#38	24.29	26.69	33	PASS
Band38	15MHz	256QAM	38000	1RB#38	20.68	23.08	33	PASS
Band38	15MHz	QPSK	38000	1RB#74	25.31	27.71	33	PASS
Band38	15MHz	16QAM	38000	1RB#74	25.11	27.51	33	PASS
Band38	15MHz	64QAM	38000	1RB#74	24.22	26.62	33	PASS
Band38	15MHz	256QAM	38000	1RB#74	21.12	23.52	33	PASS
Band38	15MHz	QPSK	38000	75RB#0	24.53	26.93	33	PASS
Band38	15MHz	16QAM	38000	75RB#0	23.56	25.96	33	PASS
Band38	15MHz	64QAM	38000	75RB#0	22.71	25.11	33	PASS
Band38	15MHz	256QAM	38000	75RB#0	20.89	23.29	33	PASS
Band38	15MHz	QPSK	38175	1RB#0	25.68	28.08	33	PASS
Band38	15MHz	16QAM	38175	1RB#0	24.63	27.03	33	PASS
Band38	15MHz	64QAM	38175	1RB#0	23.6	26	33	PASS
Band38	15MHz	256QAM	38175	1RB#0	20.91	23.31	33	PASS
Band38	15MHz	QPSK	38175	1RB#38	25.14	27.54	33	PASS
Band38	15MHz	16QAM	38175	1RB#38	24.33	26.73	33	PASS

Band38	15MHz	64QAM	38175	1RB#38	23.88	26.28	33	PASS
Band38	15MHz	256QAM	38175	1RB#38	21	23.4	33	PASS
Band38	15MHz	QPSK	38175	1RB#74	25.43	27.83	33	PASS
Band38	15MHz	16QAM	38175	1RB#74	24.09	26.49	33	PASS
Band38	15MHz	64QAM	38175	1RB#74	23.62	26.02	33	PASS
Band38	15MHz	256QAM	38175	1RB#74	20.22	22.62	33	PASS
Band38	15MHz	QPSK	38175	75RB#0	24.33	26.73	33	PASS
Band38	15MHz	16QAM	38175	75RB#0	23.5	25.9	33	PASS
Band38	15MHz	64QAM	38175	75RB#0	22.27	24.67	33	PASS
Band38	15MHz	256QAM	38175	75RB#0	20.72	23.12	33	PASS
Band38	20MHz	QPSK	37850	1RB#0	25.74	28.14	33	PASS
Band38	20MHz	16QAM	37850	1RB#0	24.36	26.76	33	PASS
Band38	20MHz	64QAM	37850	1RB#0	23.94	26.34	33	PASS
Band38	20MHz	256QAM	37850	1RB#0	20.28	22.68	33	PASS
Band38	20MHz	QPSK	37850	1RB#49	25.67	28.07	33	PASS
Band38	20MHz	16QAM	37850	1RB#49	24.59	26.99	33	PASS
Band38	20MHz	64QAM	37850	1RB#49	24.12	26.52	33	PASS
Band38	20MHz	256QAM	37850	1RB#49	20.86	23.26	33	PASS
Band38	20MHz	QPSK	37850	1RB#99	25.81	28.21	33	PASS
Band38	20MHz	16QAM	37850	1RB#99	24.47	26.87	33	PASS
Band38	20MHz	64QAM	37850	1RB#99	23.91	26.31	33	PASS
Band38	20MHz	256QAM	37850	1RB#99	20.77	23.17	33	PASS
Band38	20MHz	QPSK	37850	100RB#0	25.05	27.45	33	PASS
Band38	20MHz	16QAM	37850	100RB#0	24.01	26.41	33	PASS
Band38	20MHz	64QAM	37850	100RB#0	22.42	24.82	33	PASS
Band38	20MHz	256QAM	37850	100RB#0	20.55	22.95	33	PASS
Band38	20MHz	QPSK	38000	1RB#0	26.18	28.58	33	PASS
Band38	20MHz	16QAM	38000	1RB#0	24.83	27.23	33	PASS
Band38	20MHz	64QAM	38000	1RB#0	24.28	26.68	33	PASS
Band38	20MHz	256QAM	38000	1RB#0	21.07	23.47	33	PASS
Band38	20MHz	QPSK	38000	1RB#49	25.74	28.14	33	PASS
Band38	20MHz	16QAM	38000	1RB#49	24.76	27.16	33	PASS
Band38	20MHz	64QAM	38000	1RB#49	24.27	26.67	33	PASS
Band38	20MHz	256QAM	38000	1RB#49	20.72	23.12	33	PASS
Band38	20MHz	QPSK	38000	1RB#99	25.22	27.62	33	PASS
Band38	20MHz	16QAM	38000	1RB#99	24.36	26.76	33	PASS
Band38	20MHz	64QAM	38000	1RB#99	24.01	26.41	33	PASS
Band38	20MHz	256QAM	38000	1RB#99	20.57	22.97	33	PASS
Band38	20MHz	QPSK	38000	100RB#0	24.94	27.34	33	PASS
Band38	20MHz	16QAM	38000	100RB#0	23.59	25.99	33	PASS
Band38	20MHz	QPSK	37850	1RB#0	25.62	28.02	33	PASS
Band38	20MHz	16QAM	37850	1RB#0	24.28	26.68	33	PASS
Band38	20MHz	64QAM	37850	1RB#0	24.17	26.57	33	PASS
Band38	20MHz	256QAM	37850	1RB#0	20.68	23.08	33	PASS
Band38	20MHz	QPSK	37850	1RB#49	25.43	27.83	33	PASS
Band38	20MHz	16QAM	37850	1RB#49	24.88	27.28	33	PASS

Band38	20MHz	64QAM	37850	1RB#49	24.01	26.41	33	PASS
Band38	20MHz	256QAM	37850	1RB#49	20.92	23.32	33	PASS
Band38	20MHz	QPSK	37850	1RB#99	25.6	28	33	PASS
Band38	20MHz	16QAM	37850	1RB#99	25.19	27.59	33	PASS
Band38	20MHz	64QAM	37850	1RB#99	24.06	26.46	33	PASS
Band38	20MHz	256QAM	37850	1RB#99	21.23	23.63	33	PASS
Band38	20MHz	QPSK	37850	100RB#0	24.83	27.23	33	PASS
Band38	20MHz	16QAM	37850	100RB#0	23.64	26.04	33	PASS
Band38	20MHz	64QAM	37850	100RB#0	22.9	25.3	33	PASS
Band38	20MHz	256QAM	37850	100RB#0	20.76	23.16	33	PASS
Band38	20MHz	QPSK	38000	1RB#0	26.05	28.45	33	PASS
Band38	20MHz	16QAM	38000	1RB#0	24.8	27.2	33	PASS
Band38	20MHz	64QAM	38000	1RB#0	23.82	26.22	33	PASS
Band38	20MHz	256QAM	38000	1RB#0	20.79	23.19	33	PASS
Band38	20MHz	QPSK	38000	1RB#49	25.65	28.05	33	PASS
Band38	20MHz	16QAM	38000	1RB#49	25.21	27.61	33	PASS
Band38	20MHz	64QAM	38000	1RB#49	23.83	26.23	33	PASS
Band38	20MHz	256QAM	38000	1RB#49	20.75	23.15	33	PASS
Band38	20MHz	QPSK	38000	1RB#99	25.32	27.72	33	PASS
Band38	20MHz	16QAM	38000	1RB#99	24.68	27.08	33	PASS
Band38	20MHz	64QAM	38000	1RB#99	24.17	26.57	33	PASS
Band38	20MHz	256QAM	38000	1RB#99	20.5	22.9	33	PASS
Band38	20MHz	QPSK	38000	100RB#0	25.02	27.42	33	PASS
Band38	20MHz	16QAM	38000	100RB#0	23.64	26.04	33	PASS
Band38	20MHz	64QAM	38000	100RB#0	23.05	25.45	33	PASS
Band38	20MHz	256QAM	38000	100RB#0	20.86	23.26	33	PASS
Band38	20MHz	QPSK	38150	1RB#0	25.85	28.25	33	PASS
Band38	20MHz	16QAM	38150	1RB#0	24.64	27.04	33	PASS
Band38	20MHz	64QAM	38150	1RB#0	24.06	26.46	33	PASS
Band38	20MHz	256QAM	38150	1RB#0	21.09	23.49	33	PASS
Band38	20MHz	QPSK	38150	1RB#49	25.58	27.98	33	PASS
Band38	20MHz	16QAM	38150	1RB#49	24.87	27.27	33	PASS
Band38	20MHz	64QAM	38150	1RB#49	23.96	26.36	33	PASS
Band38	20MHz	256QAM	38150	1RB#49	20.98	23.38	33	PASS
Band38	20MHz	QPSK	38150	1RB#99	25.17	27.57	33	PASS
Band38	20MHz	16QAM	38150	1RB#99	24.45	26.85	33	PASS
Band38	20MHz	64QAM	38150	1RB#99	23.65	26.05	33	PASS
Band38	20MHz	256QAM	38150	1RB#99	20.16	22.56	33	PASS
Band38	20MHz	QPSK	38150	100RB#0	24.7	27.1	33	PASS
Band38	20MHz	16QAM	38150	100RB#0	23.91	26.31	33	PASS
Band38	20MHz	64QAM	38150	100RB#0	22.72	25.12	33	PASS
Band38	20MHz	256QAM	38150	100RB#0	20.56	22.96	33	PASS

LTE B41:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band41	5MHz	QPSK	39675	1RB#0	25.77	28.17	33	PASS
Band41	5MHz	16QAM	39675	1RB#0	25.28	27.68	33	PASS
Band41	5MHz	64QAM	39675	1RB#0	24.08	26.48	33	PASS
Band41	5MHz	256QAM	39675	1RB#0	20.68	23.08	33	PASS
Band41	5MHz	QPSK	39675	1RB#12	25.79	28.19	33	PASS
Band41	5MHz	16QAM	39675	1RB#12	24.7	27.1	33	PASS
Band41	5MHz	64QAM	39675	1RB#12	23.86	26.26	33	PASS
Band41	5MHz	256QAM	39675	1RB#12	21.15	23.55	33	PASS
Band41	5MHz	QPSK	39675	1RB#24	25.96	28.36	33	PASS
Band41	5MHz	16QAM	39675	1RB#24	24.81	27.21	33	PASS
Band41	5MHz	64QAM	39675	1RB#24	24.56	26.96	33	PASS
Band41	5MHz	256QAM	39675	1RB#24	21.04	23.44	33	PASS
Band41	5MHz	QPSK	39675	25RB#0	24.7	27.1	33	PASS
Band41	5MHz	16QAM	39675	25RB#0	24.23	26.63	33	PASS
Band41	5MHz	64QAM	39675	25RB#0	23	25.4	33	PASS
Band41	5MHz	256QAM	39675	25RB#0	20.96	23.36	33	PASS
Band41	5MHz	QPSK	40620	1RB#0	25.88	28.28	33	PASS
Band41	5MHz	16QAM	40620	1RB#0	24.77	27.17	33	PASS
Band41	5MHz	64QAM	40620	1RB#0	24.32	26.72	33	PASS
Band41	5MHz	256QAM	40620	1RB#0	20.82	23.22	33	PASS
Band41	5MHz	QPSK	40620	1RB#12	26.13	28.53	33	PASS
Band41	5MHz	16QAM	40620	1RB#12	24.95	27.35	33	PASS
Band41	5MHz	64QAM	40620	1RB#12	24.85	27.25	33	PASS
Band41	5MHz	256QAM	40620	1RB#12	21.59	23.99	33	PASS
Band41	5MHz	QPSK	40620	1RB#24	25.59	27.99	33	PASS
Band41	5MHz	16QAM	40620	1RB#24	24.92	27.32	33	PASS
Band41	5MHz	64QAM	40620	1RB#24	24.1	26.5	33	PASS
Band41	5MHz	256QAM	40620	1RB#24	21.16	23.56	33	PASS
Band41	5MHz	QPSK	40620	25RB#0	25.31	27.71	33	PASS
Band41	5MHz	16QAM	40620	25RB#0	23.88	26.28	33	PASS
Band41	5MHz	64QAM	40620	25RB#0	22.83	25.23	33	PASS
Band41	5MHz	256QAM	40620	25RB#0	21.3	23.7	33	PASS
Band41	5MHz	QPSK	41565	1RB#0	25.43	27.83	33	PASS
Band41	5MHz	16QAM	41565	1RB#0	24.87	27.27	33	PASS
Band41	5MHz	64QAM	41565	1RB#0	24.11	26.51	33	PASS
Band41	5MHz	256QAM	41565	1RB#0	20.57	22.97	33	PASS
Band41	5MHz	QPSK	41565	1RB#12	25.54	27.94	33	PASS
Band41	5MHz	16QAM	41565	1RB#12	25.1	27.5	33	PASS
Band41	5MHz	64QAM	41565	1RB#12	24.06	26.46	33	PASS
Band41	5MHz	256QAM	41565	1RB#12	21.16	23.56	33	PASS
Band41	5MHz	QPSK	41565	1RB#24	25.67	28.07	33	PASS
Band41	5MHz	16QAM	41565	1RB#24	24.57	26.97	33	PASS

Band41	5MHz	64QAM	41565	1RB#24	24.22	26.62	33	PASS
Band41	5MHz	256QAM	41565	1RB#24	21.06	23.46	33	PASS
Band41	5MHz	QPSK	41565	25RB#0	24.45	26.85	33	PASS
Band41	5MHz	16QAM	41565	25RB#0	23.77	26.17	33	PASS
Band41	5MHz	64QAM	41565	25RB#0	22.45	24.85	33	PASS
Band41	5MHz	256QAM	41565	25RB#0	20.96	23.36	33	PASS
Band41	10MHz	QPSK	39700	1RB#0	26.11	28.51	33	PASS
Band41	10MHz	16QAM	39700	1RB#0	24.95	27.35	33	PASS
Band41	10MHz	64QAM	39700	1RB#0	23.81	26.21	33	PASS
Band41	10MHz	256QAM	39700	1RB#0	21.06	23.46	33	PASS
Band41	10MHz	QPSK	39700	1RB#24	25.5	27.9	33	PASS
Band41	10MHz	16QAM	39700	1RB#24	25.02	27.42	33	PASS
Band41	10MHz	64QAM	39700	1RB#24	24.32	26.72	33	PASS
Band41	10MHz	256QAM	39700	1RB#24	21.29	23.69	33	PASS
Band41	10MHz	QPSK	39700	1RB#49	25.91	28.31	33	PASS
Band41	10MHz	16QAM	39700	1RB#49	25.13	27.53	33	PASS
Band41	10MHz	64QAM	39700	1RB#49	24.32	26.72	33	PASS
Band41	10MHz	256QAM	39700	1RB#49	20.97	23.37	33	PASS
Band41	10MHz	QPSK	39700	50RB#0	24.67	27.07	33	PASS
Band41	10MHz	16QAM	39700	50RB#0	23.81	26.21	33	PASS
Band41	10MHz	64QAM	39700	50RB#0	23.04	25.44	33	PASS
Band41	10MHz	256QAM	39700	50RB#0	20.74	23.14	33	PASS
Band41	10MHz	QPSK	40620	1RB#0	26.07	28.47	33	PASS
Band41	10MHz	16QAM	40620	1RB#0	24.89	27.29	33	PASS
Band41	10MHz	64QAM	40620	1RB#0	24.4	26.8	33	PASS
Band41	10MHz	256QAM	40620	1RB#0	21.42	23.82	33	PASS
Band41	10MHz	QPSK	40620	1RB#24	26.32	28.72	33	PASS
Band41	10MHz	16QAM	40620	1RB#24	25.11	27.51	33	PASS
Band41	10MHz	64QAM	40620	1RB#24	24.2	26.6	33	PASS
Band41	10MHz	256QAM	40620	1RB#24	21.37	23.77	33	PASS
Band41	10MHz	QPSK	40620	1RB#49	26.01	28.41	33	PASS
Band41	10MHz	16QAM	40620	1RB#49	24.82	27.22	33	PASS
Band41	10MHz	64QAM	40620	1RB#49	24.56	26.96	33	PASS
Band41	10MHz	256QAM	40620	1RB#49	20.96	23.36	33	PASS
Band41	10MHz	QPSK	40620	50RB#0	25.13	27.53	33	PASS
Band41	10MHz	16QAM	40620	50RB#0	23.81	26.21	33	PASS
Band41	10MHz	64QAM	40620	50RB#0	22.7	25.1	33	PASS
Band41	10MHz	256QAM	40620	50RB#0	20.72	23.12	33	PASS
Band41	10MHz	QPSK	41540	1RB#0	25.33	27.73	33	PASS
Band41	10MHz	16QAM	41540	1RB#0	25.04	27.44	33	PASS
Band41	10MHz	64QAM	41540	1RB#0	23.7	26.1	33	PASS
Band41	10MHz	256QAM	41540	1RB#0	20.55	22.95	33	PASS
Band41	10MHz	QPSK	41540	1RB#24	25.73	28.13	33	PASS
Band41	10MHz	16QAM	41540	1RB#24	24.95	27.35	33	PASS
Band41	10MHz	64QAM	41540	1RB#24	24.12	26.52	33	PASS
Band41	10MHz	256QAM	41540	1RB#24	21.24	23.64	33	PASS

Band41	10MHz	QPSK	41540	1RB#49	25.68	28.08	33	PASS
Band41	10MHz	16QAM	41540	1RB#49	24.71	27.11	33	PASS
Band41	10MHz	64QAM	41540	1RB#49	24.22	26.62	33	PASS
Band41	10MHz	256QAM	41540	1RB#49	20.57	22.97	33	PASS
Band41	10MHz	QPSK	41540	50RB#0	24.94	27.34	33	PASS
Band41	10MHz	16QAM	41540	50RB#0	23.58	25.98	33	PASS
Band41	10MHz	64QAM	41540	50RB#0	23.11	25.51	33	PASS
Band41	10MHz	256QAM	41540	50RB#0	20.74	23.14	33	PASS
Band41	15MHz	QPSK	39725	1RB#0	25.99	28.39	33	PASS
Band41	15MHz	16QAM	39725	1RB#0	25.01	27.41	33	PASS
Band41	15MHz	64QAM	39725	1RB#0	23.68	26.08	33	PASS
Band41	15MHz	256QAM	39725	1RB#0	20.46	22.86	33	PASS
Band41	15MHz	QPSK	39725	1RB#38	25.82	28.22	33	PASS
Band41	15MHz	16QAM	39725	1RB#38	24.94	27.34	33	PASS
Band41	15MHz	64QAM	39725	1RB#38	24.28	26.68	33	PASS
Band41	15MHz	256QAM	39725	1RB#38	20.81	23.21	33	PASS
Band41	15MHz	QPSK	39725	1RB#74	25.53	27.93	33	PASS
Band41	15MHz	16QAM	39725	1RB#74	24.46	26.86	33	PASS
Band41	15MHz	64QAM	39725	1RB#74	24.01	26.41	33	PASS
Band41	15MHz	256QAM	39725	1RB#74	21.03	23.43	33	PASS
Band41	15MHz	QPSK	39725	75RB#0	24.74	27.14	33	PASS
Band41	15MHz	16QAM	39725	75RB#0	23.98	26.38	33	PASS
Band41	15MHz	64QAM	39725	75RB#0	22.6	25	33	PASS
Band41	15MHz	256QAM	39725	75RB#0	20.88	23.28	33	PASS
Band41	15MHz	QPSK	40620	1RB#0	25.5	27.9	33	PASS
Band41	15MHz	16QAM	40620	1RB#0	24.8	27.2	33	PASS
Band41	15MHz	64QAM	40620	1RB#0	24.37	26.77	33	PASS
Band41	15MHz	256QAM	40620	1RB#0	20.93	23.33	33	PASS
Band41	15MHz	QPSK	40620	1RB#38	25.41	27.81	33	PASS
Band41	15MHz	16QAM	40620	1RB#38	25.21	27.61	33	PASS
Band41	15MHz	64QAM	40620	1RB#38	24.42	26.82	33	PASS
Band41	15MHz	256QAM	40620	1RB#38	21.08	23.48	33	PASS
Band41	15MHz	QPSK	40620	1RB#74	25.48	27.88	33	PASS
Band41	15MHz	16QAM	40620	1RB#74	25.2	27.6	33	PASS
Band41	15MHz	64QAM	40620	1RB#74	23.9	26.3	33	PASS
Band41	15MHz	256QAM	40620	1RB#74	21.02	23.42	33	PASS
Band41	15MHz	QPSK	40620	75RB#0	24.54	26.94	33	PASS
Band41	15MHz	16QAM	40620	75RB#0	23.9	26.3	33	PASS
Band41	15MHz	64QAM	40620	75RB#0	23.13	25.53	33	PASS
Band41	15MHz	256QAM	40620	75RB#0	21.19	23.59	33	PASS
Band41	15MHz	QPSK	41515	1RB#0	25.3	27.7	33	PASS
Band41	15MHz	16QAM	41515	1RB#0	24.25	26.65	33	PASS
Band41	15MHz	64QAM	41515	1RB#0	24.06	26.46	33	PASS
Band41	15MHz	256QAM	41515	1RB#0	20.38	22.78	33	PASS
Band41	15MHz	QPSK	41515	1RB#38	25.73	28.13	33	PASS
Band41	15MHz	16QAM	41515	1RB#38	24.31	26.71	33	PASS

Band41	15MHz	64QAM	41515	1RB#38	23.68	26.08	33	PASS
Band41	15MHz	256QAM	41515	1RB#38	21.04	23.44	33	PASS
Band41	15MHz	QPSK	41515	1RB#74	25.51	27.91	33	PASS
Band41	15MHz	16QAM	41515	1RB#74	25.02	27.42	33	PASS
Band41	15MHz	64QAM	41515	1RB#74	23.89	26.29	33	PASS
Band41	15MHz	256QAM	41515	1RB#74	21.16	23.56	33	PASS
Band41	15MHz	QPSK	41515	75RB#0	24.72	27.12	33	PASS
Band41	15MHz	16QAM	41515	75RB#0	23.53	25.93	33	PASS
Band41	15MHz	64QAM	41515	75RB#0	22.96	25.36	33	PASS
Band41	15MHz	256QAM	41515	75RB#0	20.74	23.14	33	PASS
Band41	20MHz	QPSK	39750	1RB#0	25.46	27.86	33	PASS
Band41	20MHz	16QAM	39750	1RB#0	24.37	26.77	33	PASS
Band41	20MHz	64QAM	39750	1RB#0	23.59	25.99	33	PASS
Band41	20MHz	256QAM	39750	1RB#0	20.73	23.13	33	PASS
Band41	20MHz	QPSK	39750	1RB#49	25.97	28.37	33	PASS
Band41	20MHz	16QAM	39750	1RB#49	25.03	27.43	33	PASS
Band41	20MHz	64QAM	39750	1RB#49	23.75	26.15	33	PASS
Band41	20MHz	256QAM	39750	1RB#49	20.59	22.99	33	PASS
Band41	20MHz	QPSK	39750	1RB#99	25.53	27.93	33	PASS
Band41	20MHz	16QAM	39750	1RB#99	24.4	26.8	33	PASS
Band41	20MHz	64QAM	39750	1RB#99	23.92	26.32	33	PASS
Band41	20MHz	256QAM	39750	1RB#99	20.56	22.96	33	PASS
Band41	20MHz	QPSK	39750	100RB#0	24.54	26.94	33	PASS
Band41	20MHz	16QAM	39750	100RB#0	23.79	26.19	33	PASS
Band41	20MHz	64QAM	39750	100RB#0	22.47	24.87	33	PASS
Band41	20MHz	256QAM	39750	100RB#0	20.92	23.32	33	PASS
Band41	20MHz	QPSK	40620	1RB#0	25.88	28.28	33	PASS
Band41	20MHz	16QAM	40620	1RB#0	24.69	27.09	33	PASS
Band41	20MHz	64QAM	40620	1RB#0	24.33	26.73	33	PASS
Band41	20MHz	256QAM	40620	1RB#0	20.69	23.09	33	PASS
Band41	20MHz	QPSK	40620	1RB#49	25.94	28.34	33	PASS
Band41	20MHz	16QAM	40620	1RB#49	25.05	27.45	33	PASS
Band41	20MHz	64QAM	40620	1RB#49	24.32	26.72	33	PASS
Band41	20MHz	256QAM	40620	1RB#49	21.23	23.63	33	PASS
Band41	20MHz	QPSK	40620	1RB#99	25.76	28.16	33	PASS
Band41	20MHz	16QAM	40620	1RB#99	25.13	27.53	33	PASS
Band41	20MHz	64QAM	40620	1RB#99	24.16	26.56	33	PASS
Band41	20MHz	256QAM	40620	1RB#99	20.73	23.13	33	PASS
Band41	20MHz	QPSK	40620	100RB#0	24.98	27.38	33	PASS
Band41	20MHz	16QAM	40620	100RB#0	23.63	26.03	33	PASS
Band41	20MHz	64QAM	40620	100RB#0	22.98	25.38	33	PASS
Band41	20MHz	256QAM	40620	100RB#0	21.18	23.58	33	PASS
Band41	20MHz	QPSK	41490	1RB#0	25.65	28.05	33	PASS
Band41	20MHz	16QAM	41490	1RB#0	24.7	27.1	33	PASS
Band41	20MHz	64QAM	41490	1RB#0	23.68	26.08	33	PASS
Band41	20MHz	256QAM	41490	1RB#0	20.97	23.37	33	PASS

Band41	20MHz	QPSK	41490	1RB#49	25.28	27.68	33	PASS
Band41	20MHz	16QAM	41490	1RB#49	24.93	27.33	33	PASS
Band41	20MHz	64QAM	41490	1RB#49	23.71	26.11	33	PASS
Band41	20MHz	256QAM	41490	1RB#49	20.99	23.39	33	PASS
Band41	20MHz	QPSK	41490	1RB#99	25.58	27.98	33	PASS
Band41	20MHz	16QAM	41490	1RB#99	24.93	27.33	33	PASS
Band41	20MHz	64QAM	41490	1RB#99	23.96	26.36	33	PASS
Band41	20MHz	256QAM	41490	1RB#99	20.59	22.99	33	PASS
Band41	20MHz	QPSK	41490	100RB#0	24.85	27.25	33	PASS
Band41	20MHz	16QAM	41490	100RB#0	23.65	26.05	33	PASS
Band41	20MHz	64QAM	41490	100RB#0	22.4	24.8	33	PASS
Band41	20MHz	256QAM	41490	100RB#0	20.36	22.76	33	PASS

LTE B42:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band42	5MHz	QPSK	42115	1RB#0	25.4	24.79	30	PASS
Band42	5MHz	16QAM	42115	1RB#0	24.83	24.22	30	PASS
Band42	5MHz	64QAM	42115	1RB#0	24.16	23.55	30	PASS
Band42	5MHz	256QAM	42115	1RB#0	20.58	19.97	30	PASS
Band42	5MHz	QPSK	42115	1RB#12	25.87	25.26	30	PASS
Band42	5MHz	16QAM	42115	1RB#12	25.05	24.44	30	PASS
Band42	5MHz	64QAM	42115	1RB#12	24.1	23.49	30	PASS
Band42	5MHz	256QAM	42115	1RB#12	20.79	20.18	30	PASS
Band42	5MHz	QPSK	42115	1RB#24	25.42	24.81	30	PASS
Band42	5MHz	16QAM	42115	1RB#24	24.65	24.04	30	PASS
Band42	5MHz	64QAM	42115	1RB#24	24.13	23.52	30	PASS
Band42	5MHz	256QAM	42115	1RB#24	20.66	20.05	30	PASS
Band42	5MHz	QPSK	42115	25RB#0	24.58	23.97	30	PASS
Band42	5MHz	16QAM	42115	25RB#0	23.82	23.21	30	PASS
Band42	5MHz	64QAM	42115	25RB#0	22.76	22.15	30	PASS
Band42	5MHz	256QAM	42115	25RB#0	20.82	20.21	30	PASS
Band42	5MHz	QPSK	42590	1RB#0	25.03	24.42	30	PASS
Band42	5MHz	16QAM	42590	1RB#0	24.44	23.83	30	PASS
Band42	5MHz	64QAM	42590	1RB#0	23.87	23.26	30	PASS
Band42	5MHz	256QAM	42590	1RB#0	20.81	20.2	30	PASS
Band42	5MHz	QPSK	42590	1RB#12	25.27	24.66	30	PASS
Band42	5MHz	16QAM	42590	1RB#12	24.23	23.62	30	PASS
Band42	5MHz	64QAM	42590	1RB#12	23.32	22.71	30	PASS
Band42	5MHz	256QAM	42590	1RB#12	20.8	20.19	30	PASS
Band42	5MHz	QPSK	42590	1RB#24	25.07	24.46	30	PASS
Band42	5MHz	16QAM	42590	1RB#24	24.29	23.68	30	PASS
Band42	5MHz	64QAM	42590	1RB#24	23.98	23.37	30	PASS
Band42	5MHz	256QAM	42590	1RB#24	20.56	19.95	30	PASS
Band42	5MHz	QPSK	42590	25RB#0	24.01	23.4	30	PASS
Band42	5MHz	16QAM	42590	25RB#0	23.54	22.93	30	PASS
Band42	5MHz	64QAM	42590	25RB#0	22.14	21.53	30	PASS
Band42	5MHz	256QAM	42590	25RB#0	20.57	19.96	30	PASS
Band42	5MHz	QPSK	43065	1RB#0	25.73	25.12	30	PASS
Band42	5MHz	16QAM	43065	1RB#0	24.73	24.12	30	PASS
Band42	5MHz	64QAM	43065	1RB#0	23.59	22.98	30	PASS
Band42	5MHz	256QAM	43065	1RB#0	20.96	20.35	30	PASS
Band42	5MHz	QPSK	43065	1RB#12	25.52	24.91	30	PASS
Band42	5MHz	16QAM	43065	1RB#12	24.95	24.34	30	PASS
Band42	5MHz	64QAM	43065	1RB#12	23.79	23.18	30	PASS
Band42	5MHz	256QAM	43065	1RB#12	20.78	20.17	30	PASS
Band42	5MHz	QPSK	43065	1RB#24	25.49	24.88	30	PASS
Band42	5MHz	16QAM	43065	1RB#24	24.78	24.17	30	PASS

Band42	5MHz	64QAM	43065	1RB#24	23.73	23.12	30	PASS
Band42	5MHz	256QAM	43065	1RB#24	20.91	20.3	30	PASS
Band42	5MHz	QPSK	43065	25RB#0	24.5	23.89	30	PASS
Band42	5MHz	16QAM	43065	25RB#0	23.35	22.74	30	PASS
Band42	5MHz	64QAM	43065	25RB#0	22.85	22.24	30	PASS
Band42	5MHz	256QAM	43065	25RB#0	20.75	20.14	30	PASS
Band42	10MHz	QPSK	42140	1RB#0	25.62	25.01	30	PASS
Band42	10MHz	16QAM	42140	1RB#0	24.48	23.87	30	PASS
Band42	10MHz	64QAM	42140	1RB#0	23.78	23.17	30	PASS
Band42	10MHz	256QAM	42140	1RB#0	20.88	20.27	30	PASS
Band42	10MHz	QPSK	42140	1RB#24	25.53	24.92	30	PASS
Band42	10MHz	16QAM	42140	1RB#24	25.17	24.56	30	PASS
Band42	10MHz	64QAM	42140	1RB#24	24.3	23.69	30	PASS
Band42	10MHz	256QAM	42140	1RB#24	20.71	20.1	30	PASS
Band42	10MHz	QPSK	42140	1RB#49	25.53	24.92	30	PASS
Band42	10MHz	16QAM	42140	1RB#49	24.86	24.25	30	PASS
Band42	10MHz	64QAM	42140	1RB#49	24.16	23.55	30	PASS
Band42	10MHz	256QAM	42140	1RB#49	21.16	20.55	30	PASS
Band42	10MHz	QPSK	42140	50RB#0	24.57	23.96	30	PASS
Band42	10MHz	16QAM	42140	50RB#0	23.87	23.26	30	PASS
Band42	10MHz	64QAM	42140	50RB#0	23.13	22.52	30	PASS
Band42	10MHz	256QAM	42140	50RB#0	20.63	20.02	30	PASS
Band42	10MHz	QPSK	42590	1RB#0	25.52	24.91	30	PASS
Band42	10MHz	16QAM	42590	1RB#0	24.54	23.93	30	PASS
Band42	10MHz	64QAM	42590	1RB#0	23.89	23.28	30	PASS
Band42	10MHz	256QAM	42590	1RB#0	20.62	20.01	30	PASS
Band42	10MHz	QPSK	42590	1RB#24	25.38	24.77	30	PASS
Band42	10MHz	16QAM	42590	1RB#24	24.41	23.8	30	PASS
Band42	10MHz	64QAM	42590	1RB#24	23.89	23.28	30	PASS
Band42	10MHz	256QAM	42590	1RB#24	20.51	19.9	30	PASS
Band42	10MHz	QPSK	42590	1RB#49	25.46	24.85	30	PASS
Band42	10MHz	16QAM	42590	1RB#49	24.63	24.02	30	PASS
Band42	10MHz	64QAM	42590	1RB#49	23.65	23.04	30	PASS
Band42	10MHz	256QAM	42590	1RB#49	20.57	19.96	30	PASS
Band42	10MHz	QPSK	42590	50RB#0	24.08	23.47	30	PASS
Band42	10MHz	16QAM	42590	50RB#0	23.29	22.68	30	PASS
Band42	10MHz	64QAM	42590	50RB#0	22.2	21.59	30	PASS
Band42	10MHz	256QAM	42590	50RB#0	20.8	20.19	30	PASS
Band42	10MHz	QPSK	43040	1RB#0	25.61	25	30	PASS
Band42	10MHz	16QAM	43040	1RB#0	24.48	23.87	30	PASS
Band42	10MHz	64QAM	43040	1RB#0	24.11	23.5	30	PASS
Band42	10MHz	256QAM	43040	1RB#0	20.44	19.83	30	PASS
Band42	10MHz	QPSK	43040	1RB#24	25.59	24.98	30	PASS
Band42	10MHz	16QAM	43040	1RB#24	25.03	24.42	30	PASS
Band42	10MHz	64QAM	43040	1RB#24	24.23	23.62	30	PASS
Band42	10MHz	256QAM	43040	1RB#24	20.68	20.07	30	PASS

Band42	10MHz	QPSK	43040	1RB#49	25.34	24.73	30	PASS
Band42	10MHz	16QAM	43040	1RB#49	24.51	23.9	30	PASS
Band42	10MHz	64QAM	43040	1RB#49	23.63	23.02	30	PASS
Band42	10MHz	256QAM	43040	1RB#49	20.44	19.83	30	PASS
Band42	10MHz	QPSK	43040	50RB#0	24.22	23.61	30	PASS
Band42	10MHz	16QAM	43040	50RB#0	23.75	23.14	30	PASS
Band42	10MHz	64QAM	43040	50RB#0	22.3	21.69	30	PASS
Band42	10MHz	256QAM	43040	50RB#0	20.31	19.7	30	PASS
Band42	15MHz	QPSK	42165	1RB#0	25.18	24.57	30	PASS
Band42	15MHz	16QAM	42165	1RB#0	24.31	23.7	30	PASS
Band42	15MHz	64QAM	42165	1RB#0	24.11	23.5	30	PASS
Band42	15MHz	256QAM	42165	1RB#0	20.88	20.27	30	PASS
Band42	15MHz	QPSK	42165	1RB#38	25.7	25.09	30	PASS
Band42	15MHz	16QAM	42165	1RB#38	24.64	24.03	30	PASS
Band42	15MHz	64QAM	42165	1RB#38	23.81	23.2	30	PASS
Band42	15MHz	256QAM	42165	1RB#38	20.62	20.01	30	PASS
Band42	15MHz	QPSK	42165	1RB#74	25.42	24.81	30	PASS
Band42	15MHz	16QAM	42165	1RB#74	24.52	23.91	30	PASS
Band42	15MHz	64QAM	42165	1RB#74	24.25	23.64	30	PASS
Band42	15MHz	256QAM	42165	1RB#74	20.61	20	30	PASS
Band42	15MHz	QPSK	42165	75RB#0	24.46	23.85	30	PASS
Band42	15MHz	16QAM	42165	75RB#0	23.44	22.83	30	PASS
Band42	15MHz	64QAM	42165	75RB#0	22.83	22.22	30	PASS
Band42	15MHz	256QAM	42165	75RB#0	20.98	20.37	30	PASS
Band42	15MHz	QPSK	42590	1RB#0	25.21	24.6	30	PASS
Band42	15MHz	16QAM	42590	1RB#0	23.95	23.34	30	PASS
Band42	15MHz	64QAM	42590	1RB#0	23.93	23.32	30	PASS
Band42	15MHz	256QAM	42590	1RB#0	20.51	19.9	30	PASS
Band42	15MHz	QPSK	42590	1RB#38	25.04	24.43	30	PASS
Band42	15MHz	16QAM	42590	1RB#38	24.33	23.72	30	PASS
Band42	15MHz	64QAM	42590	1RB#38	23.82	23.21	30	PASS
Band42	15MHz	256QAM	42590	1RB#38	20.35	19.74	30	PASS
Band42	15MHz	QPSK	42590	1RB#74	25.13	24.52	30	PASS
Band42	15MHz	16QAM	42590	1RB#74	24.51	23.9	30	PASS
Band42	15MHz	64QAM	42590	1RB#74	23.36	22.75	30	PASS
Band42	15MHz	256QAM	42590	1RB#74	20.49	19.88	30	PASS
Band42	15MHz	QPSK	42590	75RB#0	24.6	23.99	30	PASS
Band42	15MHz	16QAM	42590	75RB#0	23.02	22.41	30	PASS
Band42	15MHz	64QAM	42590	75RB#0	22.35	21.74	30	PASS
Band42	15MHz	256QAM	42590	75RB#0	20.35	19.74	30	PASS
Band42	15MHz	QPSK	43015	1RB#0	25.37	24.76	30	PASS
Band42	15MHz	16QAM	43015	1RB#0	24.54	23.93	30	PASS
Band42	15MHz	64QAM	43015	1RB#0	23.73	23.12	30	PASS
Band42	15MHz	256QAM	43015	1RB#0	20.31	19.7	30	PASS
Band42	15MHz	QPSK	43015	1RB#38	25.54	24.93	30	PASS
Band42	15MHz	16QAM	43015	1RB#38	24.74	24.13	30	PASS

Band42	15MHz	64QAM	43015	1RB#38	23.74	23.13	30	PASS
Band42	15MHz	256QAM	43015	1RB#38	20.66	20.05	30	PASS
Band42	15MHz	QPSK	43015	1RB#74	25.62	25.01	30	PASS
Band42	15MHz	16QAM	43015	1RB#74	24.21	23.6	30	PASS
Band42	15MHz	64QAM	43015	1RB#74	23.59	22.98	30	PASS
Band42	15MHz	256QAM	43015	1RB#74	20.8	20.19	30	PASS
Band42	15MHz	QPSK	43015	75RB#0	24.41	23.8	30	PASS
Band42	15MHz	16QAM	43015	75RB#0	23.4	22.79	30	PASS
Band42	15MHz	64QAM	43015	75RB#0	22.53	21.92	30	PASS
Band42	15MHz	256QAM	43015	75RB#0	20.47	19.86	30	PASS
Band42	20MHz	QPSK	42190	1RB#0	25.7	25.09	30	PASS
Band42	20MHz	16QAM	42190	1RB#0	24.43	23.82	30	PASS
Band42	20MHz	64QAM	42190	1RB#0	23.67	23.06	30	PASS
Band42	20MHz	256QAM	42190	1RB#0	20.89	20.28	30	PASS
Band42	20MHz	QPSK	42190	1RB#49	25.56	24.95	30	PASS
Band42	20MHz	16QAM	42190	1RB#49	24.76	24.15	30	PASS
Band42	20MHz	64QAM	42190	1RB#49	24.24	23.63	30	PASS
Band42	20MHz	256QAM	42190	1RB#49	20.89	20.28	30	PASS
Band42	20MHz	QPSK	42190	1RB#99	25.64	25.03	30	PASS
Band42	20MHz	16QAM	42190	1RB#99	25.03	24.42	30	PASS
Band42	20MHz	64QAM	42190	1RB#99	23.7	23.09	30	PASS
Band42	20MHz	256QAM	42190	1RB#99	21.13	20.52	30	PASS
Band42	20MHz	QPSK	42190	100RB#0	24.87	24.26	30	PASS
Band42	20MHz	16QAM	42190	100RB#0	23.78	23.17	30	PASS
Band42	20MHz	64QAM	42190	100RB#0	22.45	21.84	30	PASS
Band42	20MHz	256QAM	42190	100RB#0	20.96	20.35	30	PASS
Band42	20MHz	QPSK	42590	1RB#0	25.04	24.43	30	PASS
Band42	20MHz	16QAM	42590	1RB#0	23.94	23.33	30	PASS
Band42	20MHz	64QAM	42590	1RB#0	23.49	22.88	30	PASS
Band42	20MHz	256QAM	42590	1RB#0	20.46	19.85	30	PASS
Band42	20MHz	QPSK	42590	1RB#49	25.33	24.72	30	PASS
Band42	20MHz	16QAM	42590	1RB#49	24.5	23.89	30	PASS
Band42	20MHz	64QAM	42590	1RB#49	23.76	23.15	30	PASS
Band42	20MHz	256QAM	42590	1RB#49	20.82	20.21	30	PASS
Band42	20MHz	QPSK	42590	1RB#99	24.87	24.26	30	PASS
Band42	20MHz	16QAM	42590	1RB#99	24.08	23.47	30	PASS
Band42	20MHz	64QAM	42590	1RB#99	23.79	23.18	30	PASS
Band42	20MHz	256QAM	42590	1RB#99	20.48	19.87	30	PASS
Band42	20MHz	QPSK	42590	100RB#0	23.94	23.33	30	PASS
Band42	20MHz	16QAM	42590	100RB#0	23.21	22.6	30	PASS
Band42	20MHz	64QAM	42590	100RB#0	22.02	21.41	30	PASS
Band42	20MHz	256QAM	42590	100RB#0	20	19.39	30	PASS
Band42	20MHz	QPSK	42990	1RB#0	25.19	24.58	30	PASS
Band42	20MHz	16QAM	42990	1RB#0	24.54	23.93	30	PASS
Band42	20MHz	64QAM	42990	1RB#0	23.75	23.14	30	PASS
Band42	20MHz	256QAM	42990	1RB#0	20.74	20.13	30	PASS

Band42	20MHz	QPSK	42990	1RB#49	25.7	25.09	30	PASS
Band42	20MHz	16QAM	42990	1RB#49	24.29	23.68	30	PASS
Band42	20MHz	64QAM	42990	1RB#49	24.27	23.66	30	PASS
Band42	20MHz	256QAM	42990	1RB#49	20.9	20.29	30	PASS
Band42	20MHz	QPSK	42990	1RB#99	25.51	24.9	30	PASS
Band42	20MHz	16QAM	42990	1RB#99	24.8	24.19	30	PASS
Band42	20MHz	64QAM	42990	1RB#99	23.81	23.2	30	PASS
Band42	20MHz	256QAM	42990	1RB#99	20.52	19.91	30	PASS
Band42	20MHz	QPSK	42990	100RB#0	24.54	23.93	30	PASS
Band42	20MHz	16QAM	42990	100RB#0	23.4	22.79	30	PASS
Band42	20MHz	64QAM	42990	100RB#0	22.21	21.6	30	PASS
Band42	20MHz	256QAM	42990	100RB#0	20.29	19.68	30	PASS

LTE B43:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band43	20MHz	QPSK	44690	1RB#0	25.48	24.87	30	PASS
Band43	20MHz	16QAM	44690	1RB#0	24.32	23.71	30	PASS
Band43	20MHz	64QAM	44690	1RB#0	24.07	23.46	30	PASS
Band43	20MHz	256QAM	44690	1RB#0	20.81	20.2	30	PASS
Band43	20MHz	QPSK	44690	1RB#49	25.17	24.56	30	PASS
Band43	20MHz	16QAM	44690	1RB#49	24.59	23.98	30	PASS
Band43	20MHz	64QAM	44690	1RB#49	23.43	22.82	30	PASS
Band43	20MHz	256QAM	44690	1RB#49	20.59	19.98	30	PASS
Band43	20MHz	QPSK	44690	1RB#99	25.41	24.8	30	PASS
Band43	20MHz	16QAM	44690	1RB#99	24.57	23.96	30	PASS
Band43	20MHz	64QAM	44690	1RB#99	23.84	23.23	30	PASS
Band43	20MHz	256QAM	44690	1RB#99	20.56	19.95	30	PASS
Band43	20MHz	QPSK	44690	50RB#0	24.22	23.61	30	PASS
Band43	20MHz	16QAM	44690	50RB#0	23.68	23.07	30	PASS
Band43	20MHz	64QAM	44690	50RB#0	22.47	21.86	30	PASS
Band43	20MHz	256QAM	44690	50RB#0	20.29	19.68	30	PASS
Band43	20MHz	QPSK	44690	50RB#25	24.34	23.73	30	PASS
Band43	20MHz	16QAM	44690	50RB#25	23.45	22.84	30	PASS
Band43	20MHz	64QAM	44690	50RB#25	22.17	21.56	30	PASS
Band43	20MHz	256QAM	44690	50RB#25	20.55	19.94	30	PASS
Band43	20MHz	QPSK	44690	50RB#50	24.41	23.8	30	PASS
Band43	20MHz	16QAM	44690	50RB#50	23.21	22.6	30	PASS
Band43	20MHz	64QAM	44690	50RB#50	22.7	22.09	30	PASS
Band43	20MHz	256QAM	44690	50RB#50	20.19	19.58	30	PASS
Band43	20MHz	QPSK	44690	100RB#0	24.14	23.53	30	PASS
Band43	20MHz	16QAM	44690	100RB#0	23.61	23	30	PASS
Band43	20MHz	64QAM	44690	100RB#0	22.2	21.59	30	PASS
Band43	20MHz	256QAM	44690	100RB#0	20.17	19.56	30	PASS
Band43	20MHz	QPSK	45090	1RB#0	25.46	24.85	30	PASS
Band43	20MHz	16QAM	45090	1RB#0	24.23	23.62	30	PASS
Band43	20MHz	64QAM	45090	1RB#0	23.81	23.2	30	PASS
Band43	20MHz	256QAM	45090	1RB#0	20.38	19.77	30	PASS
Band43	20MHz	QPSK	45090	1RB#49	25.18	24.57	30	PASS
Band43	20MHz	16QAM	45090	1RB#49	24.46	23.85	30	PASS
Band43	20MHz	64QAM	45090	1RB#49	24	23.39	30	PASS
Band43	20MHz	256QAM	45090	1RB#49	20.69	20.08	30	PASS
Band43	20MHz	QPSK	45090	1RB#99	25.19	24.58	30	PASS
Band43	20MHz	16QAM	45090	1RB#99	24.18	23.57	30	PASS
Band43	20MHz	64QAM	45090	1RB#99	24.17	23.56	30	PASS
Band43	20MHz	256QAM	45090	1RB#99	20.91	20.3	30	PASS
Band43	20MHz	QPSK	45090	50RB#0	24.6	23.99	30	PASS
Band43	20MHz	16QAM	45090	50RB#0	23.28	22.67	30	PASS

Band43	20MHz	64QAM	45090	50RB#0	22.52	21.91	30	PASS
Band43	20MHz	256QAM	45090	50RB#0	20.12	19.51	30	PASS
Band43	20MHz	QPSK	45090	50RB#25	24.35	23.74	30	PASS
Band43	20MHz	16QAM	45090	50RB#25	23.4	22.79	30	PASS
Band43	20MHz	64QAM	45090	50RB#25	22.72	22.11	30	PASS
Band43	20MHz	256QAM	45090	50RB#25	20.18	19.57	30	PASS
Band43	20MHz	QPSK	45090	50RB#50	24.28	23.67	30	PASS
Band43	20MHz	16QAM	45090	50RB#50	23.45	22.84	30	PASS
Band43	20MHz	64QAM	45090	50RB#50	22.7	22.09	30	PASS
Band43	20MHz	256QAM	45090	50RB#50	20.87	20.26	30	PASS
Band43	20MHz	QPSK	45090	100RB#0	24.46	23.85	30	PASS
Band43	20MHz	16QAM	45090	100RB#0	23.06	22.45	30	PASS
Band43	20MHz	64QAM	45090	100RB#0	22.73	22.12	30	PASS
Band43	20MHz	256QAM	45090	100RB#0	20.48	19.87	30	PASS
Band43	20MHz	QPSK	45490	1RB#0	25.49	24.88	30	PASS
Band43	20MHz	16QAM	45490	1RB#0	24.39	23.78	30	PASS
Band43	20MHz	64QAM	45490	1RB#0	23.46	22.85	30	PASS
Band43	20MHz	256QAM	45490	1RB#0	20.66	20.05	30	PASS
Band43	20MHz	QPSK	45490	1RB#49	25.36	24.75	30	PASS
Band43	20MHz	16QAM	45490	1RB#49	24.49	23.88	30	PASS
Band43	20MHz	64QAM	45490	1RB#49	23.58	22.97	30	PASS
Band43	20MHz	256QAM	45490	1RB#49	20.64	20.03	30	PASS
Band43	20MHz	QPSK	45490	1RB#99	25.67	25.06	30	PASS
Band43	20MHz	16QAM	45490	1RB#99	24.14	23.53	30	PASS
Band43	20MHz	64QAM	45490	1RB#99	23.99	23.38	30	PASS
Band43	20MHz	256QAM	45490	1RB#99	20.4	19.79	30	PASS
Band43	20MHz	QPSK	45490	50RB#0	24.2	23.59	30	PASS
Band43	20MHz	16QAM	45490	50RB#0	23.65	23.04	30	PASS
Band43	20MHz	64QAM	45490	50RB#0	22.29	21.68	30	PASS
Band43	20MHz	256QAM	45490	50RB#0	20.21	19.6	30	PASS
Band43	20MHz	QPSK	45490	50RB#25	24.49	23.88	30	PASS
Band43	20MHz	16QAM	45490	50RB#25	23.21	22.6	30	PASS
Band43	20MHz	64QAM	45490	50RB#25	22.74	22.13	30	PASS
Band43	20MHz	256QAM	45490	50RB#25	20.2	19.59	30	PASS
Band43	20MHz	QPSK	45490	50RB#50	24.09	23.48	30	PASS
Band43	20MHz	16QAM	45490	50RB#50	23.74	23.13	30	PASS
Band43	20MHz	64QAM	45490	50RB#50	22.19	21.58	30	PASS
Band43	20MHz	256QAM	45490	50RB#50	20.72	20.11	30	PASS
Band43	20MHz	QPSK	45490	100RB#0	24.36	23.75	30	PASS
Band43	20MHz	16QAM	45490	100RB#0	23.68	23.07	30	PASS
Band43	20MHz	64QAM	45490	100RB#0	22.52	21.91	30	PASS
Band43	20MHz	256QAM	45490	100RB#0	20.31	19.7	30	PASS
Band43	15MHz	QPSK	44665	1RB#0	25.4	24.79	30	PASS
Band43	15MHz	16QAM	44665	1RB#0	24.09	23.48	30	PASS
Band43	15MHz	64QAM	44665	1RB#0	23.41	22.8	30	PASS
Band43	15MHz	256QAM	44665	1RB#0	20.64	20.03	30	PASS

Band43	15MHz	QPSK	44665	1RB#38	25.3	24.69	30	PASS
Band43	15MHz	16QAM	44665	1RB#38	24.82	24.21	30	PASS
Band43	15MHz	64QAM	44665	1RB#38	23.69	23.08	30	PASS
Band43	15MHz	256QAM	44665	1RB#38	20.63	20.02	30	PASS
Band43	15MHz	QPSK	44665	1RB#74	25.62	25.01	30	PASS
Band43	15MHz	16QAM	44665	1RB#74	24.24	23.63	30	PASS
Band43	15MHz	64QAM	44665	1RB#74	23.3	22.69	30	PASS
Band43	15MHz	256QAM	44665	1RB#74	20.63	20.02	30	PASS
Band43	15MHz	QPSK	44665	38RB#0	25.04	24.43	30	PASS
Band43	15MHz	16QAM	44665	38RB#0	24.53	23.92	30	PASS
Band43	15MHz	64QAM	44665	38RB#0	23.7	23.09	30	PASS
Band43	15MHz	256QAM	44665	38RB#0	20.24	19.63	30	PASS
Band43	15MHz	QPSK	44665	38RB#18	25.79	25.18	30	PASS
Band43	15MHz	16QAM	44665	38RB#18	24.86	24.25	30	PASS
Band43	15MHz	64QAM	44665	38RB#18	23.65	23.04	30	PASS
Band43	15MHz	256QAM	44665	38RB#18	20.44	19.83	30	PASS
Band43	15MHz	QPSK	44665	38RB#37	25.6	24.99	30	PASS
Band43	15MHz	16QAM	44665	38RB#37	24.74	24.13	30	PASS
Band43	15MHz	QPSK	44665	1RB#0	25.48	24.87	30	PASS
Band43	15MHz	16QAM	44665	1RB#0	24.18	23.57	30	PASS
Band43	15MHz	64QAM	44665	1RB#0	23.39	22.78	30	PASS
Band43	15MHz	256QAM	44665	1RB#0	20.28	19.67	30	PASS
Band43	15MHz	QPSK	44665	1RB#38	25.36	24.75	30	PASS
Band43	15MHz	16QAM	44665	1RB#38	24.64	24.03	30	PASS
Band43	15MHz	64QAM	44665	1RB#38	23.32	22.71	30	PASS
Band43	15MHz	256QAM	44665	1RB#38	20.82	20.21	30	PASS
Band43	15MHz	QPSK	44665	1RB#74	25.43	24.82	30	PASS
Band43	15MHz	16QAM	44665	1RB#74	24.28	23.67	30	PASS
Band43	15MHz	64QAM	44665	1RB#74	23.2	22.59	30	PASS
Band43	15MHz	256QAM	44665	1RB#74	20.72	20.11	30	PASS
Band43	15MHz	QPSK	44665	38RB#0	24.96	24.35	30	PASS
Band43	15MHz	16QAM	44665	38RB#0	24.13	23.52	30	PASS
Band43	15MHz	64QAM	44665	38RB#0	23.36	22.75	30	PASS
Band43	15MHz	256QAM	44665	38RB#0	20.73	20.12	30	PASS
Band43	15MHz	QPSK	44665	38RB#18	25.73	25.12	30	PASS
Band43	15MHz	16QAM	44665	38RB#18	24.15	23.54	30	PASS
Band43	15MHz	64QAM	44665	38RB#18	23.85	23.24	30	PASS
Band43	15MHz	256QAM	44665	38RB#18	20.71	20.1	30	PASS
Band43	15MHz	QPSK	44665	38RB#37	25.3	24.69	30	PASS
Band43	15MHz	16QAM	44665	38RB#37	24.24	23.63	30	PASS
Band43	15MHz	64QAM	44665	38RB#37	23.89	23.28	30	PASS
Band43	15MHz	256QAM	44665	38RB#37	20.68	20.07	30	PASS
Band43	15MHz	QPSK	44665	75RB#0	24.42	23.81	30	PASS
Band43	15MHz	16QAM	44665	75RB#0	23.24	22.63	30	PASS
Band43	15MHz	64QAM	44665	75RB#0	22.04	21.43	30	PASS
Band43	15MHz	256QAM	44665	75RB#0	20.21	19.6	30	PASS

Band43	15MHz	QPSK	45090	1RB#0	25.34	24.73	30	PASS
Band43	15MHz	16QAM	45090	1RB#0	24.21	23.6	30	PASS
Band43	15MHz	64QAM	45090	1RB#0	23.39	22.78	30	PASS
Band43	15MHz	256QAM	45090	1RB#0	20.39	19.78	30	PASS
Band43	15MHz	QPSK	45090	1RB#38	25.32	24.71	30	PASS
Band43	15MHz	16QAM	45090	1RB#38	24.17	23.56	30	PASS
Band43	15MHz	64QAM	45090	1RB#38	23.47	22.86	30	PASS
Band43	15MHz	256QAM	45090	1RB#38	20.56	19.95	30	PASS
Band43	15MHz	QPSK	45090	1RB#74	25.12	24.51	30	PASS
Band43	15MHz	16QAM	45090	1RB#74	24.31	23.7	30	PASS
Band43	15MHz	64QAM	45090	1RB#74	23.58	22.97	30	PASS
Band43	15MHz	256QAM	45090	1RB#74	20.86	20.25	30	PASS
Band43	15MHz	QPSK	45090	38RB#0	24.93	24.32	30	PASS
Band43	15MHz	16QAM	45090	38RB#0	24.47	23.86	30	PASS
Band43	15MHz	64QAM	45090	38RB#0	23.64	23.03	30	PASS
Band43	15MHz	256QAM	45090	38RB#0	20.31	19.7	30	PASS
Band43	15MHz	QPSK	45090	38RB#18	25.14	24.53	30	PASS
Band43	15MHz	16QAM	45090	38RB#18	24.53	23.92	30	PASS
Band43	15MHz	QPSK	45090	1RB#0	25.21	24.6	30	PASS
Band43	15MHz	16QAM	45090	1RB#0	24.57	23.96	30	PASS
Band43	15MHz	64QAM	45090	1RB#0	23.36	22.75	30	PASS
Band43	15MHz	256QAM	45090	1RB#0	20.33	19.72	30	PASS
Band43	15MHz	QPSK	45090	1RB#38	25.54	24.93	30	PASS
Band43	15MHz	16QAM	45090	1RB#38	24.57	23.96	30	PASS
Band43	15MHz	64QAM	45090	1RB#38	23.81	23.2	30	PASS
Band43	15MHz	256QAM	45090	1RB#38	20.73	20.12	30	PASS
Band43	15MHz	QPSK	45090	1RB#74	25.15	24.54	30	PASS
Band43	15MHz	16QAM	45090	1RB#74	24.24	23.63	30	PASS
Band43	15MHz	64QAM	45090	1RB#74	23.67	23.06	30	PASS
Band43	15MHz	256QAM	45090	1RB#74	20.9	20.29	30	PASS
Band43	15MHz	QPSK	45090	38RB#0	24.83	24.22	30	PASS
Band43	15MHz	16QAM	45090	38RB#0	23.94	23.33	30	PASS
Band43	15MHz	64QAM	45090	38RB#0	23.11	22.5	30	PASS
Band43	15MHz	256QAM	45090	38RB#0	20.43	19.82	30	PASS
Band43	15MHz	QPSK	45090	38RB#18	25.38	24.77	30	PASS
Band43	15MHz	16QAM	45090	38RB#18	24.23	23.62	30	PASS
Band43	15MHz	64QAM	45090	38RB#18	23.96	23.35	30	PASS
Band43	15MHz	256QAM	45090	38RB#18	20.61	20	30	PASS
Band43	15MHz	QPSK	45090	38RB#37	24.99	24.38	30	PASS
Band43	15MHz	16QAM	45090	38RB#37	24.23	23.62	30	PASS
Band43	10MHz	QPSK	44640	1RB#0	25.61	25	30	PASS
Band43	10MHz	16QAM	44640	1RB#0	24.95	24.34	30	PASS
Band43	10MHz	64QAM	44640	1RB#0	24.2	23.59	30	PASS
Band43	10MHz	256QAM	44640	1RB#0	20.44	19.83	30	PASS
Band43	10MHz	QPSK	44640	1RB#24	25.23	24.62	30	PASS
Band43	10MHz	16QAM	44640	1RB#24	24.37	23.76	30	PASS

Band43	10MHz	64QAM	44640	1RB#24	23.68	23.07	30	PASS
Band43	10MHz	256QAM	44640	1RB#24	20.66	20.05	30	PASS
Band43	10MHz	QPSK	44640	1RB#49	25.43	24.82	30	PASS
Band43	10MHz	16QAM	44640	1RB#49	24.89	24.28	30	PASS
Band43	10MHz	64QAM	44640	1RB#49	24.01	23.4	30	PASS
Band43	10MHz	256QAM	44640	1RB#49	21.08	20.47	30	PASS
Band43	10MHz	QPSK	44640	25RB#0	24.71	24.1	30	PASS
Band43	10MHz	16QAM	44640	25RB#0	23.69	23.08	30	PASS
Band43	10MHz	64QAM	44640	25RB#0	22.18	21.57	30	PASS
Band43	10MHz	256QAM	44640	25RB#0	20.83	20.22	30	PASS
Band43	10MHz	QPSK	44640	25RB#12	24.61	24	30	PASS
Band43	10MHz	16QAM	44640	25RB#12	23.78	23.17	30	PASS
Band43	10MHz	64QAM	44640	25RB#12	22.71	22.1	30	PASS
Band43	10MHz	256QAM	44640	25RB#12	20.24	19.63	30	PASS
Band43	10MHz	QPSK	44640	25RB#25	24.91	24.3	30	PASS
Band43	10MHz	16QAM	44640	25RB#25	23.8	23.19	30	PASS
Band43	10MHz	64QAM	44640	25RB#25	22.57	21.96	30	PASS
Band43	10MHz	256QAM	44640	25RB#25	20.52	19.91	30	PASS
Band43	10MHz	QPSK	44640	50RB#0	24.65	24.04	30	PASS
Band43	10MHz	16QAM	44640	50RB#0	23.59	22.98	30	PASS
Band43	10MHz	64QAM	44640	50RB#0	22.62	22.01	30	PASS
Band43	10MHz	256QAM	44640	50RB#0	20.67	20.06	30	PASS
Band43	10MHz	QPSK	45090	1RB#0	25.17	24.56	30	PASS
Band43	10MHz	16QAM	45090	1RB#0	24.47	23.86	30	PASS
Band43	10MHz	64QAM	45090	1RB#0	23.96	23.35	30	PASS
Band43	10MHz	256QAM	45090	1RB#0	20.41	19.8	30	PASS
Band43	10MHz	QPSK	45090	1RB#24	25.79	25.18	30	PASS
Band43	10MHz	16QAM	45090	1RB#24	24.3	23.69	30	PASS
Band43	10MHz	64QAM	45090	1RB#24	24.2	23.59	30	PASS
Band43	10MHz	256QAM	45090	1RB#24	20.51	19.9	30	PASS
Band43	10MHz	QPSK	45090	1RB#49	25.55	24.94	30	PASS
Band43	10MHz	16QAM	45090	1RB#49	24.88	24.27	30	PASS
Band43	10MHz	64QAM	45090	1RB#49	24.1	23.49	30	PASS
Band43	10MHz	256QAM	45090	1RB#49	20.56	19.95	30	PASS
Band43	10MHz	QPSK	45090	25RB#0	24.8	24.19	30	PASS
Band43	10MHz	16QAM	45090	25RB#0	23.16	22.55	30	PASS
Band43	10MHz	64QAM	45090	25RB#0	22.79	22.18	30	PASS
Band43	10MHz	256QAM	45090	25RB#0	20.14	19.53	30	PASS
Band43	10MHz	QPSK	45090	25RB#12	24.85	24.24	30	PASS
Band43	10MHz	16QAM	45090	25RB#12	23.29	22.68	30	PASS
Band43	10MHz	64QAM	45090	25RB#12	22.28	21.67	30	PASS
Band43	10MHz	256QAM	45090	25RB#12	20.77	20.16	30	PASS
Band43	10MHz	QPSK	45090	25RB#25	24.65	24.04	30	PASS
Band43	10MHz	16QAM	45090	25RB#25	23.81	23.2	30	PASS
Band43	10MHz	64QAM	45090	25RB#25	22.74	22.13	30	PASS
Band43	10MHz	256QAM	45090	25RB#25	20.57	19.96	30	PASS

Band43	10MHz	QPSK	45090	50RB#0	24.75	24.14	30	PASS
Band43	10MHz	16QAM	45090	50RB#0	23.64	23.03	30	PASS
Band43	10MHz	64QAM	45090	50RB#0	22.6	21.99	30	PASS
Band43	10MHz	256QAM	45090	50RB#0	20.24	19.63	30	PASS
Band43	10MHz	QPSK	45540	1RB#0	26.71	26.1	30	PASS
Band43	10MHz	16QAM	45540	1RB#0	24.81	24.2	30	PASS
Band43	10MHz	64QAM	45540	1RB#0	23.62	23.01	30	PASS
Band43	10MHz	256QAM	45540	1RB#0	20.63	20.02	30	PASS
Band43	10MHz	QPSK	45540	1RB#24	25.66	25.05	30	PASS
Band43	10MHz	16QAM	45540	1RB#24	25	24.39	30	PASS
Band43	10MHz	64QAM	45540	1RB#24	23.93	23.32	30	PASS
Band43	10MHz	256QAM	45540	1RB#24	20.38	19.77	30	PASS
Band43	10MHz	QPSK	45540	1RB#49	25.54	24.93	30	PASS
Band43	10MHz	16QAM	45540	1RB#49	25	24.39	30	PASS
Band43	10MHz	64QAM	45540	1RB#49	23.59	22.98	30	PASS
Band43	10MHz	256QAM	45540	1RB#49	20.53	19.92	30	PASS
Band43	10MHz	QPSK	45540	25RB#0	24.22	23.61	30	PASS
Band43	10MHz	16QAM	45540	25RB#0	23.15	22.54	30	PASS
Band43	10MHz	64QAM	45540	25RB#0	22.23	21.62	30	PASS
Band43	10MHz	256QAM	45540	25RB#0	20.38	19.77	30	PASS
Band43	10MHz	QPSK	45540	25RB#12	24.47	23.86	30	PASS
Band43	10MHz	16QAM	45540	25RB#12	23.38	22.77	30	PASS
Band43	10MHz	64QAM	45540	25RB#12	22.54	21.93	30	PASS
Band43	10MHz	256QAM	45540	25RB#12	20.2	19.59	30	PASS
Band43	10MHz	QPSK	45540	25RB#25	24.31	23.7	30	PASS
Band43	10MHz	16QAM	45540	25RB#25	23.66	23.05	30	PASS
Band43	10MHz	64QAM	45540	25RB#25	22.89	22.28	30	PASS
Band43	10MHz	256QAM	45540	25RB#25	20.51	19.9	30	PASS
Band43	10MHz	QPSK	45540	50RB#0	24.14	23.53	30	PASS
Band43	10MHz	16QAM	45540	50RB#0	23.77	23.16	30	PASS
Band43	10MHz	64QAM	45540	50RB#0	22.31	21.7	30	PASS
Band43	10MHz	256QAM	45540	50RB#0	20.69	20.08	30	PASS
Band43	5MHz	QPSK	44615	1RB#0	25.69	25.08	30	PASS
Band43	5MHz	16QAM	44615	1RB#0	24.73	24.12	30	PASS
Band43	5MHz	64QAM	44615	1RB#0	24.02	23.41	30	PASS
Band43	5MHz	256QAM	44615	1RB#0	20.8	20.19	30	PASS
Band43	5MHz	QPSK	44615	1RB#12	25.75	25.14	30	PASS
Band43	5MHz	16QAM	44615	1RB#12	24.78	24.17	30	PASS
Band43	5MHz	64QAM	44615	1RB#12	24.25	23.64	30	PASS
Band43	5MHz	256QAM	44615	1RB#12	20.95	20.34	30	PASS
Band43	5MHz	QPSK	44615	1RB#24	25.31	24.7	30	PASS
Band43	5MHz	16QAM	44615	1RB#24	24.42	23.81	30	PASS
Band43	5MHz	64QAM	44615	1RB#24	24.27	23.66	30	PASS
Band43	5MHz	256QAM	44615	1RB#24	20.46	19.85	30	PASS
Band43	5MHz	QPSK	44615	12RB#0	24.59	23.98	30	PASS
Band43	5MHz	16QAM	44615	12RB#0	23.75	23.14	30	PASS

Band43	5MHz	64QAM	44615	12RB#0	22.75	22.14	30	PASS
Band43	5MHz	256QAM	44615	12RB#0	20.45	19.84	30	PASS
Band43	5MHz	QPSK	44615	12RB#6	24.36	23.75	30	PASS
Band43	5MHz	16QAM	44615	12RB#6	23.84	23.23	30	PASS
Band43	5MHz	64QAM	44615	12RB#6	23.03	22.42	30	PASS
Band43	5MHz	256QAM	44615	12RB#6	20.67	20.06	30	PASS
Band43	5MHz	QPSK	44615	12RB#13	24.87	24.26	30	PASS
Band43	5MHz	16QAM	44615	12RB#13	23.64	23.03	30	PASS
Band43	5MHz	64QAM	44615	12RB#13	22.69	22.08	30	PASS
Band43	5MHz	256QAM	44615	12RB#13	20.59	19.98	30	PASS
Band43	5MHz	QPSK	44615	25RB#0	24.77	24.16	30	PASS
Band43	5MHz	16QAM	44615	25RB#0	23.52	22.91	30	PASS
Band43	5MHz	64QAM	44615	25RB#0	22.66	22.05	30	PASS
Band43	5MHz	256QAM	44615	25RB#0	20.35	19.74	30	PASS
Band43	5MHz	QPSK	45090	1RB#0	25.68	25.07	30	PASS
Band43	5MHz	16QAM	45090	1RB#0	24.29	23.68	30	PASS
Band43	5MHz	64QAM	45090	1RB#0	23.66	23.05	30	PASS
Band43	5MHz	256QAM	45090	1RB#0	20.75	20.14	30	PASS
Band43	5MHz	QPSK	45090	1RB#12	25.48	24.87	30	PASS
Band43	5MHz	16QAM	45090	1RB#12	24.31	23.7	30	PASS
Band43	5MHz	64QAM	45090	1RB#12	24.15	23.54	30	PASS
Band43	5MHz	256QAM	45090	1RB#12	20.94	20.33	30	PASS
Band43	5MHz	QPSK	45090	1RB#24	25.37	24.76	30	PASS
Band43	5MHz	16QAM	45090	1RB#24	24.75	24.14	30	PASS
Band43	5MHz	64QAM	45090	1RB#24	24.1	23.49	30	PASS
Band43	5MHz	256QAM	45090	1RB#24	20.58	19.97	30	PASS
Band43	5MHz	QPSK	45090	12RB#0	24.42	23.81	30	PASS
Band43	5MHz	16QAM	45090	12RB#0	23.68	23.07	30	PASS
Band43	5MHz	64QAM	45090	12RB#0	22.33	21.72	30	PASS
Band43	5MHz	256QAM	45090	12RB#0	20.34	19.73	30	PASS
Band43	5MHz	QPSK	45090	12RB#6	24.52	23.91	30	PASS
Band43	5MHz	16QAM	45090	12RB#6	23.84	23.23	30	PASS
Band43	5MHz	64QAM	45090	12RB#6	22.64	22.03	30	PASS
Band43	5MHz	256QAM	45090	12RB#6	20.47	19.86	30	PASS
Band43	5MHz	QPSK	45090	12RB#13	24.77	24.16	30	PASS
Band43	5MHz	16QAM	45090	12RB#13	23.61	23	30	PASS
Band43	5MHz	64QAM	45090	12RB#13	22.62	22.01	30	PASS
Band43	5MHz	256QAM	45090	12RB#13	20.52	19.91	30	PASS
Band43	5MHz	QPSK	45090	25RB#0	24.65	24.04	30	PASS
Band43	5MHz	16QAM	45090	25RB#0	23.7	23.09	30	PASS
Band43	5MHz	64QAM	45090	25RB#0	22.33	21.72	30	PASS
Band43	5MHz	256QAM	45090	25RB#0	20.55	19.94	30	PASS
Band43	5MHz	QPSK	45565	1RB#0	25.72	25.11	30	PASS
Band43	5MHz	16QAM	45565	1RB#0	24.84	24.23	30	PASS
Band43	5MHz	64QAM	45565	1RB#0	23.59	22.98	30	PASS
Band43	5MHz	256QAM	45565	1RB#0	20.24	19.63	30	PASS

Band43	5MHz	QPSK	45565	1RB#12	25.34	24.73	30	PASS
Band43	5MHz	16QAM	45565	1RB#12	24.76	24.15	30	PASS
Band43	5MHz	64QAM	45565	1RB#12	23.89	23.28	30	PASS
Band43	5MHz	256QAM	45565	1RB#12	21.09	20.48	30	PASS
Band43	5MHz	QPSK	45565	1RB#24	25.43	24.82	30	PASS
Band43	5MHz	16QAM	45565	1RB#24	24.65	24.04	30	PASS
Band43	5MHz	64QAM	45565	1RB#24	23.55	22.94	30	PASS
Band43	5MHz	256QAM	45565	1RB#24	20.53	19.92	30	PASS
Band43	5MHz	QPSK	45565	12RB#0	24.5	23.89	30	PASS
Band43	5MHz	16QAM	45565	12RB#0	23.41	22.8	30	PASS
Band43	5MHz	64QAM	45565	12RB#0	22.26	21.65	30	PASS
Band43	5MHz	256QAM	45565	12RB#0	20.62	20.01	30	PASS
Band43	5MHz	QPSK	45565	12RB#6	24.3	23.69	30	PASS
Band43	5MHz	16QAM	45565	12RB#6	23.57	22.96	30	PASS
Band43	5MHz	64QAM	45565	12RB#6	22.98	22.37	30	PASS
Band43	5MHz	256QAM	45565	12RB#6	20.92	20.31	30	PASS
Band43	5MHz	QPSK	45565	12RB#13	24.59	23.98	30	PASS
Band43	5MHz	16QAM	45565	12RB#13	23.33	22.72	30	PASS
Band43	5MHz	64QAM	45565	12RB#13	22.27	21.66	30	PASS
Band43	5MHz	256QAM	45565	12RB#13	20.42	19.81	30	PASS
Band43	5MHz	QPSK	45565	25RB#0	24.49	23.88	30	PASS
Band43	5MHz	16QAM	45565	25RB#0	23.79	23.18	30	PASS
Band43	5MHz	64QAM	45565	25RB#0	22.52	21.91	30	PASS
Band43	5MHz	256QAM	45565	25RB#0	20.81	20.2	30	PASS
Band43	15MHz	QPSK	45090	1RB#0	24.89	24.28	30	PASS
Band43	15MHz	16QAM	45090	1RB#0	24.14	23.53	30	PASS
Band43	15MHz	64QAM	45090	1RB#0	23.72	23.11	30	PASS
Band43	15MHz	256QAM	45090	1RB#0	20.14	19.53	30	PASS
Band43	15MHz	QPSK	45090	1RB#38	25.61	25	30	PASS
Band43	15MHz	16QAM	45090	1RB#38	24.32	23.71	30	PASS
Band43	15MHz	64QAM	45090	1RB#38	23.78	23.17	30	PASS
Band43	15MHz	256QAM	45090	1RB#38	20.4	19.79	30	PASS
Band43	15MHz	QPSK	45090	1RB#74	25.36	24.75	30	PASS
Band43	15MHz	16QAM	45090	1RB#74	24.66	24.05	30	PASS
Band43	15MHz	64QAM	45090	1RB#74	23.76	23.15	30	PASS
Band43	15MHz	256QAM	45090	1RB#74	20.08	19.47	30	PASS
Band43	15MHz	QPSK	45090	38RB#0	24.89	24.28	30	PASS
Band43	15MHz	QPSK	45515	1RB#0	25.36	24.75	30	PASS
Band43	15MHz	16QAM	45515	1RB#0	24.21	23.6	30	PASS
Band43	15MHz	64QAM	45515	1RB#0	23.69	23.08	30	PASS
Band43	15MHz	256QAM	45515	1RB#0	20.04	19.43	30	PASS
Band43	15MHz	QPSK	45515	1RB#38	25.26	24.65	30	PASS
Band43	15MHz	16QAM	45515	1RB#38	24.14	23.53	30	PASS
Band43	15MHz	64QAM	45515	1RB#38	23.52	22.91	30	PASS
Band43	15MHz	256QAM	45515	1RB#38	20.45	19.84	30	PASS
Band43	15MHz	QPSK	45515	1RB#74	25.18	24.57	30	PASS

Band43	15MHz	16QAM	45515	1RB#74	24.24	23.63	30	PASS
Band43	15MHz	64QAM	45515	1RB#74	23.96	23.35	30	PASS
Band43	15MHz	256QAM	45515	1RB#74	20.58	19.97	30	PASS
Band43	15MHz	QPSK	45515	38RB#0	25.25	24.64	30	PASS
Band43	15MHz	16QAM	45515	38RB#0	24.43	23.82	30	PASS

LTE B48:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band48	5MHz	QPSK	55265	1RB#0	23.61	22.4	23	PASS
Band48	5MHz	QPSK	55265	1RB#12	23.73	22.52	23	PASS
Band48	5MHz	QPSK	55265	1RB#24	23.33	22.12	23	PASS
Band48	5MHz	QPSK	55265	25RB#0	22.9	21.69	23	PASS
Band48	5MHz	QPSK	55990	1RB#0	23.04	21.83	23	PASS
Band48	5MHz	QPSK	55990	1RB#12	23.13	21.92	23	PASS
Band48	5MHz	QPSK	55990	1RB#24	23.51	22.3	23	PASS
Band48	5MHz	QPSK	55990	25RB#0	22.14	20.93	23	PASS
Band48	5MHz	QPSK	56715	1RB#0	23.27	22.06	23	PASS
Band48	5MHz	QPSK	56715	1RB#12	23.44	22.23	23	PASS
Band48	5MHz	QPSK	56715	1RB#24	23.56	22.35	23	PASS
Band48	5MHz	QPSK	56715	25RB#0	22.53	21.32	23	PASS
Band48	5MHz	16QAM	55265	1RB#0	22.64	21.43	23	PASS
Band48	5MHz	16QAM	55265	1RB#12	23.04	21.83	23	PASS
Band48	5MHz	16QAM	55265	1RB#24	22.72	21.51	23	PASS
Band48	5MHz	16QAM	55265	25RB#0	22.02	20.81	23	PASS
Band48	5MHz	16QAM	55990	1RB#0	22.33	21.12	23	PASS
Band48	5MHz	16QAM	55990	1RB#12	22.49	21.28	23	PASS
Band48	5MHz	16QAM	55990	1RB#24	22.25	21.04	23	PASS
Band48	5MHz	16QAM	55990	25RB#0	21.43	20.22	23	PASS
Band48	5MHz	16QAM	56715	1RB#0	22.56	21.35	23	PASS
Band48	5MHz	16QAM	56715	1RB#12	22.74	21.53	23	PASS
Band48	5MHz	16QAM	56715	1RB#24	22.53	21.32	23	PASS
Band48	5MHz	16QAM	56715	25RB#0	21.68	20.47	23	PASS
Band48	5MHz	64QAM	55265	1RB#0	22.91	21.7	23	PASS
Band48	5MHz	64QAM	55265	1RB#12	22.76	21.55	23	PASS
Band48	5MHz	64QAM	55265	1RB#24	22.94	21.73	23	PASS
Band48	5MHz	64QAM	55265	25RB#0	21.4	20.19	23	PASS
Band48	5MHz	64QAM	55990	1RB#0	22.06	20.85	23	PASS
Band48	5MHz	64QAM	55990	1RB#12	22.47	21.26	23	PASS
Band48	5MHz	64QAM	55990	1RB#24	21.9	20.69	23	PASS
Band48	5MHz	64QAM	55990	25RB#0	21.34	20.13	23	PASS
Band48	5MHz	64QAM	56715	1RB#0	22.54	21.33	23	PASS
Band48	5MHz	64QAM	56715	1RB#12	22.31	21.1	23	PASS
Band48	5MHz	64QAM	56715	1RB#24	22.61	21.4	23	PASS
Band48	5MHz	64QAM	56715	25RB#0	21.14	19.93	23	PASS
Band48	10MHz	QPSK	55290	1RB#0	23.42	22.21	23	PASS
Band48	10MHz	QPSK	55290	1RB#24	23.98	22.77	23	PASS
Band48	10MHz	QPSK	55290	1RB#49	23.68	22.47	23	PASS
Band48	10MHz	QPSK	55290	50RB#0	22.85	21.64	23	PASS
Band48	10MHz	QPSK	55990	1RB#0	22.96	21.75	23	PASS
Band48	10MHz	QPSK	55990	1RB#24	23.46	22.25	23	PASS

Band48	10MHz	QPSK	55990	1RB#49	23.37	22.16	23	PASS
Band48	10MHz	QPSK	55990	50RB#0	21.88	20.67	23	PASS
Band48	10MHz	QPSK	56690	1RB#0	23.38	22.17	23	PASS
Band48	10MHz	QPSK	56690	1RB#24	23.45	22.24	23	PASS
Band48	10MHz	QPSK	56690	1RB#49	23.77	22.56	23	PASS
Band48	10MHz	QPSK	56690	50RB#0	22.55	21.34	23	PASS
Band48	10MHz	16QAM	55290	1RB#0	22.5	21.29	23	PASS
Band48	10MHz	16QAM	55290	1RB#24	22.6	21.39	23	PASS
Band48	10MHz	16QAM	55290	1RB#49	22.94	21.73	23	PASS
Band48	10MHz	16QAM	55290	50RB#0	21.51	20.3	23	PASS
Band48	10MHz	16QAM	55990	1RB#0	21.8	20.59	23	PASS
Band48	10MHz	16QAM	55990	1RB#24	22.14	20.93	23	PASS
Band48	10MHz	16QAM	55990	1RB#49	22.21	21	23	PASS
Band48	10MHz	16QAM	55990	50RB#0	21.54	20.33	23	PASS
Band48	10MHz	16QAM	56690	1RB#0	22.52	21.31	23	PASS
Band48	10MHz	16QAM	56690	1RB#24	22.58	21.37	23	PASS
Band48	10MHz	16QAM	56690	1RB#49	22.19	20.98	23	PASS
Band48	10MHz	16QAM	56690	50RB#0	21.65	20.44	23	PASS
Band48	10MHz	64QAM	55290	1RB#0	21.79	20.58	23	PASS
Band48	10MHz	64QAM	55290	1RB#24	21.82	20.61	23	PASS
Band48	10MHz	64QAM	55290	1RB#49	21.9	20.69	23	PASS
Band48	10MHz	64QAM	55290	50RB#0	20.43	19.22	23	PASS
Band48	10MHz	64QAM	55990	1RB#0	20.79	19.58	23	PASS
Band48	10MHz	64QAM	55990	1RB#24	21.31	20.1	23	PASS
Band48	10MHz	64QAM	55990	1RB#49	21.2	19.99	23	PASS
Band48	10MHz	64QAM	55990	50RB#0	19.97	18.76	23	PASS
Band48	10MHz	64QAM	56690	1RB#0	21.86	20.65	23	PASS
Band48	10MHz	64QAM	56690	1RB#24	21.36	20.15	23	PASS
Band48	10MHz	64QAM	56690	1RB#49	21.21	20	23	PASS
Band48	10MHz	64QAM	56690	50RB#0	20.24	19.03	23	PASS
Band48	15MHz	QPSK	55315	1RB#0	23.9	22.69	23	PASS
Band48	15MHz	QPSK	55315	1RB#38	23.7	22.49	23	PASS
Band48	15MHz	QPSK	55315	1RB#74	23.51	22.3	23	PASS
Band48	15MHz	QPSK	55315	75RB#0	22.31	21.1	23	PASS
Band48	15MHz	QPSK	55990	1RB#0	22.78	21.57	23	PASS
Band48	15MHz	QPSK	55990	1RB#38	22.89	21.68	23	PASS
Band48	15MHz	QPSK	55990	1RB#74	23.07	21.86	23	PASS
Band48	15MHz	QPSK	55990	75RB#0	21.89	20.68	23	PASS
Band48	15MHz	QPSK	56665	1RB#0	23.45	22.24	23	PASS
Band48	15MHz	QPSK	56665	1RB#38	23.21	22	23	PASS
Band48	15MHz	QPSK	56665	1RB#74	23.08	21.87	23	PASS
Band48	15MHz	QPSK	56665	75RB#0	22.52	21.31	23	PASS
Band48	15MHz	16QAM	55315	1RB#0	22.27	21.06	23	PASS
Band48	15MHz	16QAM	55315	1RB#38	22.37	21.16	23	PASS
Band48	15MHz	16QAM	55315	1RB#74	22.84	21.63	23	PASS
Band48	15MHz	16QAM	55315	75RB#0	21.65	20.44	23	PASS

Band48	15MHz	16QAM	55990	1RB#0	22.26	21.05	23	PASS
Band48	15MHz	16QAM	55990	1RB#38	22.06	20.85	23	PASS
Band48	15MHz	16QAM	55990	1RB#74	22.08	20.87	23	PASS
Band48	15MHz	16QAM	55990	75RB#0	20.83	19.62	23	PASS
Band48	15MHz	16QAM	56665	1RB#0	22.14	20.93	23	PASS
Band48	15MHz	16QAM	56665	1RB#38	22.36	21.15	23	PASS
Band48	15MHz	16QAM	56665	1RB#74	22.06	20.85	23	PASS
Band48	15MHz	16QAM	56665	75RB#0	21.7	20.49	23	PASS
Band48	15MHz	64QAM	55315	1RB#0	21.11	19.9	23	PASS
Band48	15MHz	64QAM	55315	1RB#38	21.47	20.26	23	PASS
Band48	15MHz	64QAM	55315	1RB#74	21.14	19.93	23	PASS
Band48	15MHz	64QAM	55315	75RB#0	20.39	19.18	23	PASS
Band48	15MHz	64QAM	55990	1RB#0	20.96	19.75	23	PASS
Band48	15MHz	64QAM	55990	1RB#38	20.72	19.51	23	PASS
Band48	15MHz	64QAM	55990	1RB#74	21.12	19.91	23	PASS
Band48	15MHz	64QAM	55990	75RB#0	20	18.79	23	PASS
Band48	15MHz	64QAM	56665	1RB#0	21.16	19.95	23	PASS
Band48	15MHz	64QAM	56665	1RB#38	21.52	20.31	23	PASS
Band48	15MHz	64QAM	56665	1RB#74	21.11	19.9	23	PASS
Band48	15MHz	64QAM	56665	75RB#0	20.65	19.44	23	PASS
Band48	20MHz	QPSK	55340	1RB#0	23.4	22.19	23	PASS
Band48	20MHz	QPSK	55340	1RB#49	23.62	22.41	23	PASS
Band48	20MHz	QPSK	55340	1RB#99	23.35	22.14	23	PASS
Band48	20MHz	QPSK	55340	100RB#0	22.75	21.54	23	PASS
Band48	20MHz	QPSK	55990	1RB#0	22.98	21.77	23	PASS
Band48	20MHz	QPSK	55990	1RB#49	23.36	22.15	23	PASS
Band48	20MHz	QPSK	55990	1RB#99	23.06	21.85	23	PASS
Band48	20MHz	QPSK	55990	100RB#0	21.82	20.61	23	PASS
Band48	20MHz	QPSK	56640	1RB#0	23.14	21.93	23	PASS
Band48	20MHz	QPSK	56640	1RB#49	23.05	21.84	23	PASS
Band48	20MHz	QPSK	56640	1RB#99	23.29	22.08	23	PASS
Band48	20MHz	QPSK	56640	100RB#0	22.11	20.9	23	PASS
Band48	20MHz	16QAM	55340	1RB#0	22.1	20.89	23	PASS
Band48	20MHz	16QAM	55340	1RB#49	22.93	21.72	23	PASS
Band48	20MHz	16QAM	55340	1RB#99	22.9	21.69	23	PASS
Band48	20MHz	16QAM	55340	100RB#0	21.48	20.27	23	PASS
Band48	20MHz	16QAM	55990	1RB#0	22.05	20.84	23	PASS
Band48	20MHz	16QAM	55990	1RB#49	22.25	21.04	23	PASS
Band48	20MHz	16QAM	55990	1RB#99	21.92	20.71	23	PASS
Band48	20MHz	16QAM	55990	100RB#0	20.99	19.78	23	PASS
Band48	20MHz	16QAM	56640	1RB#0	22.21	21	23	PASS
Band48	20MHz	16QAM	56640	1RB#49	22.28	21.07	23	PASS
Band48	20MHz	16QAM	56640	1RB#99	22.14	20.93	23	PASS
Band48	20MHz	16QAM	56640	100RB#0	21.07	19.86	23	PASS
Band48	20MHz	64QAM	55340	1RB#0	21.55	20.34	23	PASS
Band48	20MHz	64QAM	55340	1RB#49	21.57	20.36	23	PASS

Band48	20MHz	64QAM	55340	1RB#99	21.73	20.52	23	PASS
Band48	20MHz	64QAM	55340	100RB#0	20.79	19.58	23	PASS
Band48	20MHz	64QAM	55990	1RB#0	20.96	19.75	23	PASS
Band48	20MHz	64QAM	55990	1RB#49	21.18	19.97	23	PASS
Band48	20MHz	64QAM	55990	1RB#99	20.7	19.49	23	PASS
Band48	20MHz	64QAM	55990	100RB#0	20.26	19.05	23	PASS
Band48	20MHz	64QAM	56640	1RB#0	21.08	19.87	23	PASS
Band48	20MHz	64QAM	56640	1RB#49	21.54	20.33	23	PASS
Band48	20MHz	64QAM	56640	1RB#99	21.45	20.24	23	PASS
Band48	20MHz	64QAM	56640	100RB#0	20.65	19.44	23	PASS

LTE B66:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	24.1	29.04	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	23.89	28.83	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	23.66	28.6	30	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	22.55	27.49	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	23.46	28.4	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	23.84	28.78	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	23.64	28.58	30	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	22.94	27.88	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	23.77	28.71	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	23.82	28.76	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	23.52	28.46	30	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	22.95	27.89	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	23.13	28.07	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	22.61	27.55	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	22.59	27.53	30	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	21.95	26.89	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	23	27.94	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	23.11	28.05	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	23.07	28.01	30	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	21.84	26.78	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	23.13	28.07	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	23.03	27.97	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	23.09	28.03	30	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	22.09	27.03	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	22.13	27.07	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#2	21.84	26.78	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#5	22.06	27	30	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	20.56	25.5	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	21.8	26.74	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#2	22.17	27.11	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#5	22.08	27.02	30	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	20.61	25.55	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	21.93	26.87	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#2	21.57	26.51	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#5	22.08	27.02	30	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	20.84	25.78	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#0	18.95	23.89	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#2	18.82	23.76	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#5	18.9	23.84	30	PASS
Band66	1.4MHz	256QAM	131979	6RB#0	18.85	23.79	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#0	18.7	23.64	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#2	18.77	23.71	30	PASS

Band66	1.4MHz	256QAM	132322	1RB#5	18.84	23.78	30	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	18.95	23.89	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#0	18.64	23.58	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#2	19.08	24.02	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#5	18.85	23.79	30	PASS
Band66	1.4MHz	256QAM	132665	6RB#0	19.04	23.98	30	PASS
Band66	3MHz	QPSK	131987	1RB#0	23.76	28.7	30	PASS
Band66	3MHz	QPSK	131987	1RB#8	23.55	28.49	30	PASS
Band66	3MHz	QPSK	131987	1RB#14	23.7	28.64	30	PASS
Band66	3MHz	QPSK	131987	15RB#0	22.66	27.6	30	PASS
Band66	3MHz	QPSK	132322	1RB#0	23.82	28.76	30	PASS
Band66	3MHz	QPSK	132322	1RB#8	23.94	28.88	30	PASS
Band66	3MHz	QPSK	132322	1RB#14	23.44	28.38	30	PASS
Band66	3MHz	QPSK	132322	15RB#0	22.93	27.87	30	PASS
Band66	3MHz	QPSK	132657	1RB#0	23.39	28.33	30	PASS
Band66	3MHz	QPSK	132657	1RB#8	23.54	28.48	30	PASS
Band66	3MHz	QPSK	132657	1RB#14	23.34	28.28	30	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.97	27.91	30	PASS
Band66	3MHz	16QAM	131987	1RB#0	22.87	27.81	30	PASS
Band66	3MHz	16QAM	131987	1RB#8	22.83	27.77	30	PASS
Band66	3MHz	16QAM	131987	1RB#14	23.02	27.96	30	PASS
Band66	3MHz	16QAM	131987	15RB#0	22.2	27.14	30	PASS
Band66	3MHz	16QAM	132322	1RB#0	23.09	28.03	30	PASS
Band66	3MHz	16QAM	132322	1RB#8	22.59	27.53	30	PASS
Band66	3MHz	16QAM	132322	1RB#14	22.76	27.7	30	PASS
Band66	3MHz	16QAM	132322	15RB#0	21.59	26.53	30	PASS
Band66	3MHz	16QAM	132657	1RB#0	22.78	27.72	30	PASS
Band66	3MHz	16QAM	132657	1RB#8	22.75	27.69	30	PASS
Band66	3MHz	16QAM	132657	1RB#14	23.09	28.03	30	PASS
Band66	3MHz	16QAM	132657	15RB#0	21.78	26.72	30	PASS
Band66	3MHz	64QAM	131987	1RB#0	21.75	26.69	30	PASS
Band66	3MHz	64QAM	131987	1RB#8	21.73	26.67	30	PASS
Band66	3MHz	64QAM	131987	1RB#14	21.73	26.67	30	PASS
Band66	3MHz	64QAM	131987	15RB#0	20.56	25.5	30	PASS
Band66	3MHz	64QAM	132322	1RB#0	21.82	26.76	30	PASS
Band66	3MHz	64QAM	132322	1RB#8	22.1	27.04	30	PASS
Band66	3MHz	64QAM	132322	1RB#14	21.89	26.83	30	PASS
Band66	3MHz	64QAM	132322	15RB#0	20.75	25.69	30	PASS
Band66	3MHz	64QAM	132657	1RB#0	22	26.94	30	PASS
Band66	3MHz	64QAM	132657	1RB#8	22.34	27.28	30	PASS
Band66	3MHz	64QAM	132657	1RB#14	21.76	26.7	30	PASS
Band66	3MHz	64QAM	132657	15RB#0	20.56	25.5	30	PASS
Band66	3MHz	256QAM	131987	1RB#0	19.01	23.95	30	PASS
Band66	3MHz	256QAM	131987	1RB#8	18.7	23.64	30	PASS
Band66	3MHz	256QAM	131987	1RB#14	18.74	23.68	30	PASS
Band66	3MHz	256QAM	131987	15RB#0	18.52	23.46	30	PASS

Band66	3MHz	256QAM	132322	1RB#0	18.76	23.7	30	PASS
Band66	3MHz	256QAM	132322	1RB#8	18.71	23.65	30	PASS
Band66	3MHz	256QAM	132322	1RB#14	18.72	23.66	30	PASS
Band66	3MHz	256QAM	132322	15RB#0	18.52	23.46	30	PASS
Band66	3MHz	256QAM	132657	1RB#0	18.69	23.63	30	PASS
Band66	3MHz	256QAM	132657	1RB#8	18.88	23.82	30	PASS
Band66	3MHz	256QAM	132657	1RB#14	18.75	23.69	30	PASS
Band66	3MHz	256QAM	132657	15RB#0	18.73	23.67	30	PASS
Band66	5MHz	QPSK	131997	1RB#0	23.74	28.68	30	PASS
Band66	5MHz	QPSK	131997	1RB#12	23.78	28.72	30	PASS
Band66	5MHz	QPSK	131997	1RB#24	23.5	28.44	30	PASS
Band66	5MHz	QPSK	131997	25RB#0	23.18	28.12	30	PASS
Band66	5MHz	QPSK	132322	1RB#0	23.88	28.82	30	PASS
Band66	5MHz	QPSK	132322	1RB#12	24.02	28.96	30	PASS
Band66	5MHz	QPSK	132322	1RB#24	23.63	28.57	30	PASS
Band66	5MHz	QPSK	132322	25RB#0	22.9	27.84	30	PASS
Band66	5MHz	QPSK	132647	1RB#0	23.58	28.52	30	PASS
Band66	5MHz	QPSK	132647	1RB#12	23.9	28.84	30	PASS
Band66	5MHz	QPSK	132647	1RB#24	23.84	28.78	30	PASS
Band66	5MHz	QPSK	132647	25RB#0	22.47	27.41	30	PASS
Band66	5MHz	16QAM	131997	1RB#0	23.16	28.1	30	PASS
Band66	5MHz	16QAM	131997	1RB#12	23.25	28.19	30	PASS
Band66	5MHz	16QAM	131997	1RB#24	22.93	27.87	30	PASS
Band66	5MHz	16QAM	131997	25RB#0	22.13	27.07	30	PASS
Band66	5MHz	16QAM	132322	1RB#0	22.5	27.44	30	PASS
Band66	5MHz	16QAM	132322	1RB#12	22.68	27.62	30	PASS
Band66	5MHz	16QAM	132322	1RB#24	22.77	27.71	30	PASS
Band66	5MHz	16QAM	132322	25RB#0	21.84	26.78	30	PASS
Band66	5MHz	16QAM	132647	1RB#0	22.81	27.75	30	PASS
Band66	5MHz	16QAM	132647	1RB#12	22.92	27.86	30	PASS
Band66	5MHz	16QAM	132647	1RB#24	22.94	27.88	30	PASS
Band66	5MHz	16QAM	132647	25RB#0	21.79	26.73	30	PASS
Band66	5MHz	64QAM	131997	1RB#0	22.22	27.16	30	PASS
Band66	5MHz	64QAM	131997	1RB#12	21.86	26.8	30	PASS
Band66	5MHz	64QAM	131997	1RB#24	22.21	27.15	30	PASS
Band66	5MHz	64QAM	131997	25RB#0	20.8	25.74	30	PASS
Band66	5MHz	64QAM	132322	1RB#0	21.6	26.54	30	PASS
Band66	5MHz	64QAM	132322	1RB#12	21.96	26.9	30	PASS
Band66	5MHz	64QAM	132322	1RB#24	21.83	26.77	30	PASS
Band66	5MHz	64QAM	132322	25RB#0	20.94	25.88	30	PASS
Band66	5MHz	64QAM	132647	1RB#0	21.97	26.91	30	PASS
Band66	5MHz	64QAM	132647	1RB#12	22.04	26.98	30	PASS
Band66	5MHz	64QAM	132647	1RB#24	21.96	26.9	30	PASS
Band66	5MHz	64QAM	132647	25RB#0	20.39	25.33	30	PASS
Band66	5MHz	256QAM	131997	1RB#0	18.8	23.74	30	PASS
Band66	5MHz	256QAM	131997	1RB#12	19.03	23.97	30	PASS

Band66	5MHz	256QAM	131997	1RB#24	19.42	24.36	30	PASS
Band66	5MHz	256QAM	131997	25RB#0	18.96	23.9	30	PASS
Band66	5MHz	256QAM	132322	1RB#0	18.84	23.78	30	PASS
Band66	5MHz	256QAM	132322	1RB#12	18.83	23.77	30	PASS
Band66	5MHz	256QAM	132322	1RB#24	18.78	23.72	30	PASS
Band66	5MHz	256QAM	132322	25RB#0	19.12	24.06	30	PASS
Band66	5MHz	256QAM	132647	1RB#0	18.95	23.89	30	PASS
Band66	5MHz	256QAM	132647	1RB#12	19.06	24	30	PASS
Band66	5MHz	256QAM	132647	1RB#24	18.96	23.9	30	PASS
Band66	5MHz	256QAM	132647	25RB#0	19.02	23.96	30	PASS
Band66	10MHz	QPSK	132022	1RB#0	23.38	28.32	30	PASS
Band66	10MHz	QPSK	132022	1RB#24	23.85	28.79	30	PASS
Band66	10MHz	QPSK	132022	1RB#49	23.71	28.65	30	PASS
Band66	10MHz	QPSK	132022	50RB#0	22.68	27.62	30	PASS
Band66	10MHz	QPSK	132322	1RB#0	23.75	28.69	30	PASS
Band66	10MHz	QPSK	132322	1RB#24	23.49	28.43	30	PASS
Band66	10MHz	QPSK	132322	1RB#49	23.59	28.53	30	PASS
Band66	10MHz	QPSK	132322	50RB#0	23.08	28.02	30	PASS
Band66	10MHz	QPSK	132622	1RB#0	23.53	28.47	30	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.58	28.52	30	PASS
Band66	10MHz	QPSK	132622	1RB#49	23.99	28.93	30	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.93	27.87	30	PASS
Band66	10MHz	16QAM	132022	1RB#0	22.93	27.87	30	PASS
Band66	10MHz	16QAM	132022	1RB#24	22.54	27.48	30	PASS
Band66	10MHz	16QAM	132022	1RB#49	23.1	28.04	30	PASS
Band66	10MHz	16QAM	132022	50RB#0	22.04	26.98	30	PASS
Band66	10MHz	16QAM	132322	1RB#0	22.94	27.88	30	PASS
Band66	10MHz	16QAM	132322	1RB#24	22.96	27.9	30	PASS
Band66	10MHz	16QAM	132322	1RB#49	22.83	27.77	30	PASS
Band66	10MHz	16QAM	132322	50RB#0	21.51	26.45	30	PASS
Band66	10MHz	16QAM	132622	1RB#0	22.62	27.56	30	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.83	27.77	30	PASS
Band66	10MHz	16QAM	132622	1RB#49	23.03	27.97	30	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.42	26.36	30	PASS
Band66	10MHz	64QAM	132022	1RB#0	22.11	27.05	30	PASS
Band66	10MHz	64QAM	132022	1RB#24	21.6	26.54	30	PASS
Band66	10MHz	64QAM	132022	1RB#49	21.77	26.71	30	PASS
Band66	10MHz	64QAM	132022	50RB#0	21.11	26.05	30	PASS
Band66	10MHz	64QAM	132322	1RB#0	21.95	26.89	30	PASS
Band66	10MHz	64QAM	132322	1RB#24	22.06	27	30	PASS
Band66	10MHz	64QAM	132322	1RB#49	22.08	27.02	30	PASS
Band66	10MHz	64QAM	132322	50RB#0	20.45	25.39	30	PASS
Band66	10MHz	64QAM	132622	1RB#0	21.68	26.62	30	PASS
Band66	10MHz	64QAM	132622	1RB#24	21.96	26.9	30	PASS
Band66	10MHz	64QAM	132622	1RB#49	21.93	26.87	30	PASS
Band66	10MHz	64QAM	132622	50RB#0	20.71	25.65	30	PASS

Band66	10MHz	256QAM	132022	1RB#0	18.93	23.87	30	PASS
Band66	10MHz	256QAM	132022	1RB#24	18.9	23.84	30	PASS
Band66	10MHz	256QAM	132022	1RB#49	18.89	23.83	30	PASS
Band66	10MHz	256QAM	132022	50RB#0	18.77	23.71	30	PASS
Band66	10MHz	256QAM	132322	1RB#0	18.78	23.72	30	PASS
Band66	10MHz	256QAM	132322	1RB#24	19.24	24.18	30	PASS
Band66	10MHz	256QAM	132322	1RB#49	19.1	24.04	30	PASS
Band66	10MHz	256QAM	132322	50RB#0	18.53	23.47	30	PASS
Band66	10MHz	256QAM	132622	1RB#0	19.03	23.97	30	PASS
Band66	10MHz	256QAM	132622	1RB#24	18.58	23.52	30	PASS
Band66	10MHz	256QAM	132622	1RB#49	18.5	23.44	30	PASS
Band66	10MHz	256QAM	132622	50RB#0	19.08	24.02	30	PASS
Band66	15MHz	QPSK	132047	1RB#0	23.67	28.61	30	PASS
Band66	15MHz	QPSK	132047	1RB#38	23.75	28.69	30	PASS
Band66	15MHz	QPSK	132047	1RB#74	23.5	28.44	30	PASS
Band66	15MHz	QPSK	132047	75RB#0	22.54	27.48	30	PASS
Band66	15MHz	QPSK	132322	1RB#0	23.87	28.81	30	PASS
Band66	15MHz	QPSK	132322	1RB#38	23.42	28.36	30	PASS
Band66	15MHz	QPSK	132322	1RB#74	23.55	28.49	30	PASS
Band66	15MHz	QPSK	132322	75RB#0	22.74	27.68	30	PASS
Band66	15MHz	QPSK	132597	1RB#0	23.3	28.24	30	PASS
Band66	15MHz	QPSK	132597	1RB#38	23.7	28.64	30	PASS
Band66	15MHz	QPSK	132597	1RB#74	23.65	28.59	30	PASS
Band66	15MHz	QPSK	132597	75RB#0	22.19	27.13	30	PASS
Band66	15MHz	16QAM	132047	1RB#0	22.59	27.53	30	PASS
Band66	15MHz	16QAM	132047	1RB#38	22.72	27.66	30	PASS
Band66	15MHz	16QAM	132047	1RB#74	22.68	27.62	30	PASS
Band66	15MHz	16QAM	132047	75RB#0	21.66	26.6	30	PASS
Band66	15MHz	16QAM	132322	1RB#0	22.38	27.32	30	PASS
Band66	15MHz	16QAM	132322	1RB#38	22.35	27.29	30	PASS
Band66	15MHz	16QAM	132322	1RB#74	22.97	27.91	30	PASS
Band66	15MHz	16QAM	132322	75RB#0	21.98	26.92	30	PASS
Band66	15MHz	16QAM	132597	1RB#0	22.61	27.55	30	PASS
Band66	15MHz	16QAM	132597	1RB#38	22.76	27.7	30	PASS
Band66	15MHz	16QAM	132597	1RB#74	23.06	28	30	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.65	26.59	30	PASS
Band66	15MHz	64QAM	132047	1RB#0	21.97	26.91	30	PASS
Band66	15MHz	64QAM	132047	1RB#38	21.62	26.56	30	PASS
Band66	15MHz	64QAM	132047	1RB#74	21.58	26.52	30	PASS
Band66	15MHz	64QAM	132047	75RB#0	20.72	25.66	30	PASS
Band66	15MHz	64QAM	132322	1RB#0	21.99	26.93	30	PASS
Band66	15MHz	64QAM	132322	1RB#38	21.64	26.58	30	PASS
Band66	15MHz	64QAM	132322	1RB#74	21.94	26.88	30	PASS
Band66	15MHz	64QAM	132322	75RB#0	20.77	25.71	30	PASS
Band66	15MHz	64QAM	132597	1RB#0	21.34	26.28	30	PASS
Band66	15MHz	64QAM	132597	1RB#38	21.54	26.48	30	PASS

Band66	15MHz	64QAM	132597	1RB#74	21.45	26.39	30	PASS
Band66	15MHz	64QAM	132597	75RB#0	20.52	25.46	30	PASS
Band66	15MHz	256QAM	132047	1RB#0	18.31	23.25	30	PASS
Band66	15MHz	256QAM	132047	1RB#38	18.75	23.69	30	PASS
Band66	15MHz	256QAM	132047	1RB#74	18.71	23.65	30	PASS
Band66	15MHz	256QAM	132047	75RB#0	18.74	23.68	30	PASS
Band66	15MHz	256QAM	132322	1RB#0	18.33	23.27	30	PASS
Band66	15MHz	256QAM	132322	1RB#38	18.95	23.89	30	PASS
Band66	15MHz	256QAM	132322	1RB#74	18.27	23.21	30	PASS
Band66	15MHz	256QAM	132322	75RB#0	18.68	23.62	30	PASS
Band66	15MHz	256QAM	132597	1RB#0	18.32	23.26	30	PASS
Band66	15MHz	256QAM	132597	1RB#38	18.73	23.67	30	PASS
Band66	15MHz	256QAM	132597	1RB#74	18.3	23.24	30	PASS
Band66	15MHz	256QAM	132597	75RB#0	18.4	23.34	30	PASS
Band66	20MHz	QPSK	132072	1RB#0	23.76	28.7	30	PASS
Band66	20MHz	QPSK	132072	1RB#49	23.58	28.52	30	PASS
Band66	20MHz	QPSK	132072	1RB#99	23.78	28.72	30	PASS
Band66	20MHz	QPSK	132072	100RB#0	22.58	27.52	30	PASS
Band66	20MHz	QPSK	132322	1RB#0	24.03	28.97	30	PASS
Band66	20MHz	QPSK	132322	1RB#49	23.61	28.55	30	PASS
Band66	20MHz	QPSK	132322	1RB#99	23.25	28.19	30	PASS
Band66	20MHz	QPSK	132322	100RB#0	22.76	27.7	30	PASS
Band66	20MHz	QPSK	132572	1RB#0	23.49	28.43	30	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.58	28.52	30	PASS
Band66	20MHz	QPSK	132572	1RB#99	23.93	28.87	30	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.74	27.68	30	PASS
Band66	20MHz	16QAM	132072	1RB#0	22.72	27.66	30	PASS
Band66	20MHz	16QAM	132072	1RB#49	22.6	27.54	30	PASS
Band66	20MHz	16QAM	132072	1RB#99	22.96	27.9	30	PASS
Band66	20MHz	16QAM	132072	100RB#0	21.64	26.58	30	PASS
Band66	20MHz	16QAM	132322	1RB#0	22.45	27.39	30	PASS
Band66	20MHz	16QAM	132322	1RB#49	22.23	27.17	30	PASS
Band66	20MHz	16QAM	132322	1RB#99	22.96	27.9	30	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.85	26.79	30	PASS
Band66	20MHz	16QAM	132572	1RB#0	22.29	27.23	30	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.61	27.55	30	PASS
Band66	20MHz	16QAM	132572	1RB#99	22.45	27.39	30	PASS
Band66	20MHz	16QAM	132572	100RB#0	21.78	26.72	30	PASS
Band66	20MHz	64QAM	132072	1RB#0	21.69	26.63	30	PASS
Band66	20MHz	64QAM	132072	1RB#49	21.98	26.92	30	PASS
Band66	20MHz	64QAM	132072	1RB#99	22.06	27	30	PASS
Band66	20MHz	64QAM	132072	100RB#0	20.55	25.49	30	PASS
Band66	20MHz	64QAM	132322	1RB#0	21.39	26.33	30	PASS
Band66	20MHz	64QAM	132322	1RB#49	21.8	26.74	30	PASS
Band66	20MHz	64QAM	132322	1RB#99	21.77	26.71	30	PASS
Band66	20MHz	64QAM	132322	100RB#0	20.31	25.25	30	PASS

Band66	20MHz	64QAM	132572	1RB#0	21.53	26.47	30	PASS
Band66	20MHz	64QAM	132572	1RB#49	22.01	26.95	30	PASS
Band66	20MHz	64QAM	132572	1RB#99	21.49	26.43	30	PASS
Band66	20MHz	64QAM	132572	100RB#0	20.87	25.81	30	PASS
Band66	20MHz	256QAM	132072	1RB#0	18.24	23.18	30	PASS
Band66	20MHz	256QAM	132072	1RB#49	18.7	23.64	30	PASS
Band66	20MHz	256QAM	132072	1RB#99	18.95	23.89	30	PASS
Band66	20MHz	256QAM	132072	100RB#0	18.82	23.76	30	PASS
Band66	20MHz	256QAM	132322	1RB#0	18.15	23.09	30	PASS
Band66	20MHz	256QAM	132322	1RB#49	18.81	23.75	30	PASS
Band66	20MHz	256QAM	132322	1RB#99	19.16	24.1	30	PASS
Band66	20MHz	256QAM	132322	100RB#0	18.94	23.88	30	PASS
Band66	20MHz	256QAM	132572	1RB#0	18.52	23.46	30	PASS
Band66	20MHz	256QAM	132572	1RB#49	19.14	24.08	30	PASS
Band66	20MHz	256QAM	132572	1RB#99	18.84	23.78	30	PASS
Band66	20MHz	256QAM	132572	100RB#0	18.46	23.4	30	PASS

LTE B71:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band71	5MHz	QPSK	133147	1RB#0	23.94	25.3	34.77	PASS
Band71	5MHz	QPSK	133147	1RB#12	24.16	25.52	34.77	PASS
Band71	5MHz	QPSK	133147	1RB#24	23.7	25.06	34.77	PASS
Band71	5MHz	QPSK	133147	25RB#0	22.71	24.07	34.77	PASS
Band71	5MHz	QPSK	133297	1RB#0	23.62	24.98	34.77	PASS
Band71	5MHz	QPSK	133297	1RB#12	23.86	25.22	34.77	PASS
Band71	5MHz	QPSK	133297	1RB#24	23.7	25.06	34.77	PASS
Band71	5MHz	QPSK	133297	25RB#0	22.88	24.24	34.77	PASS
Band71	5MHz	QPSK	133447	1RB#0	23.96	25.32	34.77	PASS
Band71	5MHz	QPSK	133447	1RB#12	23.8	25.16	34.77	PASS
Band71	5MHz	QPSK	133447	1RB#24	23.7	25.06	34.77	PASS
Band71	5MHz	QPSK	133447	25RB#0	23.1	24.46	34.77	PASS
Band71	5MHz	16QAM	133147	1RB#0	23.45	24.81	34.77	PASS
Band71	5MHz	16QAM	133147	1RB#12	23.43	24.79	34.77	PASS
Band71	5MHz	16QAM	133147	1RB#24	22.93	24.29	34.77	PASS
Band71	5MHz	16QAM	133147	25RB#0	21.88	23.24	34.77	PASS
Band71	5MHz	16QAM	133297	1RB#0	23	24.36	34.77	PASS
Band71	5MHz	16QAM	133297	1RB#12	23.1	24.46	34.77	PASS
Band71	5MHz	16QAM	133297	1RB#24	23.04	24.4	34.77	PASS
Band71	5MHz	16QAM	133297	25RB#0	22.14	23.5	34.77	PASS
Band71	5MHz	16QAM	133447	1RB#0	22.9	24.26	34.77	PASS
Band71	5MHz	16QAM	133447	1RB#12	23.02	24.38	34.77	PASS
Band71	5MHz	16QAM	133447	1RB#24	22.69	24.05	34.77	PASS
Band71	5MHz	16QAM	133447	25RB#0	21.64	23	34.77	PASS
Band71	5MHz	64QAM	133147	1RB#0	22.65	24.01	34.77	PASS
Band71	5MHz	64QAM	133147	1RB#12	22.18	23.54	34.77	PASS
Band71	5MHz	64QAM	133147	1RB#24	21.87	23.23	34.77	PASS
Band71	5MHz	64QAM	133147	25RB#0	20.72	22.08	34.77	PASS
Band71	5MHz	64QAM	133297	1RB#0	22.15	23.51	34.77	PASS
Band71	5MHz	64QAM	133297	1RB#12	22.19	23.55	34.77	PASS
Band71	5MHz	64QAM	133297	1RB#24	22.18	23.54	34.77	PASS
Band71	5MHz	64QAM	133297	25RB#0	20.81	22.17	34.77	PASS
Band71	5MHz	64QAM	133447	1RB#0	21.71	23.07	34.77	PASS
Band71	5MHz	64QAM	133447	1RB#12	21.73	23.09	34.77	PASS
Band71	5MHz	64QAM	133447	1RB#24	21.71	23.07	34.77	PASS
Band71	5MHz	64QAM	133447	25RB#0	20.56	21.92	34.77	PASS
Band71	5MHz	256QAM	133147	1RB#0	18.92	20.28	34.77	PASS
Band71	5MHz	256QAM	133147	1RB#12	18.91	20.27	34.77	PASS
Band71	5MHz	256QAM	133147	1RB#24	19.49	20.85	34.77	PASS
Band71	5MHz	256QAM	133147	25RB#0	18.83	20.19	34.77	PASS
Band71	5MHz	256QAM	133297	1RB#0	19.02	20.38	34.77	PASS
Band71	5MHz	256QAM	133297	1RB#12	19.02	20.38	34.77	PASS

Band71	5MHz	256QAM	133297	1RB#24	18.65	20.01	34.77	PASS
Band71	5MHz	256QAM	133297	25RB#0	18.72	20.08	34.77	PASS
Band71	5MHz	256QAM	133447	1RB#0	18.96	20.32	34.77	PASS
Band71	5MHz	256QAM	133447	1RB#12	19.29	20.65	34.77	PASS
Band71	5MHz	256QAM	133447	1RB#24	19.04	20.4	34.77	PASS
Band71	5MHz	256QAM	133447	25RB#0	18.92	20.28	34.77	PASS
Band71	10MHz	QPSK	133172	1RB#0	24.4	25.76	34.77	PASS
Band71	10MHz	QPSK	133172	1RB#24	23.82	25.18	34.77	PASS
Band71	10MHz	QPSK	133172	1RB#49	24.3	25.66	34.77	PASS
Band71	10MHz	QPSK	133172	50RB#0	23.17	24.53	34.77	PASS
Band71	10MHz	QPSK	133297	1RB#0	23.9	25.26	34.77	PASS
Band71	10MHz	QPSK	133297	1RB#24	24.18	25.54	34.77	PASS
Band71	10MHz	QPSK	133297	1RB#49	23.8	25.16	34.77	PASS
Band71	10MHz	QPSK	133297	50RB#0	23.23	24.59	34.77	PASS
Band71	10MHz	QPSK	133422	1RB#0	23.78	25.14	34.77	PASS
Band71	10MHz	QPSK	133422	1RB#24	23.8	25.16	34.77	PASS
Band71	10MHz	QPSK	133422	1RB#49	23.93	25.29	34.77	PASS
Band71	10MHz	QPSK	133422	50RB#0	22.79	24.15	34.77	PASS
Band71	10MHz	16QAM	133172	1RB#0	23.06	24.42	34.77	PASS
Band71	10MHz	16QAM	133172	1RB#24	23.19	24.55	34.77	PASS
Band71	10MHz	16QAM	133172	1RB#49	23.04	24.4	34.77	PASS
Band71	10MHz	16QAM	133172	50RB#0	21.88	23.24	34.77	PASS
Band71	10MHz	16QAM	133297	1RB#0	22.81	24.17	34.77	PASS
Band71	10MHz	16QAM	133297	1RB#24	23.37	24.73	34.77	PASS
Band71	10MHz	16QAM	133297	1RB#49	22.87	24.23	34.77	PASS
Band71	10MHz	16QAM	133297	50RB#0	22.25	23.61	34.77	PASS
Band71	10MHz	16QAM	133422	1RB#0	23.06	24.42	34.77	PASS
Band71	10MHz	16QAM	133422	1RB#24	22.69	24.05	34.77	PASS
Band71	10MHz	16QAM	133422	1RB#49	22.66	24.02	34.77	PASS
Band71	10MHz	16QAM	133422	50RB#0	21.91	23.27	34.77	PASS
Band71	10MHz	64QAM	133172	1RB#0	22.59	23.95	34.77	PASS
Band71	10MHz	64QAM	133172	1RB#24	22.35	23.71	34.77	PASS
Band71	10MHz	64QAM	133172	1RB#49	22.01	23.37	34.77	PASS
Band71	10MHz	64QAM	133172	50RB#0	21.28	22.64	34.77	PASS
Band71	10MHz	64QAM	133297	1RB#0	22.62	23.98	34.77	PASS
Band71	10MHz	64QAM	133297	1RB#24	22.32	23.68	34.77	PASS
Band71	10MHz	64QAM	133297	1RB#49	22.36	23.72	34.77	PASS
Band71	10MHz	64QAM	133297	50RB#0	20.77	22.13	34.77	PASS
Band71	10MHz	64QAM	133422	1RB#0	22.08	23.44	34.77	PASS
Band71	10MHz	64QAM	133422	1RB#24	22.51	23.87	34.77	PASS
Band71	10MHz	64QAM	133422	1RB#49	21.5	22.86	34.77	PASS
Band71	10MHz	64QAM	133422	50RB#0	21.21	22.57	34.77	PASS
Band71	10MHz	256QAM	133172	1RB#0	19.37	20.73	34.77	PASS
Band71	10MHz	256QAM	133172	1RB#24	19.17	20.53	34.77	PASS
Band71	10MHz	256QAM	133172	1RB#49	19.13	20.49	34.77	PASS
Band71	10MHz	256QAM	133172	50RB#0	18.9	20.26	34.77	PASS

Band71	10MHz	256QAM	133297	1RB#0	19.2	20.56	34.77	PASS
Band71	10MHz	256QAM	133297	1RB#24	19.09	20.45	34.77	PASS
Band71	10MHz	256QAM	133297	1RB#49	19.04	20.4	34.77	PASS
Band71	10MHz	256QAM	133297	50RB#0	19.35	20.71	34.77	PASS
Band71	10MHz	256QAM	133422	1RB#0	19.23	20.59	34.77	PASS
Band71	10MHz	256QAM	133422	1RB#24	19.33	20.69	34.77	PASS
Band71	10MHz	256QAM	133422	1RB#49	19.02	20.38	34.77	PASS
Band71	10MHz	256QAM	133422	50RB#0	18.97	20.33	34.77	PASS
Band71	15MHz	QPSK	133197	1RB#0	23.87	25.23	34.77	PASS
Band71	15MHz	QPSK	133197	1RB#38	23.7	25.06	34.77	PASS
Band71	15MHz	QPSK	133197	1RB#74	23.55	24.91	34.77	PASS
Band71	15MHz	QPSK	133197	75RB#0	23.2	24.56	34.77	PASS
Band71	15MHz	QPSK	133297	1RB#0	23.87	25.23	34.77	PASS
Band71	15MHz	QPSK	133297	1RB#38	23.97	25.33	34.77	PASS
Band71	15MHz	QPSK	133297	1RB#74	23.76	25.12	34.77	PASS
Band71	15MHz	QPSK	133297	75RB#0	22.95	24.31	34.77	PASS
Band71	15MHz	QPSK	133397	1RB#0	23.65	25.01	34.77	PASS
Band71	15MHz	QPSK	133397	1RB#38	23.92	25.28	34.77	PASS
Band71	15MHz	QPSK	133397	1RB#74	23.46	24.82	34.77	PASS
Band71	15MHz	QPSK	133397	75RB#0	22.49	23.85	34.77	PASS
Band71	15MHz	16QAM	133197	1RB#0	23.15	24.51	34.77	PASS
Band71	15MHz	16QAM	133197	1RB#38	22.74	24.1	34.77	PASS
Band71	15MHz	16QAM	133197	1RB#74	22.82	24.18	34.77	PASS
Band71	15MHz	16QAM	133197	75RB#0	21.6	22.96	34.77	PASS
Band71	15MHz	16QAM	133297	1RB#0	23.23	24.59	34.77	PASS
Band71	15MHz	16QAM	133297	1RB#38	22.95	24.31	34.77	PASS
Band71	15MHz	16QAM	133297	1RB#74	22.95	24.31	34.77	PASS
Band71	15MHz	16QAM	133297	75RB#0	21.74	23.1	34.77	PASS
Band71	15MHz	16QAM	133397	1RB#0	22.9	24.26	34.77	PASS
Band71	15MHz	16QAM	133397	1RB#38	22.91	24.27	34.77	PASS
Band71	15MHz	16QAM	133397	1RB#74	22.56	23.92	34.77	PASS
Band71	15MHz	16QAM	133397	75RB#0	21.89	23.25	34.77	PASS
Band71	15MHz	64QAM	133197	1RB#0	22.01	23.37	34.77	PASS
Band71	15MHz	64QAM	133197	1RB#38	21.92	23.28	34.77	PASS
Band71	15MHz	64QAM	133197	1RB#74	22.03	23.39	34.77	PASS
Band71	15MHz	64QAM	133197	75RB#0	21.08	22.44	34.77	PASS
Band71	15MHz	64QAM	133297	1RB#0	22.17	23.53	34.77	PASS
Band71	15MHz	64QAM	133297	1RB#38	21.99	23.35	34.77	PASS
Band71	15MHz	64QAM	133297	1RB#74	22.16	23.52	34.77	PASS
Band71	15MHz	64QAM	133297	75RB#0	21.13	22.49	34.77	PASS
Band71	15MHz	64QAM	133397	1RB#0	21.52	22.88	34.77	PASS
Band71	15MHz	64QAM	133397	1RB#38	22.17	23.53	34.77	PASS
Band71	15MHz	64QAM	133397	1RB#74	21.54	22.9	34.77	PASS
Band71	15MHz	64QAM	133397	75RB#0	21.03	22.39	34.77	PASS
Band71	15MHz	256QAM	133197	1RB#0	18.92	20.28	34.77	PASS
Band71	15MHz	256QAM	133197	1RB#38	18.87	20.23	34.77	PASS

Band71	15MHz	256QAM	133197	1RB#74	19.02	20.38	34.77	PASS
Band71	15MHz	256QAM	133197	75RB#0	19.04	20.4	34.77	PASS
Band71	15MHz	256QAM	133297	1RB#0	19.1	20.46	34.77	PASS
Band71	15MHz	256QAM	133297	1RB#38	19.27	20.63	34.77	PASS
Band71	15MHz	256QAM	133297	1RB#74	18.94	20.3	34.77	PASS
Band71	15MHz	256QAM	133297	75RB#0	18.5	19.86	34.77	PASS
Band71	15MHz	256QAM	133397	1RB#0	18.94	20.3	34.77	PASS
Band71	15MHz	256QAM	133397	1RB#38	18.39	19.75	34.77	PASS
Band71	15MHz	256QAM	133397	1RB#74	19.13	20.49	34.77	PASS
Band71	15MHz	256QAM	133397	75RB#0	18.77	20.13	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#0	23.66	25.02	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#49	23.81	25.17	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#99	23.33	24.69	34.77	PASS
Band71	20MHz	QPSK	133222	100RB#0	22.88	24.24	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#0	23.41	24.77	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#49	23.66	25.02	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#99	24.03	25.39	34.77	PASS
Band71	20MHz	QPSK	133322	100RB#0	22.51	23.87	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#0	23.32	24.68	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#49	23.59	24.95	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#99	23.36	24.72	34.77	PASS
Band71	20MHz	QPSK	133372	100RB#0	23	24.36	34.77	PASS
Band71	20MHz	16QAM	133222	1RB#0	22.73	24.09	34.77	PASS
Band71	20MHz	16QAM	133222	1RB#49	22.6	23.96	34.77	PASS
Band71	20MHz	16QAM	133222	1RB#99	22.73	24.09	34.77	PASS
Band71	20MHz	16QAM	133222	100RB#0	21.72	23.08	34.77	PASS
Band71	20MHz	16QAM	133322	1RB#0	23.02	24.38	34.77	PASS
Band71	20MHz	16QAM	133322	1RB#49	22.9	24.26	34.77	PASS
Band71	20MHz	16QAM	133322	1RB#99	22.45	23.81	34.77	PASS
Band71	20MHz	16QAM	133322	100RB#0	21.99	23.35	34.77	PASS
Band71	20MHz	16QAM	133372	1RB#0	22.97	24.33	34.77	PASS
Band71	20MHz	16QAM	133372	1RB#49	22.53	23.89	34.77	PASS
Band71	20MHz	16QAM	133372	1RB#99	22.71	24.07	34.77	PASS
Band71	20MHz	16QAM	133372	100RB#0	21.83	23.19	34.77	PASS
Band71	20MHz	64QAM	133222	1RB#0	22.34	23.7	34.77	PASS
Band71	20MHz	64QAM	133222	1RB#49	22.45	23.81	34.77	PASS
Band71	20MHz	64QAM	133222	1RB#99	21.61	22.97	34.77	PASS
Band71	20MHz	64QAM	133222	100RB#0	21.2	22.56	34.77	PASS
Band71	20MHz	64QAM	133322	1RB#0	21.79	23.15	34.77	PASS
Band71	20MHz	64QAM	133322	1RB#49	22.11	23.47	34.77	PASS
Band71	20MHz	64QAM	133322	1RB#99	21.95	23.31	34.77	PASS
Band71	20MHz	64QAM	133322	100RB#0	20.89	22.25	34.77	PASS
Band71	20MHz	64QAM	133372	1RB#0	22.25	23.61	34.77	PASS
Band71	20MHz	64QAM	133372	1RB#49	21.92	23.28	34.77	PASS
Band71	20MHz	64QAM	133372	1RB#99	21.91	23.27	34.77	PASS
Band71	20MHz	64QAM	133372	100RB#0	20.59	21.95	34.77	PASS

Band71	20MHz	256QAM	133222	1RB#0	18.99	20.35	34.77	PASS
Band71	20MHz	256QAM	133222	1RB#49	19.23	20.59	34.77	PASS
Band71	20MHz	256QAM	133222	1RB#99	19.17	20.53	34.77	PASS
Band71	20MHz	256QAM	133222	100RB#0	19.34	20.7	34.77	PASS
Band71	20MHz	256QAM	133322	1RB#0	19.15	20.51	34.77	PASS
Band71	20MHz	256QAM	133322	1RB#49	18.77	20.13	34.77	PASS
Band71	20MHz	256QAM	133322	1RB#99	19.22	20.58	34.77	PASS
Band71	20MHz	256QAM	133322	100RB#0	19	20.36	34.77	PASS
Band71	20MHz	256QAM	133372	1RB#0	18.87	20.23	34.77	PASS
Band71	20MHz	256QAM	133372	1RB#49	18.89	20.25	34.77	PASS
Band71	20MHz	256QAM	133372	1RB#99	19.01	20.37	34.77	PASS
Band71	20MHz	256QAM	133372	100RB#0	18.67	20.03	34.77	PASS

LTE CA_2C:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
2-2	10MHz-15MHz	QPSK-QPSK	18653-18773	50RB#0-75RB#0	22.5	27.4	33	PASS
2-2	10MHz-15MHz	QPSK-QPSK	18829-18949	1RB#0-0RB#0	23.62	28.52	33	PASS
2-2	10MHz-15MHz	QPSK-QPSK	18829-18949	50RB#0-75RB#0	22.5	27.4	33	PASS
2-2	10MHz-15MHz	QPSK-QPSK	19005-19125	1RB#0-0RB#0	23.43	28.33	33	PASS
2-2	10MHz-15MHz	QPSK-QPSK	19005-19125	50RB#0-75RB#0	22.39	27.29	33	PASS
2-2	10MHz-15MHz	16QAM-16QAM	18653-18773	1RB#0-0RB#0	22.67	27.57	33	PASS
2-2	10MHz-15MHz	16QAM-16QAM	18653-18773	50RB#0-75RB#0	21.36	26.26	33	PASS
2-2	10MHz-15MHz	16QAM-16QAM	18829-18949	1RB#0-0RB#0	22.83	27.73	33	PASS
2-2	10MHz-15MHz	16QAM-16QAM	18829-18949	50RB#0-75RB#0	21.19	26.09	33	PASS
2-2	10MHz-15MHz	16QAM-16QAM	19005-19125	1RB#0-0RB#0	22.7	27.6	33	PASS
2-2	10MHz-15MHz	16QAM-16QAM	19005-19125	50RB#0-75RB#0	21.6	26.5	33	PASS
2-2	10MHz-15MHz	64QAM-64QAM	18653-18773	1RB#0-0RB#0	21.58	26.48	33	PASS
2-2	10MHz-15MHz	64QAM-64QAM	18653-18773	50RB#0-75RB#0	21.18	26.08	33	PASS
2-2	10MHz-15MHz	64QAM-64QAM	18829-18949	1RB#0-0RB#0	22.15	27.05	33	PASS
2-2	10MHz-15MHz	64QAM-64QAM	18829-18949	50RB#0-75RB#0	21.33	26.23	33	PASS
2-2	10MHz-15MHz	64QAM-64QAM	19005-19125	1RB#0-0RB#0	21.57	26.47	33	PASS
2-2	10MHz-15MHz	64QAM-64QAM	19005-19125	50RB#0-75RB#0	21.25	26.15	33	PASS
2-2	10MHz-15MHz	256QAM-256QAM	18653-18773	1RB#0-0RB#0	18.65	23.55	33	PASS
2-2	10MHz-15MHz	256QAM-256QAM	18653-18773	50RB#0-75RB#0	19.35	24.25	33	PASS
2-2	10MHz-15MHz	256QAM-256QAM	18829-18949	1RB#0-0RB#0	19.05	23.95	33	PASS
2-2	10MHz-15MHz	256QAM-256QAM	18829-18949	50RB#0-75RB#0	19.34	24.24	33	PASS
2-2	10MHz-15MHz	256QAM-256QAM	19005-19125	1RB#0-0RB#0	19.21	24.11	33	PASS
2-2	10MHz-15MHz	256QAM-256QAM	19005-19125	50RB#0-75RB#0	19.31	24.21	33	PASS

2-2	10MHz-20MHz	QPSK-QPSK	18655-18799	1RB#0-0RB#0	23.5	28.4	33	PASS
2-2	10MHz-20MHz	QPSK-QPSK	18655-18799	50RB#0-100RB#0	22.35	27.25	33	PASS
2-2	10MHz-20MHz	QPSK-QPSK	18806-18950	1RB#0-0RB#0	23.9	28.8	33	PASS
2-2	10MHz-20MHz	QPSK-QPSK	18806-18950	50RB#0-100RB#0	22.35	27.25	33	PASS
2-2	10MHz-20MHz	QPSK-QPSK	18956-19100	1RB#0-0RB#0	24.12	29.02	33	PASS
2-2	10MHz-20MHz	QPSK-QPSK	18956-19100	50RB#0-100RB#0	22.52	27.42	33	PASS
2-2	10MHz-20MHz	16QAM-16QAM	18655-18799	1RB#0-0RB#0	22.82	27.72	33	PASS
2-2	10MHz-20MHz	16QAM-16QAM	18655-18799	50RB#0-100RB#0	21.2	26.1	33	PASS
2-2	10MHz-20MHz	16QAM-16QAM	18806-18950	1RB#0-0RB#0	22.78	27.68	33	PASS
2-2	10MHz-20MHz	16QAM-16QAM	18806-18950	50RB#0-100RB#0	21.77	26.67	33	PASS
2-2	10MHz-20MHz	16QAM-16QAM	18956-19100	1RB#0-0RB#0	22.49	27.39	33	PASS
2-2	10MHz-20MHz	16QAM-16QAM	18956-19100	50RB#0-100RB#0	21.31	26.21	33	PASS
2-2	10MHz-20MHz	64QAM-64QAM	18655-18799	1RB#0-0RB#0	22.19	27.09	33	PASS
2-2	10MHz-20MHz	64QAM-64QAM	18655-18799	50RB#0-100RB#0	21.64	26.54	33	PASS
2-2	10MHz-20MHz	64QAM-64QAM	18806-18950	1RB#0-0RB#0	22.05	26.95	33	PASS
2-2	10MHz-20MHz	64QAM-64QAM	18806-18950	50RB#0-100RB#0	21.5	26.4	33	PASS
2-2	10MHz-20MHz	64QAM-64QAM	18956-19100	1RB#0-0RB#0	21.69	26.59	33	PASS
2-2	10MHz-20MHz	64QAM-64QAM	18956-19100	50RB#0-100RB#0	21.3	26.2	33	PASS
2-2	10MHz-20MHz	256QAM-256QAM	18655-18799	1RB#0-0RB#0	18.61	23.51	33	PASS
2-2	10MHz-20MHz	256QAM-256QAM	18655-18799	50RB#0-100RB#0	19.73	24.63	33	PASS
2-2	10MHz-20MHz	256QAM-256QAM	18806-18950	1RB#0-0RB#0	18.75	23.65	33	PASS
2-2	10MHz-20MHz	256QAM-256QAM	18806-18950	50RB#0-100RB#0	19.67	24.57	33	PASS
2-2	10MHz-20MHz	256QAM-256QAM	18956-19100	1RB#0-0RB#0	18.72	23.62	33	PASS
2-2	10MHz-20MHz	256QAM-256QAM	18956-19100	50RB#0-100RB#0	19.21	24.11	33	PASS
2-2	15MHz-10MHz	QPSK-QPSK	18675-18795	1RB#0-0RB#0	23.67	28.57	33	PASS

2-2	15MHz-10MHz	QPSK-QPSK	18675-18795	75RB#0-50RB#0	22.12	27.02	33	PASS
2-2	15MHz-10MHz	QPSK-QPSK	18851-18971	1RB#0-0RB#0	23.67	28.57	33	PASS
2-2	15MHz-10MHz	QPSK-QPSK	18851-18971	75RB#0-50RB#0	22.71	27.61	33	PASS
2-2	15MHz-10MHz	QPSK-QPSK	19027-19147	1RB#0-0RB#0	23.73	28.63	33	PASS
2-2	15MHz-10MHz	QPSK-QPSK	19027-19147	75RB#0-50RB#0	22.67	27.57	33	PASS
2-2	15MHz-10MHz	16QAM-16QAM	18675-18795	1RB#0-0RB#0	22.58	27.48	33	PASS
2-2	15MHz-10MHz	16QAM-16QAM	18675-18795	75RB#0-50RB#0	21.4	26.3	33	PASS
2-2	15MHz-10MHz	16QAM-16QAM	18851-18971	1RB#0-0RB#0	22.66	27.56	33	PASS
2-2	15MHz-10MHz	16QAM-16QAM	18851-18971	75RB#0-50RB#0	21.19	26.09	33	PASS
2-2	15MHz-10MHz	16QAM-16QAM	19027-19147	1RB#0-0RB#0	22.97	27.87	33	PASS
2-2	15MHz-10MHz	16QAM-16QAM	19027-19147	75RB#0-50RB#0	21.28	26.18	33	PASS
2-2	15MHz-10MHz	64QAM-64QAM	18675-18795	1RB#0-0RB#0	21.9	26.8	33	PASS
2-2	15MHz-10MHz	64QAM-64QAM	18675-18795	75RB#0-50RB#0	21.57	26.47	33	PASS
2-2	15MHz-10MHz	64QAM-64QAM	18851-18971	1RB#0-0RB#0	21.86	26.76	33	PASS
2-2	15MHz-10MHz	64QAM-64QAM	18851-18971	75RB#0-50RB#0	21.38	26.28	33	PASS
2-2	15MHz-10MHz	64QAM-64QAM	19027-19147	1RB#0-0RB#0	21.57	26.47	33	PASS
2-2	15MHz-10MHz	64QAM-64QAM	19027-19147	75RB#0-50RB#0	21.46	26.36	33	PASS
2-2	15MHz-10MHz	256QAM-256QAM	18675-18795	1RB#0-0RB#0	18.96	23.86	33	PASS
2-2	15MHz-10MHz	256QAM-256QAM	18675-18795	75RB#0-50RB#0	19.68	24.58	33	PASS
2-2	15MHz-10MHz	256QAM-256QAM	18851-18971	1RB#0-0RB#0	18.81	23.71	33	PASS
2-2	15MHz-10MHz	256QAM-256QAM	18851-18971	75RB#0-50RB#0	19.49	24.39	33	PASS
2-2	15MHz-10MHz	256QAM-256QAM	19027-19147	1RB#0-0RB#0	18.52	23.42	33	PASS
2-2	15MHz-10MHz	256QAM-256QAM	19027-19147	75RB#0-50RB#0	19.56	24.46	33	PASS
2-2	15MHz-15MHz	QPSK-QPSK	18675-18825	1RB#0-0RB#0	23.65	28.55	33	PASS
2-2	15MHz-15MHz	QPSK-QPSK	18675-18825	75RB#0-75RB#0	22.44	27.34	33	PASS

2-2	15MHz-15MHz	QPSK-QPSK	18825-18975	1RB#0-0RB#0	23.2	28.1	33	PASS
2-2	15MHz-15MHz	QPSK-QPSK	18825-18975	75RB#0-75RB#0	22.76	27.66	33	PASS
2-2	15MHz-15MHz	QPSK-QPSK	18975-19125	1RB#0-0RB#0	23.55	28.45	33	PASS
2-2	15MHz-15MHz	QPSK-QPSK	18975-19125	75RB#0-75RB#0	22.22	27.12	33	PASS
2-2	15MHz-15MHz	16QAM-16QAM	18675-18825	1RB#0-0RB#0	22.32	27.22	33	PASS
2-2	15MHz-15MHz	16QAM-16QAM	18675-18825	75RB#0-75RB#0	21.22	26.12	33	PASS
2-2	15MHz-15MHz	16QAM-16QAM	18825-18975	1RB#0-0RB#0	22.62	27.52	33	PASS
2-2	15MHz-15MHz	16QAM-16QAM	18825-18975	75RB#0-75RB#0	21.83	26.73	33	PASS
2-2	15MHz-15MHz	16QAM-16QAM	18975-19125	1RB#0-0RB#0	22.77	27.67	33	PASS
2-2	15MHz-15MHz	16QAM-16QAM	18975-19125	75RB#0-75RB#0	21.39	26.29	33	PASS
2-2	15MHz-15MHz	64QAM-64QAM	18675-18825	1RB#0-0RB#0	21.77	26.67	33	PASS
2-2	15MHz-15MHz	64QAM-64QAM	18675-18825	75RB#0-75RB#0	21.61	26.51	33	PASS
2-2	15MHz-15MHz	64QAM-64QAM	18825-18975	1RB#0-0RB#0	21.62	26.52	33	PASS
2-2	15MHz-15MHz	64QAM-64QAM	18825-18975	75RB#0-75RB#0	21.5	26.4	33	PASS
2-2	15MHz-15MHz	64QAM-64QAM	18975-19125	1RB#0-0RB#0	22.03	26.93	33	PASS
2-2	15MHz-15MHz	64QAM-64QAM	18975-19125	75RB#0-75RB#0	21.76	26.66	33	PASS
2-2	15MHz-15MHz	256QAM-256QAM	18675-18825	1RB#0-0RB#0	18.65	23.55	33	PASS
2-2	15MHz-15MHz	256QAM-256QAM	18675-18825	75RB#0-75RB#0	19.29	24.19	33	PASS
2-2	15MHz-15MHz	256QAM-256QAM	18825-18975	1RB#0-0RB#0	18.72	23.62	33	PASS
2-2	15MHz-15MHz	256QAM-256QAM	18825-18975	75RB#0-75RB#0	19.29	24.19	33	PASS
2-2	15MHz-15MHz	256QAM-256QAM	18975-19125	1RB#0-0RB#0	18.52	23.42	33	PASS
2-2	15MHz-15MHz	256QAM-256QAM	18975-19125	75RB#0-75RB#0	19.29	24.19	33	PASS
2-2	15MHz-20MHz	QPSK-QPSK	18678-18849	1RB#0-0RB#0	23.48	28.38	33	PASS
2-2	15MHz-20MHz	QPSK-QPSK	18678-18849	75RB#0-100RB#0	22.16	27.06	33	PASS
2-2	15MHz-20MHz	QPSK-QPSK	18803-18974	1RB#0-0RB#0	23.33	28.23	33	PASS

2-2	15MHz-20MHz	QPSK-QPSK	18803-18974	75RB#0-100RB#0	22.76	27.66	33	PASS
2-2	15MHz-20MHz	QPSK-QPSK	18929-19100	1RB#0-0RB#0	23.74	28.64	33	PASS
2-2	15MHz-20MHz	QPSK-QPSK	18929-19100	75RB#0-100RB#0	22.88	27.78	33	PASS
2-2	15MHz-20MHz	16QAM-16QAM	18678-18849	1RB#0-0RB#0	22.96	27.86	33	PASS
2-2	15MHz-20MHz	16QAM-16QAM	18678-18849	75RB#0-100RB#0	21.5	26.4	33	PASS
2-2	15MHz-20MHz	16QAM-16QAM	18803-18974	1RB#0-0RB#0	22.95	27.85	33	PASS
2-2	15MHz-20MHz	16QAM-16QAM	18803-18974	75RB#0-100RB#0	21.56	26.46	33	PASS
2-2	15MHz-20MHz	16QAM-16QAM	18929-19100	1RB#0-0RB#0	22.94	27.84	33	PASS
2-2	15MHz-20MHz	16QAM-16QAM	18929-19100	75RB#0-100RB#0	21.86	26.76	33	PASS
2-2	15MHz-20MHz	64QAM-64QAM	18678-18849	1RB#0-0RB#0	21.68	26.58	33	PASS
2-2	15MHz-20MHz	64QAM-64QAM	18678-18849	75RB#0-100RB#0	21.65	26.55	33	PASS
2-2	15MHz-20MHz	64QAM-64QAM	18803-18974	1RB#0-0RB#0	21.42	26.32	33	PASS
2-2	15MHz-20MHz	64QAM-64QAM	18803-18974	75RB#0-100RB#0	21.39	26.29	33	PASS
2-2	15MHz-20MHz	64QAM-64QAM	18929-19100	1RB#0-0RB#0	21.59	26.49	33	PASS
2-2	15MHz-20MHz	64QAM-64QAM	18929-19100	75RB#0-100RB#0	21.43	26.33	33	PASS
2-2	15MHz-20MHz	256QAM-256QAM	18678-18849	1RB#0-0RB#0	18.67	23.57	33	PASS
2-2	15MHz-20MHz	256QAM-256QAM	18678-18849	75RB#0-100RB#0	19.34	24.24	33	PASS
2-2	15MHz-20MHz	256QAM-256QAM	18803-18974	1RB#0-0RB#0	18.65	23.55	33	PASS
2-2	15MHz-20MHz	256QAM-256QAM	18803-18974	75RB#0-100RB#0	19.62	24.52	33	PASS
2-2	15MHz-20MHz	256QAM-256QAM	18929-19100	1RB#0-0RB#0	18.66	23.56	33	PASS
2-2	15MHz-20MHz	256QAM-256QAM	18929-19100	75RB#0-100RB#0	19.61	24.51	33	PASS
2-2	20MHz-10MHz	QPSK-QPSK	18700-18844	100RB#0-50RB#0	22.31	27.21	33	PASS
2-2	20MHz-10MHz	QPSK-QPSK	18700-18844	1RB#0-0RB#0	23.21	28.11	33	PASS
2-2	20MHz-10MHz	QPSK-QPSK	18851-18995	100RB#0-50RB#0	22.84	27.74	33	PASS
2-2	20MHz-10MHz	QPSK-QPSK	18851-18995	1RB#0-0RB#0	23.59	28.49	33	PASS

2-2	20MHz-10MHz	QPSK-QPSK	19001-19145	100RB#0-50RB#0	22.31	27.21	33	PASS
2-2	20MHz-10MHz	QPSK-QPSK	19001-19145	1RB#0-0RB#0	23.78	28.68	33	PASS
2-2	20MHz-10MHz	16QAM-16QAM	18700-18844	100RB#0-50RB#0	21.73	26.63	33	PASS
2-2	20MHz-10MHz	16QAM-16QAM	18700-18844	1RB#0-0RB#0	22.54	27.44	33	PASS
2-2	20MHz-10MHz	16QAM-16QAM	18851-18995	100RB#0-50RB#0	21.34	26.24	33	PASS
2-2	20MHz-10MHz	16QAM-16QAM	18851-18995	1RB#0-0RB#0	22.98	27.88	33	PASS
2-2	20MHz-10MHz	16QAM-16QAM	19001-19145	100RB#0-50RB#0	21.2	26.1	33	PASS
2-2	20MHz-10MHz	16QAM-16QAM	19001-19145	1RB#0-0RB#0	22.61	27.51	33	PASS
2-2	20MHz-10MHz	64QAM-64QAM	18700-18844	100RB#0-50RB#0	21.87	26.77	33	PASS
2-2	20MHz-10MHz	64QAM-64QAM	18700-18844	1RB#0-0RB#0	21.78	26.68	33	PASS
2-2	20MHz-10MHz	64QAM-64QAM	18851-18995	100RB#0-50RB#0	21.28	26.18	33	PASS
2-2	20MHz-10MHz	64QAM-64QAM	18851-18995	1RB#0-0RB#0	21.8	26.7	33	PASS
2-2	20MHz-10MHz	64QAM-64QAM	19001-19145	100RB#0-50RB#0	21.23	26.13	33	PASS
2-2	20MHz-10MHz	64QAM-64QAM	19001-19145	1RB#0-0RB#0	21.86	26.76	33	PASS
2-2	20MHz-10MHz	256QAM-256QAM	18700-18844	100RB#0-50RB#0	19.21	24.11	33	PASS
2-2	20MHz-10MHz	256QAM-256QAM	18700-18844	1RB#0-0RB#0	19.07	23.97	33	PASS
2-2	20MHz-10MHz	256QAM-256QAM	18851-18995	100RB#0-50RB#0	19.14	24.04	33	PASS
2-2	20MHz-10MHz	256QAM-256QAM	18851-18995	1RB#0-0RB#0	18.75	23.65	33	PASS
2-2	20MHz-10MHz	256QAM-256QAM	19001-19145	100RB#0-50RB#0	19.54	24.44	33	PASS
2-2	20MHz-10MHz	256QAM-256QAM	19001-19145	1RB#0-0RB#0	18.85	23.75	33	PASS
2-2	20MHz-15MHz	QPSK-QPSK	18700-18871	100RB#0-75RB#0	22.68	27.58	33	PASS
2-2	20MHz-15MHz	QPSK-QPSK	18700-18871	1RB#0-0RB#0	23.51	28.41	33	PASS
2-2	20MHz-15MHz	QPSK-QPSK	18826-18997	100RB#0-75RB#0	22.26	27.16	33	PASS
2-2	20MHz-15MHz	QPSK-QPSK	18826-18997	1RB#0-0RB#0	23.39	28.29	33	PASS
2-2	20MHz-15MHz	QPSK-QPSK	18951-19122	100RB#0-75RB#0	22.22	27.12	33	PASS

2-2	20MHz-15MHz	QPSK-QPSK	18951-19122	1RB#0-0RB#0	21.62	26.52	33	PASS
2-2	20MHz-15MHz	16QAM-16QAM	18700-18871	100RB#0-75RB#0	21.72	26.62	33	PASS
2-2	20MHz-15MHz	16QAM-16QAM	18700-18871	1RB#0-0RB#0	22.63	27.53	33	PASS
2-2	20MHz-15MHz	16QAM-16QAM	18826-18997	100RB#0-75RB#0	21.39	26.29	33	PASS
2-2	20MHz-15MHz	16QAM-16QAM	18826-18997	1RB#0-0RB#0	22.47	27.37	33	PASS
2-2	20MHz-15MHz	16QAM-16QAM	18951-19122	100RB#0-75RB#0	21.84	26.74	33	PASS
2-2	20MHz-15MHz	16QAM-16QAM	18951-19122	1RB#0-0RB#0	22.5	27.4	33	PASS
2-2	20MHz-15MHz	64QAM-64QAM	18700-18871	100RB#0-75RB#0	21.6	26.5	33	PASS
2-2	20MHz-15MHz	64QAM-64QAM	18700-18871	1RB#0-0RB#0	21.57	26.47	33	PASS
2-2	20MHz-15MHz	64QAM-64QAM	18826-18997	100RB#0-75RB#0	21.23	26.13	33	PASS
2-2	20MHz-15MHz	64QAM-64QAM	18826-18997	1RB#0-0RB#0	21.44	26.34	33	PASS
2-2	20MHz-15MHz	64QAM-64QAM	18951-19122	100RB#0-75RB#0	21.86	26.76	33	PASS
2-2	20MHz-15MHz	64QAM-64QAM	18951-19122	1RB#0-0RB#0	21.99	26.89	33	PASS
2-2	20MHz-15MHz	256QAM-256QAM	18700-18871	100RB#0-75RB#0	19.55	24.45	33	PASS
2-2	20MHz-15MHz	256QAM-256QAM	18700-18871	1RB#0-0RB#0	18.65	23.55	33	PASS
2-2	20MHz-15MHz	256QAM-256QAM	18826-18997	100RB#0-75RB#0	19.89	24.79	33	PASS
2-2	20MHz-15MHz	256QAM-256QAM	18826-18997	1RB#0-0RB#0	18.82	23.72	33	PASS
2-2	20MHz-15MHz	256QAM-256QAM	18951-19122	100RB#0-75RB#0	19.83	24.73	33	PASS
2-2	20MHz-15MHz	256QAM-256QAM	18951-19122	1RB#0-0RB#0	19.15	24.05	33	PASS
2-2	20MHz-20MHz	QPSK-QPSK	18700-18898	100RB#0-100RB#0	22.44	27.34	33	PASS
2-2	20MHz-20MHz	QPSK-QPSK	18700-18898	1RB#0-0RB#0	23.18	28.08	33	PASS
2-2	20MHz-20MHz	QPSK-QPSK	18801-18999	100RB#0-100RB#0	22.5	27.4	33	PASS
2-2	20MHz-20MHz	QPSK-QPSK	18801-18999	1RB#0-0RB#0	23.69	28.59	33	PASS
2-2	20MHz-20MHz	QPSK-QPSK	18902-19100	100RB#0-100RB#0	22.71	27.61	33	PASS
2-2	20MHz-20MHz	QPSK-QPSK	18902-19100	1RB#0-0RB#0	23.8	28.7	33	PASS

2-2	20MHz-20MHz	16QAM-16QAM	18700-18898	100RB#0-100RB#0	21.2	26.1	33	PASS
2-2	20MHz-20MHz	16QAM-16QAM	18700-18898	1RB#0-0RB#0	22.82	27.72	33	PASS
2-2	20MHz-20MHz	16QAM-16QAM	18801-18999	100RB#0-100RB#0	21.55	26.45	33	PASS
2-2	20MHz-20MHz	16QAM-16QAM	18801-18999	1RB#0-0RB#0	22.95	27.85	33	PASS
2-2	20MHz-20MHz	16QAM-16QAM	18902-19100	100RB#0-100RB#0	21.32	26.22	33	PASS
2-2	20MHz-20MHz	16QAM-16QAM	18902-19100	1RB#0-0RB#0	22.69	27.59	33	PASS
2-2	20MHz-20MHz	64QAM-64QAM	18700-18898	100RB#0-100RB#0	21.57	26.47	33	PASS
2-2	20MHz-20MHz	64QAM-64QAM	18700-18898	1RB#0-0RB#0	22.11	27.01	33	PASS
2-2	20MHz-20MHz	64QAM-64QAM	18801-18999	100RB#0-100RB#0	21.86	26.76	33	PASS
2-2	20MHz-20MHz	64QAM-64QAM	18801-18999	1RB#0-0RB#0	21.97	26.87	33	PASS
2-2	20MHz-20MHz	64QAM-64QAM	18902-19100	100RB#0-100RB#0	21.68	26.58	33	PASS
2-2	20MHz-20MHz	64QAM-64QAM	18902-19100	1RB#0-0RB#0	22.15	27.05	33	PASS
2-2	20MHz-20MHz	256QAM-256QAM	18700-18898	100RB#0-100RB#0	19.63	24.53	33	PASS
2-2	20MHz-20MHz	256QAM-256QAM	18700-18898	1RB#0-0RB#0	19.05	23.95	33	PASS
2-2	20MHz-20MHz	256QAM-256QAM	18801-18999	100RB#0-100RB#0	19.83	24.73	33	PASS
2-2	20MHz-20MHz	256QAM-256QAM	18801-18999	1RB#0-0RB#0	18.74	23.64	33	PASS
2-2	20MHz-20MHz	256QAM-256QAM	18902-19100	100RB#0-100RB#0	19.77	24.67	33	PASS
2-2	20MHz-20MHz	256QAM-256QAM	18902-19100	1RB#0-0RB#0	19.05	23.95	33	PASS
2-2	20MHz-5MHz	QPSK-QPSK	18700-18817	100RB#0-25RB#0	22.48	27.38	33	PASS
2-2	20MHz-5MHz	QPSK-QPSK	18700-18817	1RB#0-0RB#0	23.3	28.2	33	PASS
2-2	20MHz-5MHz	QPSK-QPSK	18875-18992	100RB#0-25RB#0	22.56	27.46	33	PASS
2-2	20MHz-5MHz	QPSK-QPSK	18875-18992	1RB#0-0RB#0	23.81	28.71	33	PASS
2-2	20MHz-5MHz	QPSK-QPSK	19050-19167	100RB#0-25RB#0	22.21	27.11	33	PASS
2-2	20MHz-5MHz	QPSK-QPSK	19050-19167	1RB#0-0RB#0	23.82	28.72	33	PASS
2-2	20MHz-5MHz	16QAM-16QAM	18700-18817	100RB#0-25RB#0	21.47	26.37	33	PASS

2-2	20MHz-5MHz	16QAM-16QAM	18700-18817	1RB#0-0RB#0	22.44	27.34	33	PASS
2-2	20MHz-5MHz	16QAM-16QAM	18875-18992	100RB#0-25RB#0	21.41	26.31	33	PASS
2-2	20MHz-5MHz	16QAM-16QAM	18875-18992	1RB#0-0RB#0	22.71	27.61	33	PASS
2-2	20MHz-5MHz	16QAM-16QAM	19050-19167	100RB#0-25RB#0	21.68	26.58	33	PASS
2-2	20MHz-5MHz	16QAM-16QAM	19050-19167	1RB#0-0RB#0	23.05	27.95	33	PASS
2-2	20MHz-5MHz	64QAM-64QAM	18700-18817	100RB#0-25RB#0	21.78	26.68	33	PASS
2-2	20MHz-5MHz	64QAM-64QAM	18700-18817	1RB#0-0RB#0	22.05	26.95	33	PASS
2-2	20MHz-5MHz	64QAM-64QAM	18875-18992	100RB#0-25RB#0	21.8	26.7	33	PASS
2-2	20MHz-5MHz	64QAM-64QAM	18875-18992	1RB#0-0RB#0	21.74	26.64	33	PASS
2-2	20MHz-5MHz	64QAM-64QAM	19050-19167	100RB#0-25RB#0	21.34	26.24	33	PASS
2-2	20MHz-5MHz	64QAM-64QAM	19050-19167	1RB#0-0RB#0	22.15	27.05	33	PASS
2-2	20MHz-5MHz	256QAM-256QAM	18700-18817	100RB#0-25RB#0	19.56	24.46	33	PASS
2-2	20MHz-5MHz	256QAM-256QAM	18700-18817	1RB#0-0RB#0	18.52	23.42	33	PASS
2-2	20MHz-5MHz	256QAM-256QAM	18875-18992	100RB#0-25RB#0	19.35	24.25	33	PASS
2-2	20MHz-5MHz	256QAM-256QAM	18875-18992	1RB#0-0RB#0	18.71	23.61	33	PASS
2-2	20MHz-5MHz	256QAM-256QAM	19050-19167	100RB#0-25RB#0	19.76	24.66	33	PASS
2-2	20MHz-5MHz	256QAM-256QAM	19050-19167	1RB#0-0RB#0	18.61	23.51	33	PASS
2-2	5MHz-20MHz	QPSK-QPSK	18633-18750	1RB#0-0RB#0	23.84	28.74	33	PASS
2-2	5MHz-20MHz	QPSK-QPSK	18633-18750	25RB#0-100RB#0	22.68	27.58	33	PASS
2-2	5MHz-20MHz	QPSK-QPSK	18808-18925	1RB#0-0RB#0	23.36	28.26	33	PASS
2-2	5MHz-20MHz	QPSK-QPSK	18808-18925	25RB#0-100RB#0	22.45	27.35	33	PASS
2-2	5MHz-20MHz	QPSK-QPSK	18983-19100	1RB#0-0RB#0	23.68	28.58	33	PASS
2-2	5MHz-20MHz	QPSK-QPSK	18983-19100	25RB#0-100RB#0	22.38	27.28	33	PASS
2-2	5MHz-20MHz	16QAM-16QAM	18633-18750	1RB#0-0RB#0	23.09	27.99	33	PASS
2-2	5MHz-20MHz	16QAM-16QAM	18633-18750	25RB#0-100RB#0	21.24	26.14	33	PASS

2-2	5MHz-20MHz	16QAM-16QAM	18808-18925	1RB#0-0RB#0	22.49	27.39	33	PASS
2-2	5MHz-20MHz	16QAM-16QAM	18808-18925	25RB#0-100RB#0	21.63	26.53	33	PASS
2-2	5MHz-20MHz	16QAM-16QAM	18983-19100	1RB#0-0RB#0	22.88	27.78	33	PASS
2-2	5MHz-20MHz	16QAM-16QAM	18983-19100	25RB#0-100RB#0	21.3	26.2	33	PASS
2-2	5MHz-20MHz	64QAM-64QAM	18633-18750	1RB#0-0RB#0	22.57	27.47	33	PASS
2-2	5MHz-20MHz	64QAM-64QAM	18633-18750	25RB#0-100RB#0	21.55	26.45	33	PASS
2-2	5MHz-20MHz	64QAM-64QAM	18808-18925	1RB#0-0RB#0	22.1	27	33	PASS
2-2	5MHz-20MHz	64QAM-64QAM	18808-18925	25RB#0-100RB#0	21.6	26.5	33	PASS
2-2	5MHz-20MHz	64QAM-64QAM	18983-19100	1RB#0-0RB#0	21.85	26.75	33	PASS
2-2	5MHz-20MHz	64QAM-64QAM	18983-19100	25RB#0-100RB#0	21.82	26.72	33	PASS
2-2	5MHz-20MHz	256QAM-256QAM	18633-18750	1RB#0-0RB#0	18.79	23.69	33	PASS
2-2	5MHz-20MHz	256QAM-256QAM	18633-18750	25RB#0-100RB#0	19.3	24.2	33	PASS
2-2	5MHz-20MHz	256QAM-256QAM	18808-18925	1RB#0-0RB#0	18.68	23.58	33	PASS
2-2	5MHz-20MHz	256QAM-256QAM	18808-18925	25RB#0-100RB#0	19.36	24.26	33	PASS
2-2	5MHz-20MHz	256QAM-256QAM	18983-19100	1RB#0-0RB#0	18.45	23.35	33	PASS
2-2	5MHz-20MHz	256QAM-256QAM	18983-19100	25RB#0-100RB#0	19.62	24.52	33	PASS

LTE CA_5B:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
5-5	10MHz-10MHz	QPSK-QPSK	20450-20549	1RB#0-0RB#0	23.39	25.02	38.45	PASS
5-5	10MHz-10MHz	QPSK-QPSK	20450-20549	50RB#0-50RB#0	22.56	24.19	38.45	PASS
5-5	10MHz-10MHz	QPSK-QPSK	20476-20575	1RB#0-0RB#0	23.28	24.91	38.45	PASS
5-5	10MHz-10MHz	QPSK-QPSK	20476-20575	50RB#0-50RB#0	22.64	24.27	38.45	PASS
5-5	10MHz-10MHz	QPSK-QPSK	20501-20600	1RB#0-0RB#0	23.89	25.52	38.45	PASS
5-5	10MHz-10MHz	QPSK-QPSK	20501-20600	50RB#0-50RB#0	22.64	24.27	38.45	PASS
5-5	10MHz-10MHz	16QAM-16QAM	20450-20549	1RB#0-0RB#0	22.49	24.12	38.45	PASS
5-5	10MHz-10MHz	16QAM-16QAM	20450-20549	50RB#0-50RB#0	21.29	22.92	38.45	PASS
5-5	10MHz-10MHz	16QAM-16QAM	20476-20575	1RB#0-0RB#0	22.52	24.15	38.45	PASS
5-5	10MHz-10MHz	16QAM-16QAM	20476-20575	50RB#0-50RB#0	21.28	22.91	38.45	PASS
5-5	10MHz-10MHz	16QAM-16QAM	20501-20600	1RB#0-0RB#0	23.03	24.66	38.45	PASS
5-5	10MHz-10MHz	16QAM-16QAM	20501-20600	50RB#0-50RB#0	21.61	23.24	38.45	PASS
5-5	10MHz-10MHz	64QAM-64QAM	20450-20549	1RB#0-0RB#0	21.9	23.53	38.45	PASS
5-5	10MHz-10MHz	64QAM-64QAM	20450-20549	50RB#0-50RB#0	21.5	23.13	38.45	PASS
5-5	10MHz-10MHz	64QAM-64QAM	20476-20575	1RB#0-0RB#0	22.07	23.7	38.45	PASS
5-5	10MHz-10MHz	64QAM-64QAM	20476-20575	50RB#0-50RB#0	21.64	23.27	38.45	PASS
5-5	10MHz-10MHz	64QAM-64QAM	20501-20600	1RB#0-0RB#0	21.91	23.54	38.45	PASS
5-5	10MHz-10MHz	64QAM-64QAM	20501-20600	50RB#0-50RB#0	21.89	23.52	38.45	PASS
5-5	10MHz-10MHz	256QAM-256QAM	20450-20549	1RB#0-0RB#0	19.13	20.76	38.45	PASS
5-5	10MHz-10MHz	256QAM-256QAM	20450-20549	50RB#0-50RB#0	19.3	20.93	38.45	PASS
5-5	10MHz-10MHz	256QAM-256QAM	20476-20575	1RB#0-0RB#0	18.9	20.53	38.45	PASS
5-5	10MHz-10MHz	256QAM-256QAM	20476-20575	50RB#0-50RB#0	19.55	21.18	38.45	PASS
5-5	10MHz-10MHz	256QAM-256QAM	20501-20600	1RB#0-0RB#0	18.87	20.5	38.45	PASS

5-5	10MHz-10MHz	256QAM-256QAM	20501-20600	50RB#0-50RB#0	19.25	20.88	38.45	PASS
5-5	10MHz-5MHz	QPSK-QPSK	20450-20522	1RB#0-0RB#0	23.66	25.29	38.45	PASS
5-5	10MHz-5MHz	QPSK-QPSK	20450-20522	50RB#0-25RB#0	22.25	23.88	38.45	PASS
5-5	10MHz-5MHz	QPSK-QPSK	20500-20572	1RB#0-0RB#0	23.53	25.16	38.45	PASS
5-5	10MHz-5MHz	QPSK-QPSK	20500-20572	50RB#0-25RB#0	22.85	24.48	38.45	PASS
5-5	10MHz-5MHz	QPSK-QPSK	20550-20622	1RB#0-0RB#0	23.9	25.53	38.45	PASS
5-5	10MHz-5MHz	QPSK-QPSK	20550-20622	50RB#0-25RB#0	22.58	24.21	38.45	PASS
5-5	10MHz-5MHz	16QAM-16QAM	20450-20522	1RB#0-0RB#0	22.98	24.61	38.45	PASS
5-5	10MHz-5MHz	16QAM-16QAM	20450-20522	50RB#0-25RB#0	21.19	22.82	38.45	PASS
5-5	10MHz-5MHz	16QAM-16QAM	20500-20572	1RB#0-0RB#0	22.99	24.62	38.45	PASS
5-5	10MHz-5MHz	16QAM-16QAM	20500-20572	50RB#0-25RB#0	21.75	23.38	38.45	PASS
5-5	10MHz-5MHz	16QAM-16QAM	20550-20622	1RB#0-0RB#0	22.67	24.3	38.45	PASS
5-5	10MHz-5MHz	16QAM-16QAM	20550-20622	50RB#0-25RB#0	21.78	23.41	38.45	PASS
5-5	10MHz-5MHz	64QAM-64QAM	20450-20522	1RB#0-0RB#0	21.68	23.31	38.45	PASS
5-5	10MHz-5MHz	64QAM-64QAM	20450-20522	50RB#0-25RB#0	21.64	23.27	38.45	PASS
5-5	10MHz-5MHz	64QAM-64QAM	20500-20572	1RB#0-0RB#0	21.71	23.34	38.45	PASS
5-5	10MHz-5MHz	64QAM-64QAM	20500-20572	50RB#0-25RB#0	21.74	23.37	38.45	PASS
5-5	10MHz-5MHz	64QAM-64QAM	20550-20622	1RB#0-0RB#0	21.9	23.53	38.45	PASS
5-5	10MHz-5MHz	64QAM-64QAM	20550-20622	50RB#0-25RB#0	21.42	23.05	38.45	PASS
5-5	10MHz-5MHz	256QAM-256QAM	20450-20522	1RB#0-0RB#0	19.13	20.76	38.45	PASS
5-5	10MHz-5MHz	256QAM-256QAM	20450-20522	50RB#0-25RB#0	19.68	21.31	38.45	PASS
5-5	10MHz-5MHz	256QAM-256QAM	20500-20572	1RB#0-0RB#0	18.95	20.58	38.45	PASS
5-5	10MHz-5MHz	256QAM-256QAM	20500-20572	50RB#0-25RB#0	19.46	21.09	38.45	PASS
5-5	10MHz-5MHz	256QAM-256QAM	20550-20622	1RB#0-0RB#0	18.85	20.48	38.45	PASS
5-5	10MHz-5MHz	256QAM-256QAM	20550-20622	50RB#0-25RB#0	19.35	20.98	38.45	PASS

5-5	3MHz-5MHz	QPSK-QPSK	20416-20455	15RB#0-25RB#0	24.74	26.37	38.45	PASS
5-5	3MHz-5MHz	QPSK-QPSK	20416-20455	1RB#0-0RB#0	23.93	25.56	38.45	PASS
5-5	3MHz-5MHz	QPSK-QPSK	20501-20540	15RB#0-25RB#0	24.36	25.99	38.45	PASS
5-5	3MHz-5MHz	QPSK-QPSK	20501-20540	1RB#0-0RB#0	23.51	25.14	38.45	PASS
5-5	3MHz-5MHz	QPSK-QPSK	20586-20625	15RB#0-25RB#0	25	26.63	38.45	PASS
5-5	3MHz-5MHz	QPSK-QPSK	20586-20625	1RB#0-0RB#0	23.7	25.33	38.45	PASS
5-5	3MHz-5MHz	16QAM-16QAM	20416-20455	15RB#0-25RB#0	24.49	26.12	38.45	PASS
5-5	3MHz-5MHz	16QAM-16QAM	20416-20455	1RB#0-0RB#0	23.57	25.2	38.45	PASS
5-5	3MHz-5MHz	16QAM-16QAM	20501-20540	15RB#0-25RB#0	24.43	26.06	38.45	PASS
5-5	3MHz-5MHz	16QAM-16QAM	20501-20540	1RB#0-0RB#0	24.12	25.75	38.45	PASS
5-5	3MHz-5MHz	16QAM-16QAM	20586-20625	15RB#0-25RB#0	24.07	25.7	38.45	PASS
5-5	3MHz-5MHz	16QAM-16QAM	20586-20625	1RB#0-0RB#0	24.13	25.76	38.45	PASS
5-5	3MHz-5MHz	64QAM-64QAM	20416-20455	15RB#0-25RB#0	23.4	25.03	38.45	PASS
5-5	3MHz-5MHz	64QAM-64QAM	20416-20455	1RB#0-0RB#0	23.96	25.59	38.45	PASS
5-5	3MHz-5MHz	64QAM-64QAM	20501-20540	15RB#0-25RB#0	23.63	25.26	38.45	PASS
5-5	3MHz-5MHz	64QAM-64QAM	20501-20540	1RB#0-0RB#0	23.91	25.54	38.45	PASS
5-5	3MHz-5MHz	64QAM-64QAM	20586-20625	15RB#0-25RB#0	23.18	24.81	38.45	PASS
5-5	3MHz-5MHz	64QAM-64QAM	20586-20625	1RB#0-0RB#0	24.4	26.03	38.45	PASS
5-5	3MHz-5MHz	256QAM-256QAM	20416-20455	15RB#0-25RB#0	22.33	23.96	38.45	PASS
5-5	3MHz-5MHz	256QAM-256QAM	20416-20455	1RB#0-0RB#0	22.74	24.37	38.45	PASS
5-5	3MHz-5MHz	256QAM-256QAM	20501-20540	15RB#0-25RB#0	22.42	24.05	38.45	PASS
5-5	3MHz-5MHz	256QAM-256QAM	20501-20540	1RB#0-0RB#0	22.09	23.72	38.45	PASS
5-5	3MHz-5MHz	256QAM-256QAM	20586-20625	15RB#0-25RB#0	22.18	23.81	38.45	PASS
5-5	3MHz-5MHz	256QAM-256QAM	20586-20625	1RB#0-0RB#0	22.28	23.91	38.45	PASS
5-5	5MHz-10MHz	QPSK-QPSK	20428-20500	1RB#0-0RB#0	23.55	25.18	38.45	PASS

5-5	5MHz-10MHz	QPSK-QPSK	20428-20500	25RB#0-50RB#0	22.56	24.19	38.45	PASS
5-5	5MHz-10MHz	QPSK-QPSK	20478-20550	1RB#0-0RB#0	23.38	25.01	38.45	PASS
5-5	5MHz-10MHz	QPSK-QPSK	20478-20550	25RB#0-50RB#0	22.43	24.06	38.45	PASS
5-5	5MHz-10MHz	QPSK-QPSK	20528-20600	1RB#0-0RB#0	23.78	25.41	38.45	PASS
5-5	5MHz-10MHz	QPSK-QPSK	20528-20600	25RB#0-50RB#0	22.71	24.34	38.45	PASS
5-5	5MHz-10MHz	16QAM-16QAM	20428-20500	1RB#0-0RB#0	23.35	24.98	38.45	PASS
5-5	5MHz-10MHz	16QAM-16QAM	20428-20500	25RB#0-50RB#0	21.26	22.89	38.45	PASS
5-5	5MHz-10MHz	16QAM-16QAM	20478-20550	1RB#0-0RB#0	22.99	24.62	38.45	PASS
5-5	5MHz-10MHz	16QAM-16QAM	20478-20550	25RB#0-50RB#0	21.77	23.4	38.45	PASS
5-5	5MHz-10MHz	16QAM-16QAM	20528-20600	1RB#0-0RB#0	22.82	24.45	38.45	PASS
5-5	5MHz-10MHz	16QAM-16QAM	20528-20600	25RB#0-50RB#0	21.92	23.55	38.45	PASS
5-5	5MHz-10MHz	64QAM-64QAM	20428-20500	1RB#0-0RB#0	22.23	23.86	38.45	PASS
5-5	5MHz-10MHz	64QAM-64QAM	20428-20500	25RB#0-50RB#0	21.89	23.52	38.45	PASS
5-5	5MHz-10MHz	64QAM-64QAM	20478-20550	1RB#0-0RB#0	21.65	23.28	38.45	PASS
5-5	5MHz-10MHz	64QAM-64QAM	20478-20550	25RB#0-50RB#0	21.71	23.34	38.45	PASS
5-5	5MHz-10MHz	64QAM-64QAM	20528-20600	1RB#0-0RB#0	22.28	23.91	38.45	PASS
5-5	5MHz-10MHz	64QAM-64QAM	20528-20600	25RB#0-50RB#0	21.93	23.56	38.45	PASS
5-5	5MHz-10MHz	256QAM-256QAM	20428-20500	1RB#0-0RB#0	18.73	20.36	38.45	PASS
5-5	5MHz-10MHz	256QAM-256QAM	20428-20500	25RB#0-50RB#0	19.24	20.87	38.45	PASS
5-5	5MHz-10MHz	256QAM-256QAM	20478-20550	1RB#0-0RB#0	18.85	20.48	38.45	PASS
5-5	5MHz-10MHz	256QAM-256QAM	20478-20550	25RB#0-50RB#0	19.69	21.32	38.45	PASS
5-5	5MHz-10MHz	256QAM-256QAM	20528-20600	1RB#0-0RB#0	19.18	20.81	38.45	PASS
5-5	5MHz-10MHz	256QAM-256QAM	20528-20600	25RB#0-50RB#0	19.8	21.43	38.45	PASS
5-5	5MHz-3MHz	QPSK-QPSK	20425-20464	1RB#0-0RB#0	24.13	25.76	38.45	PASS
5-5	5MHz-3MHz	QPSK-QPSK	20425-20464	25RB#0-15RB#0	24.53	26.16	38.45	PASS

5-5	5MHz-3MHz	QPSK-QPSK	20510-20549	1RB#0-0RB#0	23.73	25.36	38.45	PASS
5-5	5MHz-3MHz	QPSK-QPSK	20510-20549	25RB#0-15RB#0	24.96	26.59	38.45	PASS
5-5	5MHz-3MHz	QPSK-QPSK	20595-20634	1RB#0-0RB#0	24.01	25.64	38.45	PASS
5-5	5MHz-3MHz	QPSK-QPSK	20595-20634	25RB#0-15RB#0	24.9	26.53	38.45	PASS
5-5	5MHz-3MHz	16QAM-16QAM	20425-20464	1RB#0-0RB#0	24.15	25.78	38.45	PASS
5-5	5MHz-3MHz	16QAM-16QAM	20425-20464	25RB#0-15RB#0	24.05	25.68	38.45	PASS
5-5	5MHz-3MHz	16QAM-16QAM	20510-20549	1RB#0-0RB#0	23.7	25.33	38.45	PASS
5-5	5MHz-3MHz	16QAM-16QAM	20510-20549	25RB#0-15RB#0	24.35	25.98	38.45	PASS
5-5	5MHz-3MHz	16QAM-16QAM	20595-20634	1RB#0-0RB#0	24.08	25.71	38.45	PASS
5-5	5MHz-3MHz	16QAM-16QAM	20595-20634	25RB#0-15RB#0	23.66	25.29	38.45	PASS
5-5	5MHz-3MHz	64QAM-64QAM	20425-20464	1RB#0-0RB#0	24.1	25.73	38.45	PASS
5-5	5MHz-3MHz	64QAM-64QAM	20425-20464	25RB#0-15RB#0	23.38	25.01	38.45	PASS
5-5	5MHz-3MHz	64QAM-64QAM	20510-20549	1RB#0-0RB#0	24.31	25.94	38.45	PASS
5-5	5MHz-3MHz	64QAM-64QAM	20510-20549	25RB#0-15RB#0	23.53	25.16	38.45	PASS
5-5	5MHz-3MHz	64QAM-64QAM	20595-20634	1RB#0-0RB#0	23.94	25.57	38.45	PASS
5-5	5MHz-3MHz	64QAM-64QAM	20595-20634	25RB#0-15RB#0	23.07	24.7	38.45	PASS
5-5	5MHz-3MHz	256QAM-256QAM	20425-20464	1RB#0-0RB#0	23.15	24.78	38.45	PASS
5-5	5MHz-3MHz	256QAM-256QAM	20425-20464	25RB#0-15RB#0	22.91	24.54	38.45	PASS
5-5	5MHz-3MHz	256QAM-256QAM	20510-20549	1RB#0-0RB#0	22.28	23.91	38.45	PASS
5-5	5MHz-3MHz	256QAM-256QAM	20510-20549	25RB#0-15RB#0	22.77	24.4	38.45	PASS
5-5	5MHz-3MHz	256QAM-256QAM	20595-20634	1RB#0-0RB#0	22.53	24.16	38.45	PASS
5-5	5MHz-3MHz	256QAM-256QAM	20595-20634	25RB#0-15RB#0	21.87	23.5	38.45	PASS

LTE CA_7C:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
7-7	10MHz-20MHz	QPSK-QPSK	20805-20949	1RB#0-0RB#0	23.22	25.62	33	PASS
7-7	10MHz-20MHz	QPSK-QPSK	20805-20949	50RB#0-100RB#0	22.37	24.77	33	PASS
7-7	10MHz-20MHz	QPSK-QPSK	21006-21150	1RB#0-0RB#0	23.51	25.91	33	PASS
7-7	10MHz-20MHz	QPSK-QPSK	21006-21150	50RB#0-100RB#0	22.47	24.87	33	PASS
7-7	10MHz-20MHz	QPSK-QPSK	21206-21350	1RB#0-0RB#0	23.46	25.86	33	PASS
7-7	10MHz-20MHz	QPSK-QPSK	21206-21350	50RB#0-100RB#0	22.41	24.81	33	PASS
7-7	10MHz-20MHz	16QAM-16QAM	20805-20949	1RB#0-0RB#0	23	25.4	33	PASS
7-7	10MHz-20MHz	16QAM-16QAM	20805-20949	50RB#0-100RB#0	21.02	23.42	33	PASS
7-7	10MHz-20MHz	16QAM-16QAM	21006-21150	1RB#0-0RB#0	23.66	26.06	33	PASS
7-7	10MHz-20MHz	16QAM-16QAM	21006-21150	50RB#0-100RB#0	21.49	23.89	33	PASS
7-7	10MHz-20MHz	16QAM-16QAM	21206-21350	1RB#0-0RB#0	23.37	25.77	33	PASS
7-7	10MHz-20MHz	16QAM-16QAM	21206-21350	50RB#0-100RB#0	20.84	23.24	33	PASS
7-7	10MHz-20MHz	64QAM-64QAM	20805-20949	1RB#0-0RB#0	21.45	23.85	33	PASS
7-7	10MHz-20MHz	64QAM-64QAM	20805-20949	50RB#0-100RB#0	19.06	21.46	33	PASS
7-7	10MHz-20MHz	64QAM-64QAM	21006-21150	1RB#0-0RB#0	21.75	24.15	33	PASS
7-7	10MHz-20MHz	64QAM-64QAM	21006-21150	50RB#0-100RB#0	18.86	21.26	33	PASS
7-7	10MHz-20MHz	64QAM-64QAM	21206-21350	1RB#0-0RB#0	21.65	24.05	33	PASS
7-7	10MHz-20MHz	64QAM-64QAM	21206-21350	50RB#0-100RB#0	19.02	21.42	33	PASS
7-7	10MHz-20MHz	256QAM-256QAM	20805-20949	1RB#0-0RB#0	18.33	20.73	33	PASS
7-7	10MHz-20MHz	256QAM-256QAM	20805-20949	50RB#0-100RB#0	18.44	20.84	33	PASS
7-7	10MHz-20MHz	256QAM-256QAM	21006-21150	1RB#0-0RB#0	18.12	20.52	33	PASS
7-7	10MHz-20MHz	256QAM-256QAM	21006-21150	50RB#0-100RB#0	17.83	20.23	33	PASS
7-7	10MHz-20MHz	256QAM-256QAM	21206-21350	1RB#0-0RB#0	18.06	20.46	33	PASS

7-7	10MHz-20MHz	256QAM-256QAM	21206-21350	50RB#0-100RB#0	18.05	20.45	33	PASS
7-7	15MHz-10MHz	QPSK-QPSK	20825-20945	1RB#0-0RB#0	23.37	25.77	33	PASS
7-7	15MHz-10MHz	QPSK-QPSK	20825-20945	75RB#0-50RB#0	22.17	24.57	33	PASS
7-7	15MHz-10MHz	QPSK-QPSK	21051-21171	1RB#0-0RB#0	24.15	26.55	33	PASS
7-7	15MHz-10MHz	QPSK-QPSK	21051-21171	75RB#0-50RB#0	22.27	24.67	33	PASS
7-7	15MHz-10MHz	QPSK-QPSK	21277-21397	1RB#0-0RB#0	23.83	26.23	33	PASS
7-7	15MHz-10MHz	QPSK-QPSK	21277-21397	75RB#0-50RB#0	21.25	23.65	33	PASS
7-7	15MHz-10MHz	16QAM-16QAM	20825-20945	1RB#0-0RB#0	22.17	24.57	33	PASS
7-7	15MHz-10MHz	16QAM-16QAM	20825-20945	75RB#0-50RB#0	21.12	23.52	33	PASS
7-7	15MHz-10MHz	16QAM-16QAM	21051-21171	1RB#0-0RB#0	23.5	25.9	33	PASS
7-7	15MHz-10MHz	16QAM-16QAM	21051-21171	75RB#0-50RB#0	21.1	23.5	33	PASS
7-7	15MHz-10MHz	16QAM-16QAM	21277-21397	1RB#0-0RB#0	23.45	25.85	33	PASS
7-7	15MHz-10MHz	16QAM-16QAM	21277-21397	75RB#0-50RB#0	20.22	22.62	33	PASS
7-7	15MHz-10MHz	64QAM-64QAM	20825-20945	1RB#0-0RB#0	20.52	22.92	33	PASS
7-7	15MHz-10MHz	64QAM-64QAM	20825-20945	75RB#0-50RB#0	19.3	21.7	33	PASS
7-7	15MHz-10MHz	64QAM-64QAM	21051-21171	1RB#0-0RB#0	21.19	23.59	33	PASS
7-7	15MHz-10MHz	64QAM-64QAM	21051-21171	75RB#0-50RB#0	19.38	21.78	33	PASS
7-7	15MHz-10MHz	64QAM-64QAM	21277-21397	1RB#0-0RB#0	20.67	23.07	33	PASS
7-7	15MHz-10MHz	64QAM-64QAM	21277-21397	75RB#0-50RB#0	19.18	21.58	33	PASS
7-7	15MHz-10MHz	256QAM-256QAM	20825-20945	1RB#0-0RB#0	17.34	19.74	33	PASS
7-7	15MHz-10MHz	256QAM-256QAM	20825-20945	75RB#0-50RB#0	18.71	21.11	33	PASS
7-7	15MHz-10MHz	256QAM-256QAM	21051-21171	1RB#0-0RB#0	18.45	20.85	33	PASS
7-7	15MHz-10MHz	256QAM-256QAM	21051-21171	75RB#0-50RB#0	18.59	20.99	33	PASS
7-7	15MHz-10MHz	256QAM-256QAM	21277-21397	1RB#0-0RB#0	17.99	20.39	33	PASS
7-7	15MHz-10MHz	256QAM-256QAM	21277-21397	75RB#0-50RB#0	18.36	20.76	33	PASS

7-7	15MHz-15MHz	QPSK-QPSK	20825-20975	1RB#0-0RB#0	23.38	25.78	33	PASS
7-7	15MHz-15MHz	QPSK-QPSK	20825-20975	75RB#0-75RB#0	22.15	24.55	33	PASS
7-7	15MHz-15MHz	QPSK-QPSK	21025-21175	1RB#0-0RB#0	23.21	25.61	33	PASS
7-7	15MHz-15MHz	QPSK-QPSK	21025-21175	75RB#0-75RB#0	23.35	25.75	33	PASS
7-7	15MHz-15MHz	QPSK-QPSK	21225-21375	1RB#0-0RB#0	23.48	25.88	33	PASS
7-7	15MHz-15MHz	QPSK-QPSK	21225-21375	75RB#0-75RB#0	21.46	23.86	33	PASS
7-7	15MHz-15MHz	16QAM-16QAM	20825-20975	1RB#0-0RB#0	23.06	25.46	33	PASS
7-7	15MHz-15MHz	16QAM-16QAM	20825-20975	75RB#0-75RB#0	20.89	23.29	33	PASS
7-7	15MHz-15MHz	16QAM-16QAM	21025-21175	1RB#0-0RB#0	23.08	25.48	33	PASS
7-7	15MHz-15MHz	16QAM-16QAM	21025-21175	75RB#0-75RB#0	21.29	23.69	33	PASS
7-7	15MHz-15MHz	16QAM-16QAM	21225-21375	1RB#0-0RB#0	23.42	25.82	33	PASS
7-7	15MHz-15MHz	16QAM-16QAM	21225-21375	75RB#0-75RB#0	20.77	23.17	33	PASS
7-7	15MHz-15MHz	64QAM-64QAM	20825-20975	1RB#0-0RB#0	21.84	24.24	33	PASS
7-7	15MHz-15MHz	64QAM-64QAM	20825-20975	75RB#0-75RB#0	19.5	21.9	33	PASS
7-7	15MHz-15MHz	64QAM-64QAM	21025-21175	1RB#0-0RB#0	21.05	23.45	33	PASS
7-7	15MHz-15MHz	64QAM-64QAM	21025-21175	75RB#0-75RB#0	19.39	21.79	33	PASS
7-7	15MHz-15MHz	64QAM-64QAM	21225-21375	1RB#0-0RB#0	21.18	23.58	33	PASS
7-7	15MHz-15MHz	64QAM-64QAM	21225-21375	75RB#0-75RB#0	19.12	21.52	33	PASS
7-7	15MHz-15MHz	256QAM-256QAM	20825-20975	1RB#0-0RB#0	17.46	19.86	33	PASS
7-7	15MHz-15MHz	256QAM-256QAM	20825-20975	75RB#0-75RB#0	18.66	21.06	33	PASS
7-7	15MHz-15MHz	256QAM-256QAM	21025-21175	1RB#0-0RB#0	18.4	20.8	33	PASS
7-7	15MHz-15MHz	256QAM-256QAM	21025-21175	75RB#0-75RB#0	18.48	20.88	33	PASS
7-7	15MHz-15MHz	256QAM-256QAM	21225-21375	1RB#0-0RB#0	18.82	21.22	33	PASS
7-7	15MHz-15MHz	256QAM-256QAM	21225-21375	75RB#0-75RB#0	17.87	20.27	33	PASS
7-7	15MHz-20MHz	QPSK-QPSK	20828-20999	1RB#0-0RB#0	23.8	26.2	33	PASS

7-7	15MHz-20MHz	QPSK-QPSK	20828-20999	75RB#0-100RB#0	22.07	24.47	33	PASS
7-7	15MHz-20MHz	QPSK-QPSK	21003-21174	1RB#0-0RB#0	23.4	25.8	33	PASS
7-7	15MHz-20MHz	QPSK-QPSK	21003-21174	75RB#0-100RB#0	22.48	24.88	33	PASS
7-7	15MHz-20MHz	QPSK-QPSK	21179-21350	1RB#0-0RB#0	23.72	26.12	33	PASS
7-7	15MHz-20MHz	QPSK-QPSK	21179-21350	75RB#0-100RB#0	22.02	24.42	33	PASS
7-7	15MHz-20MHz	16QAM-16QAM	20828-20999	1RB#0-0RB#0	22.76	25.16	33	PASS
7-7	15MHz-20MHz	16QAM-16QAM	20828-20999	75RB#0-100RB#0	21.75	24.15	33	PASS
7-7	15MHz-20MHz	16QAM-16QAM	21003-21174	1RB#0-0RB#0	22.61	25.01	33	PASS
7-7	15MHz-20MHz	16QAM-16QAM	21003-21174	75RB#0-100RB#0	21.05	23.45	33	PASS
7-7	15MHz-20MHz	16QAM-16QAM	21179-21350	1RB#0-0RB#0	22.73	25.13	33	PASS
7-7	15MHz-20MHz	16QAM-16QAM	21179-21350	75RB#0-100RB#0	21.46	23.86	33	PASS
7-7	15MHz-20MHz	64QAM-64QAM	20828-20999	1RB#0-0RB#0	21.92	24.32	33	PASS
7-7	15MHz-20MHz	64QAM-64QAM	20828-20999	75RB#0-100RB#0	21.14	23.54	33	PASS
7-7	15MHz-20MHz	64QAM-64QAM	21003-21174	1RB#0-0RB#0	21.29	23.69	33	PASS
7-7	15MHz-20MHz	64QAM-64QAM	21003-21174	75RB#0-100RB#0	21.44	23.84	33	PASS
7-7	15MHz-20MHz	64QAM-64QAM	21179-21350	1RB#0-0RB#0	21.59	23.99	33	PASS
7-7	15MHz-20MHz	64QAM-64QAM	21179-21350	75RB#0-100RB#0	21.5	23.9	33	PASS
7-7	15MHz-20MHz	256QAM-256QAM	20828-20999	1RB#0-0RB#0	18.98	21.38	33	PASS
7-7	15MHz-20MHz	256QAM-256QAM	20828-20999	75RB#0-100RB#0	19.71	22.11	33	PASS
7-7	15MHz-20MHz	256QAM-256QAM	21003-21174	1RB#0-0RB#0	18.84	21.24	33	PASS
7-7	15MHz-20MHz	256QAM-256QAM	21003-21174	75RB#0-100RB#0	19.26	21.66	33	PASS
7-7	15MHz-20MHz	256QAM-256QAM	21179-21350	1RB#0-0RB#0	18.7	21.1	33	PASS
7-7	15MHz-20MHz	256QAM-256QAM	21179-21350	75RB#0-100RB#0	18.98	21.38	33	PASS
7-7	20MHz-10MHz	QPSK-QPSK	20850-20994	100RB#0-50RB#0	22.35	24.75	33	PASS
7-7	20MHz-10MHz	QPSK-QPSK	20850-20994	1RB#0-0RB#0	23.56	25.96	33	PASS

7-7	20MHz-10MHz	QPSK-QPSK	21051-21195	100RB#0-50RB#0	22.46	24.86	33	PASS
7-7	20MHz-10MHz	QPSK-QPSK	21051-21195	1RB#0-0RB#0	23.37	25.77	33	PASS
7-7	20MHz-10MHz	QPSK-QPSK	21251-21395	100RB#0-50RB#0	22.51	24.91	33	PASS
7-7	20MHz-10MHz	QPSK-QPSK	21251-21395	1RB#0-0RB#0	23.48	25.88	33	PASS
7-7	20MHz-10MHz	16QAM-16QAM	20850-20994	100RB#0-50RB#0	21.42	23.82	33	PASS
7-7	20MHz-10MHz	16QAM-16QAM	20850-20994	1RB#0-0RB#0	22.83	25.23	33	PASS
7-7	20MHz-10MHz	16QAM-16QAM	21051-21195	100RB#0-50RB#0	21.21	23.61	33	PASS
7-7	20MHz-10MHz	16QAM-16QAM	21051-21195	1RB#0-0RB#0	22.56	24.96	33	PASS
7-7	20MHz-10MHz	16QAM-16QAM	21251-21395	100RB#0-50RB#0	21.1	23.5	33	PASS
7-7	20MHz-10MHz	16QAM-16QAM	21251-21395	1RB#0-0RB#0	22.43	24.83	33	PASS
7-7	20MHz-10MHz	64QAM-64QAM	20850-20994	100RB#0-50RB#0	21.25	23.65	33	PASS
7-7	20MHz-10MHz	64QAM-64QAM	20850-20994	1RB#0-0RB#0	21.42	23.82	33	PASS
7-7	20MHz-10MHz	64QAM-64QAM	21051-21195	100RB#0-50RB#0	21.57	23.97	33	PASS
7-7	20MHz-10MHz	64QAM-64QAM	21051-21195	1RB#0-0RB#0	22	24.4	33	PASS
7-7	20MHz-10MHz	64QAM-64QAM	21251-21395	100RB#0-50RB#0	21.66	24.06	33	PASS
7-7	20MHz-10MHz	64QAM-64QAM	21251-21395	1RB#0-0RB#0	21.56	23.96	33	PASS
7-7	20MHz-10MHz	256QAM-256QAM	20850-20994	100RB#0-50RB#0	19.17	21.57	33	PASS
7-7	20MHz-10MHz	256QAM-256QAM	20850-20994	1RB#0-0RB#0	18.4	20.8	33	PASS
7-7	20MHz-10MHz	256QAM-256QAM	21051-21195	100RB#0-50RB#0	19.29	21.69	33	PASS
7-7	20MHz-10MHz	256QAM-256QAM	21051-21195	1RB#0-0RB#0	18.28	20.68	33	PASS
7-7	20MHz-10MHz	256QAM-256QAM	21251-21395	100RB#0-50RB#0	19.19	21.59	33	PASS
7-7	20MHz-10MHz	256QAM-256QAM	21251-21395	1RB#0-0RB#0	18.58	20.98	33	PASS
7-7	20MHz-15MHz	QPSK-QPSK	20850-21021	100RB#0-75RB#0	21.95	24.35	33	PASS
7-7	20MHz-15MHz	QPSK-QPSK	20850-21021	1RB#0-0RB#0	23.41	25.81	33	PASS
7-7	20MHz-15MHz	QPSK-QPSK	21026-21197	100RB#0-75RB#0	22.41	24.81	33	PASS

7-7	20MHz-15MHz	QPSK-QPSK	21026-21197	1RB#0-0RB#0	23.58	25.98	33	PASS
7-7	20MHz-15MHz	QPSK-QPSK	21201-21372	100RB#0-75RB#0	22.03	24.43	33	PASS
7-7	20MHz-15MHz	QPSK-QPSK	21201-21372	1RB#0-0RB#0	23.15	25.55	33	PASS
7-7	20MHz-15MHz	16QAM-16QAM	20850-21021	100RB#0-75RB#0	20.95	23.35	33	PASS
7-7	20MHz-15MHz	16QAM-16QAM	20850-21021	1RB#0-0RB#0	22.28	24.68	33	PASS
7-7	20MHz-15MHz	16QAM-16QAM	21026-21197	100RB#0-75RB#0	21.38	23.78	33	PASS
7-7	20MHz-15MHz	16QAM-16QAM	21026-21197	1RB#0-0RB#0	22.79	25.19	33	PASS
7-7	20MHz-15MHz	16QAM-16QAM	21201-21372	100RB#0-75RB#0	21.05	23.45	33	PASS
7-7	20MHz-15MHz	16QAM-16QAM	21201-21372	1RB#0-0RB#0	22.44	24.84	33	PASS
7-7	20MHz-15MHz	64QAM-64QAM	20850-21021	100RB#0-75RB#0	21.06	23.46	33	PASS
7-7	20MHz-15MHz	64QAM-64QAM	20850-21021	1RB#0-0RB#0	22	24.4	33	PASS
7-7	20MHz-15MHz	64QAM-64QAM	21026-21197	100RB#0-75RB#0	21.42	23.82	33	PASS
7-7	20MHz-15MHz	64QAM-64QAM	21026-21197	1RB#0-0RB#0	21.6	24	33	PASS
7-7	20MHz-15MHz	64QAM-64QAM	21201-21372	100RB#0-75RB#0	21.13	23.53	33	PASS
7-7	20MHz-15MHz	64QAM-64QAM	21201-21372	1RB#0-0RB#0	21.81	24.21	33	PASS
7-7	20MHz-15MHz	256QAM-256QAM	20850-21021	100RB#0-75RB#0	19.42	21.82	33	PASS
7-7	20MHz-15MHz	256QAM-256QAM	20850-21021	1RB#0-0RB#0	18.43	20.83	33	PASS
7-7	20MHz-15MHz	256QAM-256QAM	21026-21197	100RB#0-75RB#0	19.41	21.81	33	PASS
7-7	20MHz-15MHz	256QAM-256QAM	21026-21197	1RB#0-0RB#0	19.01	21.41	33	PASS
7-7	20MHz-15MHz	256QAM-256QAM	21201-21372	100RB#0-75RB#0	19.26	21.66	33	PASS
7-7	20MHz-15MHz	256QAM-256QAM	21201-21372	1RB#0-0RB#0	18.28	20.68	33	PASS
7-7	20MHz-20MHz	QPSK-QPSK	20850-21048	100RB#0-100RB#0	22.59	24.99	33	PASS
7-7	20MHz-20MHz	QPSK-QPSK	20850-21048	1RB#0-0RB#0	23.16	25.56	33	PASS
7-7	20MHz-20MHz	QPSK-QPSK	21001-21199	100RB#0-100RB#0	22.41	24.81	33	PASS
7-7	20MHz-20MHz	QPSK-QPSK	21001-21199	1RB#0-0RB#0	23.08	25.48	33	PASS

7-7	20MHz-20MHz	QPSK-QPSK	21152-21350	100RB#0-100RB#0	22.05	24.45	33	PASS
7-7	20MHz-20MHz	QPSK-QPSK	21152-21350	1RB#0-0RB#0	23.29	25.69	33	PASS
7-7	20MHz-20MHz	16QAM-16QAM	20850-21048	100RB#0-100RB#0	21.54	23.94	33	PASS
7-7	20MHz-20MHz	16QAM-16QAM	20850-21048	1RB#0-0RB#0	22.53	24.93	33	PASS
7-7	20MHz-20MHz	16QAM-16QAM	21001-21199	100RB#0-100RB#0	21.22	23.62	33	PASS
7-7	20MHz-20MHz	16QAM-16QAM	21001-21199	1RB#0-0RB#0	22.4	24.8	33	PASS
7-7	20MHz-20MHz	16QAM-16QAM	21152-21350	100RB#0-100RB#0	21.07	23.47	33	PASS
7-7	20MHz-20MHz	16QAM-16QAM	21152-21350	1RB#0-0RB#0	22.39	24.79	33	PASS
7-7	20MHz-20MHz	64QAM-64QAM	20850-21048	100RB#0-100RB#0	21.29	23.69	33	PASS
7-7	20MHz-20MHz	64QAM-64QAM	20850-21048	1RB#0-0RB#0	21.91	24.31	33	PASS
7-7	20MHz-20MHz	64QAM-64QAM	21001-21199	100RB#0-100RB#0	21.47	23.87	33	PASS
7-7	20MHz-20MHz	64QAM-64QAM	21001-21199	1RB#0-0RB#0	21.66	24.06	33	PASS
7-7	20MHz-20MHz	64QAM-64QAM	21152-21350	100RB#0-100RB#0	21.28	23.68	33	PASS
7-7	20MHz-20MHz	64QAM-64QAM	21152-21350	1RB#0-0RB#0	21.37	23.77	33	PASS
7-7	20MHz-20MHz	256QAM-256QAM	20850-21048	100RB#0-100RB#0	19.26	21.66	33	PASS
7-7	20MHz-20MHz	256QAM-256QAM	20850-21048	1RB#0-0RB#0	19.18	21.58	33	PASS
7-7	20MHz-20MHz	256QAM-256QAM	21001-21199	100RB#0-100RB#0	19.13	21.53	33	PASS
7-7	20MHz-20MHz	256QAM-256QAM	21001-21199	1RB#0-0RB#0	18.91	21.31	33	PASS
7-7	20MHz-20MHz	256QAM-256QAM	21152-21350	100RB#0-100RB#0	19.3	21.7	33	PASS
7-7	20MHz-20MHz	256QAM-256QAM	21152-21350	1RB#0-0RB#0	18.2	20.6	33	PASS

LTE CA_38C:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
38-38	15MHz-15MHz	QPSK-QPSK	37825-37975	1RB#0-0RB#0	25.34	27.74	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	37825-37975	75RB#0-75RB#0	24.49	26.89	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	37925-38075	1RB#0-0RB#0	25.09	27.49	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	37925-38075	75RB#0-75RB#0	24.14	26.54	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	38025-38175	1RB#0-0RB#0	25.17	27.57	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	38025-38175	75RB#0-75RB#0	24.63	27.03	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	37825-37975	1RB#0-0RB#0	24.01	26.41	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	37825-37975	75RB#0-75RB#0	22.84	25.24	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	37925-38075	1RB#0-0RB#0	24.4	26.8	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	37925-38075	75RB#0-75RB#0	23.06	25.46	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	38025-38175	1RB#0-0RB#0	24.63	27.03	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	38025-38175	75RB#0-75RB#0	23.49	25.89	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	37825-37975	1RB#0-0RB#0	23.45	25.85	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	37825-37975	75RB#0-75RB#0	23.38	25.78	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	37925-38075	1RB#0-0RB#0	23.62	26.02	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	37925-38075	75RB#0-75RB#0	23.2	25.6	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	38025-38175	1RB#0-0RB#0	23.58	25.98	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	38025-38175	75RB#0-75RB#0	23.23	25.63	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	37825-37975	1RB#0-0RB#0	20.1	22.5	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	37825-37975	75RB#0-75RB#0	21.49	23.89	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	37925-38075	1RB#0-0RB#0	20.23	22.63	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	37925-38075	75RB#0-75RB#0	21.09	23.49	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	38025-38175	1RB#0-0RB#0	20.4	22.8	33	PASS

38-38	15MHz-15MHz	256QAM-256QAM	38025-38175	75RB#0-75RB#0	21.17	23.57	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37850-38048	100RB#0-100RB#0	23.82	26.22	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37850-38048	1RB#0-0RB#0	25.14	27.54	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37901-38099	100RB#0-100RB#0	24	26.4	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37901-38099	1RB#0-0RB#0	24.98	27.38	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37952-38150	100RB#0-100RB#0	24.54	26.94	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37952-38150	1RB#0-0RB#0	24.8	27.2	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37850-38048	100RB#0-100RB#0	23.02	25.42	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37850-38048	1RB#0-0RB#0	24.35	26.75	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37901-38099	100RB#0-100RB#0	23.42	25.82	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37901-38099	1RB#0-0RB#0	24.32	26.72	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37952-38150	100RB#0-100RB#0	22.93	25.33	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37952-38150	1RB#0-0RB#0	23.95	26.35	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37850-38048	100RB#0-100RB#0	23.63	26.03	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37850-38048	1RB#0-0RB#0	23.46	25.86	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37901-38099	100RB#0-100RB#0	23.51	25.91	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37901-38099	1RB#0-0RB#0	23.46	25.86	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37952-38150	100RB#0-100RB#0	23.28	25.68	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37952-38150	1RB#0-0RB#0	23.32	25.72	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37850-38048	100RB#0-100RB#0	21.48	23.88	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37850-38048	1RB#0-0RB#0	19.96	22.36	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37901-38099	100RB#0-100RB#0	21.33	23.73	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37901-38099	1RB#0-0RB#0	20.02	22.42	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37952-38150	100RB#0-100RB#0	21.03	23.43	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37952-38150	1RB#0-0RB#0	20.56	22.96	33	PASS

LTE CA_41C:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
41-41	10MHz-15MHz	QPSK-QPSK	39703-39823	12RB#0-0RB#0	25.27	27.67	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	39703-39823	1RB#0-0RB#0	25.5	27.9	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	39703-39823	1RB#0-1RB#74	17.78	20.18	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	39703-39823	1RB#49-0RB#0	25.45	27.85	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	39703-39823	50RB#0-75RB#0	24.18	26.58	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	40549-40669	12RB#0-0RB#0	24.95	27.35	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	40549-40669	1RB#0-0RB#0	25.13	27.53	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	40549-40669	1RB#0-1RB#74	18.03	20.43	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	40549-40669	1RB#49-0RB#0	24.95	27.35	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	40549-40669	50RB#0-75RB#0	24.51	26.91	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	41395-41515	12RB#0-0RB#0	25.28	27.68	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	41395-41515	1RB#0-0RB#0	25.47	27.87	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	41395-41515	1RB#0-1RB#74	17.44	19.84	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	41395-41515	1RB#49-0RB#0	25.23	27.63	33	PASS
41-41	10MHz-15MHz	QPSK-QPSK	41395-41515	50RB#0-75RB#0	24.29	26.69	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	39703-39823	12RB#0-0RB#0	24.17	26.57	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	39703-39823	1RB#0-0RB#0	24.28	26.68	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	39703-39823	1RB#0-1RB#74	18.08	20.48	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	39703-39823	1RB#49-0RB#0	24.5	26.9	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	39703-39823	50RB#0-75RB#0	23.2	25.6	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	40549-40669	12RB#0-0RB#0	23.87	26.27	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	40549-40669	1RB#0-0RB#0	24.36	26.76	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	40549-40669	1RB#0-1RB#74	17.9	20.3	33	PASS

41-41	10MHz-15MHz	16QAM-16QAM	40549-40669	1RB#49-0RB#0	24.27	26.67	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	40549-40669	50RB#0-75RB#0	22.87	25.27	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	41395-41515	12RB#0-0RB#0	24.33	26.73	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	41395-41515	1RB#0-0RB#0	24.25	26.65	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	41395-41515	1RB#0-1RB#74	17.93	20.33	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	41395-41515	1RB#49-0RB#0	24.13	26.53	33	PASS
41-41	10MHz-15MHz	16QAM-16QAM	41395-41515	50RB#0-75RB#0	23.29	25.69	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	39703-39823	12RB#0-0RB#0	23.46	25.86	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	39703-39823	1RB#0-0RB#0	23.58	25.98	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	39703-39823	1RB#0-1RB#74	18.14	20.54	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	39703-39823	1RB#49-0RB#0	23.22	25.62	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	39703-39823	50RB#0-75RB#0	23.18	25.58	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	40549-40669	12RB#0-0RB#0	23.49	25.89	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	40549-40669	1RB#0-0RB#0	23.51	25.91	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	40549-40669	1RB#0-1RB#74	18.05	20.45	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	40549-40669	1RB#49-0RB#0	22.97	25.37	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	40549-40669	50RB#0-75RB#0	23.15	25.55	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	41395-41515	12RB#0-0RB#0	23.67	26.07	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	41395-41515	1RB#0-0RB#0	23.4	25.8	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	41395-41515	1RB#0-1RB#74	17.79	20.19	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	41395-41515	1RB#49-0RB#0	23.07	25.47	33	PASS
41-41	10MHz-15MHz	64QAM-64QAM	41395-41515	50RB#0-75RB#0	23	25.4	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	39703-39823	12RB#0-0RB#0	20.54	22.94	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	39703-39823	1RB#0-0RB#0	20.59	22.99	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	39703-39823	1RB#0-1RB#74	17.85	20.25	33	PASS

41-41	10MHz-15MHz	256QAM-256QAM	39703-39823	1RB#49-0RB#0	20.84	23.24	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	39703-39823	50RB#0-75RB#0	21.4	23.8	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	40549-40669	12RB#0-0RB#0	20.69	23.09	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	40549-40669	1RB#0-0RB#0	19.86	22.26	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	40549-40669	1RB#0-1RB#74	17.37	19.77	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	40549-40669	1RB#49-0RB#0	20.47	22.87	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	40549-40669	50RB#0-75RB#0	20.86	23.26	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	41395-41515	12RB#0-0RB#0	20.14	22.54	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	41395-41515	1RB#0-0RB#0	20.62	23.02	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	41395-41515	1RB#0-1RB#74	17.42	19.82	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	41395-41515	1RB#49-0RB#0	20.38	22.78	33	PASS
41-41	10MHz-15MHz	256QAM-256QAM	41395-41515	50RB#0-75RB#0	21.41	23.81	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	39705-39849	12RB#0-0RB#0	25.68	28.08	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	39705-39849	1RB#0-0RB#0	25.82	28.22	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	39705-39849	1RB#0-1RB#99	17.61	20.01	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	39705-39849	1RB#49-0RB#0	25.71	28.11	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	39705-39849	50RB#0-100RB#0	23.87	26.27	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	40526-40670	12RB#0-0RB#0	25.59	27.99	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	40526-40670	1RB#0-0RB#0	24.9	27.3	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	40526-40670	1RB#0-1RB#99	17.38	19.78	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	40526-40670	1RB#49-0RB#0	25.41	27.81	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	40526-40670	50RB#0-100RB#0	24.09	26.49	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	41346-41490	12RB#0-0RB#0	25.69	28.09	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	41346-41490	1RB#0-0RB#0	25.27	27.67	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	41346-41490	1RB#0-1RB#99	17.35	19.75	33	PASS

41-41	10MHz-20MHz	QPSK-QPSK	41346-41490	1RB#49-0RB#0	25.24	27.64	33	PASS
41-41	10MHz-20MHz	QPSK-QPSK	41346-41490	50RB#0-100RB#0	24.06	26.46	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	39705-39849	12RB#0-0RB#0	24.47	26.87	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	39705-39849	1RB#0-0RB#0	24.58	26.98	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	39705-39849	1RB#0-1RB#99	18.22	20.62	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	39705-39849	1RB#49-0RB#0	24.5	26.9	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	39705-39849	50RB#0-100RB#0	23.1	25.5	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	40526-40670	12RB#0-0RB#0	24.13	26.53	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	40526-40670	1RB#0-0RB#0	24.32	26.72	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	40526-40670	1RB#0-1RB#99	17.35	19.75	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	40526-40670	1RB#49-0RB#0	24.53	26.93	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	40526-40670	50RB#0-100RB#0	22.88	25.28	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	41346-41490	12RB#0-0RB#0	24.31	26.71	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	41346-41490	1RB#0-0RB#0	24.71	27.11	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	41346-41490	1RB#0-1RB#99	17.65	20.05	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	41346-41490	1RB#49-0RB#0	24.61	27.01	33	PASS
41-41	10MHz-20MHz	16QAM-16QAM	41346-41490	50RB#0-100RB#0	23.2	25.6	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	39705-39849	12RB#0-0RB#0	23.55	25.95	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	39705-39849	1RB#0-0RB#0	24.1	26.5	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	39705-39849	1RB#0-1RB#99	17.75	20.15	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	39705-39849	1RB#49-0RB#0	23.18	25.58	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	39705-39849	50RB#0-100RB#0	23.64	26.04	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	40526-40670	12RB#0-0RB#0	23.21	25.61	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	40526-40670	1RB#0-0RB#0	23.67	26.07	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	40526-40670	1RB#0-1RB#99	17.97	20.37	33	PASS

41-41	10MHz-20MHz	64QAM-64QAM	40526-40670	1RB#49-0RB#0	23.43	25.83	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	40526-40670	50RB#0-100RB#0	22.72	25.12	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	41346-41490	12RB#0-0RB#0	23.61	26.01	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	41346-41490	1RB#0-0RB#0	23.52	25.92	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	41346-41490	1RB#0-1RB#99	17.45	19.85	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	41346-41490	1RB#49-0RB#0	23.29	25.69	33	PASS
41-41	10MHz-20MHz	64QAM-64QAM	41346-41490	50RB#0-100RB#0	23.34	25.74	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	39705-39849	12RB#0-0RB#0	20.61	23.01	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	39705-39849	1RB#0-0RB#0	20.44	22.84	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	39705-39849	1RB#0-1RB#99	17.94	20.34	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	39705-39849	1RB#49-0RB#0	20.61	23.01	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	39705-39849	50RB#0-100RB#0	21.27	23.67	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	40526-40670	12RB#0-0RB#0	20.68	23.08	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	40526-40670	1RB#0-0RB#0	20.15	22.55	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	40526-40670	1RB#0-1RB#99	17.41	19.81	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	40526-40670	1RB#49-0RB#0	20.15	22.55	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	40526-40670	50RB#0-100RB#0	20.71	23.11	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	41346-41490	12RB#0-0RB#0	20.59	22.99	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	41346-41490	1RB#0-0RB#0	20.86	23.26	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	41346-41490	1RB#0-1RB#99	17.83	20.23	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	41346-41490	1RB#49-0RB#0	20.6	23	33	PASS
41-41	10MHz-20MHz	256QAM-256QAM	41346-41490	50RB#0-100RB#0	21.33	23.73	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	39725-39845	16RB#0-0RB#0	24.43	26.83	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	39725-39845	1RB#0-0RB#0	22.76	25.16	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	39725-39845	1RB#0-1RB#49	17.8	20.2	33	PASS

41-41	15MHz-10MHz	QPSK-QPSK	39725-39845	1RB#74-0RB#0	25.32	27.72	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	39725-39845	75RB#0-50RB#0	24.54	26.94	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	40571-40691	16RB#0-0RB#0	24.16	26.56	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	40571-40691	1RB#0-0RB#0	25.16	27.56	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	40571-40691	1RB#0-1RB#49	17.32	19.72	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	40571-40691	1RB#74-0RB#0	25.09	27.49	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	40571-40691	75RB#0-50RB#0	24.17	26.57	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	41417-41537	16RB#0-0RB#0	24.42	26.82	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	41417-41537	1RB#0-0RB#0	25.58	27.98	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	41417-41537	1RB#0-1RB#49	17.89	20.29	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	41417-41537	1RB#74-0RB#0	25.29	27.69	33	PASS
41-41	15MHz-10MHz	QPSK-QPSK	41417-41537	75RB#0-50RB#0	24.6	27	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	39725-39845	16RB#0-0RB#0	23.25	25.65	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	39725-39845	1RB#0-0RB#0	24.41	26.81	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	39725-39845	1RB#0-1RB#49	17.69	20.09	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	39725-39845	1RB#74-0RB#0	24.32	26.72	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	39725-39845	75RB#0-50RB#0	23.39	25.79	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	40571-40691	16RB#0-0RB#0	23.28	25.68	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	40571-40691	1RB#0-0RB#0	24.11	26.51	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	40571-40691	1RB#0-1RB#49	17.8	20.2	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	40571-40691	1RB#74-0RB#0	24.16	26.56	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	40571-40691	75RB#0-50RB#0	23.07	25.47	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	41417-41537	16RB#0-0RB#0	23.2	25.6	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	41417-41537	1RB#0-0RB#0	24.31	26.71	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	41417-41537	1RB#0-1RB#49	17.98	20.38	33	PASS

41-41	15MHz-10MHz	16QAM-16QAM	41417-41537	1RB#74-0RB#0	23.9	26.3	33	PASS
41-41	15MHz-10MHz	16QAM-16QAM	41417-41537	75RB#0-50RB#0	22.9	25.3	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	39725-39845	16RB#0-0RB#0	22.78	25.18	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	39725-39845	1RB#0-0RB#0	23.89	26.29	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	39725-39845	1RB#0-1RB#49	17.73	20.13	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	39725-39845	1RB#74-0RB#0	23.89	26.29	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	39725-39845	75RB#0-50RB#0	23.62	26.02	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	40571-40691	16RB#0-0RB#0	22.07	24.47	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	40571-40691	1RB#0-0RB#0	23.04	25.44	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	40571-40691	1RB#0-1RB#49	17.41	19.81	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	40571-40691	1RB#74-0RB#0	23.62	26.02	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	40571-40691	75RB#0-50RB#0	23	25.4	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	41417-41537	16RB#0-0RB#0	22.4	24.8	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	41417-41537	1RB#0-0RB#0	23.23	25.63	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	41417-41537	1RB#0-1RB#49	17.56	19.96	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	41417-41537	1RB#74-0RB#0	23.21	25.61	33	PASS
41-41	15MHz-10MHz	64QAM-64QAM	41417-41537	75RB#0-50RB#0	23.28	25.68	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	39725-39845	16RB#0-0RB#0	20.47	22.87	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	39725-39845	1RB#0-0RB#0	20.61	23.01	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	39725-39845	1RB#0-1RB#49	17.72	20.12	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	39725-39845	1RB#74-0RB#0	20.37	22.77	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	39725-39845	75RB#0-50RB#0	21.15	23.55	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	40571-40691	16RB#0-0RB#0	19.98	22.38	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	40571-40691	1RB#0-0RB#0	20.41	22.81	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	40571-40691	1RB#0-1RB#49	17.94	20.34	33	PASS

41-41	15MHz-10MHz	256QAM-256QAM	40571-40691	1RB#74-0RB#0	20.1	22.5	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	40571-40691	75RB#0-50RB#0	21.13	23.53	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	41417-41537	16RB#0-0RB#0	20.44	22.84	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	41417-41537	1RB#0-0RB#0	20.82	23.22	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	41417-41537	1RB#0-1RB#49	17.51	19.91	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	41417-41537	1RB#74-0RB#0	20.74	23.14	33	PASS
41-41	15MHz-10MHz	256QAM-256QAM	41417-41537	75RB#0-50RB#0	21.03	23.43	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	39725-39875	16RB#0-0RB#0	25.11	27.51	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	39725-39875	1RB#0-0RB#0	25.38	27.78	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	39725-39875	1RB#0-1RB#74	17.4	19.8	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	39725-39875	1RB#74-0RB#0	25.02	27.42	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	39725-39875	75RB#0-75RB#0	24.6	27	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	40545-40695	16RB#0-0RB#0	25.42	27.82	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	40545-40695	1RB#0-0RB#0	24.86	27.26	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	40545-40695	1RB#0-1RB#74	17.85	20.25	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	40545-40695	1RB#74-0RB#0	25.33	27.73	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	40545-40695	75RB#0-75RB#0	23.91	26.31	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	41365-41515	16RB#0-0RB#0	25.31	27.71	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	41365-41515	1RB#0-0RB#0	24.92	27.32	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	41365-41515	1RB#0-1RB#74	17.83	20.23	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	41365-41515	1RB#74-0RB#0	24.91	27.31	33	PASS
41-41	15MHz-15MHz	QPSK-QPSK	41365-41515	75RB#0-75RB#0	24.11	26.51	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	39725-39875	16RB#0-0RB#0	24.21	26.61	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	39725-39875	1RB#0-0RB#0	24.24	26.64	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	39725-39875	1RB#0-1RB#74	17.65	20.05	33	PASS

41-41	15MHz-15MHz	16QAM-16QAM	39725-39875	1RB#74-0RB#0	24.61	27.01	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	39725-39875	75RB#0-75RB#0	23.18	25.58	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	40545-40695	16RB#0-0RB#0	24.02	26.42	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	40545-40695	1RB#0-0RB#0	24.31	26.71	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	40545-40695	1RB#0-1RB#74	17.44	19.84	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	40545-40695	1RB#74-0RB#0	24.29	26.69	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	40545-40695	75RB#0-75RB#0	23.51	25.91	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	41365-41515	16RB#0-0RB#0	24.26	26.66	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	41365-41515	1RB#0-0RB#0	24.16	26.56	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	41365-41515	1RB#0-1RB#74	17.41	19.81	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	41365-41515	1RB#74-0RB#0	24.63	27.03	33	PASS
41-41	15MHz-15MHz	16QAM-16QAM	41365-41515	75RB#0-75RB#0	23.01	25.41	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	39725-39875	16RB#0-0RB#0	25.26	27.66	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	39725-39875	1RB#0-0RB#0	23.4	25.8	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	39725-39875	1RB#0-1RB#74	17.48	19.88	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	39725-39875	1RB#74-0RB#0	23.18	25.58	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	39725-39875	75RB#0-75RB#0	23.06	25.46	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	40545-40695	16RB#0-0RB#0	25.17	27.57	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	40545-40695	1RB#0-0RB#0	23.51	25.91	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	40545-40695	1RB#0-1RB#74	18.13	20.53	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	40545-40695	1RB#74-0RB#0	23.29	25.69	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	40545-40695	75RB#0-75RB#0	23.35	25.75	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	41365-41515	16RB#0-0RB#0	25.23	27.63	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	41365-41515	1RB#0-0RB#0	23.2	25.6	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	41365-41515	1RB#0-1RB#74	17.78	20.18	33	PASS

41-41	15MHz-15MHz	64QAM-64QAM	41365-41515	1RB#74-0RB#0	23.36	25.76	33	PASS
41-41	15MHz-15MHz	64QAM-64QAM	41365-41515	75RB#0-75RB#0	23.12	25.52	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	39725-39875	16RB#0-0RB#0	20.56	22.96	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	39725-39875	1RB#0-0RB#0	20.84	23.24	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	39725-39875	1RB#0-1RB#74	18	20.4	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	39725-39875	1RB#74-0RB#0	20.54	22.94	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	39725-39875	75RB#0-75RB#0	21.08	23.48	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	40545-40695	16RB#0-0RB#0	20.3	22.7	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	40545-40695	1RB#0-0RB#0	20.52	22.92	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	40545-40695	1RB#0-1RB#74	18.09	20.49	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	40545-40695	1RB#74-0RB#0	20.57	22.97	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	40545-40695	75RB#0-75RB#0	21.27	23.67	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	41365-41515	16RB#0-0RB#0	20.53	22.93	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	41365-41515	1RB#0-0RB#0	20.56	22.96	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	41365-41515	1RB#0-1RB#74	17.59	19.99	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	41365-41515	1RB#74-0RB#0	20.2	22.6	33	PASS
41-41	15MHz-15MHz	256QAM-256QAM	41365-41515	75RB#0-75RB#0	21.38	23.78	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	39728-39899	16RB#0-0RB#0	25.43	27.83	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	39728-39899	1RB#0-0RB#0	25.67	28.07	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	39728-39899	1RB#0-1RB#99	18.05	20.45	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	39728-39899	1RB#74-0RB#0	25.04	27.44	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	39728-39899	75RB#0-100RB#0	24.54	26.94	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	40523-40694	16RB#0-0RB#0	25.44	27.84	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	40523-40694	1RB#0-0RB#0	25.53	27.93	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	40523-40694	1RB#0-1RB#99	17.59	19.99	33	PASS

41-41	15MHz-20MHz	QPSK-QPSK	40523-40694	1RB#74-0RB#0	25.09	27.49	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	40523-40694	75RB#0-100RB#0	23.72	26.12	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	41319-41490	16RB#0-0RB#0	25.7	28.1	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	41319-41490	1RB#0-0RB#0	25.03	27.43	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	41319-41490	1RB#0-1RB#99	17.75	20.15	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	41319-41490	1RB#74-0RB#0	25.34	27.74	33	PASS
41-41	15MHz-20MHz	QPSK-QPSK	41319-41490	75RB#0-100RB#0	23.81	26.21	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	39728-39899	16RB#0-0RB#0	24.4	26.8	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	39728-39899	1RB#0-0RB#0	24.7	27.1	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	39728-39899	1RB#0-1RB#99	17.48	19.88	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	39728-39899	1RB#74-0RB#0	24.47	26.87	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	39728-39899	75RB#0-100RB#0	23.31	25.71	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	40523-40694	16RB#0-0RB#0	23.87	26.27	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	40523-40694	1RB#0-0RB#0	24.27	26.67	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	40523-40694	1RB#0-1RB#99	17.76	20.16	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	40523-40694	1RB#74-0RB#0	24.17	26.57	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	40523-40694	75RB#0-100RB#0	23.01	25.41	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	41319-41490	16RB#0-0RB#0	24.32	26.72	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	41319-41490	1RB#0-0RB#0	24.2	26.6	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	41319-41490	1RB#0-1RB#99	17.86	20.26	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	41319-41490	1RB#74-0RB#0	23.94	26.34	33	PASS
41-41	15MHz-20MHz	16QAM-16QAM	41319-41490	75RB#0-100RB#0	23.22	25.62	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	39728-39899	16RB#0-0RB#0	23.24	25.64	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	39728-39899	1RB#0-0RB#0	23.25	25.65	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	39728-39899	1RB#0-1RB#99	17.58	19.98	33	PASS

41-41	15MHz-20MHz	64QAM-64QAM	39728-39899	1RB#74-0RB#0	23.59	25.99	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	39728-39899	75RB#0-100RB#0	22.88	25.28	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	40523-40694	16RB#0-0RB#0	23.17	25.57	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	40523-40694	1RB#0-0RB#0	23.01	25.41	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	40523-40694	1RB#0-1RB#99	18.03	20.43	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	40523-40694	1RB#74-0RB#0	23.29	25.69	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	40523-40694	75RB#0-100RB#0	23.49	25.89	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	41319-41490	16RB#0-0RB#0	23.75	26.15	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	41319-41490	1RB#0-0RB#0	23.8	26.2	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	41319-41490	1RB#0-1RB#99	17.87	20.27	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	41319-41490	1RB#74-0RB#0	23.57	25.97	33	PASS
41-41	15MHz-20MHz	64QAM-64QAM	41319-41490	75RB#0-100RB#0	23.13	25.53	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	39728-39899	16RB#0-0RB#0	20.52	22.92	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	39728-39899	1RB#0-0RB#0	20.61	23.01	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	39728-39899	1RB#0-1RB#99	17.62	20.02	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	39728-39899	1RB#74-0RB#0	20.24	22.64	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	39728-39899	75RB#0-100RB#0	21.53	23.93	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	40523-40694	16RB#0-0RB#0	20.11	22.51	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	40523-40694	1RB#0-0RB#0	20.25	22.65	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	40523-40694	1RB#0-1RB#99	17.37	19.77	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	40523-40694	1RB#74-0RB#0	19.88	22.28	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	40523-40694	75RB#0-100RB#0	20.91	23.31	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	41319-41490	16RB#0-0RB#0	20.71	23.11	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	41319-41490	1RB#0-0RB#0	20.59	22.99	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	41319-41490	1RB#0-1RB#99	17.83	20.23	33	PASS

41-41	15MHz-20MHz	256QAM-256QAM	41319-41490	1RB#74-0RB#0	20.42	22.82	33	PASS
41-41	15MHz-20MHz	256QAM-256QAM	41319-41490	75RB#0-100RB#0	21.42	23.82	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	39750-39921	100RB#0-75RB#0	24.36	26.76	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	39750-39921	18RB#0-0RB#0	24.48	26.88	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	39750-39921	1RB#0-0RB#0	25.51	27.91	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	39750-39921	1RB#0-1RB#74	17.9	20.3	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	39750-39921	1RB#99-0RB#0	25.27	27.67	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	40546-40717	100RB#0-75RB#0	24.46	26.86	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	40546-40717	18RB#0-0RB#0	24.36	26.76	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	40546-40717	1RB#0-0RB#0	24.89	27.29	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	40546-40717	1RB#0-1RB#74	17.95	20.35	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	40546-40717	1RB#99-0RB#0	25.13	27.53	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	41341-41512	100RB#0-75RB#0	23.76	26.16	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	41341-41512	18RB#0-0RB#0	24.28	26.68	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	41341-41512	1RB#0-0RB#0	25.24	27.64	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	41341-41512	1RB#0-1RB#74	17.74	20.14	33	PASS
41-41	20MHz-15MHz	QPSK-QPSK	41341-41512	1RB#99-0RB#0	25.52	27.92	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	39750-39921	100RB#0-75RB#0	23.57	25.97	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	39750-39921	18RB#0-0RB#0	23.7	26.1	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	39750-39921	1RB#0-0RB#0	24.76	27.16	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	39750-39921	1RB#0-1RB#74	17.96	20.36	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	39750-39921	1RB#99-0RB#0	24.26	26.66	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	40546-40717	100RB#0-75RB#0	23.25	25.65	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	40546-40717	18RB#0-0RB#0	23.18	25.58	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	40546-40717	1RB#0-0RB#0	24.41	26.81	33	PASS

41-41	20MHz-15MHz	16QAM-16QAM	40546-40717	1RB#0-1RB#74	17.56	19.96	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	40546-40717	1RB#99-0RB#0	24.02	26.42	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	41341-41512	100RB#0-75RB#0	23.04	25.44	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	41341-41512	18RB#0-0RB#0	23.35	25.75	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	41341-41512	1RB#0-0RB#0	24.03	26.43	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	41341-41512	1RB#0-1RB#74	17.58	19.98	33	PASS
41-41	20MHz-15MHz	16QAM-16QAM	41341-41512	1RB#99-0RB#0	24.53	26.93	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	39750-39921	100RB#0-75RB#0	23.57	25.97	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	39750-39921	18RB#0-0RB#0	22.44	24.84	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	39750-39921	1RB#0-0RB#0	23.64	26.04	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	39750-39921	1RB#0-1RB#74	17.64	20.04	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	39750-39921	1RB#99-0RB#0	23.68	26.08	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	40546-40717	100RB#0-75RB#0	23.23	25.63	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	40546-40717	18RB#0-0RB#0	22.27	24.67	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	40546-40717	1RB#0-0RB#0	23.47	25.87	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	40546-40717	1RB#0-1RB#74	17.9	20.3	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	40546-40717	1RB#99-0RB#0	23.59	25.99	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	41341-41512	100RB#0-75RB#0	23.13	25.53	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	41341-41512	18RB#0-0RB#0	22.37	24.77	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	41341-41512	1RB#0-0RB#0	23.44	25.84	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	41341-41512	1RB#0-1RB#74	18.02	20.42	33	PASS
41-41	20MHz-15MHz	64QAM-64QAM	41341-41512	1RB#99-0RB#0	23.11	25.51	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	39750-39921	100RB#0-75RB#0	21.3	23.7	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	39750-39921	18RB#0-0RB#0	20.61	23.01	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	39750-39921	1RB#0-0RB#0	20.71	23.11	33	PASS

41-41	20MHz-15MHz	256QAM-256QAM	39750-39921	1RB#0-1RB#74	17.82	20.22	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	39750-39921	1RB#99-0RB#0	20.45	22.85	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	40546-40717	100RB#0-75RB#0	21.23	23.63	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	40546-40717	18RB#0-0RB#0	20.03	22.43	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	40546-40717	1RB#0-0RB#0	20.35	22.75	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	40546-40717	1RB#0-1RB#74	18	20.4	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	40546-40717	1RB#99-0RB#0	20.28	22.68	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	41341-41512	100RB#0-75RB#0	21.58	23.98	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	41341-41512	18RB#0-0RB#0	20.07	22.47	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	41341-41512	1RB#0-0RB#0	20.42	22.82	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	41341-41512	1RB#0-1RB#74	17.45	19.85	33	PASS
41-41	20MHz-15MHz	256QAM-256QAM	41341-41512	1RB#99-0RB#0	19.85	22.25	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	39750-39948	100RB#0-100RB#0	23.85	26.25	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	39750-39948	18RB#0-0RB#0	25.74	28.14	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	39750-39948	1RB#0-0RB#0	25.84	28.24	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	39750-39948	1RB#0-1RB#99	17.46	19.86	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	39750-39948	1RB#99-0RB#0	25.63	28.03	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	40521-40719	100RB#0-100RB#0	24.01	26.41	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	40521-40719	18RB#0-0RB#0	25.38	27.78	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	40521-40719	1RB#0-0RB#0	24.8	27.2	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	40521-40719	1RB#0-1RB#99	17.54	19.94	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	40521-40719	1RB#99-0RB#0	25.43	27.83	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	41292-41490	100RB#0-100RB#0	23.95	26.35	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	41292-41490	18RB#0-0RB#0	25.38	27.78	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	41292-41490	1RB#0-0RB#0	25.57	27.97	33	PASS

41-41	20MHz-20MHz	QPSK-QPSK	41292-41490	1RB#0-1RB#99	17.75	20.15	33	PASS
41-41	20MHz-20MHz	QPSK-QPSK	41292-41490	1RB#99-0RB#0	25.53	27.93	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	39750-39948	100RB#0-100RB#0	23.25	25.65	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	39750-39948	18RB#0-0RB#0	24.1	26.5	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	39750-39948	1RB#0-0RB#0	24.65	27.05	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	39750-39948	1RB#0-1RB#99	17.42	19.82	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	39750-39948	1RB#99-0RB#0	24.37	26.77	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	40521-40719	100RB#0-100RB#0	22.88	25.28	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	40521-40719	18RB#0-0RB#0	24.08	26.48	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	40521-40719	1RB#0-0RB#0	24.41	26.81	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	40521-40719	1RB#0-1RB#99	17.87	20.27	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	40521-40719	1RB#99-0RB#0	23.96	26.36	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	41292-41490	100RB#0-100RB#0	22.9	25.3	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	41292-41490	18RB#0-0RB#0	24.19	26.59	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	41292-41490	1RB#0-0RB#0	24.24	26.64	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	41292-41490	1RB#0-1RB#99	17.35	19.75	33	PASS
41-41	20MHz-20MHz	16QAM-16QAM	41292-41490	1RB#99-0RB#0	24.5	26.9	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	39750-39948	100RB#0-100RB#0	23.07	25.47	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	39750-39948	18RB#0-0RB#0	23.65	26.05	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	39750-39948	1RB#0-0RB#0	23.81	26.21	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	39750-39948	1RB#0-1RB#99	17.77	20.17	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	39750-39948	1RB#99-0RB#0	23.63	26.03	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	40521-40719	100RB#0-100RB#0	23.12	25.52	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	40521-40719	18RB#0-0RB#0	23.13	25.53	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	40521-40719	1RB#0-0RB#0	23.07	25.47	33	PASS

41-41	20MHz-20MHz	64QAM-64QAM	40521-40719	1RB#0-1RB#99	17.5	19.9	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	40521-40719	1RB#99-0RB#0	23.26	25.66	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	41292-41490	100RB#0-100RB#0	23.1	25.5	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	41292-41490	18RB#0-0RB#0	22.94	25.34	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	41292-41490	1RB#0-0RB#0	23.64	26.04	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	41292-41490	1RB#0-1RB#99	17.98	20.38	33	PASS
41-41	20MHz-20MHz	64QAM-64QAM	41292-41490	1RB#99-0RB#0	23.58	25.98	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	39750-39948	100RB#0-100RB#0	21.67	24.07	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	39750-39948	18RB#0-0RB#0	20.39	22.79	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	39750-39948	1RB#0-0RB#0	20.49	22.89	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	39750-39948	1RB#0-1RB#99	17.92	20.32	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	39750-39948	1RB#99-0RB#0	20.24	22.64	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	40521-40719	100RB#0-100RB#0	21.03	23.43	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	40521-40719	18RB#0-0RB#0	20	22.4	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	40521-40719	1RB#0-0RB#0	19.98	22.38	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	40521-40719	1RB#0-1RB#99	17.18	19.58	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	40521-40719	1RB#99-0RB#0	19.98	22.38	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	41292-41490	100RB#0-100RB#0	21.46	23.86	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	41292-41490	18RB#0-0RB#0	20.05	22.45	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	41292-41490	1RB#0-0RB#0	20.26	22.66	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	41292-41490	1RB#0-1RB#99	17.96	20.36	33	PASS
41-41	20MHz-20MHz	256QAM-256QAM	41292-41490	1RB#99-0RB#0	20.33	22.73	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	39750-39867	100RB#0-25RB#0	24.03	26.43	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	39750-39867	18RB#0-0RB#0	24.65	27.05	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	39750-39867	1RB#0-0RB#0	25.4	27.8	33	PASS

41-41	20MHz-5MHz	QPSK-QPSK	39750-39867	1RB#0-1RB#24	17.95	20.35	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	39750-39867	1RB#99-0RB#0	25.37	27.77	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	40595-40712	100RB#0-25RB#0	24.3	26.7	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	40595-40712	18RB#0-0RB#0	23.88	26.28	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	40595-40712	1RB#0-0RB#0	25.33	27.73	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	40595-40712	1RB#0-1RB#24	17.88	20.28	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	40595-40712	1RB#99-0RB#0	25.78	28.18	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	41440-41557	100RB#0-25RB#0	24.06	26.46	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	41440-41557	18RB#0-0RB#0	24.54	26.94	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	41440-41557	1RB#0-0RB#0	25.7	28.1	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	41440-41557	1RB#0-1RB#24	17.54	19.94	33	PASS
41-41	20MHz-5MHz	QPSK-QPSK	41440-41557	1RB#99-0RB#0	25.32	27.72	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	39750-39867	100RB#0-25RB#0	23.35	25.75	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	39750-39867	18RB#0-0RB#0	23.81	26.21	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	39750-39867	1RB#0-0RB#0	24.27	26.67	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	39750-39867	1RB#0-1RB#24	17.75	20.15	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	39750-39867	1RB#99-0RB#0	24.37	26.77	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	40595-40712	100RB#0-25RB#0	23.01	25.41	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	40595-40712	18RB#0-0RB#0	23.56	25.96	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	40595-40712	1RB#0-0RB#0	24.11	26.51	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	40595-40712	1RB#0-1RB#24	17.44	19.84	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	40595-40712	1RB#99-0RB#0	24.46	26.86	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	41440-41557	100RB#0-25RB#0	23.45	25.85	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	41440-41557	18RB#0-0RB#0	23.11	25.51	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	41440-41557	1RB#0-0RB#0	24.31	26.71	33	PASS

41-41	20MHz-5MHz	16QAM-16QAM	41440-41557	1RB#0-1RB#24	17.25	19.65	33	PASS
41-41	20MHz-5MHz	16QAM-16QAM	41440-41557	1RB#99-0RB#0	24.19	26.59	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	39750-39867	100RB#0-25RB#0	23.42	25.82	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	39750-39867	18RB#0-0RB#0	22.37	24.77	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	39750-39867	1RB#0-0RB#0	23.36	25.76	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	39750-39867	1RB#0-1RB#24	18.25	20.65	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	39750-39867	1RB#99-0RB#0	23.88	26.28	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	40595-40712	100RB#0-25RB#0	23.04	25.44	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	40595-40712	18RB#0-0RB#0	21.95	24.35	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	40595-40712	1RB#0-0RB#0	23.7	26.1	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	40595-40712	1RB#0-1RB#24	17.92	20.32	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	40595-40712	1RB#99-0RB#0	23.28	25.68	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	41440-41557	100RB#0-25RB#0	22.97	25.37	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	41440-41557	18RB#0-0RB#0	22.69	25.09	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	41440-41557	1RB#0-0RB#0	23.6	26	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	41440-41557	1RB#0-1RB#24	17.73	20.13	33	PASS
41-41	20MHz-5MHz	64QAM-64QAM	41440-41557	1RB#99-0RB#0	23.3	25.7	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	39750-39867	100RB#0-25RB#0	21.21	23.61	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	39750-39867	18RB#0-0RB#0	20.52	22.92	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	39750-39867	1RB#0-0RB#0	20.74	23.14	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	39750-39867	1RB#0-1RB#24	18.1	20.5	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	39750-39867	1RB#99-0RB#0	20.05	22.45	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	40595-40712	100RB#0-25RB#0	21.02	23.42	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	40595-40712	18RB#0-0RB#0	20.31	22.71	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	40595-40712	1RB#0-0RB#0	20.51	22.91	33	PASS

41-41	20MHz-5MHz	256QAM-256QAM	40595-40712	1RB#0-1RB#24	17.6	20	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	40595-40712	1RB#99-0RB#0	20.25	22.65	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	41440-41557	100RB#0-25RB#0	21.39	23.79	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	41440-41557	18RB#0-0RB#0	20.31	22.71	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	41440-41557	1RB#0-0RB#0	20.37	22.77	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	41440-41557	1RB#0-1RB#24	17.48	19.88	33	PASS
41-41	20MHz-5MHz	256QAM-256QAM	41440-41557	1RB#99-0RB#0	20.27	22.67	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	39683-39800	1RB#0-0RB#0	25.72	28.12	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	39683-39800	1RB#0-1RB#99	17.54	19.94	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	39683-39800	1RB#24-0RB#0	25.36	27.76	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	39683-39800	25RB#0-100RB#0	24.32	26.72	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	39683-39800	8RB#0-0RB#0	25.12	27.52	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	40528-40645	1RB#0-0RB#0	24.94	27.34	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	40528-40645	1RB#0-1RB#99	18.03	20.43	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	40528-40645	1RB#24-0RB#0	25.52	27.92	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	40528-40645	25RB#0-100RB#0	24.03	26.43	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	40528-40645	8RB#0-0RB#0	25.23	27.63	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	41373-41490	1RB#0-0RB#0	25.15	27.55	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	41373-41490	1RB#0-1RB#99	17.43	19.83	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	41373-41490	1RB#24-0RB#0	25	27.4	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	41373-41490	25RB#0-100RB#0	24.14	26.54	33	PASS
41-41	5MHz-20MHz	QPSK-QPSK	41373-41490	8RB#0-0RB#0	25.4	27.8	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	39683-39800	1RB#0-0RB#0	24.76	27.16	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	39683-39800	1RB#0-1RB#99	17.64	20.04	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	39683-39800	1RB#24-0RB#0	24.42	26.82	33	PASS

41-41	5MHz-20MHz	16QAM-16QAM	39683-39800	25RB#0-100RB#0	23.02	25.42	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	39683-39800	8RB#0-0RB#0	24.32	26.72	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	40528-40645	1RB#0-0RB#0	24.45	26.85	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	40528-40645	1RB#0-1RB#99	17.46	19.86	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	40528-40645	1RB#24-0RB#0	23.89	26.29	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	40528-40645	25RB#0-100RB#0	23.11	25.51	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	40528-40645	8RB#0-0RB#0	24.03	26.43	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	41373-41490	1RB#0-0RB#0	24.35	26.75	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	41373-41490	1RB#0-1RB#99	17.96	20.36	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	41373-41490	1RB#24-0RB#0	24.17	26.57	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	41373-41490	25RB#0-100RB#0	23.46	25.86	33	PASS
41-41	5MHz-20MHz	16QAM-16QAM	41373-41490	8RB#0-0RB#0	24.11	26.51	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	39683-39800	1RB#0-0RB#0	23.33	25.73	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	39683-39800	1RB#0-1RB#99	18.3	20.7	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	39683-39800	1RB#24-0RB#0	23.14	25.54	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	39683-39800	25RB#0-100RB#0	23.1	25.5	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	39683-39800	8RB#0-0RB#0	23.19	25.59	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	40528-40645	1RB#0-0RB#0	23.47	25.87	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	40528-40645	1RB#0-1RB#99	18.24	20.64	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	40528-40645	1RB#24-0RB#0	23.23	25.63	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	40528-40645	25RB#0-100RB#0	23.14	25.54	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	40528-40645	8RB#0-0RB#0	23.25	25.65	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	41373-41490	1RB#0-0RB#0	23.41	25.81	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	41373-41490	1RB#0-1RB#99	17.49	19.89	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	41373-41490	1RB#24-0RB#0	22.93	25.33	33	PASS

41-41	5MHz-20MHz	64QAM-64QAM	41373-41490	25RB#0-100RB#0	23.18	25.58	33	PASS
41-41	5MHz-20MHz	64QAM-64QAM	41373-41490	8RB#0-0RB#0	23.5	25.9	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	39683-39800	1RB#0-0RB#0	20.24	22.64	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	39683-39800	1RB#0-1RB#99	17.81	20.21	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	39683-39800	1RB#24-0RB#0	20.53	22.93	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	39683-39800	25RB#0-100RB#0	21.03	23.43	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	39683-39800	8RB#0-0RB#0	20.3	22.7	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	40528-40645	1RB#0-0RB#0	20.16	22.56	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	40528-40645	1RB#0-1RB#99	17.6	20	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	40528-40645	1RB#24-0RB#0	20.46	22.86	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	40528-40645	25RB#0-100RB#0	21.11	23.51	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	40528-40645	8RB#0-0RB#0	20.36	22.76	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	41373-41490	1RB#0-0RB#0	20.23	22.63	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	41373-41490	1RB#0-1RB#99	17.33	19.73	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	41373-41490	1RB#24-0RB#0	20.39	22.79	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	41373-41490	25RB#0-100RB#0	20.88	23.28	33	PASS
41-41	5MHz-20MHz	256QAM-256QAM	41373-41490	8RB#0-0RB#0	20.2	22.6	33	PASS

LTE CA_42C:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
42-42	10MHz-20MHz	QPSK-QPSK	42145-42289	1RB#0-0RB#0	25.56	24.95	30	PASS
42-42	10MHz-20MHz	QPSK-QPSK	42145-42289	50RB#0-100RB#0	24.57	23.96	30	PASS
42-42	10MHz-20MHz	QPSK-QPSK	42496-42640	1RB#0-0RB#0	25.47	24.86	30	PASS
42-42	10MHz-20MHz	QPSK-QPSK	42496-42640	50RB#0-100RB#0	24.2	23.59	30	PASS
42-42	10MHz-20MHz	QPSK-QPSK	42846-42990	1RB#0-0RB#0	25.67	25.06	30	PASS
42-42	10MHz-20MHz	QPSK-QPSK	42846-42990	50RB#0-100RB#0	24.55	23.94	30	PASS
42-42	10MHz-20MHz	16QAM-16QAM	42145-42289	1RB#0-0RB#0	24.63	24.02	30	PASS
42-42	10MHz-20MHz	16QAM-16QAM	42145-42289	50RB#0-100RB#0	23.79	23.18	30	PASS
42-42	10MHz-20MHz	16QAM-16QAM	42496-42640	1RB#0-0RB#0	24.02	23.41	30	PASS
42-42	10MHz-20MHz	16QAM-16QAM	42496-42640	50RB#0-100RB#0	23.25	22.64	30	PASS
42-42	10MHz-20MHz	16QAM-16QAM	42846-42990	1RB#0-0RB#0	24.42	23.81	30	PASS
42-42	10MHz-20MHz	16QAM-16QAM	42846-42990	50RB#0-100RB#0	23.58	22.97	30	PASS
42-42	10MHz-20MHz	64QAM-64QAM	42145-42289	1RB#0-0RB#0	23.27	22.66	30	PASS
42-42	10MHz-20MHz	64QAM-64QAM	42145-42289	50RB#0-100RB#0	23.34	22.73	30	PASS
42-42	10MHz-20MHz	64QAM-64QAM	42496-42640	1RB#0-0RB#0	23.35	22.74	30	PASS
42-42	10MHz-20MHz	64QAM-64QAM	42496-42640	50RB#0-100RB#0	22.97	22.36	30	PASS
42-42	10MHz-20MHz	64QAM-64QAM	42846-42990	1RB#0-0RB#0	23.52	22.91	30	PASS
42-42	10MHz-20MHz	64QAM-64QAM	42846-42990	50RB#0-100RB#0	23.15	22.54	30	PASS
42-42	10MHz-20MHz	256QAM-256QAM	42145-42289	1RB#0-0RB#0	20.3	19.69	30	PASS
42-42	10MHz-20MHz	256QAM-256QAM	42145-42289	50RB#0-100RB#0	21.54	20.93	30	PASS
42-42	10MHz-20MHz	256QAM-256QAM	42496-42640	1RB#0-0RB#0	20.37	19.76	30	PASS
42-42	10MHz-20MHz	256QAM-256QAM	42496-42640	50RB#0-100RB#0	20.89	20.28	30	PASS
42-42	10MHz-20MHz	256QAM-256QAM	42846-42990	1RB#0-0RB#0	20.25	19.64	30	PASS

42-42	10MHz-20MHz	256QAM-256QAM	42846-42990	50RB#0-100RB#0	21.28	20.67	30	PASS
42-42	15MHz-20MHz	QPSK-QPSK	42168-42339	1RB#0-0RB#0	25.61	25	30	PASS
42-42	15MHz-20MHz	QPSK-QPSK	42168-42339	75RB#0-100RB#0	24.42	23.81	30	PASS
42-42	15MHz-20MHz	QPSK-QPSK	42493-42664	1RB#0-0RB#0	25.16	24.55	30	PASS
42-42	15MHz-20MHz	QPSK-QPSK	42493-42664	75RB#0-100RB#0	24.45	23.84	30	PASS
42-42	15MHz-20MHz	QPSK-QPSK	42819-42990	1RB#0-0RB#0	25.36	24.75	30	PASS
42-42	15MHz-20MHz	QPSK-QPSK	42819-42990	75RB#0-100RB#0	23.97	23.36	30	PASS
42-42	15MHz-20MHz	16QAM-16QAM	42168-42339	1RB#0-0RB#0	24.32	23.71	30	PASS
42-42	15MHz-20MHz	16QAM-16QAM	42168-42339	75RB#0-100RB#0	23.16	22.55	30	PASS
42-42	15MHz-20MHz	16QAM-16QAM	42493-42664	1RB#0-0RB#0	24.3	23.69	30	PASS
42-42	15MHz-20MHz	16QAM-16QAM	42493-42664	75RB#0-100RB#0	23.52	22.91	30	PASS
42-42	15MHz-20MHz	16QAM-16QAM	42819-42990	1RB#0-0RB#0	24.53	23.92	30	PASS
42-42	15MHz-20MHz	16QAM-16QAM	42819-42990	75RB#0-100RB#0	23.25	22.64	30	PASS
42-42	15MHz-20MHz	64QAM-64QAM	42168-42339	1RB#0-0RB#0	23.75	23.14	30	PASS
42-42	15MHz-20MHz	64QAM-64QAM	42168-42339	75RB#0-100RB#0	23.06	22.45	30	PASS
42-42	15MHz-20MHz	64QAM-64QAM	42493-42664	1RB#0-0RB#0	23.19	22.58	30	PASS
42-42	15MHz-20MHz	64QAM-64QAM	42493-42664	75RB#0-100RB#0	23.32	22.71	30	PASS
42-42	15MHz-20MHz	64QAM-64QAM	42819-42990	1RB#0-0RB#0	23.27	22.66	30	PASS
42-42	15MHz-20MHz	64QAM-64QAM	42819-42990	75RB#0-100RB#0	23.03	22.42	30	PASS
42-42	15MHz-20MHz	256QAM-256QAM	42168-42339	1RB#0-0RB#0	22.04	21.43	30	PASS
42-42	15MHz-20MHz	256QAM-256QAM	42168-42339	75RB#0-100RB#0	21.49	20.88	30	PASS
42-42	15MHz-20MHz	256QAM-256QAM	42493-42664	1RB#0-0RB#0	21.54	20.93	30	PASS
42-42	15MHz-20MHz	256QAM-256QAM	42493-42664	75RB#0-100RB#0	21.18	20.57	30	PASS
42-42	15MHz-20MHz	256QAM-256QAM	42819-42990	1RB#0-0RB#0	20.47	19.86	30	PASS
42-42	15MHz-20MHz	256QAM-256QAM	42819-42990	75RB#0-100RB#0	21.48	20.87	30	PASS

42-42	20MHz-10MHz	QPSK-QPSK	42190-42334	100RB#0-50RB#0	24.14	23.53	30	PASS
42-42	20MHz-10MHz	QPSK-QPSK	42190-42334	1RB#0-0RB#0	25.81	25.2	30	PASS
42-42	20MHz-10MHz	QPSK-QPSK	42541-42685	100RB#0-50RB#0	24.14	23.53	30	PASS
42-42	20MHz-10MHz	QPSK-QPSK	42541-42685	1RB#0-0RB#0	24.88	24.27	30	PASS
42-42	20MHz-10MHz	QPSK-QPSK	42891-43035	100RB#0-50RB#0	23.97	23.36	30	PASS
42-42	20MHz-10MHz	QPSK-QPSK	42891-43035	1RB#0-0RB#0	25.36	24.75	30	PASS
42-42	20MHz-10MHz	16QAM-16QAM	42190-42334	100RB#0-50RB#0	23.2	22.59	30	PASS
42-42	20MHz-10MHz	16QAM-16QAM	42190-42334	1RB#0-0RB#0	24.46	23.85	30	PASS
42-42	20MHz-10MHz	16QAM-16QAM	42541-42685	100RB#0-50RB#0	23.05	22.44	30	PASS
42-42	20MHz-10MHz	16QAM-16QAM	42541-42685	1RB#0-0RB#0	24.44	23.83	30	PASS
42-42	20MHz-10MHz	16QAM-16QAM	42891-43035	100RB#0-50RB#0	23.21	22.6	30	PASS
42-42	20MHz-10MHz	16QAM-16QAM	42891-43035	1RB#0-0RB#0	24.12	23.51	30	PASS
42-42	20MHz-10MHz	64QAM-64QAM	42190-42334	100RB#0-50RB#0	23.45	22.84	30	PASS
42-42	20MHz-10MHz	64QAM-64QAM	42190-42334	1RB#0-0RB#0	23.79	23.18	30	PASS
42-42	20MHz-10MHz	64QAM-64QAM	42541-42685	100RB#0-50RB#0	23.28	22.67	30	PASS
42-42	20MHz-10MHz	64QAM-64QAM	42541-42685	1RB#0-0RB#0	23.46	22.85	30	PASS
42-42	20MHz-10MHz	64QAM-64QAM	42891-43035	100RB#0-50RB#0	23.2	22.59	30	PASS
42-42	20MHz-10MHz	64QAM-64QAM	42891-43035	1RB#0-0RB#0	23.73	23.12	30	PASS
42-42	20MHz-10MHz	256QAM-256QAM	42190-42334	100RB#0-50RB#0	21.6	20.99	30	PASS
42-42	20MHz-10MHz	256QAM-256QAM	42190-42334	1RB#0-0RB#0	20.56	19.95	30	PASS
42-42	20MHz-10MHz	256QAM-256QAM	42541-42685	100RB#0-50RB#0	21.53	20.92	30	PASS
42-42	20MHz-10MHz	256QAM-256QAM	42541-42685	1RB#0-0RB#0	20.25	19.64	30	PASS
42-42	20MHz-10MHz	256QAM-256QAM	42891-43035	100RB#0-50RB#0	21.11	20.5	30	PASS
42-42	20MHz-10MHz	256QAM-256QAM	42891-43035	1RB#0-0RB#0	20.35	19.74	30	PASS
42-42	20MHz-15MHz	QPSK-QPSK	42190-42361	100RB#0-75RB#0	24.12	23.51	30	PASS

42-42	20MHz-15MHz	QPSK-QPSK	42190-42361	1RB#0-0RB#0	25.17	24.56	30	PASS
42-42	20MHz-15MHz	QPSK-QPSK	42516-42687	100RB#0-75RB#0	24.01	23.4	30	PASS
42-42	20MHz-15MHz	QPSK-QPSK	42516-42687	1RB#0-0RB#0	25.07	24.46	30	PASS
42-42	20MHz-15MHz	QPSK-QPSK	42841-43012	100RB#0-75RB#0	23.95	23.34	30	PASS
42-42	20MHz-15MHz	QPSK-QPSK	42841-43012	1RB#0-0RB#0	25.07	24.46	30	PASS
42-42	20MHz-15MHz	16QAM-16QAM	42190-42361	100RB#0-75RB#0	23.13	22.52	30	PASS
42-42	20MHz-15MHz	16QAM-16QAM	42190-42361	1RB#0-0RB#0	24.46	23.85	30	PASS
42-42	20MHz-15MHz	16QAM-16QAM	42516-42687	100RB#0-75RB#0	23.33	22.72	30	PASS
42-42	20MHz-15MHz	16QAM-16QAM	42516-42687	1RB#0-0RB#0	23.88	23.27	30	PASS
42-42	20MHz-15MHz	16QAM-16QAM	42841-43012	100RB#0-75RB#0	23.61	23	30	PASS
42-42	20MHz-15MHz	16QAM-16QAM	42841-43012	1RB#0-0RB#0	24.33	23.72	30	PASS
42-42	20MHz-15MHz	64QAM-64QAM	42190-42361	100RB#0-75RB#0	23.46	22.85	30	PASS
42-42	20MHz-15MHz	64QAM-64QAM	42190-42361	1RB#0-0RB#0	23.9	23.29	30	PASS
42-42	20MHz-15MHz	64QAM-64QAM	42516-42687	100RB#0-75RB#0	23.36	22.75	30	PASS
42-42	20MHz-15MHz	64QAM-64QAM	42516-42687	1RB#0-0RB#0	23.19	22.58	30	PASS
42-42	20MHz-15MHz	64QAM-64QAM	42841-43012	100RB#0-75RB#0	23.37	22.76	30	PASS
42-42	20MHz-15MHz	64QAM-64QAM	42841-43012	1RB#0-0RB#0	23.83	23.22	30	PASS
42-42	20MHz-15MHz	256QAM-256QAM	42190-42361	100RB#0-75RB#0	21.41	20.8	30	PASS
42-42	20MHz-15MHz	256QAM-256QAM	42190-42361	1RB#0-0RB#0	20.33	19.72	30	PASS
42-42	20MHz-15MHz	256QAM-256QAM	42516-42687	100RB#0-75RB#0	21.35	20.74	30	PASS
42-42	20MHz-15MHz	256QAM-256QAM	42516-42687	1RB#0-0RB#0	20.22	19.61	30	PASS
42-42	20MHz-15MHz	256QAM-256QAM	42841-43012	100RB#0-75RB#0	21.39	20.78	30	PASS
42-42	20MHz-15MHz	256QAM-256QAM	42841-43012	1RB#0-0RB#0	20.43	19.82	30	PASS
42-42	20MHz-20MHz	QPSK-QPSK	42190-42388	100RB#0-100RB#0	24.65	24.04	30	PASS
42-42	20MHz-20MHz	QPSK-QPSK	42190-42388	1RB#0-0RB#0	25.59	24.98	30	PASS

42-42	20MHz-20MHz	QPSK-QPSK	42491-42689	100RB#0-100RB#0	23.98	23.37	30	PASS
42-42	20MHz-20MHz	QPSK-QPSK	42491-42689	1RB#0-0RB#0	25.61	25	30	PASS
42-42	20MHz-20MHz	QPSK-QPSK	42792-42990	100RB#0-100RB#0	24.68	24.07	30	PASS
42-42	20MHz-20MHz	QPSK-QPSK	42792-42990	1RB#0-0RB#0	25.17	24.56	30	PASS
42-42	20MHz-20MHz	16QAM-16QAM	42190-42388	100RB#0-100RB#0	23.53	22.92	30	PASS
42-42	20MHz-20MHz	16QAM-16QAM	42190-42388	1RB#0-0RB#0	24.34	23.73	30	PASS
42-42	20MHz-20MHz	16QAM-16QAM	42491-42689	100RB#0-100RB#0	23.26	22.65	30	PASS
42-42	20MHz-20MHz	16QAM-16QAM	42491-42689	1RB#0-0RB#0	24.21	23.6	30	PASS
42-42	20MHz-20MHz	16QAM-16QAM	42792-42990	100RB#0-100RB#0	23.61	23	30	PASS
42-42	20MHz-20MHz	16QAM-16QAM	42792-42990	1RB#0-0RB#0	24.05	23.44	30	PASS
42-42	20MHz-20MHz	64QAM-64QAM	42190-42388	100RB#0-100RB#0	23.26	22.65	30	PASS
42-42	20MHz-20MHz	64QAM-64QAM	42190-42388	1RB#0-0RB#0	23.12	22.51	30	PASS
42-42	20MHz-20MHz	64QAM-64QAM	42491-42689	100RB#0-100RB#0	23.31	22.7	30	PASS
42-42	20MHz-20MHz	64QAM-64QAM	42491-42689	1RB#0-0RB#0	23.26	22.65	30	PASS
42-42	20MHz-20MHz	64QAM-64QAM	42792-42990	100RB#0-100RB#0	23.51	22.9	30	PASS
42-42	20MHz-20MHz	64QAM-64QAM	42792-42990	1RB#0-0RB#0	23.69	23.08	30	PASS
42-42	20MHz-20MHz	256QAM-256QAM	42190-42388	100RB#0-100RB#0	21.57	20.96	30	PASS
42-42	20MHz-20MHz	256QAM-256QAM	42190-42388	1RB#0-0RB#0	20.05	19.44	30	PASS
42-42	20MHz-20MHz	256QAM-256QAM	42491-42689	100RB#0-100RB#0	21.36	20.75	30	PASS
42-42	20MHz-20MHz	256QAM-256QAM	42491-42689	1RB#0-0RB#0	20.37	19.76	30	PASS
42-42	20MHz-20MHz	256QAM-256QAM	42792-42990	100RB#0-100RB#0	21.26	20.65	30	PASS
42-42	20MHz-20MHz	256QAM-256QAM	42792-42990	1RB#0-0RB#0	20.59	19.98	30	PASS
42-42	20MHz-5MHz	QPSK-QPSK	42190-42307	100RB#0-25RB#0	24.58	23.97	30	PASS
42-42	20MHz-5MHz	QPSK-QPSK	42190-42307	1RB#0-0RB#0	25.83	25.22	30	PASS
42-42	20MHz-5MHz	QPSK-QPSK	42565-42682	100RB#0-25RB#0	24.35	23.74	30	PASS

42-42	20MHz-5MHz	QPSK-QPSK	42565-42682	1RB#0-0RB#0	25.32	24.71	30	PASS
42-42	20MHz-5MHz	QPSK-QPSK	42940-43057	100RB#0-25RB#0	23.96	23.35	30	PASS
42-42	20MHz-5MHz	QPSK-QPSK	42940-43057	1RB#0-0RB#0	25.12	24.51	30	PASS
42-42	20MHz-5MHz	QPSK-QPSK	42940-43507	1RB#0-0RB#0	23.69	23.08	30	PASS
42-42	20MHz-5MHz	16QAM-16QAM	42190-42307	100RB#0-25RB#0	24.5	23.89	30	PASS
42-42	20MHz-5MHz	16QAM-16QAM	42190-42307	1RB#0-0RB#0	23.43	22.82	30	PASS
42-42	20MHz-5MHz	16QAM-16QAM	42565-42682	100RB#0-25RB#0	24.72	24.11	30	PASS
42-42	20MHz-5MHz	16QAM-16QAM	42565-42682	1RB#0-0RB#0	23.57	22.96	30	PASS
42-42	20MHz-5MHz	16QAM-16QAM	42940-43057	100RB#0-25RB#0	24.61	24	30	PASS
42-42	20MHz-5MHz	16QAM-16QAM	42940-43057	1RB#0-0RB#0	23.63	23.02	30	PASS
42-42	20MHz-5MHz	16QAM-16QAM	42940-43507	1RB#0-0RB#0	23.34	22.73	30	PASS
42-42	20MHz-5MHz	64QAM-64QAM	42190-42307	100RB#0-25RB#0	23.18	22.57	30	PASS
42-42	20MHz-5MHz	64QAM-64QAM	42190-42307	1RB#0-0RB#0	23.14	22.53	30	PASS
42-42	20MHz-5MHz	64QAM-64QAM	42565-42682	100RB#0-25RB#0	23.3	22.69	30	PASS
42-42	20MHz-5MHz	64QAM-64QAM	42565-42682	1RB#0-0RB#0	23.4	22.79	30	PASS
42-42	20MHz-5MHz	64QAM-64QAM	42940-43057	100RB#0-25RB#0	21.43	20.82	30	PASS
42-42	20MHz-5MHz	64QAM-64QAM	42940-43057	1RB#0-0RB#0	20.86	20.25	30	PASS
42-42	20MHz-5MHz	256QAM-256QAM	42190-42307	100RB#0-25RB#0	21.14	20.53	30	PASS
42-42	20MHz-5MHz	256QAM-256QAM	42190-42307	1RB#0-0RB#0	20.12	19.51	30	PASS
42-42	20MHz-5MHz	256QAM-256QAM	42565-42682	100RB#0-25RB#0	21.27	20.66	30	PASS
42-42	20MHz-5MHz	256QAM-256QAM	42565-42682	1RB#0-0RB#0	20.21	19.6	30	PASS
42-42	20MHz-5MHz	256QAM-256QAM	42940-43057	100RB#0-25RB#0	25.33	24.72	30	PASS
42-42	20MHz-5MHz	256QAM-256QAM	42940-43057	1RB#0-0RB#0	23.09	22.48	30	PASS
42-42	5MHz-20MHz	QPSK-QPSK	42123-42240	1RB#0-0RB#0	25.31	24.7	30	PASS
42-42	5MHz-20MHz	QPSK-QPSK	42123-42240	50RB#0-100RB#0	22.98	22.37	30	PASS

42-42	5MHz-20MHz	QPSK-QPSK	42498-42615	1RB#0-0RB#0	25.46	24.85	30	PASS
42-42	5MHz-20MHz	QPSK-QPSK	42498-42615	50RB#0-100RB#0	22.82	22.21	30	PASS
42-42	5MHz-20MHz	QPSK-QPSK	42873-42990	1RB#0-0RB#0	24.56	23.95	30	PASS
42-42	5MHz-20MHz	QPSK-QPSK	42873-42990	50RB#0-100RB#0	22.69	22.08	30	PASS
42-42	5MHz-20MHz	16QAM-16QAM	42123-42240	1RB#0-0RB#0	24.06	23.45	30	PASS
42-42	5MHz-20MHz	16QAM-16QAM	42123-42240	50RB#0-100RB#0	22.34	21.73	30	PASS
42-42	5MHz-20MHz	16QAM-16QAM	42498-42615	1RB#0-0RB#0	24.31	23.7	30	PASS
42-42	5MHz-20MHz	16QAM-16QAM	42498-42615	50RB#0-100RB#0	22.45	21.84	30	PASS
42-42	5MHz-20MHz	16QAM-16QAM	42873-42990	1RB#0-0RB#0	24.11	23.5	30	PASS
42-42	5MHz-20MHz	16QAM-16QAM	42873-42990	50RB#0-100RB#0	23.04	22.43	30	PASS
42-42	5MHz-20MHz	64QAM-64QAM	42123-42240	1RB#0-0RB#0	23.18	22.57	30	PASS
42-42	5MHz-20MHz	64QAM-64QAM	42123-42240	50RB#0-100RB#0	22.74	22.13	30	PASS
42-42	5MHz-20MHz	64QAM-64QAM	42498-42615	1RB#0-0RB#0	23.55	22.94	30	PASS
42-42	5MHz-20MHz	64QAM-64QAM	42498-42615	50RB#0-100RB#0	22.75	22.14	30	PASS
42-42	5MHz-20MHz	64QAM-64QAM	42873-42990	1RB#0-0RB#0	20.24	19.63	30	PASS
42-42	5MHz-20MHz	64QAM-64QAM	42873-42990	50RB#0-100RB#0	21.14	20.53	30	PASS
42-42	5MHz-20MHz	256QAM-256QAM	42123-42240	1RB#0-0RB#0	20.44	19.83	30	PASS
42-42	5MHz-20MHz	256QAM-256QAM	42123-42240	50RB#0-100RB#0	20.88	20.27	30	PASS
42-42	5MHz-20MHz	256QAM-256QAM	42498-42615	1RB#0-0RB#0	20.44	19.83	30	PASS
42-42	5MHz-20MHz	256QAM-256QAM	42498-42615	50RB#0-100RB#0	20.56	19.95	30	PASS
42-42	5MHz-20MHz	256QAM-256QAM	42873-42990	1RB#0-0RB#0	25.43	24.82	30	PASS
42-42	5MHz-20MHz	256QAM-256QAM	42873-42990	50RB#0-100RB#0	24.75	24.14	30	PASS

LTE CA_43C:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
43-43	10MHz-20MHz	QPSK-QPSK	44645-44789	1RB#0-0RB#0	24.99	24.38	30	PASS
43-43	10MHz-20MHz	QPSK-QPSK	44645-44789	50RB#0-100RB#0	23.54	22.93	30	PASS
43-43	10MHz-20MHz	QPSK-QPSK	44996-45140	1RB#0-0RB#0	23.37	22.76	30	PASS
43-43	10MHz-20MHz	QPSK-QPSK	44996-45140	50RB#0-100RB#0	19.8	19.19	30	PASS
43-43	10MHz-20MHz	QPSK-QPSK	45346-45490	1RB#0-0RB#0	22.45	21.84	30	PASS
43-43	10MHz-20MHz	QPSK-QPSK	45346-45490	50RB#0-100RB#0	22.38	21.77	30	PASS
43-43	10MHz-20MHz	16QAM-16QAM	44645-44789	1RB#0-0RB#0	22.15	21.54	30	PASS
43-43	10MHz-20MHz	16QAM-16QAM	44645-44789	50RB#0-100RB#0	20.35	19.74	30	PASS
43-43	10MHz-20MHz	16QAM-16QAM	44996-45140	1RB#0-0RB#0	21.89	21.28	30	PASS
43-43	10MHz-20MHz	16QAM-16QAM	44996-45140	50RB#0-100RB#0	23.93	23.32	30	PASS
43-43	10MHz-20MHz	16QAM-16QAM	45346-45490	1RB#0-0RB#0	22.94	22.33	30	PASS
43-43	10MHz-20MHz	16QAM-16QAM	45346-45490	50RB#0-100RB#0	19.56	18.95	30	PASS
43-43	10MHz-20MHz	64QAM-64QAM	44645-44789	1RB#0-0RB#0	21.74	21.13	30	PASS
43-43	10MHz-20MHz	64QAM-64QAM	44645-44789	50RB#0-100RB#0	22.01	21.4	30	PASS
43-43	10MHz-20MHz	64QAM-64QAM	44996-45140	1RB#0-0RB#0	22.3	21.69	30	PASS
43-43	10MHz-20MHz	64QAM-64QAM	44996-45140	50RB#0-100RB#0	20.02	19.41	30	PASS
43-43	10MHz-20MHz	64QAM-64QAM	45346-45490	1RB#0-0RB#0	24.57	23.96	30	PASS
43-43	10MHz-20MHz	64QAM-64QAM	45346-45490	50RB#0-100RB#0	23.72	23.11	30	PASS
43-43	10MHz-20MHz	256QAM-256QAM	44645-44789	1RB#0-0RB#0	22.87	22.26	30	PASS
43-43	10MHz-20MHz	256QAM-256QAM	44645-44789	50RB#0-100RB#0	19.74	19.13	30	PASS
43-43	10MHz-20MHz	256QAM-256QAM	44996-45140	1RB#0-0RB#0	22.22	21.61	30	PASS
43-43	10MHz-20MHz	256QAM-256QAM	44996-45140	50RB#0-100RB#0	22.27	21.66	30	PASS
43-43	10MHz-20MHz	256QAM-256QAM	45346-45490	1RB#0-0RB#0	22.04	21.43	30	PASS

43-43	10MHz-20MHz	256QAM-256QAM	45346-45490	50RB#0-100RB#0	20.23	19.62	30	PASS
43-43	15MHz-20MHz	QPSK-QPSK	44668-44839	1RB#0-0RB#0	25.16	24.55	30	PASS
43-43	15MHz-20MHz	QPSK-QPSK	44668-44839	75RB#0-100RB#0	23.78	23.17	30	PASS
43-43	15MHz-20MHz	QPSK-QPSK	44993-45164	1RB#0-0RB#0	23.25	22.64	30	PASS
43-43	15MHz-20MHz	QPSK-QPSK	44993-45164	75RB#0-100RB#0	20.28	19.67	30	PASS
43-43	15MHz-20MHz	QPSK-QPSK	45319-45490	1RB#0-0RB#0	23.46	22.85	30	PASS
43-43	15MHz-20MHz	QPSK-QPSK	45319-45490	75RB#0-100RB#0	22.69	22.08	30	PASS
43-43	15MHz-20MHz	16QAM-16QAM	44668-44839	1RB#0-0RB#0	23	22.39	30	PASS
43-43	15MHz-20MHz	16QAM-16QAM	44668-44839	75RB#0-100RB#0	21.02	20.41	30	PASS
43-43	15MHz-20MHz	16QAM-16QAM	44993-45164	1RB#0-0RB#0	24.87	24.26	30	PASS
43-43	15MHz-20MHz	16QAM-16QAM	44993-45164	75RB#0-100RB#0	23.83	23.22	30	PASS
43-43	15MHz-20MHz	16QAM-16QAM	45319-45490	1RB#0-0RB#0	22.69	22.08	30	PASS
43-43	15MHz-20MHz	16QAM-16QAM	45319-45490	75RB#0-100RB#0	20.04	19.43	30	PASS
43-43	15MHz-20MHz	64QAM-64QAM	44668-44839	1RB#0-0RB#0	23.97	23.36	30	PASS
43-43	15MHz-20MHz	64QAM-64QAM	44668-44839	75RB#0-100RB#0	22.87	22.26	30	PASS
43-43	15MHz-20MHz	64QAM-64QAM	44993-45164	1RB#0-0RB#0	22.96	22.35	30	PASS
43-43	15MHz-20MHz	64QAM-64QAM	44993-45164	75RB#0-100RB#0	20.34	19.73	30	PASS
43-43	15MHz-20MHz	64QAM-64QAM	45319-45490	1RB#0-0RB#0	25.27	24.66	30	PASS
43-43	15MHz-20MHz	64QAM-64QAM	45319-45490	75RB#0-100RB#0	24.1	23.49	30	PASS
43-43	15MHz-20MHz	256QAM-256QAM	44668-44839	1RB#0-0RB#0	22.68	22.07	30	PASS
43-43	15MHz-20MHz	256QAM-256QAM	44668-44839	75RB#0-100RB#0	19.51	18.9	30	PASS
43-43	15MHz-20MHz	256QAM-256QAM	44993-45164	1RB#0-0RB#0	23.45	22.84	30	PASS
43-43	15MHz-20MHz	256QAM-256QAM	44993-45164	75RB#0-100RB#0	22.94	22.33	30	PASS
43-43	15MHz-20MHz	256QAM-256QAM	45319-45490	1RB#0-0RB#0	22.78	22.17	30	PASS
43-43	15MHz-20MHz	256QAM-256QAM	45319-45490	75RB#0-100RB#0	20.42	19.81	30	PASS

43-43	20MHz-10MHz	QPSK-QPSK	44690-44834	100RB#0-50RB#0	22.1	21.49	30	PASS
43-43	20MHz-10MHz	QPSK-QPSK	44690-44834	1RB#0-0RB#0	24.23	23.62	30	PASS
43-43	20MHz-10MHz	QPSK-QPSK	45041-45185	100RB#0-50RB#0	23.1	22.49	30	PASS
43-43	20MHz-10MHz	QPSK-QPSK	45041-45185	1RB#0-0RB#0	19.72	19.11	30	PASS
43-43	20MHz-10MHz	QPSK-QPSK	45391-45535	100RB#0-50RB#0	23.62	23.01	30	PASS
43-43	20MHz-10MHz	QPSK-QPSK	45391-45535	1RB#0-0RB#0	22.81	22.2	30	PASS
43-43	20MHz-10MHz	16QAM-16QAM	44690-44834	100RB#0-50RB#0	22.58	21.97	30	PASS
43-43	20MHz-10MHz	16QAM-16QAM	44690-44834	1RB#0-0RB#0	21.06	20.45	30	PASS
43-43	20MHz-10MHz	16QAM-16QAM	45041-45185	100RB#0-50RB#0	22.39	21.78	30	PASS
43-43	20MHz-10MHz	16QAM-16QAM	45041-45185	1RB#0-0RB#0	23.97	23.36	30	PASS
43-43	20MHz-10MHz	16QAM-16QAM	45391-45535	100RB#0-50RB#0	22.57	21.96	30	PASS
43-43	20MHz-10MHz	16QAM-16QAM	45391-45535	1RB#0-0RB#0	19.51	18.9	30	PASS
43-43	20MHz-10MHz	64QAM-64QAM	44690-44834	100RB#0-50RB#0	23.53	22.92	30	PASS
43-43	20MHz-10MHz	64QAM-64QAM	44690-44834	1RB#0-0RB#0	22.57	21.96	30	PASS
43-43	20MHz-10MHz	64QAM-64QAM	45041-45185	100RB#0-50RB#0	22.46	21.85	30	PASS
43-43	20MHz-10MHz	64QAM-64QAM	45041-45185	1RB#0-0RB#0	20.46	19.85	30	PASS
43-43	20MHz-10MHz	64QAM-64QAM	45391-45535	100RB#0-50RB#0	24.78	24.17	30	PASS
43-43	20MHz-10MHz	64QAM-64QAM	45391-45535	1RB#0-0RB#0	23.61	23	30	PASS
43-43	20MHz-10MHz	256QAM-256QAM	44690-44834	100RB#0-50RB#0	22.75	22.14	30	PASS
43-43	20MHz-10MHz	256QAM-256QAM	44690-44834	1RB#0-0RB#0	20.01	19.4	30	PASS
43-43	20MHz-10MHz	256QAM-256QAM	45041-45185	100RB#0-50RB#0	23.52	22.91	30	PASS
43-43	20MHz-10MHz	256QAM-256QAM	45041-45185	1RB#0-0RB#0	22.42	21.81	30	PASS
43-43	20MHz-10MHz	256QAM-256QAM	45391-45535	100RB#0-50RB#0	22.61	22	30	PASS
43-43	20MHz-10MHz	256QAM-256QAM	45391-45535	1RB#0-0RB#0	20.76	20.15	30	PASS
43-43	20MHz-15MHz	QPSK-QPSK	44690-44861	100RB#0-75RB#0	25.02	24.41	30	PASS

43-43	20MHz-15MHz	QPSK-QPSK	44690-44861	1RB#0-0RB#0	24.18	23.57	30	PASS
43-43	20MHz-15MHz	QPSK-QPSK	45016-45187	100RB#0-75RB#0	22.9	22.29	30	PASS
43-43	20MHz-15MHz	QPSK-QPSK	45016-45187	1RB#0-0RB#0	20.1	19.49	30	PASS
43-43	20MHz-15MHz	QPSK-QPSK	45341-45512	100RB#0-75RB#0	24.05	23.44	30	PASS
43-43	20MHz-15MHz	QPSK-QPSK	45341-45512	1RB#0-0RB#0	23.06	22.45	30	PASS
43-43	20MHz-15MHz	16QAM-16QAM	44690-44861	100RB#0-75RB#0	22.53	21.92	30	PASS
43-43	20MHz-15MHz	16QAM-16QAM	44690-44861	1RB#0-0RB#0	21.17	20.56	30	PASS
43-43	20MHz-15MHz	16QAM-16QAM	45016-45187	100RB#0-75RB#0	24.61	24	30	PASS
43-43	20MHz-15MHz	16QAM-16QAM	45016-45187	1RB#0-0RB#0	23.25	22.64	30	PASS
43-43	20MHz-15MHz	16QAM-16QAM	45341-45512	100RB#0-75RB#0	22.57	21.96	30	PASS
43-43	20MHz-15MHz	16QAM-16QAM	45341-45512	1RB#0-0RB#0	19.4	18.79	30	PASS
43-43	20MHz-15MHz	64QAM-64QAM	44690-44861	100RB#0-75RB#0	24.08	23.47	30	PASS
43-43	20MHz-15MHz	64QAM-64QAM	44690-44861	1RB#0-0RB#0	22.48	21.87	30	PASS
43-43	20MHz-15MHz	64QAM-64QAM	45016-45187	100RB#0-75RB#0	22.4	21.79	30	PASS
43-43	20MHz-15MHz	64QAM-64QAM	45016-45187	1RB#0-0RB#0	20.39	19.78	30	PASS
43-43	20MHz-15MHz	64QAM-64QAM	45341-45512	100RB#0-75RB#0	24.83	24.22	30	PASS
43-43	20MHz-15MHz	64QAM-64QAM	45341-45512	1RB#0-0RB#0	23.57	22.96	30	PASS
43-43	20MHz-15MHz	256QAM-256QAM	44690-44861	100RB#0-75RB#0	22.79	22.18	30	PASS
43-43	20MHz-15MHz	256QAM-256QAM	44690-44861	1RB#0-0RB#0	19.63	19.02	30	PASS
43-43	20MHz-15MHz	256QAM-256QAM	45016-45187	100RB#0-75RB#0	23.86	23.25	30	PASS
43-43	20MHz-15MHz	256QAM-256QAM	45016-45187	1RB#0-0RB#0	22.95	22.34	30	PASS
43-43	20MHz-15MHz	256QAM-256QAM	45341-45512	100RB#0-75RB#0	22.8	22.19	30	PASS
43-43	20MHz-15MHz	256QAM-256QAM	45341-45512	1RB#0-0RB#0	20.33	19.72	30	PASS
43-43	20MHz-20MHz	QPSK-QPSK	44690-44888	100RB#0-100RB#0	24.57	23.96	30	PASS
43-43	20MHz-20MHz	QPSK-QPSK	44690-44888	1RB#0-0RB#0	23.64	23.03	30	PASS

43-43	20MHz-20MHz	QPSK-QPSK	44991-45189	100RB#0-100RB#0	23.15	22.54	30	PASS
43-43	20MHz-20MHz	QPSK-QPSK	44991-45189	1RB#0-0RB#0	20.04	19.43	30	PASS
43-43	20MHz-20MHz	QPSK-QPSK	45292-45490	100RB#0-100RB#0	24.03	23.42	30	PASS
43-43	20MHz-20MHz	QPSK-QPSK	45292-45490	1RB#0-0RB#0	22.79	22.18	30	PASS
43-43	20MHz-20MHz	16QAM-16QAM	44690-44888	100RB#0-100RB#0	22.86	22.25	30	PASS
43-43	20MHz-20MHz	16QAM-16QAM	44690-44888	1RB#0-0RB#0	21.08	20.47	30	PASS
43-43	20MHz-20MHz	16QAM-16QAM	44991-45189	100RB#0-100RB#0	22.27	21.66	30	PASS
43-43	20MHz-20MHz	16QAM-16QAM	44991-45189	1RB#0-0RB#0	23.74	23.13	30	PASS
43-43	20MHz-20MHz	16QAM-16QAM	45292-45490	100RB#0-100RB#0	22.91	22.3	30	PASS
43-43	20MHz-20MHz	16QAM-16QAM	45292-45490	1RB#0-0RB#0	19.66	19.05	30	PASS
43-43	20MHz-20MHz	64QAM-64QAM	44690-44888	100RB#0-100RB#0	23.87	23.26	30	PASS
43-43	20MHz-20MHz	64QAM-64QAM	44690-44888	1RB#0-0RB#0	22.48	21.87	30	PASS
43-43	20MHz-20MHz	64QAM-64QAM	44991-45189	100RB#0-100RB#0	22.87	22.26	30	PASS
43-43	20MHz-20MHz	64QAM-64QAM	44991-45189	1RB#0-0RB#0	21.05	20.44	30	PASS
43-43	20MHz-20MHz	64QAM-64QAM	45292-45490	100RB#0-100RB#0	24.75	24.14	30	PASS
43-43	20MHz-20MHz	64QAM-64QAM	45292-45490	1RB#0-0RB#0	24.06	23.45	30	PASS
43-43	20MHz-20MHz	256QAM-256QAM	44690-44888	100RB#0-100RB#0	22.87	22.26	30	PASS
43-43	20MHz-20MHz	256QAM-256QAM	44690-44888	1RB#0-0RB#0	19.59	18.98	30	PASS
43-43	20MHz-20MHz	256QAM-256QAM	44991-45189	100RB#0-100RB#0	23.9	23.29	30	PASS
43-43	20MHz-20MHz	256QAM-256QAM	44991-45189	1RB#0-0RB#0	23.05	22.44	30	PASS
43-43	20MHz-20MHz	256QAM-256QAM	45292-45490	100RB#0-100RB#0	23.01	22.4	30	PASS
43-43	20MHz-20MHz	256QAM-256QAM	45292-45490	1RB#0-0RB#0	20.52	19.91	30	PASS
43-43	20MHz-5MHz	QPSK-QPSK	44690-44807	100RB#0-25RB#0	25.25	24.64	30	PASS
43-43	20MHz-5MHz	QPSK-QPSK	44690-44807	1RB#0-0RB#0	23.68	23.07	30	PASS
43-43	20MHz-5MHz	QPSK-QPSK	45065-45182	100RB#0-25RB#0	22.93	22.32	30	PASS

43-43	20MHz-5MHz	QPSK-QPSK	45065-45182	1RB#0-0RB#0	20.13	19.52	30	PASS
43-43	20MHz-5MHz	QPSK-QPSK	45440-45557	100RB#0-25RB#0	23.67	23.06	30	PASS
43-43	20MHz-5MHz	QPSK-QPSK	45440-45557	1RB#0-0RB#0	22.32	21.71	30	PASS
43-43	20MHz-5MHz	16QAM-16QAM	44690-44807	100RB#0-25RB#0	23.14	22.53	30	PASS
43-43	20MHz-5MHz	16QAM-16QAM	44690-44807	1RB#0-0RB#0	20.79	20.18	30	PASS
43-43	20MHz-5MHz	16QAM-16QAM	45065-45182	100RB#0-25RB#0	24.67	24.06	30	PASS
43-43	20MHz-5MHz	16QAM-16QAM	45065-45182	1RB#0-0RB#0	23.6	22.99	30	PASS
43-43	20MHz-5MHz	16QAM-16QAM	45440-45557	100RB#0-25RB#0	22.65	22.04	30	PASS
43-43	20MHz-5MHz	16QAM-16QAM	45440-45557	1RB#0-0RB#0	19.98	19.37	30	PASS
43-43	20MHz-5MHz	64QAM-64QAM	44690-44807	100RB#0-25RB#0	23.62	23.01	30	PASS
43-43	20MHz-5MHz	64QAM-64QAM	44690-44807	1RB#0-0RB#0	22.72	22.11	30	PASS
43-43	20MHz-5MHz	64QAM-64QAM	45065-45182	100RB#0-25RB#0	22.58	21.97	30	PASS
43-43	20MHz-5MHz	64QAM-64QAM	45065-45182	1RB#0-0RB#0	20.75	20.14	30	PASS
43-43	20MHz-5MHz	64QAM-64QAM	45440-45557	100RB#0-25RB#0	24.57	23.96	30	PASS
43-43	20MHz-5MHz	64QAM-64QAM	45440-45557	1RB#0-0RB#0	23.75	23.14	30	PASS
43-43	20MHz-5MHz	256QAM-256QAM	44690-44807	100RB#0-25RB#0	22.81	22.2	30	PASS
43-43	20MHz-5MHz	256QAM-256QAM	44690-44807	1RB#0-0RB#0	19.9	19.29	30	PASS
43-43	20MHz-5MHz	256QAM-256QAM	45065-45182	100RB#0-25RB#0	23.71	23.1	30	PASS
43-43	20MHz-5MHz	256QAM-256QAM	45065-45182	1RB#0-0RB#0	22.76	22.15	30	PASS
43-43	20MHz-5MHz	256QAM-256QAM	45440-45557	100RB#0-25RB#0	22.48	21.87	30	PASS
43-43	20MHz-5MHz	256QAM-256QAM	45440-45557	1RB#0-0RB#0	20.51	19.9	30	PASS
43-43	5MHz-20MHz	QPSK-QPSK	44623-44740	1RB#0-0RB#0	25.14	24.53	30	PASS
43-43	5MHz-20MHz	QPSK-QPSK	44623-44740	50RB#0-100RB#0	23.71	23.1	30	PASS
43-43	5MHz-20MHz	QPSK-QPSK	44998-45115	1RB#0-0RB#0	23.41	22.8	30	PASS
43-43	5MHz-20MHz	QPSK-QPSK	44998-45115	50RB#0-100RB#0	19.55	18.94	30	PASS

43-43	5MHz-20MHz	QPSK-QPSK	45373-45490	1RB#0-0RB#0	23.41	22.8	30	PASS
43-43	5MHz-20MHz	QPSK-QPSK	45373-45490	50RB#0-100RB#0	23	22.39	30	PASS
43-43	5MHz-20MHz	16QAM-16QAM	44623-44740	1RB#0-0RB#0	22.48	21.87	30	PASS
43-43	5MHz-20MHz	16QAM-16QAM	44623-44740	50RB#0-100RB#0	20.66	20.05	30	PASS
43-43	5MHz-20MHz	16QAM-16QAM	44998-45115	1RB#0-0RB#0	24.59	23.98	30	PASS
43-43	5MHz-20MHz	16QAM-16QAM	44998-45115	50RB#0-100RB#0	23.43	22.82	30	PASS
43-43	5MHz-20MHz	16QAM-16QAM	45373-45490	1RB#0-0RB#0	22.64	22.03	30	PASS
43-43	5MHz-20MHz	16QAM-16QAM	45373-45490	50RB#0-100RB#0	19.73	19.12	30	PASS
43-43	5MHz-20MHz	64QAM-64QAM	44623-44740	1RB#0-0RB#0	23.96	23.35	30	PASS
43-43	5MHz-20MHz	64QAM-64QAM	44623-44740	50RB#0-100RB#0	22.81	22.2	30	PASS
43-43	5MHz-20MHz	64QAM-64QAM	44998-45115	1RB#0-0RB#0	22.77	22.16	30	PASS
43-43	5MHz-20MHz	64QAM-64QAM	44998-45115	50RB#0-100RB#0	20.54	19.93	30	PASS
43-43	5MHz-20MHz	64QAM-64QAM	45373-45490	1RB#0-0RB#0	24.52	23.91	30	PASS
43-43	5MHz-20MHz	64QAM-64QAM	45373-45490	50RB#0-100RB#0	23.73	23.12	30	PASS
43-43	5MHz-20MHz	256QAM-256QAM	44623-44740	1RB#0-0RB#0	23.08	22.47	30	PASS
43-43	5MHz-20MHz	256QAM-256QAM	44623-44740	50RB#0-100RB#0	19.97	19.36	30	PASS
43-43	5MHz-20MHz	256QAM-256QAM	44998-45115	1RB#0-0RB#0	23.53	22.92	30	PASS
43-43	5MHz-20MHz	256QAM-256QAM	44998-45115	50RB#0-100RB#0	22.84	22.23	30	PASS
43-43	5MHz-20MHz	256QAM-256QAM	45373-45490	1RB#0-0RB#0	22.86	22.25	30	PASS
43-43	5MHz-20MHz	256QAM-256QAM	45373-45490	50RB#0-100RB#0	20.92	20.31	30	PASS

LTE CA_48C:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
48-48	5MHz-20MHz	QPSK-QPSK	55273-55390	1RB#0-0RB#0	23.46	22.25	23	PASS
48-48	5MHz-20MHz	16QAM-16QAM	55273-55390	1RB#0-0RB#0	22.31	21.1	23	PASS
48-48	5MHz-20MHz	64QAM-64QAM	55273-55390	1RB#0-0RB#0	21.06	19.85	23	PASS
48-48	5MHz-20MHz	256QAM-256QAM	55273-55390	1RB#0-0RB#0	18.16	16.95	23	PASS
48-48	5MHz-20MHz	QPSK-QPSK	55273-55390	25RB#0-100RB#0	22.26	21.05	23	PASS
48-48	5MHz-20MHz	16QAM-16QAM	55273-55390	25RB#0-100RB#0	21.03	19.82	23	PASS
48-48	5MHz-20MHz	64QAM-64QAM	55273-55390	25RB#0-100RB#0	21.18	19.97	23	PASS
48-48	5MHz-20MHz	256QAM-256QAM	55273-55390	25RB#0-100RB#0	18.89	17.68	23	PASS
48-48	5MHz-20MHz	QPSK-QPSK	55898-56015	1RB#0-0RB#0	22.68	21.47	23	PASS
48-48	5MHz-20MHz	16QAM-16QAM	55898-56015	1RB#0-0RB#0	21.93	20.72	23	PASS
48-48	5MHz-20MHz	64QAM-64QAM	55898-56015	1RB#0-0RB#0	20.93	19.72	23	PASS
48-48	5MHz-20MHz	256QAM-256QAM	55898-56015	1RB#0-0RB#0	18.02	16.81	23	PASS
48-48	5MHz-20MHz	QPSK-QPSK	55898-56015	25RB#0-100RB#0	21.91	20.7	23	PASS
48-48	5MHz-20MHz	16QAM-16QAM	55898-56015	25RB#0-100RB#0	20.42	19.21	23	PASS
48-48	5MHz-20MHz	64QAM-64QAM	55898-56015	25RB#0-100RB#0	20.73	19.52	23	PASS
48-48	5MHz-20MHz	256QAM-256QAM	55898-56015	25RB#0-100RB#0	18.98	17.77	23	PASS
48-48	5MHz-20MHz	QPSK-QPSK	56523-56640	1RB#0-0RB#0	23.05	21.84	23	PASS
48-48	5MHz-20MHz	16QAM-16QAM	56523-56640	1RB#0-0RB#0	22.26	21.05	23	PASS
48-48	5MHz-20MHz	64QAM-64QAM	56523-56640	1RB#0-0RB#0	21.54	20.33	23	PASS
48-48	5MHz-20MHz	256QAM-256QAM	56523-56640	1RB#0-0RB#0	18.23	17.02	23	PASS
48-48	5MHz-20MHz	QPSK-QPSK	56523-56640	25RB#0-100RB#0	21.65	20.44	23	PASS
48-48	5MHz-20MHz	16QAM-16QAM	56523-56640	25RB#0-100RB#0	20.77	19.56	23	PASS
48-48	5MHz-20MHz	64QAM-64QAM	56523-56640	25RB#0-100RB#0	20.74	19.53	23	PASS

48-48	5MHz-20MHz	256QAM-256QAM	56523-56640	25RB#0-100RB#0	18.62	17.41	23	PASS
48-48	20MHz-5MHz	QPSK-QPSK	55340-55457	1RB#0-0RB#0	23.23	22.02	23	PASS
48-48	20MHz-5MHz	16QAM-16QAM	55340-55457	1RB#0-0RB#0	21.93	20.72	23	PASS
48-48	20MHz-5MHz	64QAM-64QAM	55340-55457	1RB#0-0RB#0	21.34	20.13	23	PASS
48-48	20MHz-5MHz	256QAM-256QAM	55340-55457	1RB#0-0RB#0	18.09	16.88	23	PASS
48-48	20MHz-5MHz	QPSK-QPSK	55340-55457	100RB#0-25RB#0	22.47	21.26	23	PASS
48-48	20MHz-5MHz	16QAM-16QAM	55340-55457	100RB#0-25RB#0	21.3	20.09	23	PASS
48-48	20MHz-5MHz	64QAM-64QAM	55340-55457	100RB#0-25RB#0	21.27	20.06	23	PASS
48-48	20MHz-5MHz	256QAM-256QAM	55340-55457	100RB#0-25RB#0	19.06	17.85	23	PASS
48-48	20MHz-5MHz	QPSK-QPSK	55965-56082	1RB#0-0RB#0	22.51	21.3	23	PASS
48-48	20MHz-5MHz	16QAM-16QAM	55965-56082	1RB#0-0RB#0	21.93	20.72	23	PASS
48-48	20MHz-5MHz	64QAM-64QAM	55965-56082	1RB#0-0RB#0	20.71	19.5	23	PASS
48-48	20MHz-5MHz	256QAM-256QAM	55965-56082	1RB#0-0RB#0	17.85	16.64	23	PASS
48-48	20MHz-5MHz	QPSK-QPSK	55965-56082	100RB#0-25RB#0	22.12	20.91	23	PASS
48-48	20MHz-5MHz	16QAM-16QAM	55965-56082	100RB#0-25RB#0	21.03	19.82	23	PASS
48-48	20MHz-5MHz	64QAM-64QAM	55965-56082	100RB#0-25RB#0	21.02	19.81	23	PASS
48-48	20MHz-5MHz	256QAM-256QAM	55965-56082	100RB#0-25RB#0	18.79	17.58	23	PASS
48-48	20MHz-5MHz	QPSK-QPSK	56590-56707	1RB#0-0RB#0	23.15	21.94	23	PASS
48-48	20MHz-5MHz	16QAM-16QAM	56590-56707	1RB#0-0RB#0	22.27	21.06	23	PASS
48-48	20MHz-5MHz	64QAM-64QAM	56590-56707	1RB#0-0RB#0	21.37	20.16	23	PASS
48-48	20MHz-5MHz	256QAM-256QAM	56590-56707	1RB#0-0RB#0	18.29	17.08	23	PASS
48-48	20MHz-5MHz	QPSK-QPSK	56590-56707	100RB#0-25RB#0	22.04	20.83	23	PASS
48-48	20MHz-5MHz	16QAM-16QAM	56590-56707	100RB#0-25RB#0	21.2	19.99	23	PASS
48-48	20MHz-5MHz	64QAM-64QAM	56590-56707	100RB#0-25RB#0	21.14	19.93	23	PASS
48-48	20MHz-5MHz	256QAM-256QAM	56590-56707	100RB#0-25RB#0	19.34	18.13	23	PASS

48-48	10MHz-20MHz	QPSK-QPSK	55295-55439	1RB#0-0RB#0	20.64	19.43	23	PASS
48-48	10MHz-20MHz	16QAM-16QAM	55295-55439	1RB#0-0RB#0	22.45	21.24	23	PASS
48-48	10MHz-20MHz	64QAM-64QAM	55295-55439	1RB#0-0RB#0	21.17	19.96	23	PASS
48-48	10MHz-20MHz	256QAM-256QAM	55295-55439	1RB#0-0RB#0	18.45	17.24	23	PASS
48-48	10MHz-20MHz	QPSK-QPSK	55295-55439	50RB#0-100RB#0	22.2	20.99	23	PASS
48-48	10MHz-20MHz	16QAM-16QAM	55295-55439	50RB#0-100RB#0	20.93	19.72	23	PASS
48-48	10MHz-20MHz	64QAM-64QAM	55295-55439	50RB#0-100RB#0	20.91	19.7	23	PASS
48-48	10MHz-20MHz	256QAM-256QAM	55295-55439	50RB#0-100RB#0	19.19	17.98	23	PASS
48-48	10MHz-20MHz	QPSK-QPSK	55896-56040	1RB#0-0RB#0	22.74	21.53	23	PASS
48-48	10MHz-20MHz	16QAM-16QAM	55896-56040	1RB#0-0RB#0	21.52	20.31	23	PASS
48-48	10MHz-20MHz	64QAM-64QAM	55896-56040	1RB#0-0RB#0	21.42	20.21	23	PASS
48-48	10MHz-20MHz	256QAM-256QAM	55896-56040	1RB#0-0RB#0	18.12	16.91	23	PASS
48-48	10MHz-20MHz	QPSK-QPSK	55896-56040	50RB#0-100RB#0	21.99	20.78	23	PASS
48-48	10MHz-20MHz	16QAM-16QAM	55896-56040	50RB#0-100RB#0	20.43	19.22	23	PASS
48-48	10MHz-20MHz	64QAM-64QAM	55896-56040	50RB#0-100RB#0	20.75	19.54	23	PASS
48-48	10MHz-20MHz	256QAM-256QAM	55896-56040	50RB#0-100RB#0	18.93	17.72	23	PASS
48-48	10MHz-20MHz	QPSK-QPSK	56496-56640	1RB#0-0RB#0	20.33	19.12	23	PASS
48-48	10MHz-20MHz	16QAM-16QAM	56496-56640	1RB#0-0RB#0	22.26	21.05	23	PASS
48-48	10MHz-20MHz	64QAM-64QAM	56496-56640	1RB#0-0RB#0	21.09	19.88	23	PASS
48-48	10MHz-20MHz	256QAM-256QAM	56496-56640	1RB#0-0RB#0	18.13	16.92	23	PASS
48-48	10MHz-20MHz	QPSK-QPSK	56496-56640	50RB#0-100RB#0	21.72	20.51	23	PASS
48-48	10MHz-20MHz	16QAM-16QAM	56496-56640	50RB#0-100RB#0	20.85	19.64	23	PASS
48-48	10MHz-20MHz	64QAM-64QAM	56496-56640	50RB#0-100RB#0	20.84	19.63	23	PASS
48-48	10MHz-20MHz	256QAM-256QAM	56496-56640	50RB#0-100RB#0	19.2	17.99	23	PASS
48-48	20MHz-10MHz	QPSK-QPSK	55340-55484	1RB#0-0RB#0	23.1	21.89	23	PASS

48-48	20MHz-10MHz	16QAM-16QAM	55340-55484	1RB#0-0RB#0	22.28	21.07	23	PASS
48-48	20MHz-10MHz	64QAM-64QAM	55340-55484	1RB#0-0RB#0	21.69	20.48	23	PASS
48-48	20MHz-10MHz	256QAM-256QAM	55340-55484	1RB#0-0RB#0	18.68	17.47	23	PASS
48-48	20MHz-10MHz	QPSK-QPSK	55340-55484	100RB#0-50RB#0	22.12	20.91	23	PASS
48-48	20MHz-10MHz	16QAM-16QAM	55340-55484	100RB#0-50RB#0	21.49	20.28	23	PASS
48-48	20MHz-10MHz	64QAM-64QAM	55340-55484	100RB#0-50RB#0	21.18	19.97	23	PASS
48-48	20MHz-10MHz	256QAM-256QAM	55340-55484	100RB#0-50RB#0	19.36	18.15	23	PASS
48-48	20MHz-10MHz	QPSK-QPSK	55941-56085	1RB#0-0RB#0	23.03	21.82	23	PASS
48-48	20MHz-10MHz	16QAM-16QAM	55941-56085	1RB#0-0RB#0	21.72	20.51	23	PASS
48-48	20MHz-10MHz	64QAM-64QAM	55941-56085	1RB#0-0RB#0	21.15	19.94	23	PASS
48-48	20MHz-10MHz	256QAM-256QAM	55941-56085	1RB#0-0RB#0	18.11	16.9	23	PASS
48-48	20MHz-10MHz	QPSK-QPSK	55941-56085	100RB#0-50RB#0	21.47	20.26	23	PASS
48-48	20MHz-10MHz	16QAM-16QAM	55941-56085	100RB#0-50RB#0	20.76	19.55	23	PASS
48-48	20MHz-10MHz	64QAM-64QAM	55941-56085	100RB#0-50RB#0	21.05	19.84	23	PASS
48-48	20MHz-10MHz	256QAM-256QAM	55941-56085	100RB#0-50RB#0	18.74	17.53	23	PASS
48-48	20MHz-10MHz	QPSK-QPSK	56541-56685	1RB#0-0RB#0	23.27	22.06	23	PASS
48-48	20MHz-10MHz	16QAM-16QAM	56541-56685	1RB#0-0RB#0	22.28	21.07	23	PASS
48-48	20MHz-10MHz	64QAM-64QAM	56541-56685	1RB#0-0RB#0	21.26	20.05	23	PASS
48-48	20MHz-10MHz	256QAM-256QAM	56541-56685	1RB#0-0RB#0	18.4	17.19	23	PASS
48-48	20MHz-10MHz	QPSK-QPSK	56541-56685	100RB#0-50RB#0	21.92	20.71	23	PASS
48-48	20MHz-10MHz	16QAM-16QAM	56541-56685	100RB#0-50RB#0	21.03	19.82	23	PASS
48-48	20MHz-10MHz	64QAM-64QAM	56541-56685	100RB#0-50RB#0	20.89	19.68	23	PASS
48-48	20MHz-10MHz	256QAM-256QAM	56541-56685	100RB#0-50RB#0	19.31	18.1	23	PASS
48-48	15MHz-20MHz	QPSK-QPSK	55318-55489	1RB#0-0RB#0	23.59	22.38	23	PASS
48-48	15MHz-20MHz	16QAM-16QAM	55318-55489	1RB#0-0RB#0	22	20.79	23	PASS

48-48	15MHz-20MHz	64QAM-64QAM	55318-55489	1RB#0-0RB#0	21.27	20.06	23	PASS
48-48	15MHz-20MHz	256QAM-256QAM	55318-55489	1RB#0-0RB#0	18.22	17.01	23	PASS
48-48	15MHz-20MHz	QPSK-QPSK	55318-55489	75RB#0-100RB#0	22.23	21.02	23	PASS
48-48	15MHz-20MHz	16QAM-16QAM	55318-55489	75RB#0-100RB#0	21.46	20.25	23	PASS
48-48	15MHz-20MHz	64QAM-64QAM	55318-55489	75RB#0-100RB#0	20.8	19.59	23	PASS
48-48	15MHz-20MHz	256QAM-256QAM	55318-55489	75RB#0-100RB#0	19.37	18.16	23	PASS
48-48	15MHz-20MHz	QPSK-QPSK	55893-56064	1RB#0-0RB#0	23.16	21.95	23	PASS
48-48	15MHz-20MHz	16QAM-16QAM	55893-56064	1RB#0-0RB#0	22.14	20.93	23	PASS
48-48	15MHz-20MHz	64QAM-64QAM	55893-56064	1RB#0-0RB#0	20.8	19.59	23	PASS
48-48	15MHz-20MHz	256QAM-256QAM	55893-56064	1RB#0-0RB#0	17.73	16.52	23	PASS
48-48	15MHz-20MHz	QPSK-QPSK	55893-56064	75RB#0-100RB#0	21.51	20.3	23	PASS
48-48	15MHz-20MHz	16QAM-16QAM	55893-56064	75RB#0-100RB#0	20.48	19.27	23	PASS
48-48	15MHz-20MHz	64QAM-64QAM	55893-56064	75RB#0-100RB#0	21.12	19.91	23	PASS
48-48	15MHz-20MHz	256QAM-256QAM	55893-56064	75RB#0-100RB#0	19.05	17.84	23	PASS
48-48	15MHz-20MHz	QPSK-QPSK	56469-56640	1RB#0-0RB#0	20.05	18.84	23	PASS
48-48	15MHz-20MHz	16QAM-16QAM	56469-56640	1RB#0-0RB#0	21.96	20.75	23	PASS
48-48	15MHz-20MHz	64QAM-64QAM	56469-56640	1RB#0-0RB#0	21.14	19.93	23	PASS
48-48	15MHz-20MHz	256QAM-256QAM	56469-56640	1RB#0-0RB#0	17.87	16.66	23	PASS
48-48	15MHz-20MHz	QPSK-QPSK	56469-56640	75RB#0-100RB#0	21.7	20.49	23	PASS
48-48	15MHz-20MHz	16QAM-16QAM	56469-56640	75RB#0-100RB#0	20.68	19.47	23	PASS
48-48	15MHz-20MHz	64QAM-64QAM	56469-56640	75RB#0-100RB#0	20.67	19.46	23	PASS
48-48	15MHz-20MHz	256QAM-256QAM	56469-56640	75RB#0-100RB#0	18.81	17.6	23	PASS
48-48	20MHz-15MHz	QPSK-QPSK	55340-55511	1RB#0-0RB#0	23.47	22.26	23	PASS
48-48	20MHz-15MHz	16QAM-16QAM	55340-55511	1RB#0-0RB#0	22.22	21.01	23	PASS
48-48	20MHz-15MHz	64QAM-64QAM	55340-55511	1RB#0-0RB#0	21.65	20.44	23	PASS

48-48	20MHz-15MHz	256QAM-256QAM	55340-55511	1RB#0-0RB#0	18.22	17.01	23	PASS
48-48	20MHz-15MHz	QPSK-QPSK	55340-55511	100RB#0-75RB#0	21.83	20.62	23	PASS
48-48	20MHz-15MHz	16QAM-16QAM	55340-55511	100RB#0-75RB#0	20.96	19.75	23	PASS
48-48	20MHz-15MHz	64QAM-64QAM	55340-55511	100RB#0-75RB#0	21.08	19.87	23	PASS
48-48	20MHz-15MHz	256QAM-256QAM	55340-55511	100RB#0-75RB#0	19.4	18.19	23	PASS
48-48	20MHz-15MHz	QPSK-QPSK	55916-56087	1RB#0-0RB#0	23.1	21.89	23	PASS
48-48	20MHz-15MHz	16QAM-16QAM	55916-56087	1RB#0-0RB#0	21.59	20.38	23	PASS
48-48	20MHz-15MHz	64QAM-64QAM	55916-56087	1RB#0-0RB#0	21.33	20.12	23	PASS
48-48	20MHz-15MHz	256QAM-256QAM	55916-56087	1RB#0-0RB#0	17.51	16.3	23	PASS
48-48	20MHz-15MHz	QPSK-QPSK	55916-56087	100RB#0-75RB#0	21.94	20.73	23	PASS
48-48	20MHz-15MHz	16QAM-16QAM	55916-56087	100RB#0-75RB#0	20.56	19.35	23	PASS
48-48	20MHz-15MHz	64QAM-64QAM	55916-56087	100RB#0-75RB#0	20.44	19.23	23	PASS
48-48	20MHz-15MHz	256QAM-256QAM	55916-56087	100RB#0-75RB#0	18.98	17.77	23	PASS
48-48	20MHz-15MHz	QPSK-QPSK	56491-56662	1RB#0-0RB#0	23.04	21.83	23	PASS
48-48	20MHz-15MHz	16QAM-16QAM	56491-56662	1RB#0-0RB#0	22.16	20.95	23	PASS
48-48	20MHz-15MHz	64QAM-64QAM	56491-56662	1RB#0-0RB#0	21.21	20	23	PASS
48-48	20MHz-15MHz	256QAM-256QAM	56491-56662	1RB#0-0RB#0	18.17	16.96	23	PASS
48-48	20MHz-15MHz	QPSK-QPSK	56491-56662	100RB#0-75RB#0	21.77	20.56	23	PASS
48-48	20MHz-15MHz	16QAM-16QAM	56491-56662	100RB#0-75RB#0	21.07	19.86	23	PASS
48-48	20MHz-15MHz	64QAM-64QAM	56491-56662	100RB#0-75RB#0	21.23	20.02	23	PASS
48-48	20MHz-15MHz	256QAM-256QAM	56491-56662	100RB#0-75RB#0	19.05	17.84	23	PASS
48-48	20MHz-20MHz	QPSK-QPSK	55340-55538	1RB#0-0RB#0	23.27	22.06	23	PASS
48-48	20MHz-20MHz	16QAM-16QAM	55340-55538	1RB#0-0RB#0	22.18	20.97	23	PASS
48-48	20MHz-20MHz	64QAM-64QAM	55340-55538	1RB#0-0RB#0	21.38	20.17	23	PASS
48-48	20MHz-20MHz	256QAM-256QAM	55340-55538	1RB#0-0RB#0	18.08	16.87	23	PASS

48-48	20MHz-20MHz	QPSK-QPSK	55340-55538	100RB#0-100RB#0	22.29	21.08	23	PASS
48-48	20MHz-20MHz	16QAM-16QAM	55340-55538	100RB#0-100RB#0	21.17	19.96	23	PASS
48-48	20MHz-20MHz	64QAM-64QAM	55340-55538	100RB#0-100RB#0	21.47	20.26	23	PASS
48-48	20MHz-20MHz	256QAM-256QAM	55340-55538	100RB#0-100RB#0	18.91	17.7	23	PASS
48-48	20MHz-20MHz	QPSK-QPSK	55891-56089	1RB#0-0RB#0	22.79	21.58	23	PASS
48-48	20MHz-20MHz	16QAM-16QAM	55891-56089	1RB#0-0RB#0	21.8	20.59	23	PASS
48-48	20MHz-20MHz	64QAM-64QAM	55891-56089	1RB#0-0RB#0	21.03	19.82	23	PASS
48-48	20MHz-20MHz	256QAM-256QAM	55891-56089	1RB#0-0RB#0	17.85	16.64	23	PASS
48-48	20MHz-20MHz	QPSK-QPSK	55891-56089	100RB#0-100RB#0	21.95	20.74	23	PASS
48-48	20MHz-20MHz	16QAM-16QAM	55891-56089	100RB#0-100RB#0	20.75	19.54	23	PASS
48-48	20MHz-20MHz	64QAM-64QAM	55891-56089	100RB#0-100RB#0	20.95	19.74	23	PASS
48-48	20MHz-20MHz	256QAM-256QAM	55891-56089	100RB#0-100RB#0	19.09	17.88	23	PASS
48-48	20MHz-20MHz	QPSK-QPSK	56442-56640	1RB#0-0RB#0	22.84	21.63	23	PASS
48-48	20MHz-20MHz	16QAM-16QAM	56442-56640	1RB#0-0RB#0	21.77	20.56	23	PASS
48-48	20MHz-20MHz	64QAM-64QAM	56442-56640	1RB#0-0RB#0	20.87	19.66	23	PASS
48-48	20MHz-20MHz	256QAM-256QAM	56442-56640	1RB#0-0RB#0	18.01	16.8	23	PASS
48-48	20MHz-20MHz	QPSK-QPSK	56442-56640	100RB#0-100RB#0	21.82	20.61	23	PASS
48-48	20MHz-20MHz	16QAM-16QAM	56442-56640	100RB#0-100RB#0	20.66	19.45	23	PASS
48-48	20MHz-20MHz	64QAM-64QAM	56442-56640	100RB#0-100RB#0	20.99	19.78	23	PASS
48-48	20MHz-20MHz	256QAM-256QAM	56442-56640	100RB#0-100RB#0	18.86	17.65	23	PASS

LTE CA_66B:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
66-66	10MHz-10MHz	QPSK-QPSK	132022-132121	1RB#0-0RB#0	23.78	28.72	30	PASS
66-66	10MHz-10MHz	16QAM-16QAM	132022-132121	1RB#0-0RB#0	22.72	27.66	30	PASS
66-66	10MHz-10MHz	64QAM-64QAM	132022-132121	1RB#0-0RB#0	21.93	26.87	30	PASS
66-66	10MHz-10MHz	256QAM-256QAM	132022-132121	1RB#0-0RB#0	18.93	23.87	30	PASS
66-66	10MHz-10MHz	QPSK-QPSK	132022-132121	50RB#0-50RB#0	22.6	27.54	30	PASS
66-66	10MHz-10MHz	16QAM-16QAM	132022-132121	50RB#0-50RB#0	21.16	26.1	30	PASS
66-66	10MHz-10MHz	64QAM-64QAM	132022-132121	50RB#0-50RB#0	21.74	26.68	30	PASS
66-66	10MHz-10MHz	256QAM-256QAM	132022-132121	50RB#0-50RB#0	19.29	24.23	30	PASS
66-66	10MHz-10MHz	QPSK-QPSK	132373-132472	1RB#0-0RB#0	23.29	28.23	30	PASS
66-66	10MHz-10MHz	16QAM-16QAM	132373-132472	1RB#0-0RB#0	22.69	27.63	30	PASS
66-66	10MHz-10MHz	64QAM-64QAM	132373-132472	1RB#0-0RB#0	21.59	26.53	30	PASS
66-66	10MHz-10MHz	256QAM-256QAM	132373-132472	1RB#0-0RB#0	18.07	23.01	30	PASS
66-66	10MHz-10MHz	QPSK-QPSK	132373-132472	50RB#0-50RB#0	22.2	27.14	30	PASS
66-66	10MHz-10MHz	16QAM-16QAM	132373-132472	50RB#0-50RB#0	21.24	26.18	30	PASS
66-66	10MHz-10MHz	64QAM-64QAM	132373-132472	50RB#0-50RB#0	21.44	26.38	30	PASS
66-66	10MHz-10MHz	256QAM-256QAM	132373-132472	50RB#0-50RB#0	19.47	24.41	30	PASS
66-66	10MHz-10MHz	QPSK-QPSK	132523-132622	1RB#0-0RB#0	23.26	28.2	30	PASS
66-66	10MHz-10MHz	16QAM-16QAM	132523-132622	1RB#0-0RB#0	22.68	27.62	30	PASS
66-66	10MHz-10MHz	64QAM-64QAM	132523-132622	1RB#0-0RB#0	21.89	26.83	30	PASS
66-66	10MHz-10MHz	256QAM-256QAM	132523-132622	1RB#0-0RB#0	18.56	23.5	30	PASS
66-66	10MHz-10MHz	QPSK-QPSK	132523-132622	50RB#0-50RB#0	21.96	26.9	30	PASS
66-66	10MHz-10MHz	16QAM-16QAM	132523-132622	50RB#0-50RB#0	21.55	26.49	30	PASS
66-66	10MHz-10MHz	64QAM-64QAM	132523-132622	50RB#0-50RB#0	21.27	26.21	30	PASS

66-66	10MHz-10MHz	256QAM-256QAM	132523-132622	50RB#0-50RB#0	19.32	24.26	30	PASS
66-66	10MHz-5MHz	QPSK-QPSK	132022-132094	1RB#0-0RB#0	23.22	28.16	30	PASS
66-66	10MHz-5MHz	16QAM-16QAM	132022-132094	1RB#0-0RB#0	22.49	27.43	30	PASS
66-66	10MHz-5MHz	64QAM-64QAM	132022-132094	1RB#0-0RB#0	21.98	26.92	30	PASS
66-66	10MHz-5MHz	256QAM-256QAM	132022-132094	1RB#0-0RB#0	18.8	23.74	30	PASS
66-66	10MHz-5MHz	QPSK-QPSK	132022-132094	50RB#0-25RB#0	22.49	27.43	30	PASS
66-66	10MHz-5MHz	16QAM-16QAM	132022-132094	50RB#0-25RB#0	21.75	26.69	30	PASS
66-66	10MHz-5MHz	64QAM-64QAM	132022-132094	50RB#0-25RB#0	21.53	26.47	30	PASS
66-66	10MHz-5MHz	256QAM-256QAM	132022-132094	50RB#0-25RB#0	19.66	24.6	30	PASS
66-66	10MHz-5MHz	QPSK-QPSK	132397-132469	1RB#0-0RB#0	23.48	28.42	30	PASS
66-66	10MHz-5MHz	16QAM-16QAM	132397-132469	1RB#0-0RB#0	22.91	27.85	30	PASS
66-66	10MHz-5MHz	64QAM-64QAM	132397-132469	1RB#0-0RB#0	21.78	26.72	30	PASS
66-66	10MHz-5MHz	256QAM-256QAM	132397-132469	1RB#0-0RB#0	18.89	23.83	30	PASS
66-66	10MHz-5MHz	QPSK-QPSK	132397-132469	50RB#0-25RB#0	22.57	27.51	30	PASS
66-66	10MHz-5MHz	16QAM-16QAM	132397-132469	50RB#0-25RB#0	21.47	26.41	30	PASS
66-66	10MHz-5MHz	64QAM-64QAM	132397-132469	50RB#0-25RB#0	21.55	26.49	30	PASS
66-66	10MHz-5MHz	256QAM-256QAM	132397-132469	50RB#0-25RB#0	19.57	24.51	30	PASS
66-66	10MHz-5MHz	QPSK-QPSK	132572-132644	1RB#0-0RB#0	23.47	28.41	30	PASS
66-66	10MHz-5MHz	16QAM-16QAM	132572-132644	1RB#0-0RB#0	22.37	27.31	30	PASS
66-66	10MHz-5MHz	64QAM-64QAM	132572-132644	1RB#0-0RB#0	21.72	26.66	30	PASS
66-66	10MHz-5MHz	256QAM-256QAM	132572-132644	1RB#0-0RB#0	18.59	23.53	30	PASS
66-66	10MHz-5MHz	QPSK-QPSK	132572-132644	50RB#0-25RB#0	22.54	27.48	30	PASS
66-66	10MHz-5MHz	16QAM-16QAM	132572-132644	50RB#0-25RB#0	21.34	26.28	30	PASS
66-66	10MHz-5MHz	64QAM-64QAM	132572-132644	50RB#0-25RB#0	21.09	26.03	30	PASS
66-66	10MHz-5MHz	256QAM-256QAM	132572-132644	50RB#0-25RB#0	19.08	24.02	30	PASS

66-66	15MHz-5MHz	QPSK-QPSK	132047-132140	1RB#0-0RB#0	23.59	28.53	30	PASS
66-66	15MHz-5MHz	16QAM-16QAM	132047-132140	1RB#0-0RB#0	22.32	27.26	30	PASS
66-66	15MHz-5MHz	64QAM-64QAM	132047-132140	1RB#0-0RB#0	21.66	26.6	30	PASS
66-66	15MHz-5MHz	256QAM-256QAM	132047-132140	1RB#0-0RB#0	18.62	23.56	30	PASS
66-66	15MHz-5MHz	QPSK-QPSK	132047-132140	75RB#0-25RB#0	22.3	27.24	30	PASS
66-66	15MHz-5MHz	16QAM-16QAM	132047-132140	75RB#0-25RB#0	21.23	26.17	30	PASS
66-66	15MHz-5MHz	64QAM-64QAM	132047-132140	75RB#0-25RB#0	21.34	26.28	30	PASS
66-66	15MHz-5MHz	256QAM-256QAM	132047-132140	75RB#0-25RB#0	19.27	24.21	30	PASS
66-66	15MHz-5MHz	QPSK-QPSK	132398-132491	1RB#0-0RB#0	23.51	28.45	30	PASS
66-66	15MHz-5MHz	16QAM-16QAM	132398-132491	1RB#0-0RB#0	22.27	27.21	30	PASS
66-66	15MHz-5MHz	64QAM-64QAM	132398-132491	1RB#0-0RB#0	21.86	26.8	30	PASS
66-66	15MHz-5MHz	256QAM-256QAM	132398-132491	1RB#0-0RB#0	18.51	23.45	30	PASS
66-66	15MHz-5MHz	QPSK-QPSK	132398-132491	75RB#0-25RB#0	22.47	27.41	30	PASS
66-66	15MHz-5MHz	16QAM-16QAM	132398-132491	75RB#0-25RB#0	21.48	26.42	30	PASS
66-66	15MHz-5MHz	64QAM-64QAM	132398-132491	75RB#0-25RB#0	21.58	26.52	30	PASS
66-66	15MHz-5MHz	256QAM-256QAM	132398-132491	75RB#0-25RB#0	19.23	24.17	30	PASS
66-66	15MHz-5MHz	QPSK-QPSK	132549-132642	1RB#0-0RB#0	23.26	28.2	30	PASS
66-66	15MHz-5MHz	16QAM-16QAM	132549-132642	1RB#0-0RB#0	22.28	27.22	30	PASS
66-66	15MHz-5MHz	64QAM-64QAM	132549-132642	1RB#0-0RB#0	21.74	26.68	30	PASS
66-66	15MHz-5MHz	256QAM-256QAM	132549-132642	1RB#0-0RB#0	18.47	23.41	30	PASS
66-66	15MHz-5MHz	QPSK-QPSK	132549-132642	75RB#0-25RB#0	22.06	27	30	PASS
66-66	15MHz-5MHz	16QAM-16QAM	132549-132642	75RB#0-25RB#0	21.4	26.34	30	PASS
66-66	15MHz-5MHz	64QAM-64QAM	132549-132642	75RB#0-25RB#0	21.48	26.42	30	PASS
66-66	15MHz-5MHz	256QAM-256QAM	132549-132642	75RB#0-25RB#0	19.15	24.09	30	PASS
66-66	5MHz-15MHz	QPSK-QPSK	132002-132095	1RB#0-0RB#0	23.52	28.46	30	PASS

66-66	5MHz-15MHz	16QAM-16QAM	132002-132095	1RB#0-0RB#0	22.4	27.34	30	PASS
66-66	5MHz-15MHz	64QAM-64QAM	132002-132095	1RB#0-0RB#0	21.61	26.55	30	PASS
66-66	5MHz-15MHz	256QAM-256QAM	132002-132095	1RB#0-0RB#0	18.83	23.77	30	PASS
66-66	5MHz-15MHz	QPSK-QPSK	132002-132095	25RB#0-75RB#0	22.51	27.45	30	PASS
66-66	5MHz-15MHz	16QAM-16QAM	132002-132095	25RB#0-75RB#0	21.22	26.16	30	PASS
66-66	5MHz-15MHz	64QAM-64QAM	132002-132095	25RB#0-75RB#0	21.72	26.66	30	PASS
66-66	5MHz-15MHz	256QAM-256QAM	132002-132095	25RB#0-75RB#0	19.11	24.05	30	PASS
66-66	5MHz-15MHz	QPSK-QPSK	132353-132446	1RB#0-0RB#0	23.53	28.47	30	PASS
66-66	5MHz-15MHz	16QAM-16QAM	132353-132446	1RB#0-0RB#0	22.33	27.27	30	PASS
66-66	5MHz-15MHz	64QAM-64QAM	132353-132446	1RB#0-0RB#0	21.62	26.56	30	PASS
66-66	5MHz-15MHz	256QAM-256QAM	132353-132446	1RB#0-0RB#0	18.52	23.46	30	PASS
66-66	5MHz-15MHz	QPSK-QPSK	132353-132446	25RB#0-75RB#0	21.51	26.45	30	PASS
66-66	5MHz-15MHz	16QAM-16QAM	132353-132446	25RB#0-75RB#0	21.4	26.34	30	PASS
66-66	5MHz-15MHz	64QAM-64QAM	132353-132446	25RB#0-75RB#0	21.61	26.55	30	PASS
66-66	5MHz-15MHz	256QAM-256QAM	132353-132446	25RB#0-75RB#0	19.53	24.47	30	PASS
66-66	5MHz-15MHz	QPSK-QPSK	132504-132597	1RB#0-0RB#0	23.81	28.75	30	PASS
66-66	5MHz-15MHz	16QAM-16QAM	132504-132597	1RB#0-0RB#0	22.59	27.53	30	PASS
66-66	5MHz-15MHz	64QAM-64QAM	132504-132597	1RB#0-0RB#0	21.73	26.67	30	PASS
66-66	5MHz-15MHz	256QAM-256QAM	132504-132597	1RB#0-0RB#0	18.81	23.75	30	PASS
66-66	5MHz-15MHz	QPSK-QPSK	132504-132597	25RB#0-75RB#0	22.59	27.53	30	PASS
66-66	5MHz-15MHz	16QAM-16QAM	132504-132597	25RB#0-75RB#0	21.11	26.05	30	PASS
66-66	5MHz-15MHz	64QAM-64QAM	132504-132597	25RB#0-75RB#0	21.29	26.23	30	PASS
66-66	5MHz-15MHz	256QAM-256QAM	132504-132597	25RB#0-75RB#0	19.6	24.54	30	PASS
66-66	5MHz-5MHz	QPSK-QPSK	131997-132045	1RB#0-0RB#0	23.64	28.58	30	PASS
66-66	5MHz-5MHz	16QAM-16QAM	131997-132045	1RB#0-0RB#0	23.11	28.05	30	PASS

66-66	5MHz-5MHz	64QAM-64QAM	131997-132045	1RB#0-0RB#0	21.66	26.6	30	PASS
66-66	5MHz-5MHz	256QAM-256QAM	131997-132045	1RB#0-0RB#0	19.06	24	30	PASS
66-66	5MHz-5MHz	QPSK-QPSK	131997-132045	25RB#0-25RB#0	22.38	27.32	30	PASS
66-66	5MHz-5MHz	16QAM-16QAM	131997-132045	25RB#0-25RB#0	21.3	26.24	30	PASS
66-66	5MHz-5MHz	64QAM-64QAM	131997-132045	25RB#0-25RB#0	21.57	26.51	30	PASS
66-66	5MHz-5MHz	256QAM-256QAM	131997-132045	25RB#0-25RB#0	19.17	24.11	30	PASS
66-66	5MHz-5MHz	QPSK-QPSK	132398-132446	1RB#0-0RB#0	23.52	28.46	30	PASS
66-66	5MHz-5MHz	16QAM-16QAM	132398-132446	1RB#0-0RB#0	22.7	27.64	30	PASS
66-66	5MHz-5MHz	64QAM-64QAM	132398-132446	1RB#0-0RB#0	21.65	26.59	30	PASS
66-66	5MHz-5MHz	256QAM-256QAM	132398-132446	1RB#0-0RB#0	18.98	23.92	30	PASS
66-66	5MHz-5MHz	QPSK-QPSK	132398-132446	25RB#0-25RB#0	22.65	27.59	30	PASS
66-66	5MHz-5MHz	16QAM-16QAM	132398-132446	25RB#0-25RB#0	21.72	26.66	30	PASS
66-66	5MHz-5MHz	64QAM-64QAM	132398-132446	25RB#0-25RB#0	21.2	26.14	30	PASS
66-66	5MHz-5MHz	256QAM-256QAM	132398-132446	25RB#0-25RB#0	19.78	24.72	30	PASS
66-66	5MHz-5MHz	QPSK-QPSK	132599-132647	1RB#0-0RB#0	23.85	28.79	30	PASS
66-66	5MHz-5MHz	16QAM-16QAM	132599-132647	1RB#0-0RB#0	22.58	27.52	30	PASS
66-66	5MHz-5MHz	64QAM-64QAM	132599-132647	1RB#0-0RB#0	21.52	26.46	30	PASS
66-66	5MHz-5MHz	256QAM-256QAM	132599-132647	1RB#0-0RB#0	18.77	23.71	30	PASS
66-66	5MHz-5MHz	QPSK-QPSK	132599-132647	25RB#0-25RB#0	22.34	27.28	30	PASS
66-66	5MHz-5MHz	16QAM-16QAM	132599-132647	25RB#0-25RB#0	21.22	26.16	30	PASS
66-66	5MHz-5MHz	64QAM-64QAM	132599-132647	25RB#0-25RB#0	21.14	26.08	30	PASS
66-66	5MHz-5MHz	256QAM-256QAM	132599-132647	25RB#0-25RB#0	19.55	24.49	30	PASS
66-66	5MHz-10MHz	QPSK-QPSK	132000-132072	1RB#0-0RB#0	23.82	28.76	30	PASS
66-66	5MHz-10MHz	16QAM-16QAM	132000-132072	1RB#0-0RB#0	22.42	27.36	30	PASS
66-66	5MHz-10MHz	64QAM-64QAM	132000-132072	1RB#0-0RB#0	21.82	26.76	30	PASS

66-66	5MHz-10MHz	256QAM-256QAM	132000-132072	1RB#0-0RB#0	18.65	23.59	30	PASS
66-66	5MHz-10MHz	QPSK-QPSK	132000-132072	25RB#0-50RB#0	22.67	27.61	30	PASS
66-66	5MHz-10MHz	16QAM-16QAM	132000-132072	25RB#0-50RB#0	21.47	26.41	30	PASS
66-66	5MHz-10MHz	64QAM-64QAM	132000-132072	25RB#0-50RB#0	21.77	26.71	30	PASS
66-66	5MHz-10MHz	256QAM-256QAM	132000-132072	25RB#0-50RB#0	19.63	24.57	30	PASS
66-66	5MHz-10MHz	QPSK-QPSK	132375-132447	1RB#0-0RB#0	23.37	28.31	30	PASS
66-66	5MHz-10MHz	16QAM-16QAM	132375-132447	1RB#0-0RB#0	22.65	27.59	30	PASS
66-66	5MHz-10MHz	64QAM-64QAM	132375-132447	1RB#0-0RB#0	21.41	26.35	30	PASS
66-66	5MHz-10MHz	256QAM-256QAM	132375-132447	1RB#0-0RB#0	18.48	23.42	30	PASS
66-66	5MHz-10MHz	QPSK-QPSK	132375-132447	25RB#0-50RB#0	22.38	27.32	30	PASS
66-66	5MHz-10MHz	16QAM-16QAM	132375-132447	25RB#0-50RB#0	21.07	26.01	30	PASS
66-66	5MHz-10MHz	64QAM-64QAM	132375-132447	25RB#0-50RB#0	21.45	26.39	30	PASS
66-66	5MHz-10MHz	256QAM-256QAM	132375-132447	25RB#0-50RB#0	19.44	24.38	30	PASS
66-66	5MHz-10MHz	QPSK-QPSK	132550-132622	1RB#0-0RB#0	23.87	28.81	30	PASS
66-66	5MHz-10MHz	16QAM-16QAM	132550-132622	1RB#0-0RB#0	22.58	27.52	30	PASS
66-66	5MHz-10MHz	64QAM-64QAM	132550-132622	1RB#0-0RB#0	21.53	26.47	30	PASS
66-66	5MHz-10MHz	256QAM-256QAM	132550-132622	1RB#0-0RB#0	19.05	23.99	30	PASS
66-66	5MHz-10MHz	QPSK-QPSK	132550-132622	25RB#0-50RB#0	22.01	26.95	30	PASS
66-66	5MHz-10MHz	16QAM-16QAM	132550-132622	25RB#0-50RB#0	21.23	26.17	30	PASS
66-66	5MHz-10MHz	64QAM-64QAM	132550-132622	25RB#0-50RB#0	21.17	26.11	30	PASS

LTE CA_66C:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
66-66	5MHz-10MHz	256QAM-256QAM	132550-132622	25RB#0-50RB#0	19.54	24.48	30	PASS
66-66	10MHz-15MHz	QPSK-QPSK	132025-132145	1RB#0-0RB#0	23.69	28.63	30	PASS
66-66	10MHz-15MHz	16QAM-16QAM	132025-132145	1RB#0-0RB#0	22.45	27.39	30	PASS
66-66	10MHz-15MHz	64QAM-64QAM	132025-132145	1RB#0-0RB#0	22.04	26.98	30	PASS
66-66	10MHz-15MHz	256QAM-256QAM	132025-132145	1RB#0-0RB#0	18.61	23.55	30	PASS
66-66	10MHz-15MHz	QPSK-QPSK	132025-132145	50RB#0-75RB#0	22.74	27.68	30	PASS
66-66	10MHz-15MHz	16QAM-16QAM	132025-132145	50RB#0-75RB#0	21.38	26.32	30	PASS
66-66	10MHz-15MHz	64QAM-64QAM	132025-132145	50RB#0-75RB#0	21.7	26.64	30	PASS
66-66	10MHz-15MHz	256QAM-256QAM	132025-132145	50RB#0-75RB#0	19.52	24.46	30	PASS
66-66	10MHz-15MHz	QPSK-QPSK	132351-132471	1RB#0-0RB#0	23.76	28.7	30	PASS
66-66	10MHz-15MHz	16QAM-16QAM	132351-132471	1RB#0-0RB#0	22.37	27.31	30	PASS
66-66	10MHz-15MHz	64QAM-64QAM	132351-132471	1RB#0-0RB#0	21.83	26.77	30	PASS
66-66	10MHz-15MHz	256QAM-256QAM	132351-132471	1RB#0-0RB#0	18.38	23.32	30	PASS
66-66	10MHz-15MHz	QPSK-QPSK	132351-132471	50RB#0-75RB#0	22.16	27.1	30	PASS
66-66	10MHz-15MHz	16QAM-16QAM	132351-132471	50RB#0-75RB#0	21.13	26.07	30	PASS
66-66	10MHz-15MHz	64QAM-64QAM	132351-132471	50RB#0-75RB#0	21.16	26.1	30	PASS
66-66	10MHz-15MHz	256QAM-256QAM	132351-132471	50RB#0-75RB#0	19.35	24.29	30	PASS
66-66	10MHz-15MHz	QPSK-QPSK	132477-132597	1RB#0-0RB#0	23.51	28.45	30	PASS
66-66	10MHz-15MHz	16QAM-16QAM	132477-132597	1RB#0-0RB#0	22.54	27.48	30	PASS
66-66	10MHz-15MHz	64QAM-64QAM	132477-132597	1RB#0-0RB#0	22.25	27.19	30	PASS
66-66	10MHz-15MHz	256QAM-256QAM	132477-132597	1RB#0-0RB#0	18.64	23.58	30	PASS
66-66	10MHz-15MHz	QPSK-QPSK	132477-132597	50RB#0-75RB#0	22.66	27.6	30	PASS
66-66	10MHz-15MHz	16QAM-16QAM	132477-132597	50RB#0-75RB#0	21.28	26.22	30	PASS

66-66	10MHz-15MHz	64QAM-64QAM	132477-132597	50RB#0-75RB#0	21.32	26.26	30	PASS
66-66	10MHz-15MHz	256QAM-256QAM	132477-132597	50RB#0-75RB#0	19.56	24.5	30	PASS
66-66	10MHz-20MHz	QPSK-QPSK	132027-132171	1RB#0-0RB#0	23.63	28.57	30	PASS
66-66	10MHz-20MHz	16QAM-16QAM	132027-132171	1RB#0-0RB#0	22.63	27.57	30	PASS
66-66	10MHz-20MHz	64QAM-64QAM	132027-132171	1RB#0-0RB#0	21.54	26.48	30	PASS
66-66	10MHz-20MHz	256QAM-256QAM	132027-132171	1RB#0-0RB#0	18.49	23.43	30	PASS
66-66	10MHz-20MHz	QPSK-QPSK	132027-132171	50RB#0-100RB#0	22.72	27.66	30	PASS
66-66	10MHz-20MHz	16QAM-16QAM	132027-132171	50RB#0-100RB#0	21.25	26.19	30	PASS
66-66	10MHz-20MHz	64QAM-64QAM	132027-132171	50RB#0-100RB#0	21.72	26.66	30	PASS
66-66	10MHz-20MHz	256QAM-256QAM	132027-132171	50RB#0-100RB#0	19.69	24.63	30	PASS
66-66	10MHz-20MHz	QPSK-QPSK	132328-132472	1RB#0-0RB#0	23.85	28.79	30	PASS
66-66	10MHz-20MHz	16QAM-16QAM	132328-132472	1RB#0-0RB#0	23.03	27.97	30	PASS
66-66	10MHz-20MHz	64QAM-64QAM	132328-132472	1RB#0-0RB#0	21.74	26.68	30	PASS
66-66	10MHz-20MHz	256QAM-256QAM	132328-132472	1RB#0-0RB#0	18.5	23.44	30	PASS
66-66	10MHz-20MHz	QPSK-QPSK	132328-132472	50RB#0-100RB#0	22.59	27.53	30	PASS
66-66	10MHz-20MHz	16QAM-16QAM	132328-132472	50RB#0-100RB#0	21.65	26.59	30	PASS
66-66	10MHz-20MHz	64QAM-64QAM	132328-132472	50RB#0-100RB#0	21.5	26.44	30	PASS
66-66	10MHz-20MHz	256QAM-256QAM	132328-132472	50RB#0-100RB#0	19.05	23.99	30	PASS
66-66	10MHz-20MHz	QPSK-QPSK	132428-132572	1RB#0-0RB#0	23.23	28.17	30	PASS
66-66	10MHz-20MHz	16QAM-16QAM	132428-132572	1RB#0-0RB#0	22.44	27.38	30	PASS
66-66	10MHz-20MHz	64QAM-64QAM	132428-132572	1RB#0-0RB#0	21.29	26.23	30	PASS
66-66	10MHz-20MHz	256QAM-256QAM	132428-132572	1RB#0-0RB#0	18.58	23.52	30	PASS
66-66	10MHz-20MHz	QPSK-QPSK	132428-132572	50RB#0-100RB#0	22.36	27.3	30	PASS
66-66	10MHz-20MHz	16QAM-16QAM	132428-132572	50RB#0-100RB#0	21.61	26.55	30	PASS
66-66	10MHz-20MHz	64QAM-64QAM	132428-132572	50RB#0-100RB#0	21.53	26.47	30	PASS

66-66	10MHz-20MHz	256QAM-256QAM	132428-132572	50RB#0-100RB#0	19.44	24.38	30	PASS
66-66	15MHz-10MHz	QPSK-QPSK	132047-132167	1RB#0-0RB#0	23.41	28.35	30	PASS
66-66	15MHz-10MHz	16QAM-16QAM	132047-132167	75RB#0-50RB#0	22.65	27.59	30	PASS
66-66	15MHz-10MHz	64QAM-64QAM	132373-132493	1RB#0-0RB#0	21.8	26.74	30	PASS
66-66	15MHz-10MHz	256QAM-256QAM	132373-132493	75RB#0-50RB#0	18.68	23.62	30	PASS
66-66	15MHz-10MHz	QPSK-QPSK	132499-132619	1RB#0-0RB#0	22.74	27.68	30	PASS
66-66	15MHz-10MHz	16QAM-16QAM	132499-132619	75RB#0-50RB#0	21.79	26.73	30	PASS
66-66	15MHz-10MHz	64QAM-64QAM	132047-132167	1RB#0-0RB#0	21.03	25.97	30	PASS
66-66	15MHz-10MHz	256QAM-256QAM	132047-132167	75RB#0-50RB#0	19.66	24.6	30	PASS
66-66	15MHz-10MHz	QPSK-QPSK	132373-132493	1RB#0-0RB#0	23.25	28.19	30	PASS
66-66	15MHz-10MHz	16QAM-16QAM	132373-132493	75RB#0-50RB#0	22.27	27.21	30	PASS
66-66	15MHz-10MHz	64QAM-64QAM	132499-132619	1RB#0-0RB#0	21.59	26.53	30	PASS
66-66	15MHz-10MHz	256QAM-256QAM	132499-132619	75RB#0-50RB#0	18.68	23.62	30	PASS
66-66	15MHz-10MHz	QPSK-QPSK	132047-132167	1RB#0-0RB#0	22.4	27.34	30	PASS
66-66	15MHz-10MHz	16QAM-16QAM	132047-132167	75RB#0-50RB#0	21.09	26.03	30	PASS
66-66	15MHz-10MHz	64QAM-64QAM	132373-132493	1RB#0-0RB#0	21.41	26.35	30	PASS
66-66	15MHz-10MHz	256QAM-256QAM	132373-132493	75RB#0-50RB#0	19.28	24.22	30	PASS
66-66	15MHz-10MHz	QPSK-QPSK	132499-132619	1RB#0-0RB#0	23.55	28.49	30	PASS
66-66	15MHz-10MHz	16QAM-16QAM	132499-132619	75RB#0-50RB#0	22.84	27.78	30	PASS
66-66	15MHz-10MHz	64QAM-64QAM	132047-132167	1RB#0-0RB#0	22.1	27.04	30	PASS
66-66	15MHz-10MHz	256QAM-256QAM	132047-132167	75RB#0-50RB#0	18.33	23.27	30	PASS
66-66	15MHz-10MHz	QPSK-QPSK	132373-132493	1RB#0-0RB#0	22.25	27.19	30	PASS
66-66	15MHz-10MHz	16QAM-16QAM	132373-132493	75RB#0-50RB#0	21.19	26.13	30	PASS
66-66	15MHz-10MHz	64QAM-64QAM	132499-132619	1RB#0-0RB#0	21.15	26.09	30	PASS
66-66	15MHz-10MHz	256QAM-256QAM	132499-132619	75RB#0-50RB#0	19.74	24.68	30	PASS

66-66	15MHz-15MHz	QPSK-QPSK	132047-132197	1RB#0-0RB#0	23.85	28.79	30	PASS
66-66	15MHz-15MHz	16QAM-16QAM	132047-132197	1RB#0-0RB#0	22.76	27.7	30	PASS
66-66	15MHz-15MHz	64QAM-64QAM	132047-132197	1RB#0-0RB#0	21.94	26.88	30	PASS
66-66	15MHz-15MHz	256QAM-256QAM	132047-132197	1RB#0-0RB#0	18.42	23.36	30	PASS
66-66	15MHz-15MHz	QPSK-QPSK	132047-132197	75RB#0-75RB#0	22.37	27.31	30	PASS
66-66	15MHz-15MHz	16QAM-16QAM	132047-132197	75RB#0-75RB#0	21.54	26.48	30	PASS
66-66	15MHz-15MHz	64QAM-64QAM	132047-132197	75RB#0-75RB#0	20.76	25.7	30	PASS
66-66	15MHz-15MHz	256QAM-256QAM	132047-132197	75RB#0-75RB#0	19.69	24.63	30	PASS
66-66	15MHz-15MHz	QPSK-QPSK	132347-132497	1RB#0-0RB#0	23.36	28.3	30	PASS
66-66	15MHz-15MHz	16QAM-16QAM	132347-132497	1RB#0-0RB#0	22.41	27.35	30	PASS
66-66	15MHz-15MHz	64QAM-64QAM	132347-132497	1RB#0-0RB#0	22.1	27.04	30	PASS
66-66	15MHz-15MHz	256QAM-256QAM	132347-132497	1RB#0-0RB#0	18.58	23.52	30	PASS
66-66	15MHz-15MHz	QPSK-QPSK	132347-132497	75RB#0-75RB#0	22.48	27.42	30	PASS
66-66	15MHz-15MHz	16QAM-16QAM	132347-132497	75RB#0-75RB#0	21.12	26.06	30	PASS
66-66	15MHz-15MHz	64QAM-64QAM	132347-132497	75RB#0-75RB#0	21.51	26.45	30	PASS
66-66	15MHz-15MHz	256QAM-256QAM	132347-132497	75RB#0-75RB#0	19.56	24.5	30	PASS
66-66	15MHz-15MHz	QPSK-QPSK	132447-132597	1RB#0-0RB#0	23.37	28.31	30	PASS
66-66	15MHz-15MHz	16QAM-16QAM	132447-132597	1RB#0-0RB#0	22.65	27.59	30	PASS
66-66	15MHz-15MHz	64QAM-64QAM	132447-132597	1RB#0-0RB#0	21.71	26.65	30	PASS
66-66	15MHz-15MHz	256QAM-256QAM	132447-132597	1RB#0-0RB#0	18.95	23.89	30	PASS
66-66	15MHz-15MHz	QPSK-QPSK	132447-132597	75RB#0-75RB#0	22.01	26.95	30	PASS
66-66	15MHz-15MHz	16QAM-16QAM	132447-132597	75RB#0-75RB#0	21.28	26.22	30	PASS
66-66	15MHz-15MHz	64QAM-64QAM	132447-132597	75RB#0-75RB#0	21.64	26.58	30	PASS
66-66	15MHz-15MHz	256QAM-256QAM	132447-132597	75RB#0-75RB#0	19.16	24.1	30	PASS
66-66	15MHz-20MHz	QPSK-QPSK	132050-132221	1RB#0-0RB#0	23.68	28.62	30	PASS

66-66	15MHz-20MHz	16QAM-16QAM	132050-132221	1RB#0-0RB#0	22.5	27.44	30	PASS
66-66	15MHz-20MHz	64QAM-64QAM	132050-132221	1RB#0-0RB#0	21.45	26.39	30	PASS
66-66	15MHz-20MHz	256QAM-256QAM	132050-132221	1RB#0-0RB#0	18.99	23.93	30	PASS
66-66	15MHz-20MHz	QPSK-QPSK	132050-132221	75RB#0-100RB#0	23.56	28.5	30	PASS
66-66	15MHz-20MHz	16QAM-16QAM	132050-132221	75RB#0-100RB#0	21.49	26.43	30	PASS
66-66	15MHz-20MHz	64QAM-64QAM	132050-132221	75RB#0-100RB#0	21.75	26.69	30	PASS
66-66	15MHz-20MHz	256QAM-256QAM	132050-132221	75RB#0-100RB#0	19.58	24.52	30	PASS
66-66	15MHz-20MHz	QPSK-QPSK	132325-132496	1RB#0-0RB#0	23.42	28.36	30	PASS
66-66	15MHz-20MHz	16QAM-16QAM	132325-132496	1RB#0-0RB#0	22.81	27.75	30	PASS
66-66	15MHz-20MHz	64QAM-64QAM	132325-132496	1RB#0-0RB#0	21.49	26.43	30	PASS
66-66	15MHz-20MHz	256QAM-256QAM	132325-132496	1RB#0-0RB#0	18.51	23.45	30	PASS
66-66	15MHz-20MHz	QPSK-QPSK	132325-132496	75RB#0-100RB#0	22.67	27.61	30	PASS
66-66	15MHz-20MHz	16QAM-16QAM	132325-132496	75RB#0-100RB#0	21.7	26.64	30	PASS
66-66	15MHz-20MHz	64QAM-64QAM	132325-132496	75RB#0-100RB#0	21.24	26.18	30	PASS
66-66	15MHz-20MHz	256QAM-256QAM	132325-132496	75RB#0-100RB#0	19.26	24.2	30	PASS
66-66	15MHz-20MHz	QPSK-QPSK	132401-132572	1RB#0-0RB#0	23.57	28.51	30	PASS
66-66	15MHz-20MHz	16QAM-16QAM	132401-132572	1RB#0-0RB#0	22.81	27.75	30	PASS
66-66	15MHz-20MHz	64QAM-64QAM	132401-132572	1RB#0-0RB#0	21.68	26.62	30	PASS
66-66	15MHz-20MHz	256QAM-256QAM	132401-132572	1RB#0-0RB#0	18.61	23.55	30	PASS
66-66	15MHz-20MHz	QPSK-QPSK	132401-132572	75RB#0-100RB#0	22.38	27.32	30	PASS
66-66	15MHz-20MHz	16QAM-16QAM	132401-132572	75RB#0-100RB#0	21.42	26.36	30	PASS
66-66	15MHz-20MHz	64QAM-64QAM	132401-132572	75RB#0-100RB#0	21.03	25.97	30	PASS
66-66	15MHz-20MHz	256QAM-256QAM	132401-132572	75RB#0-100RB#0	19.31	24.25	30	PASS
66-66	20MHz-10MHz	QPSK-QPSK	132072-132216	100RB#0-50RB#0	23.83	28.77	30	PASS
66-66	20MHz-10MHz	16QAM-16QAM	132072-132216	1RB#0-0RB#0	22.98	27.92	30	PASS

66-66	20MHz-10MHz	64QAM-64QAM	132373-132517	100RB#0-50RB#0	21.97	26.91	30	PASS
66-66	20MHz-10MHz	256QAM-256QAM	132373-132517	1RB#0-0RB#0	18.75	23.69	30	PASS
66-66	20MHz-10MHz	QPSK-QPSK	132473-132617	100RB#0-50RB#0	22.45	27.39	30	PASS
66-66	20MHz-10MHz	16QAM-16QAM	132473-132617	1RB#0-0RB#0	21.17	26.11	30	PASS
66-66	20MHz-10MHz	64QAM-64QAM	132072-132216	100RB#0-50RB#0	21.54	26.48	30	PASS
66-66	20MHz-10MHz	256QAM-256QAM	132072-132216	1RB#0-0RB#0	19.26	24.2	30	PASS
66-66	20MHz-10MHz	QPSK-QPSK	132373-132517	100RB#0-50RB#0	23.8	28.74	30	PASS
66-66	20MHz-10MHz	16QAM-16QAM	132373-132517	1RB#0-0RB#0	22.65	27.59	30	PASS
66-66	20MHz-10MHz	64QAM-64QAM	132473-132617	100RB#0-50RB#0	21.39	26.33	30	PASS
66-66	20MHz-10MHz	256QAM-256QAM	132473-132617	1RB#0-0RB#0	18.4	23.34	30	PASS
66-66	20MHz-10MHz	QPSK-QPSK	132072-132216	100RB#0-50RB#0	21.98	26.92	30	PASS
66-66	20MHz-10MHz	16QAM-16QAM	132072-132216	1RB#0-0RB#0	20.94	25.88	30	PASS
66-66	20MHz-10MHz	64QAM-64QAM	132373-132517	100RB#0-50RB#0	21.13	26.07	30	PASS
66-66	20MHz-10MHz	256QAM-256QAM	132373-132517	1RB#0-0RB#0	19.05	23.99	30	PASS
66-66	20MHz-10MHz	QPSK-QPSK	132473-132617	100RB#0-50RB#0	23.51	28.45	30	PASS
66-66	20MHz-10MHz	16QAM-16QAM	132473-132617	1RB#0-0RB#0	22.33	27.27	30	PASS
66-66	20MHz-10MHz	64QAM-64QAM	132072-132216	100RB#0-50RB#0	22.29	27.23	30	PASS
66-66	20MHz-10MHz	256QAM-256QAM	132072-132216	1RB#0-0RB#0	18.5	23.44	30	PASS
66-66	20MHz-10MHz	QPSK-QPSK	132373-132517	100RB#0-50RB#0	22.65	27.59	30	PASS
66-66	20MHz-10MHz	16QAM-16QAM	132373-132517	1RB#0-0RB#0	21.51	26.45	30	PASS
66-66	20MHz-10MHz	64QAM-64QAM	132473-132617	100RB#0-50RB#0	21.77	26.71	30	PASS
66-66	20MHz-10MHz	256QAM-256QAM	132473-132617	1RB#0-0RB#0	19.21	24.15	30	PASS
66-66	20MHz-15MHz	QPSK-QPSK	132072-132243	100RB#0-75RB#0	23.4	28.34	30	PASS
66-66	20MHz-15MHz	16QAM-16QAM	132072-132243	1RB#0-0RB#0	22.66	27.6	30	PASS
66-66	20MHz-15MHz	64QAM-64QAM	132348-132519	100RB#0-75RB#0	21.96	26.9	30	PASS

66-66	20MHz-15MHz	256QAM-256QAM	132348-132519	1RB#0-0RB#0	18.75	23.69	30	PASS
66-66	20MHz-15MHz	QPSK-QPSK	132423-132594	100RB#0-75RB#0	22.12	27.06	30	PASS
66-66	20MHz-15MHz	16QAM-16QAM	132423-132594	1RB#0-0RB#0	21.54	26.48	30	PASS
66-66	20MHz-15MHz	64QAM-64QAM	132072-132243	100RB#0-75RB#0	21.7	26.64	30	PASS
66-66	20MHz-15MHz	256QAM-256QAM	132072-132243	1RB#0-0RB#0	19.59	24.53	30	PASS
66-66	20MHz-15MHz	QPSK-QPSK	132348-132519	100RB#0-75RB#0	23.4	28.34	30	PASS
66-66	20MHz-15MHz	16QAM-16QAM	132348-132519	1RB#0-0RB#0	22.71	27.65	30	PASS
66-66	20MHz-15MHz	64QAM-64QAM	132423-132594	100RB#0-75RB#0	21.65	26.59	30	PASS
66-66	20MHz-15MHz	256QAM-256QAM	132423-132594	1RB#0-0RB#0	18.49	23.43	30	PASS
66-66	20MHz-15MHz	QPSK-QPSK	132072-132243	100RB#0-75RB#0	22.52	27.46	30	PASS
66-66	20MHz-15MHz	16QAM-16QAM	132072-132243	1RB#0-0RB#0	20.98	25.92	30	PASS
66-66	20MHz-15MHz	64QAM-64QAM	132348-132519	100RB#0-75RB#0	21.34	26.28	30	PASS
66-66	20MHz-15MHz	256QAM-256QAM	132348-132519	1RB#0-0RB#0	18.97	23.91	30	PASS
66-66	20MHz-15MHz	QPSK-QPSK	132423-132594	100RB#0-75RB#0	23.77	28.71	30	PASS
66-66	20MHz-15MHz	16QAM-16QAM	132423-132594	1RB#0-0RB#0	22.77	27.71	30	PASS
66-66	20MHz-15MHz	64QAM-64QAM	132072-132243	100RB#0-75RB#0	21.98	26.92	30	PASS
66-66	20MHz-15MHz	256QAM-256QAM	132072-132243	1RB#0-0RB#0	18.84	23.78	30	PASS
66-66	20MHz-15MHz	QPSK-QPSK	132348-132519	100RB#0-75RB#0	22.63	27.57	30	PASS
66-66	20MHz-15MHz	16QAM-16QAM	132348-132519	1RB#0-0RB#0	21.35	26.29	30	PASS
66-66	20MHz-15MHz	64QAM-64QAM	132423-132594	100RB#0-75RB#0	21.2	26.14	30	PASS
66-66	20MHz-15MHz	256QAM-256QAM	132423-132594	1RB#0-0RB#0	19.8	24.74	30	PASS
66-66	20MHz-20MHz	QPSK-QPSK	132072-132270	1RB#0-0RB#0	23.39	28.33	30	PASS
66-66	20MHz-20MHz	16QAM-16QAM	132072-132270	1RB#0-0RB#0	23.08	28.02	30	PASS
66-66	20MHz-20MHz	64QAM-64QAM	132072-132270	1RB#0-0RB#0	21.38	26.32	30	PASS
66-66	20MHz-20MHz	256QAM-256QAM	132072-132270	1RB#0-0RB#0	18.75	23.69	30	PASS

66-66	20MHz-20MHz	QPSK-QPSK	132072-132270	100RB#0-100RB#0	22.51	27.45	30	PASS
66-66	20MHz-20MHz	16QAM-16QAM	132072-132270	100RB#0-100RB#0	21.21	26.15	30	PASS
66-66	20MHz-20MHz	64QAM-64QAM	132072-132270	100RB#0-100RB#0	21.72	26.66	30	PASS
66-66	20MHz-20MHz	256QAM-256QAM	132072-132270	100RB#0-100RB#0	19.19	24.13	30	PASS
66-66	20MHz-20MHz	QPSK-QPSK	132323-132521	1RB#0-0RB#0	23.76	28.7	30	PASS
66-66	20MHz-20MHz	16QAM-16QAM	132323-132521	1RB#0-0RB#0	22.55	27.49	30	PASS
66-66	20MHz-20MHz	64QAM-64QAM	132323-132521	1RB#0-0RB#0	21.85	26.79	30	PASS
66-66	20MHz-20MHz	256QAM-256QAM	132323-132521	1RB#0-0RB#0	18.86	23.8	30	PASS
66-66	20MHz-20MHz	QPSK-QPSK	132323-132521	100RB#0-100RB#0	22.47	27.41	30	PASS
66-66	20MHz-20MHz	16QAM-16QAM	132323-132521	100RB#0-100RB#0	21.21	26.15	30	PASS
66-66	20MHz-20MHz	64QAM-64QAM	132323-132521	100RB#0-100RB#0	21.43	26.37	30	PASS
66-66	20MHz-20MHz	256QAM-256QAM	132323-132521	100RB#0-100RB#0	19.7	24.64	30	PASS
66-66	20MHz-20MHz	QPSK-QPSK	132374-132572	1RB#0-0RB#0	23.08	28.02	30	PASS
66-66	20MHz-20MHz	16QAM-16QAM	132374-132572	1RB#0-0RB#0	22.86	27.8	30	PASS
66-66	20MHz-20MHz	64QAM-64QAM	132374-132572	1RB#0-0RB#0	21.4	26.34	30	PASS
66-66	20MHz-20MHz	256QAM-256QAM	132374-132572	1RB#0-0RB#0	18.71	23.65	30	PASS
66-66	20MHz-20MHz	QPSK-QPSK	132374-132572	100RB#0-100RB#0	22.68	27.62	30	PASS
66-66	20MHz-20MHz	16QAM-16QAM	132374-132572	100RB#0-100RB#0	21.45	26.39	30	PASS
66-66	20MHz-20MHz	64QAM-64QAM	132374-132572	100RB#0-100RB#0	21.34	26.28	30	PASS
66-66	20MHz-20MHz	256QAM-256QAM	132374-132572	100RB#0-100RB#0	19.08	24.02	30	PASS
66-66	20MHz-5MHz	QPSK-QPSK	132072-132189	100RB#0-25RB#0	23.64	28.58	30	PASS
66-66	20MHz-5MHz	16QAM-16QAM	132072-132189	1RB#0-0RB#0	22.65	27.59	30	PASS
66-66	20MHz-5MHz	64QAM-64QAM	132397-132514	100RB#0-25RB#0	21.81	26.75	30	PASS
66-66	20MHz-5MHz	256QAM-256QAM	132397-132514	1RB#0-0RB#0	18.97	23.91	30	PASS
66-66	20MHz-5MHz	QPSK-QPSK	132522-132639	100RB#0-25RB#0	22.64	27.58	30	PASS

66-66	20MHz-5MHz	16QAM-16QAM	132522-132639	1RB#0-0RB#0	21.28	26.22	30	PASS
66-66	20MHz-5MHz	64QAM-64QAM	132072-132189	100RB#0-25RB#0	21.57	26.51	30	PASS
66-66	20MHz-5MHz	256QAM-256QAM	132072-132189	1RB#0-0RB#0	19.25	24.19	30	PASS
66-66	20MHz-5MHz	QPSK-QPSK	132397-132514	100RB#0-25RB#0	23.44	28.38	30	PASS
66-66	20MHz-5MHz	16QAM-16QAM	132397-132514	1RB#0-0RB#0	22.52	27.46	30	PASS
66-66	20MHz-5MHz	64QAM-64QAM	132522-132639	100RB#0-25RB#0	21.82	26.76	30	PASS
66-66	20MHz-5MHz	256QAM-256QAM	132522-132639	1RB#0-0RB#0	18.45	23.39	30	PASS
66-66	20MHz-5MHz	QPSK-QPSK	132072-132189	100RB#0-25RB#0	22.42	27.36	30	PASS
66-66	20MHz-5MHz	16QAM-16QAM	132072-132189	1RB#0-0RB#0	21.08	26.02	30	PASS
66-66	20MHz-5MHz	64QAM-64QAM	132397-132514	100RB#0-25RB#0	21.44	26.38	30	PASS
66-66	20MHz-5MHz	256QAM-256QAM	132397-132514	1RB#0-0RB#0	19.79	24.73	30	PASS
66-66	20MHz-5MHz	QPSK-QPSK	132522-132639	100RB#0-25RB#0	23.66	28.6	30	PASS
66-66	20MHz-5MHz	16QAM-16QAM	132522-132639	1RB#0-0RB#0	22.62	27.56	30	PASS
66-66	20MHz-5MHz	64QAM-64QAM	132072-132189	100RB#0-25RB#0	22.18	27.12	30	PASS
66-66	20MHz-5MHz	256QAM-256QAM	132072-132189	1RB#0-0RB#0	18.88	23.82	30	PASS
66-66	20MHz-5MHz	QPSK-QPSK	132397-132514	100RB#0-25RB#0	21.92	26.86	30	PASS
66-66	20MHz-5MHz	16QAM-16QAM	132397-132514	1RB#0-0RB#0	21.2	26.14	30	PASS
66-66	20MHz-5MHz	64QAM-64QAM	132522-132639	100RB#0-25RB#0	21.09	26.03	30	PASS
66-66	20MHz-5MHz	256QAM-256QAM	132522-132639	1RB#0-0RB#0	19.27	24.21	30	PASS

NR n2 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power	EIRP	Limit (dBm)	Verdict
						(dBm)	(dBm)		
N2	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.94	28.84	33	PASS
N2	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.88	28.78	33	PASS
N2	15	5	DFT-PI2BPSK	L	Outer_Full	23.59	28.49	33	PASS
N2	15	5	DFT-QPSK	L	Inner_1RB_Left	23.79	28.69	33	PASS
N2	15	5	DFT-QPSK	L	Inner_1RB_Right	24.21	29.11	33	PASS
N2	15	5	DFT-QPSK	L	Outer_Full	23.37	28.27	33	PASS
N2	15	5	DFT-16QAM	L	Inner_1RB_Left	23.2	28.1	33	PASS
N2	15	5	DFT-16QAM	L	Inner_1RB_Right	22.95	27.85	33	PASS
N2	15	5	DFT-16QAM	L	Outer_Full	22.43	27.33	33	PASS
N2	15	5	DFT-64QAM	L	Inner_1RB_Left	21.85	26.75	33	PASS
N2	15	5	DFT-64QAM	L	Inner_1RB_Right	22.08	26.98	33	PASS
N2	15	5	DFT-64QAM	L	Outer_Full	21.66	26.56	33	PASS
N2	15	5	DFT-256QAM	L	Inner_1RB_Left	19.14	24.04	33	PASS
N2	15	5	DFT-256QAM	L	Inner_1RB_Right	19.01	23.91	33	PASS
N2	15	5	DFT-256QAM	L	Outer_Full	19.86	24.76	33	PASS
N2	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	24.37	29.27	33	PASS
N2	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	24.39	29.29	33	PASS
N2	15	5	DFT-PI2BPSK	M	Outer_Full	23.69	28.59	33	PASS
N2	15	5	DFT-QPSK	M	Inner_1RB_Left	24.51	29.41	33	PASS
N2	15	5	DFT-QPSK	M	Inner_1RB_Right	24.27	29.17	33	PASS
N2	15	5	DFT-QPSK	M	Outer_Full	23.64	28.54	33	PASS
N2	15	5	DFT-16QAM	M	Inner_1RB_Left	23.32	28.22	33	PASS
N2	15	5	DFT-16QAM	M	Inner_1RB_Right	23.24	28.14	33	PASS
N2	15	5	DFT-16QAM	M	Outer_Full	22.46	27.36	33	PASS

N2	15	5	DFT-64QAM	M	Inner_1RB_Left	22.09	26.99	33	PASS
N2	15	5	DFT-64QAM	M	Inner_1RB_Right	21.93	26.83	33	PASS
N2	15	5	DFT-64QAM	M	Outer_Full	21.61	26.51	33	PASS
N2	15	5	DFT-256QAM	M	Inner_1RB_Left	19.26	24.16	33	PASS
N2	15	5	DFT-256QAM	M	Inner_1RB_Right	19.23	24.13	33	PASS
N2	15	5	DFT-256QAM	M	Outer_Full	19.56	24.46	33	PASS
N2	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	24.14	29.04	33	PASS
N2	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.85	28.75	33	PASS
N2	15	5	DFT-PI2BPSK	H	Outer_Full	23.48	28.38	33	PASS
N2	15	5	DFT-QPSK	H	Inner_1RB_Left	24.37	29.27	33	PASS
N2	15	5	DFT-QPSK	H	Inner_1RB_Right	24.1	29	33	PASS
N2	15	5	DFT-QPSK	H	Outer_Full	23.36	28.26	33	PASS
N2	15	5	DFT-16QAM	H	Inner_1RB_Left	23.23	28.13	33	PASS
N2	15	5	DFT-16QAM	H	Inner_1RB_Right	23.13	28.03	33	PASS
N2	15	5	DFT-16QAM	H	Outer_Full	22.39	27.29	33	PASS
N2	15	5	DFT-64QAM	H	Inner_1RB_Left	22.28	27.18	33	PASS
N2	15	5	DFT-64QAM	H	Inner_1RB_Right	22.12	27.02	33	PASS
N2	15	5	DFT-64QAM	H	Outer_Full	21.61	26.51	33	PASS
N2	15	5	DFT-256QAM	H	Inner_1RB_Left	19.36	24.26	33	PASS
N2	15	5	DFT-256QAM	H	Inner_1RB_Right	19.45	24.35	33	PASS
N2	15	5	DFT-256QAM	H	Outer_Full	19.65	24.55	33	PASS
N2	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	24.29	29.19	33	PASS
N2	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	24.34	29.24	33	PASS
N2	15	10	DFT-PI2BPSK	L	Outer_Full	23.27	28.17	33	PASS
N2	15	10	DFT-QPSK	L	Inner_1RB_Left	24.02	28.92	33	PASS

N2	15	10	DFT-QPSK	L	Inner_1RB_Right	24.09	28.99	33	PASS
N2	15	10	DFT-QPSK	L	Outer_Full	23.39	28.29	33	PASS
N2	15	10	DFT-16QAM	L	Inner_1RB_Left	23.29	28.19	33	PASS
N2	15	10	DFT-16QAM	L	Inner_1RB_Right	23.37	28.27	33	PASS
N2	15	10	DFT-16QAM	L	Outer_Full	21.77	26.67	33	PASS
N2	15	10	DFT-64QAM	L	Inner_1RB_Left	21.62	26.52	33	PASS
N2	15	10	DFT-64QAM	L	Inner_1RB_Right	21.57	26.47	33	PASS
N2	15	10	DFT-64QAM	L	Outer_Full	21.7	26.6	33	PASS
N2	15	10	DFT-256QAM	L	Inner_1RB_Left	18.86	23.76	33	PASS
N2	15	10	DFT-256QAM	L	Inner_1RB_Right	19	23.9	33	PASS
N2	15	10	DFT-256QAM	L	Outer_Full	19.63	24.53	33	PASS
N2	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	24.28	29.18	33	PASS
N2	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	24.08	28.98	33	PASS
N2	15	10	DFT-PI2BPSK	M	Outer_Full	23.88	28.78	33	PASS
N2	15	10	DFT-QPSK	M	Inner_1RB_Left	24	28.9	33	PASS
N2	15	10	DFT-QPSK	M	Inner_1RB_Right	24.12	29.02	33	PASS
N2	15	10	DFT-QPSK	M	Outer_Full	23.49	28.39	33	PASS
N2	15	10	DFT-16QAM	M	Inner_1RB_Left	23.24	28.14	33	PASS
N2	15	10	DFT-16QAM	M	Inner_1RB_Right	22.96	27.86	33	PASS
N2	15	10	DFT-16QAM	M	Outer_Full	22.51	27.41	33	PASS
N2	15	10	DFT-64QAM	M	Inner_1RB_Left	21.96	26.86	33	PASS
N2	15	10	DFT-64QAM	M	Inner_1RB_Right	21.59	26.49	33	PASS
N2	15	10	DFT-64QAM	M	Outer_Full	21.94	26.84	33	PASS
N2	15	10	DFT-256QAM	M	Inner_1RB_Left	19.31	24.21	33	PASS
N2	15	10	DFT-256QAM	M	Inner_1RB_Right	19.49	24.39	33	PASS

N2	15	10	DFT-256QAM	M	Outer_Full	19.43	24.33	33	PASS
N2	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	24.02	28.92	33	PASS
N2	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	24.34	29.24	33	PASS
N2	15	10	DFT-PI2BPSK	H	Outer_Full	23.92	28.82	33	PASS
N2	15	10	DFT-QPSK	H	Inner_1RB_Left	23.98	28.88	33	PASS
N2	15	10	DFT-QPSK	H	Inner_1RB_Right	24.24	29.14	33	PASS
N2	15	10	DFT-QPSK	H	Outer_Full	23.58	28.48	33	PASS
N2	15	10	DFT-16QAM	H	Inner_1RB_Left	23.28	28.18	33	PASS
N2	15	10	DFT-16QAM	H	Inner_1RB_Right	22.83	27.73	33	PASS
N2	15	10	DFT-16QAM	H	Outer_Full	22.46	27.36	33	PASS
N2	15	10	DFT-64QAM	H	Inner_1RB_Left	22.09	26.99	33	PASS
N2	15	10	DFT-64QAM	H	Inner_1RB_Right	21.6	26.5	33	PASS
N2	15	10	DFT-64QAM	H	Outer_Full	21.9	26.8	33	PASS
N2	15	10	DFT-256QAM	H	Inner_1RB_Left	19.38	24.28	33	PASS
N2	15	10	DFT-256QAM	H	Inner_1RB_Right	19.06	23.96	33	PASS
N2	15	10	DFT-256QAM	H	Outer_Full	20.03	24.93	33	PASS
N2	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	24.3	29.2	33	PASS
N2	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	24.58	29.48	33	PASS
N2	15	15	DFT-PI2BPSK	L	Outer_Full	23.5	28.4	33	PASS
N2	15	15	DFT-QPSK	L	Inner_1RB_Left	24.53	29.43	33	PASS
N2	15	15	DFT-QPSK	L	Inner_1RB_Right	23.88	28.78	33	PASS
N2	15	15	DFT-QPSK	L	Outer_Full	23.39	28.29	33	PASS
N2	15	15	DFT-16QAM	L	Inner_1RB_Left	23.38	28.28	33	PASS
N2	15	15	DFT-16QAM	L	Inner_1RB_Right	23.45	28.35	33	PASS
N2	15	15	DFT-16QAM	L	Outer_Full	22.43	27.33	33	PASS
N2	15	15	DFT-64QAM	L	Inner_1RB_Left	21.88	26.78	33	PASS

N2	15	15	DFT-64QAM	L	Inner_1RB_Right	22.32	27.22	33	PASS
N2	15	15	DFT-64QAM	L	Outer_Full	21.9	26.8	33	PASS
N2	15	15	DFT-256QAM	L	Inner_1RB_Left	19.67	24.57	33	PASS
N2	15	15	DFT-256QAM	L	Inner_1RB_Right	19.51	24.41	33	PASS
N2	15	15	DFT-256QAM	L	Outer_Full	19.8	24.7	33	PASS
N2	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	24.41	29.31	33	PASS
N2	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	24.02	28.92	33	PASS
N2	15	15	DFT-PI2BPSK	M	Outer_Full	23.65	28.55	33	PASS
N2	15	15	DFT-QPSK	M	Inner_1RB_Left	24.38	29.28	33	PASS
N2	15	15	DFT-QPSK	M	Inner_1RB_Right	24.26	29.16	33	PASS
N2	15	15	DFT-QPSK	M	Outer_Full	23.11	28.01	33	PASS
N2	15	15	DFT-16QAM	M	Inner_1RB_Left	23.08	27.98	33	PASS
N2	15	15	DFT-16QAM	M	Inner_1RB_Right	22.98	27.88	33	PASS
N2	15	15	DFT-16QAM	M	Outer_Full	22.57	27.47	33	PASS
N2	15	15	DFT-64QAM	M	Inner_1RB_Left	22.33	27.23	33	PASS
N2	15	15	DFT-64QAM	M	Inner_1RB_Right	22.37	27.27	33	PASS
N2	15	15	DFT-64QAM	M	Outer_Full	21.79	26.69	33	PASS
N2	15	15	DFT-256QAM	M	Inner_1RB_Left	19.16	24.06	33	PASS
N2	15	15	DFT-256QAM	M	Inner_1RB_Right	19.44	24.34	33	PASS
N2	15	15	DFT-256QAM	M	Outer_Full	20.01	24.91	33	PASS
N2	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	24.41	29.31	33	PASS
N2	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	24.38	29.28	33	PASS
N2	15	15	DFT-PI2BPSK	H	Outer_Full	23.96	28.86	33	PASS
N2	15	15	DFT-QPSK	H	Inner_1RB_Left	24.21	29.11	33	PASS
N2	15	15	DFT-QPSK	H	Inner_1RB_Right	23.82	28.72	33	PASS
N2	15	15	DFT-QPSK	H	Outer_Full	23.63	28.53	33	PASS

N2	15	15	DFT-16QAM	H	Inner_1RB_Left	23.31	28.21	33	PASS
N2	15	15	DFT-16QAM	H	Inner_1RB_Right	23.01	27.91	33	PASS
N2	15	15	DFT-16QAM	H	Outer_Full	22.45	27.35	33	PASS
N2	15	15	DFT-64QAM	H	Inner_1RB_Left	21.81	26.71	33	PASS
N2	15	15	DFT-64QAM	H	Inner_1RB_Right	22.04	26.94	33	PASS
N2	15	15	DFT-64QAM	H	Outer_Full	22.2	27.1	33	PASS
N2	15	15	DFT-256QAM	H	Inner_1RB_Left	19.67	24.57	33	PASS
N2	15	15	DFT-256QAM	H	Inner_1RB_Right	19.04	23.94	33	PASS
N2	15	15	DFT-256QAM	H	Outer_Full	20.21	25.11	33	PASS
N2	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	24.69	29.59	33	PASS
N2	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	24.29	29.19	33	PASS
N2	15	20	DFT-PI2BPSK	L	Outer_Full	23.54	28.44	33	PASS
N2	15	20	DFT-QPSK	L	Inner_1RB_Left	24.37	29.27	33	PASS
N2	15	20	DFT-QPSK	L	Inner_1RB_Right	24.4	29.3	33	PASS
N2	15	20	DFT-QPSK	L	Outer_Full	23.47	28.37	33	PASS
N2	15	20	DFT-16QAM	L	Inner_1RB_Left	23.24	28.14	33	PASS
N2	15	20	DFT-16QAM	L	Inner_1RB_Right	23.65	28.55	33	PASS
N2	15	20	DFT-16QAM	L	Outer_Full	22.02	26.92	33	PASS
N2	15	20	DFT-64QAM	L	Inner_1RB_Left	22.28	27.18	33	PASS
N2	15	20	DFT-64QAM	L	Inner_1RB_Right	22.16	27.06	33	PASS
N2	15	20	DFT-64QAM	L	Outer_Full	22.06	26.96	33	PASS
N2	15	20	DFT-256QAM	L	Inner_1RB_Left	19.49	24.39	33	PASS
N2	15	20	DFT-256QAM	L	Inner_1RB_Right	19.65	24.55	33	PASS
N2	15	20	DFT-256QAM	L	Outer_Full	20.01	24.91	33	PASS

N2	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	24.78	29.68	33	PASS
N2	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	24.17	29.07	33	PASS
N2	15	20	DFT-PI2BPSK	M	Outer_Full	23.66	28.56	33	PASS
N2	15	20	DFT-QPSK	M	Inner_1RB_Left	24.6	29.5	33	PASS
N2	15	20	DFT-QPSK	M	Inner_1RB_Right	24.68	29.58	33	PASS
N2	15	20	DFT-QPSK	M	Outer_Full	23.74	28.64	33	PASS
N2	15	20	DFT-16QAM	M	Inner_1RB_Left	23.11	28.01	33	PASS
N2	15	20	DFT-16QAM	M	Inner_1RB_Right	23.36	28.26	33	PASS
N2	15	20	DFT-16QAM	M	Outer_Full	22.68	27.58	33	PASS
N2	15	20	DFT-64QAM	M	Inner_1RB_Left	22.27	27.17	33	PASS
N2	15	20	DFT-64QAM	M	Inner_1RB_Right	21.9	26.8	33	PASS
N2	15	20	DFT-64QAM	M	Outer_Full	22.24	27.14	33	PASS
N2	15	20	DFT-256QAM	M	Inner_1RB_Left	19.27	24.17	33	PASS
N2	15	20	DFT-256QAM	M	Inner_1RB_Right	19.28	24.18	33	PASS
N2	15	20	DFT-256QAM	M	Outer_Full	20.08	24.98	33	PASS
N2	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	24.11	29.01	33	PASS
N2	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	24.02	28.92	33	PASS
N2	15	20	DFT-PI2BPSK	H	Outer_Full	23.73	28.63	33	PASS
N2	15	20	DFT-QPSK	H	Inner_1RB_Left	24.22	29.12	33	PASS
N2	15	20	DFT-QPSK	H	Inner_1RB_Right	23.89	28.79	33	PASS
N2	15	20	DFT-QPSK	H	Outer_Full	23.65	28.55	33	PASS
N2	15	20	DFT-16QAM	H	Inner_1RB_Left	23.13	28.03	33	PASS
N2	15	20	DFT-16QAM	H	Inner_1RB_Right	23.51	28.41	33	PASS
N2	15	20	DFT-16QAM	H	Outer_Full	22.51	27.41	33	PASS
N2	15	20	DFT-64QAM	H	Inner_1RB_Left	21.92	26.82	33	PASS
N2	15	20	DFT-64QAM	H	Inner_1RB_Right	21.85	26.75	33	PASS

N2	15	20	DFT-64QAM	H	Outer_Full	22.12	27.02	33	PASS
N2	15	20	DFT-256QAM	H	Inner_1RB_Left	19.22	24.12	33	PASS
N2	15	20	DFT-256QAM	H	Inner_1RB_Right	19.12	24.02	33	PASS
N2	15	20	DFT-256QAM	H	Outer_Full	19.71	24.61	33	PASS
N5	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	24.37	26	38.45	PASS
N5	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	24.59	26.22	38.45	PASS
N5	15	5	DFT-PI2BPSK	L	Outer_Full	23.84	25.47	38.45	PASS

NR n5 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N5	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	24.37	26	38.45	PASS
N5	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	24.59	26.22	38.45	PASS
N5	15	5	DFT-PI2BPSK	L	Outer_Full	23.84	25.47	38.45	PASS
N5	15	5	DFT-QPSK	L	Inner_1RB_Left	24.01	25.64	38.45	PASS
N5	15	5	DFT-QPSK	L	Inner_1RB_Right	24.34	25.97	38.45	PASS
N5	15	5	DFT-QPSK	L	Outer_Full	23.27	24.9	38.45	PASS
N5	15	5	DFT-16QAM	L	Inner_1RB_Left	23.36	24.99	38.45	PASS
N5	15	5	DFT-16QAM	L	Inner_1RB_Right	23.21	24.84	38.45	PASS
N5	15	5	DFT-16QAM	L	Outer_Full	22.19	23.82	38.45	PASS
N5	15	5	DFT-64QAM	L	Inner_1RB_Left	21.92	23.55	38.45	PASS
N5	15	5	DFT-64QAM	L	Inner_1RB_Right	22.36	23.99	38.45	PASS
N5	15	5	DFT-64QAM	L	Outer_Full	21.77	23.4	38.45	PASS
N5	15	5	DFT-256QAM	L	Inner_1RB_Left	19.68	21.31	38.45	PASS
N5	15	5	DFT-256QAM	L	Inner_1RB_Right	19.3	20.93	38.45	PASS
N5	15	5	DFT-256QAM	L	Outer_Full	20.08	21.71	38.45	PASS
N5	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	24.15	25.78	38.45	PASS
N5	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	23.88	25.51	38.45	PASS
N5	15	5	DFT-PI2BPSK	M	Outer_Full	23.63	25.26	38.45	PASS
N5	15	5	DFT-QPSK	M	Inner_1RB_Left	24.11	25.74	38.45	PASS
N5	15	5	DFT-QPSK	M	Inner_1RB_Right	24.21	25.84	38.45	PASS
N5	15	5	DFT-QPSK	M	Outer_Full	23.48	25.11	38.45	PASS
N5	15	5	DFT-16QAM	M	Inner_1RB_Left	23.44	25.07	38.45	PASS
N5	15	5	DFT-16QAM	M	Inner_1RB_Right	23.22	24.85	38.45	PASS
N5	15	5	DFT-16QAM	M	Outer_Full	21.95	23.58	38.45	PASS

N5	15	5	DFT-64QAM	M	Inner_1RB_Left	21.7	23.33	38.45	PASS
N5	15	5	DFT-64QAM	M	Inner_1RB_Right	21.77	23.4	38.45	PASS
N5	15	5	DFT-64QAM	M	Outer_Full	21.7	23.33	38.45	PASS
N5	15	5	DFT-256QAM	M	Inner_1RB_Left	19.23	20.86	38.45	PASS
N5	15	5	DFT-256QAM	M	Inner_1RB_Right	19.44	21.07	38.45	PASS
N5	15	5	DFT-256QAM	M	Outer_Full	19.72	21.35	38.45	PASS
N5	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	24.17	25.8	38.45	PASS
N5	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.87	25.5	38.45	PASS
N5	15	5	DFT-PI2BPSK	H	Outer_Full	23.37	25	38.45	PASS
N5	15	5	DFT-QPSK	H	Inner_1RB_Left	24.07	25.7	38.45	PASS
N5	15	5	DFT-QPSK	H	Inner_1RB_Right	23.96	25.59	38.45	PASS
N5	15	5	DFT-QPSK	H	Outer_Full	23.37	25	38.45	PASS
N5	15	5	DFT-16QAM	H	Inner_1RB_Left	23.29	24.92	38.45	PASS
N5	15	5	DFT-16QAM	H	Inner_1RB_Right	22.91	24.54	38.45	PASS
N5	15	5	DFT-16QAM	H	Outer_Full	22.12	23.75	38.45	PASS
N5	15	5	DFT-64QAM	H	Inner_1RB_Left	22.14	23.77	38.45	PASS
N5	15	5	DFT-64QAM	H	Inner_1RB_Right	21.89	23.52	38.45	PASS
N5	15	5	DFT-64QAM	H	Outer_Full	21.33	22.96	38.45	PASS
N5	15	5	DFT-256QAM	H	Inner_1RB_Left	19.33	20.96	38.45	PASS
N5	15	5	DFT-256QAM	H	Inner_1RB_Right	19.07	20.7	38.45	PASS
N5	15	5	DFT-256QAM	H	Outer_Full	19.23	20.86	38.45	PASS
N5	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	24.4	26.03	38.45	PASS
N5	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	24	25.63	38.45	PASS
N5	15	10	DFT-PI2BPSK	L	Outer_Full	23.86	25.49	38.45	PASS
N5	15	10	DFT-QPSK	L	Inner_1RB_Left	24.09	25.72	38.45	PASS

N5	15	10	DFT-QPSK	L	Inner_1RB_Right	24.25	25.88	38.45	PASS
N5	15	10	DFT-QPSK	L	Outer_Full	22.97	24.6	38.45	PASS
N5	15	10	DFT-16QAM	L	Inner_1RB_Left	23.18	24.81	38.45	PASS
N5	15	10	DFT-16QAM	L	Inner_1RB_Right	23.17	24.8	38.45	PASS
N5	15	10	DFT-16QAM	L	Outer_Full	22.56	24.19	38.45	PASS
N5	15	10	DFT-64QAM	L	Inner_1RB_Left	22.12	23.75	38.45	PASS
N5	15	10	DFT-64QAM	L	Inner_1RB_Right	22.01	23.64	38.45	PASS
N5	15	10	DFT-64QAM	L	Outer_Full	22.13	23.76	38.45	PASS
N5	15	10	DFT-256QAM	L	Inner_1RB_Left	19.23	20.86	38.45	PASS
N5	15	10	DFT-256QAM	L	Inner_1RB_Right	19.26	20.89	38.45	PASS
N5	15	10	DFT-256QAM	L	Outer_Full	19.87	21.5	38.45	PASS
N5	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	24.38	26.01	38.45	PASS
N5	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.7	25.33	38.45	PASS
N5	15	10	DFT-PI2BPSK	M	Outer_Full	23.43	25.06	38.45	PASS
N5	15	10	DFT-QPSK	M	Inner_1RB_Left	24.43	26.06	38.45	PASS
N5	15	10	DFT-QPSK	M	Inner_1RB_Right	24.4	26.03	38.45	PASS
N5	15	10	DFT-QPSK	M	Outer_Full	23.16	24.79	38.45	PASS
N5	15	10	DFT-16QAM	M	Inner_1RB_Left	23.15	24.78	38.45	PASS
N5	15	10	DFT-16QAM	M	Inner_1RB_Right	22.75	24.38	38.45	PASS
N5	15	10	DFT-16QAM	M	Outer_Full	21.99	23.62	38.45	PASS
N5	15	10	DFT-64QAM	M	Inner_1RB_Left	21.68	23.31	38.45	PASS
N5	15	10	DFT-64QAM	M	Inner_1RB_Right	21.84	23.47	38.45	PASS
N5	15	10	DFT-64QAM	M	Outer_Full	21.6	23.23	38.45	PASS
N5	15	10	DFT-256QAM	M	Inner_1RB_Left	19.16	20.79	38.45	PASS
N5	15	10	DFT-256QAM	M	Inner_1RB_Right	19.4	21.03	38.45	PASS

N5	15	10	DFT-256QAM	M	Outer_Full	19.78	21.41	38.45	PASS
N5	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	24.22	25.85	38.45	PASS
N5	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	24.05	25.68	38.45	PASS
N5	15	10	DFT-PI2BPSK	H	Outer_Full	23.31	24.94	38.45	PASS
N5	15	10	DFT-QPSK	H	Inner_1RB_Left	24.25	25.88	38.45	PASS
N5	15	10	DFT-QPSK	H	Inner_1RB_Right	23.86	25.49	38.45	PASS
N5	15	10	DFT-QPSK	H	Outer_Full	22.94	24.57	38.45	PASS
N5	15	10	DFT-16QAM	H	Inner_1RB_Left	22.92	24.55	38.45	PASS
N5	15	10	DFT-16QAM	H	Inner_1RB_Right	23.13	24.76	38.45	PASS
N5	15	10	DFT-16QAM	H	Outer_Full	22.07	23.7	38.45	PASS
N5	15	10	DFT-64QAM	H	Inner_1RB_Left	21.85	23.48	38.45	PASS
N5	15	10	DFT-64QAM	H	Inner_1RB_Right	21.8	23.43	38.45	PASS
N5	15	10	DFT-64QAM	H	Outer_Full	21.55	23.18	38.45	PASS
N5	15	10	DFT-256QAM	H	Inner_1RB_Left	18.87	20.5	38.45	PASS
N5	15	10	DFT-256QAM	H	Inner_1RB_Right	18.85	20.48	38.45	PASS
N5	15	10	DFT-256QAM	H	Outer_Full	19.71	21.34	38.45	PASS
N5	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	24.29	25.92	38.45	PASS
N5	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	23.92	25.55	38.45	PASS
N5	15	15	DFT-PI2BPSK	L	Outer_Full	23.95	25.58	38.45	PASS
N5	15	15	DFT-QPSK	L	Inner_1RB_Left	24.04	25.67	38.45	PASS
N5	15	15	DFT-QPSK	L	Inner_1RB_Right	24.1	25.73	38.45	PASS
N5	15	15	DFT-QPSK	L	Outer_Full	23.33	24.96	38.45	PASS
N5	15	15	DFT-16QAM	L	Inner_1RB_Left	23.24	24.87	38.45	PASS
N5	15	15	DFT-16QAM	L	Inner_1RB_Right	23.05	24.68	38.45	PASS
N5	15	15	DFT-16QAM	L	Outer_Full	22.28	23.91	38.45	PASS

N5	15	15	DFT-64QAM	L	Inner_1RB_Left	22.51	24.14	38.45	PASS
N5	15	15	DFT-64QAM	L	Inner_1RB_Right	21.57	23.2	38.45	PASS
N5	15	15	DFT-64QAM	L	Outer_Full	22.1	23.73	38.45	PASS
N5	15	15	DFT-256QAM	L	Inner_1RB_Left	19.66	21.29	38.45	PASS
N5	15	15	DFT-256QAM	L	Inner_1RB_Right	19.39	21.02	38.45	PASS
N5	15	15	DFT-256QAM	L	Outer_Full	19.66	21.29	38.45	PASS
N5	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	24.44	26.07	38.45	PASS
N5	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	23.94	25.57	38.45	PASS
N5	15	15	DFT-PI2BPSK	M	Outer_Full	23.66	25.29	38.45	PASS
N5	15	15	DFT-QPSK	M	Inner_1RB_Left	24.2	25.83	38.45	PASS
N5	15	15	DFT-QPSK	M	Inner_1RB_Right	24.27	25.9	38.45	PASS
N5	15	15	DFT-QPSK	M	Outer_Full	23.26	24.89	38.45	PASS
N5	15	15	DFT-16QAM	M	Inner_1RB_Left	23.3	24.93	38.45	PASS
N5	15	15	DFT-16QAM	M	Inner_1RB_Right	23.18	24.81	38.45	PASS
N5	15	15	DFT-16QAM	M	Outer_Full	22.1	23.73	38.45	PASS
N5	15	15	DFT-64QAM	M	Inner_1RB_Left	21.92	23.55	38.45	PASS
N5	15	15	DFT-64QAM	M	Inner_1RB_Right	21.68	23.31	38.45	PASS
N5	15	15	DFT-64QAM	M	Outer_Full	21.86	23.49	38.45	PASS
N5	15	15	DFT-256QAM	M	Inner_1RB_Left	19.14	20.77	38.45	PASS
N5	15	15	DFT-256QAM	M	Inner_1RB_Right	18.91	20.54	38.45	PASS
N5	15	15	DFT-256QAM	M	Outer_Full	19.44	21.07	38.45	PASS
N5	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	24.6	26.23	38.45	PASS
N5	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	24.17	25.8	38.45	PASS
N5	15	15	DFT-PI2BPSK	H	Outer_Full	23.82	25.45	38.45	PASS
N5	15	15	DFT-QPSK	H	Inner_1RB_Left	24.21	25.84	38.45	PASS

N5	15	15	DFT-QPSK	H	Inner_1RB_Right	24.27	25.9	38.45	PASS
N5	15	15	DFT-QPSK	H	Outer_Full	23.04	24.67	38.45	PASS
N5	15	15	DFT-16QAM	H	Inner_1RB_Left	23.12	24.75	38.45	PASS
N5	15	15	DFT-16QAM	H	Inner_1RB_Right	23.28	24.91	38.45	PASS
N5	15	15	DFT-16QAM	H	Outer_Full	22.05	23.68	38.45	PASS
N5	15	15	DFT-64QAM	H	Inner_1RB_Left	21.98	23.61	38.45	PASS
N5	15	15	DFT-64QAM	H	Inner_1RB_Right	21.72	23.35	38.45	PASS
N5	15	15	DFT-64QAM	H	Outer_Full	21.66	23.29	38.45	PASS
N5	15	15	DFT-256QAM	H	Inner_1RB_Left	19.36	20.99	38.45	PASS
N5	15	15	DFT-256QAM	H	Inner_1RB_Right	18.92	20.55	38.45	PASS
N5	15	15	DFT-256QAM	H	Outer_Full	19.64	21.27	38.45	PASS
N5	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	24.42	26.05	38.45	PASS
N5	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	24.14	25.77	38.45	PASS
N5	15	20	DFT-PI2BPSK	L	Outer_Full	24.21	25.84	38.45	PASS
N5	15	20	DFT-QPSK	L	Inner_1RB_Left	23.98	25.61	38.45	PASS
N5	15	20	DFT-QPSK	L	Inner_1RB_Right	23.71	25.34	38.45	PASS
N5	15	20	DFT-QPSK	L	Outer_Full	23.46	25.09	38.45	PASS
N5	15	20	DFT-16QAM	L	Inner_1RB_Left	23.51	25.14	38.45	PASS
N5	15	20	DFT-16QAM	L	Inner_1RB_Right	22.91	24.54	38.45	PASS
N5	15	20	DFT-16QAM	L	Outer_Full	22.19	23.82	38.45	PASS
N5	15	20	DFT-64QAM	L	Inner_1RB_Left	22.45	24.08	38.45	PASS
N5	15	20	DFT-64QAM	L	Inner_1RB_Right	21.61	23.24	38.45	PASS
N5	15	20	DFT-64QAM	L	Outer_Full	22.07	23.7	38.45	PASS
N5	15	20	DFT-256QAM	L	Inner_1RB_Left	19.55	21.18	38.45	PASS
N5	15	20	DFT-256QAM	L	Inner_1RB_Right	19.5	21.13	38.45	PASS

N5	15	20	DFT-256QAM	L	Outer_Full	20.23	21.86	38.45	PASS
N5	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	24.03	25.66	38.45	PASS
N5	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	24.15	25.78	38.45	PASS
N5	15	20	DFT-PI2BPSK	M	Outer_Full	23.65	25.28	38.45	PASS
N5	15	20	DFT-QPSK	M	Inner_1RB_Left	24.32	25.95	38.45	PASS
N5	15	20	DFT-QPSK	M	Inner_1RB_Right	24.05	25.68	38.45	PASS
N5	15	20	DFT-QPSK	M	Outer_Full	23.2	24.83	38.45	PASS
N5	15	20	DFT-16QAM	M	Inner_1RB_Left	23.36	24.99	38.45	PASS
N5	15	20	DFT-16QAM	M	Inner_1RB_Right	22.84	24.47	38.45	PASS
N5	15	20	DFT-16QAM	M	Outer_Full	22.53	24.16	38.45	PASS
N5	15	20	DFT-64QAM	M	Inner_1RB_Left	22.39	24.02	38.45	PASS
N5	15	20	DFT-64QAM	M	Inner_1RB_Right	21.77	23.4	38.45	PASS
N5	15	20	DFT-64QAM	M	Outer_Full	21.74	23.37	38.45	PASS
N5	15	20	DFT-256QAM	M	Inner_1RB_Left	19.1	20.73	38.45	PASS
N5	15	20	DFT-256QAM	M	Inner_1RB_Right	19.44	21.07	38.45	PASS
N5	15	20	DFT-256QAM	M	Outer_Full	19.84	21.47	38.45	PASS
N5	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	24.32	25.95	38.45	PASS
N5	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	23.92	25.55	38.45	PASS
N5	15	20	DFT-PI2BPSK	H	Outer_Full	23.73	25.36	38.45	PASS
N5	15	20	DFT-QPSK	H	Inner_1RB_Left	23.89	25.52	38.45	PASS
N5	15	20	DFT-QPSK	H	Inner_1RB_Right	23.77	25.4	38.45	PASS
N5	15	20	DFT-QPSK	H	Outer_Full	23.31	24.94	38.45	PASS
N5	15	20	DFT-16QAM	H	Inner_1RB_Left	23.12	24.75	38.45	PASS
N5	15	20	DFT-16QAM	H	Inner_1RB_Right	22.8	24.43	38.45	PASS
N5	15	20	DFT-16QAM	H	Outer_Full	22.51	24.14	38.45	PASS

N5	15	20	DFT-64QAM	H	Inner_1RB_Left	22.35	23.98	38.45	PASS
N5	15	20	DFT-64QAM	H	Inner_1RB_Right	21.46	23.09	38.45	PASS
N5	15	20	DFT-64QAM	H	Outer_Full	21.94	23.57	38.45	PASS
N5	15	20	DFT-256QAM	H	Inner_1RB_Left	19.6	21.23	38.45	PASS
N5	15	20	DFT-256QAM	H	Inner_1RB_Right	19.04	20.67	38.45	PASS
N5	15	20	DFT-256QAM	H	Outer_Full	20.05	21.68	38.45	PASS

NR n7 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N7	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.86	26.26	33	PASS
N7	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	24.26	26.66	33	PASS
N7	15	5	DFT-PI2BPSK	L	Outer_Full	23.7	26.1	33	PASS
N7	15	5	DFT-QPSK	L	Inner_1RB_Left	24	26.4	33	PASS
N7	15	5	DFT-QPSK	L	Inner_1RB_Right	23.75	26.15	33	PASS
N7	15	5	DFT-QPSK	L	Outer_Full	22.91	25.31	33	PASS
N7	15	5	DFT-16QAM	L	Inner_1RB_Left	23.3	25.7	33	PASS
N7	15	5	DFT-16QAM	L	Inner_1RB_Right	22.98	25.38	33	PASS
N7	15	5	DFT-16QAM	L	Outer_Full	22.38	24.78	33	PASS
N7	15	5	DFT-64QAM	L	Inner_1RB_Left	21.6	24	33	PASS
N7	15	5	DFT-64QAM	L	Inner_1RB_Right	22.05	24.45	33	PASS
N7	15	5	DFT-64QAM	L	Outer_Full	21.76	24.16	33	PASS
N7	15	5	DFT-256QAM	L	Inner_1RB_Left	18.79	21.19	33	PASS
N7	15	5	DFT-256QAM	L	Inner_1RB_Right	19.07	21.47	33	PASS
N7	15	5	DFT-256QAM	L	Outer_Full	19.85	22.25	33	PASS
N7	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	24.12	26.52	33	PASS
N7	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	23.77	26.17	33	PASS
N7	15	5	DFT-PI2BPSK	M	Outer_Full	23.73	26.13	33	PASS
N7	15	5	DFT-QPSK	M	Inner_1RB_Left	23.76	26.16	33	PASS
N7	15	5	DFT-QPSK	M	Inner_1RB_Right	24.15	26.55	33	PASS
N7	15	5	DFT-QPSK	M	Outer_Full	22.97	25.37	33	PASS
N7	15	5	DFT-16QAM	M	Inner_1RB_Left	23.26	25.66	33	PASS
N7	15	5	DFT-16QAM	M	Inner_1RB_Right	23.03	25.43	33	PASS
N7	15	5	DFT-16QAM	M	Outer_Full	22.03	24.43	33	PASS

N7	15	5	DFT-64QAM	M	Inner_1RB_Left	21.73	24.13	33	PASS
N7	15	5	DFT-64QAM	M	Inner_1RB_Right	21.58	23.98	33	PASS
N7	15	5	DFT-64QAM	M	Outer_Full	21.63	24.03	33	PASS
N7	15	5	DFT-256QAM	M	Inner_1RB_Left	18.82	21.22	33	PASS
N7	15	5	DFT-256QAM	M	Inner_1RB_Right	18.89	21.29	33	PASS
N7	15	5	DFT-256QAM	M	Outer_Full	19.24	21.64	33	PASS
N7	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	24.24	26.64	33	PASS
N7	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.96	26.36	33	PASS
N7	15	5	DFT-PI2BPSK	H	Outer_Full	23.77	26.17	33	PASS
N7	15	5	DFT-QPSK	H	Inner_1RB_Left	23.6	26	33	PASS
N7	15	5	DFT-QPSK	H	Inner_1RB_Right	23.99	26.39	33	PASS
N7	15	5	DFT-QPSK	H	Outer_Full	23.27	25.67	33	PASS
N7	15	5	DFT-16QAM	H	Inner_1RB_Left	22.79	25.19	33	PASS
N7	15	5	DFT-16QAM	H	Inner_1RB_Right	23.24	25.64	33	PASS
N7	15	5	DFT-16QAM	H	Outer_Full	22.3	24.7	33	PASS
N7	15	5	DFT-64QAM	H	Inner_1RB_Left	21.73	24.13	33	PASS
N7	15	5	DFT-64QAM	H	Inner_1RB_Right	22.03	24.43	33	PASS
N7	15	5	DFT-64QAM	H	Outer_Full	21.65	24.05	33	PASS
N7	15	5	DFT-256QAM	H	Inner_1RB_Left	18.98	21.38	33	PASS
N7	15	5	DFT-256QAM	H	Inner_1RB_Right	18.66	21.06	33	PASS
N7	15	5	DFT-256QAM	H	Outer_Full	19.64	22.04	33	PASS
N7	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	23.87	26.27	33	PASS
N7	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	24.06	26.46	33	PASS
N7	15	10	DFT-PI2BPSK	L	Outer_Full	23.5	25.9	33	PASS
N7	15	10	DFT-QPSK	L	Inner_1RB_Left	23.88	26.28	33	PASS

N7	15	10	DFT-QPSK	L	Inner_1RB_Right	24.13	26.53	33	PASS
N7	15	10	DFT-QPSK	L	Outer_Full	22.81	25.21	33	PASS
N7	15	10	DFT-16QAM	L	Inner_1RB_Left	23.02	25.42	33	PASS
N7	15	10	DFT-16QAM	L	Inner_1RB_Right	22.59	24.99	33	PASS
N7	15	10	DFT-16QAM	L	Outer_Full	22.01	24.41	33	PASS
N7	15	10	DFT-64QAM	L	Inner_1RB_Left	21.6	24	33	PASS
N7	15	10	DFT-64QAM	L	Inner_1RB_Right	21.64	24.04	33	PASS
N7	15	10	DFT-64QAM	L	Outer_Full	21.33	23.73	33	PASS
N7	15	10	DFT-256QAM	L	Inner_1RB_Left	19.16	21.56	33	PASS
N7	15	10	DFT-256QAM	L	Inner_1RB_Right	19.36	21.76	33	PASS
N7	15	10	DFT-256QAM	L	Outer_Full	19.65	22.05	33	PASS
N7	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	23.92	26.32	33	PASS
N7	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.81	26.21	33	PASS
N7	15	10	DFT-PI2BPSK	M	Outer_Full	23.82	26.22	33	PASS
N7	15	10	DFT-QPSK	M	Inner_1RB_Left	23.84	26.24	33	PASS
N7	15	10	DFT-QPSK	M	Inner_1RB_Right	23.76	26.16	33	PASS
N7	15	10	DFT-QPSK	M	Outer_Full	23.34	25.74	33	PASS
N7	15	10	DFT-16QAM	M	Inner_1RB_Left	22.78	25.18	33	PASS
N7	15	10	DFT-16QAM	M	Inner_1RB_Right	23.03	25.43	33	PASS
N7	15	10	DFT-16QAM	M	Outer_Full	22.22	24.62	33	PASS
N7	15	10	DFT-64QAM	M	Inner_1RB_Left	22.08	24.48	33	PASS
N7	15	10	DFT-64QAM	M	Inner_1RB_Right	21.71	24.11	33	PASS
N7	15	10	DFT-64QAM	M	Outer_Full	21.74	24.14	33	PASS
N7	15	10	DFT-256QAM	M	Inner_1RB_Left	19.24	21.64	33	PASS
N7	15	10	DFT-256QAM	M	Inner_1RB_Right	19.14	21.54	33	PASS

N7	15	10	DFT-256QAM	M	Outer_Full	19.42	21.82	33	PASS
N7	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	23.73	26.13	33	PASS
N7	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	24.17	26.57	33	PASS
N7	15	10	DFT-PI2BPSK	H	Outer_Full	23.68	26.08	33	PASS
N7	15	10	DFT-QPSK	H	Inner_1RB_Left	23.82	26.22	33	PASS
N7	15	10	DFT-QPSK	H	Inner_1RB_Right	24.01	26.41	33	PASS
N7	15	10	DFT-QPSK	H	Outer_Full	23.14	25.54	33	PASS
N7	15	10	DFT-16QAM	H	Inner_1RB_Left	23.08	25.48	33	PASS
N7	15	10	DFT-16QAM	H	Inner_1RB_Right	22.78	25.18	33	PASS
N7	15	10	DFT-16QAM	H	Outer_Full	22.24	24.64	33	PASS
N7	15	10	DFT-64QAM	H	Inner_1RB_Left	21.66	24.06	33	PASS
N7	15	10	DFT-64QAM	H	Inner_1RB_Right	21.96	24.36	33	PASS
N7	15	10	DFT-64QAM	H	Outer_Full	21.54	23.94	33	PASS
N7	15	10	DFT-256QAM	H	Inner_1RB_Left	19.06	21.46	33	PASS
N7	15	10	DFT-256QAM	H	Inner_1RB_Right	19	21.4	33	PASS
N7	15	10	DFT-256QAM	H	Outer_Full	19.78	22.18	33	PASS
N7	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	23.97	26.37	33	PASS
N7	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	24.2	26.6	33	PASS
N7	15	15	DFT-PI2BPSK	L	Outer_Full	23.73	26.13	33	PASS
N7	15	15	DFT-QPSK	L	Inner_1RB_Left	24.31	26.71	33	PASS
N7	15	15	DFT-QPSK	L	Inner_1RB_Right	24.07	26.47	33	PASS
N7	15	15	DFT-QPSK	L	Outer_Full	23.08	25.48	33	PASS
N7	15	15	DFT-16QAM	L	Inner_1RB_Left	22.93	25.33	33	PASS
N7	15	15	DFT-16QAM	L	Inner_1RB_Right	23.43	25.83	33	PASS
N7	15	15	DFT-16QAM	L	Outer_Full	22.36	24.76	33	PASS

N7	15	15	DFT-64QAM	L	Inner_1RB_Left	21.73	24.13	33	PASS
N7	15	15	DFT-64QAM	L	Inner_1RB_Right	22.06	24.46	33	PASS
N7	15	15	DFT-64QAM	L	Outer_Full	22.07	24.47	33	PASS
N7	15	15	DFT-256QAM	L	Inner_1RB_Left	19.51	21.91	33	PASS
N7	15	15	DFT-256QAM	L	Inner_1RB_Right	19.26	21.66	33	PASS
N7	15	15	DFT-256QAM	L	Outer_Full	19.38	21.78	33	PASS
N7	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	24.61	27.01	33	PASS
N7	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	23.87	26.27	33	PASS
N7	15	15	DFT-PI2BPSK	M	Outer_Full	23.45	25.85	33	PASS
N7	15	15	DFT-QPSK	M	Inner_1RB_Left	24.54	26.94	33	PASS
N7	15	15	DFT-QPSK	M	Inner_1RB_Right	23.66	26.06	33	PASS
N7	15	15	DFT-QPSK	M	Outer_Full	23.54	25.94	33	PASS
N7	15	15	DFT-16QAM	M	Inner_1RB_Left	23.13	25.53	33	PASS
N7	15	15	DFT-16QAM	M	Inner_1RB_Right	22.75	25.15	33	PASS
N7	15	15	DFT-16QAM	M	Outer_Full	22.36	24.76	33	PASS
N7	15	15	DFT-64QAM	M	Inner_1RB_Left	22.08	24.48	33	PASS
N7	15	15	DFT-64QAM	M	Inner_1RB_Right	21.88	24.28	33	PASS
N7	15	15	DFT-64QAM	M	Outer_Full	21.45	23.85	33	PASS
N7	15	15	DFT-256QAM	M	Inner_1RB_Left	19.46	21.86	33	PASS
N7	15	15	DFT-256QAM	M	Inner_1RB_Right	19.28	21.68	33	PASS
N7	15	15	DFT-256QAM	M	Outer_Full	19.79	22.19	33	PASS
N7	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	24.37	26.77	33	PASS
N7	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	23.97	26.37	33	PASS
N7	15	15	DFT-PI2BPSK	H	Outer_Full	23.99	26.39	33	PASS
N7	15	15	DFT-QPSK	H	Inner_1RB_Left	24.12	26.52	33	PASS

N7	15	15	DFT-QPSK	H	Inner_1RB_Right	23.9	26.3	33	PASS
N7	15	15	DFT-QPSK	H	Outer_Full	23.27	25.67	33	PASS
N7	15	15	DFT-16QAM	H	Inner_1RB_Left	23.03	25.43	33	PASS
N7	15	15	DFT-16QAM	H	Inner_1RB_Right	23.01	25.41	33	PASS
N7	15	15	DFT-16QAM	H	Outer_Full	22.48	24.88	33	PASS
N7	15	15	DFT-64QAM	H	Inner_1RB_Left	21.8	24.2	33	PASS
N7	15	15	DFT-64QAM	H	Inner_1RB_Right	21.85	24.25	33	PASS
N7	15	15	DFT-64QAM	H	Outer_Full	21.99	24.39	33	PASS
N7	15	15	DFT-256QAM	H	Inner_1RB_Left	19.25	21.65	33	PASS
N7	15	15	DFT-256QAM	H	Inner_1RB_Right	19.09	21.49	33	PASS
N7	15	15	DFT-256QAM	H	Outer_Full	19.96	22.36	33	PASS
N7	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	24.55	26.95	33	PASS
N7	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	24.21	26.61	33	PASS
N7	15	20	DFT-PI2BPSK	L	Outer_Full	23.86	26.26	33	PASS
N7	15	20	DFT-QPSK	L	Inner_1RB_Left	23.96	26.36	33	PASS
N7	15	20	DFT-QPSK	L	Inner_1RB_Right	24.54	26.94	33	PASS
N7	15	20	DFT-QPSK	L	Outer_Full	23.5	25.9	33	PASS
N7	15	20	DFT-16QAM	L	Inner_1RB_Left	23.06	25.46	33	PASS
N7	15	20	DFT-16QAM	L	Inner_1RB_Right	23.47	25.87	33	PASS
N7	15	20	DFT-16QAM	L	Outer_Full	22.18	24.58	33	PASS
N7	15	20	DFT-64QAM	L	Inner_1RB_Left	21.7	24.1	33	PASS
N7	15	20	DFT-64QAM	L	Inner_1RB_Right	21.76	24.16	33	PASS
N7	15	20	DFT-64QAM	L	Outer_Full	21.87	24.27	33	PASS
N7	15	20	DFT-256QAM	L	Inner_1RB_Left	19.48	21.88	33	PASS
N7	15	20	DFT-256QAM	L	Inner_1RB_Right	19.55	21.95	33	PASS

N7	15	20	DFT-256QAM	L	Outer_Full	19.87	22.27	33	PASS
N7	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	24.04	26.44	33	PASS
N7	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	23.92	26.32	33	PASS
N7	15	20	DFT-PI2BPSK	M	Outer_Full	23.67	26.07	33	PASS
N7	15	20	DFT-QPSK	M	Inner_1RB_Left	24.12	26.52	33	PASS
N7	15	20	DFT-QPSK	M	Inner_1RB_Right	23.7	26.1	33	PASS
N7	15	20	DFT-QPSK	M	Outer_Full	22.96	25.36	33	PASS
N7	15	20	DFT-16QAM	M	Inner_1RB_Left	23	25.4	33	PASS
N7	15	20	DFT-16QAM	M	Inner_1RB_Right	22.82	25.22	33	PASS
N7	15	20	DFT-16QAM	M	Outer_Full	22.41	24.81	33	PASS
N7	15	20	DFT-64QAM	M	Inner_1RB_Left	22.32	24.72	33	PASS
N7	15	20	DFT-64QAM	M	Inner_1RB_Right	21.63	24.03	33	PASS
N7	15	20	DFT-64QAM	M	Outer_Full	21.81	24.21	33	PASS
N7	15	20	DFT-256QAM	M	Inner_1RB_Left	19.24	21.64	33	PASS
N7	15	20	DFT-256QAM	M	Inner_1RB_Right	19.07	21.47	33	PASS
N7	15	20	DFT-256QAM	M	Outer_Full	19.97	22.37	33	PASS
N7	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	24.15	26.55	33	PASS
N7	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	23.93	26.33	33	PASS
N7	15	20	DFT-PI2BPSK	H	Outer_Full	23.87	26.27	33	PASS
N7	15	20	DFT-QPSK	H	Inner_1RB_Left	24.17	26.57	33	PASS
N7	15	20	DFT-QPSK	H	Inner_1RB_Right	23.83	26.23	33	PASS
N7	15	20	DFT-QPSK	H	Outer_Full	23.09	25.49	33	PASS
N7	15	20	DFT-16QAM	H	Inner_1RB_Left	22.84	25.24	33	PASS
N7	15	20	DFT-16QAM	H	Inner_1RB_Right	23.15	25.55	33	PASS
N7	15	20	DFT-16QAM	H	Outer_Full	22.35	24.75	33	PASS

N7	15	20	DFT-64QAM	H	Inner_1RB_Left	21.68	24.08	33	PASS
N7	15	20	DFT-64QAM	H	Inner_1RB_Right	21.53	23.93	33	PASS
N7	15	20	DFT-64QAM	H	Outer_Full	21.96	24.36	33	PASS
N7	15	20	DFT-256QAM	H	Inner_1RB_Left	19.28	21.68	33	PASS
N7	15	20	DFT-256QAM	H	Inner_1RB_Right	18.88	21.28	33	PASS
N7	15	20	DFT-256QAM	H	Outer_Full	19.52	21.92	33	PASS
N7	15	25	DFT-PI2BPSK	L	Inner_1RB_Left	24.11	26.51	33	PASS
N7	15	25	DFT-PI2BPSK	L	Inner_1RB_Right	24.42	26.82	33	PASS
N7	15	25	DFT-PI2BPSK	L	Outer_Full	23.54	25.94	33	PASS
N7	15	25	DFT-QPSK	L	Inner_1RB_Left	23.82	26.22	33	PASS
N7	15	25	DFT-QPSK	L	Inner_1RB_Right	24.31	26.71	33	PASS
N7	15	25	DFT-QPSK	L	Outer_Full	22.94	25.34	33	PASS
N7	15	25	DFT-16QAM	L	Inner_1RB_Left	22.96	25.36	33	PASS
N7	15	25	DFT-16QAM	L	Inner_1RB_Right	23.29	25.69	33	PASS
N7	15	25	DFT-16QAM	L	Outer_Full	22.43	24.83	33	PASS
N7	15	25	DFT-64QAM	L	Inner_1RB_Left	21.89	24.29	33	PASS
N7	15	25	DFT-64QAM	L	Inner_1RB_Right	22.03	24.43	33	PASS
N7	15	25	DFT-64QAM	L	Outer_Full	21.64	24.04	33	PASS
N7	15	25	DFT-256QAM	L	Inner_1RB_Left	19.28	21.68	33	PASS
N7	15	25	DFT-256QAM	L	Inner_1RB_Right	19.18	21.58	33	PASS
N7	15	25	DFT-256QAM	L	Outer_Full	19.61	22.01	33	PASS
N7	15	25	DFT-PI2BPSK	M	Inner_1RB_Left	24.63	27.03	33	PASS
N7	15	25	DFT-PI2BPSK	M	Inner_1RB_Right	23.93	26.33	33	PASS
N7	15	25	DFT-PI2BPSK	M	Outer_Full	23.88	26.28	33	PASS
N7	15	25	DFT-QPSK	M	Inner_1RB_Left	24.07	26.47	33	PASS

N7	15	25	DFT-QPSK	M	Inner_1RB_Right	24.14	26.54	33	PASS
N7	15	25	DFT-QPSK	M	Outer_Full	23.52	25.92	33	PASS
N7	15	25	DFT-16QAM	M	Inner_1RB_Left	23.52	25.92	33	PASS
N7	15	25	DFT-16QAM	M	Inner_1RB_Right	23.45	25.85	33	PASS
N7	15	25	DFT-16QAM	M	Outer_Full	22.16	24.56	33	PASS
N7	15	25	DFT-64QAM	M	Inner_1RB_Left	22.23	24.63	33	PASS
N7	15	25	DFT-64QAM	M	Inner_1RB_Right	21.78	24.18	33	PASS
N7	15	25	DFT-64QAM	M	Outer_Full	21.35	23.75	33	PASS
N7	15	25	DFT-256QAM	M	Inner_1RB_Left	19.17	21.57	33	PASS
N7	15	25	DFT-256QAM	M	Inner_1RB_Right	19.5	21.9	33	PASS
N7	15	25	DFT-256QAM	M	Outer_Full	19.38	21.78	33	PASS
N7	15	25	DFT-PI2BPSK	H	Inner_1RB_Left	24.31	26.71	33	PASS
N7	15	25	DFT-PI2BPSK	H	Inner_1RB_Right	24.18	26.58	33	PASS
N7	15	25	DFT-PI2BPSK	H	Outer_Full	23.84	26.24	33	PASS
N7	15	25	DFT-QPSK	H	Inner_1RB_Left	23.82	26.22	33	PASS
N7	15	25	DFT-QPSK	H	Inner_1RB_Right	24.15	26.55	33	PASS
N7	15	25	DFT-QPSK	H	Outer_Full	22.97	25.37	33	PASS
N7	15	25	DFT-16QAM	H	Inner_1RB_Left	22.67	25.07	33	PASS
N7	15	25	DFT-16QAM	H	Inner_1RB_Right	23.11	25.51	33	PASS
N7	15	25	DFT-16QAM	H	Outer_Full	22.39	24.79	33	PASS
N7	15	25	DFT-64QAM	H	Inner_1RB_Left	21.51	23.91	33	PASS
N7	15	25	DFT-64QAM	H	Inner_1RB_Right	21.55	23.95	33	PASS
N7	15	25	DFT-64QAM	H	Outer_Full	21.9	24.3	33	PASS
N7	15	25	DFT-256QAM	H	Inner_1RB_Left	19.21	21.61	33	PASS
N7	15	25	DFT-256QAM	H	Inner_1RB_Right	19.28	21.68	33	PASS

N7	15	25	DFT-256QAM	H	Outer_Full	19.48	21.88	33	PASS
N7	15	30	DFT-PI2BPSK	L	Inner_1RB_Left	24.39	26.79	33	PASS
N7	15	30	DFT-PI2BPSK	L	Inner_1RB_Right	24.21	26.61	33	PASS
N7	15	30	DFT-PI2BPSK	L	Outer_Full	23.77	26.17	33	PASS
N7	15	30	DFT-QPSK	L	Inner_1RB_Left	24.07	26.47	33	PASS
N7	15	30	DFT-QPSK	L	Inner_1RB_Right	24.09	26.49	33	PASS
N7	15	30	DFT-QPSK	L	Outer_Full	23.05	25.45	33	PASS
N7	15	30	DFT-16QAM	L	Inner_1RB_Left	22.85	25.25	33	PASS
N7	15	30	DFT-16QAM	L	Inner_1RB_Right	23.27	25.67	33	PASS
N7	15	30	DFT-16QAM	L	Outer_Full	22.01	24.41	33	PASS
N7	15	30	DFT-64QAM	L	Inner_1RB_Left	22.27	24.67	33	PASS
N7	15	30	DFT-64QAM	L	Inner_1RB_Right	21.97	24.37	33	PASS
N7	15	30	DFT-64QAM	L	Outer_Full	22.16	24.56	33	PASS
N7	15	30	DFT-256QAM	L	Inner_1RB_Left	19.06	21.46	33	PASS
N7	15	30	DFT-256QAM	L	Inner_1RB_Right	19.14	21.54	33	PASS
N7	15	30	DFT-256QAM	L	Outer_Full	19.89	22.29	33	PASS
N7	15	30	DFT-PI2BPSK	M	Inner_1RB_Left	24.57	26.97	33	PASS
N7	15	30	DFT-PI2BPSK	M	Inner_1RB_Right	23.99	26.39	33	PASS
N7	15	30	DFT-PI2BPSK	M	Outer_Full	23.96	26.36	33	PASS
N7	15	30	DFT-QPSK	M	Inner_1RB_Left	24.15	26.55	33	PASS
N7	15	30	DFT-QPSK	M	Inner_1RB_Right	23.94	26.34	33	PASS
N7	15	30	DFT-QPSK	M	Outer_Full	23.13	25.53	33	PASS
N7	15	30	DFT-16QAM	M	Inner_1RB_Left	23.61	26.01	33	PASS
N7	15	30	DFT-16QAM	M	Inner_1RB_Right	22.95	25.35	33	PASS
N7	15	30	DFT-16QAM	M	Outer_Full	22.5	24.9	33	PASS

N7	15	30	DFT-64QAM	M	Inner_1RB_Left	21.85	24.25	33	PASS
N7	15	30	DFT-64QAM	M	Inner_1RB_Right	21.82	24.22	33	PASS
N7	15	30	DFT-64QAM	M	Outer_Full	21.73	24.13	33	PASS
N7	15	30	DFT-256QAM	M	Inner_1RB_Left	19.25	21.65	33	PASS
N7	15	30	DFT-256QAM	M	Inner_1RB_Right	19.27	21.67	33	PASS
N7	15	30	DFT-256QAM	M	Outer_Full	19.41	21.81	33	PASS
N7	15	30	DFT-PI2BPSK	H	Inner_1RB_Left	24.01	26.41	33	PASS
N7	15	30	DFT-PI2BPSK	H	Inner_1RB_Right	24.11	26.51	33	PASS
N7	15	30	DFT-PI2BPSK	H	Outer_Full	23.54	25.94	33	PASS
N7	15	30	DFT-QPSK	H	Inner_1RB_Left	24.27	26.67	33	PASS
N7	15	30	DFT-QPSK	H	Inner_1RB_Right	23.79	26.19	33	PASS
N7	15	30	DFT-QPSK	H	Outer_Full	23.45	25.85	33	PASS
N7	15	30	DFT-16QAM	H	Inner_1RB_Left	23.35	25.75	33	PASS
N7	15	30	DFT-16QAM	H	Inner_1RB_Right	23.19	25.59	33	PASS
N7	15	30	DFT-16QAM	H	Outer_Full	22.37	24.77	33	PASS
N7	15	30	DFT-64QAM	H	Inner_1RB_Left	21.9	24.3	33	PASS
N7	15	30	DFT-64QAM	H	Inner_1RB_Right	22.04	24.44	33	PASS
N7	15	30	DFT-64QAM	H	Outer_Full	21.98	24.38	33	PASS
N7	15	30	DFT-256QAM	H	Inner_1RB_Left	18.86	21.26	33	PASS
N7	15	30	DFT-256QAM	H	Inner_1RB_Right	19.3	21.7	33	PASS
N7	15	30	DFT-256QAM	H	Outer_Full	20.02	22.42	33	PASS
N7	15	40	DFT-PI2BPSK	L	Inner_1RB_Left	24.31	26.71	33	PASS
N7	15	40	DFT-PI2BPSK	L	Inner_1RB_Right	24.25	26.65	33	PASS
N7	15	40	DFT-PI2BPSK	L	Outer_Full	23.51	25.91	33	PASS
N7	15	40	DFT-QPSK	L	Inner_1RB_Left	24.05	26.45	33	PASS

N7	15	40	DFT-QPSK	L	Inner_1RB_Right	24.38	26.78	33	PASS
N7	15	40	DFT-QPSK	L	Outer_Full	23.51	25.91	33	PASS
N7	15	40	DFT-16QAM	L	Inner_1RB_Left	23	25.4	33	PASS
N7	15	40	DFT-16QAM	L	Inner_1RB_Right	23.24	25.64	33	PASS
N7	15	40	DFT-16QAM	L	Outer_Full	22.51	24.91	33	PASS
N7	15	40	DFT-64QAM	L	Inner_1RB_Left	21.56	23.96	33	PASS
N7	15	40	DFT-64QAM	L	Inner_1RB_Right	22.22	24.62	33	PASS
N7	15	40	DFT-64QAM	L	Outer_Full	21.42	23.82	33	PASS
N7	15	40	DFT-256QAM	L	Inner_1RB_Left	19.4	21.8	33	PASS
N7	15	40	DFT-256QAM	L	Inner_1RB_Right	19.31	21.71	33	PASS
N7	15	40	DFT-256QAM	L	Outer_Full	19.99	22.39	33	PASS
N7	15	40	DFT-PI2BPSK	M	Inner_1RB_Left	24.01	26.41	33	PASS
N7	15	40	DFT-PI2BPSK	M	Inner_1RB_Right	24.17	26.57	33	PASS
N7	15	40	DFT-PI2BPSK	M	Outer_Full	23.8	26.2	33	PASS
N7	15	40	DFT-QPSK	M	Inner_1RB_Left	24.02	26.42	33	PASS
N7	15	40	DFT-QPSK	M	Inner_1RB_Right	23.98	26.38	33	PASS
N7	15	40	DFT-QPSK	M	Outer_Full	23.26	25.66	33	PASS
N7	15	40	DFT-16QAM	M	Inner_1RB_Left	23.22	25.62	33	PASS
N7	15	40	DFT-16QAM	M	Inner_1RB_Right	23.38	25.78	33	PASS
N7	15	40	DFT-16QAM	M	Outer_Full	22.17	24.57	33	PASS
N7	15	40	DFT-64QAM	M	Inner_1RB_Left	21.94	24.34	33	PASS
N7	15	40	DFT-64QAM	M	Inner_1RB_Right	21.87	24.27	33	PASS
N7	15	40	DFT-64QAM	M	Outer_Full	21.74	24.14	33	PASS
N7	15	40	DFT-256QAM	M	Inner_1RB_Left	19.22	21.62	33	PASS
N7	15	40	DFT-256QAM	M	Inner_1RB_Right	19.15	21.55	33	PASS

N7	15	40	DFT-256QAM	M	Outer_Full	19.48	21.88	33	PASS
N7	15	40	DFT-PI2BPSK	H	Inner_1RB_Left	24.15	26.55	33	PASS
N7	15	40	DFT-PI2BPSK	H	Inner_1RB_Right	24.4	26.8	33	PASS
N7	15	40	DFT-PI2BPSK	H	Outer_Full	23.93	26.33	33	PASS
N7	15	40	DFT-QPSK	H	Inner_1RB_Left	24.32	26.72	33	PASS
N7	15	40	DFT-QPSK	H	Inner_1RB_Right	24.14	26.54	33	PASS
N7	15	40	DFT-QPSK	H	Outer_Full	22.98	25.38	33	PASS
N7	15	40	DFT-16QAM	H	Inner_1RB_Left	22.88	25.28	33	PASS
N7	15	40	DFT-16QAM	H	Inner_1RB_Right	22.9	25.3	33	PASS
N7	15	40	DFT-16QAM	H	Outer_Full	22.36	24.76	33	PASS
N7	15	40	DFT-64QAM	H	Inner_1RB_Left	21.68	24.08	33	PASS
N7	15	40	DFT-64QAM	H	Inner_1RB_Right	21.64	24.04	33	PASS
N7	15	40	DFT-64QAM	H	Outer_Full	21.39	23.79	33	PASS
N7	15	40	DFT-256QAM	H	Inner_1RB_Left	19.12	21.52	33	PASS
N7	15	40	DFT-256QAM	H	Inner_1RB_Right	18.94	21.34	33	PASS
N7	15	40	DFT-256QAM	H	Outer_Full	19.96	22.36	33	PASS

NR n12 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N12	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	24.45	25.81	34.77	PASS
N12	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	24.47	25.83	34.77	PASS
N12	15	5	DFT-PI2BPSK	L	Outer_Full	23.78	25.14	34.77	PASS
N12	15	5	DFT-QPSK	L	Inner_1RB_Left	23.9	25.26	34.77	PASS
N12	15	5	DFT-QPSK	L	Inner_1RB_Right	24.4	25.76	34.77	PASS
N12	15	5	DFT-QPSK	L	Outer_Full	23.09	24.45	34.77	PASS
N12	15	5	DFT-16QAM	L	Inner_1RB_Left	22.93	24.29	34.77	PASS
N12	15	5	DFT-16QAM	L	Inner_1RB_Right	23.23	24.59	34.77	PASS
N12	15	5	DFT-16QAM	L	Outer_Full	22.27	23.63	34.77	PASS
N12	15	5	DFT-64QAM	L	Inner_1RB_Left	21.59	22.95	34.77	PASS
N12	15	5	DFT-64QAM	L	Inner_1RB_Right	21.97	23.33	34.77	PASS
N12	15	5	DFT-64QAM	L	Outer_Full	21.87	23.23	34.77	PASS
N12	15	5	DFT-256QAM	L	Inner_1RB_Left	19.15	20.51	34.77	PASS
N12	15	5	DFT-256QAM	L	Inner_1RB_Right	19.11	20.47	34.77	PASS
N12	15	5	DFT-256QAM	L	Outer_Full	19.58	20.94	34.77	PASS
N12	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	24.32	25.68	34.77	PASS
N12	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	24.72	26.08	34.77	PASS
N12	15	5	DFT-PI2BPSK	M	Outer_Full	23.84	25.2	34.77	PASS
N12	15	5	DFT-QPSK	M	Inner_1RB_Left	24.54	25.9	34.77	PASS
N12	15	5	DFT-QPSK	M	Inner_1RB_Right	24.31	25.67	34.77	PASS
N12	15	5	DFT-QPSK	M	Outer_Full	23.19	24.55	34.77	PASS
N12	15	5	DFT-16QAM	M	Inner_1RB_Left	23.2	24.56	34.77	PASS
N12	15	5	DFT-16QAM	M	Inner_1RB_Right	23.73	25.09	34.77	PASS
N12	15	5	DFT-16QAM	M	Outer_Full	22.2	23.56	34.77	PASS

N12	15	5	DFT-64QAM	M	Inner_1RB_Left	22.29	23.65	34.77	PASS
N12	15	5	DFT-64QAM	M	Inner_1RB_Right	22.22	23.58	34.77	PASS
N12	15	5	DFT-64QAM	M	Outer_Full	22.18	23.54	34.77	PASS
N12	15	5	DFT-256QAM	M	Inner_1RB_Left	19.16	20.52	34.77	PASS
N12	15	5	DFT-256QAM	M	Inner_1RB_Right	19.2	20.56	34.77	PASS
N12	15	5	DFT-256QAM	M	Outer_Full	19.68	21.04	34.77	PASS
N12	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	24.15	25.51	34.77	PASS
N12	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	24.32	25.68	34.77	PASS
N12	15	5	DFT-PI2BPSK	H	Outer_Full	23.85	25.21	34.77	PASS
N12	15	5	DFT-QPSK	H	Inner_1RB_Left	24.45	25.81	34.77	PASS
N12	15	5	DFT-QPSK	H	Inner_1RB_Right	24.55	25.91	34.77	PASS
N12	15	5	DFT-QPSK	H	Outer_Full	23.36	24.72	34.77	PASS
N12	15	5	DFT-16QAM	H	Inner_1RB_Left	22.99	24.35	34.77	PASS
N12	15	5	DFT-16QAM	H	Inner_1RB_Right	22.85	24.21	34.77	PASS
N12	15	5	DFT-16QAM	H	Outer_Full	22.05	23.41	34.77	PASS
N12	15	5	DFT-64QAM	H	Inner_1RB_Left	22.38	23.74	34.77	PASS
N12	15	5	DFT-64QAM	H	Inner_1RB_Right	22.19	23.55	34.77	PASS
N12	15	5	DFT-64QAM	H	Outer_Full	22.05	23.41	34.77	PASS
N12	15	5	DFT-256QAM	H	Inner_1RB_Left	19.16	20.52	34.77	PASS
N12	15	5	DFT-256QAM	H	Inner_1RB_Right	19.35	20.71	34.77	PASS
N12	15	5	DFT-256QAM	H	Outer_Full	19.71	21.07	34.77	PASS
N12	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	24.06	25.42	34.77	PASS
N12	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	24.53	25.89	34.77	PASS
N12	15	10	DFT-PI2BPSK	L	Outer_Full	23.48	24.84	34.77	PASS
N12	15	10	DFT-QPSK	L	Inner_1RB_Left	23.87	25.23	34.77	PASS

N12	15	10	DFT-QPSK	L	Inner_1RB_Right	24.11	25.47	34.77	PASS
N12	15	10	DFT-QPSK	L	Outer_Full	23.42	24.78	34.77	PASS
N12	15	10	DFT-16QAM	L	Inner_1RB_Left	22.88	24.24	34.77	PASS
N12	15	10	DFT-16QAM	L	Inner_1RB_Right	23.54	24.9	34.77	PASS
N12	15	10	DFT-16QAM	L	Outer_Full	22.15	23.51	34.77	PASS
N12	15	10	DFT-64QAM	L	Inner_1RB_Left	21.96	23.32	34.77	PASS
N12	15	10	DFT-64QAM	L	Inner_1RB_Right	22.03	23.39	34.77	PASS
N12	15	10	DFT-64QAM	L	Outer_Full	21.63	22.99	34.77	PASS
N12	15	10	DFT-256QAM	L	Inner_1RB_Left	19.13	20.49	34.77	PASS
N12	15	10	DFT-256QAM	L	Inner_1RB_Right	19.59	20.95	34.77	PASS
N12	15	10	DFT-256QAM	L	Outer_Full	20.04	21.4	34.77	PASS
N12	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	24.63	25.99	34.77	PASS
N12	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	24.28	25.64	34.77	PASS
N12	15	10	DFT-PI2BPSK	M	Outer_Full	23.78	25.14	34.77	PASS
N12	15	10	DFT-QPSK	M	Inner_1RB_Left	23.83	25.19	34.77	PASS
N12	15	10	DFT-QPSK	M	Inner_1RB_Right	24.11	25.47	34.77	PASS
N12	15	10	DFT-QPSK	M	Outer_Full	23.49	24.85	34.77	PASS
N12	15	10	DFT-16QAM	M	Inner_1RB_Left	23.43	24.79	34.77	PASS
N12	15	10	DFT-16QAM	M	Inner_1RB_Right	23.55	24.91	34.77	PASS
N12	15	10	DFT-16QAM	M	Outer_Full	22.07	23.43	34.77	PASS
N12	15	10	DFT-64QAM	M	Inner_1RB_Left	22.33	23.69	34.77	PASS
N12	15	10	DFT-64QAM	M	Inner_1RB_Right	22.28	23.64	34.77	PASS
N12	15	10	DFT-64QAM	M	Outer_Full	21.86	23.22	34.77	PASS
N12	15	10	DFT-256QAM	M	Inner_1RB_Left	19.48	20.84	34.77	PASS
N12	15	10	DFT-256QAM	M	Inner_1RB_Right	19.15	20.51	34.77	PASS

N12	15	10	DFT-256QAM	M	Outer_Full	20.02	21.38	34.77	PASS
N12	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	24.5	25.86	34.77	PASS
N12	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	24.17	25.53	34.77	PASS
N12	15	10	DFT-PI2BPSK	H	Outer_Full	24.06	25.42	34.77	PASS
N12	15	10	DFT-QPSK	H	Inner_1RB_Left	24.17	25.53	34.77	PASS
N12	15	10	DFT-QPSK	H	Inner_1RB_Right	24.16	25.52	34.77	PASS
N12	15	10	DFT-QPSK	H	Outer_Full	23.14	24.5	34.77	PASS
N12	15	10	DFT-16QAM	H	Inner_1RB_Left	23.62	24.98	34.77	PASS
N12	15	10	DFT-16QAM	H	Inner_1RB_Right	23.21	24.57	34.77	PASS
N12	15	10	DFT-16QAM	H	Outer_Full	22.57	23.93	34.77	PASS
N12	15	10	DFT-64QAM	H	Inner_1RB_Left	21.91	23.27	34.77	PASS
N12	15	10	DFT-64QAM	H	Inner_1RB_Right	21.99	23.35	34.77	PASS
N12	15	10	DFT-64QAM	H	Outer_Full	21.74	23.1	34.77	PASS
N12	15	10	DFT-256QAM	H	Inner_1RB_Left	19.2	20.56	34.77	PASS
N12	15	10	DFT-256QAM	H	Inner_1RB_Right	19.14	20.5	34.77	PASS
N12	15	10	DFT-256QAM	H	Outer_Full	19.74	21.1	34.77	PASS
N12	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	24.06	25.42	34.77	PASS
N12	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	24.54	25.9	34.77	PASS
N12	15	15	DFT-PI2BPSK	L	Outer_Full	24.23	25.59	34.77	PASS
N12	15	15	DFT-QPSK	L	Inner_1RB_Left	24.03	25.39	34.77	PASS
N12	15	15	DFT-QPSK	L	Inner_1RB_Right	24.14	25.5	34.77	PASS
N12	15	15	DFT-QPSK	L	Outer_Full	23.37	24.73	34.77	PASS
N12	15	15	DFT-16QAM	L	Inner_1RB_Left	23.33	24.69	34.77	PASS
N12	15	15	DFT-16QAM	L	Inner_1RB_Right	23.64	25	34.77	PASS
N12	15	15	DFT-16QAM	L	Outer_Full	22.36	23.72	34.77	PASS

N12	15	15	DFT-64QAM	L	Inner_1RB_Left	21.9	23.26	34.77	PASS
N12	15	15	DFT-64QAM	L	Inner_1RB_Right	21.78	23.14	34.77	PASS
N12	15	15	DFT-64QAM	L	Outer_Full	22.37	23.73	34.77	PASS
N12	15	15	DFT-256QAM	L	Inner_1RB_Left	19.11	20.47	34.77	PASS
N12	15	15	DFT-256QAM	L	Inner_1RB_Right	19.17	20.53	34.77	PASS
N12	15	15	DFT-256QAM	L	Outer_Full	19.89	21.25	34.77	PASS
N12	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	24.25	25.61	34.77	PASS
N12	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	24.13	25.49	34.77	PASS
N12	15	15	DFT-PI2BPSK	M	Outer_Full	24.03	25.39	34.77	PASS
N12	15	15	DFT-QPSK	M	Inner_1RB_Left	24.4	25.76	34.77	PASS
N12	15	15	DFT-QPSK	M	Inner_1RB_Right	24.56	25.92	34.77	PASS
N12	15	15	DFT-QPSK	M	Outer_Full	23.78	25.14	34.77	PASS
N12	15	15	DFT-16QAM	M	Inner_1RB_Left	23.64	25	34.77	PASS
N12	15	15	DFT-16QAM	M	Inner_1RB_Right	23.66	25.02	34.77	PASS
N12	15	15	DFT-16QAM	M	Outer_Full	22.73	24.09	34.77	PASS
N12	15	15	DFT-64QAM	M	Inner_1RB_Left	21.87	23.23	34.77	PASS
N12	15	15	DFT-64QAM	M	Inner_1RB_Right	22.27	23.63	34.77	PASS
N12	15	15	DFT-64QAM	M	Outer_Full	21.72	23.08	34.77	PASS
N12	15	15	DFT-256QAM	M	Inner_1RB_Left	19.07	20.43	34.77	PASS
N12	15	15	DFT-256QAM	M	Inner_1RB_Right	19.05	20.41	34.77	PASS
N12	15	15	DFT-256QAM	M	Outer_Full	20.12	21.48	34.77	PASS
N12	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	24.09	25.45	34.77	PASS
N12	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	24.48	25.84	34.77	PASS
N12	15	15	DFT-PI2BPSK	H	Outer_Full	23.61	24.97	34.77	PASS
N12	15	15	DFT-QPSK	H	Inner_1RB_Left	24.48	25.84	34.77	PASS

N12	15	15	DFT-QPSK	H	Inner_1RB_Right	24.05	25.41	34.77	PASS
N12	15	15	DFT-QPSK	H	Outer_Full	23.38	24.74	34.77	PASS
N12	15	15	DFT-16QAM	H	Inner_1RB_Left	23.12	24.48	34.77	PASS
N12	15	15	DFT-16QAM	H	Inner_1RB_Right	22.97	24.33	34.77	PASS
N12	15	15	DFT-16QAM	H	Outer_Full	22.2	23.56	34.77	PASS
N12	15	15	DFT-64QAM	H	Inner_1RB_Left	22.13	23.49	34.77	PASS
N12	15	15	DFT-64QAM	H	Inner_1RB_Right	22.26	23.62	34.77	PASS
N12	15	15	DFT-64QAM	H	Outer_Full	21.66	23.02	34.77	PASS
N12	15	15	DFT-256QAM	H	Inner_1RB_Left	19.41	20.77	34.77	PASS
N12	15	15	DFT-256QAM	H	Inner_1RB_Right	19.36	20.72	34.77	PASS
N12	15	15	DFT-256QAM	H	Outer_Full	20.04	21.4	34.77	PASS

NR n13 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N13	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.59	25.66	34.77	PASS
N13	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.79	25.86	34.77	PASS
N13	15	5	DFT-PI2BPSK	L	Outer_Full	23.49	25.56	34.77	PASS
N13	15	5	DFT-QPSK	L	Inner_1RB_Left	24.02	26.09	34.77	PASS
N13	15	5	DFT-QPSK	L	Inner_1RB_Right	23.79	25.86	34.77	PASS
N13	15	5	DFT-QPSK	L	Outer_Full	22.67	24.74	34.77	PASS
N13	15	5	DFT-16QAM	L	Inner_1RB_Left	22.64	24.71	34.77	PASS
N13	15	5	DFT-16QAM	L	Inner_1RB_Right	23.08	25.15	34.77	PASS
N13	15	5	DFT-16QAM	L	Outer_Full	21.61	23.68	34.77	PASS
N13	15	5	DFT-64QAM	L	Inner_1RB_Left	21.4	23.47	34.77	PASS
N13	15	5	DFT-64QAM	L	Inner_1RB_Right	21.43	23.5	34.77	PASS
N13	15	5	DFT-64QAM	L	Outer_Full	21.44	23.51	34.77	PASS
N13	15	5	DFT-256QAM	L	Inner_1RB_Left	18.85	20.92	34.77	PASS
N13	15	5	DFT-256QAM	L	Inner_1RB_Right	18.7	20.77	34.77	PASS
N13	15	5	DFT-256QAM	L	Outer_Full	19.69	21.76	34.77	PASS
N13	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.79	25.86	34.77	PASS
N13	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	24.01	26.08	34.77	PASS
N13	15	5	DFT-PI2BPSK	M	Outer_Full	23.73	25.8	34.77	PASS
N13	15	5	DFT-QPSK	M	Inner_1RB_Left	23.58	25.65	34.77	PASS
N13	15	5	DFT-QPSK	M	Inner_1RB_Right	23.8	25.87	34.77	PASS
N13	15	5	DFT-QPSK	M	Outer_Full	22.71	24.78	34.77	PASS
N13	15	5	DFT-16QAM	M	Inner_1RB_Left	22.92	24.99	34.77	PASS
N13	15	5	DFT-16QAM	M	Inner_1RB_Right	22.79	24.86	34.77	PASS
N13	15	5	DFT-16QAM	M	Outer_Full	21.65	23.72	34.77	PASS

N13	15	5	DFT-64QAM	M	Inner_1RB_Left	21.8	23.87	34.77	PASS
N13	15	5	DFT-64QAM	M	Inner_1RB_Right	21.55	23.62	34.77	PASS
N13	15	5	DFT-64QAM	M	Outer_Full	21.36	23.43	34.77	PASS
N13	15	5	DFT-256QAM	M	Inner_1RB_Left	19.09	21.16	34.77	PASS
N13	15	5	DFT-256QAM	M	Inner_1RB_Right	18.49	20.56	34.77	PASS
N13	15	5	DFT-256QAM	M	Outer_Full	19.01	21.08	34.77	PASS
N13	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.57	25.64	34.77	PASS
N13	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.69	25.76	34.77	PASS
N13	15	5	DFT-PI2BPSK	H	Outer_Full	23.33	25.4	34.77	PASS
N13	15	5	DFT-QPSK	H	Inner_1RB_Left	23.36	25.43	34.77	PASS
N13	15	5	DFT-QPSK	H	Inner_1RB_Right	23.97	26.04	34.77	PASS
N13	15	5	DFT-QPSK	H	Outer_Full	22.62	24.69	34.77	PASS
N13	15	5	DFT-16QAM	H	Inner_1RB_Left	23.1	25.17	34.77	PASS
N13	15	5	DFT-16QAM	H	Inner_1RB_Right	22.66	24.73	34.77	PASS
N13	15	5	DFT-16QAM	H	Outer_Full	21.65	23.72	34.77	PASS
N13	15	5	DFT-64QAM	H	Inner_1RB_Left	21.48	23.55	34.77	PASS
N13	15	5	DFT-64QAM	H	Inner_1RB_Right	21.33	23.4	34.77	PASS
N13	15	5	DFT-64QAM	H	Outer_Full	21.14	23.21	34.77	PASS
N13	15	5	DFT-256QAM	H	Inner_1RB_Left	18.71	20.78	34.77	PASS
N13	15	5	DFT-256QAM	H	Inner_1RB_Right	18.65	20.72	34.77	PASS
N13	15	5	DFT-256QAM	H	Outer_Full	19.15	21.22	34.77	PASS
N13	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	23.57	25.64	34.77	PASS
N13	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	23.92	25.99	34.77	PASS
N13	15	10	DFT-PI2BPSK	L	Outer_Full	23.41	25.48	34.77	PASS
N13	15	10	DFT-QPSK	L	Inner_1RB_Left	24.11	26.18	34.77	PASS

N13	15	10	DFT-QPSK	L	Inner_1RB_Right	23.45	25.52	34.77	PASS
N13	15	10	DFT-QPSK	L	Outer_Full	23.11	25.18	34.77	PASS
N13	15	10	DFT-16QAM	L	Inner_1RB_Left	22.59	24.66	34.77	PASS
N13	15	10	DFT-16QAM	L	Inner_1RB_Right	22.78	24.85	34.77	PASS
N13	15	10	DFT-16QAM	L	Outer_Full	22.19	24.26	34.77	PASS
N13	15	10	DFT-64QAM	L	Inner_1RB_Left	21.47	23.54	34.77	PASS
N13	15	10	DFT-64QAM	L	Inner_1RB_Right	21.15	23.22	34.77	PASS
N13	15	10	DFT-64QAM	L	Outer_Full	21.22	23.29	34.77	PASS
N13	15	10	DFT-256QAM	L	Inner_1RB_Left	18.57	20.64	34.77	PASS
N13	15	10	DFT-256QAM	L	Inner_1RB_Right	18.69	20.76	34.77	PASS
N13	15	10	DFT-256QAM	L	Outer_Full	19.13	21.2	34.77	PASS
N13	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	23.65	25.72	34.77	PASS
N13	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.63	25.7	34.77	PASS
N13	15	10	DFT-PI2BPSK	M	Outer_Full	23.35	25.42	34.77	PASS
N13	15	10	DFT-QPSK	M	Inner_1RB_Left	23.71	25.78	34.77	PASS
N13	15	10	DFT-QPSK	M	Inner_1RB_Right	23.4	25.47	34.77	PASS
N13	15	10	DFT-QPSK	M	Outer_Full	22.56	24.63	34.77	PASS
N13	15	10	DFT-16QAM	M	Inner_1RB_Left	23.14	25.21	34.77	PASS
N13	15	10	DFT-16QAM	M	Inner_1RB_Right	22.52	24.59	34.77	PASS
N13	15	10	DFT-16QAM	M	Outer_Full	22.05	24.12	34.77	PASS
N13	15	10	DFT-64QAM	M	Inner_1RB_Left	21.2	23.27	34.77	PASS
N13	15	10	DFT-64QAM	M	Inner_1RB_Right	21.54	23.61	34.77	PASS
N13	15	10	DFT-64QAM	M	Outer_Full	21.4	23.47	34.77	PASS
N13	15	10	DFT-256QAM	M	Inner_1RB_Left	18.91	20.98	34.77	PASS
N13	15	10	DFT-256QAM	M	Inner_1RB_Right	18.79	20.86	34.77	PASS

N13	15	10	DFT-256QAM	M	Outer_Full	19.18	21.25	34.77	PASS
N13	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	24.03	26.1	34.77	PASS
N13	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	23.6	25.67	34.77	PASS
N13	15	10	DFT-PI2BPSK	H	Outer_Full	23.56	25.63	34.77	PASS
N13	15	10	DFT-QPSK	H	Inner_1RB_Left	23.78	25.85	34.77	PASS
N13	15	10	DFT-QPSK	H	Inner_1RB_Right	23.68	25.75	34.77	PASS
N13	15	10	DFT-QPSK	H	Outer_Full	23.16	25.23	34.77	PASS
N13	15	10	DFT-16QAM	H	Inner_1RB_Left	23.22	25.29	34.77	PASS
N13	15	10	DFT-16QAM	H	Inner_1RB_Right	22.41	24.48	34.77	PASS
N13	15	10	DFT-16QAM	H	Outer_Full	21.5	23.57	34.77	PASS
N13	15	10	DFT-64QAM	H	Inner_1RB_Left	21.95	24.02	34.77	PASS
N13	15	10	DFT-64QAM	H	Inner_1RB_Right	21.43	23.5	34.77	PASS
N13	15	10	DFT-64QAM	H	Outer_Full	21.17	23.24	34.77	PASS
N13	15	10	DFT-256QAM	H	Inner_1RB_Left	18.9	20.97	34.77	PASS
N13	15	10	DFT-256QAM	H	Inner_1RB_Right	18.85	20.92	34.77	PASS
N13	15	10	DFT-256QAM	H	Outer_Full	19.1	21.17	34.77	PASS

NR n14 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N14	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	24.17	25.93	34.77	PASS
N14	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.92	25.68	34.77	PASS
N14	15	5	DFT-PI2BPSK	L	Outer_Full	23.84	25.6	34.77	PASS
N14	15	5	DFT-QPSK	L	Inner_1RB_Left	23.97	25.73	34.77	PASS
N14	15	5	DFT-QPSK	L	Inner_1RB_Right	24.04	25.8	34.77	PASS
N14	15	5	DFT-QPSK	L	Outer_Full	22.77	24.53	34.77	PASS
N14	15	5	DFT-16QAM	L	Inner_1RB_Left	22.62	24.38	34.77	PASS
N14	15	5	DFT-16QAM	L	Inner_1RB_Right	23.21	24.97	34.77	PASS
N14	15	5	DFT-16QAM	L	Outer_Full	22.39	24.15	34.77	PASS
N14	15	5	DFT-64QAM	L	Inner_1RB_Left	21.6	23.36	34.77	PASS
N14	15	5	DFT-64QAM	L	Inner_1RB_Right	21.66	23.42	34.77	PASS
N14	15	5	DFT-64QAM	L	Outer_Full	21.69	23.45	34.77	PASS
N14	15	5	DFT-256QAM	L	Inner_1RB_Left	19.2	20.96	34.77	PASS
N14	15	5	DFT-256QAM	L	Inner_1RB_Right	19.14	20.9	34.77	PASS
N14	15	5	DFT-256QAM	L	Outer_Full	19.65	21.41	34.77	PASS
N14	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.78	25.54	34.77	PASS
N14	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	24.2	25.96	34.77	PASS
N14	15	5	DFT-PI2BPSK	M	Outer_Full	23.22	24.98	34.77	PASS
N14	15	5	DFT-QPSK	M	Inner_1RB_Left	23.89	25.65	34.77	PASS
N14	15	5	DFT-QPSK	M	Inner_1RB_Right	24.04	25.8	34.77	PASS
N14	15	5	DFT-QPSK	M	Outer_Full	22.7	24.46	34.77	PASS
N14	15	5	DFT-16QAM	M	Inner_1RB_Left	23.38	25.14	34.77	PASS
N14	15	5	DFT-16QAM	M	Inner_1RB_Right	22.91	24.67	34.77	PASS
N14	15	5	DFT-16QAM	M	Outer_Full	22.12	23.88	34.77	PASS

N14	15	5	DFT-64QAM	M	Inner_1RB_Left	21.79	23.55	34.77	PASS
N14	15	5	DFT-64QAM	M	Inner_1RB_Right	21.89	23.65	34.77	PASS
N14	15	5	DFT-64QAM	M	Outer_Full	21.63	23.39	34.77	PASS
N14	15	5	DFT-256QAM	M	Inner_1RB_Left	18.84	20.6	34.77	PASS
N14	15	5	DFT-256QAM	M	Inner_1RB_Right	18.94	20.7	34.77	PASS
N14	15	5	DFT-256QAM	M	Outer_Full	19.45	21.21	34.77	PASS
N14	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	24.28	26.04	34.77	PASS
N14	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	24.14	25.9	34.77	PASS
N14	15	5	DFT-PI2BPSK	H	Outer_Full	23.78	25.54	34.77	PASS
N14	15	5	DFT-QPSK	H	Inner_1RB_Left	24.29	26.05	34.77	PASS
N14	15	5	DFT-QPSK	H	Inner_1RB_Right	24.14	25.9	34.77	PASS
N14	15	5	DFT-QPSK	H	Outer_Full	23.41	25.17	34.77	PASS
N14	15	5	DFT-16QAM	H	Inner_1RB_Left	22.92	24.68	34.77	PASS
N14	15	5	DFT-16QAM	H	Inner_1RB_Right	23.18	24.94	34.77	PASS
N14	15	5	DFT-16QAM	H	Outer_Full	22.44	24.2	34.77	PASS
N14	15	5	DFT-64QAM	H	Inner_1RB_Left	21.39	23.15	34.77	PASS
N14	15	5	DFT-64QAM	H	Inner_1RB_Right	21.58	23.34	34.77	PASS
N14	15	5	DFT-64QAM	H	Outer_Full	21.43	23.19	34.77	PASS
N14	15	5	DFT-256QAM	H	Inner_1RB_Left	18.77	20.53	34.77	PASS
N14	15	5	DFT-256QAM	H	Inner_1RB_Right	18.76	20.52	34.77	PASS
N14	15	5	DFT-256QAM	H	Outer_Full	19.31	21.07	34.77	PASS
N14	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	24.11	25.87	34.77	PASS
N14	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	24.09	25.85	34.77	PASS
N14	15	10	DFT-PI2BPSK	L	Outer_Full	23.34	25.1	34.77	PASS
N14	15	10	DFT-QPSK	L	Inner_1RB_Left	23.72	25.48	34.77	PASS

N14	15	10	DFT-QPSK	L	Inner_1RB_Right	24.33	26.09	34.77	PASS
N14	15	10	DFT-QPSK	L	Outer_Full	23.18	24.94	34.77	PASS
N14	15	10	DFT-16QAM	L	Inner_1RB_Left	23.12	24.88	34.77	PASS
N14	15	10	DFT-16QAM	L	Inner_1RB_Right	22.92	24.68	34.77	PASS
N14	15	10	DFT-16QAM	L	Outer_Full	22.06	23.82	34.77	PASS
N14	15	10	DFT-64QAM	L	Inner_1RB_Left	21.44	23.2	34.77	PASS
N14	15	10	DFT-64QAM	L	Inner_1RB_Right	21.72	23.48	34.77	PASS
N14	15	10	DFT-64QAM	L	Outer_Full	21.47	23.23	34.77	PASS
N14	15	10	DFT-256QAM	L	Inner_1RB_Left	19.76	21.52	34.77	PASS
N14	15	10	DFT-256QAM	L	Inner_1RB_Right	19.04	20.8	34.77	PASS
N14	15	10	DFT-256QAM	L	Outer_Full	19.16	20.92	34.77	PASS
N14	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	24.33	26.09	34.77	PASS
N14	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	24.21	25.97	34.77	PASS
N14	15	10	DFT-PI2BPSK	M	Outer_Full	23.8	25.56	34.77	PASS
N14	15	10	DFT-QPSK	M	Inner_1RB_Left	23.74	25.5	34.77	PASS
N14	15	10	DFT-QPSK	M	Inner_1RB_Right	24.39	26.15	34.77	PASS
N14	15	10	DFT-QPSK	M	Outer_Full	23.29	25.05	34.77	PASS
N14	15	10	DFT-16QAM	M	Inner_1RB_Left	22.74	24.5	34.77	PASS
N14	15	10	DFT-16QAM	M	Inner_1RB_Right	23.31	25.07	34.77	PASS
N14	15	10	DFT-16QAM	M	Outer_Full	22	23.76	34.77	PASS
N14	15	10	DFT-64QAM	M	Inner_1RB_Left	21.63	23.39	34.77	PASS
N14	15	10	DFT-64QAM	M	Inner_1RB_Right	21.89	23.65	34.77	PASS
N14	15	10	DFT-64QAM	M	Outer_Full	21.31	23.07	34.77	PASS
N14	15	10	DFT-256QAM	M	Inner_1RB_Left	19.14	20.9	34.77	PASS
N14	15	10	DFT-256QAM	M	Inner_1RB_Right	19.34	21.1	34.77	PASS

N14	15	10	DFT-256QAM	M	Outer_Full	19.46	21.22	34.77	PASS
N14	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	23.9	25.66	34.77	PASS
N14	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	24.51	26.27	34.77	PASS
N14	15	10	DFT-PI2BPSK	H	Outer_Full	23.02	24.78	34.77	PASS
N14	15	10	DFT-QPSK	H	Inner_1RB_Left	23.89	25.65	34.77	PASS
N14	15	10	DFT-QPSK	H	Inner_1RB_Right	24.44	26.2	34.77	PASS
N14	15	10	DFT-QPSK	H	Outer_Full	23.21	24.97	34.77	PASS
N14	15	10	DFT-16QAM	H	Inner_1RB_Left	23.01	24.77	34.77	PASS
N14	15	10	DFT-16QAM	H	Inner_1RB_Right	23.25	25.01	34.77	PASS
N14	15	10	DFT-16QAM	H	Outer_Full	22.41	24.17	34.77	PASS
N14	15	10	DFT-64QAM	H	Inner_1RB_Left	21.59	23.35	34.77	PASS
N14	15	10	DFT-64QAM	H	Inner_1RB_Right	21.73	23.49	34.77	PASS
N14	15	10	DFT-64QAM	H	Outer_Full	21.18	22.94	34.77	PASS
N14	15	10	DFT-256QAM	H	Inner_1RB_Left	19.53	21.29	34.77	PASS
N14	15	10	DFT-256QAM	H	Inner_1RB_Right	19.25	21.01	34.77	PASS
N14	15	10	DFT-256QAM	H	Outer_Full	19.58	21.34	34.77	PASS

NR n25 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N25	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.36	28.28	33	PASS
N25	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	22.94	27.86	33	PASS
N25	15	5	DFT-PI2BPSK	L	Outer_Full	22.46	27.38	33	PASS
N25	15	5	DFT-QPSK	L	Inner_1RB_Left	22.81	27.73	33	PASS
N25	15	5	DFT-QPSK	L	Inner_1RB_Right	22.84	27.76	33	PASS
N25	15	5	DFT-QPSK	L	Outer_Full	22.19	27.11	33	PASS
N25	15	5	DFT-16QAM	L	Inner_1RB_Left	21.81	26.73	33	PASS
N25	15	5	DFT-16QAM	L	Inner_1RB_Right	21.93	26.85	33	PASS
N25	15	5	DFT-16QAM	L	Outer_Full	21.27	26.19	33	PASS
N25	15	5	DFT-64QAM	L	Inner_1RB_Left	20.72	25.64	33	PASS
N25	15	5	DFT-64QAM	L	Inner_1RB_Right	21.1	26.02	33	PASS
N25	15	5	DFT-64QAM	L	Outer_Full	20.17	25.09	33	PASS
N25	15	5	DFT-256QAM	L	Inner_1RB_Left	17.79	22.71	33	PASS
N25	15	5	DFT-256QAM	L	Inner_1RB_Right	18.24	23.16	33	PASS
N25	15	5	DFT-256QAM	L	Outer_Full	18.53	23.45	33	PASS
N25	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.41	28.33	33	PASS
N25	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	23.21	28.13	33	PASS
N25	15	5	DFT-PI2BPSK	M	Outer_Full	22.45	27.37	33	PASS
N25	15	5	DFT-QPSK	M	Inner_1RB_Left	22.86	27.78	33	PASS
N25	15	5	DFT-QPSK	M	Inner_1RB_Right	22.67	27.59	33	PASS
N25	15	5	DFT-QPSK	M	Outer_Full	21.83	26.75	33	PASS
N25	15	5	DFT-16QAM	M	Inner_1RB_Left	22.47	27.39	33	PASS
N25	15	5	DFT-16QAM	M	Inner_1RB_Right	22.24	27.16	33	PASS
N25	15	5	DFT-16QAM	M	Outer_Full	21.04	25.96	33	PASS

N25	15	5	DFT-64QAM	M	Inner_1RB_Left	20.77	25.69	33	PASS
N25	15	5	DFT-64QAM	M	Inner_1RB_Right	20.66	25.58	33	PASS
N25	15	5	DFT-64QAM	M	Outer_Full	20.73	25.65	33	PASS
N25	15	5	DFT-256QAM	M	Inner_1RB_Left	18.03	22.95	33	PASS
N25	15	5	DFT-256QAM	M	Inner_1RB_Right	18.05	22.97	33	PASS
N25	15	5	DFT-256QAM	M	Outer_Full	18.8	23.72	33	PASS
N25	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.22	28.14	33	PASS
N25	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.18	28.1	33	PASS
N25	15	5	DFT-PI2BPSK	H	Outer_Full	22.69	27.61	33	PASS
N25	15	5	DFT-QPSK	H	Inner_1RB_Left	22.55	27.47	33	PASS
N25	15	5	DFT-QPSK	H	Inner_1RB_Right	22.92	27.84	33	PASS
N25	15	5	DFT-QPSK	H	Outer_Full	22.08	27	33	PASS
N25	15	5	DFT-16QAM	H	Inner_1RB_Left	22.01	26.93	33	PASS
N25	15	5	DFT-16QAM	H	Inner_1RB_Right	22.26	27.18	33	PASS
N25	15	5	DFT-16QAM	H	Outer_Full	21.26	26.18	33	PASS
N25	15	5	DFT-64QAM	H	Inner_1RB_Left	20.71	25.63	33	PASS
N25	15	5	DFT-64QAM	H	Inner_1RB_Right	20.47	25.39	33	PASS
N25	15	5	DFT-64QAM	H	Outer_Full	20.16	25.08	33	PASS
N25	15	5	DFT-256QAM	H	Inner_1RB_Left	17.77	22.69	33	PASS
N25	15	5	DFT-256QAM	H	Inner_1RB_Right	17.81	22.73	33	PASS
N25	15	5	DFT-256QAM	H	Outer_Full	18.36	23.28	33	PASS
N25	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	23.22	28.14	33	PASS
N25	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	22.94	27.86	33	PASS
N25	15	10	DFT-PI2BPSK	L	Outer_Full	22.18	27.1	33	PASS
N25	15	10	DFT-QPSK	L	Inner_1RB_Left	22.72	27.64	33	PASS

N25	15	10	DFT-QPSK	L	Inner_1RB_Right	22.71	27.63	33	PASS
N25	15	10	DFT-QPSK	L	Outer_Full	21.87	26.79	33	PASS
N25	15	10	DFT-16QAM	L	Inner_1RB_Left	21.48	26.4	33	PASS
N25	15	10	DFT-16QAM	L	Inner_1RB_Right	22.04	26.96	33	PASS
N25	15	10	DFT-16QAM	L	Outer_Full	21.24	26.16	33	PASS
N25	15	10	DFT-64QAM	L	Inner_1RB_Left	20.54	25.46	33	PASS
N25	15	10	DFT-64QAM	L	Inner_1RB_Right	20.26	25.18	33	PASS
N25	15	10	DFT-64QAM	L	Outer_Full	20.49	25.41	33	PASS
N25	15	10	DFT-256QAM	L	Inner_1RB_Left	17.44	22.36	33	PASS
N25	15	10	DFT-256QAM	L	Inner_1RB_Right	17.7	22.62	33	PASS
N25	15	10	DFT-256QAM	L	Outer_Full	18.33	23.25	33	PASS
N25	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	23.06	27.98	33	PASS
N25	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.34	28.26	33	PASS
N25	15	10	DFT-PI2BPSK	M	Outer_Full	22.63	27.55	33	PASS
N25	15	10	DFT-QPSK	M	Inner_1RB_Left	23.07	27.99	33	PASS
N25	15	10	DFT-QPSK	M	Inner_1RB_Right	22.78	27.7	33	PASS
N25	15	10	DFT-QPSK	M	Outer_Full	22.04	26.96	33	PASS
N25	15	10	DFT-16QAM	M	Inner_1RB_Left	21.88	26.8	33	PASS
N25	15	10	DFT-16QAM	M	Inner_1RB_Right	21.88	26.8	33	PASS
N25	15	10	DFT-16QAM	M	Outer_Full	21.27	26.19	33	PASS
N25	15	10	DFT-64QAM	M	Inner_1RB_Left	20.77	25.69	33	PASS
N25	15	10	DFT-64QAM	M	Inner_1RB_Right	20.85	25.77	33	PASS
N25	15	10	DFT-64QAM	M	Outer_Full	20.56	25.48	33	PASS
N25	15	10	DFT-256QAM	M	Inner_1RB_Left	18.32	23.24	33	PASS
N25	15	10	DFT-256QAM	M	Inner_1RB_Right	17.77	22.69	33	PASS

N25	15	10	DFT-256QAM	M	Outer_Full	18.74	23.66	33	PASS
N25	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	22.77	27.69	33	PASS
N25	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	23.04	27.96	33	PASS
N25	15	10	DFT-PI2BPSK	H	Outer_Full	22.42	27.34	33	PASS
N25	15	10	DFT-QPSK	H	Inner_1RB_Left	23.12	28.04	33	PASS
N25	15	10	DFT-QPSK	H	Inner_1RB_Right	23.18	28.1	33	PASS
N25	15	10	DFT-QPSK	H	Outer_Full	21.92	26.84	33	PASS
N25	15	10	DFT-16QAM	H	Inner_1RB_Left	21.7	26.62	33	PASS
N25	15	10	DFT-16QAM	H	Inner_1RB_Right	21.72	26.64	33	PASS
N25	15	10	DFT-16QAM	H	Outer_Full	21.15	26.07	33	PASS
N25	15	10	DFT-64QAM	H	Inner_1RB_Left	20.89	25.81	33	PASS
N25	15	10	DFT-64QAM	H	Inner_1RB_Right	21.01	25.93	33	PASS
N25	15	10	DFT-64QAM	H	Outer_Full	20.51	25.43	33	PASS
N25	15	10	DFT-256QAM	H	Inner_1RB_Left	18.15	23.07	33	PASS
N25	15	10	DFT-256QAM	H	Inner_1RB_Right	17.74	22.66	33	PASS
N25	15	10	DFT-256QAM	H	Outer_Full	18.26	23.18	33	PASS
N25	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	23.34	28.26	33	PASS
N25	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	23.43	28.35	33	PASS
N25	15	15	DFT-PI2BPSK	L	Outer_Full	22.66	27.58	33	PASS
N25	15	15	DFT-QPSK	L	Inner_1RB_Left	22.95	27.87	33	PASS
N25	15	15	DFT-QPSK	L	Inner_1RB_Right	22.71	27.63	33	PASS
N25	15	15	DFT-QPSK	L	Outer_Full	21.86	26.78	33	PASS
N25	15	15	DFT-16QAM	L	Inner_1RB_Left	21.84	26.76	33	PASS
N25	15	15	DFT-16QAM	L	Inner_1RB_Right	22.26	27.18	33	PASS
N25	15	15	DFT-16QAM	L	Outer_Full	21.39	26.31	33	PASS

N25	15	15	DFT-64QAM	L	Inner_1RB_Left	20.96	25.88	33	PASS
N25	15	15	DFT-64QAM	L	Inner_1RB_Right	21.25	26.17	33	PASS
N25	15	15	DFT-64QAM	L	Outer_Full	20.97	25.89	33	PASS
N25	15	15	DFT-256QAM	L	Inner_1RB_Left	17.89	22.81	33	PASS
N25	15	15	DFT-256QAM	L	Inner_1RB_Right	17.87	22.79	33	PASS
N25	15	15	DFT-256QAM	L	Outer_Full	18.81	23.73	33	PASS
N25	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	23.66	28.58	33	PASS
N25	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	23.44	28.36	33	PASS
N25	15	15	DFT-PI2BPSK	M	Outer_Full	22.77	27.69	33	PASS
N25	15	15	DFT-QPSK	M	Inner_1RB_Left	23.38	28.3	33	PASS
N25	15	15	DFT-QPSK	M	Inner_1RB_Right	22.86	27.78	33	PASS
N25	15	15	DFT-QPSK	M	Outer_Full	22.49	27.41	33	PASS
N25	15	15	DFT-16QAM	M	Inner_1RB_Left	22.59	27.51	33	PASS
N25	15	15	DFT-16QAM	M	Inner_1RB_Right	22.13	27.05	33	PASS
N25	15	15	DFT-16QAM	M	Outer_Full	21.13	26.05	33	PASS
N25	15	15	DFT-64QAM	M	Inner_1RB_Left	21.38	26.3	33	PASS
N25	15	15	DFT-64QAM	M	Inner_1RB_Right	20.51	25.43	33	PASS
N25	15	15	DFT-64QAM	M	Outer_Full	20.8	25.72	33	PASS
N25	15	15	DFT-256QAM	M	Inner_1RB_Left	18.52	23.44	33	PASS
N25	15	15	DFT-256QAM	M	Inner_1RB_Right	18.3	23.22	33	PASS
N25	15	15	DFT-256QAM	M	Outer_Full	18.84	23.76	33	PASS
N25	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	23.26	28.18	33	PASS
N25	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	23.19	28.11	33	PASS
N25	15	15	DFT-PI2BPSK	H	Outer_Full	22.69	27.61	33	PASS
N25	15	15	DFT-QPSK	H	Inner_1RB_Left	23.22	28.14	33	PASS

N25	15	15	DFT-QPSK	H	Inner_1RB_Right	22.78	27.7	33	PASS
N25	15	15	DFT-QPSK	H	Outer_Full	22.36	27.28	33	PASS
N25	15	15	DFT-16QAM	H	Inner_1RB_Left	22.22	27.14	33	PASS
N25	15	15	DFT-16QAM	H	Inner_1RB_Right	22.29	27.21	33	PASS
N25	15	15	DFT-16QAM	H	Outer_Full	21.19	26.11	33	PASS
N25	15	15	DFT-64QAM	H	Inner_1RB_Left	20.54	25.46	33	PASS
N25	15	15	DFT-64QAM	H	Inner_1RB_Right	20.89	25.81	33	PASS
N25	15	15	DFT-64QAM	H	Outer_Full	20.31	25.23	33	PASS
N25	15	15	DFT-256QAM	H	Inner_1RB_Left	18.16	23.08	33	PASS
N25	15	15	DFT-256QAM	H	Inner_1RB_Right	18.2	23.12	33	PASS
N25	15	15	DFT-256QAM	H	Outer_Full	18.35	23.27	33	PASS
N25	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	23.09	28.01	33	PASS
N25	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	23.03	27.95	33	PASS
N25	15	20	DFT-PI2BPSK	L	Outer_Full	22.59	27.51	33	PASS
N25	15	20	DFT-QPSK	L	Inner_1RB_Left	22.89	27.81	33	PASS
N25	15	20	DFT-QPSK	L	Inner_1RB_Right	23.08	28	33	PASS
N25	15	20	DFT-QPSK	L	Outer_Full	22.55	27.47	33	PASS
N25	15	20	DFT-16QAM	L	Inner_1RB_Left	22.17	27.09	33	PASS
N25	15	20	DFT-16QAM	L	Inner_1RB_Right	22.3	27.22	33	PASS
N25	15	20	DFT-16QAM	L	Outer_Full	21.22	26.14	33	PASS
N25	15	20	DFT-64QAM	L	Inner_1RB_Left	21	25.92	33	PASS
N25	15	20	DFT-64QAM	L	Inner_1RB_Right	20.87	25.79	33	PASS
N25	15	20	DFT-64QAM	L	Outer_Full	20.8	25.72	33	PASS
N25	15	20	DFT-256QAM	L	Inner_1RB_Left	18.17	23.09	33	PASS
N25	15	20	DFT-256QAM	L	Inner_1RB_Right	18.45	23.37	33	PASS

N25	15	20	DFT-256QAM	L	Outer_Full	18.86	23.78	33	PASS
N25	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	23.45	28.37	33	PASS
N25	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	23.12	28.04	33	PASS
N25	15	20	DFT-PI2BPSK	M	Outer_Full	22.72	27.64	33	PASS
N25	15	20	DFT-QPSK	M	Inner_1RB_Left	23.28	28.2	33	PASS
N25	15	20	DFT-QPSK	M	Inner_1RB_Right	22.93	27.85	33	PASS
N25	15	20	DFT-QPSK	M	Outer_Full	22.47	27.39	33	PASS
N25	15	20	DFT-16QAM	M	Inner_1RB_Left	22.33	27.25	33	PASS
N25	15	20	DFT-16QAM	M	Inner_1RB_Right	22.18	27.1	33	PASS
N25	15	20	DFT-16QAM	M	Outer_Full	21.21	26.13	33	PASS
N25	15	20	DFT-64QAM	M	Inner_1RB_Left	21.26	26.18	33	PASS
N25	15	20	DFT-64QAM	M	Inner_1RB_Right	20.75	25.67	33	PASS
N25	15	20	DFT-64QAM	M	Outer_Full	21.01	25.93	33	PASS
N25	15	20	DFT-256QAM	M	Inner_1RB_Left	18.48	23.4	33	PASS
N25	15	20	DFT-256QAM	M	Inner_1RB_Right	17.7	22.62	33	PASS
N25	15	20	DFT-256QAM	M	Outer_Full	18.6	23.52	33	PASS
N25	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	22.96	27.88	33	PASS
N25	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	23.13	28.05	33	PASS
N25	15	20	DFT-PI2BPSK	H	Outer_Full	22.39	27.31	33	PASS
N25	15	20	DFT-QPSK	H	Inner_1RB_Left	22.63	27.55	33	PASS
N25	15	20	DFT-QPSK	H	Inner_1RB_Right	22.78	27.7	33	PASS
N25	15	20	DFT-QPSK	H	Outer_Full	21.98	26.9	33	PASS
N25	15	20	DFT-16QAM	H	Inner_1RB_Left	22.31	27.23	33	PASS
N25	15	20	DFT-16QAM	H	Inner_1RB_Right	21.66	26.58	33	PASS
N25	15	20	DFT-16QAM	H	Outer_Full	21.35	26.27	33	PASS

N25	15	20	DFT-64QAM	H	Inner_1RB_Left	20.76	25.68	33	PASS
N25	15	20	DFT-64QAM	H	Inner_1RB_Right	20.63	25.55	33	PASS
N25	15	20	DFT-64QAM	H	Outer_Full	20.67	25.59	33	PASS
N25	15	20	DFT-256QAM	H	Inner_1RB_Left	18.28	23.2	33	PASS
N25	15	20	DFT-256QAM	H	Inner_1RB_Right	17.65	22.57	33	PASS
N25	15	20	DFT-256QAM	H	Outer_Full	18.52	23.44	33	PASS
N25	15	25	DFT-PI2BPSK	L	Inner_1RB_Left	22.97	27.89	33	PASS
N25	15	25	DFT-PI2BPSK	L	Inner_1RB_Right	23.11	28.03	33	PASS
N25	15	25	DFT-PI2BPSK	L	Outer_Full	22.87	27.79	33	PASS
N25	15	25	DFT-QPSK	L	Inner_1RB_Left	22.87	27.79	33	PASS
N25	15	25	DFT-QPSK	L	Inner_1RB_Right	23.49	28.41	33	PASS
N25	15	25	DFT-QPSK	L	Outer_Full	22.39	27.31	33	PASS
N25	15	25	DFT-16QAM	L	Inner_1RB_Left	22.19	27.11	33	PASS
N25	15	25	DFT-16QAM	L	Inner_1RB_Right	22.65	27.57	33	PASS
N25	15	25	DFT-16QAM	L	Outer_Full	21.03	25.95	33	PASS
N25	15	25	DFT-64QAM	L	Inner_1RB_Left	20.79	25.71	33	PASS
N25	15	25	DFT-64QAM	L	Inner_1RB_Right	20.7	25.62	33	PASS
N25	15	25	DFT-64QAM	L	Outer_Full	20.54	25.46	33	PASS
N25	15	25	DFT-256QAM	L	Inner_1RB_Left	18.29	23.21	33	PASS
N25	15	25	DFT-256QAM	L	Inner_1RB_Right	17.99	22.91	33	PASS
N25	15	25	DFT-256QAM	L	Outer_Full	18.72	23.64	33	PASS
N25	15	25	DFT-PI2BPSK	M	Inner_1RB_Left	23.03	27.95	33	PASS
N25	15	25	DFT-PI2BPSK	M	Inner_1RB_Right	23.16	28.08	33	PASS
N25	15	25	DFT-PI2BPSK	M	Outer_Full	22.9	27.82	33	PASS
N25	15	25	DFT-QPSK	M	Inner_1RB_Left	23.15	28.07	33	PASS

N25	15	25	DFT-QPSK	M	Inner_1RB_Right	22.79	27.71	33	PASS
N25	15	25	DFT-QPSK	M	Outer_Full	22.01	26.93	33	PASS
N25	15	25	DFT-16QAM	M	Inner_1RB_Left	22.27	27.19	33	PASS
N25	15	25	DFT-16QAM	M	Inner_1RB_Right	22.5	27.42	33	PASS
N25	15	25	DFT-16QAM	M	Outer_Full	21.59	26.51	33	PASS
N25	15	25	DFT-64QAM	M	Inner_1RB_Left	21.12	26.04	33	PASS
N25	15	25	DFT-64QAM	M	Inner_1RB_Right	20.68	25.6	33	PASS
N25	15	25	DFT-64QAM	M	Outer_Full	20.83	25.75	33	PASS
N25	15	25	DFT-256QAM	M	Inner_1RB_Left	18.09	23.01	33	PASS
N25	15	25	DFT-256QAM	M	Inner_1RB_Right	18.12	23.04	33	PASS
N25	15	25	DFT-256QAM	M	Outer_Full	18.95	23.87	33	PASS
N25	15	25	DFT-PI2BPSK	H	Inner_1RB_Left	23.04	27.96	33	PASS
N25	15	25	DFT-PI2BPSK	H	Inner_1RB_Right	23	27.92	33	PASS
N25	15	25	DFT-PI2BPSK	H	Outer_Full	22.23	27.15	33	PASS
N25	15	25	DFT-QPSK	H	Inner_1RB_Left	23.31	28.23	33	PASS
N25	15	25	DFT-QPSK	H	Inner_1RB_Right	23.32	28.24	33	PASS
N25	15	25	DFT-QPSK	H	Outer_Full	22.19	27.11	33	PASS
N25	15	25	DFT-16QAM	H	Inner_1RB_Left	21.87	26.79	33	PASS
N25	15	25	DFT-16QAM	H	Inner_1RB_Right	21.97	26.89	33	PASS
N25	15	25	DFT-16QAM	H	Outer_Full	21.34	26.26	33	PASS
N25	15	25	DFT-64QAM	H	Inner_1RB_Left	20.63	25.55	33	PASS
N25	15	25	DFT-64QAM	H	Inner_1RB_Right	20.59	25.51	33	PASS
N25	15	25	DFT-64QAM	H	Outer_Full	20.51	25.43	33	PASS
N25	15	25	DFT-256QAM	H	Inner_1RB_Left	18.55	23.47	33	PASS
N25	15	25	DFT-256QAM	H	Inner_1RB_Right	17.92	22.84	33	PASS

N25	15	25	DFT-256QAM	H	Outer_Full	18.54	23.46	33	PASS
N25	15	30	DFT-PI2BPSK	L	Inner_1RB_Left	23.23	28.15	33	PASS
N25	15	30	DFT-PI2BPSK	L	Inner_1RB_Right	23.36	28.28	33	PASS
N25	15	30	DFT-PI2BPSK	L	Outer_Full	22.87	27.79	33	PASS
N25	15	30	DFT-QPSK	L	Inner_1RB_Left	23.21	28.13	33	PASS
N25	15	30	DFT-QPSK	L	Inner_1RB_Right	23.08	28	33	PASS
N25	15	30	DFT-QPSK	L	Outer_Full	22.29	27.21	33	PASS
N25	15	30	DFT-16QAM	L	Inner_1RB_Left	21.99	26.91	33	PASS
N25	15	30	DFT-16QAM	L	Inner_1RB_Right	22.52	27.44	33	PASS
N25	15	30	DFT-16QAM	L	Outer_Full	21.47	26.39	33	PASS
N25	15	30	DFT-64QAM	L	Inner_1RB_Left	20.99	25.91	33	PASS
N25	15	30	DFT-64QAM	L	Inner_1RB_Right	20.71	25.63	33	PASS
N25	15	30	DFT-64QAM	L	Outer_Full	21.04	25.96	33	PASS
N25	15	30	DFT-256QAM	L	Inner_1RB_Left	18.22	23.14	33	PASS
N25	15	30	DFT-256QAM	L	Inner_1RB_Right	18.47	23.39	33	PASS
N25	15	30	DFT-256QAM	L	Outer_Full	18.77	23.69	33	PASS
N25	15	30	DFT-PI2BPSK	M	Inner_1RB_Left	23.22	28.14	33	PASS
N25	15	30	DFT-PI2BPSK	M	Inner_1RB_Right	23.27	28.19	33	PASS
N25	15	30	DFT-PI2BPSK	M	Outer_Full	23.08	28	33	PASS
N25	15	30	DFT-QPSK	M	Inner_1RB_Left	23.45	28.37	33	PASS
N25	15	30	DFT-QPSK	M	Inner_1RB_Right	22.95	27.87	33	PASS
N25	15	30	DFT-QPSK	M	Outer_Full	23.19	28.11	33	PASS
N25	15	30	DFT-16QAM	M	Inner_1RB_Left	22.42	27.34	33	PASS
N25	15	30	DFT-16QAM	M	Inner_1RB_Right	21.93	26.85	33	PASS
N25	15	30	DFT-16QAM	M	Outer_Full	21.49	26.41	33	PASS

N25	15	30	DFT-64QAM	M	Inner_1RB_Left	20.93	25.85	33	PASS
N25	15	30	DFT-64QAM	M	Inner_1RB_Right	20.63	25.55	33	PASS
N25	15	30	DFT-64QAM	M	Outer_Full	20.51	25.43	33	PASS
N25	15	30	DFT-256QAM	M	Inner_1RB_Left	18.57	23.49	33	PASS
N25	15	30	DFT-256QAM	M	Inner_1RB_Right	17.92	22.84	33	PASS
N25	15	30	DFT-256QAM	M	Outer_Full	18.56	23.48	33	PASS
N25	15	30	DFT-PI2BPSK	H	Inner_1RB_Left	23.36	28.28	33	PASS
N25	15	30	DFT-PI2BPSK	H	Inner_1RB_Right	22.83	27.75	33	PASS
N25	15	30	DFT-PI2BPSK	H	Outer_Full	22.85	27.77	33	PASS
N25	15	30	DFT-QPSK	H	Inner_1RB_Left	23.37	28.29	33	PASS
N25	15	30	DFT-QPSK	H	Inner_1RB_Right	22.9	27.82	33	PASS
N25	15	30	DFT-QPSK	H	Outer_Full	22.25	27.17	33	PASS
N25	15	30	DFT-16QAM	H	Inner_1RB_Left	22.29	27.21	33	PASS
N25	15	30	DFT-16QAM	H	Inner_1RB_Right	22.12	27.04	33	PASS
N25	15	30	DFT-16QAM	H	Outer_Full	21.5	26.42	33	PASS
N25	15	30	DFT-64QAM	H	Inner_1RB_Left	20.72	25.64	33	PASS
N25	15	30	DFT-64QAM	H	Inner_1RB_Right	21.25	26.17	33	PASS
N25	15	30	DFT-64QAM	H	Outer_Full	20.62	25.54	33	PASS
N25	15	30	DFT-256QAM	H	Inner_1RB_Left	18.79	23.71	33	PASS
N25	15	30	DFT-256QAM	H	Inner_1RB_Right	18.01	22.93	33	PASS
N25	15	30	DFT-256QAM	H	Outer_Full	18.97	23.89	33	PASS
N25	15	40	DFT-PI2BPSK	L	Inner_1RB_Left	23.44	28.36	33	PASS
N25	15	40	DFT-PI2BPSK	L	Inner_1RB_Right	23.38	28.3	33	PASS
N25	15	40	DFT-PI2BPSK	L	Outer_Full	22.77	27.69	33	PASS
N25	15	40	DFT-QPSK	L	Inner_1RB_Left	22.74	27.66	33	PASS

N25	15	40	DFT-QPSK	L	Inner_1RB_Right	22.98	27.9	33	PASS
N25	15	40	DFT-QPSK	L	Outer_Full	22.37	27.29	33	PASS
N25	15	40	DFT-16QAM	L	Inner_1RB_Left	21.86	26.78	33	PASS
N25	15	40	DFT-16QAM	L	Inner_1RB_Right	22.61	27.53	33	PASS
N25	15	40	DFT-16QAM	L	Outer_Full	21.6	26.52	33	PASS
N25	15	40	DFT-64QAM	L	Inner_1RB_Left	20.92	25.84	33	PASS
N25	15	40	DFT-64QAM	L	Inner_1RB_Right	20.74	25.66	33	PASS
N25	15	40	DFT-64QAM	L	Outer_Full	20.84	25.76	33	PASS
N25	15	40	DFT-256QAM	L	Inner_1RB_Left	18.34	23.26	33	PASS
N25	15	40	DFT-256QAM	L	Inner_1RB_Right	18.29	23.21	33	PASS
N25	15	40	DFT-256QAM	L	Outer_Full	18.98	23.9	33	PASS
N25	15	40	DFT-PI2BPSK	M	Inner_1RB_Left	23.05	27.97	33	PASS
N25	15	40	DFT-PI2BPSK	M	Inner_1RB_Right	23.25	28.17	33	PASS
N25	15	40	DFT-PI2BPSK	M	Outer_Full	22.43	27.35	33	PASS
N25	15	40	DFT-QPSK	M	Inner_1RB_Left	23.29	28.21	33	PASS
N25	15	40	DFT-QPSK	M	Inner_1RB_Right	23.19	28.11	33	PASS
N25	15	40	DFT-QPSK	M	Outer_Full	22.07	26.99	33	PASS
N25	15	40	DFT-16QAM	M	Inner_1RB_Left	22.37	27.29	33	PASS
N25	15	40	DFT-16QAM	M	Inner_1RB_Right	22.24	27.16	33	PASS
N25	15	40	DFT-16QAM	M	Outer_Full	21.57	26.49	33	PASS
N25	15	40	DFT-64QAM	M	Inner_1RB_Left	21.15	26.07	33	PASS
N25	15	40	DFT-64QAM	M	Inner_1RB_Right	20.51	25.43	33	PASS
N25	15	40	DFT-64QAM	M	Outer_Full	21.03	25.95	33	PASS
N25	15	40	DFT-256QAM	M	Inner_1RB_Left	18.61	23.53	33	PASS
N25	15	40	DFT-256QAM	M	Inner_1RB_Right	18.09	23.01	33	PASS

N25	15	40	DFT-256QAM	M	Outer_Full	19.09	24.01	33	PASS
N25	15	40	DFT-PI2BPSK	H	Inner_1RB_Left	23.19	28.11	33	PASS
N25	15	40	DFT-PI2BPSK	H	Inner_1RB_Right	23.23	28.15	33	PASS
N25	15	40	DFT-PI2BPSK	H	Outer_Full	22.46	27.38	33	PASS
N25	15	40	DFT-QPSK	H	Inner_1RB_Left	23.03	27.95	33	PASS
N25	15	40	DFT-QPSK	H	Inner_1RB_Right	23.31	28.23	33	PASS
N25	15	40	DFT-QPSK	H	Outer_Full	22.58	27.5	33	PASS
N25	15	40	DFT-16QAM	H	Inner_1RB_Left	22.16	27.08	33	PASS
N25	15	40	DFT-16QAM	H	Inner_1RB_Right	22.58	27.5	33	PASS
N25	15	40	DFT-16QAM	H	Outer_Full	21.41	26.33	33	PASS
N25	15	40	DFT-64QAM	H	Inner_1RB_Left	21.08	26	33	PASS
N25	15	40	DFT-64QAM	H	Inner_1RB_Right	20.77	25.69	33	PASS
N25	15	40	DFT-64QAM	H	Outer_Full	21.03	25.95	33	PASS
N25	15	40	DFT-256QAM	H	Inner_1RB_Left	18.61	23.53	33	PASS
N25	15	40	DFT-256QAM	H	Inner_1RB_Right	18.35	23.27	33	PASS
N25	15	40	DFT-256QAM	H	Outer_Full	18.48	23.4	33	PASS

NR n26 814-824MHz :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	Limit (dBm)	Verdict
N26-814-824	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	22.61	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	22.71	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	Outer_Full	22.36	50	PASS
N26-814-824	15	5	DFT-QPSK	L	Inner_1RB_Left	22.56	50	PASS
N26-814-824	15	5	DFT-QPSK	L	Inner_1RB_Right	22.67	50	PASS
N26-814-824	15	5	DFT-QPSK	L	Outer_Full	21.98	50	PASS
N26-814-824	15	5	DFT-16QAM	L	Inner_1RB_Left	21.7	50	PASS
N26-814-824	15	5	DFT-16QAM	L	Inner_1RB_Right	22.01	50	PASS
N26-814-824	15	5	DFT-16QAM	L	Outer_Full	20.83	50	PASS
N26-814-824	15	5	DFT-64QAM	L	Inner_1RB_Left	20.4	50	PASS
N26-814-824	15	5	DFT-64QAM	L	Inner_1RB_Right	20.4	50	PASS
N26-814-824	15	5	DFT-64QAM	L	Outer_Full	20.55	50	PASS
N26-814-824	15	5	DFT-256QAM	L	Inner_1RB_Left	17.52	50	PASS
N26-814-824	15	5	DFT-256QAM	L	Inner_1RB_Right	17.92	50	PASS
N26-814-824	15	5	DFT-256QAM	L	Outer_Full	17.94	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	22.81	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	22.95	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	Outer_Full	22.51	50	PASS
N26-814-824	15	5	DFT-QPSK	M	Inner_1RB_Left	22.43	50	PASS
N26-814-824	15	5	DFT-QPSK	M	Inner_1RB_Right	22.69	50	PASS
N26-814-824	15	5	DFT-QPSK	M	Outer_Full	21.9	50	PASS

N26-814-824	15	5	DFT-16QAM	M	Inner_1RB_Left	21.58	50	PASS
N26-814-824	15	5	DFT-16QAM	M	Inner_1RB_Right	21.49	50	PASS
N26-814-824	15	5	DFT-16QAM	M	Outer_Full	20.93	50	PASS
N26-814-824	15	5	DFT-64QAM	M	Inner_1RB_Left	20.54	50	PASS
N26-814-824	15	5	DFT-64QAM	M	Inner_1RB_Right	20.3	50	PASS
N26-814-824	15	5	DFT-64QAM	M	Outer_Full	20.35	50	PASS
N26-814-824	15	5	DFT-256QAM	M	Inner_1RB_Left	17.65	50	PASS
N26-814-824	15	5	DFT-256QAM	M	Inner_1RB_Right	17.95	50	PASS
N26-814-824	15	5	DFT-256QAM	M	Outer_Full	18.15	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	22.75	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	22.39	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	Outer_Full	22.06	50	PASS
N26-814-824	15	5	DFT-QPSK	H	Inner_1RB_Left	22.54	50	PASS
N26-814-824	15	5	DFT-QPSK	H	Inner_1RB_Right	22.84	50	PASS
N26-814-824	15	5	DFT-QPSK	H	Outer_Full	22.08	50	PASS
N26-814-824	15	5	DFT-16QAM	H	Inner_1RB_Left	21.98	50	PASS
N26-814-824	15	5	DFT-16QAM	H	Inner_1RB_Right	21.72	50	PASS
N26-814-824	15	5	DFT-16QAM	H	Outer_Full	20.61	50	PASS
N26-814-824	15	5	DFT-64QAM	H	Inner_1RB_Left	20.54	50	PASS
N26-814-824	15	5	DFT-64QAM	H	Inner_1RB_Right	20.81	50	PASS
N26-814-824	15	5	DFT-64QAM	H	Outer_Full	19.9	50	PASS
N26-814-824	15	5	DFT-256QAM	H	Inner_1RB_Left	17.61	50	PASS
N26-814-824	15	5	DFT-256QAM	H	Inner_1RB_Right	17.94	50	PASS

N26-814-824	15	5	DFT-256QAM	H	Outer_Full	18.08	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	22.72	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	22.97	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	L	Outer_Full	22.15	50	PASS
N26-814-824	15	10	DFT-QPSK	L	Inner_1RB_Left	22.52	50	PASS
N26-814-824	15	10	DFT-QPSK	L	Inner_1RB_Right	22.52	50	PASS
N26-814-824	15	10	DFT-QPSK	L	Outer_Full	21.98	50	PASS
N26-814-824	15	10	DFT-16QAM	L	Inner_1RB_Left	21.66	50	PASS
N26-814-824	15	10	DFT-16QAM	L	Inner_1RB_Right	21.89	50	PASS
N26-814-824	15	10	DFT-16QAM	L	Outer_Full	20.54	50	PASS
N26-814-824	15	10	DFT-64QAM	L	Inner_1RB_Left	20.8	50	PASS
N26-814-824	15	10	DFT-64QAM	L	Inner_1RB_Right	20.41	50	PASS
N26-814-824	15	10	DFT-64QAM	L	Outer_Full	20.63	50	PASS
N26-814-824	15	10	DFT-256QAM	L	Inner_1RB_Left	17.51	50	PASS
N26-814-824	15	10	DFT-256QAM	L	Inner_1RB_Right	17.42	50	PASS
N26-814-824	15	10	DFT-256QAM	L	Outer_Full	18.57	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	22.94	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	22.67	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	Outer_Full	22.55	50	PASS
N26-814-824	15	10	DFT-QPSK	M	Inner_1RB_Left	22.43	50	PASS
N26-814-824	15	10	DFT-QPSK	M	Inner_1RB_Right	22.91	50	PASS
N26-814-824	15	10	DFT-QPSK	M	Outer_Full	22.11	50	PASS
N26-814-824	15	10	DFT-16QAM	M	Inner_1RB_Left	21.6	50	PASS

N26-814-824	15	10	DFT-16QAM	M	Inner_1RB_Right	21.55	50	PASS
N26-814-824	15	10	DFT-16QAM	M	Outer_Full	20.55	50	PASS
N26-814-824	15	10	DFT-64QAM	M	Inner_1RB_Left	20.68	50	PASS
N26-814-824	15	10	DFT-64QAM	M	Inner_1RB_Right	20.69	50	PASS
N26-814-824	15	10	DFT-64QAM	M	Outer_Full	20.47	50	PASS
N26-814-824	15	10	DFT-256QAM	M	Inner_1RB_Left	17.84	50	PASS
N26-814-824	15	10	DFT-256QAM	M	Inner_1RB_Right	17.82	50	PASS
N26-814-824	15	10	DFT-256QAM	M	Outer_Full	18.63	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	22.64	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	22.46	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	H	Outer_Full	22.46	50	PASS
N26-814-824	15	10	DFT-QPSK	H	Inner_1RB_Left	23.01	50	PASS
N26-814-824	15	10	DFT-QPSK	H	Inner_1RB_Right	22.72	50	PASS
N26-814-824	15	10	DFT-QPSK	H	Outer_Full	21.83	50	PASS
N26-814-824	15	10	DFT-16QAM	H	Inner_1RB_Left	22.1	50	PASS
N26-814-824	15	10	DFT-16QAM	H	Inner_1RB_Right	21.51	50	PASS
N26-814-824	15	10	DFT-16QAM	H	Outer_Full	21.04	50	PASS
N26-814-824	15	10	DFT-64QAM	H	Inner_1RB_Left	20.51	50	PASS
N26-814-824	15	10	DFT-64QAM	H	Inner_1RB_Right	20.69	50	PASS
N26-814-824	15	10	DFT-64QAM	H	Outer_Full	20.5	50	PASS
N26-814-824	15	10	DFT-256QAM	H	Inner_1RB_Left	17.59	50	PASS
N26-814-824	15	10	DFT-256QAM	H	Inner_1RB_Right	18.14	50	PASS
N26-814-824	15	10	DFT-256QAM	H	Outer_Full	18.44	50	PASS

NR n26 824-849MHz :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N26-824-849	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	24.29	25.92	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.96	25.59	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Outer_Full	23.86	25.49	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Inner_1RB_Left	24.07	25.7	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Inner_1RB_Right	24.01	25.64	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Outer_Full	22.99	24.62	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Inner_1RB_Left	22.84	24.47	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Inner_1RB_Right	22.64	24.27	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Outer_Full	22.35	23.98	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Inner_1RB_Left	21.92	23.55	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Inner_1RB_Right	21.34	22.97	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Outer_Full	21.21	22.84	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	Inner_1RB_Left	19.28	20.91	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	Inner_1RB_Right	18.91	20.54	38.45	PASS

N26-824-849	15	5	DFT-256QAM	L	Outer_Full	19.62	21.25	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.93	25.56	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	24.42	26.05	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Outer_Full	23.76	25.39	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	Inner_1RB_Left	24.27	25.9	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	Inner_1RB_Right	23.9	25.53	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	Outer_Full	22.93	24.56	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	Inner_1RB_Left	22.82	24.45	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	Inner_1RB_Right	23.28	24.91	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	Outer_Full	22.02	23.65	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	Inner_1RB_Left	21.65	23.28	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	Inner_1RB_Right	22.05	23.68	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	Outer_Full	21.64	23.27	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	Inner_1RB_Left	19.41	21.04	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	Inner_1RB_Right	19.22	20.85	38.45	PASS

N26-824-849	15	5	DFT-256QAM	M	Outer_Full	19.68	21.31	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	24.12	25.75	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.92	25.55	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	Outer_Full	23.89	25.52	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	Inner_1RB_Left	24.2	25.83	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	Inner_1RB_Right	24.41	26.04	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	Outer_Full	23.17	24.8	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	Inner_1RB_Left	23.46	25.09	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	Inner_1RB_Right	23.46	25.09	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	Outer_Full	22.03	23.66	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	Inner_1RB_Left	22.13	23.76	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	Inner_1RB_Right	22.06	23.69	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	Outer_Full	21.32	22.95	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	Inner_1RB_Left	19.35	20.98	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	Inner_1RB_Right	19.29	20.92	38.45	PASS

N26-824-849	15	5	DFT-256QAM	H	Outer_Full	19.36	20.99	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	23.87	25.5	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	23.73	25.36	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	Outer_Full	23.73	25.36	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	Inner_1RB_Left	23.89	25.52	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	Inner_1RB_Right	24.02	25.65	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	Outer_Full	22.77	24.4	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	Inner_1RB_Left	22.88	24.51	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	Inner_1RB_Right	23.1	24.73	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	Outer_Full	22.08	23.71	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	Inner_1RB_Left	21.98	23.61	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	Inner_1RB_Right	21.88	23.51	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	Outer_Full	21.39	23.02	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	Inner_1RB_Left	19.31	20.94	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	Inner_1RB_Right	19.38	21.01	38.45	PASS

N26-824-849	15	10	DFT-256QAM	L	Outer_Full	19.18	20.81	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	24.19	25.82	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	24.58	26.21	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	Outer_Full	23.43	25.06	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	Inner_1RB_Left	23.82	25.45	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	Inner_1RB_Right	24.12	25.75	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	Outer_Full	23.55	25.18	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	Inner_1RB_Left	23.26	24.89	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	Inner_1RB_Right	23.46	25.09	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	Outer_Full	22.28	23.91	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	Inner_1RB_Left	21.56	23.19	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	Inner_1RB_Right	22.22	23.85	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	Outer_Full	21.71	23.34	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	Inner_1RB_Left	19.34	20.97	38.45	FAIL
N26-824-849	15	10	DFT-256QAM	M	Inner_1RB_Right	19.19	20.82	38.45	PASS

N26-824-849	15	10	DFT-256QAM	M	Outer_Full	19.39	21.02	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	24.58	26.21	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	24.51	26.14	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	Outer_Full	23.53	25.16	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	Inner_1RB_Left	24.43	26.06	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	Inner_1RB_Right	24.5	26.13	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	Outer_Full	23.51	25.14	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	Inner_1RB_Left	23.33	24.96	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	Inner_1RB_Right	23.02	24.65	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	Outer_Full	22.52	24.15	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	Inner_1RB_Left	21.84	23.47	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	Inner_1RB_Right	21.78	23.41	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	Outer_Full	21.69	23.32	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	Inner_1RB_Left	19.05	20.68	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	Inner_1RB_Right	18.91	20.54	38.45	PASS

N26-824-849	15	10	DFT-256QAM	H	Outer_Full	19.6	21.23	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	24.04	25.67	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	24.63	26.26	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	Outer_Full	23.43	25.06	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	Inner_1RB_Left	23.93	25.56	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	Inner_1RB_Right	24.6	26.23	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	Outer_Full	23.02	24.65	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	Inner_1RB_Left	23.16	24.79	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	Inner_1RB_Right	23.48	25.11	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	Outer_Full	22.33	23.96	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	Inner_1RB_Left	21.68	23.31	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	Inner_1RB_Right	21.94	23.57	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	Outer_Full	21.92	23.55	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	Inner_1RB_Left	19.42	21.05	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	Inner_1RB_Right	19.62	21.25	38.45	PASS

N26-824-849	15	15	DFT-256QAM	L	Outer_Full	19.61	21.24	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	24.25	25.88	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	24.58	26.21	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	Outer_Full	23.87	25.5	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	Inner_1RB_Left	24.04	25.67	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	Inner_1RB_Right	24.13	25.76	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	Outer_Full	23.31	24.94	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	Inner_1RB_Left	22.84	24.47	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	Inner_1RB_Right	23.42	25.05	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	Outer_Full	22	23.63	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	Inner_1RB_Left	21.96	23.59	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	Inner_1RB_Right	22.2	23.83	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	Outer_Full	21.68	23.31	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	Inner_1RB_Left	19.08	20.71	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	Inner_1RB_Right	19.73	21.36	38.45	PASS

N26-824-849	15	15	DFT-256QAM	M	Outer_Full	19.89	21.52	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	24.38	26.01	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	24.1	25.73	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	Outer_Full	23.85	25.48	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	Inner_1RB_Left	24.39	26.02	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	Inner_1RB_Right	24.46	26.09	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	Outer_Full	23.33	24.96	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	Inner_1RB_Left	23.2	24.83	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	Inner_1RB_Right	23.22	24.85	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	Outer_Full	22.22	23.85	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	Inner_1RB_Left	21.84	23.47	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	Inner_1RB_Right	22.09	23.72	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	Outer_Full	21.93	23.56	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	Inner_1RB_Left	19.32	20.95	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	Inner_1RB_Right	19.08	20.71	38.45	PASS

N26-824-849	15	15	DFT-256QAM	H	Outer_Full	19.85	21.48	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	24.02	25.65	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	24.11	25.74	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	Outer_Full	23.8	25.43	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	Inner_1RB_Left	23.67	25.3	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	Inner_1RB_Right	24.61	26.24	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	Outer_Full	23.14	24.77	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	Inner_1RB_Left	23.23	24.86	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	Inner_1RB_Right	23.63	25.26	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	Outer_Full	22.28	23.91	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	Inner_1RB_Left	22.18	23.81	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	Inner_1RB_Right	22.08	23.71	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	Outer_Full	21.92	23.55	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	Inner_1RB_Left	18.97	20.6	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	Inner_1RB_Right	19.23	20.86	38.45	PASS

N26-824-849	15	20	DFT-256QAM	L	Outer_Full	19.4	21.03	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	24.02	25.65	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	24.4	26.03	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	24.04	25.67	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	Inner_1RB_Left	24.16	25.79	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	Inner_1RB_Right	23.84	25.47	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	Outer_Full	23.27	24.9	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	Inner_1RB_Left	22.81	24.44	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	Inner_1RB_Right	23.54	25.17	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	Outer_Full	22.45	24.08	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	Inner_1RB_Left	21.74	23.37	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	Inner_1RB_Right	21.88	23.51	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	Outer_Full	22.04	23.67	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	Inner_1RB_Left	18.96	20.59	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	Inner_1RB_Right	19.11	20.74	38.45	PASS

N26-824-849	15	20	DFT-256QAM	M	Outer_Full	19.73	21.36	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	24.24	25.87	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	24.16	25.79	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	Outer_Full	23.59	25.22	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	Inner_1RB_Left	24.01	25.64	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	Inner_1RB_Right	24.17	25.8	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	Outer_Full	23.25	24.88	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	Inner_1RB_Left	22.95	24.58	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	Inner_1RB_Right	23.25	24.88	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	Outer_Full	22.58	24.21	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	Inner_1RB_Left	21.98	23.61	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	Inner_1RB_Right	21.77	23.4	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	Outer_Full	22.03	23.66	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	Inner_1RB_Left	19.2	20.83	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	Inner_1RB_Right	19.02	20.65	38.45	PASS



N26- 824- 849	15	20	DFT- 256QAM	H	Outer_Full	19.94	21.57	38.45	PASS

NR n30 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N30	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.17	23.1	23.98	PASS
N30	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.03	22.96	23.98	PASS
N30	15	5	DFT-PI2BPSK	L	Outer_Full	23.1	23.03	23.98	PASS
N30	15	5	DFT-QPSK	L	Inner_1RB_Left	23.5	23.43	23.98	PASS
N30	15	5	DFT-QPSK	L	Inner_1RB_Right	23.49	23.42	23.98	PASS
N30	15	5	DFT-QPSK	L	Outer_Full	23.01	22.94	23.98	PASS
N30	15	5	DFT-16QAM	L	Inner_1RB_Left	23.34	23.27	23.98	PASS
N30	15	5	DFT-16QAM	L	Inner_1RB_Right	22.95	22.88	23.98	PASS
N30	15	5	DFT-16QAM	L	Outer_Full	22.15	22.08	23.98	PASS
N30	15	5	DFT-64QAM	L	Inner_1RB_Left	21.51	21.44	23.98	PASS
N30	15	5	DFT-64QAM	L	Inner_1RB_Right	21.35	21.28	23.98	PASS
N30	15	5	DFT-64QAM	L	Outer_Full	21.09	21.02	23.98	PASS
N30	15	5	DFT-256QAM	L	Inner_1RB_Left	19.58	19.51	23.98	PASS
N30	15	5	DFT-256QAM	L	Inner_1RB_Right	19.12	19.05	23.98	PASS
N30	15	5	DFT-256QAM	L	Outer_Full	19.36	19.29	23.98	PASS
N30	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.12	23.05	23.98	PASS
N30	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	23.01	22.94	23.98	PASS
N30	15	5	DFT-PI2BPSK	M	Outer_Full	22.95	22.88	23.98	PASS
N30	15	5	DFT-QPSK	M	Inner_1RB_Left	23.25	23.18	23.98	PASS
N30	15	5	DFT-QPSK	M	Inner_1RB_Right	23.14	23.07	23.98	PASS
N30	15	5	DFT-QPSK	M	Outer_Full	22.37	22.3	23.98	PASS
N30	15	5	DFT-16QAM	M	Inner_1RB_Left	22.27	22.2	23.98	PASS
N30	15	5	DFT-16QAM	M	Inner_1RB_Right	22.47	22.4	23.98	PASS
N30	15	5	DFT-16QAM	M	Outer_Full	20.99	20.92	23.98	PASS

N30	15	5	DFT-64QAM	M	Inner_1RB_Left	20.68	20.61	23.98	PASS
N30	15	5	DFT-64QAM	M	Inner_1RB_Right	20.92	20.85	23.98	PASS
N30	15	5	DFT-64QAM	M	Outer_Full	20.74	20.67	23.98	PASS
N30	15	5	DFT-256QAM	M	Inner_1RB_Left	19.01	18.94	23.98	PASS
N30	15	5	DFT-256QAM	M	Inner_1RB_Right	19.22	19.15	23.98	PASS
N30	15	5	DFT-256QAM	M	Outer_Full	19.56	19.49	23.98	PASS
N30	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.37	23.3	23.98	PASS
N30	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.23	23.16	23.98	PASS
N30	15	5	DFT-PI2BPSK	H	Outer_Full	22.59	22.52	23.98	PASS
N30	15	5	DFT-QPSK	H	Inner_1RB_Left	23.07	23	23.98	PASS
N30	15	5	DFT-QPSK	H	Inner_1RB_Right	23.17	23.1	23.98	PASS
N30	15	5	DFT-QPSK	H	Outer_Full	22.31	22.24	23.98	PASS
N30	15	5	DFT-16QAM	H	Inner_1RB_Left	22.14	22.07	23.98	PASS
N30	15	5	DFT-16QAM	H	Inner_1RB_Right	22.66	22.59	23.98	PASS
N30	15	5	DFT-16QAM	H	Outer_Full	21.26	21.19	23.98	PASS
N30	15	5	DFT-64QAM	H	Inner_1RB_Left	20.49	20.42	23.98	PASS
N30	15	5	DFT-64QAM	H	Inner_1RB_Right	21.06	20.99	23.98	PASS
N30	15	5	DFT-64QAM	H	Outer_Full	20.62	20.55	23.98	PASS
N30	15	5	DFT-256QAM	H	Inner_1RB_Left	19.08	19.01	23.98	PASS
N30	15	5	DFT-256QAM	H	Inner_1RB_Right	19.59	19.52	23.98	PASS
N30	15	5	DFT-256QAM	H	Outer_Full	19.49	19.42	23.98	PASS
N30	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	22.63	22.56	23.98	PASS
N30	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	23.08	23.01	23.98	PASS
N30	15	10	DFT-PI2BPSK	L	Outer_Full	22.51	22.44	23.98	PASS
N30	15	10	DFT-QPSK	L	Inner_1RB_Left	23.16	23.09	23.98	PASS

N30	15	10	DFT-QPSK	L	Inner_1RB_Right	22.84	22.77	23.98	PASS
N30	15	10	DFT-QPSK	L	Outer_Full	21.92	21.85	23.98	PASS
N30	15	10	DFT-16QAM	L	Inner_1RB_Left	21.29	21.22	23.98	PASS
N30	15	10	DFT-16QAM	L	Inner_1RB_Right	21.55	21.48	23.98	PASS
N30	15	10	DFT-16QAM	L	Outer_Full	20.65	20.58	23.98	PASS
N30	15	10	DFT-64QAM	L	Inner_1RB_Left	20.1	20.03	23.98	PASS
N30	15	10	DFT-64QAM	L	Inner_1RB_Right	19.72	19.65	23.98	PASS
N30	15	10	DFT-64QAM	L	Outer_Full	20.36	20.29	23.98	PASS
N30	15	10	DFT-256QAM	L	Inner_1RB_Left	18.66	18.59	23.98	PASS
N30	15	10	DFT-256QAM	L	Inner_1RB_Right	18.36	18.29	23.98	PASS
N30	15	10	DFT-256QAM	L	Outer_Full	18.48	18.41	23.98	PASS
N30	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	22.65	22.58	23.98	PASS
N30	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	22.81	22.74	23.98	PASS
N30	15	10	DFT-PI2BPSK	M	Outer_Full	22.18	22.11	23.98	PASS
N30	15	10	DFT-QPSK	M	Inner_1RB_Left	23.08	23.01	23.98	PASS
N30	15	10	DFT-QPSK	M	Inner_1RB_Right	23.07	23	23.98	PASS
N30	15	10	DFT-QPSK	M	Outer_Full	21.54	21.47	23.98	PASS
N30	15	10	DFT-16QAM	M	Inner_1RB_Left	22.03	21.96	23.98	PASS
N30	15	10	DFT-16QAM	M	Inner_1RB_Right	21.55	21.48	23.98	PASS
N30	15	10	DFT-16QAM	M	Outer_Full	21.03	20.96	23.98	PASS
N30	15	10	DFT-64QAM	M	Inner_1RB_Left	20.59	20.52	23.98	PASS
N30	15	10	DFT-64QAM	M	Inner_1RB_Right	20.06	19.99	23.98	PASS
N30	15	10	DFT-64QAM	M	Outer_Full	20.36	20.29	23.98	PASS
N30	15	10	DFT-256QAM	M	Inner_1RB_Left	18.49	18.42	23.98	PASS
N30	15	10	DFT-256QAM	M	Inner_1RB_Right	18.38	18.31	23.98	PASS

N30	15	10	DFT-256QAM	M	Outer_Full	18.25	18.18	23.98	PASS
N30	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	23.05	22.98	23.98	PASS
N30	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	22.96	22.89	23.98	PASS
N30	15	10	DFT-PI2BPSK	H	Outer_Full	22.06	21.99	23.98	PASS
N30	15	10	DFT-QPSK	H	Inner_1RB_Left	23.05	22.98	23.98	PASS
N30	15	10	DFT-QPSK	H	Inner_1RB_Right	23.38	23.31	23.98	PASS
N30	15	10	DFT-QPSK	H	Outer_Full	21.63	21.56	23.98	PASS
N30	15	10	DFT-16QAM	H	Inner_1RB_Left	21.73	21.66	23.98	PASS
N30	15	10	DFT-16QAM	H	Inner_1RB_Right	21.38	21.31	23.98	PASS
N30	15	10	DFT-16QAM	H	Outer_Full	20.96	20.89	23.98	PASS
N30	15	10	DFT-64QAM	H	Inner_1RB_Left	20.21	20.14	23.98	PASS
N30	15	10	DFT-64QAM	H	Inner_1RB_Right	20.29	20.22	23.98	PASS
N30	15	10	DFT-64QAM	H	Outer_Full	20.64	20.57	23.98	PASS
N30	15	10	DFT-256QAM	H	Inner_1RB_Left	18.3	18.23	23.98	PASS
N30	15	10	DFT-256QAM	H	Inner_1RB_Right	18.53	18.46	23.98	PASS
N30	15	10	DFT-256QAM	H	Outer_Full	18.57	18.5	23.98	PASS

NR n38 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N38	30	10	DFT-PI2BPSK	L	Inner_1RB_Left	25.77	28.17	33	PASS
N38	30	10	DFT-PI2BPSK	L	Inner_1RB_Right	26.23	28.63	33	PASS
N38	30	10	DFT-PI2BPSK	L	Outer_Full	26.04	28.44	33	PASS
N38	30	10	DFT-QPSK	L	Inner_1RB_Left	25.92	28.32	33	PASS
N38	30	10	DFT-QPSK	L	Inner_1RB_Right	26.15	28.55	33	PASS
N38	30	10	DFT-QPSK	L	Outer_Full	25.38	27.78	33	PASS
N38	30	10	DFT-16QAM	L	Inner_1RB_Left	25.33	27.73	33	PASS
N38	30	10	DFT-16QAM	L	Inner_1RB_Right	25.59	27.99	33	PASS
N38	30	10	DFT-16QAM	L	Outer_Full	24.35	26.75	33	PASS
N38	30	10	DFT-64QAM	L	Inner_1RB_Left	23.37	25.77	33	PASS
N38	30	10	DFT-64QAM	L	Inner_1RB_Right	23.67	26.07	33	PASS
N38	30	10	DFT-64QAM	L	Outer_Full	23.92	26.32	33	PASS
N38	30	10	DFT-256QAM	L	Inner_1RB_Left	21.7	24.1	33	PASS
N38	30	10	DFT-256QAM	L	Inner_1RB_Right	21.62	24.02	33	PASS
N38	30	10	DFT-256QAM	L	Outer_Full	21.37	23.77	33	PASS
N38	30	10	DFT-PI2BPSK	M	Inner_1RB_Left	26.36	28.76	33	PASS
N38	30	10	DFT-PI2BPSK	M	Inner_1RB_Right	26.41	28.81	33	PASS
N38	30	10	DFT-PI2BPSK	M	Outer_Full	25.59	27.99	33	PASS
N38	30	10	DFT-QPSK	M	Inner_1RB_Left	25.89	28.29	33	PASS
N38	30	10	DFT-QPSK	M	Inner_1RB_Right	26.24	28.64	33	PASS
N38	30	10	DFT-QPSK	M	Outer_Full	25.25	27.65	33	PASS
N38	30	10	DFT-16QAM	M	Inner_1RB_Left	25.08	27.48	33	PASS
N38	30	10	DFT-16QAM	M	Inner_1RB_Right	25.05	27.45	33	PASS
N38	30	10	DFT-16QAM	M	Outer_Full	24.58	26.98	33	PASS

N38	30	10	DFT-64QAM	M	Inner_1RB_Left	23.84	26.24	33	PASS
N38	30	10	DFT-64QAM	M	Inner_1RB_Right	23.94	26.34	33	PASS
N38	30	10	DFT-64QAM	M	Outer_Full	24	26.4	33	PASS
N38	30	10	DFT-256QAM	M	Inner_1RB_Left	21.85	24.25	33	PASS
N38	30	10	DFT-256QAM	M	Inner_1RB_Right	21.67	24.07	33	PASS
N38	30	10	DFT-256QAM	M	Outer_Full	22.11	24.51	33	PASS
N38	30	10	DFT-PI2BPSK	H	Inner_1RB_Left	26.43	28.83	33	PASS
N38	30	10	DFT-PI2BPSK	H	Inner_1RB_Right	26.46	28.86	33	PASS
N38	30	10	DFT-PI2BPSK	H	Outer_Full	25.77	28.17	33	PASS
N38	30	10	DFT-QPSK	H	Inner_1RB_Left	26.63	29.03	33	PASS
N38	30	10	DFT-QPSK	H	Inner_1RB_Right	26.44	28.84	33	PASS
N38	30	10	DFT-QPSK	H	Outer_Full	25.55	27.95	33	PASS
N38	30	10	DFT-16QAM	H	Inner_1RB_Left	25.47	27.87	33	PASS
N38	30	10	DFT-16QAM	H	Inner_1RB_Right	25.56	27.96	33	PASS
N38	30	10	DFT-16QAM	H	Outer_Full	24.63	27.03	33	PASS
N38	30	10	DFT-64QAM	H	Inner_1RB_Left	23.91	26.31	33	PASS
N38	30	10	DFT-64QAM	H	Inner_1RB_Right	23.65	26.05	33	PASS
N38	30	10	DFT-64QAM	H	Outer_Full	23.6	26	33	PASS
N38	30	10	DFT-256QAM	H	Inner_1RB_Left	21.98	24.38	33	PASS
N38	30	10	DFT-256QAM	H	Inner_1RB_Right	21.73	24.13	33	PASS
N38	30	10	DFT-256QAM	H	Outer_Full	21.83	24.23	33	PASS
N38	30	15	DFT-PI2BPSK	L	Inner_1RB_Left	26.21	28.61	33	PASS
N38	30	15	DFT-PI2BPSK	L	Inner_1RB_Right	26.15	28.55	33	PASS
N38	30	15	DFT-PI2BPSK	L	Outer_Full	25.76	28.16	33	PASS
N38	30	15	DFT-QPSK	L	Inner_1RB_Left	26.31	28.71	33	PASS

N38	30	15	DFT-QPSK	L	Inner_1RB_Right	26.38	28.78	33	PASS
N38	30	15	DFT-QPSK	L	Outer_Full	25.13	27.53	33	PASS
N38	30	15	DFT-16QAM	L	Inner_1RB_Left	25.66	28.06	33	PASS
N38	30	15	DFT-16QAM	L	Inner_1RB_Right	25.2	27.6	33	PASS
N38	30	15	DFT-16QAM	L	Outer_Full	24.19	26.59	33	PASS
N38	30	15	DFT-64QAM	L	Inner_1RB_Left	23.83	26.23	33	PASS
N38	30	15	DFT-64QAM	L	Inner_1RB_Right	24.06	26.46	33	PASS
N38	30	15	DFT-64QAM	L	Outer_Full	23.75	26.15	33	PASS
N38	30	15	DFT-256QAM	L	Inner_1RB_Left	21.37	23.77	33	PASS
N38	30	15	DFT-256QAM	L	Inner_1RB_Right	21.45	23.85	33	PASS
N38	30	15	DFT-256QAM	L	Outer_Full	21.54	23.94	33	PASS
N38	30	15	DFT-PI2BPSK	M	Inner_1RB_Left	26.24	28.64	33	PASS
N38	30	15	DFT-PI2BPSK	M	Inner_1RB_Right	26	28.4	33	PASS
N38	30	15	DFT-PI2BPSK	M	Outer_Full	25.87	28.27	33	PASS
N38	30	15	DFT-QPSK	M	Inner_1RB_Left	26.32	28.72	33	PASS
N38	30	15	DFT-QPSK	M	Inner_1RB_Right	26.12	28.52	33	PASS
N38	30	15	DFT-QPSK	M	Outer_Full	25.68	28.08	33	PASS
N38	30	15	DFT-16QAM	M	Inner_1RB_Left	25.57	27.97	33	PASS
N38	30	15	DFT-16QAM	M	Inner_1RB_Right	25.14	27.54	33	PASS
N38	30	15	DFT-16QAM	M	Outer_Full	24.25	26.65	33	PASS
N38	30	15	DFT-64QAM	M	Inner_1RB_Left	23.91	26.31	33	PASS
N38	30	15	DFT-64QAM	M	Inner_1RB_Right	24.21	26.61	33	PASS
N38	30	15	DFT-64QAM	M	Outer_Full	23.98	26.38	33	PASS
N38	30	15	DFT-256QAM	M	Inner_1RB_Left	21.57	23.97	33	PASS
N38	30	15	DFT-256QAM	M	Inner_1RB_Right	21.81	24.21	33	PASS

N38	30	15	DFT-256QAM	M	Outer_Full	22.14	24.54	33	PASS
N38	30	15	DFT-PI2BPSK	H	Inner_1RB_Left	26.53	28.93	33	PASS
N38	30	15	DFT-PI2BPSK	H	Inner_1RB_Right	26.62	29.02	33	PASS
N38	30	15	DFT-PI2BPSK	H	Outer_Full	25.69	28.09	33	PASS
N38	30	15	DFT-QPSK	H	Inner_1RB_Left	26.34	28.74	33	PASS
N38	30	15	DFT-QPSK	H	Inner_1RB_Right	26.54	28.94	33	PASS
N38	30	15	DFT-QPSK	H	Outer_Full	25.31	27.71	33	PASS
N38	30	15	DFT-16QAM	H	Inner_1RB_Left	25.05	27.45	33	PASS
N38	30	15	DFT-16QAM	H	Inner_1RB_Right	25.46	27.86	33	PASS
N38	30	15	DFT-16QAM	H	Outer_Full	24.26	26.66	33	PASS
N38	30	15	DFT-64QAM	H	Inner_1RB_Left	23.95	26.35	33	PASS
N38	30	15	DFT-64QAM	H	Inner_1RB_Right	23.7	26.1	33	PASS
N38	30	15	DFT-64QAM	H	Outer_Full	23.61	26.01	33	PASS
N38	30	15	DFT-256QAM	H	Inner_1RB_Left	21.63	24.03	33	PASS
N38	30	15	DFT-256QAM	H	Inner_1RB_Right	21.45	23.85	33	PASS
N38	30	15	DFT-256QAM	H	Outer_Full	21.93	24.33	33	PASS
N38	30	20	DFT-PI2BPSK	L	Inner_1RB_Left	26.13	28.53	33	PASS
N38	30	20	DFT-PI2BPSK	L	Inner_1RB_Right	26.08	28.48	33	PASS
N38	30	20	DFT-PI2BPSK	L	Outer_Full	25.58	27.98	33	PASS
N38	30	20	DFT-QPSK	L	Inner_1RB_Left	26.1	28.5	33	PASS
N38	30	20	DFT-QPSK	L	Inner_1RB_Right	26.51	28.91	33	PASS
N38	30	20	DFT-QPSK	L	Outer_Full	25.47	27.87	33	PASS
N38	30	20	DFT-16QAM	L	Inner_1RB_Left	24.95	27.35	33	PASS
N38	30	20	DFT-16QAM	L	Inner_1RB_Right	25.66	28.06	33	PASS
N38	30	20	DFT-16QAM	L	Outer_Full	24.19	26.59	33	PASS

N38	30	20	DFT-64QAM	L	Inner_1RB_Left	23.84	26.24	33	PASS
N38	30	20	DFT-64QAM	L	Inner_1RB_Right	24.27	26.67	33	PASS
N38	30	20	DFT-64QAM	L	Outer_Full	23.93	26.33	33	PASS
N38	30	20	DFT-256QAM	L	Inner_1RB_Left	21.86	24.26	33	PASS
N38	30	20	DFT-256QAM	L	Inner_1RB_Right	21.96	24.36	33	PASS
N38	30	20	DFT-256QAM	L	Outer_Full	22.18	24.58	33	PASS
N38	30	20	DFT-PI2BPSK	M	Inner_1RB_Left	25.89	28.29	33	PASS
N38	30	20	DFT-PI2BPSK	M	Inner_1RB_Right	26	28.4	33	PASS
N38	30	20	DFT-PI2BPSK	M	Outer_Full	25.9	28.3	33	PASS
N38	30	20	DFT-QPSK	M	Inner_1RB_Left	26.51	28.91	33	PASS
N38	30	20	DFT-QPSK	M	Inner_1RB_Right	26.08	28.48	33	PASS
N38	30	20	DFT-QPSK	M	Outer_Full	25.1	27.5	33	PASS
N38	30	20	DFT-16QAM	M	Inner_1RB_Left	25.25	27.65	33	PASS
N38	30	20	DFT-16QAM	M	Inner_1RB_Right	25.12	27.52	33	PASS
N38	30	20	DFT-16QAM	M	Outer_Full	24.38	26.78	33	PASS
N38	30	20	DFT-64QAM	M	Inner_1RB_Left	23.99	26.39	33	PASS
N38	30	20	DFT-64QAM	M	Inner_1RB_Right	24.06	26.46	33	PASS
N38	30	20	DFT-64QAM	M	Outer_Full	23.57	25.97	33	PASS
N38	30	20	DFT-256QAM	M	Inner_1RB_Left	21.93	24.33	33	PASS
N38	30	20	DFT-256QAM	M	Inner_1RB_Right	22.03	24.43	33	PASS
N38	30	20	DFT-256QAM	M	Outer_Full	21.68	24.08	33	PASS
N38	30	20	DFT-PI2BPSK	H	Inner_1RB_Left	26.03	28.43	33	PASS
N38	30	20	DFT-PI2BPSK	H	Inner_1RB_Right	26.05	28.45	33	PASS
N38	30	20	DFT-PI2BPSK	H	Outer_Full	25.9	28.3	33	PASS
N38	30	20	DFT-QPSK	H	Inner_1RB_Left	26.36	28.76	33	PASS

N38	30	20	DFT-QPSK	H	Inner_1RB_Right	26.45	28.85	33	PASS
N38	30	20	DFT-QPSK	H	Outer_Full	25.24	27.64	33	PASS
N38	30	20	DFT-16QAM	H	Inner_1RB_Left	25.44	27.84	33	PASS
N38	30	20	DFT-16QAM	H	Inner_1RB_Right	25.26	27.66	33	PASS
N38	30	20	DFT-16QAM	H	Outer_Full	24.03	26.43	33	PASS
N38	30	20	DFT-64QAM	H	Inner_1RB_Left	23.74	26.14	33	PASS
N38	30	20	DFT-64QAM	H	Inner_1RB_Right	23.98	26.38	33	PASS
N38	30	20	DFT-64QAM	H	Outer_Full	23.73	26.13	33	PASS
N38	30	20	DFT-256QAM	H	Inner_1RB_Left	21.58	23.98	33	PASS
N38	30	20	DFT-256QAM	H	Inner_1RB_Right	21.75	24.15	33	PASS
N38	30	20	DFT-256QAM	H	Outer_Full	21.46	23.86	33	PASS
N38	30	30	DFT-PI2BPSK	L	Inner_1RB_Left	24.96	27.36	33	PASS
N38	30	30	DFT-PI2BPSK	L	Inner_1RB_Right	25.25	27.65	33	PASS
N38	30	30	DFT-PI2BPSK	L	Outer_Full	25.5	27.9	33	PASS
N38	30	30	DFT-QPSK	L	Inner_1RB_Left	24.76	27.16	33	PASS
N38	30	30	DFT-QPSK	L	Inner_1RB_Right	25.25	27.65	33	PASS
N38	30	30	DFT-QPSK	L	Outer_Full	25.36	27.76	33	PASS
N38	30	30	DFT-16QAM	L	Inner_1RB_Left	24.95	27.35	33	PASS
N38	30	30	DFT-16QAM	L	Inner_1RB_Right	25.01	27.41	33	PASS
N38	30	30	DFT-16QAM	L	Outer_Full	23.78	26.18	33	PASS
N38	30	30	DFT-64QAM	L	Inner_1RB_Left	23.46	25.86	33	PASS
N38	30	30	DFT-64QAM	L	Inner_1RB_Right	23.53	25.93	33	PASS
N38	30	30	DFT-64QAM	L	Outer_Full	23.09	25.49	33	PASS
N38	30	30	DFT-256QAM	L	Inner_1RB_Left	21.12	23.52	33	PASS
N38	30	30	DFT-256QAM	L	Inner_1RB_Right	21.57	23.97	33	PASS

N38	30	30	DFT-256QAM	L	Outer_Full	21.3	23.7	33	PASS
N38	30	30	DFT-PI2BPSK	M	Inner_1RB_Left	24.99	27.39	33	PASS
N38	30	30	DFT-PI2BPSK	M	Inner_1RB_Right	25.57	27.97	33	PASS
N38	30	30	DFT-PI2BPSK	M	Outer_Full	25.22	27.62	33	PASS
N38	30	30	DFT-QPSK	M	Inner_1RB_Left	25.34	27.74	33	PASS
N38	30	30	DFT-QPSK	M	Inner_1RB_Right	25.28	27.68	33	PASS
N38	30	30	DFT-QPSK	M	Outer_Full	25.11	27.51	33	PASS
N38	30	30	DFT-16QAM	M	Inner_1RB_Left	24.81	27.21	33	PASS
N38	30	30	DFT-16QAM	M	Inner_1RB_Right	25.24	27.64	33	PASS
N38	30	30	DFT-16QAM	M	Outer_Full	24.08	26.48	33	PASS
N38	30	30	DFT-64QAM	M	Inner_1RB_Left	23.3	25.7	33	PASS
N38	30	30	DFT-64QAM	M	Inner_1RB_Right	23.75	26.15	33	PASS
N38	30	30	DFT-64QAM	M	Outer_Full	24.06	26.46	33	PASS
N38	30	30	DFT-256QAM	M	Inner_1RB_Left	21.08	23.48	33	PASS
N38	30	30	DFT-256QAM	M	Inner_1RB_Right	21.73	24.13	33	PASS
N38	30	30	DFT-256QAM	M	Outer_Full	21.3	23.7	33	PASS
N38	30	30	DFT-PI2BPSK	H	Inner_1RB_Left	24.92	27.32	33	PASS
N38	30	30	DFT-PI2BPSK	H	Inner_1RB_Right	25.45	27.85	33	PASS
N38	30	30	DFT-PI2BPSK	H	Outer_Full	25.04	27.44	33	PASS
N38	30	30	DFT-QPSK	H	Inner_1RB_Left	25.21	27.61	33	PASS
N38	30	30	DFT-QPSK	H	Inner_1RB_Right	25.38	27.78	33	PASS
N38	30	30	DFT-QPSK	H	Outer_Full	25.42	27.82	33	PASS
N38	30	30	DFT-16QAM	H	Inner_1RB_Left	25.33	27.73	33	PASS
N38	30	30	DFT-16QAM	H	Inner_1RB_Right	24.63	27.03	33	PASS
N38	30	30	DFT-16QAM	H	Outer_Full	24.44	26.84	33	PASS

N38	30	30	DFT-64QAM	H	Inner_1RB_Left	23.8	26.2	33	PASS
N38	30	30	DFT-64QAM	H	Inner_1RB_Right	23.66	26.06	33	PASS
N38	30	30	DFT-64QAM	H	Outer_Full	23.49	25.89	33	PASS
N38	30	30	DFT-256QAM	H	Inner_1RB_Left	21.55	23.95	33	PASS
N38	30	30	DFT-256QAM	H	Inner_1RB_Right	21.57	23.97	33	PASS
N38	30	30	DFT-256QAM	H	Outer_Full	22.05	24.45	33	PASS
N38	30	40	DFT-PI2BPSK	L	Inner_1RB_Left	25.51	27.91	33	PASS
N38	30	40	DFT-PI2BPSK	L	Inner_1RB_Right	25.36	27.76	33	PASS
N38	30	40	DFT-PI2BPSK	L	Outer_Full	24.79	27.19	33	PASS
N38	30	40	DFT-QPSK	L	Inner_1RB_Left	24.97	27.37	33	PASS
N38	30	40	DFT-QPSK	L	Inner_1RB_Right	25.79	28.19	33	PASS
N38	30	40	DFT-QPSK	L	Outer_Full	25.14	27.54	33	PASS
N38	30	40	DFT-16QAM	L	Inner_1RB_Left	25.21	27.61	33	PASS
N38	30	40	DFT-16QAM	L	Inner_1RB_Right	25.23	27.63	33	PASS
N38	30	40	DFT-16QAM	L	Outer_Full	24.19	26.59	33	PASS
N38	30	40	DFT-64QAM	L	Inner_1RB_Left	23.39	25.79	33	PASS
N38	30	40	DFT-64QAM	L	Inner_1RB_Right	24.42	26.82	33	PASS
N38	30	40	DFT-64QAM	L	Outer_Full	23.71	26.11	33	PASS
N38	30	40	DFT-256QAM	L	Inner_1RB_Left	21.17	23.57	33	PASS
N38	30	40	DFT-256QAM	L	Inner_1RB_Right	21.44	23.84	33	PASS
N38	30	40	DFT-256QAM	L	Outer_Full	21.3	23.7	33	PASS
N38	30	40	DFT-PI2BPSK	M	Inner_1RB_Left	24.81	27.21	33	PASS
N38	30	40	DFT-PI2BPSK	M	Inner_1RB_Right	25.1	27.5	33	PASS
N38	30	40	DFT-PI2BPSK	M	Outer_Full	25.29	27.69	33	PASS
N38	30	40	DFT-QPSK	M	Inner_1RB_Left	24.63	27.03	33	PASS

N38	30	40	DFT-QPSK	M	Inner_1RB_Right	25.13	27.53	33	PASS
N38	30	40	DFT-QPSK	M	Outer_Full	25.1	27.5	33	PASS
N38	30	40	DFT-16QAM	M	Inner_1RB_Left	25.15	27.55	33	PASS
N38	30	40	DFT-16QAM	M	Inner_1RB_Right	25.44	27.84	33	PASS
N38	30	40	DFT-16QAM	M	Outer_Full	24.05	26.45	33	PASS
N38	30	40	DFT-64QAM	M	Inner_1RB_Left	23.15	25.55	33	PASS
N38	30	40	DFT-64QAM	M	Inner_1RB_Right	24.14	26.54	33	PASS
N38	30	40	DFT-64QAM	M	Outer_Full	23.78	26.18	33	PASS
N38	30	40	DFT-256QAM	M	Inner_1RB_Left	21.19	23.59	33	PASS
N38	30	40	DFT-256QAM	M	Inner_1RB_Right	21.83	24.23	33	PASS
N38	30	40	DFT-256QAM	M	Outer_Full	21.67	24.07	33	PASS
N38	30	40	DFT-PI2BPSK	H	Inner_1RB_Left	25.48	27.88	33	PASS
N38	30	40	DFT-PI2BPSK	H	Inner_1RB_Right	25.64	28.04	33	PASS
N38	30	40	DFT-PI2BPSK	H	Outer_Full	25.37	27.77	33	PASS
N38	30	40	DFT-QPSK	H	Inner_1RB_Left	24.91	27.31	33	PASS
N38	30	40	DFT-QPSK	H	Inner_1RB_Right	25.72	28.12	33	PASS
N38	30	40	DFT-QPSK	H	Outer_Full	25.63	28.03	33	PASS
N38	30	40	DFT-16QAM	H	Inner_1RB_Left	25.17	27.57	33	PASS
N38	30	40	DFT-16QAM	H	Inner_1RB_Right	24.63	27.03	33	PASS
N38	30	40	DFT-16QAM	H	Outer_Full	24.57	26.97	33	PASS
N38	30	40	DFT-64QAM	H	Inner_1RB_Left	23.82	26.22	33	PASS
N38	30	40	DFT-64QAM	H	Inner_1RB_Right	23.33	25.73	33	PASS
N38	30	40	DFT-64QAM	H	Outer_Full	22.97	25.37	33	PASS
N38	30	40	DFT-256QAM	H	Inner_1RB_Left	21.43	23.83	33	PASS
N38	30	40	DFT-256QAM	H	Inner_1RB_Right	21.71	24.11	33	PASS



N38	30	40	DFT-256QAM	H	Outer_Full	22.05	24.45	33	PASS

NR n38 MIMO :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power Ant1	Power Ant2	Total Power	ERIP	Verdict
N38	30	10	CP-QPSK	L	Inner_1RB_Left	21.03	20.91	23.98	26.38	PASS
N38	30	10	CP-QPSK	L	Inner_1RB_Right	20.61	21.09	23.87	26.27	PASS
N38	30	10	CP-QPSK	L	Outer_Full	19.63	19.41	22.53	24.93	PASS
N38	30	10	CP-16QAM	L	Inner_1RB_Left	20.59	20.43	23.52	25.92	PASS
N38	30	10	CP-16QAM	L	Inner_1RB_Right	20.67	20.79	23.74	26.14	PASS
N38	30	10	CP-16QAM	L	Outer_Full	19.54	19.72	22.64	25.04	PASS
N38	30	10	CP-64QAM	L	Inner_1RB_Left	19.19	18.40	21.82	24.22	PASS
N38	30	10	CP-64QAM	L	Inner_1RB_Right	18.73	19.04	21.90	24.30	PASS
N38	30	10	CP-64QAM	L	Outer_Full	18.92	19.12	22.03	24.43	PASS
N38	30	10	CP-256QAM	L	Inner_1RB_Left	15.79	15.93	18.87	21.27	PASS
N38	30	10	CP-256QAM	L	Inner_1RB_Right	15.92	16.10	19.02	21.42	PASS
N38	30	10	CP-256QAM	L	Outer_Full	15.79	16.51	19.18	21.58	PASS
N38	30	10	CP-QPSK	M	Inner_1RB_Left	21.35	20.41	23.92	26.32	PASS
N38	30	10	CP-QPSK	M	Inner_1RB_Right	21.13	21.05	24.10	26.50	PASS
N38	30	10	CP-QPSK	M	Outer_Full	19.45	19.33	22.40	24.80	PASS
N38	30	10	CP-16QAM	M	Inner_1RB_Left	20.24	20.58	23.42	25.82	PASS

N38	30	10	CP-16QAM	M	Inner_1RB_Right	20.77	20.43	23.61	26.01	PASS
N38	30	10	CP-16QAM	M	Outer_Full	19.75	19.28	22.53	24.93	PASS
N38	30	10	CP-64QAM	M	Inner_1RB_Left	19.13	18.50	21.84	24.24	PASS
N38	30	10	CP-64QAM	M	Inner_1RB_Right	18.99	18.10	21.58	23.98	PASS
N38	30	10	CP-64QAM	M	Outer_Full	19.33	19.06	22.21	24.61	PASS
N38	30	10	CP-256QAM	M	Inner_1RB_Left	15.92	16.10	19.02	21.42	PASS
N38	30	10	CP-256QAM	M	Inner_1RB_Right	16.35	16.07	19.22	21.62	PASS
N38	30	10	CP-256QAM	M	Outer_Full	16.10	16.04	19.08	21.48	PASS
N38	30	10	CP-QPSK	H	Inner_1RB_Left	21.14	20.85	24.01	26.41	PASS
N38	30	10	CP-QPSK	H	Inner_1RB_Right	21.23	20.97	24.11	26.51	PASS
N38	30	10	CP-QPSK	H	Outer_Full	19.42	19.74	22.59	24.99	PASS
N38	30	10	CP-16QAM	H	Inner_1RB_Left	20.10	20.12	23.12	25.52	PASS
N38	30	10	CP-16QAM	H	Inner_1RB_Right	20.68	20.32	23.51	25.91	PASS
N38	30	10	CP-16QAM	H	Outer_Full	19.42	19.48	22.46	24.86	PASS
N38	30	10	CP-64QAM	H	Inner_1RB_Left	18.91	18.85	21.89	24.29	PASS
N38	30	10	CP-64QAM	H	Inner_1RB_Right	19.59	18.29	22.00	24.40	PASS
N38	30	10	CP-64QAM	H	Outer_Full	19.17	18.82	22.01	24.41	PASS

N38	30	10	CP-256QAM	H	Inner_1RB_Left	16.62	15.84	19.26	21.66	PASS
N38	30	10	CP-256QAM	H	Inner_1RB_Right	16.34	16.28	19.32	21.72	PASS
N38	30	10	CP-256QAM	H	Outer_Full	16.32	16.23	19.29	21.69	PASS
N38	30	15	CP-QPSK	L	Inner_1RB_Left	20.99	21.10	24.06	26.46	PASS
N38	30	15	CP-QPSK	L	Inner_1RB_Right	21.18	21.31	24.26	26.66	PASS
N38	30	15	CP-QPSK	L	Outer_Full	19.42	20.18	22.83	25.23	PASS
N38	30	15	CP-16QAM	L	Inner_1RB_Left	20.17	20.70	23.45	25.85	PASS
N38	30	15	CP-16QAM	L	Inner_1RB_Right	20.04	20.59	23.33	25.73	PASS
N38	30	15	CP-16QAM	L	Outer_Full	19.61	19.86	22.75	25.15	PASS
N38	30	15	CP-64QAM	L	Inner_1RB_Left	19.23	18.43	21.86	24.26	PASS
N38	30	15	CP-64QAM	L	Inner_1RB_Right	18.88	19.22	22.06	24.46	PASS
N38	30	15	CP-64QAM	L	Outer_Full	18.91	19.21	22.07	24.47	PASS
N38	30	15	CP-256QAM	L	Inner_1RB_Left	16.29	15.97	19.14	21.54	PASS
N38	30	15	CP-256QAM	L	Inner_1RB_Right	15.84	16.56	19.23	21.63	PASS
N38	30	15	CP-256QAM	L	Outer_Full	16.20	16.61	19.42	21.82	PASS
N38	30	15	CP-QPSK	M	Inner_1RB_Left	21.33	21.17	24.26	26.66	PASS
N38	30	15	CP-QPSK	M	Inner_1RB_Right	21.69	21.14	24.43	26.83	PASS

N38	30	15	CP-QPSK	M	Outer_Full	19.91	19.76	22.85	25.25	PASS
N38	30	15	CP-16QAM	M	Inner_1RB_Left	20.40	20.54	23.48	25.88	PASS
N38	30	15	CP-16QAM	M	Inner_1RB_Right	20.99	20.70	23.86	26.26	PASS
N38	30	15	CP-16QAM	M	Outer_Full	19.89	19.87	22.89	25.29	PASS
N38	30	15	CP-64QAM	M	Inner_1RB_Left	19.29	18.46	21.91	24.31	PASS
N38	30	15	CP-64QAM	M	Inner_1RB_Right	19.11	18.77	21.95	24.35	PASS
N38	30	15	CP-64QAM	M	Outer_Full	19.09	19.22	22.17	24.57	PASS
N38	30	15	CP-256QAM	M	Inner_1RB_Left	16.65	16.66	19.67	22.07	PASS
N38	30	15	CP-256QAM	M	Inner_1RB_Right	16.75	16.35	19.56	21.96	PASS
N38	30	15	CP-256QAM	M	Outer_Full	16.59	16.33	19.47	21.87	PASS
N38	30	15	CP-QPSK	H	Inner_1RB_Left	21.32	21.53	24.44	26.84	PASS
N38	30	15	CP-QPSK	H	Inner_1RB_Right	21.17	21.21	24.20	26.60	PASS
N38	30	15	CP-QPSK	H	Outer_Full	19.72	19.96	22.85	25.25	PASS
N38	30	15	CP-16QAM	H	Inner_1RB_Left	20.63	20.70	23.68	26.08	PASS
N38	30	15	CP-16QAM	H	Inner_1RB_Right	20.63	20.48	23.57	25.97	PASS
N38	30	15	CP-16QAM	H	Outer_Full	19.78	19.76	22.78	25.18	PASS
N38	30	15	CP-64QAM	H	Inner_1RB_Left	19.39	18.66	22.05	24.45	PASS

N38	30	15	CP-64QAM	H	Inner_1RB_Right	19.60	18.85	22.25	24.65	PASS
N38	30	15	CP-64QAM	H	Outer_Full	19.66	19.08	22.39	24.79	PASS
N38	30	15	CP-256QAM	H	Inner_1RB_Left	16.37	16.33	19.36	21.76	PASS
N38	30	15	CP-256QAM	H	Inner_1RB_Right	16.62	16.68	19.66	22.06	PASS
N38	30	15	CP-256QAM	H	Outer_Full	16.42	16.50	19.47	21.87	PASS
N38	30	20	CP-QPSK	L	Inner_1RB_Left	21.12	20.91	24.03	26.43	PASS
N38	30	20	CP-QPSK	L	Inner_1RB_Right	21.49	21.12	24.32	26.72	PASS
N38	30	20	CP-QPSK	L	Outer_Full	19.86	20.01	22.95	25.35	PASS
N38	30	20	CP-16QAM	L	Inner_1RB_Left	20.51	20.60	23.57	25.97	PASS
N38	30	20	CP-16QAM	L	Inner_1RB_Right	20.93	20.50	23.73	26.13	PASS
N38	30	20	CP-16QAM	L	Outer_Full	19.29	19.67	22.49	24.89	PASS
N38	30	20	CP-64QAM	L	Inner_1RB_Left	19.22	18.32	21.80	24.20	PASS
N38	30	20	CP-64QAM	L	Inner_1RB_Right	19.38	18.78	22.10	24.50	PASS
N38	30	20	CP-64QAM	L	Outer_Full	18.89	19.28	22.10	24.50	PASS
N38	30	20	CP-256QAM	L	Inner_1RB_Left	16.47	16.51	19.50	21.90	PASS
N38	30	20	CP-256QAM	L	Inner_1RB_Right	16.44	16.64	19.55	21.95	PASS
N38	30	20	CP-256QAM	L	Outer_Full	15.98	16.17	19.09	21.49	PASS

N38	30	20	CP-QPSK	M	Inner_1RB_Left	21.36	21.18	24.28	26.68	PASS
N38	30	20	CP-QPSK	M	Inner_1RB_Right	21.25	21.03	24.15	26.55	PASS
N38	30	20	CP-QPSK	M	Outer_Full	20.19	19.53	22.88	25.28	PASS
N38	30	20	CP-16QAM	M	Inner_1RB_Left	19.95	20.88	23.45	25.85	PASS
N38	30	20	CP-16QAM	M	Inner_1RB_Right	20.43	20.66	23.56	25.96	PASS
N38	30	20	CP-16QAM	M	Outer_Full	19.96	19.43	22.71	25.11	PASS
N38	30	20	CP-64QAM	M	Inner_1RB_Left	19.45	18.40	21.97	24.37	PASS
N38	30	20	CP-64QAM	M	Inner_1RB_Right	19.49	18.56	22.06	24.46	PASS
N38	30	20	CP-64QAM	M	Outer_Full	19.58	19.04	22.33	24.73	PASS
N38	30	20	CP-256QAM	M	Inner_1RB_Left	16.26	16.37	19.33	21.73	PASS
N38	30	20	CP-256QAM	M	Inner_1RB_Right	16.74	16.23	19.50	21.90	PASS
N38	30	20	CP-256QAM	M	Outer_Full	16.44	16.61	19.54	21.94	PASS
N38	30	20	CP-QPSK	H	Inner_1RB_Left	21.20	20.88	24.05	26.45	PASS
N38	30	20	CP-QPSK	H	Inner_1RB_Right	21.34	21.21	24.29	26.69	PASS
N38	30	20	CP-QPSK	H	Outer_Full	19.66	20.03	22.86	25.26	PASS
N38	30	20	CP-16QAM	H	Inner_1RB_Left	20.27	20.75	23.53	25.93	PASS
N38	30	20	CP-16QAM	H	Inner_1RB_Right	20.46	20.90	23.70	26.10	PASS

N38	30	20	CP-16QAM	H	Outer_Full	20.00	20.08	23.05	25.45	PASS
N38	30	20	CP-64QAM	H	Inner_1RB_Left	19.31	18.89	22.12	24.52	PASS
N38	30	20	CP-64QAM	H	Inner_1RB_Right	19.57	19.00	22.30	24.70	PASS
N38	30	20	CP-64QAM	H	Outer_Full	19.21	19.55	22.39	24.79	PASS
N38	30	20	CP-256QAM	H	Inner_1RB_Left	16.36	15.97	19.18	21.58	PASS
N38	30	20	CP-256QAM	H	Inner_1RB_Right	16.41	16.67	19.55	21.95	PASS
N38	30	20	CP-256QAM	H	Outer_Full	15.91	16.65	19.31	21.71	PASS
N38	30	30	CP-QPSK	L	Inner_1RB_Left	21.09	21.04	24.08	26.48	PASS
N38	30	30	CP-QPSK	L	Inner_1RB_Right	21.49	21.39	24.45	26.85	PASS
N38	30	30	CP-QPSK	L	Outer_Full	19.75	19.87	22.82	25.22	PASS
N38	30	30	CP-16QAM	L	Inner_1RB_Left	20.87	21.07	23.98	26.38	PASS
N38	30	30	CP-16QAM	L	Inner_1RB_Right	20.75	21.07	23.92	26.32	PASS
N38	30	30	CP-16QAM	L	Outer_Full	19.77	19.88	22.84	25.24	PASS
N38	30	30	CP-64QAM	L	Inner_1RB_Left	19.48	18.74	22.14	24.54	PASS
N38	30	30	CP-64QAM	L	Inner_1RB_Right	19.70	19.16	22.45	24.85	PASS
N38	30	30	CP-64QAM	L	Outer_Full	19.45	19.43	22.45	24.85	PASS
N38	30	30	CP-256QAM	L	Inner_1RB_Left	16.68	16.06	19.39	21.79	PASS

N38	30	30	CP-256QAM	L	Inner_1RB_Right	16.91	16.67	19.80	22.20	PASS
N38	30	30	CP-256QAM	L	Outer_Full	16.46	16.33	19.41	21.81	PASS
N38	30	30	CP-QPSK	M	Inner_1RB_Left	20.75	21.70	24.26	26.66	PASS
N38	30	30	CP-QPSK	M	Inner_1RB_Right	21.26	21.80	24.55	26.95	PASS
N38	30	30	CP-QPSK	M	Outer_Full	19.70	19.89	22.81	25.21	PASS
N38	30	30	CP-16QAM	M	Inner_1RB_Left	20.89	20.72	23.82	26.22	PASS
N38	30	30	CP-16QAM	M	Inner_1RB_Right	21.21	20.90	24.07	26.47	PASS
N38	30	30	CP-16QAM	M	Outer_Full	20.04	19.61	22.84	25.24	PASS
N38	30	30	CP-64QAM	M	Inner_1RB_Left	19.14	19.26	22.21	24.61	PASS
N38	30	30	CP-64QAM	M	Inner_1RB_Right	19.38	18.69	22.06	24.46	PASS
N38	30	30	CP-64QAM	M	Outer_Full	19.25	19.36	22.32	24.72	PASS
N38	30	30	CP-256QAM	M	Inner_1RB_Left	16.51	16.85	19.69	22.09	PASS
N38	30	30	CP-256QAM	M	Inner_1RB_Right	16.63	16.75	19.70	22.10	PASS
N38	30	30	CP-256QAM	M	Outer_Full	16.65	16.35	19.51	21.91	PASS
N38	30	30	CP-QPSK	H	Inner_1RB_Left	21.59	21.29	24.45	26.85	PASS
N38	30	30	CP-QPSK	H	Inner_1RB_Right	21.94	21.90	24.93	27.33	PASS
N38	30	30	CP-QPSK	H	Outer_Full	19.65	19.77	22.72	25.12	PASS

N38	30	30	CP-16QAM	H	Inner_1RB_Left	20.86	20.52	23.70	26.10	PASS
N38	30	30	CP-16QAM	H	Inner_1RB_Right	20.95	20.79	23.88	26.28	PASS
N38	30	30	CP-16QAM	H	Outer_Full	19.95	19.60	22.79	25.19	PASS
N38	30	30	CP-64QAM	H	Inner_1RB_Left	19.04	19.01	22.04	24.44	PASS
N38	30	30	CP-64QAM	H	Inner_1RB_Right	19.63	19.22	22.44	24.84	PASS
N38	30	30	CP-64QAM	H	Outer_Full	19.34	19.37	22.37	24.77	PASS
N38	30	30	CP-256QAM	H	Inner_1RB_Left	16.67	16.16	19.43	21.83	PASS
N38	30	30	CP-256QAM	H	Inner_1RB_Right	16.76	16.41	19.60	22.00	PASS
N38	30	30	CP-256QAM	H	Outer_Full	16.90	16.44	19.69	22.09	PASS
N38	30	40	CP-QPSK	L	Inner_1RB_Left	21.49	21.09	24.30	26.70	PASS
N38	30	40	CP-QPSK	L	Inner_1RB_Right	21.58	21.50	24.55	26.95	PASS
N38	30	40	CP-QPSK	L	Outer_Full	19.55	19.68	22.63	25.03	PASS
N38	30	40	CP-16QAM	L	Inner_1RB_Left	20.66	20.68	23.68	26.08	PASS
N38	30	40	CP-16QAM	L	Inner_1RB_Right	20.66	21.03	23.86	26.26	PASS
N38	30	40	CP-16QAM	L	Outer_Full	19.63	20.01	22.83	25.23	PASS
N38	30	40	CP-64QAM	L	Inner_1RB_Left	18.93	18.52	21.74	24.14	PASS
N38	30	40	CP-64QAM	L	Inner_1RB_Right	19.11	19.12	22.13	24.53	PASS

N38	30	40	CP-64QAM	L	Outer_Full	19.70	19.64	22.68	25.08	PASS
N38	30	40	CP-256QAM	L	Inner_1RB_Left	16.29	16.52	19.42	21.82	PASS
N38	30	40	CP-256QAM	L	Inner_1RB_Right	16.85	16.81	19.84	22.24	PASS
N38	30	40	CP-256QAM	L	Outer_Full	16.59	16.94	19.78	22.18	PASS
N38	30	40	CP-QPSK	M	Inner_1RB_Left	20.94	21.87	24.44	26.84	PASS
N38	30	40	CP-QPSK	M	Inner_1RB_Right	21.42	21.58	24.51	26.91	PASS
N38	30	40	CP-QPSK	M	Outer_Full	19.71	20.14	22.94	25.34	PASS
N38	30	40	CP-16QAM	M	Inner_1RB_Left	20.20	21.03	23.65	26.05	PASS
N38	30	40	CP-16QAM	M	Inner_1RB_Right	21.39	20.88	24.15	26.55	PASS
N38	30	40	CP-16QAM	M	Outer_Full	19.56	20.24	22.92	25.32	PASS
N38	30	40	CP-64QAM	M	Inner_1RB_Left	19.23	19.12	22.19	24.59	PASS
N38	30	40	CP-64QAM	M	Inner_1RB_Right	19.31	18.72	22.04	24.44	PASS
N38	30	40	CP-64QAM	M	Outer_Full	19.38	19.66	22.53	24.93	PASS
N38	30	40	CP-256QAM	M	Inner_1RB_Left	16.11	16.55	19.35	21.75	PASS
N38	30	40	CP-256QAM	M	Inner_1RB_Right	17.06	16.67	19.88	22.28	PASS
N38	30	40	CP-256QAM	M	Outer_Full	16.47	16.62	19.56	21.96	PASS
N38	30	40	CP-QPSK	H	Inner_1RB_Left	21.14	21.27	24.22	26.62	PASS

N38	30	40	CP-QPSK	H	Inner_1RB_Right	22.01	21.70	24.87	27.27	PASS
N38	30	40	CP-QPSK	H	Outer_Full	20.25	19.72	23.00	25.40	PASS
N38	30	40	CP-16QAM	H	Inner_1RB_Left	20.60	20.88	23.75	26.15	PASS
N38	30	40	CP-16QAM	H	Inner_1RB_Right	21.01	21.18	24.11	26.51	PASS
N38	30	40	CP-16QAM	H	Outer_Full	19.99	19.87	22.94	25.34	PASS
N38	30	40	CP-64QAM	H	Inner_1RB_Left	18.82	19.23	22.04	24.44	PASS
N38	30	40	CP-64QAM	H	Inner_1RB_Right	19.60	18.90	22.27	24.67	PASS
N38	30	40	CP-64QAM	H	Outer_Full	19.56	19.61	22.60	25.00	PASS
N38	30	40	CP-256QAM	H	Inner_1RB_Left	16.61	16.72	19.68	22.08	PASS
N38	30	40	CP-256QAM	H	Inner_1RB_Right	16.85	16.54	19.71	22.11	PASS
N38	30	40	CP-256QAM	H	Outer_Full	16.38	16.79	19.60	22.00	PASS

NR n41 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N41	30	20	DFT-PI2BPSK	L	Inner_1RB_Left	26.59	28.99	33	PASS
N41	30	20	DFT-PI2BPSK	L	Inner_1RB_Right	25.92	28.32	33	PASS
N41	30	20	DFT-PI2BPSK	L	Outer_Full	25.89	28.29	33	PASS
N41	30	20	DFT-QPSK	L	Inner_1RB_Left	26.64	29.04	33	PASS
N41	30	20	DFT-QPSK	L	Inner_1RB_Right	26.39	28.79	33	PASS
N41	30	20	DFT-QPSK	L	Outer_Full	25.73	28.13	33	PASS
N41	30	20	DFT-16QAM	L	Inner_1RB_Left	25.82	28.22	33	PASS
N41	30	20	DFT-16QAM	L	Inner_1RB_Right	25.2	27.6	33	PASS
N41	30	20	DFT-16QAM	L	Outer_Full	24.49	26.89	33	PASS
N41	30	20	DFT-64QAM	L	Inner_1RB_Left	23.97	26.37	33	PASS
N41	30	20	DFT-64QAM	L	Inner_1RB_Right	23.7	26.1	33	PASS
N41	30	20	DFT-64QAM	L	Outer_Full	23.89	26.29	33	PASS
N41	30	20	DFT-256QAM	L	Inner_1RB_Left	22.24	24.64	33	PASS
N41	30	20	DFT-256QAM	L	Inner_1RB_Right	21.35	23.75	33	PASS
N41	30	20	DFT-256QAM	L	Outer_Full	21.78	24.18	33	PASS
N41	30	20	DFT-PI2BPSK	M	Inner_1RB_Left	26.11	28.51	33	PASS
N41	30	20	DFT-PI2BPSK	M	Inner_1RB_Right	25.89	28.29	33	PASS
N41	30	20	DFT-PI2BPSK	M	Outer_Full	25.52	27.92	33	PASS
N41	30	20	DFT-QPSK	M	Inner_1RB_Left	26.37	28.77	33	PASS
N41	30	20	DFT-QPSK	M	Inner_1RB_Right	26.3	28.7	33	PASS
N41	30	20	DFT-QPSK	M	Outer_Full	25.61	28.01	33	PASS
N41	30	20	DFT-16QAM	M	Inner_1RB_Left	25.32	27.72	33	PASS
N41	30	20	DFT-16QAM	M	Inner_1RB_Right	25.48	27.88	33	PASS
N41	30	20	DFT-16QAM	M	Outer_Full	24.64	27.04	33	PASS

N41	30	20	DFT-64QAM	M	Inner_1RB_Left	23.82	26.22	33	PASS
N41	30	20	DFT-64QAM	M	Inner_1RB_Right	23.55	25.95	33	PASS
N41	30	20	DFT-64QAM	M	Outer_Full	23.98	26.38	33	PASS
N41	30	20	DFT-256QAM	M	Inner_1RB_Left	21.76	24.16	33	PASS
N41	30	20	DFT-256QAM	M	Inner_1RB_Right	21.36	23.76	33	PASS
N41	30	20	DFT-256QAM	M	Outer_Full	21.49	23.89	33	PASS
N41	30	20	DFT-PI2BPSK	H	Inner_1RB_Left	26.39	28.79	33	PASS
N41	30	20	DFT-PI2BPSK	H	Inner_1RB_Right	26.14	28.54	33	PASS
N41	30	20	DFT-PI2BPSK	H	Outer_Full	25.67	28.07	33	PASS
N41	30	20	DFT-QPSK	H	Inner_1RB_Left	26.16	28.56	33	PASS
N41	30	20	DFT-QPSK	H	Inner_1RB_Right	26.22	28.62	33	PASS
N41	30	20	DFT-QPSK	H	Outer_Full	25.23	27.63	33	PASS
N41	30	20	DFT-16QAM	H	Inner_1RB_Left	25.03	27.43	33	PASS
N41	30	20	DFT-16QAM	H	Inner_1RB_Right	25.39	27.79	33	PASS
N41	30	20	DFT-16QAM	H	Outer_Full	24.52	26.92	33	PASS
N41	30	20	DFT-64QAM	H	Inner_1RB_Left	23.52	25.92	33	PASS
N41	30	20	DFT-64QAM	H	Inner_1RB_Right	23.86	26.26	33	PASS
N41	30	20	DFT-64QAM	H	Outer_Full	24.13	26.53	33	PASS
N41	30	20	DFT-256QAM	H	Inner_1RB_Left	21.92	24.32	33	PASS
N41	30	20	DFT-256QAM	H	Inner_1RB_Right	21.55	23.95	33	PASS
N41	30	20	DFT-256QAM	H	Outer_Full	22.12	24.52	33	PASS
N41	30	30	DFT-PI2BPSK	M	Inner_1RB_Left	25.9	28.3	33	PASS
N41	30	30	DFT-PI2BPSK	M	Inner_1RB_Right	26.49	28.89	33	PASS
N41	30	30	DFT-PI2BPSK	M	Outer_Full	26.01	28.41	33	PASS
N41	30	30	DFT-QPSK	M	Inner_1RB_Left	26.31	28.71	33	PASS

N41	30	30	DFT-QPSK	M	Inner_1RB_Right	26.54	28.94	33	PASS
N41	30	30	DFT-QPSK	M	Outer_Full	25.61	28.01	33	PASS
N41	30	30	DFT-16QAM	M	Inner_1RB_Left	25.16	27.56	33	PASS
N41	30	30	DFT-16QAM	M	Inner_1RB_Right	25.56	27.96	33	PASS
N41	30	30	DFT-16QAM	M	Outer_Full	24.41	26.81	33	PASS
N41	30	30	DFT-64QAM	M	Inner_1RB_Left	24.01	26.41	33	PASS
N41	30	30	DFT-64QAM	M	Inner_1RB_Right	23.79	26.19	33	PASS
N41	30	30	DFT-64QAM	M	Outer_Full	23.62	26.02	33	PASS
N41	30	30	DFT-256QAM	M	Inner_1RB_Left	21.12	23.52	33	PASS
N41	30	30	DFT-256QAM	M	Inner_1RB_Right	21.58	23.98	33	PASS
N41	30	30	DFT-256QAM	M	Outer_Full	21.88	24.28	33	PASS
N41	30	30	DFT-PI2BPSK	H	Inner_1RB_Left	26.46	28.86	33	PASS
N41	30	30	DFT-PI2BPSK	H	Inner_1RB_Right	26.12	28.52	33	PASS
N41	30	30	DFT-PI2BPSK	H	Outer_Full	25.66	28.06	33	PASS
N41	30	30	DFT-QPSK	H	Inner_1RB_Left	26.09	28.49	33	PASS
N41	30	30	DFT-QPSK	H	Inner_1RB_Right	26.68	29.08	33	PASS
N41	30	30	DFT-QPSK	H	Outer_Full	25.55	27.95	33	PASS
N41	30	30	DFT-16QAM	H	Inner_1RB_Left	25.24	27.64	33	PASS
N41	30	30	DFT-16QAM	H	Inner_1RB_Right	25.31	27.71	33	PASS
N41	30	30	DFT-16QAM	H	Outer_Full	24.72	27.12	33	PASS
N41	30	30	DFT-64QAM	H	Inner_1RB_Left	23.91	26.31	33	PASS
N41	30	30	DFT-64QAM	H	Inner_1RB_Right	23.91	26.31	33	PASS
N41	30	30	DFT-64QAM	H	Outer_Full	23.65	26.05	33	PASS
N41	30	30	DFT-256QAM	H	Inner_1RB_Left	21.51	23.91	33	PASS
N41	30	30	DFT-256QAM	H	Inner_1RB_Right	22.01	24.41	33	PASS

N41	30	30	DFT-256QAM	H	Outer_Full	21.57	23.97	33	PASS
N41	30	40	DFT-PI2BPSK	L	Inner_1RB_Left	26.51	28.91	33	PASS
N41	30	40	DFT-PI2BPSK	L	Inner_1RB_Right	26.23	28.63	33	PASS
N41	30	40	DFT-PI2BPSK	L	Outer_Full	26.18	28.58	33	PASS
N41	30	40	DFT-QPSK	L	Inner_1RB_Left	26.57	28.97	33	PASS
N41	30	40	DFT-QPSK	L	Inner_1RB_Right	26.68	29.08	33	PASS
N41	30	40	DFT-QPSK	L	Outer_Full	25.52	27.92	33	PASS
N41	30	40	DFT-16QAM	L	Inner_1RB_Left	25.81	28.21	33	PASS
N41	30	40	DFT-16QAM	L	Inner_1RB_Right	25.63	28.03	33	PASS
N41	30	40	DFT-16QAM	L	Outer_Full	24.72	27.12	33	PASS
N41	30	40	DFT-64QAM	L	Inner_1RB_Left	24.22	26.62	33	PASS
N41	30	40	DFT-64QAM	L	Inner_1RB_Right	24.21	26.61	33	PASS
N41	30	40	DFT-64QAM	L	Outer_Full	24.23	26.63	33	PASS
N41	30	40	DFT-256QAM	L	Inner_1RB_Left	22.06	24.46	33	PASS
N41	30	40	DFT-256QAM	L	Inner_1RB_Right	21.77	24.17	33	PASS
N41	30	40	DFT-256QAM	L	Outer_Full	21.6	24	33	PASS
N41	30	40	DFT-PI2BPSK	M	Inner_1RB_Left	26.35	28.75	33	PASS
N41	30	40	DFT-PI2BPSK	M	Inner_1RB_Right	26.11	28.51	33	PASS
N41	30	40	DFT-PI2BPSK	M	Outer_Full	25.93	28.33	33	PASS
N41	30	40	DFT-QPSK	M	Inner_1RB_Left	26.1	28.5	33	PASS
N41	30	40	DFT-QPSK	M	Inner_1RB_Right	26.22	28.62	33	PASS
N41	30	40	DFT-QPSK	M	Outer_Full	25.08	27.48	33	PASS
N41	30	40	DFT-16QAM	M	Inner_1RB_Left	25.3	27.7	33	PASS
N41	30	40	DFT-16QAM	M	Inner_1RB_Right	25.56	27.96	33	PASS
N41	30	40	DFT-16QAM	M	Outer_Full	24.23	26.63	33	PASS

N41	30	40	DFT-64QAM	M	Inner_1RB_Left	24.02	26.42	33	PASS
N41	30	40	DFT-64QAM	M	Inner_1RB_Right	24.08	26.48	33	PASS
N41	30	40	DFT-64QAM	M	Outer_Full	23.9	26.3	33	PASS
N41	30	40	DFT-256QAM	M	Inner_1RB_Left	21.23	23.63	33	PASS
N41	30	40	DFT-256QAM	M	Inner_1RB_Right	21.53	23.93	33	PASS
N41	30	40	DFT-256QAM	M	Outer_Full	21.85	24.25	33	PASS
N41	30	40	DFT-PI2BPSK	H	Inner_1RB_Left	26.01	28.41	33	PASS
N41	30	40	DFT-PI2BPSK	H	Inner_1RB_Right	26.43	28.83	33	PASS
N41	30	40	DFT-PI2BPSK	H	Outer_Full	25.84	28.24	33	PASS
N41	30	40	DFT-QPSK	H	Inner_1RB_Left	26.28	28.68	33	PASS
N41	30	40	DFT-QPSK	H	Inner_1RB_Right	26.56	28.96	33	PASS
N41	30	40	DFT-QPSK	H	Outer_Full	25.31	27.71	33	PASS
N41	30	40	DFT-16QAM	H	Inner_1RB_Left	25.11	27.51	33	PASS
N41	30	40	DFT-16QAM	H	Inner_1RB_Right	25.95	28.35	33	PASS
N41	30	40	DFT-16QAM	H	Outer_Full	24.21	26.61	33	PASS
N41	30	40	DFT-64QAM	H	Inner_1RB_Left	23.63	26.03	33	PASS
N41	30	40	DFT-64QAM	H	Inner_1RB_Right	23.87	26.27	33	PASS
N41	30	40	DFT-64QAM	H	Outer_Full	23.5	25.9	33	PASS
N41	30	40	DFT-256QAM	H	Inner_1RB_Left	21.83	24.23	33	PASS
N41	30	40	DFT-256QAM	H	Inner_1RB_Right	22.23	24.63	33	PASS
N41	30	40	DFT-256QAM	H	Outer_Full	22.03	24.43	33	PASS
N41	30	50	DFT-PI2BPSK	L	Inner_1RB_Left	25.96	28.36	33	PASS
N41	30	50	DFT-PI2BPSK	L	Inner_1RB_Right	26.16	28.56	33	PASS
N41	30	50	DFT-PI2BPSK	L	Outer_Full	26.14	28.54	33	PASS
N41	30	50	DFT-QPSK	L	Inner_1RB_Left	26.05	28.45	33	PASS

N41	30	50	DFT-QPSK	L	Inner_1RB_Right	26.5	28.9	33	PASS
N41	30	50	DFT-QPSK	L	Outer_Full	25.23	27.63	33	PASS
N41	30	50	DFT-16QAM	L	Inner_1RB_Left	25.26	27.66	33	PASS
N41	30	50	DFT-16QAM	L	Inner_1RB_Right	25.07	27.47	33	PASS
N41	30	50	DFT-16QAM	L	Outer_Full	24.37	26.77	33	PASS
N41	30	50	DFT-64QAM	L	Inner_1RB_Left	23.95	26.35	33	PASS
N41	30	50	DFT-64QAM	L	Inner_1RB_Right	23.47	25.87	33	PASS
N41	30	50	DFT-64QAM	L	Outer_Full	23.84	26.24	33	PASS
N41	30	50	DFT-256QAM	L	Inner_1RB_Left	21.95	24.35	33	PASS
N41	30	50	DFT-256QAM	L	Inner_1RB_Right	21.88	24.28	33	PASS
N41	30	50	DFT-256QAM	L	Outer_Full	21.61	24.01	33	PASS
N41	30	50	DFT-PI2BPSK	M	Inner_1RB_Left	25.85	28.25	33	PASS
N41	30	50	DFT-PI2BPSK	M	Inner_1RB_Right	26.59	28.99	33	PASS
N41	30	50	DFT-PI2BPSK	M	Outer_Full	25.68	28.08	33	PASS
N41	30	50	DFT-QPSK	M	Inner_1RB_Left	26.27	28.67	33	PASS
N41	30	50	DFT-QPSK	M	Inner_1RB_Right	26.61	29.01	33	PASS
N41	30	50	DFT-QPSK	M	Outer_Full	25.35	27.75	33	PASS
N41	30	50	DFT-16QAM	M	Inner_1RB_Left	24.98	27.38	33	PASS
N41	30	50	DFT-16QAM	M	Inner_1RB_Right	25.28	27.68	33	PASS
N41	30	50	DFT-16QAM	M	Outer_Full	24.29	26.69	33	PASS
N41	30	50	DFT-64QAM	M	Inner_1RB_Left	23.97	26.37	33	PASS
N41	30	50	DFT-64QAM	M	Inner_1RB_Right	23.65	26.05	33	PASS
N41	30	50	DFT-64QAM	M	Outer_Full	23.53	25.93	33	PASS
N41	30	50	DFT-256QAM	M	Inner_1RB_Left	21.47	23.87	33	PASS
N41	30	50	DFT-256QAM	M	Inner_1RB_Right	21.72	24.12	33	PASS

N41	30	50	DFT-256QAM	M	Outer_Full	21.56	23.96	33	PASS
N41	30	50	DFT-PI2BPSK	H	Inner_1RB_Left	26.02	28.42	33	PASS
N41	30	50	DFT-PI2BPSK	H	Inner_1RB_Right	26.36	28.76	33	PASS
N41	30	50	DFT-PI2BPSK	H	Outer_Full	25.7	28.1	33	PASS
N41	30	50	DFT-QPSK	H	Inner_1RB_Left	25.81	28.21	33	PASS
N41	30	50	DFT-QPSK	H	Inner_1RB_Right	26.62	29.02	33	PASS
N41	30	50	DFT-QPSK	H	Outer_Full	24.85	27.25	33	PASS
N41	30	50	DFT-16QAM	H	Inner_1RB_Left	25.14	27.54	33	PASS
N41	30	50	DFT-16QAM	H	Inner_1RB_Right	25.26	27.66	33	PASS
N41	30	50	DFT-16QAM	H	Outer_Full	24.12	26.52	33	PASS
N41	30	50	DFT-64QAM	H	Inner_1RB_Left	23.37	25.77	33	PASS
N41	30	50	DFT-64QAM	H	Inner_1RB_Right	24.25	26.65	33	PASS
N41	30	50	DFT-64QAM	H	Outer_Full	23.57	25.97	33	PASS
N41	30	50	DFT-256QAM	H	Inner_1RB_Left	21.07	23.47	33	PASS
N41	30	50	DFT-256QAM	H	Inner_1RB_Right	22.14	24.54	33	PASS
N41	30	50	DFT-256QAM	H	Outer_Full	21.83	24.23	33	PASS
N41	30	60	DFT-PI2BPSK	L	Inner_1RB_Left	26.24	28.64	33	PASS
N41	30	60	DFT-PI2BPSK	L	Inner_1RB_Right	26.11	28.51	33	PASS
N41	30	60	DFT-PI2BPSK	L	Outer_Full	26.03	28.43	33	PASS
N41	30	60	DFT-QPSK	L	Inner_1RB_Left	26.38	28.78	33	PASS
N41	30	60	DFT-QPSK	L	Inner_1RB_Right	25.93	28.33	33	PASS
N41	30	60	DFT-QPSK	L	Outer_Full	25	27.4	33	PASS
N41	30	60	DFT-16QAM	L	Inner_1RB_Left	25.28	27.68	33	PASS
N41	30	60	DFT-16QAM	L	Inner_1RB_Right	25.05	27.45	33	PASS
N41	30	60	DFT-16QAM	L	Outer_Full	24.11	26.51	33	PASS

N41	30	60	DFT-64QAM	L	Inner_1RB_Left	23.78	26.18	33	PASS
N41	30	60	DFT-64QAM	L	Inner_1RB_Right	23.82	26.22	33	PASS
N41	30	60	DFT-64QAM	L	Outer_Full	24.19	26.59	33	PASS
N41	30	60	DFT-256QAM	L	Inner_1RB_Left	21.6	24	33	PASS
N41	30	60	DFT-256QAM	L	Inner_1RB_Right	21.6	24	33	PASS
N41	30	60	DFT-256QAM	L	Outer_Full	21.65	24.05	33	PASS
N41	30	60	DFT-PI2BPSK	M	Inner_1RB_Left	25.83	28.23	33	PASS
N41	30	60	DFT-PI2BPSK	M	Inner_1RB_Right	26.47	28.87	33	PASS
N41	30	60	DFT-PI2BPSK	M	Outer_Full	25.78	28.18	33	PASS
N41	30	60	DFT-QPSK	M	Inner_1RB_Left	25.8	28.2	33	PASS
N41	30	60	DFT-QPSK	M	Inner_1RB_Right	26.13	28.53	33	PASS
N41	30	60	DFT-QPSK	M	Outer_Full	25.61	28.01	33	PASS
N41	30	60	DFT-16QAM	M	Inner_1RB_Left	24.91	27.31	33	PASS
N41	30	60	DFT-16QAM	M	Inner_1RB_Right	25.71	28.11	33	PASS
N41	30	60	DFT-16QAM	M	Outer_Full	24.3	26.7	33	PASS
N41	30	60	DFT-64QAM	M	Inner_1RB_Left	23.59	25.99	33	PASS
N41	30	60	DFT-64QAM	M	Inner_1RB_Right	24.04	26.44	33	PASS
N41	30	60	DFT-64QAM	M	Outer_Full	23.99	26.39	33	PASS
N41	30	60	DFT-256QAM	M	Inner_1RB_Left	21.44	23.84	33	PASS
N41	30	60	DFT-256QAM	M	Inner_1RB_Right	22.06	24.46	33	PASS
N41	30	60	DFT-256QAM	M	Outer_Full	21.53	23.93	33	PASS
N41	30	60	DFT-PI2BPSK	H	Inner_1RB_Left	26.14	28.54	33	PASS
N41	30	60	DFT-PI2BPSK	H	Inner_1RB_Right	26.63	29.03	33	PASS
N41	30	60	DFT-PI2BPSK	H	Outer_Full	25.65	28.05	33	PASS
N41	30	60	DFT-QPSK	H	Inner_1RB_Left	26.04	28.44	33	PASS

N41	30	60	DFT-QPSK	H	Inner_1RB_Right	26.57	28.97	33	PASS
N41	30	60	DFT-QPSK	H	Outer_Full	24.92	27.32	33	PASS
N41	30	60	DFT-16QAM	H	Inner_1RB_Left	24.84	27.24	33	PASS
N41	30	60	DFT-16QAM	H	Inner_1RB_Right	25.85	28.25	33	PASS
N41	30	60	DFT-16QAM	H	Outer_Full	24.49	26.89	33	PASS
N41	30	60	DFT-64QAM	H	Inner_1RB_Left	23.7	26.1	33	PASS
N41	30	60	DFT-64QAM	H	Inner_1RB_Right	24.1	26.5	33	PASS
N41	30	60	DFT-64QAM	H	Outer_Full	24.09	26.49	33	PASS
N41	30	60	DFT-256QAM	H	Inner_1RB_Left	21.62	24.02	33	PASS
N41	30	60	DFT-256QAM	H	Inner_1RB_Right	22.06	24.46	33	PASS
N41	30	60	DFT-256QAM	H	Outer_Full	21.89	24.29	33	PASS
N41	30	70	DFT-PI2BPSK	L	Inner_1RB_Left	26.2	28.6	33	PASS
N41	30	70	DFT-PI2BPSK	L	Inner_1RB_Right	25.7	28.1	33	PASS
N41	30	70	DFT-PI2BPSK	L	Outer_Full	25.89	28.29	33	PASS
N41	30	70	DFT-QPSK	L	Inner_1RB_Left	26.2	28.6	33	PASS
N41	30	70	DFT-QPSK	L	Inner_1RB_Right	26.09	28.49	33	PASS
N41	30	70	DFT-QPSK	L	Outer_Full	25.29	27.69	33	PASS
N41	30	70	DFT-16QAM	L	Inner_1RB_Left	25.35	27.75	33	PASS
N41	30	70	DFT-16QAM	L	Inner_1RB_Right	24.89	27.29	33	PASS
N41	30	70	DFT-16QAM	L	Outer_Full	24.14	26.54	33	PASS
N41	30	70	DFT-64QAM	L	Inner_1RB_Left	23.96	26.36	33	PASS
N41	30	70	DFT-64QAM	L	Inner_1RB_Right	23.73	26.13	33	PASS
N41	30	70	DFT-64QAM	L	Outer_Full	23.78	26.18	33	PASS
N41	30	70	DFT-256QAM	L	Inner_1RB_Left	21.31	23.71	33	PASS
N41	30	70	DFT-256QAM	L	Inner_1RB_Right	21.54	23.94	33	PASS

N41	30	70	DFT-256QAM	L	Outer_Full	21.45	23.85	33	PASS
N41	30	70	DFT-PI2BPSK	M	Inner_1RB_Left	25.65	28.05	33	PASS
N41	30	70	DFT-PI2BPSK	M	Inner_1RB_Right	26.16	28.56	33	PASS
N41	30	70	DFT-PI2BPSK	M	Outer_Full	25.31	27.71	33	PASS
N41	30	70	DFT-QPSK	M	Inner_1RB_Left	25.46	27.86	33	PASS
N41	30	70	DFT-QPSK	M	Inner_1RB_Right	25.85	28.25	33	PASS
N41	30	70	DFT-QPSK	M	Outer_Full	24.73	27.13	33	PASS
N41	30	70	DFT-16QAM	M	Inner_1RB_Left	24.8	27.2	33	PASS
N41	30	70	DFT-16QAM	M	Inner_1RB_Right	25.24	27.64	33	PASS
N41	30	70	DFT-16QAM	M	Outer_Full	24.21	26.61	33	PASS
N41	30	70	DFT-64QAM	M	Inner_1RB_Left	23.29	25.69	33	PASS
N41	30	70	DFT-64QAM	M	Inner_1RB_Right	24.04	26.44	33	PASS
N41	30	70	DFT-64QAM	M	Outer_Full	23.69	26.09	33	PASS
N41	30	70	DFT-256QAM	M	Inner_1RB_Left	21.48	23.88	33	PASS
N41	30	70	DFT-256QAM	M	Inner_1RB_Right	21.75	24.15	33	PASS
N41	30	70	DFT-256QAM	M	Outer_Full	21.4	23.8	33	PASS
N41	30	70	DFT-PI2BPSK	H	Inner_1RB_Left	26.05	28.45	33	PASS
N41	30	70	DFT-PI2BPSK	H	Inner_1RB_Right	26.47	28.87	33	PASS
N41	30	70	DFT-PI2BPSK	H	Outer_Full	25.5	27.9	33	PASS
N41	30	70	DFT-QPSK	H	Inner_1RB_Left	26.06	28.46	33	PASS
N41	30	70	DFT-QPSK	H	Inner_1RB_Right	26.25	28.65	33	PASS
N41	30	70	DFT-QPSK	H	Outer_Full	25.35	27.75	33	PASS
N41	30	70	DFT-16QAM	H	Inner_1RB_Left	24.85	27.25	33	PASS
N41	30	70	DFT-16QAM	H	Inner_1RB_Right	25.62	28.02	33	PASS
N41	30	70	DFT-16QAM	H	Outer_Full	24.46	26.86	33	PASS

N41	30	70	DFT-64QAM	H	Inner_1RB_Left	23.95	26.35	33	PASS
N41	30	70	DFT-64QAM	H	Inner_1RB_Right	24.1	26.5	33	PASS
N41	30	70	DFT-64QAM	H	Outer_Full	23.44	25.84	33	PASS
N41	30	70	DFT-256QAM	H	Inner_1RB_Left	21.2	23.6	33	PASS
N41	30	70	DFT-256QAM	H	Inner_1RB_Right	21.29	23.69	33	PASS
N41	30	70	DFT-256QAM	H	Outer_Full	21.57	23.97	33	PASS
N41	30	80	DFT-PI2BPSK	L	Inner_1RB_Left	25.77	28.17	33	PASS
N41	30	80	DFT-PI2BPSK	L	Inner_1RB_Right	26.12	28.52	33	PASS
N41	30	80	DFT-PI2BPSK	L	Outer_Full	25.72	28.12	33	PASS
N41	30	80	DFT-QPSK	L	Inner_1RB_Left	25.94	28.34	33	PASS
N41	30	80	DFT-QPSK	L	Inner_1RB_Right	25.84	28.24	33	PASS
N41	30	80	DFT-QPSK	L	Outer_Full	25.28	27.68	33	PASS
N41	30	80	DFT-16QAM	L	Inner_1RB_Left	25.01	27.41	33	PASS
N41	30	80	DFT-16QAM	L	Inner_1RB_Right	25.23	27.63	33	PASS
N41	30	80	DFT-16QAM	L	Outer_Full	24.08	26.48	33	PASS
N41	30	80	DFT-64QAM	L	Inner_1RB_Left	23.67	26.07	33	PASS
N41	30	80	DFT-64QAM	L	Inner_1RB_Right	23.63	26.03	33	PASS
N41	30	80	DFT-64QAM	L	Outer_Full	23.76	26.16	33	PASS
N41	30	80	DFT-256QAM	L	Inner_1RB_Left	21.45	23.85	33	PASS
N41	30	80	DFT-256QAM	L	Inner_1RB_Right	21.91	24.31	33	PASS
N41	30	80	DFT-256QAM	L	Outer_Full	21.75	24.15	33	PASS
N41	30	80	DFT-PI2BPSK	M	Inner_1RB_Left	25.76	28.16	33	PASS
N41	30	80	DFT-PI2BPSK	M	Inner_1RB_Right	26.07	28.47	33	PASS
N41	30	80	DFT-PI2BPSK	M	Outer_Full	25.22	27.62	33	PASS
N41	30	80	DFT-QPSK	M	Inner_1RB_Left	25.43	27.83	33	PASS

N41	30	80	DFT-QPSK	M	Inner_1RB_Right	26.02	28.42	33	PASS
N41	30	80	DFT-QPSK	M	Outer_Full	25.32	27.72	33	PASS
N41	30	80	DFT-16QAM	M	Inner_1RB_Left	24.93	27.33	33	PASS
N41	30	80	DFT-16QAM	M	Inner_1RB_Right	25.31	27.71	33	PASS
N41	30	80	DFT-16QAM	M	Outer_Full	24.14	26.54	33	PASS
N41	30	80	DFT-64QAM	M	Inner_1RB_Left	23.08	25.48	33	PASS
N41	30	80	DFT-64QAM	M	Inner_1RB_Right	23.92	26.32	33	PASS
N41	30	80	DFT-64QAM	M	Outer_Full	23.66	26.06	33	PASS
N41	30	80	DFT-256QAM	M	Inner_1RB_Left	21.39	23.79	33	PASS
N41	30	80	DFT-256QAM	M	Inner_1RB_Right	21.4	23.8	33	PASS
N41	30	80	DFT-256QAM	M	Outer_Full	21.55	23.95	33	PASS
N41	30	80	DFT-PI2BPSK	H	Inner_1RB_Left	25.63	28.03	33	PASS
N41	30	80	DFT-PI2BPSK	H	Inner_1RB_Right	25.91	28.31	33	PASS
N41	30	80	DFT-PI2BPSK	H	Outer_Full	25.51	27.91	33	PASS
N41	30	80	DFT-QPSK	H	Inner_1RB_Left	25.8	28.2	33	PASS
N41	30	80	DFT-QPSK	H	Inner_1RB_Right	25.86	28.26	33	PASS
N41	30	80	DFT-QPSK	H	Outer_Full	25.06	27.46	33	PASS
N41	30	80	DFT-16QAM	H	Inner_1RB_Left	24.9	27.3	33	PASS
N41	30	80	DFT-16QAM	H	Inner_1RB_Right	25.19	27.59	33	PASS
N41	30	80	DFT-16QAM	H	Outer_Full	24.46	26.86	33	PASS
N41	30	80	DFT-64QAM	H	Inner_1RB_Left	23.63	26.03	33	PASS
N41	30	80	DFT-64QAM	H	Inner_1RB_Right	24.21	26.61	33	PASS
N41	30	80	DFT-64QAM	H	Outer_Full	23.99	26.39	33	PASS
N41	30	80	DFT-256QAM	H	Inner_1RB_Left	21.26	23.66	33	PASS
N41	30	80	DFT-256QAM	H	Inner_1RB_Right	21.7	24.1	33	PASS

N41	30	80	DFT-256QAM	H	Outer_Full	21.46	23.86	33	PASS
N41	30	90	DFT-PI2BPSK	L	Inner_1RB_Left	25.99	28.39	33	PASS
N41	30	90	DFT-PI2BPSK	L	Inner_1RB_Right	26.2	28.6	33	PASS
N41	30	90	DFT-PI2BPSK	L	Outer_Full	25.42	27.82	33	PASS
N41	30	90	DFT-QPSK	L	Inner_1RB_Left	26.09	28.49	33	PASS
N41	30	90	DFT-QPSK	L	Inner_1RB_Right	26.28	28.68	33	PASS
N41	30	90	DFT-QPSK	L	Outer_Full	25.19	27.59	33	PASS
N41	30	90	DFT-16QAM	L	Inner_1RB_Left	24.9	27.3	33	PASS
N41	30	90	DFT-16QAM	L	Inner_1RB_Right	25.66	28.06	33	PASS
N41	30	90	DFT-16QAM	L	Outer_Full	23.83	26.23	33	PASS
N41	30	90	DFT-64QAM	L	Inner_1RB_Left	23.71	26.11	33	PASS
N41	30	90	DFT-64QAM	L	Inner_1RB_Right	24	26.4	33	PASS
N41	30	90	DFT-64QAM	L	Outer_Full	23.89	26.29	33	PASS
N41	30	90	DFT-256QAM	L	Inner_1RB_Left	21.41	23.81	33	PASS
N41	30	90	DFT-256QAM	L	Inner_1RB_Right	21.6	24	33	PASS
N41	30	90	DFT-256QAM	L	Outer_Full	21.3	23.7	33	PASS
N41	30	90	DFT-PI2BPSK	M	Inner_1RB_Left	25.39	27.79	33	PASS
N41	30	90	DFT-PI2BPSK	M	Inner_1RB_Right	25.91	28.31	33	PASS
N41	30	90	DFT-PI2BPSK	M	Outer_Full	25.18	27.58	33	PASS
N41	30	90	DFT-QPSK	M	Inner_1RB_Left	25.42	27.82	33	PASS
N41	30	90	DFT-QPSK	M	Inner_1RB_Right	26.04	28.44	33	PASS
N41	30	90	DFT-QPSK	M	Outer_Full	24.96	27.36	33	PASS
N41	30	90	DFT-16QAM	M	Inner_1RB_Left	24.83	27.23	33	PASS
N41	30	90	DFT-16QAM	M	Inner_1RB_Right	25.07	27.47	33	PASS
N41	30	90	DFT-16QAM	M	Outer_Full	24.02	26.42	33	PASS

N41	30	90	DFT-64QAM	M	Inner_1RB_Left	22.81	25.21	33	PASS
N41	30	90	DFT-64QAM	M	Inner_1RB_Right	23.59	25.99	33	PASS
N41	30	90	DFT-64QAM	M	Outer_Full	23.24	25.64	33	PASS
N41	30	90	DFT-256QAM	M	Inner_1RB_Left	21.01	23.41	33	PASS
N41	30	90	DFT-256QAM	M	Inner_1RB_Right	21.58	23.98	33	PASS
N41	30	90	DFT-256QAM	M	Outer_Full	21.59	23.99	33	PASS
N41	30	90	DFT-PI2BPSK	H	Inner_1RB_Left	25.59	27.99	33	PASS
N41	30	90	DFT-PI2BPSK	H	Inner_1RB_Right	26.13	28.53	33	PASS
N41	30	90	DFT-PI2BPSK	H	Outer_Full	25.77	28.17	33	PASS
N41	30	90	DFT-QPSK	H	Inner_1RB_Left	26.21	28.61	33	PASS
N41	30	90	DFT-QPSK	H	Inner_1RB_Right	26.22	28.62	33	PASS
N41	30	90	DFT-QPSK	H	Outer_Full	24.91	27.31	33	PASS
N41	30	90	DFT-16QAM	H	Inner_1RB_Left	24.95	27.35	33	PASS
N41	30	90	DFT-16QAM	H	Inner_1RB_Right	25.19	27.59	33	PASS
N41	30	90	DFT-16QAM	H	Outer_Full	24.32	26.72	33	PASS
N41	30	90	DFT-64QAM	H	Inner_1RB_Left	23.19	25.59	33	PASS
N41	30	90	DFT-64QAM	H	Inner_1RB_Right	24.19	26.59	33	PASS
N41	30	90	DFT-64QAM	H	Outer_Full	23.74	26.14	33	PASS
N41	30	90	DFT-256QAM	H	Inner_1RB_Left	21.14	23.54	33	PASS
N41	30	90	DFT-256QAM	H	Inner_1RB_Right	21.58	23.98	33	PASS
N41	30	90	DFT-256QAM	H	Outer_Full	21.28	23.68	33	PASS
N41	30	100	DFT-PI2BPSK	L	Inner_1RB_Left	25.74	28.14	33	PASS
N41	30	100	DFT-PI2BPSK	L	Inner_1RB_Right	26.47	28.87	33	PASS
N41	30	100	DFT-PI2BPSK	L	Outer_Full	25.42	27.82	33	PASS
N41	30	100	DFT-QPSK	L	Inner_1RB_Left	25.6	28	33	PASS

N41	30	100	DFT-QPSK	L	Inner_1RB_Right	26.4	28.8	33	PASS
N41	30	100	DFT-QPSK	L	Outer_Full	25.4	27.8	33	PASS
N41	30	100	DFT-16QAM	L	Inner_1RB_Left	25.36	27.76	33	PASS
N41	30	100	DFT-16QAM	L	Inner_1RB_Right	25.3	27.7	33	PASS
N41	30	100	DFT-16QAM	L	Outer_Full	24.29	26.69	33	PASS
N41	30	100	DFT-64QAM	L	Inner_1RB_Left	23.36	25.76	33	PASS
N41	30	100	DFT-64QAM	L	Inner_1RB_Right	23.67	26.07	33	PASS
N41	30	100	DFT-64QAM	L	Outer_Full	23.77	26.17	33	PASS
N41	30	100	DFT-256QAM	L	Inner_1RB_Left	21.26	23.66	33	PASS
N41	30	100	DFT-256QAM	L	Inner_1RB_Right	21.89	24.29	33	PASS
N41	30	100	DFT-256QAM	L	Outer_Full	21.84	24.24	33	PASS
N41	30	100	DFT-PI2BPSK	M	Inner_1RB_Left	25.52	27.92	33	PASS
N41	30	100	DFT-PI2BPSK	M	Inner_1RB_Right	26.1	28.5	33	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	25.62	28.02	33	PASS
N41	30	100	DFT-QPSK	M	Inner_1RB_Left	25.28	27.68	33	PASS
N41	30	100	DFT-QPSK	M	Inner_1RB_Right	25.92	28.32	33	PASS
N41	30	100	DFT-QPSK	M	Outer_Full	24.9	27.3	33	PASS
N41	30	100	DFT-16QAM	M	Inner_1RB_Left	24.64	27.04	33	PASS
N41	30	100	DFT-16QAM	M	Inner_1RB_Right	25.23	27.63	33	PASS
N41	30	100	DFT-16QAM	M	Outer_Full	24.04	26.44	33	PASS
N41	30	100	DFT-64QAM	M	Inner_1RB_Left	23.24	25.64	33	PASS
N41	30	100	DFT-64QAM	M	Inner_1RB_Right	23.75	26.15	33	PASS
N41	30	100	DFT-64QAM	M	Outer_Full	23.63	26.03	33	PASS
N41	30	100	DFT-256QAM	M	Inner_1RB_Left	20.75	23.15	33	PASS
N41	30	100	DFT-256QAM	M	Inner_1RB_Right	21.27	23.67	33	PASS

N41	30	100	DFT-256QAM	M	Outer_Full	21.77	24.17	33	PASS
N41	30	100	DFT-PI2BPSK	H	Inner_1RB_Left	26.11	28.51	33	PASS
N41	30	100	DFT-PI2BPSK	H	Inner_1RB_Right	26.04	28.44	33	PASS
N41	30	100	DFT-PI2BPSK	H	Outer_Full	25.57	27.97	33	PASS
N41	30	100	DFT-QPSK	H	Inner_1RB_Left	25.94	28.34	33	PASS
N41	30	100	DFT-QPSK	H	Inner_1RB_Right	26.29	28.69	33	PASS
N41	30	100	DFT-QPSK	H	Outer_Full	25.4	27.8	33	PASS
N41	30	100	DFT-16QAM	H	Inner_1RB_Left	24.91	27.31	33	PASS
N41	30	100	DFT-16QAM	H	Inner_1RB_Right	25.64	28.04	33	PASS
N41	30	100	DFT-16QAM	H	Outer_Full	24.1	26.5	33	PASS
N41	30	100	DFT-64QAM	H	Inner_1RB_Left	23.28	25.68	33	PASS
N41	30	100	DFT-64QAM	H	Inner_1RB_Right	23.75	26.15	33	PASS
N41	30	100	DFT-64QAM	H	Outer_Full	23.54	25.94	33	PASS
N41	30	100	DFT-256QAM	H	Inner_1RB_Left	21.52	23.92	33	PASS
N41	30	100	DFT-256QAM	H	Inner_1RB_Right	21.73	24.13	33	PASS
N41	30	100	DFT-256QAM	H	Outer_Full	21.34	23.74	33	PASS

NR n41 MIMO :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power Ant1	Power Ant2	Total Power	EIRP	Verdict
N41	30	20	DFT-PI2BPSK	L	Inner_1RB_Left	26.40	25.85	29.14	31.54	PASS
N41	30	20	DFT-PI2BPSK	L	Inner_1RB_Right	25.86	25.87	28.88	31.28	PASS
N41	30	20	DFT-PI2BPSK	L	Outer_Full	24.36	24.30	27.34	29.74	PASS
N41	30	20	DFT-QPSK	L	Inner_1RB_Left	25.71	26.18	28.96	31.36	PASS
N41	30	20	DFT-QPSK	L	Inner_1RB_Right	26.32	26.67	29.51	31.91	PASS
N41	30	20	DFT-QPSK	L	Outer_Full	24.56	24.43	27.51	29.91	PASS
N41	30	20	DFT-16QAM	L	Inner_1RB_Left	25.53	25.75	28.65	31.05	PASS
N41	30	20	DFT-16QAM	L	Inner_1RB_Right	25.43	25.68	28.57	30.97	PASS
N41	30	20	DFT-16QAM	L	Outer_Full	24.90	24.72	27.82	30.22	PASS
N41	30	20	DFT-64QAM	L	Inner_1RB_Left	23.86	24.30	27.10	29.50	PASS
N41	30	20	DFT-64QAM	L	Inner_1RB_Right	24.37	24.23	27.31	29.71	PASS
N41	30	20	DFT-64QAM	L	Outer_Full	24.28	24.04	27.17	29.57	PASS
N41	30	20	DFT-256QAM	L	Inner_1RB_Left	20.66	21.37	24.04	26.44	PASS
N41	30	20	DFT-256QAM	L	Inner_1RB_Right	21.19	21.03	24.12	26.52	PASS
N41	30	20	DFT-256QAM	L	Outer_Full	21.21	21.40	24.32	26.72	PASS
N41	30	20	CP-QPSK	L	Inner_1RB_Left	23.85	24.12	27.00	29.40	PASS

N41	30	20	CP-QPSK	L	Inner_1RB_Right	24.05	24.70	27.40	29.80	PASS
N41	30	20	CP-QPSK	L	Outer_Full	22.41	22.86	25.65	28.05	PASS
N41	30	20	CP-16QAM	L	Inner_1RB_Left	23.69	23.39	26.55	28.95	PASS
N41	30	20	CP-16QAM	L	Inner_1RB_Right	23.45	23.99	26.74	29.14	PASS
N41	30	20	CP-16QAM	L	Outer_Full	22.90	22.78	25.85	28.25	PASS
N41	30	20	CP-64QAM	L	Inner_1RB_Left	21.76	21.93	24.86	27.26	PASS
N41	30	20	CP-64QAM	L	Inner_1RB_Right	22.04	22.33	25.20	27.60	PASS
N41	30	20	CP-64QAM	L	Outer_Full	22.60	22.67	25.65	28.05	PASS
N41	30	20	CP-256QAM	L	Inner_1RB_Left	19.45	18.87	22.18	24.58	PASS
N41	30	20	CP-256QAM	L	Inner_1RB_Right	19.65	19.28	22.48	24.88	PASS
N41	30	20	CP-256QAM	L	Outer_Full	18.95	19.12	22.05	24.45	PASS
N41	30	20	DFT-PI2BPSK	M	Inner_1RB_Left	25.71	25.50	28.62	31.02	PASS
N41	30	20	DFT-PI2BPSK	M	Inner_1RB_Right	26.21	26.16	29.20	31.60	PASS
N41	30	20	DFT-PI2BPSK	M	Outer_Full	24.43	24.24	27.35	29.75	PASS
N41	30	20	DFT-QPSK	M	Inner_1RB_Left	26.00	26.04	29.03	31.43	PASS
N41	30	20	DFT-QPSK	M	Inner_1RB_Right	26.02	26.12	29.08	31.48	PASS
N41	30	20	DFT-QPSK	M	Outer_Full	24.30	24.33	27.33	29.73	PASS

N41	30	20	DFT-16QAM	M	Inner_1RB_Left	25.62	25.07	28.36	30.76	PASS
N41	30	20	DFT-16QAM	M	Inner_1RB_Right	25.35	25.58	28.48	30.88	PASS
N41	30	20	DFT-16QAM	M	Outer_Full	24.73	24.84	27.80	30.20	PASS
N41	30	20	DFT-64QAM	M	Inner_1RB_Left	23.70	24.35	27.05	29.45	PASS
N41	30	20	DFT-64QAM	M	Inner_1RB_Right	24.41	24.38	27.41	29.81	PASS
N41	30	20	DFT-64QAM	M	Outer_Full	23.82	24.22	27.03	29.43	PASS
N41	30	20	DFT-256QAM	M	Inner_1RB_Left	21.05	20.78	23.93	26.33	PASS
N41	30	20	DFT-256QAM	M	Inner_1RB_Right	20.75	21.03	23.90	26.30	PASS
N41	30	20	DFT-256QAM	M	Outer_Full	21.28	21.68	24.49	26.89	PASS
N41	30	20	CP-QPSK	M	Inner_1RB_Left	24.39	24.40	27.41	29.81	PASS
N41	30	20	CP-QPSK	M	Inner_1RB_Right	24.68	23.65	27.21	29.61	PASS
N41	30	20	CP-QPSK	M	Outer_Full	23.24	22.33	25.82	28.22	PASS
N41	30	20	CP-16QAM	M	Inner_1RB_Left	24.21	23.48	26.87	29.27	PASS
N41	30	20	CP-16QAM	M	Inner_1RB_Right	23.63	23.30	26.48	28.88	PASS
N41	30	20	CP-16QAM	M	Outer_Full	23.38	22.65	26.04	28.44	PASS
N41	30	20	CP-64QAM	M	Inner_1RB_Left	22.33	22.64	25.50	27.90	PASS
N41	30	20	CP-64QAM	M	Inner_1RB_Right	22.52	21.91	25.24	27.64	PASS

N41	30	20	CP-64QAM	M	Outer_Full	22.48	22.20	25.35	27.75	PASS
N41	30	20	CP-256QAM	M	Inner_1RB_Left	19.46	19.39	22.44	24.84	PASS
N41	30	20	CP-256QAM	M	Inner_1RB_Right	19.52	19.35	22.45	24.85	PASS
N41	30	20	CP-256QAM	M	Outer_Full	19.67	19.41	22.55	24.95	PASS
N41	30	20	DFT-PI2BPSK	H	Inner_1RB_Left	26.00	26.00	29.01	31.41	PASS
N41	30	20	DFT-PI2BPSK	H	Inner_1RB_Right	26.19	25.75	28.99	31.39	PASS
N41	30	20	DFT-PI2BPSK	H	Outer_Full	24.57	24.03	27.32	29.72	PASS
N41	30	20	DFT-QPSK	H	Inner_1RB_Left	26.20	25.97	29.10	31.50	PASS
N41	30	20	DFT-QPSK	H	Inner_1RB_Right	26.30	26.17	29.25	31.65	PASS
N41	30	20	DFT-QPSK	H	Outer_Full	24.60	24.80	27.71	30.11	PASS
N41	30	20	DFT-16QAM	H	Inner_1RB_Left	25.26	25.16	28.22	30.62	PASS
N41	30	20	DFT-16QAM	H	Inner_1RB_Right	25.55	25.83	28.70	31.10	PASS
N41	30	20	DFT-16QAM	H	Outer_Full	24.63	24.35	27.50	29.90	PASS
N41	30	20	DFT-64QAM	H	Inner_1RB_Left	23.56	24.11	26.85	29.25	PASS
N41	30	20	DFT-64QAM	H	Inner_1RB_Right	24.16	24.02	27.10	29.50	PASS
N41	30	20	DFT-64QAM	H	Outer_Full	24.09	23.93	27.02	29.42	PASS
N41	30	20	DFT-256QAM	H	Inner_1RB_Left	21.18	21.02	24.11	26.51	PASS

N41	30	20	DFT-256QAM	H	Inner_1RB_Right	21.56	21.42	24.50	26.90	PASS
N41	30	20	DFT-256QAM	H	Outer_Full	21.18	21.50	24.35	26.75	PASS
N41	30	20	CP-QPSK	H	Inner_1RB_Left	23.71	24.10	26.92	29.32	PASS
N41	30	20	CP-QPSK	H	Inner_1RB_Right	24.01	24.14	27.09	29.49	PASS
N41	30	20	CP-QPSK	H	Outer_Full	22.80	22.37	25.60	28.00	PASS
N41	30	20	CP-16QAM	H	Inner_1RB_Left	23.45	23.23	26.35	28.75	PASS
N41	30	20	CP-16QAM	H	Inner_1RB_Right	23.56	24.17	26.89	29.29	PASS
N41	30	20	CP-16QAM	H	Outer_Full	22.83	22.49	25.67	28.07	PASS
N41	30	20	CP-64QAM	H	Inner_1RB_Left	21.59	22.09	24.86	27.26	PASS
N41	30	20	CP-64QAM	H	Inner_1RB_Right	21.91	22.64	25.30	27.70	PASS
N41	30	20	CP-64QAM	H	Outer_Full	22.35	21.80	25.09	27.49	PASS
N41	30	20	CP-256QAM	H	Inner_1RB_Left	18.76	18.73	21.76	24.16	PASS
N41	30	20	CP-256QAM	H	Inner_1RB_Right	18.91	19.47	22.21	24.61	PASS
N41	30	20	CP-256QAM	H	Outer_Full	19.36	19.37	22.38	24.78	PASS
N41	30	30	DFT-PI2BPSK	L	Inner_1RB_Left	25.87	26.08	28.99	31.39	PASS
N41	30	30	DFT-PI2BPSK	L	Inner_1RB_Right	25.83	25.81	28.83	31.23	PASS
N41	30	30	DFT-PI2BPSK	L	Outer_Full	23.95	24.20	27.09	29.49	PASS

N41	30	30	DFT-QPSK	L	Inner_1RB_Left	26.06	25.57	28.83	31.23	PASS
N41	30	30	DFT-QPSK	L	Inner_1RB_Right	25.97	26.17	29.08	31.48	PASS
N41	30	30	DFT-QPSK	L	Outer_Full	24.61	24.90	27.77	30.17	PASS
N41	30	30	DFT-16QAM	L	Inner_1RB_Left	25.73	25.69	28.72	31.12	PASS
N41	30	30	DFT-16QAM	L	Inner_1RB_Right	25.07	25.32	28.21	30.61	PASS
N41	30	30	DFT-16QAM	L	Outer_Full	24.58	24.43	27.52	29.92	PASS
N41	30	30	DFT-64QAM	L	Inner_1RB_Left	24.17	24.04	27.12	29.52	PASS
N41	30	30	DFT-64QAM	L	Inner_1RB_Right	24.38	24.34	27.37	29.77	PASS
N41	30	30	DFT-64QAM	L	Outer_Full	24.22	24.12	27.18	29.58	PASS
N41	30	30	DFT-256QAM	L	Inner_1RB_Left	20.72	20.76	23.75	26.15	PASS
N41	30	30	DFT-256QAM	L	Inner_1RB_Right	20.89	21.51	24.22	26.62	PASS
N41	30	30	DFT-256QAM	L	Outer_Full	20.88	21.49	24.21	26.61	PASS
N41	30	30	CP-QPSK	L	Inner_1RB_Left	23.87	24.06	26.98	29.38	PASS
N41	30	30	CP-QPSK	L	Inner_1RB_Right	24.22	24.10	27.17	29.57	PASS
N41	30	30	CP-QPSK	L	Outer_Full	22.67	22.88	25.79	28.19	PASS
N41	30	30	CP-16QAM	L	Inner_1RB_Left	23.18	23.55	26.38	28.78	PASS
N41	30	30	CP-16QAM	L	Inner_1RB_Right	23.53	23.78	26.67	29.07	PASS

N41	30	30	CP-16QAM	L	Outer_Full	22.71	22.76	25.75	28.15	PASS
N41	30	30	CP-64QAM	L	Inner_1RB_Left	22.30	21.94	25.13	27.53	PASS
N41	30	30	CP-64QAM	L	Inner_1RB_Right	22.40	22.29	25.36	27.76	PASS
N41	30	30	CP-64QAM	L	Outer_Full	22.64	22.07	25.37	27.77	PASS
N41	30	30	CP-256QAM	L	Inner_1RB_Left	19.47	19.47	22.48	24.88	PASS
N41	30	30	CP-256QAM	L	Inner_1RB_Right	19.18	18.98	22.09	24.49	PASS
N41	30	30	CP-256QAM	L	Outer_Full	19.44	19.18	22.32	24.72	PASS
N41	30	30	DFT-PI2BPSK	M	Inner_1RB_Left	26.02	26.24	29.14	31.54	PASS
N41	30	30	DFT-PI2BPSK	M	Inner_1RB_Right	26.16	26.03	29.11	31.51	PASS
N41	30	30	DFT-PI2BPSK	M	Outer_Full	23.97	24.33	27.16	29.56	PASS
N41	30	30	DFT-QPSK	M	Inner_1RB_Left	25.87	25.51	28.70	31.10	PASS
N41	30	30	DFT-QPSK	M	Inner_1RB_Right	25.88	26.33	29.12	31.52	PASS
N41	30	30	DFT-QPSK	M	Outer_Full	24.56	24.89	27.74	30.14	PASS
N41	30	30	DFT-16QAM	M	Inner_1RB_Left	25.60	25.43	28.53	30.93	PASS
N41	30	30	DFT-16QAM	M	Inner_1RB_Right	25.36	25.85	28.62	31.02	PASS
N41	30	30	DFT-16QAM	M	Outer_Full	24.28	24.96	27.64	30.04	PASS
N41	30	30	DFT-64QAM	M	Inner_1RB_Left	23.83	24.22	27.04	29.44	PASS

N41	30	30	DFT-64QAM	M	Inner_1RB_Right	24.34	24.48	27.42	29.82	PASS
N41	30	30	DFT-64QAM	M	Outer_Full	23.83	24.06	26.96	29.36	PASS
N41	30	30	DFT-256QAM	M	Inner_1RB_Left	20.75	20.86	23.82	26.22	PASS
N41	30	30	DFT-256QAM	M	Inner_1RB_Right	21.11	21.43	24.28	26.68	PASS
N41	30	30	DFT-256QAM	M	Outer_Full	20.95	21.13	24.05	26.45	PASS
N41	30	30	CP-QPSK	M	Inner_1RB_Left	24.26	23.86	27.07	29.47	PASS
N41	30	30	CP-QPSK	M	Inner_1RB_Right	24.84	24.45	27.66	30.06	PASS
N41	30	30	CP-QPSK	M	Outer_Full	22.97	22.79	25.89	28.29	PASS
N41	30	30	CP-16QAM	M	Inner_1RB_Left	23.95	24.03	27.00	29.40	PASS
N41	30	30	CP-16QAM	M	Inner_1RB_Right	23.60	23.57	26.60	29.00	PASS
N41	30	30	CP-16QAM	M	Outer_Full	23.39	22.98	26.20	28.60	PASS
N41	30	30	CP-64QAM	M	Inner_1RB_Left	22.54	22.24	25.40	27.80	PASS
N41	30	30	CP-64QAM	M	Inner_1RB_Right	22.74	21.98	25.39	27.79	PASS
N41	30	30	CP-64QAM	M	Outer_Full	22.42	22.42	25.43	27.83	PASS
N41	30	30	CP-256QAM	M	Inner_1RB_Left	19.57	18.98	22.30	24.70	PASS
N41	30	30	CP-256QAM	M	Inner_1RB_Right	19.80	19.26	22.55	24.95	PASS
N41	30	30	CP-256QAM	M	Outer_Full	19.64	18.84	22.27	24.67	PASS

N41	30	30	DFT-PI2BPSK	H	Inner_1RB_Left	26.06	26.09	29.09	31.49	PASS
N41	30	30	DFT-PI2BPSK	H	Inner_1RB_Right	25.68	25.55	28.63	31.03	PASS
N41	30	30	DFT-PI2BPSK	H	Outer_Full	24.54	23.94	27.26	29.66	PASS
N41	30	30	DFT-QPSK	H	Inner_1RB_Left	25.62	25.94	28.79	31.19	PASS
N41	30	30	DFT-QPSK	H	Inner_1RB_Right	25.99	26.31	29.16	31.56	PASS
N41	30	30	DFT-QPSK	H	Outer_Full	24.47	24.62	27.56	29.96	PASS
N41	30	30	DFT-16QAM	H	Inner_1RB_Left	25.52	25.31	28.43	30.83	PASS
N41	30	30	DFT-16QAM	H	Inner_1RB_Right	25.80	25.68	28.75	31.15	PASS
N41	30	30	DFT-16QAM	H	Outer_Full	24.47	24.84	27.67	30.07	PASS
N41	30	30	DFT-64QAM	H	Inner_1RB_Left	23.62	23.70	26.67	29.07	PASS
N41	30	30	DFT-64QAM	H	Inner_1RB_Right	23.72	24.04	26.89	29.29	PASS
N41	30	30	DFT-64QAM	H	Outer_Full	24.02	24.59	27.32	29.72	PASS
N41	30	30	DFT-256QAM	H	Inner_1RB_Left	20.98	21.04	24.02	26.42	PASS
N41	30	30	DFT-256QAM	H	Inner_1RB_Right	20.84	21.00	23.93	26.33	PASS
N41	30	30	DFT-256QAM	H	Outer_Full	20.80	21.47	24.16	26.56	PASS
N41	30	30	CP-QPSK	H	Inner_1RB_Left	23.92	23.64	26.79	29.19	PASS
N41	30	30	CP-QPSK	H	Inner_1RB_Right	24.65	24.96	27.82	30.22	PASS

N41	30	30	CP-QPSK	H	Outer_Full	22.22	22.60	25.42	27.82	PASS
N41	30	30	CP-16QAM	H	Inner_1RB_Left	23.60	23.49	26.56	28.96	PASS
N41	30	30	CP-16QAM	H	Inner_1RB_Right	24.18	24.05	27.13	29.53	PASS
N41	30	30	CP-16QAM	H	Outer_Full	22.65	22.50	25.59	27.99	PASS
N41	30	30	CP-64QAM	H	Inner_1RB_Left	21.98	22.07	25.04	27.44	PASS
N41	30	30	CP-64QAM	H	Inner_1RB_Right	22.25	22.53	25.40	27.80	PASS
N41	30	30	CP-64QAM	H	Outer_Full	21.93	22.32	25.14	27.54	PASS
N41	30	30	CP-256QAM	H	Inner_1RB_Left	19.23	18.78	22.02	24.42	PASS
N41	30	30	CP-256QAM	H	Inner_1RB_Right	19.42	19.29	22.37	24.77	PASS
N41	30	30	CP-256QAM	H	Outer_Full	18.94	19.09	22.03	24.43	PASS
N41	30	40	DFT-PI2BPSK	L	Inner_1RB_Left	26.10	25.61	28.87	31.27	PASS
N41	30	40	DFT-PI2BPSK	L	Inner_1RB_Right	26.34	26.23	29.30	31.70	PASS
N41	30	40	DFT-PI2BPSK	L	Outer_Full	24.37	23.74	27.08	29.48	PASS
N41	30	40	DFT-QPSK	L	Inner_1RB_Left	26.04	25.93	29.00	31.40	PASS
N41	30	40	DFT-QPSK	L	Inner_1RB_Right	26.37	25.88	29.14	31.54	PASS
N41	30	40	DFT-QPSK	L	Outer_Full	24.26	24.73	27.51	29.91	PASS
N41	30	40	DFT-16QAM	L	Inner_1RB_Left	25.53	25.32	28.44	30.84	PASS

N41	30	40	DFT-16QAM	L	Inner_1RB_Right	25.64	25.58	28.62	31.02	PASS
N41	30	40	DFT-16QAM	L	Outer_Full	24.50	24.56	27.54	29.94	PASS
N41	30	40	DFT-64QAM	L	Inner_1RB_Left	23.81	23.65	26.74	29.14	PASS
N41	30	40	DFT-64QAM	L	Inner_1RB_Right	23.87	24.38	27.14	29.54	PASS
N41	30	40	DFT-64QAM	L	Outer_Full	24.18	24.40	27.30	29.70	PASS
N41	30	40	DFT-256QAM	L	Inner_1RB_Left	21.09	21.08	24.10	26.50	PASS
N41	30	40	DFT-256QAM	L	Inner_1RB_Right	21.52	21.16	24.35	26.75	PASS
N41	30	40	DFT-256QAM	L	Outer_Full	21.04	20.91	23.99	26.39	PASS
N41	30	40	CP-QPSK	L	Inner_1RB_Left	24.13	24.04	27.10	29.50	PASS
N41	30	40	CP-QPSK	L	Inner_1RB_Right	24.71	24.47	27.60	30.00	PASS
N41	30	40	CP-QPSK	L	Outer_Full	23.07	23.01	26.05	28.45	PASS
N41	30	40	CP-16QAM	L	Inner_1RB_Left	23.33	23.62	26.49	28.89	PASS
N41	30	40	CP-16QAM	L	Inner_1RB_Right	23.83	23.85	26.85	29.25	PASS
N41	30	40	CP-16QAM	L	Outer_Full	22.63	22.55	25.60	28.00	PASS
N41	30	40	CP-64QAM	L	Inner_1RB_Left	21.82	22.07	24.96	27.36	PASS
N41	30	40	CP-64QAM	L	Inner_1RB_Right	22.18	22.40	25.30	27.70	PASS
N41	30	40	CP-64QAM	L	Outer_Full	22.30	22.37	25.35	27.75	PASS

N41	30	40	CP-256QAM	L	Inner_1RB_Left	19.17	19.05	22.12	24.52	PASS
N41	30	40	CP-256QAM	L	Inner_1RB_Right	19.24	19.61	22.44	24.84	PASS
N41	30	40	CP-256QAM	L	Outer_Full	19.33	19.58	22.47	24.87	PASS
N41	30	40	DFT-PI2BPSK	M	Inner_1RB_Left	26.10	25.66	28.90	31.30	PASS
N41	30	40	DFT-PI2BPSK	M	Inner_1RB_Right	26.28	25.66	28.99	31.39	PASS
N41	30	40	DFT-PI2BPSK	M	Outer_Full	23.96	23.81	26.90	29.30	PASS
N41	30	40	DFT-QPSK	M	Inner_1RB_Left	26.15	25.86	29.02	31.42	PASS
N41	30	40	DFT-QPSK	M	Inner_1RB_Right	26.02	26.13	29.09	31.49	PASS
N41	30	40	DFT-QPSK	M	Outer_Full	24.28	24.58	27.44	29.84	PASS
N41	30	40	DFT-16QAM	M	Inner_1RB_Left	25.41	25.21	28.32	30.72	PASS
N41	30	40	DFT-16QAM	M	Inner_1RB_Right	25.50	25.37	28.45	30.85	PASS
N41	30	40	DFT-16QAM	M	Outer_Full	24.63	24.64	27.65	30.05	PASS
N41	30	40	DFT-64QAM	M	Inner_1RB_Left	24.33	23.93	27.14	29.54	PASS
N41	30	40	DFT-64QAM	M	Inner_1RB_Right	24.10	24.29	27.21	29.61	PASS
N41	30	40	DFT-64QAM	M	Outer_Full	23.71	24.11	26.92	29.32	PASS
N41	30	40	DFT-256QAM	M	Inner_1RB_Left	20.98	20.68	23.84	26.24	PASS
N41	30	40	DFT-256QAM	M	Inner_1RB_Right	21.15	21.75	24.47	26.87	PASS

N41	30	40	DFT-256QAM	M	Outer_Full	20.83	20.99	23.92	26.32	PASS
N41	30	40	CP-QPSK	M	Inner_1RB_Left	24.93	24.02	27.51	29.91	PASS
N41	30	40	CP-QPSK	M	Inner_1RB_Right	24.14	24.30	27.23	29.63	PASS
N41	30	40	CP-QPSK	M	Outer_Full	22.72	22.31	25.53	27.93	PASS
N41	30	40	CP-16QAM	M	Inner_1RB_Left	24.20	23.50	26.87	29.27	PASS
N41	30	40	CP-16QAM	M	Inner_1RB_Right	23.66	23.63	26.66	29.06	PASS
N41	30	40	CP-16QAM	M	Outer_Full	22.71	22.73	25.73	28.13	PASS
N41	30	40	CP-64QAM	M	Inner_1RB_Left	22.57	22.27	25.43	27.83	PASS
N41	30	40	CP-64QAM	M	Inner_1RB_Right	22.59	22.36	25.49	27.89	PASS
N41	30	40	CP-64QAM	M	Outer_Full	22.85	22.02	25.47	27.87	PASS
N41	30	40	CP-256QAM	M	Inner_1RB_Left	20.00	19.27	22.66	25.06	PASS
N41	30	40	CP-256QAM	M	Inner_1RB_Right	19.56	19.15	22.37	24.77	PASS
N41	30	40	CP-256QAM	M	Outer_Full	19.76	18.85	22.34	24.74	PASS
N41	30	40	DFT-PI2BPSK	H	Inner_1RB_Left	25.87	25.69	28.79	31.19	PASS
N41	30	40	DFT-PI2BPSK	H	Inner_1RB_Right	26.20	25.96	29.09	31.49	PASS
N41	30	40	DFT-PI2BPSK	H	Outer_Full	24.25	23.83	27.06	29.46	PASS
N41	30	40	DFT-QPSK	H	Inner_1RB_Left	25.56	25.60	28.59	30.99	PASS

N41	30	40	DFT-QPSK	H	Inner_1RB_Right	26.31	26.07	29.20	31.60	PASS
N41	30	40	DFT-QPSK	H	Outer_Full	24.55	25.03	27.81	30.21	PASS
N41	30	40	DFT-16QAM	H	Inner_1RB_Left	25.70	25.21	28.47	30.87	PASS
N41	30	40	DFT-16QAM	H	Inner_1RB_Right	25.78	26.05	28.93	31.33	PASS
N41	30	40	DFT-16QAM	H	Outer_Full	24.40	24.59	27.51	29.91	PASS
N41	30	40	DFT-64QAM	H	Inner_1RB_Left	23.99	23.90	26.96	29.36	PASS
N41	30	40	DFT-64QAM	H	Inner_1RB_Right	24.20	24.33	27.28	29.68	PASS
N41	30	40	DFT-64QAM	H	Outer_Full	24.23	24.12	27.19	29.59	PASS
N41	30	40	DFT-256QAM	H	Inner_1RB_Left	20.79	20.83	23.82	26.22	PASS
N41	30	40	DFT-256QAM	H	Inner_1RB_Right	20.79	21.37	24.10	26.50	PASS
N41	30	40	DFT-256QAM	H	Outer_Full	20.91	21.61	24.28	26.68	PASS
N41	30	40	CP-QPSK	H	Inner_1RB_Left	23.74	23.86	26.81	29.21	PASS
N41	30	40	CP-QPSK	H	Inner_1RB_Right	24.27	24.48	27.39	29.79	PASS
N41	30	40	CP-QPSK	H	Outer_Full	22.89	22.69	25.80	28.20	PASS
N41	30	40	CP-16QAM	H	Inner_1RB_Left	23.55	22.91	26.25	28.65	PASS
N41	30	40	CP-16QAM	H	Inner_1RB_Right	24.22	24.08	27.16	29.56	PASS
N41	30	40	CP-16QAM	H	Outer_Full	22.91	22.14	25.55	27.95	PASS

N41	30	40	CP-64QAM	H	Inner_1RB_Left	21.54	21.49	24.53	26.93	PASS
N41	30	40	CP-64QAM	H	Inner_1RB_Right	22.62	22.36	25.50	27.90	PASS
N41	30	40	CP-64QAM	H	Outer_Full	22.28	22.16	25.23	27.63	PASS
N41	30	40	CP-256QAM	H	Inner_1RB_Left	18.50	18.62	21.57	23.97	PASS
N41	30	40	CP-256QAM	H	Inner_1RB_Right	19.20	19.56	22.39	24.79	PASS
N41	30	40	CP-256QAM	H	Outer_Full	18.72	19.03	21.89	24.29	PASS
N41	30	50	DFT-PI2BPSK	L	Inner_1RB_Left	25.76	25.80	28.79	31.19	PASS
N41	30	50	DFT-PI2BPSK	L	Inner_1RB_Right	26.20	26.17	29.20	31.60	PASS
N41	30	50	DFT-PI2BPSK	L	Outer_Full	24.38	23.78	27.10	29.50	PASS
N41	30	50	DFT-QPSK	L	Inner_1RB_Left	26.13	26.10	29.13	31.53	PASS
N41	30	50	DFT-QPSK	L	Inner_1RB_Right	26.15	26.33	29.25	31.65	PASS
N41	30	50	DFT-QPSK	L	Outer_Full	24.25	24.77	27.53	29.93	PASS
N41	30	50	DFT-16QAM	L	Inner_1RB_Left	25.34	25.51	28.44	30.84	PASS
N41	30	50	DFT-16QAM	L	Inner_1RB_Right	25.21	25.91	28.58	30.98	PASS
N41	30	50	DFT-16QAM	L	Outer_Full	24.59	24.46	27.54	29.94	PASS
N41	30	50	DFT-64QAM	L	Inner_1RB_Left	23.81	23.86	26.85	29.25	PASS
N41	30	50	DFT-64QAM	L	Inner_1RB_Right	24.30	24.43	27.38	29.78	PASS

N41	30	50	DFT-64QAM	L	Outer_Full	24.28	24.11	27.21	29.61	PASS
N41	30	50	DFT-256QAM	L	Inner_1RB_Left	20.96	21.19	24.09	26.49	PASS
N41	30	50	DFT-256QAM	L	Inner_1RB_Right	21.07	21.70	24.41	26.81	PASS
N41	30	50	DFT-256QAM	L	Outer_Full	21.29	21.20	24.26	26.66	PASS
N41	30	50	CP-QPSK	L	Inner_1RB_Left	24.09	23.89	27.00	29.40	PASS
N41	30	50	CP-QPSK	L	Inner_1RB_Right	24.07	24.27	27.18	29.58	PASS
N41	30	50	CP-QPSK	L	Outer_Full	22.51	22.74	25.64	28.04	PASS
N41	30	50	CP-16QAM	L	Inner_1RB_Left	23.65	23.49	26.58	28.98	PASS
N41	30	50	CP-16QAM	L	Inner_1RB_Right	23.84	24.09	26.98	29.38	PASS
N41	30	50	CP-16QAM	L	Outer_Full	22.86	23.14	26.01	28.41	PASS
N41	30	50	CP-64QAM	L	Inner_1RB_Left	21.70	21.95	24.84	27.24	PASS
N41	30	50	CP-64QAM	L	Inner_1RB_Right	22.60	22.22	25.42	27.82	PASS
N41	30	50	CP-64QAM	L	Outer_Full	22.44	22.37	25.42	27.82	PASS
N41	30	50	CP-256QAM	L	Inner_1RB_Left	18.91	19.51	22.23	24.63	PASS
N41	30	50	CP-256QAM	L	Inner_1RB_Right	19.41	19.02	22.23	24.63	PASS
N41	30	50	CP-256QAM	L	Outer_Full	19.67	19.59	22.64	25.04	PASS
N41	30	50	DFT-PI2BPSK	M	Inner_1RB_Left	26.18	25.99	29.10	31.50	PASS

N41	30	50	DFT-PI2BPSK	M	Inner_1RB_Right	25.95	25.59	28.78	31.18	PASS
N41	30	50	DFT-PI2BPSK	M	Outer_Full	23.86	23.73	26.81	29.21	PASS
N41	30	50	DFT-QPSK	M	Inner_1RB_Left	26.02	25.92	28.98	31.38	PASS
N41	30	50	DFT-QPSK	M	Inner_1RB_Right	26.42	26.09	29.27	31.67	PASS
N41	30	50	DFT-QPSK	M	Outer_Full	24.66	24.76	27.72	30.12	PASS
N41	30	50	DFT-16QAM	M	Inner_1RB_Left	25.70	25.78	28.75	31.15	PASS
N41	30	50	DFT-16QAM	M	Inner_1RB_Right	25.42	25.36	28.40	30.80	PASS
N41	30	50	DFT-16QAM	M	Outer_Full	24.73	24.83	27.79	30.19	PASS
N41	30	50	DFT-64QAM	M	Inner_1RB_Left	24.07	24.29	27.19	29.59	PASS
N41	30	50	DFT-64QAM	M	Inner_1RB_Right	23.68	24.01	26.86	29.26	PASS
N41	30	50	DFT-64QAM	M	Outer_Full	24.41	24.02	27.23	29.63	PASS
N41	30	50	DFT-256QAM	M	Inner_1RB_Left	21.00	21.27	24.15	26.55	PASS
N41	30	50	DFT-256QAM	M	Inner_1RB_Right	21.41	21.28	24.36	26.76	PASS
N41	30	50	DFT-256QAM	M	Outer_Full	21.11	20.97	24.05	26.45	PASS
N41	30	50	CP-QPSK	M	Inner_1RB_Left	24.82	24.35	27.60	30.00	PASS
N41	30	50	CP-QPSK	M	Inner_1RB_Right	24.14	23.86	27.01	29.41	PASS
N41	30	50	CP-QPSK	M	Outer_Full	23.08	22.49	25.81	28.21	PASS

N41	30	50	CP-16QAM	M	Inner_1RB_Left	24.09	23.77	26.94	29.34	PASS
N41	30	50	CP-16QAM	M	Inner_1RB_Right	23.51	23.85	26.69	29.09	PASS
N41	30	50	CP-16QAM	M	Outer_Full	22.60	22.75	25.69	28.09	PASS
N41	30	50	CP-64QAM	M	Inner_1RB_Left	22.71	21.95	25.36	27.76	PASS
N41	30	50	CP-64QAM	M	Inner_1RB_Right	22.00	22.01	25.02	27.42	PASS
N41	30	50	CP-64QAM	M	Outer_Full	22.81	21.88	25.38	27.78	PASS
N41	30	50	CP-256QAM	M	Inner_1RB_Left	19.69	19.22	22.47	24.87	PASS
N41	30	50	CP-256QAM	M	Inner_1RB_Right	19.18	19.27	22.24	24.64	PASS
N41	30	50	CP-256QAM	M	Outer_Full	19.55	19.26	22.42	24.82	PASS
N41	30	50	DFT-PI2BPSK	H	Inner_1RB_Left	25.69	25.58	28.65	31.05	PASS
N41	30	50	DFT-PI2BPSK	H	Inner_1RB_Right	25.79	25.87	28.84	31.24	PASS
N41	30	50	DFT-PI2BPSK	H	Outer_Full	23.90	23.88	26.90	29.30	PASS
N41	30	50	DFT-QPSK	H	Inner_1RB_Left	26.06	26.24	29.16	31.56	PASS
N41	30	50	DFT-QPSK	H	Inner_1RB_Right	26.18	26.29	29.25	31.65	PASS
N41	30	50	DFT-QPSK	H	Outer_Full	24.85	25.03	27.95	30.35	PASS
N41	30	50	DFT-16QAM	H	Inner_1RB_Left	25.63	25.64	28.65	31.05	PASS
N41	30	50	DFT-16QAM	H	Inner_1RB_Right	25.29	25.89	28.61	31.01	PASS

N41	30	50	DFT-16QAM	H	Outer_Full	24.79	24.57	27.69	30.09	PASS
N41	30	50	DFT-64QAM	H	Inner_1RB_Left	24.31	23.94	27.14	29.54	PASS
N41	30	50	DFT-64QAM	H	Inner_1RB_Right	23.91	24.12	27.03	29.43	PASS
N41	30	50	DFT-64QAM	H	Outer_Full	24.20	24.25	27.24	29.64	PASS
N41	30	50	DFT-256QAM	H	Inner_1RB_Left	21.20	20.84	24.03	26.43	PASS
N41	30	50	DFT-256QAM	H	Inner_1RB_Right	21.18	21.48	24.34	26.74	PASS
N41	30	50	DFT-256QAM	H	Outer_Full	20.79	21.37	24.10	26.50	PASS
N41	30	50	CP-QPSK	H	Inner_1RB_Left	23.55	23.36	26.47	28.87	PASS
N41	30	50	CP-QPSK	H	Inner_1RB_Right	24.27	24.45	27.37	29.77	PASS
N41	30	50	CP-QPSK	H	Outer_Full	22.65	22.02	25.36	27.76	PASS
N41	30	50	CP-16QAM	H	Inner_1RB_Left	22.98	23.39	26.20	28.60	PASS
N41	30	50	CP-16QAM	H	Inner_1RB_Right	23.35	24.03	26.71	29.11	PASS
N41	30	50	CP-16QAM	H	Outer_Full	21.99	22.16	25.09	27.49	PASS
N41	30	50	CP-64QAM	H	Inner_1RB_Left	21.78	21.45	24.63	27.03	PASS
N41	30	50	CP-64QAM	H	Inner_1RB_Right	21.92	22.47	25.21	27.61	PASS
N41	30	50	CP-64QAM	H	Outer_Full	21.52	21.66	24.60	27.00	PASS
N41	30	50	CP-256QAM	H	Inner_1RB_Left	18.75	18.52	21.65	24.05	PASS

N41	30	50	CP-256QAM	H	Inner_1RB_Right	19.36	19.08	22.23	24.63	PASS
N41	30	50	CP-256QAM	H	Outer_Full	19.05	18.51	21.80	24.20	PASS
N41	30	60	DFT-PI2BPSK	L	Inner_1RB_Left	26.24	26.14	29.20	31.60	PASS
N41	30	60	DFT-PI2BPSK	L	Inner_1RB_Right	26.23	25.97	29.11	31.51	PASS
N41	30	60	DFT-PI2BPSK	L	Outer_Full	24.41	23.82	27.14	29.54	PASS
N41	30	60	DFT-QPSK	L	Inner_1RB_Left	25.91	25.99	28.96	31.36	PASS
N41	30	60	DFT-QPSK	L	Inner_1RB_Right	26.36	26.56	29.47	31.87	PASS
N41	30	60	DFT-QPSK	L	Outer_Full	24.14	24.82	27.50	29.90	PASS
N41	30	60	DFT-16QAM	L	Inner_1RB_Left	25.41	25.29	28.36	30.76	PASS
N41	30	60	DFT-16QAM	L	Inner_1RB_Right	25.30	26.04	28.70	31.10	PASS
N41	30	60	DFT-16QAM	L	Outer_Full	24.63	25.12	27.89	30.29	PASS
N41	30	60	DFT-64QAM	L	Inner_1RB_Left	23.92	24.34	27.15	29.55	PASS
N41	30	60	DFT-64QAM	L	Inner_1RB_Right	23.82	24.31	27.08	29.48	PASS
N41	30	60	DFT-64QAM	L	Outer_Full	23.95	24.46	27.22	29.62	PASS
N41	30	60	DFT-256QAM	L	Inner_1RB_Left	20.68	21.29	24.01	26.41	PASS
N41	30	60	DFT-256QAM	L	Inner_1RB_Right	20.73	21.09	23.92	26.32	PASS
N41	30	60	DFT-256QAM	L	Outer_Full	21.40	21.37	24.40	26.80	PASS

N41	30	60	CP-QPSK	L	Inner_1RB_Left	23.95	23.91	26.94	29.34	PASS
N41	30	60	CP-QPSK	L	Inner_1RB_Right	24.06	24.45	27.27	29.67	PASS
N41	30	60	CP-QPSK	L	Outer_Full	22.89	22.50	25.71	28.11	PASS
N41	30	60	CP-16QAM	L	Inner_1RB_Left	23.80	23.33	26.58	28.98	PASS
N41	30	60	CP-16QAM	L	Inner_1RB_Right	23.63	24.21	26.94	29.34	PASS
N41	30	60	CP-16QAM	L	Outer_Full	22.53	22.83	25.69	28.09	PASS
N41	30	60	CP-64QAM	L	Inner_1RB_Left	22.03	22.44	25.25	27.65	PASS
N41	30	60	CP-64QAM	L	Inner_1RB_Right	22.50	22.19	25.36	27.76	PASS
N41	30	60	CP-64QAM	L	Outer_Full	22.11	22.35	25.24	27.64	PASS
N41	30	60	CP-256QAM	L	Inner_1RB_Left	18.93	19.08	22.02	24.42	PASS
N41	30	60	CP-256QAM	L	Inner_1RB_Right	19.46	19.45	22.47	24.87	PASS
N41	30	60	CP-256QAM	L	Outer_Full	19.40	19.55	22.49	24.89	PASS
N41	30	60	DFT-PI2BPSK	M	Inner_1RB_Left	25.78	25.75	28.78	31.18	PASS
N41	30	60	DFT-PI2BPSK	M	Inner_1RB_Right	25.93	25.46	28.71	31.11	PASS
N41	30	60	DFT-PI2BPSK	M	Outer_Full	24.07	24.24	27.17	29.57	PASS
N41	30	60	DFT-QPSK	M	Inner_1RB_Left	25.74	25.76	28.76	31.16	PASS
N41	30	60	DFT-QPSK	M	Inner_1RB_Right	26.00	26.29	29.16	31.56	PASS

N41	30	60	DFT-QPSK	M	Outer_Full	24.63	24.57	27.61	30.01	PASS
N41	30	60	DFT-16QAM	M	Inner_1RB_Left	25.66	25.56	28.62	31.02	PASS
N41	30	60	DFT-16QAM	M	Inner_1RB_Right	25.74	25.86	28.81	31.21	PASS
N41	30	60	DFT-16QAM	M	Outer_Full	24.75	24.79	27.78	30.18	PASS
N41	30	60	DFT-64QAM	M	Inner_1RB_Left	24.05	24.37	27.22	29.62	PASS
N41	30	60	DFT-64QAM	M	Inner_1RB_Right	24.30	24.26	27.29	29.69	PASS
N41	30	60	DFT-64QAM	M	Outer_Full	23.91	24.21	27.07	29.47	PASS
N41	30	60	DFT-256QAM	M	Inner_1RB_Left	21.23	21.28	24.27	26.67	PASS
N41	30	60	DFT-256QAM	M	Inner_1RB_Right	20.89	21.15	24.03	26.43	PASS
N41	30	60	DFT-256QAM	M	Outer_Full	21.10	20.97	24.05	26.45	PASS
N41	30	60	CP-QPSK	M	Inner_1RB_Left	24.23	24.43	27.34	29.74	PASS
N41	30	60	CP-QPSK	M	Inner_1RB_Right	24.14	24.55	27.36	29.76	PASS
N41	30	60	CP-QPSK	M	Outer_Full	22.66	22.59	25.64	28.04	PASS
N41	30	60	CP-16QAM	M	Inner_1RB_Left	24.11	23.71	26.92	29.32	PASS
N41	30	60	CP-16QAM	M	Inner_1RB_Right	23.63	23.48	26.57	28.97	PASS
N41	30	60	CP-16QAM	M	Outer_Full	23.03	22.52	25.79	28.19	PASS
N41	30	60	CP-64QAM	M	Inner_1RB_Left	22.80	22.17	25.51	27.91	PASS

N41	30	60	CP-64QAM	M	Inner_1RB_Right	21.99	22.12	25.07	27.47	PASS
N41	30	60	CP-64QAM	M	Outer_Full	22.29	21.92	25.12	27.52	PASS
N41	30	60	CP-256QAM	M	Inner_1RB_Left	19.71	19.12	22.44	24.84	PASS
N41	30	60	CP-256QAM	M	Inner_1RB_Right	19.08	18.88	21.99	24.39	PASS
N41	30	60	CP-256QAM	M	Outer_Full	19.40	19.09	22.26	24.66	PASS
N41	30	60	DFT-PI2BPSK	H	Inner_1RB_Left	25.83	25.69	28.77	31.17	PASS
N41	30	60	DFT-PI2BPSK	H	Inner_1RB_Right	26.00	26.05	29.04	31.44	PASS
N41	30	60	DFT-PI2BPSK	H	Outer_Full	24.62	23.86	27.27	29.67	PASS
N41	30	60	DFT-QPSK	H	Inner_1RB_Left	26.17	25.82	29.01	31.41	PASS
N41	30	60	DFT-QPSK	H	Inner_1RB_Right	26.28	26.04	29.17	31.57	PASS
N41	30	60	DFT-QPSK	H	Outer_Full	24.75	24.68	27.73	30.13	PASS
N41	30	60	DFT-16QAM	H	Inner_1RB_Left	25.64	25.68	28.67	31.07	PASS
N41	30	60	DFT-16QAM	H	Inner_1RB_Right	25.55	25.57	28.57	30.97	PASS
N41	30	60	DFT-16QAM	H	Outer_Full	24.48	24.46	27.48	29.88	PASS
N41	30	60	DFT-64QAM	H	Inner_1RB_Left	24.06	23.73	26.91	29.31	PASS
N41	30	60	DFT-64QAM	H	Inner_1RB_Right	24.10	24.59	27.36	29.76	PASS
N41	30	60	DFT-64QAM	H	Outer_Full	23.84	24.62	27.26	29.66	PASS

N41	30	60	DFT-256QAM	H	Inner_1RB_Left	20.56	20.79	23.69	26.09	PASS
N41	30	60	DFT-256QAM	H	Inner_1RB_Right	20.90	21.68	24.32	26.72	PASS
N41	30	60	DFT-256QAM	H	Outer_Full	21.30	21.12	24.22	26.62	PASS
N41	30	60	CP-QPSK	H	Inner_1RB_Left	23.64	23.27	26.47	28.87	PASS
N41	30	60	CP-QPSK	H	Inner_1RB_Right	24.38	23.93	27.17	29.57	PASS
N41	30	60	CP-QPSK	H	Outer_Full	22.13	22.11	25.13	27.53	PASS
N41	30	60	CP-16QAM	H	Inner_1RB_Left	23.00	23.12	26.07	28.47	PASS
N41	30	60	CP-16QAM	H	Inner_1RB_Right	23.90	23.78	26.85	29.25	PASS
N41	30	60	CP-16QAM	H	Outer_Full	22.62	22.17	25.41	27.81	PASS
N41	30	60	CP-64QAM	H	Inner_1RB_Left	22.11	21.55	24.85	27.25	PASS
N41	30	60	CP-64QAM	H	Inner_1RB_Right	22.36	22.17	25.28	27.68	PASS
N41	30	60	CP-64QAM	H	Outer_Full	21.93	21.47	24.72	27.12	PASS
N41	30	60	CP-256QAM	H	Inner_1RB_Left	18.97	18.36	21.69	24.09	PASS
N41	30	60	CP-256QAM	H	Inner_1RB_Right	19.20	19.46	22.34	24.74	PASS
N41	30	60	CP-256QAM	H	Outer_Full	19.19	18.65	21.94	24.34	PASS
N41	30	70	DFT-PI2BPSK	L	Inner_1RB_Left	25.96	25.88	28.93	31.33	PASS
N41	30	70	DFT-PI2BPSK	L	Inner_1RB_Right	25.82	25.86	28.85	31.25	PASS

N41	30	70	DFT-PI2BPSK	L	Outer_Full	23.89	24.15	27.03	29.43	PASS
N41	30	70	DFT-QPSK	L	Inner_1RB_Left	26.12	25.61	28.88	31.28	PASS
N41	30	70	DFT-QPSK	L	Inner_1RB_Right	26.58	26.68	29.64	32.04	PASS
N41	30	70	DFT-QPSK	L	Outer_Full	24.73	24.92	27.84	30.24	PASS
N41	30	70	DFT-16QAM	L	Inner_1RB_Left	25.66	25.51	28.60	31.00	PASS
N41	30	70	DFT-16QAM	L	Inner_1RB_Right	25.66	25.91	28.80	31.20	PASS
N41	30	70	DFT-16QAM	L	Outer_Full	24.95	24.76	27.87	30.27	PASS
N41	30	70	DFT-64QAM	L	Inner_1RB_Left	24.09	24.30	27.21	29.61	PASS
N41	30	70	DFT-64QAM	L	Inner_1RB_Right	23.94	24.46	27.22	29.62	PASS
N41	30	70	DFT-64QAM	L	Outer_Full	24.20	24.31	27.27	29.67	PASS
N41	30	70	DFT-256QAM	L	Inner_1RB_Left	20.71	21.09	23.91	26.31	PASS
N41	30	70	DFT-256QAM	L	Inner_1RB_Right	20.77	21.56	24.19	26.59	PASS
N41	30	70	DFT-256QAM	L	Outer_Full	21.46	21.33	24.41	26.81	PASS
N41	30	70	CP-QPSK	L	Inner_1RB_Left	23.92	24.16	27.05	29.45	PASS
N41	30	70	CP-QPSK	L	Inner_1RB_Right	24.32	24.04	27.19	29.59	PASS
N41	30	70	CP-QPSK	L	Outer_Full	22.81	22.36	25.60	28.00	PASS
N41	30	70	CP-16QAM	L	Inner_1RB_Left	23.28	24.00	26.67	29.07	PASS

N41	30	70	CP-16QAM	L	Inner_1RB_Right	23.82	23.37	26.61	29.01	PASS
N41	30	70	CP-16QAM	L	Outer_Full	22.41	22.48	25.46	27.86	PASS
N41	30	70	CP-64QAM	L	Inner_1RB_Left	22.06	21.83	24.96	27.36	PASS
N41	30	70	CP-64QAM	L	Inner_1RB_Right	22.54	21.77	25.18	27.58	PASS
N41	30	70	CP-64QAM	L	Outer_Full	22.02	21.92	24.98	27.38	PASS
N41	30	70	CP-256QAM	L	Inner_1RB_Left	19.05	19.42	22.25	24.65	PASS
N41	30	70	CP-256QAM	L	Inner_1RB_Right	19.01	18.89	21.96	24.36	PASS
N41	30	70	CP-256QAM	L	Outer_Full	19.50	19.29	22.41	24.81	PASS
N41	30	70	DFT-PI2BPSK	M	Inner_1RB_Left	26.04	25.92	28.99	31.39	PASS
N41	30	70	DFT-PI2BPSK	M	Inner_1RB_Right	25.82	25.60	28.72	31.12	PASS
N41	30	70	DFT-PI2BPSK	M	Outer_Full	24.16	23.73	26.96	29.36	PASS
N41	30	70	DFT-QPSK	M	Inner_1RB_Left	25.73	26.06	28.91	31.31	PASS
N41	30	70	DFT-QPSK	M	Inner_1RB_Right	26.36	26.22	29.30	31.70	PASS
N41	30	70	DFT-QPSK	M	Outer_Full	24.32	24.99	27.68	30.08	PASS
N41	30	70	DFT-16QAM	M	Inner_1RB_Left	25.60	25.68	28.65	31.05	PASS
N41	30	70	DFT-16QAM	M	Inner_1RB_Right	25.18	25.47	28.34	30.74	PASS
N41	30	70	DFT-16QAM	M	Outer_Full	24.66	24.83	27.76	30.16	PASS

N41	30	70	DFT-64QAM	M	Inner_1RB_Left	23.47	23.85	26.67	29.07	PASS
N41	30	70	DFT-64QAM	M	Inner_1RB_Right	24.07	24.29	27.19	29.59	PASS
N41	30	70	DFT-64QAM	M	Outer_Full	24.17	24.26	27.23	29.63	PASS
N41	30	70	DFT-256QAM	M	Inner_1RB_Left	20.97	20.69	23.84	26.24	PASS
N41	30	70	DFT-256QAM	M	Inner_1RB_Right	21.31	21.14	24.24	26.64	PASS
N41	30	70	DFT-256QAM	M	Outer_Full	21.38	21.02	24.21	26.61	PASS
N41	30	70	CP-QPSK	M	Inner_1RB_Left	24.57	24.34	27.47	29.87	PASS
N41	30	70	CP-QPSK	M	Inner_1RB_Right	23.61	23.86	26.75	29.15	PASS
N41	30	70	CP-QPSK	M	Outer_Full	22.56	22.14	25.37	27.77	PASS
N41	30	70	CP-16QAM	M	Inner_1RB_Left	23.86	23.55	26.72	29.12	PASS
N41	30	70	CP-16QAM	M	Inner_1RB_Right	23.29	23.75	26.54	28.94	PASS
N41	30	70	CP-16QAM	M	Outer_Full	22.90	22.51	25.72	28.12	PASS
N41	30	70	CP-64QAM	M	Inner_1RB_Left	22.21	22.33	25.28	27.68	PASS
N41	30	70	CP-64QAM	M	Inner_1RB_Right	22.22	21.71	24.98	27.38	PASS
N41	30	70	CP-64QAM	M	Outer_Full	22.69	21.66	25.22	27.62	PASS
N41	30	70	CP-256QAM	M	Inner_1RB_Left	19.51	18.98	22.26	24.66	PASS
N41	30	70	CP-256QAM	M	Inner_1RB_Right	18.92	18.72	21.83	24.23	PASS

N41	30	70	CP-256QAM	M	Outer_Full	19.17	18.74	21.97	24.37	PASS
N41	30	70	DFT-PI2BPSK	H	Inner_1RB_Left	25.63	25.68	28.67	31.07	PASS
N41	30	70	DFT-PI2BPSK	H	Inner_1RB_Right	26.47	25.61	29.07	31.47	PASS
N41	30	70	DFT-PI2BPSK	H	Outer_Full	24.02	24.02	27.03	29.43	PASS
N41	30	70	DFT-QPSK	H	Inner_1RB_Left	25.75	25.67	28.72	31.12	PASS
N41	30	70	DFT-QPSK	H	Inner_1RB_Right	25.87	26.62	29.27	31.67	PASS
N41	30	70	DFT-QPSK	H	Outer_Full	24.83	24.76	27.81	30.21	PASS
N41	30	70	DFT-16QAM	H	Inner_1RB_Left	25.40	25.47	28.45	30.85	PASS
N41	30	70	DFT-16QAM	H	Inner_1RB_Right	25.40	25.54	28.48	30.88	PASS
N41	30	70	DFT-16QAM	H	Outer_Full	24.64	24.29	27.48	29.88	PASS
N41	30	70	DFT-64QAM	H	Inner_1RB_Left	24.08	24.35	27.23	29.63	PASS
N41	30	70	DFT-64QAM	H	Inner_1RB_Right	23.92	24.26	27.10	29.50	PASS
N41	30	70	DFT-64QAM	H	Outer_Full	24.13	24.29	27.22	29.62	PASS
N41	30	70	DFT-256QAM	H	Inner_1RB_Left	20.75	20.71	23.74	26.14	PASS
N41	30	70	DFT-256QAM	H	Inner_1RB_Right	21.18	21.33	24.27	26.67	PASS
N41	30	70	DFT-256QAM	H	Outer_Full	20.97	21.08	24.04	26.44	PASS
N41	30	70	CP-QPSK	H	Inner_1RB_Left	24.19	23.84	27.03	29.43	PASS

N41	30	70	CP-QPSK	H	Inner_1RB_Right	24.02	24.30	27.17	29.57	PASS
N41	30	70	CP-QPSK	H	Outer_Full	22.33	22.18	25.27	27.67	PASS
N41	30	70	CP-16QAM	H	Inner_1RB_Left	23.20	23.40	26.31	28.71	PASS
N41	30	70	CP-16QAM	H	Inner_1RB_Right	23.65	23.56	26.62	29.02	PASS
N41	30	70	CP-16QAM	H	Outer_Full	22.16	22.04	25.11	27.51	PASS
N41	30	70	CP-64QAM	H	Inner_1RB_Left	21.76	21.75	24.77	27.17	PASS
N41	30	70	CP-64QAM	H	Inner_1RB_Right	22.27	22.31	25.30	27.70	PASS
N41	30	70	CP-64QAM	H	Outer_Full	21.88	21.89	24.90	27.30	PASS
N41	30	70	CP-256QAM	H	Inner_1RB_Left	19.23	19.06	22.16	24.56	PASS
N41	30	70	CP-256QAM	H	Inner_1RB_Right	19.51	19.00	22.27	24.67	PASS
N41	30	70	CP-256QAM	H	Outer_Full	19.16	18.96	22.07	24.47	PASS
N41	30	80	DFT-PI2BPSK	L	Inner_1RB_Left	26.21	25.70	28.97	31.37	PASS
N41	30	80	DFT-PI2BPSK	L	Inner_1RB_Right	25.73	25.85	28.80	31.20	PASS
N41	30	80	DFT-PI2BPSK	L	Outer_Full	24.22	23.65	26.95	29.35	PASS
N41	30	80	DFT-QPSK	L	Inner_1RB_Left	25.85	25.76	28.82	31.22	PASS
N41	30	80	DFT-QPSK	L	Inner_1RB_Right	26.43	26.59	29.52	31.92	PASS
N41	30	80	DFT-QPSK	L	Outer_Full	24.26	24.92	27.61	30.01	PASS

N41	30	80	DFT-16QAM	L	Inner_1RB_Left	25.39	25.64	28.53	30.93	PASS
N41	30	80	DFT-16QAM	L	Inner_1RB_Right	25.29	25.44	28.38	30.78	PASS
N41	30	80	DFT-16QAM	L	Outer_Full	24.84	24.86	27.86	30.26	PASS
N41	30	80	DFT-64QAM	L	Inner_1RB_Left	23.86	24.42	27.16	29.56	PASS
N41	30	80	DFT-64QAM	L	Inner_1RB_Right	24.25	24.23	27.25	29.65	PASS
N41	30	80	DFT-64QAM	L	Outer_Full	23.93	24.17	27.06	29.46	PASS
N41	30	80	DFT-256QAM	L	Inner_1RB_Left	21.31	21.29	24.31	26.71	PASS
N41	30	80	DFT-256QAM	L	Inner_1RB_Right	20.88	21.44	24.18	26.58	PASS
N41	30	80	DFT-256QAM	L	Outer_Full	21.16	21.49	24.34	26.74	PASS
N41	30	80	CP-QPSK	L	Inner_1RB_Left	23.99	24.02	27.02	29.42	PASS
N41	30	80	CP-QPSK	L	Inner_1RB_Right	23.89	23.58	26.75	29.15	PASS
N41	30	80	CP-QPSK	L	Outer_Full	22.34	22.61	25.49	27.89	PASS
N41	30	80	CP-16QAM	L	Inner_1RB_Left	23.17	23.37	26.28	28.68	PASS
N41	30	80	CP-16QAM	L	Inner_1RB_Right	23.88	23.07	26.50	28.90	PASS
N41	30	80	CP-16QAM	L	Outer_Full	22.78	22.43	25.62	28.02	PASS
N41	30	80	CP-64QAM	L	Inner_1RB_Left	21.55	22.09	24.84	27.24	PASS
N41	30	80	CP-64QAM	L	Inner_1RB_Right	22.11	21.52	24.84	27.24	PASS

N41	30	80	CP-64QAM	L	Outer_Full	22.16	21.85	25.02	27.42	PASS
N41	30	80	CP-256QAM	L	Inner_1RB_Left	19.18	18.92	22.06	24.46	PASS
N41	30	80	CP-256QAM	L	Inner_1RB_Right	19.23	18.64	21.96	24.36	PASS
N41	30	80	CP-256QAM	L	Outer_Full	18.97	18.99	21.99	24.39	PASS
N41	30	80	DFT-PI2BPSK	M	Inner_1RB_Left	26.12	25.95	29.05	31.45	PASS
N41	30	80	DFT-PI2BPSK	M	Inner_1RB_Right	25.95	26.13	29.05	31.45	PASS
N41	30	80	DFT-PI2BPSK	M	Outer_Full	24.30	23.98	27.15	29.55	PASS
N41	30	80	DFT-QPSK	M	Inner_1RB_Left	26.13	25.68	28.92	31.32	PASS
N41	30	80	DFT-QPSK	M	Inner_1RB_Right	26.26	26.49	29.39	31.79	PASS
N41	30	80	DFT-QPSK	M	Outer_Full	24.82	25.04	27.94	30.34	PASS
N41	30	80	DFT-16QAM	M	Inner_1RB_Left	25.66	25.87	28.78	31.18	PASS
N41	30	80	DFT-16QAM	M	Inner_1RB_Right	25.66	25.81	28.75	31.15	PASS
N41	30	80	DFT-16QAM	M	Outer_Full	24.99	24.49	27.76	30.16	PASS
N41	30	80	DFT-64QAM	M	Inner_1RB_Left	23.91	24.06	27.00	29.40	PASS
N41	30	80	DFT-64QAM	M	Inner_1RB_Right	23.76	24.39	27.10	29.50	PASS
N41	30	80	DFT-64QAM	M	Outer_Full	24.25	24.08	27.18	29.58	PASS
N41	30	80	DFT-256QAM	M	Inner_1RB_Left	20.98	21.25	24.13	26.53	PASS

N41	30	80	DFT-256QAM	M	Inner_1RB_Right	21.04	21.33	24.20	26.60	PASS
N41	30	80	DFT-256QAM	M	Outer_Full	21.03	21.04	24.05	26.45	PASS
N41	30	80	CP-QPSK	M	Inner_1RB_Left	24.14	24.36	27.26	29.66	PASS
N41	30	80	CP-QPSK	M	Inner_1RB_Right	24.12	23.64	26.90	29.30	PASS
N41	30	80	CP-QPSK	M	Outer_Full	22.70	22.46	25.59	27.99	PASS
N41	30	80	CP-16QAM	M	Inner_1RB_Left	24.08	23.35	26.74	29.14	PASS
N41	30	80	CP-16QAM	M	Inner_1RB_Right	23.53	23.51	26.53	28.93	PASS
N41	30	80	CP-16QAM	M	Outer_Full	22.87	22.16	25.54	27.94	PASS
N41	30	80	CP-64QAM	M	Inner_1RB_Left	22.11	22.34	25.24	27.64	PASS
N41	30	80	CP-64QAM	M	Inner_1RB_Right	22.15	21.97	25.07	27.47	PASS
N41	30	80	CP-64QAM	M	Outer_Full	22.48	22.03	25.27	27.67	PASS
N41	30	80	CP-256QAM	M	Inner_1RB_Left	19.36	19.22	22.30	24.70	PASS
N41	30	80	CP-256QAM	M	Inner_1RB_Right	18.91	19.04	21.99	24.39	PASS
N41	30	80	CP-256QAM	M	Outer_Full	19.39	19.22	22.32	24.72	PASS
N41	30	80	DFT-PI2BPSK	H	Inner_1RB_Left	25.80	25.56	28.69	31.09	PASS
N41	30	80	DFT-PI2BPSK	H	Inner_1RB_Right	26.42	26.24	29.34	31.74	PASS
N41	30	80	DFT-PI2BPSK	H	Outer_Full	23.89	23.98	26.95	29.35	PASS

N41	30	80	DFT-QPSK	H	Inner_1RB_Left	25.91	25.77	28.85	31.25	PASS
N41	30	80	DFT-QPSK	H	Inner_1RB_Right	26.32	26.44	29.39	31.79	PASS
N41	30	80	DFT-QPSK	H	Outer_Full	24.42	25.01	27.74	30.14	PASS
N41	30	80	DFT-16QAM	H	Inner_1RB_Left	25.38	25.43	28.42	30.82	PASS
N41	30	80	DFT-16QAM	H	Inner_1RB_Right	25.41	25.84	28.64	31.04	PASS
N41	30	80	DFT-16QAM	H	Outer_Full	24.80	24.29	27.56	29.96	PASS
N41	30	80	DFT-64QAM	H	Inner_1RB_Left	24.18	24.07	27.14	29.54	PASS
N41	30	80	DFT-64QAM	H	Inner_1RB_Right	24.26	24.05	27.17	29.57	PASS
N41	30	80	DFT-64QAM	H	Outer_Full	24.26	24.33	27.31	29.71	PASS
N41	30	80	DFT-256QAM	H	Inner_1RB_Left	20.85	21.12	24.00	26.40	PASS
N41	30	80	DFT-256QAM	H	Inner_1RB_Right	21.04	21.32	24.19	26.59	PASS
N41	30	80	DFT-256QAM	H	Outer_Full	20.82	20.95	23.90	26.30	PASS
N41	30	80	CP-QPSK	H	Inner_1RB_Left	23.79	23.59	26.70	29.10	PASS
N41	30	80	CP-QPSK	H	Inner_1RB_Right	23.94	24.64	27.31	29.71	PASS
N41	30	80	CP-QPSK	H	Outer_Full	22.20	22.49	25.36	27.76	PASS
N41	30	80	CP-16QAM	H	Inner_1RB_Left	23.37	22.99	26.19	28.59	PASS
N41	30	80	CP-16QAM	H	Inner_1RB_Right	23.67	24.16	26.93	29.33	PASS

N41	30	80	CP-16QAM	H	Outer_Full	22.53	22.04	25.30	27.70	PASS
N41	30	80	CP-64QAM	H	Inner_1RB_Left	21.43	21.76	24.61	27.01	PASS
N41	30	80	CP-64QAM	H	Inner_1RB_Right	22.42	22.33	25.39	27.79	PASS
N41	30	80	CP-64QAM	H	Outer_Full	22.10	22.00	25.06	27.46	PASS
N41	30	80	CP-256QAM	H	Inner_1RB_Left	18.70	18.40	21.56	23.96	PASS
N41	30	80	CP-256QAM	H	Inner_1RB_Right	19.50	19.31	22.42	24.82	PASS
N41	30	80	CP-256QAM	H	Outer_Full	19.33	18.55	21.97	24.37	PASS
N41	30	90	DFT-PI2BPSK	L	Inner_1RB_Left	26.37	25.61	29.02	31.42	PASS
N41	30	90	DFT-PI2BPSK	L	Inner_1RB_Right	26.21	26.11	29.17	31.57	PASS
N41	30	90	DFT-PI2BPSK	L	Outer_Full	24.57	24.00	27.30	29.70	PASS
N41	30	90	DFT-QPSK	L	Inner_1RB_Left	25.88	25.85	28.88	31.28	PASS
N41	30	90	DFT-QPSK	L	Inner_1RB_Right	26.12	25.99	29.07	31.47	PASS
N41	30	90	DFT-QPSK	L	Outer_Full	24.33	24.94	27.66	30.06	PASS
N41	30	90	DFT-16QAM	L	Inner_1RB_Left	25.09	25.73	28.43	30.83	PASS
N41	30	90	DFT-16QAM	L	Inner_1RB_Right	25.77	25.78	28.79	31.19	PASS
N41	30	90	DFT-16QAM	L	Outer_Full	24.32	24.87	27.61	30.01	PASS
N41	30	90	DFT-64QAM	L	Inner_1RB_Left	23.79	24.27	27.05	29.45	PASS

N41	30	90	DFT-64QAM	L	Inner_1RB_Right	23.91	24.13	27.03	29.43	PASS
N41	30	90	DFT-64QAM	L	Outer_Full	24.35	24.06	27.22	29.62	PASS
N41	30	90	DFT-256QAM	L	Inner_1RB_Left	20.90	21.20	24.06	26.46	PASS
N41	30	90	DFT-256QAM	L	Inner_1RB_Right	20.97	21.51	24.26	26.66	PASS
N41	30	90	DFT-256QAM	L	Outer_Full	20.94	21.07	24.02	26.42	PASS
N41	30	90	CP-QPSK	L	Inner_1RB_Left	23.74	24.36	27.07	29.47	PASS
N41	30	90	CP-QPSK	L	Inner_1RB_Right	24.09	24.15	27.13	29.53	PASS
N41	30	90	CP-QPSK	L	Outer_Full	22.80	22.67	25.75	28.15	PASS
N41	30	90	CP-16QAM	L	Inner_1RB_Left	23.52	23.26	26.40	28.80	PASS
N41	30	90	CP-16QAM	L	Inner_1RB_Right	23.49	23.50	26.51	28.91	PASS
N41	30	90	CP-16QAM	L	Outer_Full	22.84	22.39	25.63	28.03	PASS
N41	30	90	CP-64QAM	L	Inner_1RB_Left	22.05	21.74	24.91	27.31	PASS
N41	30	90	CP-64QAM	L	Inner_1RB_Right	21.88	22.37	25.14	27.54	PASS
N41	30	90	CP-64QAM	L	Outer_Full	22.50	21.83	25.19	27.59	PASS
N41	30	90	CP-256QAM	L	Inner_1RB_Left	18.99	18.81	21.91	24.31	PASS
N41	30	90	CP-256QAM	L	Inner_1RB_Right	19.02	19.29	22.17	24.57	PASS
N41	30	90	CP-256QAM	L	Outer_Full	19.17	19.24	22.22	24.62	PASS

N41	30	90	DFT-PI2BPSK	M	Inner_1RB_Left	25.95	25.48	28.73	31.13	PASS
N41	30	90	DFT-PI2BPSK	M	Inner_1RB_Right	26.47	25.99	29.25	31.65	PASS
N41	30	90	DFT-PI2BPSK	M	Outer_Full	24.30	23.95	27.14	29.54	PASS
N41	30	90	DFT-QPSK	M	Inner_1RB_Left	26.15	26.25	29.21	31.61	PASS
N41	30	90	DFT-QPSK	M	Inner_1RB_Right	26.25	25.87	29.07	31.47	PASS
N41	30	90	DFT-QPSK	M	Outer_Full	24.42	24.49	27.47	29.87	PASS
N41	30	90	DFT-16QAM	M	Inner_1RB_Left	25.27	25.63	28.46	30.86	PASS
N41	30	90	DFT-16QAM	M	Inner_1RB_Right	25.80	25.77	28.80	31.20	PASS
N41	30	90	DFT-16QAM	M	Outer_Full	24.88	24.45	27.68	30.08	PASS
N41	30	90	DFT-64QAM	M	Inner_1RB_Left	23.70	24.17	26.95	29.35	PASS
N41	30	90	DFT-64QAM	M	Inner_1RB_Right	24.13	23.85	27.00	29.40	PASS
N41	30	90	DFT-64QAM	M	Outer_Full	23.81	24.52	27.19	29.59	PASS
N41	30	90	DFT-256QAM	M	Inner_1RB_Left	20.74	20.70	23.73	26.13	PASS
N41	30	90	DFT-256QAM	M	Inner_1RB_Right	20.76	21.48	24.15	26.55	PASS
N41	30	90	DFT-256QAM	M	Outer_Full	21.25	21.60	24.44	26.84	PASS
N41	30	90	CP-QPSK	M	Inner_1RB_Left	24.62	23.90	27.29	29.69	PASS
N41	30	90	CP-QPSK	M	Inner_1RB_Right	24.17	23.55	26.88	29.28	PASS

N41	30	90	CP-QPSK	M	Outer_Full	22.72	22.25	25.50	27.90	PASS
N41	30	90	CP-16QAM	M	Inner_1RB_Left	24.06	23.73	26.91	29.31	PASS
N41	30	90	CP-16QAM	M	Inner_1RB_Right	23.14	23.28	26.22	28.62	PASS
N41	30	90	CP-16QAM	M	Outer_Full	22.85	22.61	25.74	28.14	PASS
N41	30	90	CP-64QAM	M	Inner_1RB_Left	22.67	22.23	25.47	27.87	PASS
N41	30	90	CP-64QAM	M	Inner_1RB_Right	22.27	21.83	25.07	27.47	PASS
N41	30	90	CP-64QAM	M	Outer_Full	22.50	21.83	25.19	27.59	PASS
N41	30	90	CP-256QAM	M	Inner_1RB_Left	19.60	19.08	22.36	24.76	PASS
N41	30	90	CP-256QAM	M	Inner_1RB_Right	19.22	18.44	21.86	24.26	PASS
N41	30	90	CP-256QAM	M	Outer_Full	19.18	19.15	22.18	24.58	PASS
N41	30	90	DFT-PI2BPSK	H	Inner_1RB_Left	26.13	25.68	28.92	31.32	PASS
N41	30	90	DFT-PI2BPSK	H	Inner_1RB_Right	26.08	26.08	29.09	31.49	PASS
N41	30	90	DFT-PI2BPSK	H	Outer_Full	24.12	24.10	27.12	29.52	PASS
N41	30	90	DFT-QPSK	H	Inner_1RB_Left	25.69	26.09	28.90	31.30	PASS
N41	30	90	DFT-QPSK	H	Inner_1RB_Right	26.11	26.24	29.19	31.59	PASS
N41	30	90	DFT-QPSK	H	Outer_Full	24.29	24.34	27.33	29.73	PASS
N41	30	90	DFT-16QAM	H	Inner_1RB_Left	25.08	25.62	28.37	30.77	PASS

N41	30	90	DFT-16QAM	H	Inner_1RB_Right	25.21	25.35	28.29	30.69	PASS
N41	30	90	DFT-16QAM	H	Outer_Full	24.55	24.71	27.64	30.04	PASS
N41	30	90	DFT-64QAM	H	Inner_1RB_Left	23.72	23.92	26.83	29.23	PASS
N41	30	90	DFT-64QAM	H	Inner_1RB_Right	23.92	24.08	27.01	29.41	PASS
N41	30	90	DFT-64QAM	H	Outer_Full	24.04	24.32	27.19	29.59	PASS
N41	30	90	DFT-256QAM	H	Inner_1RB_Left	20.95	21.22	24.10	26.50	PASS
N41	30	90	DFT-256QAM	H	Inner_1RB_Right	21.41	21.63	24.53	26.93	PASS
N41	30	90	DFT-256QAM	H	Outer_Full	20.77	21.56	24.19	26.59	PASS
N41	30	90	CP-QPSK	H	Inner_1RB_Left	23.95	23.37	26.68	29.08	PASS
N41	30	90	CP-QPSK	H	Inner_1RB_Right	24.30	24.30	27.31	29.71	PASS
N41	30	90	CP-QPSK	H	Outer_Full	22.43	22.13	25.29	27.69	PASS
N41	30	90	CP-16QAM	H	Inner_1RB_Left	23.44	22.78	26.13	28.53	PASS
N41	30	90	CP-16QAM	H	Inner_1RB_Right	23.71	23.93	26.83	29.23	PASS
N41	30	90	CP-16QAM	H	Outer_Full	22.69	22.37	25.54	27.94	PASS
N41	30	90	CP-64QAM	H	Inner_1RB_Left	22.02	21.49	24.77	27.17	PASS
N41	30	90	CP-64QAM	H	Inner_1RB_Right	22.17	22.56	25.38	27.78	PASS
N41	30	90	CP-64QAM	H	Outer_Full	22.04	21.84	24.95	27.35	PASS

N41	30	90	CP-256QAM	H	Inner_1RB_Left	18.96	18.46	21.73	24.13	PASS
N41	30	90	CP-256QAM	H	Inner_1RB_Right	19.39	19.51	22.46	24.86	PASS
N41	30	90	CP-256QAM	H	Outer_Full	19.11	18.40	21.78	24.18	PASS
N41	30	100	DFT-PI2BPSK	L	Inner_1RB_Left	25.93	25.54	28.75	31.15	PASS
N41	30	100	DFT-PI2BPSK	L	Inner_1RB_Right	26.12	25.50	28.83	31.23	PASS
N41	30	100	DFT-PI2BPSK	L	Outer_Full	24.18	23.81	27.01	29.41	PASS
N41	30	100	DFT-QPSK	L	Inner_1RB_Left	26.26	25.63	28.97	31.37	PASS
N41	30	100	DFT-QPSK	L	Inner_1RB_Right	26.07	26.41	29.25	31.65	PASS
N41	30	100	DFT-QPSK	L	Outer_Full	24.61	24.36	27.50	29.90	PASS
N41	30	100	DFT-16QAM	L	Inner_1RB_Left	25.20	25.34	28.28	30.68	PASS
N41	30	100	DFT-16QAM	L	Inner_1RB_Right	25.23	25.64	28.45	30.85	PASS
N41	30	100	DFT-16QAM	L	Outer_Full	24.59	24.93	27.77	30.17	PASS
N41	30	100	DFT-64QAM	L	Inner_1RB_Left	24.03	23.70	26.88	29.28	PASS
N41	30	100	DFT-64QAM	L	Inner_1RB_Right	23.99	24.55	27.29	29.69	PASS
N41	30	100	DFT-64QAM	L	Outer_Full	24.43	24.41	27.43	29.83	PASS
N41	30	100	DFT-256QAM	L	Inner_1RB_Left	20.90	21.25	24.09	26.49	PASS
N41	30	100	DFT-256QAM	L	Inner_1RB_Right	21.06	21.30	24.19	26.59	PASS

N41	30	100	DFT-256QAM	L	Outer_Full	20.67	21.30	24.01	26.41	PASS
N41	30	100	CP-QPSK	L	Inner_1RB_Left	23.56	23.81	26.70	29.10	PASS
N41	30	100	CP-QPSK	L	Inner_1RB_Right	24.55	24.32	27.45	29.85	PASS
N41	30	100	CP-QPSK	L	Outer_Full	22.74	22.41	25.59	27.99	PASS
N41	30	100	CP-16QAM	L	Inner_1RB_Left	23.58	23.50	26.55	28.95	PASS
N41	30	100	CP-16QAM	L	Inner_1RB_Right	23.33	23.52	26.44	28.84	PASS
N41	30	100	CP-16QAM	L	Outer_Full	22.83	22.78	25.82	28.22	PASS
N41	30	100	CP-64QAM	L	Inner_1RB_Left	22.03	22.20	25.13	27.53	PASS
N41	30	100	CP-64QAM	L	Inner_1RB_Right	22.06	22.19	25.14	27.54	PASS
N41	30	100	CP-64QAM	L	Outer_Full	22.28	21.85	25.08	27.48	PASS
N41	30	100	CP-256QAM	L	Inner_1RB_Left	18.72	19.31	22.04	24.44	PASS
N41	30	100	CP-256QAM	L	Inner_1RB_Right	19.03	19.22	22.14	24.54	PASS
N41	30	100	CP-256QAM	L	Outer_Full	19.12	18.96	22.05	24.45	PASS
N41	30	100	DFT-PI2BPSK	M	Inner_1RB_Left	26.24	26.31	29.29	31.69	PASS
N41	30	100	DFT-PI2BPSK	M	Inner_1RB_Right	26.04	25.59	28.83	31.23	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	24.24	24.22	27.24	29.64	PASS
N41	30	100	DFT-QPSK	M	Inner_1RB_Left	26.05	26.07	29.07	31.47	PASS

N41	30	100	DFT-QPSK	M	Inner_1RB_Right	26.31	26.43	29.38	31.78	PASS
N41	30	100	DFT-QPSK	M	Outer_Full	24.39	24.55	27.48	29.88	PASS
N41	30	100	DFT-16QAM	M	Inner_1RB_Left	25.16	25.76	28.48	30.88	PASS
N41	30	100	DFT-16QAM	M	Inner_1RB_Right	25.22	25.81	28.54	30.94	PASS
N41	30	100	DFT-16QAM	M	Outer_Full	24.37	24.73	27.56	29.96	PASS
N41	30	100	DFT-64QAM	M	Inner_1RB_Left	23.98	24.36	27.18	29.58	PASS
N41	30	100	DFT-64QAM	M	Inner_1RB_Right	24.34	23.94	27.15	29.55	PASS
N41	30	100	DFT-64QAM	M	Outer_Full	24.08	23.89	27.00	29.40	PASS
N41	30	100	DFT-256QAM	M	Inner_1RB_Left	21.14	20.54	23.86	26.26	PASS
N41	30	100	DFT-256QAM	M	Inner_1RB_Right	21.51	21.31	24.42	26.82	PASS
N41	30	100	DFT-256QAM	M	Outer_Full	20.92	21.34	24.15	26.55	PASS
N41	30	100	CP-QPSK	M	Inner_1RB_Left	24.22	23.89	27.07	29.47	PASS
N41	30	100	CP-QPSK	M	Inner_1RB_Right	23.55	23.78	26.68	29.08	PASS
N41	30	100	CP-QPSK	M	Outer_Full	22.54	22.22	25.39	27.79	PASS
N41	30	100	CP-16QAM	M	Inner_1RB_Left	23.70	24.03	26.88	29.28	PASS
N41	30	100	CP-16QAM	M	Inner_1RB_Right	23.14	23.49	26.33	28.73	PASS
N41	30	100	CP-16QAM	M	Outer_Full	22.92	22.40	25.68	28.08	PASS

N41	30	100	CP-64QAM	M	Inner_1RB_Left	22.77	22.57	25.68	28.08	PASS
N41	30	100	CP-64QAM	M	Inner_1RB_Right	21.66	22.16	24.93	27.33	PASS
N41	30	100	CP-64QAM	M	Outer_Full	22.20	22.01	25.12	27.52	PASS
N41	30	100	CP-256QAM	M	Inner_1RB_Left	19.80	19.25	22.54	24.94	PASS
N41	30	100	CP-256QAM	M	Inner_1RB_Right	19.08	19.03	22.07	24.47	PASS
N41	30	100	CP-256QAM	M	Outer_Full	19.26	18.98	22.13	24.53	PASS
N41	30	100	DFT-PI2BPSK	H	Inner_1RB_Left	26.35	25.95	29.16	31.56	PASS
N41	30	100	DFT-PI2BPSK	H	Inner_1RB_Right	25.92	26.01	28.98	31.38	PASS
N41	30	100	DFT-PI2BPSK	H	Outer_Full	24.21	23.98	27.11	29.51	PASS
N41	30	100	DFT-QPSK	H	Inner_1RB_Left	25.62	25.66	28.65	31.05	PASS
N41	30	100	DFT-QPSK	H	Inner_1RB_Right	26.10	25.89	29.01	31.41	PASS
N41	30	100	DFT-QPSK	H	Outer_Full	24.44	24.64	27.55	29.95	PASS
N41	30	100	DFT-16QAM	H	Inner_1RB_Left	25.43	25.15	28.30	30.70	PASS
N41	30	100	DFT-16QAM	H	Inner_1RB_Right	25.72	25.50	28.62	31.02	PASS
N41	30	100	DFT-16QAM	H	Outer_Full	24.30	24.35	27.34	29.74	PASS
N41	30	100	DFT-64QAM	H	Inner_1RB_Left	24.15	24.09	27.13	29.53	PASS
N41	30	100	DFT-64QAM	H	Inner_1RB_Right	23.90	24.22	27.07	29.47	PASS

N41	30	100	DFT-64QAM	H	Outer_Full	24.29	24.58	27.45	29.85	PASS
N41	30	100	DFT-256QAM	H	Inner_1RB_Left	20.61	20.98	23.81	26.21	PASS
N41	30	100	DFT-256QAM	H	Inner_1RB_Right	21.17	21.12	24.16	26.56	PASS
N41	30	100	DFT-256QAM	H	Outer_Full	21.01	21.38	24.21	26.61	PASS
N41	30	100	CP-QPSK	H	Inner_1RB_Left	23.92	24.22	27.08	29.48	PASS
N41	30	100	CP-QPSK	H	Inner_1RB_Right	24.59	24.85	27.73	30.13	PASS
N41	30	100	CP-QPSK	H	Outer_Full	22.99	22.42	25.72	28.12	PASS
N41	30	100	CP-16QAM	H	Inner_1RB_Left	23.69	23.60	26.66	29.06	PASS
N41	30	100	CP-16QAM	H	Inner_1RB_Right	23.60	23.92	26.77	29.17	PASS
N41	30	100	CP-16QAM	H	Outer_Full	22.68	22.33	25.52	27.92	PASS
N41	30	100	CP-64QAM	H	Inner_1RB_Left	21.84	21.65	24.76	27.16	PASS
N41	30	100	CP-64QAM	H	Inner_1RB_Right	22.21	22.39	25.31	27.71	PASS
N41	30	100	CP-64QAM	H	Outer_Full	22.36	22.01	25.20	27.60	PASS
N41	30	100	CP-256QAM	H	Inner_1RB_Left	19.39	18.74	22.09	24.49	PASS
N41	30	100	CP-256QAM	H	Inner_1RB_Right	19.16	19.34	22.26	24.66	PASS
N41	30	100	CP-256QAM	H	Outer_Full	18.94	18.94	21.95	24.35	PASS

NR n48 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N48	30	10	DFT-PI2BPSK	L	Inner_1RB_Left	23.03	21.82	23	PASS
N48	30	10	DFT-PI2BPSK	L	Inner_1RB_Right	22.98	21.77	23	PASS
N48	30	10	DFT-PI2BPSK	L	Outer_Full	22.85	21.64	23	PASS
N48	30	10	DFT-QPSK	L	Inner_1RB_Left	23.08	21.87	23	PASS
N48	30	10	DFT-QPSK	L	Inner_1RB_Right	23.21	22	23	PASS
N48	30	10	DFT-QPSK	L	Outer_Full	22.02	20.81	23	PASS
N48	30	10	DFT-16QAM	L	Inner_1RB_Left	22.13	20.92	23	PASS
N48	30	10	DFT-16QAM	L	Inner_1RB_Right	22.23	21.02	23	PASS
N48	30	10	DFT-16QAM	L	Outer_Full	21.24	20.03	23	PASS
N48	30	10	DFT-64QAM	L	Inner_1RB_Left	20.83	19.62	23	PASS
N48	30	10	DFT-64QAM	L	Inner_1RB_Right	21.03	19.82	23	PASS
N48	30	10	DFT-64QAM	L	Outer_Full	20.67	19.46	23	PASS
N48	30	10	DFT-256QAM	L	Inner_1RB_Left	18.7	17.49	23	PASS
N48	30	10	DFT-256QAM	L	Inner_1RB_Right	18.46	17.25	23	PASS
N48	30	10	DFT-256QAM	L	Outer_Full	18.63	17.42	23	PASS
N48	30	10	DFT-PI2BPSK	M	Inner_1RB_Left	23.2	21.99	23	PASS
N48	30	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.1	21.89	23	PASS
N48	30	10	DFT-PI2BPSK	M	Outer_Full	22.39	21.18	23	PASS
N48	30	10	DFT-QPSK	M	Inner_1RB_Left	23.05	21.84	23	PASS
N48	30	10	DFT-QPSK	M	Inner_1RB_Right	23.18	21.97	23	PASS
N48	30	10	DFT-QPSK	M	Outer_Full	21.82	20.61	23	PASS
N48	30	10	DFT-16QAM	M	Inner_1RB_Left	22.2	20.99	23	PASS
N48	30	10	DFT-16QAM	M	Inner_1RB_Right	22.24	21.03	23	PASS
N48	30	10	DFT-16QAM	M	Outer_Full	21.05	19.84	23	PASS

N48	30	10	DFT-64QAM	M	Inner_1RB_Left	20.42	19.21	23	PASS
N48	30	10	DFT-64QAM	M	Inner_1RB_Right	21.12	19.91	23	PASS
N48	30	10	DFT-64QAM	M	Outer_Full	20.47	19.26	23	PASS
N48	30	10	DFT-256QAM	M	Inner_1RB_Left	18.21	17	23	PASS
N48	30	10	DFT-256QAM	M	Inner_1RB_Right	18.19	16.98	23	PASS
N48	30	10	DFT-256QAM	M	Outer_Full	18.75	17.54	23	PASS
N48	30	10	DFT-PI2BPSK	H	Inner_1RB_Left	23.27	22.06	23	PASS
N48	30	10	DFT-PI2BPSK	H	Inner_1RB_Right	22.9	21.69	23	PASS
N48	30	10	DFT-PI2BPSK	H	Outer_Full	22.38	21.17	23	PASS
N48	30	10	DFT-QPSK	H	Inner_1RB_Left	23.19	21.98	23	PASS
N48	30	10	DFT-QPSK	H	Inner_1RB_Right	23.3	22.09	23	PASS
N48	30	10	DFT-QPSK	H	Outer_Full	21.84	20.63	23	PASS
N48	30	10	DFT-16QAM	H	Inner_1RB_Left	22.17	20.96	23	PASS
N48	30	10	DFT-16QAM	H	Inner_1RB_Right	22.5	21.29	23	PASS
N48	30	10	DFT-16QAM	H	Outer_Full	20.99	19.78	23	PASS
N48	30	10	DFT-64QAM	H	Inner_1RB_Left	20.38	19.17	23	PASS
N48	30	10	DFT-64QAM	H	Inner_1RB_Right	20.61	19.4	23	PASS
N48	30	10	DFT-64QAM	H	Outer_Full	20.34	19.13	23	PASS
N48	30	10	DFT-256QAM	H	Inner_1RB_Left	18.59	17.38	23	PASS
N48	30	10	DFT-256QAM	H	Inner_1RB_Right	18.66	17.45	23	PASS
N48	30	10	DFT-256QAM	H	Outer_Full	18.44	17.23	23	PASS
N48	30	20	DFT-PI2BPSK	L	Inner_1RB_Left	23.6	22.39	23	PASS
N48	30	20	DFT-PI2BPSK	L	Inner_1RB_Right	23.1	21.89	23	PASS
N48	30	20	DFT-PI2BPSK	L	Outer_Full	23.07	21.86	23	PASS
N48	30	20	DFT-QPSK	L	Inner_1RB_Left	23.45	22.24	23	PASS

N48	30	20	DFT-QPSK	L	Inner_1RB_Right	23.31	22.1	23	PASS
N48	30	20	DFT-QPSK	L	Outer_Full	22.29	21.08	23	PASS
N48	30	20	DFT-16QAM	L	Inner_1RB_Left	22.87	21.66	23	PASS
N48	30	20	DFT-16QAM	L	Inner_1RB_Right	22.46	21.25	23	PASS
N48	30	20	DFT-16QAM	L	Outer_Full	21.44	20.23	23	PASS
N48	30	20	DFT-64QAM	L	Inner_1RB_Left	21.23	20.02	23	PASS
N48	30	20	DFT-64QAM	L	Inner_1RB_Right	20.92	19.71	23	PASS
N48	30	20	DFT-64QAM	L	Outer_Full	20.84	19.63	23	PASS
N48	30	20	DFT-256QAM	L	Inner_1RB_Left	18.83	17.62	23	PASS
N48	30	20	DFT-256QAM	L	Inner_1RB_Right	18.57	17.36	23	PASS
N48	30	20	DFT-256QAM	L	Outer_Full	19.08	17.87	23	PASS
N48	30	20	DFT-PI2BPSK	M	Inner_1RB_Left	23.1	21.89	23	PASS
N48	30	20	DFT-PI2BPSK	M	Inner_1RB_Right	23.39	22.18	23	PASS
N48	30	20	DFT-PI2BPSK	M	Outer_Full	22.55	21.34	23	PASS
N48	30	20	DFT-QPSK	M	Inner_1RB_Left	23.49	22.28	23	PASS
N48	30	20	DFT-QPSK	M	Inner_1RB_Right	23.21	22	23	PASS
N48	30	20	DFT-QPSK	M	Outer_Full	22.31	21.1	23	PASS
N48	30	20	DFT-16QAM	M	Inner_1RB_Left	22.36	21.15	23	PASS
N48	30	20	DFT-16QAM	M	Inner_1RB_Right	22.42	21.21	23	PASS
N48	30	20	DFT-16QAM	M	Outer_Full	21.42	20.21	23	PASS
N48	30	20	DFT-64QAM	M	Inner_1RB_Left	20.84	19.63	23	PASS
N48	30	20	DFT-64QAM	M	Inner_1RB_Right	21.03	19.82	23	PASS
N48	30	20	DFT-64QAM	M	Outer_Full	20.53	19.32	23	PASS
N48	30	20	DFT-256QAM	M	Inner_1RB_Left	18.45	17.24	23	PASS
N48	30	20	DFT-256QAM	M	Inner_1RB_Right	18.76	17.55	23	PASS

N48	30	20	DFT-256QAM	M	Outer_Full	18.73	17.52	23	PASS
N48	30	20	DFT-PI2BPSK	H	Inner_1RB_Left	22.98	21.77	23	PASS
N48	30	20	DFT-PI2BPSK	H	Inner_1RB_Right	22.99	21.78	23	PASS
N48	30	20	DFT-PI2BPSK	H	Outer_Full	22.43	21.22	23	PASS
N48	30	20	DFT-QPSK	H	Inner_1RB_Left	22.69	21.48	23	PASS
N48	30	20	DFT-QPSK	H	Inner_1RB_Right	22.82	21.61	23	PASS
N48	30	20	DFT-QPSK	H	Outer_Full	22.15	20.94	23	PASS
N48	30	20	DFT-16QAM	H	Inner_1RB_Left	22.25	21.04	23	PASS
N48	30	20	DFT-16QAM	H	Inner_1RB_Right	22.45	21.24	23	PASS
N48	30	20	DFT-16QAM	H	Outer_Full	21.37	20.16	23	PASS
N48	30	20	DFT-64QAM	H	Inner_1RB_Left	20.35	19.14	23	PASS
N48	30	20	DFT-64QAM	H	Inner_1RB_Right	20.56	19.35	23	PASS
N48	30	20	DFT-64QAM	H	Outer_Full	20.5	19.29	23	PASS
N48	30	20	DFT-256QAM	H	Inner_1RB_Left	18.52	17.31	23	PASS
N48	30	20	DFT-256QAM	H	Inner_1RB_Right	18.15	16.94	23	PASS
N48	30	20	DFT-256QAM	H	Outer_Full	18.61	17.4	23	PASS
N48	30	30	DFT-PI2BPSK	L	Inner_1RB_Left	23.82	22.61	23	PASS
N48	30	30	DFT-PI2BPSK	L	Inner_1RB_Right	23.24	22.03	23	PASS
N48	30	30	DFT-PI2BPSK	L	Outer_Full	22.82	21.61	23	PASS
N48	30	30	DFT-QPSK	L	Inner_1RB_Left	23.61	22.4	23	PASS
N48	30	30	DFT-QPSK	L	Inner_1RB_Right	23.12	21.91	23	PASS
N48	30	30	DFT-QPSK	L	Outer_Full	22.17	20.96	23	PASS
N48	30	30	DFT-16QAM	L	Inner_1RB_Left	23.03	21.82	23	PASS
N48	30	30	DFT-16QAM	L	Inner_1RB_Right	22.07	20.86	23	PASS
N48	30	30	DFT-16QAM	L	Outer_Full	21.48	20.27	23	PASS

N48	30	30	DFT-64QAM	L	Inner_1RB_Left	21.09	19.88	23	PASS
N48	30	30	DFT-64QAM	L	Inner_1RB_Right	20.44	19.23	23	PASS
N48	30	30	DFT-64QAM	L	Outer_Full	20.7	19.49	23	PASS
N48	30	30	DFT-256QAM	L	Inner_1RB_Left	18.88	17.67	23	PASS
N48	30	30	DFT-256QAM	L	Inner_1RB_Right	18.64	17.43	23	PASS
N48	30	30	DFT-256QAM	L	Outer_Full	18.86	17.65	23	PASS
N48	30	30	DFT-PI2BPSK	M	Inner_1RB_Left	23.33	22.12	23	PASS
N48	30	30	DFT-PI2BPSK	M	Inner_1RB_Right	23.12	21.91	23	PASS
N48	30	30	DFT-PI2BPSK	M	Outer_Full	22.95	21.74	23	PASS
N48	30	30	DFT-QPSK	M	Inner_1RB_Left	23.22	22.01	23	PASS
N48	30	30	DFT-QPSK	M	Inner_1RB_Right	22.95	21.74	23	PASS
N48	30	30	DFT-QPSK	M	Outer_Full	22.55	21.34	23	PASS
N48	30	30	DFT-16QAM	M	Inner_1RB_Left	22.95	21.74	23	PASS
N48	30	30	DFT-16QAM	M	Inner_1RB_Right	22.03	20.82	23	PASS
N48	30	30	DFT-16QAM	M	Outer_Full	21.55	20.34	23	PASS
N48	30	30	DFT-64QAM	M	Inner_1RB_Left	21.06	19.85	23	PASS
N48	30	30	DFT-64QAM	M	Inner_1RB_Right	20.59	19.38	23	PASS
N48	30	30	DFT-64QAM	M	Outer_Full	21.11	19.9	23	PASS
N48	30	30	DFT-256QAM	M	Inner_1RB_Left	18.57	17.36	23	PASS
N48	30	30	DFT-256QAM	M	Inner_1RB_Right	18.4	17.19	23	PASS
N48	30	30	DFT-256QAM	M	Outer_Full	18.73	17.52	23	PASS
N48	30	30	DFT-PI2BPSK	H	Inner_1RB_Left	23.36	22.15	23	PASS
N48	30	30	DFT-PI2BPSK	H	Inner_1RB_Right	23.18	21.97	23	PASS
N48	30	30	DFT-PI2BPSK	H	Outer_Full	22.74	21.53	23	PASS
N48	30	30	DFT-QPSK	H	Inner_1RB_Left	22.9	21.69	23	PASS

N48	30	30	DFT-QPSK	H	Inner_1RB_Right	23.45	22.24	23	PASS
N48	30	30	DFT-QPSK	H	Outer_Full	21.99	20.78	23	PASS
N48	30	30	DFT-16QAM	H	Inner_1RB_Left	22.58	21.37	23	PASS
N48	30	30	DFT-16QAM	H	Inner_1RB_Right	22.06	20.85	23	PASS
N48	30	30	DFT-16QAM	H	Outer_Full	21.33	20.12	23	PASS
N48	30	30	DFT-64QAM	H	Inner_1RB_Left	20.88	19.67	23	PASS
N48	30	30	DFT-64QAM	H	Inner_1RB_Right	20.88	19.67	23	PASS
N48	30	30	DFT-64QAM	H	Outer_Full	20.63	19.42	23	PASS
N48	30	30	DFT-256QAM	H	Inner_1RB_Left	18.72	17.51	23	PASS
N48	30	30	DFT-256QAM	H	Inner_1RB_Right	18.19	16.98	23	PASS
N48	30	30	DFT-256QAM	H	Outer_Full	18.56	17.35	23	PASS
N48	30	40	DFT-PI2BPSK	L	Inner_1RB_Left	23.56	22.35	23	PASS
N48	30	40	DFT-PI2BPSK	L	Inner_1RB_Right	23.32	22.11	23	PASS
N48	30	40	DFT-PI2BPSK	L	Outer_Full	22.69	21.48	23	PASS
N48	30	40	DFT-QPSK	L	Inner_1RB_Left	23.21	22	23	PASS
N48	30	40	DFT-QPSK	L	Inner_1RB_Right	22.99	21.78	23	PASS
N48	30	40	DFT-QPSK	L	Outer_Full	23.07	21.86	23	PASS
N48	30	40	DFT-16QAM	L	Inner_1RB_Left	22.05	20.84	23	PASS
N48	30	40	DFT-16QAM	L	Inner_1RB_Right	22.6	21.39	23	PASS
N48	30	40	DFT-16QAM	L	Outer_Full	22.18	20.97	23	PASS
N48	30	40	DFT-64QAM	L	Inner_1RB_Left	22.24	21.03	23	PASS
N48	30	40	DFT-64QAM	L	Inner_1RB_Right	22.3	21.09	23	PASS
N48	30	40	DFT-64QAM	L	Outer_Full	22.24	21.03	23	PASS
N48	30	40	DFT-256QAM	L	Inner_1RB_Left	18.58	17.37	23	PASS
N48	30	40	DFT-256QAM	L	Inner_1RB_Right	18.65	17.44	23	PASS

N48	30	40	DFT-256QAM	L	Outer_Full	18.66	17.45	23	PASS
N48	30	40	DFT-PI2BPSK	M	Inner_1RB_Left	23.77	22.56	23	PASS
N48	30	40	DFT-PI2BPSK	M	Inner_1RB_Right	23.02	21.81	23	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	22.86	21.65	23	PASS
N48	30	40	DFT-QPSK	M	Inner_1RB_Left	23.47	22.26	23	PASS
N48	30	40	DFT-QPSK	M	Inner_1RB_Right	23.32	22.11	23	PASS
N48	30	40	DFT-QPSK	M	Outer_Full	22.51	21.3	23	PASS
N48	30	40	DFT-16QAM	M	Inner_1RB_Left	22.85	21.64	23	PASS
N48	30	40	DFT-16QAM	M	Inner_1RB_Right	22.22	21.01	23	PASS
N48	30	40	DFT-16QAM	M	Outer_Full	21.5	20.29	23	PASS
N48	30	40	DFT-64QAM	M	Inner_1RB_Left	21.47	20.26	23	PASS
N48	30	40	DFT-64QAM	M	Inner_1RB_Right	20.65	19.44	23	PASS
N48	30	40	DFT-64QAM	M	Outer_Full	20.99	19.78	23	PASS
N48	30	40	DFT-256QAM	M	Inner_1RB_Left	18.63	17.42	23	PASS
N48	30	40	DFT-256QAM	M	Inner_1RB_Right	18.4	17.19	23	PASS
N48	30	40	DFT-256QAM	M	Outer_Full	18.6	17.39	23	PASS
N48	30	40	DFT-PI2BPSK	H	Inner_1RB_Left	23.25	22.04	23	PASS
N48	30	40	DFT-PI2BPSK	H	Inner_1RB_Right	23.05	21.84	23	PASS
N48	30	40	DFT-PI2BPSK	H	Outer_Full	22.9	21.69	23	PASS
N48	30	40	DFT-QPSK	H	Inner_1RB_Left	22.83	21.62	23	PASS
N48	30	40	DFT-QPSK	H	Inner_1RB_Right	23.61	22.4	23	PASS
N48	30	40	DFT-QPSK	H	Outer_Full	22.47	21.26	23	PASS
N48	30	40	DFT-16QAM	H	Inner_1RB_Left	22.26	21.05	23	PASS
N48	30	40	DFT-16QAM	H	Inner_1RB_Right	22.24	21.03	23	PASS
N48	30	40	DFT-16QAM	H	Outer_Full	21.43	20.22	23	PASS

N48	30	40	DFT-64QAM	H	Inner_1RB_Left	20.93	19.72	23	PASS
N48	30	40	DFT-64QAM	H	Inner_1RB_Right	20.56	19.35	23	PASS
N48	30	40	DFT-64QAM	H	Outer_Full	20.66	19.45	23	PASS
N48	30	40	DFT-256QAM	H	Inner_1RB_Left	18.49	17.28	23	PASS
N48	30	40	DFT-256QAM	H	Inner_1RB_Right	18.92	17.71	23	PASS
N48	30	40	DFT-256QAM	H	Outer_Full	18.84	17.63	23	PASS

NR n48 MIMO :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power Ant1	Power Ant2	Total Power	ERIP	Limit	Verdict
N48	30	10	CP-QPSK	L	Inner_1RB_Left	18.90	18.47	21.70	20.49	23.00	PASS
N48	30	10	CP-QPSK	L	Inner_1RB_Right	19.07	19.08	22.09	20.88	23.00	PASS
N48	30	10	CP-QPSK	L	Outer_Full	17.50	16.99	20.26	19.05	23.00	PASS
N48	30	10	CP-16QAM	L	Inner_1RB_Left	18.38	18.21	21.31	20.10	23.00	PASS
N48	30	10	CP-16QAM	L	Inner_1RB_Right	18.43	18.17	21.31	20.10	23.00	PASS
N48	30	10	CP-16QAM	L	Outer_Full	17.18	17.09	20.15	18.94	23.00	PASS
N48	30	10	CP-64QAM	L	Inner_1RB_Left	17.36	16.55	19.98	18.77	23.00	PASS
N48	30	10	CP-64QAM	L	Inner_1RB_Right	17.29	16.42	19.89	18.68	23.00	PASS
N48	30	10	CP-64QAM	L	Outer_Full	16.64	16.27	19.47	18.26	23.00	PASS
N48	30	10	CP-256QAM	L	Inner_1RB_Left	13.84	13.80	16.83	15.62	23.00	PASS
N48	30	10	CP-256QAM	L	Inner_1RB_Right	14.06	13.07	16.60	15.39	23.00	PASS
N48	30	10	CP-256QAM	L	Outer_Full	13.96	13.83	16.91	15.70	23.00	PASS
N48	30	10	CP-QPSK	M	Inner_1RB_Left	18.48	18.60	21.55	20.34	23.00	PASS
N48	30	10	CP-QPSK	M	Inner_1RB_Right	18.94	19.04	22.00	20.79	23.00	PASS
N48	30	10	CP-QPSK	M	Outer_Full	16.95	17.46	20.22	19.01	23.00	PASS

N48	30	10	CP-16QAM	M	Inner_1RB_Left	18.27	18.27	21.28	20.07	23.00	PASS
N48	30	10	CP-16QAM	M	Inner_1RB_Right	18.29	17.92	21.12	19.91	23.00	PASS
N48	30	10	CP-16QAM	M	Outer_Full	17.30	16.99	20.16	18.95	23.00	PASS
N48	30	10	CP-64QAM	M	Inner_1RB_Left	16.59	16.89	19.75	18.54	23.00	PASS
N48	30	10	CP-64QAM	M	Inner_1RB_Right	16.68	16.50	19.60	18.39	23.00	PASS
N48	30	10	CP-64QAM	M	Outer_Full	16.64	16.59	19.63	18.42	23.00	PASS
N48	30	10	CP-256QAM	M	Inner_1RB_Left	14.25	13.63	16.96	15.75	23.00	PASS
N48	30	10	CP-256QAM	M	Inner_1RB_Right	13.59	13.51	16.56	15.35	23.00	PASS
N48	30	10	CP-256QAM	M	Outer_Full	13.66	13.56	16.62	15.41	23.00	PASS
N48	30	10	CP-QPSK	H	Inner_1RB_Left	19.12	18.26	21.72	20.51	23.00	PASS
N48	30	10	CP-QPSK	H	Inner_1RB_Right	18.78	18.90	21.85	20.64	23.00	PASS
N48	30	10	CP-QPSK	H	Outer_Full	16.99	16.89	19.95	18.74	23.00	PASS
N48	30	10	CP-16QAM	H	Inner_1RB_Left	18.41	18.39	21.41	20.20	23.00	PASS
N48	30	10	CP-16QAM	H	Inner_1RB_Right	18.10	17.60	20.87	19.66	23.00	PASS
N48	30	10	CP-16QAM	H	Outer_Full	17.05	17.15	20.11	18.90	23.00	PASS
N48	30	10	CP-64QAM	H	Inner_1RB_Left	16.49	16.38	19.45	18.24	23.00	PASS
N48	30	10	CP-64QAM	H	Inner_1RB_Right	16.76	16.45	19.62	18.41	23.00	PASS

N48	30	10	CP-64QAM	H	Outer_Full	16.88	16.24	19.58	18.37	23.00	PASS
N48	30	10	CP-256QAM	H	Inner_1RB_Left	14.02	13.66	16.85	15.64	23.00	PASS
N48	30	10	CP-256QAM	H	Inner_1RB_Right	13.75	13.07	16.43	15.22	23.00	PASS
N48	30	10	CP-256QAM	H	Outer_Full	13.39	13.66	16.54	15.33	23.00	PASS
N48	30	20	CP-QPSK	L	Inner_1RB_Left	19.46	18.84	22.17	20.96	23.00	PASS
N48	30	20	CP-QPSK	L	Inner_1RB_Right	19.19	19.31	22.26	21.05	23.00	PASS
N48	30	20	CP-QPSK	L	Outer_Full	17.76	17.27	20.53	19.32	23.00	PASS
N48	30	20	CP-16QAM	L	Inner_1RB_Left	19.04	18.53	21.80	20.59	23.00	PASS
N48	30	20	CP-16QAM	L	Inner_1RB_Right	19.20	18.32	21.79	20.58	23.00	PASS
N48	30	20	CP-16QAM	L	Outer_Full	17.51	17.14	20.34	19.13	23.00	PASS
N48	30	20	CP-64QAM	L	Inner_1RB_Left	17.42	16.64	20.06	18.85	23.00	PASS
N48	30	20	CP-64QAM	L	Inner_1RB_Right	17.64	16.89	20.29	19.08	23.00	PASS
N48	30	20	CP-64QAM	L	Outer_Full	17.06	16.31	19.71	18.50	23.00	PASS
N48	30	20	CP-256QAM	L	Inner_1RB_Left	14.69	13.58	17.18	15.97	23.00	PASS
N48	30	20	CP-256QAM	L	Inner_1RB_Right	14.54	13.66	17.13	15.92	23.00	PASS
N48	30	20	CP-256QAM	L	Outer_Full	14.07	14.00	17.05	15.84	23.00	PASS
N48	30	20	CP-QPSK	M	Inner_1RB_Left	18.68	18.64	21.67	20.46	23.00	PASS

N48	30	20	CP-QPSK	M	Inner_1RB_Right	19.00	18.37	21.71	20.50	23.00	PASS
N48	30	20	CP-QPSK	M	Outer_Full	17.12	17.37	20.26	19.05	23.00	PASS
N48	30	20	CP-16QAM	M	Inner_1RB_Left	18.78	17.88	21.36	20.15	23.00	PASS
N48	30	20	CP-16QAM	M	Inner_1RB_Right	18.38	17.88	21.15	19.94	23.00	PASS
N48	30	20	CP-16QAM	M	Outer_Full	17.24	17.47	20.37	19.16	23.00	PASS
N48	30	20	CP-64QAM	M	Inner_1RB_Left	17.13	16.69	19.93	18.72	23.00	PASS
N48	30	20	CP-64QAM	M	Inner_1RB_Right	17.01	16.30	19.68	18.47	23.00	PASS
N48	30	20	CP-64QAM	M	Outer_Full	17.15	16.53	19.86	18.65	23.00	PASS
N48	30	20	CP-256QAM	M	Inner_1RB_Left	14.42	13.53	17.01	15.80	23.00	PASS
N48	30	20	CP-256QAM	M	Inner_1RB_Right	14.24	13.14	16.74	15.53	23.00	PASS
N48	30	20	CP-256QAM	M	Outer_Full	13.81	13.88	16.86	15.65	23.00	PASS
N48	30	20	CP-QPSK	H	Inner_1RB_Left	18.50	18.83	21.68	20.47	23.00	PASS
N48	30	20	CP-QPSK	H	Inner_1RB_Right	18.93	18.37	21.67	20.46	23.00	PASS
N48	30	20	CP-QPSK	H	Outer_Full	17.00	17.12	20.07	18.86	23.00	PASS
N48	30	20	CP-16QAM	H	Inner_1RB_Left	18.21	17.87	21.05	19.84	23.00	PASS
N48	30	20	CP-16QAM	H	Inner_1RB_Right	18.57	18.12	21.36	20.15	23.00	PASS
N48	30	20	CP-16QAM	H	Outer_Full	16.96	17.19	20.09	18.88	23.00	PASS

N48	30	20	CP-64QAM	H	Inner_1RB_Left	17.04	16.41	19.75	18.54	23.00	PASS
N48	30	20	CP-64QAM	H	Inner_1RB_Right	17.18	16.47	19.85	18.64	23.00	PASS
N48	30	20	CP-64QAM	H	Outer_Full	16.91	16.70	19.82	18.61	23.00	PASS
N48	30	20	CP-256QAM	H	Inner_1RB_Left	14.16	13.77	16.98	15.77	23.00	PASS
N48	30	20	CP-256QAM	H	Inner_1RB_Right	13.75	13.09	16.44	15.23	23.00	PASS
N48	30	20	CP-256QAM	H	Outer_Full	13.52	13.40	16.47	15.26	23.00	PASS
N48	30	40	CP-QPSK	L	Inner_1RB_Left	19.33	18.64	22.01	20.80	23.00	PASS
N48	30	40	CP-QPSK	L	Inner_1RB_Right	18.88	19.14	22.02	20.81	23.00	PASS
N48	30	40	CP-QPSK	L	Outer_Full	17.65	17.02	20.36	19.15	23.00	PASS
N48	30	40	CP-16QAM	L	Inner_1RB_Left	18.79	18.06	21.45	20.24	23.00	PASS
N48	30	40	CP-16QAM	L	Inner_1RB_Right	18.08	18.35	21.23	20.02	23.00	PASS
N48	30	40	CP-16QAM	L	Outer_Full	17.61	17.63	20.63	19.42	23.00	PASS
N48	30	40	CP-64QAM	L	Inner_1RB_Left	17.54	16.42	20.03	18.82	23.00	PASS
N48	30	40	CP-64QAM	L	Inner_1RB_Right	17.11	16.68	19.91	18.70	23.00	PASS
N48	30	40	CP-64QAM	L	Outer_Full	17.00	16.57	19.80	18.59	23.00	PASS
N48	30	40	CP-256QAM	L	Inner_1RB_Left	14.17	13.80	17.00	15.79	23.00	PASS
N48	30	40	CP-256QAM	L	Inner_1RB_Right	14.23	13.59	16.93	15.72	23.00	PASS

N48	30	40	CP-256QAM	L	Outer_Full	13.84	13.93	16.90	15.69	23.00	PASS
N48	30	40	CP-QPSK	M	Inner_1RB_Left	19.37	18.82	22.11	20.90	23.00	PASS
N48	30	40	CP-QPSK	M	Inner_1RB_Right	19.18	18.12	21.69	20.48	23.00	PASS
N48	30	40	CP-QPSK	M	Outer_Full	17.53	16.86	20.22	19.01	23.00	PASS
N48	30	40	CP-16QAM	M	Inner_1RB_Left	18.72	18.40	21.57	20.36	23.00	PASS
N48	30	40	CP-16QAM	M	Inner_1RB_Right	18.48	17.66	21.10	19.89	23.00	PASS
N48	30	40	CP-16QAM	M	Outer_Full	17.60	16.83	20.24	19.03	23.00	PASS
N48	30	40	CP-64QAM	M	Inner_1RB_Left	17.53	16.94	20.26	19.05	23.00	PASS
N48	30	40	CP-64QAM	M	Inner_1RB_Right	16.92	15.80	19.41	18.20	23.00	PASS
N48	30	40	CP-64QAM	M	Outer_Full	16.89	16.79	19.85	18.64	23.00	PASS
N48	30	40	CP-256QAM	M	Inner_1RB_Left	13.98	13.81	16.91	15.70	23.00	PASS
N48	30	40	CP-256QAM	M	Inner_1RB_Right	14.17	13.12	16.69	15.48	23.00	PASS
N48	30	40	CP-256QAM	M	Outer_Full	14.07	13.86	16.98	15.77	23.00	PASS
N48	30	40	CP-QPSK	H	Inner_1RB_Left	19.31	18.59	21.98	20.77	23.00	PASS
N48	30	40	CP-QPSK	H	Inner_1RB_Right	19.28	18.33	21.84	20.63	23.00	PASS
N48	30	40	CP-QPSK	H	Outer_Full	17.09	16.89	20.00	18.79	23.00	PASS
N48	30	40	CP-16QAM	H	Inner_1RB_Left	18.31	18.09	21.21	20.00	23.00	PASS

N48	30	40	CP-16QAM	H	Inner_1RB_Right	18.12	17.62	20.89	19.68	23.00	PASS
N48	30	40	CP-16QAM	H	Outer_Full	17.34	16.77	20.07	18.86	23.00	PASS
N48	30	40	CP-64QAM	H	Inner_1RB_Left	16.70	16.91	19.82	18.61	23.00	PASS
N48	30	40	CP-64QAM	H	Inner_1RB_Right	17.29	16.63	19.98	18.77	23.00	PASS
N48	30	40	CP-64QAM	H	Outer_Full	16.86	16.69	19.79	18.58	23.00	PASS
N48	30	40	CP-256QAM	H	Inner_1RB_Left	13.77	13.76	16.78	15.57	23.00	PASS
N48	30	40	CP-256QAM	H	Inner_1RB_Right	14.02	13.76	16.90	15.69	23.00	PASS
N48	30	40	CP-256QAM	H	Outer_Full	13.89	13.27	16.60	15.39	23.00	PASS

NR n66 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N66	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	24.25	29.19	30	PASS
N66	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	24.38	29.32	30	PASS
N66	15	5	DFT-PI2BPSK	L	Outer_Full	23.82	28.76	30	PASS
N66	15	5	DFT-QPSK	L	Inner_1RB_Left	24.24	29.18	30	PASS
N66	15	5	DFT-QPSK	L	Inner_1RB_Right	24.21	29.15	30	PASS
N66	15	5	DFT-QPSK	L	Outer_Full	23.29	28.23	30	PASS
N66	15	5	DFT-16QAM	L	Inner_1RB_Left	23.09	28.03	30	PASS
N66	15	5	DFT-16QAM	L	Inner_1RB_Right	23.43	28.37	30	PASS
N66	15	5	DFT-16QAM	L	Outer_Full	22.2	27.14	30	PASS
N66	15	5	DFT-64QAM	L	Inner_1RB_Left	21.96	26.9	30	PASS
N66	15	5	DFT-64QAM	L	Inner_1RB_Right	21.7	26.64	30	PASS
N66	15	5	DFT-64QAM	L	Outer_Full	21.87	26.81	30	PASS
N66	15	5	DFT-256QAM	L	Inner_1RB_Left	19.46	24.4	30	PASS
N66	15	5	DFT-256QAM	L	Inner_1RB_Right	19.29	24.23	30	PASS
N66	15	5	DFT-256QAM	L	Outer_Full	19.77	24.71	30	PASS
N66	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	24.57	29.51	30	PASS
N66	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	24.01	28.95	30	PASS
N66	15	5	DFT-PI2BPSK	M	Outer_Full	23.72	28.66	30	PASS
N66	15	5	DFT-QPSK	M	Inner_1RB_Left	24.5	29.44	30	PASS
N66	15	5	DFT-QPSK	M	Inner_1RB_Right	24.22	29.16	30	PASS
N66	15	5	DFT-QPSK	M	Outer_Full	23.14	28.08	30	PASS
N66	15	5	DFT-16QAM	M	Inner_1RB_Left	22.95	27.89	30	PASS
N66	15	5	DFT-16QAM	M	Inner_1RB_Right	23.04	27.98	30	PASS

N66	15	5	DFT-16QAM	M	Outer_Full	22.62	27.56	30	PASS
N66	15	5	DFT-64QAM	M	Inner_1RB_Left	22.04	26.98	30	PASS
N66	15	5	DFT-64QAM	M	Inner_1RB_Right	21.76	26.7	30	PASS
N66	15	5	DFT-64QAM	M	Outer_Full	21.46	26.4	30	PASS
N66	15	5	DFT-256QAM	M	Inner_1RB_Left	19.43	24.37	30	PASS
N66	15	5	DFT-256QAM	M	Inner_1RB_Right	19.33	24.27	30	PASS
N66	15	5	DFT-256QAM	M	Outer_Full	19.39	24.33	30	PASS
N66	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.73	28.67	30	PASS
N66	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.74	28.68	30	PASS
N66	15	5	DFT-PI2BPSK	H	Outer_Full	23.4	28.34	30	PASS
N66	15	5	DFT-QPSK	H	Inner_1RB_Left	24.1	29.04	30	PASS
N66	15	5	DFT-QPSK	H	Inner_1RB_Right	23.92	28.86	30	PASS
N66	15	5	DFT-QPSK	H	Outer_Full	23.29	28.23	30	PASS
N66	15	5	DFT-16QAM	H	Inner_1RB_Left	23.1	28.04	30	PASS
N66	15	5	DFT-16QAM	H	Inner_1RB_Right	23.2	28.14	30	PASS
N66	15	5	DFT-16QAM	H	Outer_Full	21.85	26.79	30	PASS
N66	15	5	DFT-64QAM	H	Inner_1RB_Left	21.65	26.59	30	PASS
N66	15	5	DFT-64QAM	H	Inner_1RB_Right	22.03	26.97	30	PASS
N66	15	5	DFT-64QAM	H	Outer_Full	21.94	26.88	30	PASS
N66	15	5	DFT-256QAM	H	Inner_1RB_Left	18.95	23.89	30	PASS
N66	15	5	DFT-256QAM	H	Inner_1RB_Right	18.7	23.64	30	PASS
N66	15	5	DFT-256QAM	H	Outer_Full	19.41	24.35	30	PASS
N66	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	24.16	29.1	30	PASS
N66	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	24.05	28.99	30	PASS

N66	15	10	DFT-PI2BPSK	L	Outer_Full	23.72	28.66	30	PASS
N66	15	10	DFT-QPSK	L	Inner_1RB_Left	23.86	28.8	30	PASS
N66	15	10	DFT-QPSK	L	Inner_1RB_Right	23.77	28.71	30	PASS
N66	15	10	DFT-QPSK	L	Outer_Full	23.24	28.18	30	PASS
N66	15	10	DFT-16QAM	L	Inner_1RB_Left	22.79	27.73	30	PASS
N66	15	10	DFT-16QAM	L	Inner_1RB_Right	23.44	28.38	30	PASS
N66	15	10	DFT-16QAM	L	Outer_Full	21.88	26.82	30	PASS
N66	15	10	DFT-64QAM	L	Inner_1RB_Left	21.58	26.52	30	PASS
N66	15	10	DFT-64QAM	L	Inner_1RB_Right	21.95	26.89	30	PASS
N66	15	10	DFT-64QAM	L	Outer_Full	21.65	26.59	30	PASS
N66	15	10	DFT-256QAM	L	Inner_1RB_Left	19.27	24.21	30	PASS
N66	15	10	DFT-256QAM	L	Inner_1RB_Right	19.06	24	30	PASS
N66	15	10	DFT-256QAM	L	Outer_Full	20	24.94	30	PASS
N66	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	24.04	28.98	30	PASS
N66	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.87	28.81	30	PASS
N66	15	10	DFT-PI2BPSK	M	Outer_Full	24.06	29	30	PASS
N66	15	10	DFT-QPSK	M	Inner_1RB_Left	24.22	29.16	30	PASS
N66	15	10	DFT-QPSK	M	Inner_1RB_Right	24.26	29.2	30	PASS
N66	15	10	DFT-QPSK	M	Outer_Full	23.3	28.24	30	PASS
N66	15	10	DFT-16QAM	M	Inner_1RB_Left	22.96	27.9	30	PASS
N66	15	10	DFT-16QAM	M	Inner_1RB_Right	22.88	27.82	30	PASS
N66	15	10	DFT-16QAM	M	Outer_Full	22.34	27.28	30	PASS
N66	15	10	DFT-64QAM	M	Inner_1RB_Left	22.21	27.15	30	PASS
N66	15	10	DFT-64QAM	M	Inner_1RB_Right	21.65	26.59	30	PASS
N66	15	10	DFT-64QAM	M	Outer_Full	21.87	26.81	30	PASS

N66	15	10	DFT-256QAM	M	Inner_1RB_Left	19.01	23.95	30	PASS
N66	15	10	DFT-256QAM	M	Inner_1RB_Right	18.81	23.75	30	PASS
N66	15	10	DFT-256QAM	M	Outer_Full	20	24.94	30	PASS
N66	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	23.97	28.91	30	PASS
N66	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	23.85	28.79	30	PASS
N66	15	10	DFT-PI2BPSK	H	Outer_Full	23.64	28.58	30	PASS
N66	15	10	DFT-QPSK	H	Inner_1RB_Left	24.06	29	30	PASS
N66	15	10	DFT-QPSK	H	Inner_1RB_Right	23.58	28.52	30	PASS
N66	15	10	DFT-QPSK	H	Outer_Full	23.02	27.96	30	PASS
N66	15	10	DFT-16QAM	H	Inner_1RB_Left	22.67	27.61	30	PASS
N66	15	10	DFT-16QAM	H	Inner_1RB_Right	22.81	27.75	30	PASS
N66	15	10	DFT-16QAM	H	Outer_Full	22.11	27.05	30	PASS
N66	15	10	DFT-64QAM	H	Inner_1RB_Left	21.88	26.82	30	PASS
N66	15	10	DFT-64QAM	H	Inner_1RB_Right	21.85	26.79	30	PASS
N66	15	10	DFT-64QAM	H	Outer_Full	21.76	26.7	30	PASS
N66	15	10	DFT-256QAM	H	Inner_1RB_Left	19.01	23.95	30	PASS
N66	15	10	DFT-256QAM	H	Inner_1RB_Right	19.17	24.11	30	PASS
N66	15	10	DFT-256QAM	H	Outer_Full	19.49	24.43	30	PASS
N66	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	24.71	29.65	30	PASS
N66	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	24.23	29.17	30	PASS
N66	15	15	DFT-PI2BPSK	L	Outer_Full	24.19	29.13	30	PASS
N66	15	15	DFT-QPSK	L	Inner_1RB_Left	24.73	29.67	30	PASS
N66	15	15	DFT-QPSK	L	Inner_1RB_Right	24.17	29.11	30	PASS
N66	15	15	DFT-QPSK	L	Outer_Full	23.64	28.58	30	PASS
N66	15	15	DFT-16QAM	L	Inner_1RB_Left	23.59	28.53	30	PASS

N66	15	15	DFT-16QAM	L	Inner_1RB_Right	23.42	28.36	30	PASS
N66	15	15	DFT-16QAM	L	Outer_Full	22.35	27.29	30	PASS
N66	15	15	DFT-64QAM	L	Inner_1RB_Left	22.55	27.49	30	PASS
N66	15	15	DFT-64QAM	L	Inner_1RB_Right	22.32	27.26	30	PASS
N66	15	15	DFT-64QAM	L	Outer_Full	22.24	27.18	30	PASS
N66	15	15	DFT-256QAM	L	Inner_1RB_Left	19.49	24.43	30	PASS
N66	15	15	DFT-256QAM	L	Inner_1RB_Right	19.76	24.7	30	PASS
N66	15	15	DFT-256QAM	L	Outer_Full	20.25	25.19	30	PASS
N66	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	24.5	29.44	30	PASS
N66	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	24.29	29.23	30	PASS
N66	15	15	DFT-PI2BPSK	M	Outer_Full	23.89	28.83	30	PASS
N66	15	15	DFT-QPSK	M	Inner_1RB_Left	24.41	29.35	30	PASS
N66	15	15	DFT-QPSK	M	Inner_1RB_Right	24.08	29.02	30	PASS
N66	15	15	DFT-QPSK	M	Outer_Full	23.4	28.34	30	PASS
N66	15	15	DFT-16QAM	M	Inner_1RB_Left	23.08	28.02	30	PASS
N66	15	15	DFT-16QAM	M	Inner_1RB_Right	22.86	27.8	30	PASS
N66	15	15	DFT-16QAM	M	Outer_Full	22.19	27.13	30	PASS
N66	15	15	DFT-64QAM	M	Inner_1RB_Left	21.77	26.71	30	PASS
N66	15	15	DFT-64QAM	M	Inner_1RB_Right	21.69	26.63	30	PASS
N66	15	15	DFT-64QAM	M	Outer_Full	22.15	27.09	30	PASS
N66	15	15	DFT-256QAM	M	Inner_1RB_Left	19.04	23.98	30	PASS
N66	15	15	DFT-256QAM	M	Inner_1RB_Right	18.93	23.87	30	PASS
N66	15	15	DFT-256QAM	M	Outer_Full	19.83	24.77	30	PASS
N66	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	24.18	29.12	30	PASS

N66	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	24.17	29.11	30	PASS
N66	15	15	DFT-PI2BPSK	H	Outer_Full	23.76	28.7	30	PASS
N66	15	15	DFT-QPSK	H	Inner_1RB_Left	23.82	28.76	30	PASS
N66	15	15	DFT-QPSK	H	Inner_1RB_Right	23.82	28.76	30	PASS
N66	15	15	DFT-QPSK	H	Outer_Full	23.29	28.23	30	PASS
N66	15	15	DFT-16QAM	H	Inner_1RB_Left	23.2	28.14	30	PASS
N66	15	15	DFT-16QAM	H	Inner_1RB_Right	23.16	28.1	30	PASS
N66	15	15	DFT-16QAM	H	Outer_Full	22.24	27.18	30	PASS
N66	15	15	DFT-64QAM	H	Inner_1RB_Left	22.23	27.17	30	PASS
N66	15	15	DFT-64QAM	H	Inner_1RB_Right	22.05	26.99	30	PASS
N66	15	15	DFT-64QAM	H	Outer_Full	21.7	26.64	30	PASS
N66	15	15	DFT-256QAM	H	Inner_1RB_Left	19.44	24.38	30	PASS
N66	15	15	DFT-256QAM	H	Inner_1RB_Right	18.8	23.74	30	PASS
N66	15	15	DFT-256QAM	H	Outer_Full	19.78	24.72	30	PASS
N66	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	24.73	29.67	30	PASS
N66	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	24.63	29.57	30	PASS
N66	15	20	DFT-PI2BPSK	L	Outer_Full	23.98	28.92	30	PASS
N66	15	20	DFT-QPSK	L	Inner_1RB_Left	24.14	29.08	30	PASS
N66	15	20	DFT-QPSK	L	Inner_1RB_Right	24.45	29.39	30	PASS
N66	15	20	DFT-QPSK	L	Outer_Full	23.91	28.85	30	PASS
N66	15	20	DFT-16QAM	L	Inner_1RB_Left	23.21	28.15	30	PASS
N66	15	20	DFT-16QAM	L	Inner_1RB_Right	23.38	28.32	30	PASS
N66	15	20	DFT-16QAM	L	Outer_Full	22.8	27.74	30	PASS
N66	15	20	DFT-64QAM	L	Inner_1RB_Left	22.32	27.26	30	PASS
N66	15	20	DFT-64QAM	L	Inner_1RB_Right	22.02	26.96	30	PASS

N66	15	20	DFT-64QAM	L	Outer_Full	22.14	27.08	30	PASS
N66	15	20	DFT-256QAM	L	Inner_1RB_Left	19.24	24.18	30	PASS
N66	15	20	DFT-256QAM	L	Inner_1RB_Right	19.1	24.04	30	PASS
N66	15	20	DFT-256QAM	L	Outer_Full	19.99	24.93	30	PASS
N66	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	24.39	29.33	30	PASS
N66	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	23.87	28.81	30	PASS
N66	15	20	DFT-PI2BPSK	M	Outer_Full	23.82	28.76	30	PASS
N66	15	20	DFT-QPSK	M	Inner_1RB_Left	24.36	29.3	30	PASS
N66	15	20	DFT-QPSK	M	Inner_1RB_Right	23.71	28.65	30	PASS
N66	15	20	DFT-QPSK	M	Outer_Full	23.32	28.26	30	PASS
N66	15	20	DFT-16QAM	M	Inner_1RB_Left	23.29	28.23	30	PASS
N66	15	20	DFT-16QAM	M	Inner_1RB_Right	22.73	27.67	30	PASS
N66	15	20	DFT-16QAM	M	Outer_Full	22.07	27.01	30	PASS
N66	15	20	DFT-64QAM	M	Inner_1RB_Left	22.18	27.12	30	PASS
N66	15	20	DFT-64QAM	M	Inner_1RB_Right	22.05	26.99	30	PASS
N66	15	20	DFT-64QAM	M	Outer_Full	21.56	26.5	30	PASS
N66	15	20	DFT-256QAM	M	Inner_1RB_Left	19.38	24.32	30	PASS
N66	15	20	DFT-256QAM	M	Inner_1RB_Right	19.33	24.27	30	PASS
N66	15	20	DFT-256QAM	M	Outer_Full	19.7	24.64	30	PASS
N66	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	24.25	29.19	30	PASS
N66	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	24.05	28.99	30	PASS
N66	15	20	DFT-PI2BPSK	H	Outer_Full	23.47	28.41	30	PASS
N66	15	20	DFT-QPSK	H	Inner_1RB_Left	24.34	29.28	30	PASS
N66	15	20	DFT-QPSK	H	Inner_1RB_Right	24.01	28.95	30	PASS
N66	15	20	DFT-QPSK	H	Outer_Full	23.04	27.98	30	PASS

N66	15	20	DFT-16QAM	H	Inner_1RB_Left	23.25	28.19	30	PASS
N66	15	20	DFT-16QAM	H	Inner_1RB_Right	22.77	27.71	30	PASS
N66	15	20	DFT-16QAM	H	Outer_Full	22.46	27.4	30	PASS
N66	15	20	DFT-64QAM	H	Inner_1RB_Left	21.97	26.91	30	PASS
N66	15	20	DFT-64QAM	H	Inner_1RB_Right	21.55	26.49	30	PASS
N66	15	20	DFT-64QAM	H	Outer_Full	21.87	26.81	30	PASS
N66	15	20	DFT-256QAM	H	Inner_1RB_Left	19.37	24.31	30	PASS
N66	15	20	DFT-256QAM	H	Inner_1RB_Right	18.99	23.93	30	PASS
N66	15	20	DFT-256QAM	H	Outer_Full	19.44	24.38	30	PASS
N66	15	30	DFT-PI2BPSK	L	Inner_1RB_Left	24.69	29.63	30	PASS
N66	15	30	DFT-PI2BPSK	L	Inner_1RB_Right	24.46	29.4	30	PASS
N66	15	30	DFT-PI2BPSK	L	Outer_Full	24.3	29.24	30	PASS
N66	15	30	DFT-QPSK	L	Inner_1RB_Left	24.15	29.09	30	PASS
N66	15	30	DFT-QPSK	L	Inner_1RB_Right	24.17	29.11	30	PASS
N66	15	30	DFT-QPSK	L	Outer_Full	23.81	28.75	30	PASS
N66	15	30	DFT-16QAM	L	Inner_1RB_Left	23.25	28.19	30	PASS
N66	15	30	DFT-16QAM	L	Inner_1RB_Right	23.06	28	30	PASS
N66	15	30	DFT-16QAM	L	Outer_Full	22.37	27.31	30	PASS
N66	15	30	DFT-64QAM	L	Inner_1RB_Left	22.22	27.16	30	PASS
N66	15	30	DFT-64QAM	L	Inner_1RB_Right	22.18	27.12	30	PASS
N66	15	30	DFT-64QAM	L	Outer_Full	21.96	26.9	30	PASS
N66	15	30	DFT-256QAM	L	Inner_1RB_Left	19.69	24.63	30	PASS
N66	15	30	DFT-256QAM	L	Inner_1RB_Right	19.6	24.54	30	PASS
N66	15	30	DFT-256QAM	L	Outer_Full	19.65	24.59	30	PASS

N66	15	30	DFT-PI2BPSK	M	Inner_1RB_Left	24.74	29.68	30	PASS
N66	15	30	DFT-PI2BPSK	M	Inner_1RB_Right	24.06	29	30	PASS
N66	15	30	DFT-PI2BPSK	M	Outer_Full	23.75	28.69	30	PASS
N66	15	30	DFT-QPSK	M	Inner_1RB_Left	24.18	29.12	30	PASS
N66	15	30	DFT-QPSK	M	Inner_1RB_Right	23.74	28.68	30	PASS
N66	15	30	DFT-QPSK	M	Outer_Full	23.64	28.58	30	PASS
N66	15	30	DFT-16QAM	M	Inner_1RB_Left	23.01	27.95	30	PASS
N66	15	30	DFT-16QAM	M	Inner_1RB_Right	23.19	28.13	30	PASS
N66	15	30	DFT-16QAM	M	Outer_Full	22.18	27.12	30	PASS
N66	15	30	DFT-64QAM	M	Inner_1RB_Left	21.78	26.72	30	PASS
N66	15	30	DFT-64QAM	M	Inner_1RB_Right	21.97	26.91	30	PASS
N66	15	30	DFT-64QAM	M	Outer_Full	21.59	26.53	30	PASS
N66	15	30	DFT-256QAM	M	Inner_1RB_Left	19.35	24.29	30	PASS
N66	15	30	DFT-256QAM	M	Inner_1RB_Right	19.36	24.3	30	PASS
N66	15	30	DFT-256QAM	M	Outer_Full	19.98	24.92	30	PASS
N66	15	30	DFT-PI2BPSK	H	Inner_1RB_Left	23.92	28.86	30	PASS
N66	15	30	DFT-PI2BPSK	H	Inner_1RB_Right	23.95	28.89	30	PASS
N66	15	30	DFT-PI2BPSK	H	Outer_Full	23.92	28.86	30	PASS
N66	15	30	DFT-QPSK	H	Inner_1RB_Left	24.34	29.28	30	PASS
N66	15	30	DFT-QPSK	H	Inner_1RB_Right	23.8	28.74	30	PASS
N66	15	30	DFT-QPSK	H	Outer_Full	23.21	28.15	30	PASS
N66	15	30	DFT-16QAM	H	Inner_1RB_Left	23.14	28.08	30	PASS
N66	15	30	DFT-16QAM	H	Inner_1RB_Right	22.95	27.89	30	PASS
N66	15	30	DFT-16QAM	H	Outer_Full	21.96	26.9	30	PASS
N66	15	30	DFT-64QAM	H	Inner_1RB_Left	22.11	27.05	30	PASS

N66	15	30	DFT-64QAM	H	Inner_1RB_Right	21.78	26.72	30	PASS
N66	15	30	DFT-64QAM	H	Outer_Full	21.41	26.35	30	PASS
N66	15	30	DFT-256QAM	H	Inner_1RB_Left	19.1	24.04	30	PASS
N66	15	30	DFT-256QAM	H	Inner_1RB_Right	18.83	23.77	30	PASS
N66	15	30	DFT-256QAM	H	Outer_Full	19.99	24.93	30	PASS
N66	15	40	DFT-PI2BPSK	L	Inner_1RB_Left	24.71	29.65	30	PASS
N66	15	40	DFT-PI2BPSK	L	Inner_1RB_Right	24.55	29.49	30	PASS
N66	15	40	DFT-PI2BPSK	L	Outer_Full	23.87	28.81	30	PASS
N66	15	40	DFT-QPSK	L	Inner_1RB_Left	24.66	29.6	30	PASS
N66	15	40	DFT-QPSK	L	Inner_1RB_Right	24.33	29.27	30	PASS
N66	15	40	DFT-QPSK	L	Outer_Full	23.56	28.5	30	PASS
N66	15	40	DFT-16QAM	L	Inner_1RB_Left	23.58	28.52	30	PASS
N66	15	40	DFT-16QAM	L	Inner_1RB_Right	23.49	28.43	30	PASS
N66	15	40	DFT-16QAM	L	Outer_Full	22.28	27.22	30	PASS
N66	15	40	DFT-64QAM	L	Inner_1RB_Left	22.3	27.24	30	PASS
N66	15	40	DFT-64QAM	L	Inner_1RB_Right	21.98	26.92	30	PASS
N66	15	40	DFT-64QAM	L	Outer_Full	21.96	26.9	30	PASS
N66	15	40	DFT-256QAM	L	Inner_1RB_Left	19.82	24.76	30	PASS
N66	15	40	DFT-256QAM	L	Inner_1RB_Right	19.21	24.15	30	PASS
N66	15	40	DFT-256QAM	L	Outer_Full	20.27	25.21	30	PASS
N66	15	40	DFT-PI2BPSK	M	Inner_1RB_Left	24.05	28.99	30	PASS
N66	15	40	DFT-PI2BPSK	M	Inner_1RB_Right	24.5	29.44	30	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	23.75	28.69	30	PASS
N66	15	40	DFT-QPSK	M	Inner_1RB_Left	24.56	29.5	30	PASS
N66	15	40	DFT-QPSK	M	Inner_1RB_Right	23.87	28.81	30	PASS

N66	15	40	DFT-QPSK	M	Outer_Full	23.57	28.51	30	PASS
N66	15	40	DFT-16QAM	M	Inner_1RB_Left	23.03	27.97	30	PASS
N66	15	40	DFT-16QAM	M	Inner_1RB_Right	23.51	28.45	30	PASS
N66	15	40	DFT-16QAM	M	Outer_Full	22.38	27.32	30	PASS
N66	15	40	DFT-64QAM	M	Inner_1RB_Left	22.3	27.24	30	PASS
N66	15	40	DFT-64QAM	M	Inner_1RB_Right	21.63	26.57	30	PASS
N66	15	40	DFT-64QAM	M	Outer_Full	21.93	26.87	30	PASS
N66	15	40	DFT-256QAM	M	Inner_1RB_Left	19.74	24.68	30	PASS
N66	15	40	DFT-256QAM	M	Inner_1RB_Right	19.26	24.2	30	PASS
N66	15	40	DFT-256QAM	M	Outer_Full	20.06	25	30	PASS
N66	15	40	DFT-PI2BPSK	H	Inner_1RB_Left	24.66	29.6	30	PASS
N66	15	40	DFT-PI2BPSK	H	Inner_1RB_Right	24.48	29.42	30	PASS
N66	15	40	DFT-PI2BPSK	H	Outer_Full	23.56	28.5	30	PASS
N66	15	40	DFT-QPSK	H	Inner_1RB_Left	24.39	29.33	30	PASS
N66	15	40	DFT-QPSK	H	Inner_1RB_Right	24.01	28.95	30	PASS
N66	15	40	DFT-QPSK	H	Outer_Full	23.08	28.02	30	PASS
N66	15	40	DFT-16QAM	H	Inner_1RB_Left	23.44	28.38	30	PASS
N66	15	40	DFT-16QAM	H	Inner_1RB_Right	23.23	28.17	30	PASS
N66	15	40	DFT-16QAM	H	Outer_Full	22.05	26.99	30	PASS
N66	15	40	DFT-64QAM	H	Inner_1RB_Left	21.98	26.92	30	PASS
N66	15	40	DFT-64QAM	H	Inner_1RB_Right	21.61	26.55	30	PASS
N66	15	40	DFT-64QAM	H	Outer_Full	21.6	26.54	30	PASS
N66	15	40	DFT-256QAM	H	Inner_1RB_Left	19.64	24.58	30	PASS
N66	15	40	DFT-256QAM	H	Inner_1RB_Right	19.25	24.19	30	PASS
N66	15	40	DFT-256QAM	H	Outer_Full	19.65	24.59	30	PASS

NR n70 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N70	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.2	27.94	30	PASS
N70	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.28	28.02	30	PASS
N70	15	5	DFT-PI2BPSK	L	Outer_Full	22.53	27.27	30	PASS
N70	15	5	DFT-QPSK	L	Inner_1RB_Left	22.74	27.48	30	PASS
N70	15	5	DFT-QPSK	L	Inner_1RB_Right	23.09	27.83	30	PASS
N70	15	5	DFT-QPSK	L	Outer_Full	21.75	26.49	30	PASS
N70	15	5	DFT-16QAM	L	Inner_1RB_Left	22.22	26.96	30	PASS
N70	15	5	DFT-16QAM	L	Inner_1RB_Right	21.79	26.53	30	PASS
N70	15	5	DFT-16QAM	L	Outer_Full	20.76	25.5	30	PASS
N70	15	5	DFT-64QAM	L	Inner_1RB_Left	20.76	25.5	30	PASS
N70	15	5	DFT-64QAM	L	Inner_1RB_Right	20.31	25.05	30	PASS
N70	15	5	DFT-64QAM	L	Outer_Full	20.34	25.08	30	PASS
N70	15	5	DFT-256QAM	L	Inner_1RB_Left	17.65	22.39	30	PASS
N70	15	5	DFT-256QAM	L	Inner_1RB_Right	18.24	22.98	30	PASS
N70	15	5	DFT-256QAM	L	Outer_Full	18.7	23.44	30	PASS
N70	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.17	27.91	30	PASS
N70	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	22.96	27.7	30	PASS
N70	15	5	DFT-PI2BPSK	M	Outer_Full	22.44	27.18	30	PASS
N70	15	5	DFT-QPSK	M	Inner_1RB_Left	22.57	27.31	30	PASS
N70	15	5	DFT-QPSK	M	Inner_1RB_Right	22.68	27.42	30	PASS
N70	15	5	DFT-QPSK	M	Outer_Full	21.71	26.45	30	PASS
N70	15	5	DFT-16QAM	M	Inner_1RB_Left	21.68	26.42	30	PASS
N70	15	5	DFT-16QAM	M	Inner_1RB_Right	21.93	26.67	30	PASS
N70	15	5	DFT-16QAM	M	Outer_Full	20.65	25.39	30	PASS

N70	15	5	DFT-64QAM	M	Inner_1RB_Left	20.72	25.46	30	PASS
N70	15	5	DFT-64QAM	M	Inner_1RB_Right	20.63	25.37	30	PASS
N70	15	5	DFT-64QAM	M	Outer_Full	20.25	24.99	30	PASS
N70	15	5	DFT-256QAM	M	Inner_1RB_Left	18.13	22.87	30	PASS
N70	15	5	DFT-256QAM	M	Inner_1RB_Right	17.66	22.4	30	PASS
N70	15	5	DFT-256QAM	M	Outer_Full	18.03	22.77	30	PASS
N70	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.06	27.8	30	PASS
N70	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	22.65	27.39	30	PASS
N70	15	5	DFT-PI2BPSK	H	Outer_Full	22.2	26.94	30	PASS
N70	15	5	DFT-QPSK	H	Inner_1RB_Left	22.79	27.53	30	PASS
N70	15	5	DFT-QPSK	H	Inner_1RB_Right	22.55	27.29	30	PASS
N70	15	5	DFT-QPSK	H	Outer_Full	21.94	26.68	30	PASS
N70	15	5	DFT-16QAM	H	Inner_1RB_Left	21.77	26.51	30	PASS
N70	15	5	DFT-16QAM	H	Inner_1RB_Right	21.84	26.58	30	PASS
N70	15	5	DFT-16QAM	H	Outer_Full	21.14	25.88	30	PASS
N70	15	5	DFT-64QAM	H	Inner_1RB_Left	20.65	25.39	30	PASS
N70	15	5	DFT-64QAM	H	Inner_1RB_Right	20.74	25.48	30	PASS
N70	15	5	DFT-64QAM	H	Outer_Full	20.56	25.3	30	PASS
N70	15	5	DFT-256QAM	H	Inner_1RB_Left	17.84	22.58	30	PASS
N70	15	5	DFT-256QAM	H	Inner_1RB_Right	18.11	22.85	30	PASS
N70	15	5	DFT-256QAM	H	Outer_Full	18.73	23.47	30	PASS
N70	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	22.8	27.54	30	PASS
N70	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	22.79	27.53	30	PASS
N70	15	10	DFT-PI2BPSK	L	Outer_Full	22.28	27.02	30	PASS
N70	15	10	DFT-QPSK	L	Inner_1RB_Left	22.8	27.54	30	PASS

N70	15	10	DFT-QPSK	L	Inner_1RB_Right	22.79	27.53	30	PASS
N70	15	10	DFT-QPSK	L	Outer_Full	22.32	27.06	30	PASS
N70	15	10	DFT-16QAM	L	Inner_1RB_Left	21.72	26.46	30	PASS
N70	15	10	DFT-16QAM	L	Inner_1RB_Right	21.85	26.59	30	PASS
N70	15	10	DFT-16QAM	L	Outer_Full	20.73	25.47	30	PASS
N70	15	10	DFT-64QAM	L	Inner_1RB_Left	20.34	25.08	30	PASS
N70	15	10	DFT-64QAM	L	Inner_1RB_Right	20.86	25.6	30	PASS
N70	15	10	DFT-64QAM	L	Outer_Full	20.32	25.06	30	PASS
N70	15	10	DFT-256QAM	L	Inner_1RB_Left	17.99	22.73	30	PASS
N70	15	10	DFT-256QAM	L	Inner_1RB_Right	18.23	22.97	30	PASS
N70	15	10	DFT-256QAM	L	Outer_Full	18.46	23.2	30	PASS
N70	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	22.73	27.47	30	PASS
N70	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.03	27.77	30	PASS
N70	15	10	DFT-PI2BPSK	M	Outer_Full	22.12	26.86	30	PASS
N70	15	10	DFT-QPSK	M	Inner_1RB_Left	22.67	27.41	30	PASS
N70	15	10	DFT-QPSK	M	Inner_1RB_Right	22.97	27.71	30	PASS
N70	15	10	DFT-QPSK	M	Outer_Full	22.13	26.87	30	PASS
N70	15	10	DFT-16QAM	M	Inner_1RB_Left	21.46	26.2	30	PASS
N70	15	10	DFT-16QAM	M	Inner_1RB_Right	22.18	26.92	30	PASS
N70	15	10	DFT-16QAM	M	Outer_Full	20.84	25.58	30	PASS
N70	15	10	DFT-64QAM	M	Inner_1RB_Left	20.29	25.03	30	PASS
N70	15	10	DFT-64QAM	M	Inner_1RB_Right	20.23	24.97	30	PASS
N70	15	10	DFT-64QAM	M	Outer_Full	20.36	25.1	30	PASS
N70	15	10	DFT-256QAM	M	Inner_1RB_Left	18.04	22.78	30	PASS
N70	15	10	DFT-256QAM	M	Inner_1RB_Right	17.8	22.54	30	PASS

N70	15	10	DFT-256QAM	M	Outer_Full	18.7	23.44	30	PASS
N70	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	23.11	27.85	30	PASS
N70	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	22.76	27.5	30	PASS
N70	15	10	DFT-PI2BPSK	H	Outer_Full	22.28	27.02	30	PASS
N70	15	10	DFT-QPSK	H	Inner_1RB_Left	22.64	27.38	30	PASS
N70	15	10	DFT-QPSK	H	Inner_1RB_Right	22.65	27.39	30	PASS
N70	15	10	DFT-QPSK	H	Outer_Full	22.16	26.9	30	PASS
N70	15	10	DFT-16QAM	H	Inner_1RB_Left	21.67	26.41	30	PASS
N70	15	10	DFT-16QAM	H	Inner_1RB_Right	21.9	26.64	30	PASS
N70	15	10	DFT-16QAM	H	Outer_Full	21.67	26.41	30	PASS
N70	15	10	DFT-64QAM	H	Inner_1RB_Left	20	24.74	30	PASS
N70	15	10	DFT-64QAM	H	Inner_1RB_Right	20.12	24.86	30	PASS
N70	15	10	DFT-64QAM	H	Outer_Full	19.8	24.54	30	PASS
N70	15	10	DFT-256QAM	H	Inner_1RB_Left	18.06	22.8	30	PASS
N70	15	10	DFT-256QAM	H	Inner_1RB_Right	17.82	22.56	30	PASS
N70	15	10	DFT-256QAM	H	Outer_Full	18.66	23.4	30	PASS
N70	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	23.03	27.77	30	PASS
N70	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	22.98	27.72	30	PASS
N70	15	15	DFT-PI2BPSK	L	Outer_Full	22.29	27.03	30	PASS
N70	15	15	DFT-QPSK	L	Inner_1RB_Left	22.59	27.33	30	PASS
N70	15	15	DFT-QPSK	L	Inner_1RB_Right	23.03	27.77	30	PASS
N70	15	15	DFT-QPSK	L	Outer_Full	21.89	26.63	30	PASS
N70	15	15	DFT-16QAM	L	Inner_1RB_Left	21.66	26.4	30	PASS
N70	15	15	DFT-16QAM	L	Inner_1RB_Right	22.12	26.86	30	PASS
N70	15	15	DFT-16QAM	L	Outer_Full	21.39	26.13	30	PASS

N70	15	15	DFT-64QAM	L	Inner_1RB_Left	20.97	25.71	30	PASS
N70	15	15	DFT-64QAM	L	Inner_1RB_Right	20.49	25.23	30	PASS
N70	15	15	DFT-64QAM	L	Outer_Full	20.53	25.27	30	PASS
N70	15	15	DFT-256QAM	L	Inner_1RB_Left	18.04	22.78	30	PASS
N70	15	15	DFT-256QAM	L	Inner_1RB_Right	18.35	23.09	30	PASS
N70	15	15	DFT-256QAM	L	Outer_Full	18.71	23.45	30	PASS
N70	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	23.11	27.85	30	PASS
N70	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	23.34	28.08	30	PASS
N70	15	15	DFT-PI2BPSK	M	Outer_Full	22.51	27.25	30	PASS
N70	15	15	DFT-QPSK	M	Inner_1RB_Left	22.91	27.65	30	PASS
N70	15	15	DFT-QPSK	M	Inner_1RB_Right	23.23	27.97	30	PASS
N70	15	15	DFT-QPSK	M	Outer_Full	22.13	26.87	30	PASS
N70	15	15	DFT-16QAM	M	Inner_1RB_Left	22.04	26.78	30	PASS
N70	15	15	DFT-16QAM	M	Inner_1RB_Right	22.39	27.13	30	PASS
N70	15	15	DFT-16QAM	M	Outer_Full	21.24	25.98	30	PASS
N70	15	15	DFT-64QAM	M	Inner_1RB_Left	20.83	25.57	30	PASS
N70	15	15	DFT-64QAM	M	Inner_1RB_Right	20.71	25.45	30	PASS
N70	15	15	DFT-64QAM	M	Outer_Full	20.95	25.69	30	PASS
N70	15	15	DFT-256QAM	M	Inner_1RB_Left	17.86	22.6	30	PASS
N70	15	15	DFT-256QAM	M	Inner_1RB_Right	18.12	22.86	30	PASS
N70	15	15	DFT-256QAM	M	Outer_Full	18.54	23.28	30	PASS
N70	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	22.87	27.61	30	PASS
N70	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	23.31	28.05	30	PASS
N70	15	15	DFT-PI2BPSK	H	Outer_Full	22.42	27.16	30	PASS
N70	15	15	DFT-QPSK	H	Inner_1RB_Left	23.28	28.02	30	PASS

N70	15	15	DFT-QPSK	H	Inner_1RB_Right	22.68	27.42	30	PASS
N70	15	15	DFT-QPSK	H	Outer_Full	22.15	26.89	30	PASS
N70	15	15	DFT-16QAM	H	Inner_1RB_Left	22.05	26.79	30	PASS
N70	15	15	DFT-16QAM	H	Inner_1RB_Right	22.37	27.11	30	PASS
N70	15	15	DFT-16QAM	H	Outer_Full	20.82	25.56	30	PASS
N70	15	15	DFT-64QAM	H	Inner_1RB_Left	20.46	25.2	30	PASS
N70	15	15	DFT-64QAM	H	Inner_1RB_Right	20.44	25.18	30	PASS
N70	15	15	DFT-64QAM	H	Outer_Full	20.37	25.11	30	PASS
N70	15	15	DFT-256QAM	H	Inner_1RB_Left	17.9	22.64	30	PASS
N70	15	15	DFT-256QAM	H	Inner_1RB_Right	17.77	22.51	30	PASS
N70	15	15	DFT-256QAM	H	Outer_Full	18.31	23.05	30	PASS

NR n71 :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N71	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	24.66	26.02	34.77	PASS
N71	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	24.01	25.37	34.77	PASS
N71	15	5	DFT-PI2BPSK	L	Outer_Full	23.87	25.23	34.77	PASS
N71	15	5	DFT-QPSK	L	Inner_1RB_Left	24.56	25.92	34.77	PASS
N71	15	5	DFT-QPSK	L	Inner_1RB_Right	23.8	25.16	34.77	PASS
N71	15	5	DFT-QPSK	L	Outer_Full	23.31	24.67	34.77	PASS
N71	15	5	DFT-16QAM	L	Inner_1RB_Left	23.77	25.13	34.77	PASS
N71	15	5	DFT-16QAM	L	Inner_1RB_Right	23.29	24.65	34.77	PASS
N71	15	5	DFT-16QAM	L	Outer_Full	22.54	23.9	34.77	PASS
N71	15	5	DFT-64QAM	L	Inner_1RB_Left	22.36	23.72	34.77	PASS
N71	15	5	DFT-64QAM	L	Inner_1RB_Right	21.67	23.03	34.77	PASS
N71	15	5	DFT-64QAM	L	Outer_Full	21.93	23.29	34.77	PASS
N71	15	5	DFT-256QAM	L	Inner_1RB_Left	19.06	20.42	34.77	PASS
N71	15	5	DFT-256QAM	L	Inner_1RB_Right	19.3	20.66	34.77	PASS
N71	15	5	DFT-256QAM	L	Outer_Full	19.38	20.74	34.77	PASS
N71	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	24.04	25.4	34.77	PASS
N71	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	23.94	25.3	34.77	PASS
N71	15	5	DFT-PI2BPSK	M	Outer_Full	23.72	25.08	34.77	PASS
N71	15	5	DFT-QPSK	M	Inner_1RB_Left	24.01	25.37	34.77	PASS
N71	15	5	DFT-QPSK	M	Inner_1RB_Right	23.69	25.05	34.77	PASS
N71	15	5	DFT-QPSK	M	Outer_Full	23.48	24.84	34.77	PASS
N71	15	5	DFT-16QAM	M	Inner_1RB_Left	23.31	24.67	34.77	PASS
N71	15	5	DFT-16QAM	M	Inner_1RB_Right	22.98	24.34	34.77	PASS
N71	15	5	DFT-16QAM	M	Outer_Full	22.45	23.81	34.77	PASS

N71	15	5	DFT-64QAM	M	Inner_1RB_Left	22.05	23.41	34.77	PASS
N71	15	5	DFT-64QAM	M	Inner_1RB_Right	21.54	22.9	34.77	PASS
N71	15	5	DFT-64QAM	M	Outer_Full	21.82	23.18	34.77	PASS
N71	15	5	DFT-256QAM	M	Inner_1RB_Left	18.99	20.35	34.77	PASS
N71	15	5	DFT-256QAM	M	Inner_1RB_Right	19.38	20.74	34.77	PASS
N71	15	5	DFT-256QAM	M	Outer_Full	19.55	20.91	34.77	PASS
N71	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.9	25.26	34.77	PASS
N71	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.84	25.2	34.77	PASS
N71	15	5	DFT-PI2BPSK	H	Outer_Full	23.36	24.72	34.77	PASS
N71	15	5	DFT-QPSK	H	Inner_1RB_Left	23.88	25.24	34.77	PASS
N71	15	5	DFT-QPSK	H	Inner_1RB_Right	24.11	25.47	34.77	PASS
N71	15	5	DFT-QPSK	H	Outer_Full	23.36	24.72	34.77	PASS
N71	15	5	DFT-16QAM	H	Inner_1RB_Left	23.17	24.53	34.77	PASS
N71	15	5	DFT-16QAM	H	Inner_1RB_Right	23.16	24.52	34.77	PASS
N71	15	5	DFT-16QAM	H	Outer_Full	21.85	23.21	34.77	PASS
N71	15	5	DFT-64QAM	H	Inner_1RB_Left	22.08	23.44	34.77	PASS
N71	15	5	DFT-64QAM	H	Inner_1RB_Right	21.37	22.73	34.77	PASS
N71	15	5	DFT-64QAM	H	Outer_Full	21.3	22.66	34.77	PASS
N71	15	5	DFT-256QAM	H	Inner_1RB_Left	18.88	20.24	34.77	PASS
N71	15	5	DFT-256QAM	H	Inner_1RB_Right	19.17	20.53	34.77	PASS
N71	15	5	DFT-256QAM	H	Outer_Full	19.24	20.6	34.77	PASS
N71	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	24.48	25.84	34.77	PASS
N71	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	23.81	25.17	34.77	PASS
N71	15	10	DFT-PI2BPSK	L	Outer_Full	23.25	24.61	34.77	PASS
N71	15	10	DFT-QPSK	L	Inner_1RB_Left	24.17	25.53	34.77	PASS

N71	15	10	DFT-QPSK	L	Inner_1RB_Right	24.02	25.38	34.77	PASS
N71	15	10	DFT-QPSK	L	Outer_Full	22.7	24.06	34.77	PASS
N71	15	10	DFT-16QAM	L	Inner_1RB_Left	23.82	25.18	34.77	PASS
N71	15	10	DFT-16QAM	L	Inner_1RB_Right	23.51	24.87	34.77	PASS
N71	15	10	DFT-16QAM	L	Outer_Full	22.24	23.6	34.77	PASS
N71	15	10	DFT-64QAM	L	Inner_1RB_Left	22.27	23.63	34.77	PASS
N71	15	10	DFT-64QAM	L	Inner_1RB_Right	21.98	23.34	34.77	PASS
N71	15	10	DFT-64QAM	L	Outer_Full	21.28	22.64	34.77	PASS
N71	15	10	DFT-256QAM	L	Inner_1RB_Left	19.51	20.87	34.77	PASS
N71	15	10	DFT-256QAM	L	Inner_1RB_Right	18.71	20.07	34.77	PASS
N71	15	10	DFT-256QAM	L	Outer_Full	19.19	20.55	34.77	PASS
N71	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	24.26	25.62	34.77	PASS
N71	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.97	25.33	34.77	PASS
N71	15	10	DFT-PI2BPSK	M	Outer_Full	23.98	25.34	34.77	PASS
N71	15	10	DFT-QPSK	M	Inner_1RB_Left	24.18	25.54	34.77	PASS
N71	15	10	DFT-QPSK	M	Inner_1RB_Right	24.32	25.68	34.77	PASS
N71	15	10	DFT-QPSK	M	Outer_Full	22.75	24.11	34.77	PASS
N71	15	10	DFT-16QAM	M	Inner_1RB_Left	23.37	24.73	34.77	PASS
N71	15	10	DFT-16QAM	M	Inner_1RB_Right	22.96	24.32	34.77	PASS
N71	15	10	DFT-16QAM	M	Outer_Full	21.89	23.25	34.77	PASS
N71	15	10	DFT-64QAM	M	Inner_1RB_Left	21.52	22.88	34.77	PASS
N71	15	10	DFT-64QAM	M	Inner_1RB_Right	21.64	23	34.77	PASS
N71	15	10	DFT-64QAM	M	Outer_Full	21.49	22.85	34.77	PASS
N71	15	10	DFT-256QAM	M	Inner_1RB_Left	18.71	20.07	34.77	PASS
N71	15	10	DFT-256QAM	M	Inner_1RB_Right	19.51	20.87	34.77	PASS

N71	15	10	DFT-256QAM	M	Outer_Full	19.38	20.74	34.77	PASS
N71	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	24.01	25.37	34.77	PASS
N71	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	24.11	25.47	34.77	PASS
N71	15	10	DFT-PI2BPSK	H	Outer_Full	23.59	24.95	34.77	PASS
N71	15	10	DFT-QPSK	H	Inner_1RB_Left	24.53	25.89	34.77	PASS
N71	15	10	DFT-QPSK	H	Inner_1RB_Right	23.62	24.98	34.77	PASS
N71	15	10	DFT-QPSK	H	Outer_Full	23.14	24.5	34.77	PASS
N71	15	10	DFT-16QAM	H	Inner_1RB_Left	23.02	24.38	34.77	PASS
N71	15	10	DFT-16QAM	H	Inner_1RB_Right	23.3	24.66	34.77	PASS
N71	15	10	DFT-16QAM	H	Outer_Full	22	23.36	34.77	PASS
N71	15	10	DFT-64QAM	H	Inner_1RB_Left	21.6	22.96	34.77	PASS
N71	15	10	DFT-64QAM	H	Inner_1RB_Right	21.86	23.22	34.77	PASS
N71	15	10	DFT-64QAM	H	Outer_Full	21.67	23.03	34.77	PASS
N71	15	10	DFT-256QAM	H	Inner_1RB_Left	19.16	20.52	34.77	PASS
N71	15	10	DFT-256QAM	H	Inner_1RB_Right	18.67	20.03	34.77	PASS
N71	15	10	DFT-256QAM	H	Outer_Full	19.57	20.93	34.77	PASS
N71	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	24.26	25.62	34.77	PASS
N71	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	24.07	25.43	34.77	PASS
N71	15	15	DFT-PI2BPSK	L	Outer_Full	23.82	25.18	34.77	PASS
N71	15	15	DFT-QPSK	L	Inner_1RB_Left	24.68	26.04	34.77	PASS
N71	15	15	DFT-QPSK	L	Inner_1RB_Right	24.49	25.85	34.77	PASS
N71	15	15	DFT-QPSK	L	Outer_Full	23.18	24.54	34.77	PASS
N71	15	15	DFT-16QAM	L	Inner_1RB_Left	23.71	25.07	34.77	PASS
N71	15	15	DFT-16QAM	L	Inner_1RB_Right	23.21	24.57	34.77	PASS
N71	15	15	DFT-16QAM	L	Outer_Full	22.27	23.63	34.77	PASS

N71	15	15	DFT-64QAM	L	Inner_1RB_Left	21.75	23.11	34.77	PASS
N71	15	15	DFT-64QAM	L	Inner_1RB_Right	21.9	23.26	34.77	PASS
N71	15	15	DFT-64QAM	L	Outer_Full	21.84	23.2	34.77	PASS
N71	15	15	DFT-256QAM	L	Inner_1RB_Left	19.59	20.95	34.77	PASS
N71	15	15	DFT-256QAM	L	Inner_1RB_Right	18.95	20.31	34.77	PASS
N71	15	15	DFT-256QAM	L	Outer_Full	19.76	21.12	34.77	PASS
N71	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	24.33	25.69	34.77	PASS
N71	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	24.33	25.69	34.77	PASS
N71	15	15	DFT-PI2BPSK	M	Outer_Full	23.71	25.07	34.77	PASS
N71	15	15	DFT-QPSK	M	Inner_1RB_Left	24.41	25.77	34.77	PASS
N71	15	15	DFT-QPSK	M	Inner_1RB_Right	24.47	25.83	34.77	PASS
N71	15	15	DFT-QPSK	M	Outer_Full	23.15	24.51	34.77	PASS
N71	15	15	DFT-16QAM	M	Inner_1RB_Left	23.34	24.7	34.77	PASS
N71	15	15	DFT-16QAM	M	Inner_1RB_Right	23.08	24.44	34.77	PASS
N71	15	15	DFT-16QAM	M	Outer_Full	22.3	23.66	34.77	PASS
N71	15	15	DFT-64QAM	M	Inner_1RB_Left	21.87	23.23	34.77	PASS
N71	15	15	DFT-64QAM	M	Inner_1RB_Right	22.03	23.39	34.77	PASS
N71	15	15	DFT-64QAM	M	Outer_Full	21.94	23.3	34.77	PASS
N71	15	15	DFT-256QAM	M	Inner_1RB_Left	18.93	20.29	34.77	PASS
N71	15	15	DFT-256QAM	M	Inner_1RB_Right	19.18	20.54	34.77	PASS
N71	15	15	DFT-256QAM	M	Outer_Full	19.97	21.33	34.77	PASS
N71	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	23.98	25.34	34.77	PASS
N71	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	24.1	25.46	34.77	PASS
N71	15	15	DFT-PI2BPSK	H	Outer_Full	23.8	25.16	34.77	PASS
N71	15	15	DFT-QPSK	H	Inner_1RB_Left	24.38	25.74	34.77	PASS

N71	15	15	DFT-QPSK	H	Inner_1RB_Right	23.96	25.32	34.77	PASS
N71	15	15	DFT-QPSK	H	Outer_Full	22.92	24.28	34.77	PASS
N71	15	15	DFT-16QAM	H	Inner_1RB_Left	23.42	24.78	34.77	PASS
N71	15	15	DFT-16QAM	H	Inner_1RB_Right	22.81	24.17	34.77	PASS
N71	15	15	DFT-16QAM	H	Outer_Full	22.01	23.37	34.77	PASS
N71	15	15	DFT-64QAM	H	Inner_1RB_Left	21.69	23.05	34.77	PASS
N71	15	15	DFT-64QAM	H	Inner_1RB_Right	21.86	23.22	34.77	PASS
N71	15	15	DFT-64QAM	H	Outer_Full	21.69	23.05	34.77	PASS
N71	15	15	DFT-256QAM	H	Inner_1RB_Left	19.5	20.86	34.77	PASS
N71	15	15	DFT-256QAM	H	Inner_1RB_Right	18.93	20.29	34.77	PASS
N71	15	15	DFT-256QAM	H	Outer_Full	19.63	20.99	34.77	PASS
N71	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	24.24	25.6	34.77	PASS
N71	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	24.14	25.5	34.77	PASS
N71	15	20	DFT-PI2BPSK	L	Outer_Full	23.6	24.96	34.77	PASS
N71	15	20	DFT-QPSK	L	Inner_1RB_Left	24.34	25.7	34.77	PASS
N71	15	20	DFT-QPSK	L	Inner_1RB_Right	24.43	25.79	34.77	PASS
N71	15	20	DFT-QPSK	L	Outer_Full	23.17	24.53	34.77	PASS
N71	15	20	DFT-16QAM	L	Inner_1RB_Left	23.6	24.96	34.77	PASS
N71	15	20	DFT-16QAM	L	Inner_1RB_Right	22.88	24.24	34.77	PASS
N71	15	20	DFT-16QAM	L	Outer_Full	22.48	23.84	34.77	PASS
N71	15	20	DFT-64QAM	L	Inner_1RB_Left	21.87	23.23	34.77	PASS
N71	15	20	DFT-64QAM	L	Inner_1RB_Right	22.03	23.39	34.77	PASS
N71	15	20	DFT-64QAM	L	Outer_Full	21.73	23.09	34.77	PASS
N71	15	20	DFT-256QAM	L	Inner_1RB_Left	19.6	20.96	34.77	PASS
N71	15	20	DFT-256QAM	L	Inner_1RB_Right	19.22	20.58	34.77	PASS

N71	15	20	DFT-256QAM	L	Outer_Full	19.36	20.72	34.77	PASS
N71	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	24.18	25.54	34.77	PASS
N71	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	23.91	25.27	34.77	PASS
N71	15	20	DFT-PI2BPSK	M	Outer_Full	23.6	24.96	34.77	PASS
N71	15	20	DFT-QPSK	M	Inner_1RB_Left	24.41	25.77	34.77	PASS
N71	15	20	DFT-QPSK	M	Inner_1RB_Right	24.36	25.72	34.77	PASS
N71	15	20	DFT-QPSK	M	Outer_Full	23.41	24.77	34.77	PASS
N71	15	20	DFT-16QAM	M	Inner_1RB_Left	23.49	24.85	34.77	PASS
N71	15	20	DFT-16QAM	M	Inner_1RB_Right	23.48	24.84	34.77	PASS
N71	15	20	DFT-16QAM	M	Outer_Full	21.91	23.27	34.77	PASS
N71	15	20	DFT-64QAM	M	Inner_1RB_Left	21.64	23	34.77	PASS
N71	15	20	DFT-64QAM	M	Inner_1RB_Right	21.8	23.16	34.77	PASS
N71	15	20	DFT-64QAM	M	Outer_Full	22.14	23.5	34.77	PASS
N71	15	20	DFT-256QAM	M	Inner_1RB_Left	18.9	20.26	34.77	PASS
N71	15	20	DFT-256QAM	M	Inner_1RB_Right	19.66	21.02	34.77	PASS
N71	15	20	DFT-256QAM	M	Outer_Full	19.79	21.15	34.77	PASS
N71	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	24.14	25.5	34.77	PASS
N71	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	24.09	25.45	34.77	PASS
N71	15	20	DFT-PI2BPSK	H	Outer_Full	23.98	25.34	34.77	PASS
N71	15	20	DFT-QPSK	H	Inner_1RB_Left	24.04	25.4	34.77	PASS
N71	15	20	DFT-QPSK	H	Inner_1RB_Right	24.16	25.52	34.77	PASS
N71	15	20	DFT-QPSK	H	Outer_Full	23.48	24.84	34.77	PASS
N71	15	20	DFT-16QAM	H	Inner_1RB_Left	23.19	24.55	34.77	PASS
N71	15	20	DFT-16QAM	H	Inner_1RB_Right	22.94	24.3	34.77	PASS
N71	15	20	DFT-16QAM	H	Outer_Full	22.46	23.82	34.77	PASS

N71	15	20	DFT-64QAM	H	Inner_1RB_Left	22.07	23.43	34.77	PASS
N71	15	20	DFT-64QAM	H	Inner_1RB_Right	22.11	23.47	34.77	PASS
N71	15	20	DFT-64QAM	H	Outer_Full	21.47	22.83	34.77	PASS
N71	15	20	DFT-256QAM	H	Inner_1RB_Left	19.03	20.39	34.77	PASS
N71	15	20	DFT-256QAM	H	Inner_1RB_Right	18.73	20.09	34.77	PASS
N71	15	20	DFT-256QAM	H	Outer_Full	19.77	21.13	34.77	PASS

NR n77 3450-3550MHz :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limt (dBm)	Verdict
N77-3450-3550	30	10	DFT-PI2BPSK	L	Inner_1RB_Left	26.15	27.54	30	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	L	Inner_1RB_Right	26.12	27.51	30	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	L	Outer_Full	25.68	27.07	30	PASS
N77-3450-3550	30	10	DFT-QPSK	L	Inner_1RB_Left	26.54	27.93	30	PASS
N77-3450-3550	30	10	DFT-QPSK	L	Inner_1RB_Right	26.25	27.64	30	PASS
N77-3450-3550	30	10	DFT-QPSK	L	Outer_Full	25.51	26.9	30	PASS
N77-3450-3550	30	10	DFT-16QAM	L	Inner_1RB_Left	25.6	26.99	30	PASS
N77-3450-3550	30	10	DFT-16QAM	L	Inner_1RB_Right	25.84	27.23	30	PASS
N77-3450-3550	30	10	DFT-16QAM	L	Outer_Full	25.52	26.91	30	PASS
N77-3450-3550	30	10	DFT-64QAM	L	Inner_1RB_Left	23.61	25	30	PASS
N77-3450-3550	30	10	DFT-64QAM	L	Inner_1RB_Right	23.52	24.91	30	PASS
N77-3450-3550	30	10	DFT-64QAM	L	Outer_Full	23.14	24.53	30	PASS
N77-3450-3550	30	10	DFT-256QAM	L	Inner_1RB_Left	22.1	23.49	30	PASS
N77-3450-3550	30	10	DFT-256QAM	L	Inner_1RB_Right	22.01	23.4	30	PASS

N77-3450-3550	30	10	DFT-256QAM	L	Outer_Full	21.59	22.98	30	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	M	Inner_1RB_Left	26.23	27.62	30	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	M	Inner_1RB_Right	26.52	27.91	30	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	M	Outer_Full	26.08	27.47	30	PASS
N77-3450-3550	30	10	DFT-QPSK	M	Inner_1RB_Left	26.49	27.88	30	PASS
N77-3450-3550	30	10	DFT-QPSK	M	Inner_1RB_Right	26.57	27.96	30	PASS
N77-3450-3550	30	10	DFT-QPSK	M	Outer_Full	25.41	26.8	30	PASS
N77-3450-3550	30	10	DFT-16QAM	M	Inner_1RB_Left	25.81	27.2	30	PASS
N77-3450-3550	30	10	DFT-16QAM	M	Inner_1RB_Right	25.11	26.5	30	PASS
N77-3450-3550	30	10	DFT-16QAM	M	Outer_Full	24.68	26.07	30	PASS
N77-3450-3550	30	10	DFT-64QAM	M	Inner_1RB_Left	24.19	25.58	30	PASS
N77-3450-3550	30	10	DFT-64QAM	M	Inner_1RB_Right	23.75	25.14	30	PASS
N77-3450-3550	30	10	DFT-64QAM	M	Outer_Full	24.29	25.68	30	PASS
N77-3450-3550	30	10	DFT-256QAM	M	Inner_1RB_Left	21.48	22.87	30	PASS
N77-3450-3550	30	10	DFT-256QAM	M	Inner_1RB_Right	21.68	23.07	30	PASS

N77-3450-3550	30	10	DFT-256QAM	M	Outer_Full	21.87	23.26	30	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	H	Inner_1RB_Left	26.19	27.58	30	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	H	Inner_1RB_Right	25.89	27.28	30	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	H	Outer_Full	26.09	27.48	30	PASS
N77-3450-3550	30	10	DFT-QPSK	H	Inner_1RB_Left	25.81	27.2	30	PASS
N77-3450-3550	30	10	DFT-QPSK	H	Inner_1RB_Right	26.34	27.73	30	PASS
N77-3450-3550	30	10	DFT-QPSK	H	Outer_Full	25.16	26.55	30	PASS
N77-3450-3550	30	10	DFT-16QAM	H	Inner_1RB_Left	25.03	26.42	30	PASS
N77-3450-3550	30	10	DFT-16QAM	H	Inner_1RB_Right	25.13	26.52	30	PASS
N77-3450-3550	30	10	DFT-16QAM	H	Outer_Full	24.41	25.8	30	PASS
N77-3450-3550	30	10	DFT-64QAM	H	Inner_1RB_Left	23.52	24.91	30	PASS
N77-3450-3550	30	10	DFT-64QAM	H	Inner_1RB_Right	23.77	25.16	30	PASS
N77-3450-3550	30	10	DFT-64QAM	H	Outer_Full	23.51	24.9	30	PASS
N77-3450-3550	30	10	DFT-256QAM	H	Inner_1RB_Left	21.43	22.82	30	PASS
N77-3450-3550	30	10	DFT-256QAM	H	Inner_1RB_Right	21.24	22.63	30	PASS

N77-3450-3550	30	10	DFT-256QAM	H	Outer_Full	21.57	22.96	30	PASS
N77-3450-3550	30	15	DFT-PI2BPSK	L	Inner_1RB_Left	26.39	27.78	30	PASS
N77-3450-3550	30	15	DFT-PI2BPSK	L	Inner_1RB_Right	26.69	28.08	30	PASS
N77-3450-3550	30	15	DFT-PI2BPSK	L	Outer_Full	26.3	27.69	30	PASS
N77-3450-3550	30	15	DFT-QPSK	L	Inner_1RB_Left	26.27	27.66	30	PASS
N77-3450-3550	30	15	DFT-QPSK	L	Inner_1RB_Right	26.2	27.59	30	PASS
N77-3450-3550	30	15	DFT-QPSK	L	Outer_Full	25.67	27.06	30	PASS
N77-3450-3550	30	15	DFT-16QAM	L	Inner_1RB_Left	25.94	27.33	30	PASS
N77-3450-3550	30	15	DFT-16QAM	L	Inner_1RB_Right	25.78	27.17	30	PASS
N77-3450-3550	30	15	DFT-16QAM	L	Outer_Full	24.23	25.62	30	PASS
N77-3450-3550	30	15	DFT-64QAM	L	Inner_1RB_Left	24.25	25.64	30	PASS
N77-3450-3550	30	15	DFT-64QAM	L	Inner_1RB_Right	24.15	25.54	30	PASS
N77-3450-3550	30	15	DFT-64QAM	L	Outer_Full	24.01	25.4	30	PASS
N77-3450-3550	30	15	DFT-256QAM	L	Inner_1RB_Left	21.81	23.2	30	PASS
N77-3450-3550	30	15	DFT-256QAM	L	Inner_1RB_Right	21.8	23.19	30	PASS

N77-3450-3550	30	30	DFT-PI2BPSK	L	Inner_1RB_Left	26.87	28.26	30	PASS
N77-3450-3550	30	30	DFT-PI2BPSK	L	Inner_1RB_Right	26.11	27.5	30	PASS
N77-3450-3550	30	30	DFT-PI2BPSK	L	Outer_Full	26.12	27.51	30	PASS
N77-3450-3550	30	30	DFT-QPSK	L	Inner_1RB_Left	26.51	27.9	30	PASS
N77-3450-3550	30	30	DFT-QPSK	L	Inner_1RB_Right	26.73	28.12	30	PASS
N77-3450-3550	30	30	DFT-QPSK	L	Outer_Full	25.57	26.96	30	PASS
N77-3450-3550	30	30	DFT-16QAM	L	Inner_1RB_Left	26.15	27.54	30	PASS
N77-3450-3550	30	30	DFT-16QAM	L	Inner_1RB_Right	25.58	26.97	30	PASS
N77-3450-3550	30	30	DFT-16QAM	L	Outer_Full	24.61	26	30	PASS
N77-3450-3550	30	30	DFT-64QAM	L	Inner_1RB_Left	24.14	25.53	30	PASS
N77-3450-3550	30	30	DFT-64QAM	L	Inner_1RB_Right	24.13	25.52	30	PASS
N77-3450-3550	30	30	DFT-64QAM	L	Outer_Full	24.1	25.49	30	PASS
N77-3450-3550	30	30	DFT-256QAM	L	Inner_1RB_Left	21.74	23.13	30	PASS
N77-3450-3550	30	30	DFT-256QAM	L	Inner_1RB_Right	21.78	23.17	30	PASS
N77-3450-3550	30	30	DFT-256QAM	L	Outer_Full	22.19	23.58	30	PASS

N77-3450-3550	30	30	DFT-PI2BPSK	M	Inner_1RB_Left	26.39	27.78	30	PASS
N77-3450-3550	30	30	DFT-PI2BPSK	M	Inner_1RB_Right	26.21	27.6	30	PASS
N77-3450-3550	30	30	DFT-PI2BPSK	M	Outer_Full	26	27.39	30	PASS
N77-3450-3550	30	30	DFT-QPSK	M	Inner_1RB_Left	26.65	28.04	30	PASS
N77-3450-3550	30	30	DFT-QPSK	M	Inner_1RB_Right	26.03	27.42	30	PASS
N77-3450-3550	30	30	DFT-QPSK	M	Outer_Full	25.39	26.78	30	PASS
N77-3450-3550	30	30	DFT-16QAM	M	Inner_1RB_Left	25.97	27.36	30	PASS
N77-3450-3550	30	30	DFT-16QAM	M	Inner_1RB_Right	25.24	26.63	30	PASS
N77-3450-3550	30	30	DFT-16QAM	M	Outer_Full	24.26	25.65	30	PASS
N77-3450-3550	30	30	DFT-64QAM	M	Inner_1RB_Left	23.87	25.26	30	PASS
N77-3450-3550	30	30	DFT-64QAM	M	Inner_1RB_Right	23.85	25.24	30	PASS
N77-3450-3550	30	30	DFT-64QAM	M	Outer_Full	24.04	25.43	30	PASS
N77-3450-3550	30	30	DFT-256QAM	M	Inner_1RB_Left	21.87	23.26	30	PASS
N77-3450-3550	30	30	DFT-256QAM	M	Inner_1RB_Right	21.65	23.04	30	PASS
N77-3450-3550	30	30	DFT-256QAM	M	Outer_Full	22.09	23.48	30	PASS

N77-3450-3550	30	30	DFT-PI2BPSK	H	Inner_1RB_Left	26.3	27.69	30	PASS
N77-3450-3550	30	30	DFT-PI2BPSK	H	Inner_1RB_Right	25.84	27.23	30	PASS
N77-3450-3550	30	30	DFT-PI2BPSK	H	Outer_Full	26.13	27.52	30	PASS
N77-3450-3550	30	30	DFT-QPSK	H	Inner_1RB_Left	26.44	27.83	30	PASS
N77-3450-3550	30	30	DFT-QPSK	H	Inner_1RB_Right	26.12	27.51	30	PASS
N77-3450-3550	30	30	DFT-QPSK	H	Outer_Full	25.3	26.69	30	PASS
N77-3450-3550	30	30	DFT-16QAM	H	Inner_1RB_Left	25.44	26.83	30	PASS
N77-3450-3550	30	30	DFT-16QAM	H	Inner_1RB_Right	25.41	26.8	30	PASS
N77-3450-3550	30	30	DFT-16QAM	H	Outer_Full	24.46	25.85	30	PASS
N77-3450-3550	30	30	DFT-64QAM	H	Inner_1RB_Left	24.23	25.62	30	PASS
N77-3450-3550	30	30	DFT-64QAM	H	Inner_1RB_Right	23.79	25.18	30	PASS
N77-3450-3550	30	30	DFT-64QAM	H	Outer_Full	24.2	25.59	30	PASS
N77-3450-3550	30	30	DFT-256QAM	H	Inner_1RB_Left	21.62	23.01	30	PASS
N77-3450-3550	30	30	DFT-256QAM	H	Inner_1RB_Right	21.71	23.1	30	PASS
N77-3450-3550	30	30	DFT-256QAM	H	Outer_Full	21.89	23.28	30	PASS

N77-3450-3550	30	40	DFT-PI2BPSK	L	Inner_1RB_Left	26.64	28.03	30	PASS
N77-3450-3550	30	40	DFT-PI2BPSK	L	Inner_1RB_Right	26.56	27.95	30	PASS
N77-3450-3550	30	40	DFT-PI2BPSK	L	Outer_Full	26.41	27.8	30	PASS
N77-3450-3550	30	40	DFT-QPSK	L	Inner_1RB_Left	26.43	27.82	30	PASS
N77-3450-3550	30	40	DFT-QPSK	L	Inner_1RB_Right	26.54	27.93	30	PASS
N77-3450-3550	30	40	DFT-QPSK	L	Outer_Full	25.34	26.73	30	PASS
N77-3450-3550	30	40	DFT-16QAM	L	Inner_1RB_Left	25.63	27.02	30	PASS
N77-3450-3550	30	40	DFT-16QAM	L	Inner_1RB_Right	25.52	26.91	30	PASS
N77-3450-3550	30	40	DFT-16QAM	L	Outer_Full	24.83	26.22	30	PASS
N77-3450-3550	30	40	DFT-64QAM	L	Inner_1RB_Left	24.28	25.67	30	PASS
N77-3450-3550	30	40	DFT-64QAM	L	Inner_1RB_Right	24.21	25.6	30	PASS
N77-3450-3550	30	40	DFT-64QAM	L	Outer_Full	24.26	25.65	30	PASS
N77-3450-3550	30	40	DFT-256QAM	L	Inner_1RB_Left	21.95	23.34	30	PASS
N77-3450-3550	30	40	DFT-256QAM	L	Inner_1RB_Right	21.7	23.09	30	PASS
N77-3450-3550	30	40	DFT-256QAM	L	Outer_Full	21.81	23.2	30	PASS

N77-3450-3550	30	40	DFT-PI2BPSK	M	Inner_1RB_Left	26.78	28.17	30	PASS
N77-3450-3550	30	40	DFT-PI2BPSK	M	Inner_1RB_Right	26.45	27.84	30	PASS
N77-3450-3550	30	40	DFT-PI2BPSK	M	Outer_Full	25.85	27.24	30	PASS
N77-3450-3550	30	40	DFT-QPSK	M	Inner_1RB_Left	26.49	27.88	30	PASS
N77-3450-3550	30	40	DFT-QPSK	M	Inner_1RB_Right	26.29	27.68	30	PASS
N77-3450-3550	30	40	DFT-QPSK	M	Outer_Full	25.95	27.34	30	PASS
N77-3450-3550	30	40	DFT-16QAM	M	Inner_1RB_Left	25.75	27.14	30	PASS
N77-3450-3550	30	40	DFT-16QAM	M	Inner_1RB_Right	25.34	26.73	30	PASS
N77-3450-3550	30	40	DFT-16QAM	M	Outer_Full	24.61	26	30	PASS
N77-3450-3550	30	40	DFT-64QAM	M	Inner_1RB_Left	24.1	25.49	30	PASS
N77-3450-3550	30	40	DFT-64QAM	M	Inner_1RB_Right	23.78	25.17	30	PASS
N77-3450-3550	30	40	DFT-64QAM	M	Outer_Full	23.94	25.33	30	PASS
N77-3450-3550	30	40	DFT-256QAM	M	Inner_1RB_Left	22.21	23.6	30	PASS
N77-3450-3550	30	40	DFT-256QAM	M	Inner_1RB_Right	21.74	23.13	30	PASS
N77-3450-3550	30	40	DFT-256QAM	M	Outer_Full	22.35	23.74	30	PASS

N77-3450-3550	30	40	DFT-PI2BPSK	H	Inner_1RB_Left	26.15	27.54	30	PASS
N77-3450-3550	30	40	DFT-PI2BPSK	H	Inner_1RB_Right	26.47	27.86	30	PASS
N77-3450-3550	30	40	DFT-PI2BPSK	H	Outer_Full	26.07	27.46	30	PASS
N77-3450-3550	30	40	DFT-QPSK	H	Inner_1RB_Left	26.37	27.76	30	PASS
N77-3450-3550	30	40	DFT-QPSK	H	Inner_1RB_Right	26.41	27.8	30	PASS
N77-3450-3550	30	40	DFT-QPSK	H	Outer_Full	25.63	27.02	30	PASS
N77-3450-3550	30	40	DFT-16QAM	H	Inner_1RB_Left	25.23	26.62	30	PASS
N77-3450-3550	30	40	DFT-16QAM	H	Inner_1RB_Right	25.53	26.92	30	PASS
N77-3450-3550	30	40	DFT-16QAM	H	Outer_Full	24.29	25.68	30	PASS
N77-3450-3550	30	40	DFT-64QAM	H	Inner_1RB_Left	23.84	25.23	30	PASS
N77-3450-3550	30	40	DFT-64QAM	H	Inner_1RB_Right	24.06	25.45	30	PASS
N77-3450-3550	30	40	DFT-64QAM	H	Outer_Full	24.16	25.55	30	PASS
N77-3450-3550	30	40	DFT-256QAM	H	Inner_1RB_Left	21.94	23.33	30	PASS
N77-3450-3550	30	40	DFT-256QAM	H	Inner_1RB_Right	21.85	23.24	30	PASS
N77-3450-3550	30	40	DFT-256QAM	H	Outer_Full	21.86	23.25	30	PASS

N77-3450-3550	30	50	DFT-PI2BPSK	L	Inner_1RB_Left	26.62	28.01	30	PASS
N77-3450-3550	30	50	DFT-PI2BPSK	L	Inner_1RB_Right	26.2	27.59	30	PASS
N77-3450-3550	30	50	DFT-PI2BPSK	L	Outer_Full	25.82	27.21	30	PASS
N77-3450-3550	30	50	DFT-QPSK	L	Inner_1RB_Left	26.54	27.93	30	PASS
N77-3450-3550	30	50	DFT-QPSK	L	Inner_1RB_Right	25.9	27.29	30	PASS
N77-3450-3550	30	50	DFT-QPSK	L	Outer_Full	25.15	26.54	30	PASS
N77-3450-3550	30	50	DFT-16QAM	L	Inner_1RB_Left	25.48	26.87	30	PASS
N77-3450-3550	30	50	DFT-16QAM	L	Inner_1RB_Right	25.36	26.75	30	PASS
N77-3450-3550	30	50	DFT-16QAM	L	Outer_Full	24.15	25.54	30	PASS
N77-3450-3550	30	50	DFT-64QAM	L	Inner_1RB_Left	23.84	25.23	30	PASS
N77-3450-3550	30	50	DFT-64QAM	L	Inner_1RB_Right	23.7	25.09	30	PASS
N77-3450-3550	30	50	DFT-64QAM	L	Outer_Full	23.68	25.07	30	PASS
N77-3450-3550	30	50	DFT-256QAM	L	Inner_1RB_Left	21.96	23.35	30	PASS
N77-3450-3550	30	50	DFT-256QAM	L	Inner_1RB_Right	21.46	22.85	30	PASS
N77-3450-3550	30	50	DFT-256QAM	L	Outer_Full	21.84	23.23	30	PASS

N77-3450-3550	30	50	DFT-PI2BPSK	M	Inner_1RB_Left	25.9	27.29	30	PASS
N77-3450-3550	30	50	DFT-PI2BPSK	M	Inner_1RB_Right	25.59	26.98	30	PASS
N77-3450-3550	30	50	DFT-PI2BPSK	M	Outer_Full	25.49	26.88	30	PASS
N77-3450-3550	30	50	DFT-QPSK	M	Inner_1RB_Left	25.46	26.85	30	PASS
N77-3450-3550	30	50	DFT-QPSK	M	Inner_1RB_Right	25.35	26.74	30	PASS
N77-3450-3550	30	50	DFT-QPSK	M	Outer_Full	24.69	26.08	30	PASS
N77-3450-3550	30	50	DFT-16QAM	M	Inner_1RB_Left	24.53	25.92	30	PASS
N77-3450-3550	30	50	DFT-16QAM	M	Inner_1RB_Right	24.76	26.15	30	PASS
N77-3450-3550	30	50	DFT-16QAM	M	Outer_Full	24.01	25.4	30	PASS
N77-3450-3550	30	50	DFT-64QAM	M	Inner_1RB_Left	23.29	24.68	30	PASS
N77-3450-3550	30	50	DFT-64QAM	M	Inner_1RB_Right	23.06	24.45	30	PASS
N77-3450-3550	30	50	DFT-64QAM	M	Outer_Full	23.07	24.46	30	PASS
N77-3450-3550	30	50	DFT-256QAM	M	Inner_1RB_Left	21.41	22.8	30	PASS
N77-3450-3550	30	50	DFT-256QAM	M	Inner_1RB_Right	20.83	22.22	30	PASS
N77-3450-3550	30	50	DFT-256QAM	M	Outer_Full	21.42	22.81	30	PASS

N77-3450-3550	30	50	DFT-PI2BPSK	H	Inner_1RB_Left	25.93	27.32	30	PASS
N77-3450-3550	30	50	DFT-PI2BPSK	H	Inner_1RB_Right	25.75	27.14	30	PASS
N77-3450-3550	30	50	DFT-PI2BPSK	H	Outer_Full	25.42	26.81	30	PASS
N77-3450-3550	30	50	DFT-QPSK	H	Inner_1RB_Left	26.29	27.68	30	PASS
N77-3450-3550	30	50	DFT-QPSK	H	Inner_1RB_Right	25.99	27.38	30	PASS
N77-3450-3550	30	50	DFT-QPSK	H	Outer_Full	25.02	26.41	30	PASS
N77-3450-3550	30	50	DFT-16QAM	H	Inner_1RB_Left	25.68	27.07	30	PASS
N77-3450-3550	30	50	DFT-16QAM	H	Inner_1RB_Right	24.69	26.08	30	PASS
N77-3450-3550	30	50	DFT-16QAM	H	Outer_Full	23.94	25.33	30	PASS
N77-3450-3550	30	50	DFT-64QAM	H	Inner_1RB_Left	23.97	25.36	30	PASS
N77-3450-3550	30	50	DFT-64QAM	H	Inner_1RB_Right	23.51	24.9	30	PASS
N77-3450-3550	30	50	DFT-64QAM	H	Outer_Full	23.37	24.76	30	PASS
N77-3450-3550	30	50	DFT-256QAM	H	Inner_1RB_Left	21.67	23.06	30	PASS
N77-3450-3550	30	50	DFT-256QAM	H	Inner_1RB_Right	21.05	22.44	30	PASS
N77-3450-3550	30	50	DFT-256QAM	H	Outer_Full	21.28	22.67	30	PASS

N77-3450-3550	30	60	DFT-PI2BPSK	L	Inner_1RB_Left	26.4	27.79	30	PASS
N77-3450-3550	30	60	DFT-PI2BPSK	L	Inner_1RB_Right	26.21	27.6	30	PASS
N77-3450-3550	30	60	DFT-PI2BPSK	L	Outer_Full	26.09	27.48	30	PASS
N77-3450-3550	30	60	DFT-QPSK	L	Inner_1RB_Left	26.22	27.61	30	PASS
N77-3450-3550	30	60	DFT-QPSK	L	Inner_1RB_Right	26.13	27.52	30	PASS
N77-3450-3550	30	60	DFT-QPSK	L	Outer_Full	25.21	26.6	30	PASS
N77-3450-3550	30	60	DFT-16QAM	L	Inner_1RB_Left	25.58	26.97	30	PASS
N77-3450-3550	30	60	DFT-16QAM	L	Inner_1RB_Right	25.37	26.76	30	PASS
N77-3450-3550	30	60	DFT-16QAM	L	Outer_Full	24.5	25.89	30	PASS
N77-3450-3550	30	60	DFT-64QAM	L	Inner_1RB_Left	23.85	25.24	30	PASS
N77-3450-3550	30	60	DFT-64QAM	L	Inner_1RB_Right	23.66	25.05	30	PASS
N77-3450-3550	30	60	DFT-64QAM	L	Outer_Full	23.42	24.81	30	PASS
N77-3450-3550	30	60	DFT-256QAM	L	Inner_1RB_Left	22.01	23.4	30	PASS
N77-3450-3550	30	60	DFT-256QAM	L	Inner_1RB_Right	21.65	23.04	30	PASS
N77-3450-3550	30	60	DFT-256QAM	L	Outer_Full	21.82	23.21	30	PASS

N77-3450-3550	30	60	DFT-PI2BPSK	M	Inner_1RB_Left	26.18	27.57	30	PASS
N77-3450-3550	30	60	DFT-PI2BPSK	M	Inner_1RB_Right	25.93	27.32	30	PASS
N77-3450-3550	30	60	DFT-PI2BPSK	M	Outer_Full	25.51	26.9	30	PASS
N77-3450-3550	30	60	DFT-QPSK	M	Inner_1RB_Left	26.39	27.78	30	PASS
N77-3450-3550	30	60	DFT-QPSK	M	Inner_1RB_Right	25.89	27.28	30	PASS
N77-3450-3550	30	60	DFT-QPSK	M	Outer_Full	25.38	26.77	30	PASS
N77-3450-3550	30	60	DFT-16QAM	M	Inner_1RB_Left	25.67	27.06	30	PASS
N77-3450-3550	30	60	DFT-16QAM	M	Inner_1RB_Right	24.93	26.32	30	PASS
N77-3450-3550	30	60	DFT-16QAM	M	Outer_Full	24.18	25.57	30	PASS
N77-3450-3550	30	60	DFT-64QAM	M	Inner_1RB_Left	23.63	25.02	30	PASS
N77-3450-3550	30	60	DFT-64QAM	M	Inner_1RB_Right	23.32	24.71	30	PASS
N77-3450-3550	30	60	DFT-64QAM	M	Outer_Full	23.68	25.07	30	PASS
N77-3450-3550	30	60	DFT-256QAM	M	Inner_1RB_Left	21.53	22.92	30	PASS
N77-3450-3550	30	60	DFT-256QAM	M	Inner_1RB_Right	21.43	22.82	30	PASS
N77-3450-3550	30	60	DFT-256QAM	M	Outer_Full	21.94	23.33	30	PASS

N77-3450-3550	30	60	DFT-PI2BPSK	H	Inner_1RB_Left	25.85	27.24	30	PASS
N77-3450-3550	30	60	DFT-PI2BPSK	H	Inner_1RB_Right	25.62	27.01	30	PASS
N77-3450-3550	30	60	DFT-PI2BPSK	H	Outer_Full	25.44	26.83	30	PASS
N77-3450-3550	30	60	DFT-QPSK	H	Inner_1RB_Left	25.82	27.21	30	PASS
N77-3450-3550	30	60	DFT-QPSK	H	Inner_1RB_Right	25.43	26.82	30	PASS
N77-3450-3550	30	60	DFT-QPSK	H	Outer_Full	25.25	26.64	30	PASS
N77-3450-3550	30	60	DFT-16QAM	H	Inner_1RB_Left	25.24	26.63	30	PASS
N77-3450-3550	30	60	DFT-16QAM	H	Inner_1RB_Right	25.09	26.48	30	PASS
N77-3450-3550	30	60	DFT-16QAM	H	Outer_Full	23.97	25.36	30	PASS
N77-3450-3550	30	60	DFT-64QAM	H	Inner_1RB_Left	23.81	25.2	30	PASS
N77-3450-3550	30	60	DFT-64QAM	H	Inner_1RB_Right	23.22	24.61	30	PASS
N77-3450-3550	30	60	DFT-64QAM	H	Outer_Full	22.97	24.36	30	PASS
N77-3450-3550	30	60	DFT-256QAM	H	Inner_1RB_Left	21.73	23.12	30	PASS
N77-3450-3550	30	60	DFT-256QAM	H	Inner_1RB_Right	21.22	22.61	30	PASS
N77-3450-3550	30	60	DFT-256QAM	H	Outer_Full	21.08	22.47	30	PASS

N77-3450-3550	30	70	DFT-PI2BPSK	L	Inner_1RB_Left	26.18	27.57	30	PASS
N77-3450-3550	30	70	DFT-PI2BPSK	L	Inner_1RB_Right	25.9	27.29	30	PASS
N77-3450-3550	30	70	DFT-PI2BPSK	L	Outer_Full	25.51	26.9	30	PASS
N77-3450-3550	30	70	DFT-QPSK	L	Inner_1RB_Left	25.56	26.95	30	PASS
N77-3450-3550	30	70	DFT-QPSK	L	Inner_1RB_Right	25.74	27.13	30	PASS
N77-3450-3550	30	70	DFT-QPSK	L	Outer_Full	25.13	26.52	30	PASS
N77-3450-3550	30	70	DFT-16QAM	L	Inner_1RB_Left	25.22	26.61	30	PASS
N77-3450-3550	30	70	DFT-16QAM	L	Inner_1RB_Right	25.01	26.4	30	PASS
N77-3450-3550	30	70	DFT-16QAM	L	Outer_Full	23.88	25.27	30	PASS
N77-3450-3550	30	70	DFT-64QAM	L	Inner_1RB_Left	23.58	24.97	30	PASS
N77-3450-3550	30	70	DFT-64QAM	L	Inner_1RB_Right	23.15	24.54	30	PASS
N77-3450-3550	30	70	DFT-64QAM	L	Outer_Full	23.19	24.58	30	PASS
N77-3450-3550	30	70	DFT-256QAM	L	Inner_1RB_Left	21.17	22.56	30	PASS
N77-3450-3550	30	70	DFT-256QAM	L	Inner_1RB_Right	21.06	22.45	30	PASS
N77-3450-3550	30	70	DFT-256QAM	L	Outer_Full	21.66	23.05	30	PASS

N77-3450-3550	30	70	DFT-PI2BPSK	M	Inner_1RB_Left	25.49	26.88	30	PASS
N77-3450-3550	30	70	DFT-PI2BPSK	M	Inner_1RB_Right	25.87	27.26	30	PASS
N77-3450-3550	30	70	DFT-PI2BPSK	M	Outer_Full	25.69	27.08	30	PASS
N77-3450-3550	30	70	DFT-QPSK	M	Inner_1RB_Left	25.46	26.85	30	PASS
N77-3450-3550	30	70	DFT-QPSK	M	Inner_1RB_Right	25.72	27.11	30	PASS
N77-3450-3550	30	70	DFT-QPSK	M	Outer_Full	24.65	26.04	30	PASS
N77-3450-3550	30	70	DFT-16QAM	M	Inner_1RB_Left	25.29	26.68	30	PASS
N77-3450-3550	30	70	DFT-16QAM	M	Inner_1RB_Right	25.05	26.44	30	PASS
N77-3450-3550	30	70	DFT-16QAM	M	Outer_Full	23.68	25.07	30	PASS
N77-3450-3550	30	70	DFT-64QAM	M	Inner_1RB_Left	23.52	24.91	30	PASS
N77-3450-3550	30	70	DFT-64QAM	M	Inner_1RB_Right	23	24.39	30	PASS
N77-3450-3550	30	70	DFT-64QAM	M	Outer_Full	23.58	24.97	30	PASS
N77-3450-3550	30	70	DFT-256QAM	M	Inner_1RB_Left	21.48	22.87	30	PASS
N77-3450-3550	30	70	DFT-256QAM	M	Inner_1RB_Right	21.08	22.47	30	PASS
N77-3450-3550	30	70	DFT-256QAM	M	Outer_Full	21.48	22.87	30	PASS

N77-3450-3550	30	70	DFT-PI2BPSK	H	Inner_1RB_Left	25.57	26.96	30	PASS
N77-3450-3550	30	70	DFT-PI2BPSK	H	Inner_1RB_Right	25.28	26.67	30	PASS
N77-3450-3550	30	70	DFT-PI2BPSK	H	Outer_Full	25.49	26.88	30	PASS
N77-3450-3550	30	70	DFT-QPSK	H	Inner_1RB_Left	25.8	27.19	30	PASS
N77-3450-3550	30	70	DFT-QPSK	H	Inner_1RB_Right	25.35	26.74	30	PASS
N77-3450-3550	30	70	DFT-QPSK	H	Outer_Full	25.14	26.53	30	PASS
N77-3450-3550	30	70	DFT-16QAM	H	Inner_1RB_Left	24.83	26.22	30	PASS
N77-3450-3550	30	70	DFT-16QAM	H	Inner_1RB_Right	24.88	26.27	30	PASS
N77-3450-3550	30	70	DFT-16QAM	H	Outer_Full	23.94	25.33	30	PASS
N77-3450-3550	30	70	DFT-64QAM	H	Inner_1RB_Left	23.27	24.66	30	PASS
N77-3450-3550	30	70	DFT-64QAM	H	Inner_1RB_Right	23.44	24.83	30	PASS
N77-3450-3550	30	70	DFT-64QAM	H	Outer_Full	22.98	24.37	30	PASS
N77-3450-3550	30	70	DFT-256QAM	H	Inner_1RB_Left	21.32	22.71	30	PASS
N77-3450-3550	30	70	DFT-256QAM	H	Inner_1RB_Right	20.78	22.17	30	PASS
N77-3450-3550	30	70	DFT-256QAM	H	Outer_Full	21.31	22.7	30	PASS

N77-3450-3550	30	80	DFT-PI2BPSK	L	Inner_1RB_Left	25.78	27.17	30	PASS
N77-3450-3550	30	80	DFT-PI2BPSK	L	Inner_1RB_Right	25.88	27.27	30	PASS
N77-3450-3550	30	80	DFT-PI2BPSK	L	Outer_Full	25.52	26.91	30	PASS
N77-3450-3550	30	80	DFT-QPSK	L	Inner_1RB_Left	25.94	27.33	30	PASS
N77-3450-3550	30	80	DFT-QPSK	L	Inner_1RB_Right	26.04	27.43	30	PASS
N77-3450-3550	30	80	DFT-QPSK	L	Outer_Full	25.07	26.46	30	PASS
N77-3450-3550	30	80	DFT-16QAM	L	Inner_1RB_Left	25.46	26.85	30	PASS
N77-3450-3550	30	80	DFT-16QAM	L	Inner_1RB_Right	25.06	26.45	30	PASS
N77-3450-3550	30	80	DFT-16QAM	L	Outer_Full	24.29	25.68	30	PASS
N77-3450-3550	30	80	DFT-64QAM	L	Inner_1RB_Left	23.16	24.55	30	PASS
N77-3450-3550	30	80	DFT-64QAM	L	Inner_1RB_Right	23.29	24.68	30	PASS
N77-3450-3550	30	80	DFT-64QAM	L	Outer_Full	23.76	25.15	30	PASS
N77-3450-3550	30	80	DFT-256QAM	L	Inner_1RB_Left	21.08	22.47	30	PASS
N77-3450-3550	30	80	DFT-256QAM	L	Inner_1RB_Right	21.55	22.94	30	PASS
N77-3450-3550	30	80	DFT-256QAM	L	Outer_Full	21.54	22.93	30	PASS

N77-3450-3550	30	80	DFT-PI2BPSK	M	Inner_1RB_Left	26.12	27.51	30	PASS
N77-3450-3550	30	80	DFT-PI2BPSK	M	Inner_1RB_Right	25.71	27.1	30	PASS
N77-3450-3550	30	80	DFT-PI2BPSK	M	Outer_Full	25.72	27.11	30	PASS
N77-3450-3550	30	80	DFT-QPSK	M	Inner_1RB_Left	26.02	27.41	30	PASS
N77-3450-3550	30	80	DFT-QPSK	M	Inner_1RB_Right	25.99	27.38	30	PASS
N77-3450-3550	30	80	DFT-QPSK	M	Outer_Full	24.81	26.2	30	PASS
N77-3450-3550	30	80	DFT-16QAM	M	Inner_1RB_Left	25.12	26.51	30	PASS
N77-3450-3550	30	80	DFT-16QAM	M	Inner_1RB_Right	25.18	26.57	30	PASS
N77-3450-3550	30	80	DFT-16QAM	M	Outer_Full	24.07	25.46	30	PASS
N77-3450-3550	30	80	DFT-64QAM	M	Inner_1RB_Left	23.55	24.94	30	PASS
N77-3450-3550	30	80	DFT-64QAM	M	Inner_1RB_Right	23.52	24.91	30	PASS
N77-3450-3550	30	80	DFT-64QAM	M	Outer_Full	23.52	24.91	30	PASS
N77-3450-3550	30	80	DFT-256QAM	M	Inner_1RB_Left	21.36	22.75	30	PASS
N77-3450-3550	30	80	DFT-256QAM	M	Inner_1RB_Right	21.21	22.6	30	PASS
N77-3450-3550	30	80	DFT-256QAM	M	Outer_Full	21.15	22.54	30	PASS

N77-3450-3550	30	80	DFT-PI2BPSK	H	Inner_1RB_Left	26.12	27.51	30	PASS
N77-3450-3550	30	80	DFT-PI2BPSK	H	Inner_1RB_Right	25.56	26.95	30	PASS
N77-3450-3550	30	80	DFT-PI2BPSK	H	Outer_Full	25.72	27.11	30	PASS
N77-3450-3550	30	80	DFT-QPSK	H	Inner_1RB_Left	25.78	27.17	30	PASS
N77-3450-3550	30	80	DFT-QPSK	H	Inner_1RB_Right	25.82	27.21	30	PASS
N77-3450-3550	30	80	DFT-QPSK	H	Outer_Full	24.84	26.23	30	PASS
N77-3450-3550	30	80	DFT-16QAM	H	Inner_1RB_Left	25.04	26.43	30	PASS
N77-3450-3550	30	80	DFT-16QAM	H	Inner_1RB_Right	24.72	26.11	30	PASS
N77-3450-3550	30	80	DFT-16QAM	H	Outer_Full	23.9	25.29	30	PASS
N77-3450-3550	30	80	DFT-64QAM	H	Inner_1RB_Left	23.41	24.8	30	PASS
N77-3450-3550	30	80	DFT-64QAM	H	Inner_1RB_Right	23.08	24.47	30	PASS
N77-3450-3550	30	80	DFT-64QAM	H	Outer_Full	23.68	25.07	30	PASS
N77-3450-3550	30	80	DFT-256QAM	H	Inner_1RB_Left	21.22	22.61	30	PASS
N77-3450-3550	30	80	DFT-256QAM	H	Inner_1RB_Right	20.84	22.23	30	PASS
N77-3450-3550	30	80	DFT-256QAM	H	Outer_Full	21.62	23.01	30	PASS

N77-3450-3550	30	90	DFT-PI2BPSK	L	Inner_1RB_Left	26.33	27.72	30	PASS
N77-3450-3550	30	90	DFT-PI2BPSK	L	Inner_1RB_Right	25.81	27.2	30	PASS
N77-3450-3550	30	90	DFT-PI2BPSK	L	Outer_Full	25.31	26.7	30	PASS
N77-3450-3550	30	90	DFT-QPSK	L	Inner_1RB_Left	25.96	27.35	30	PASS
N77-3450-3550	30	90	DFT-QPSK	L	Inner_1RB_Right	26.08	27.47	30	PASS
N77-3450-3550	30	90	DFT-QPSK	L	Outer_Full	24.81	26.2	30	PASS
N77-3450-3550	30	90	DFT-16QAM	L	Inner_1RB_Left	24.91	26.3	30	PASS
N77-3450-3550	30	90	DFT-16QAM	L	Inner_1RB_Right	25.01	26.4	30	PASS
N77-3450-3550	30	90	DFT-16QAM	L	Outer_Full	23.93	25.32	30	PASS
N77-3450-3550	30	90	DFT-64QAM	L	Inner_1RB_Left	23.28	24.67	30	PASS
N77-3450-3550	30	90	DFT-64QAM	L	Inner_1RB_Right	23.08	24.47	30	PASS
N77-3450-3550	30	90	DFT-64QAM	L	Outer_Full	23.23	24.62	30	PASS
N77-3450-3550	30	90	DFT-256QAM	L	Inner_1RB_Left	21.47	22.86	30	PASS
N77-3450-3550	30	90	DFT-256QAM	L	Inner_1RB_Right	21.37	22.76	30	PASS
N77-3450-3550	30	90	DFT-256QAM	L	Outer_Full	21.12	22.51	30	PASS

N77-3450-3550	30	90	DFT-PI2BPSK	M	Inner_1RB_Left	25.91	27.3	30	PASS
N77-3450-3550	30	90	DFT-PI2BPSK	M	Inner_1RB_Right	25.78	27.17	30	PASS
N77-3450-3550	30	90	DFT-PI2BPSK	M	Outer_Full	25.46	26.85	30	PASS
N77-3450-3550	30	90	DFT-QPSK	M	Inner_1RB_Left	25.74	27.13	30	PASS
N77-3450-3550	30	90	DFT-QPSK	M	Inner_1RB_Right	25.57	26.96	30	PASS
N77-3450-3550	30	90	DFT-QPSK	M	Outer_Full	24.75	26.14	30	PASS
N77-3450-3550	30	90	DFT-16QAM	M	Inner_1RB_Left	25.18	26.57	30	PASS
N77-3450-3550	30	90	DFT-16QAM	M	Inner_1RB_Right	25.21	26.6	30	PASS
N77-3450-3550	30	90	DFT-16QAM	M	Outer_Full	23.82	25.21	30	PASS
N77-3450-3550	30	90	DFT-64QAM	M	Inner_1RB_Left	23.53	24.92	30	PASS
N77-3450-3550	30	90	DFT-64QAM	M	Inner_1RB_Right	23.48	24.87	30	PASS
N77-3450-3550	30	90	DFT-64QAM	M	Outer_Full	23.38	24.77	30	PASS
N77-3450-3550	30	90	DFT-256QAM	M	Inner_1RB_Left	21.47	22.86	30	PASS
N77-3450-3550	30	90	DFT-256QAM	M	Inner_1RB_Right	21.36	22.75	30	PASS
N77-3450-3550	30	90	DFT-256QAM	M	Outer_Full	21.43	22.82	30	PASS

N77-3450-3550	30	90	DFT-PI2BPSK	H	Inner_1RB_Left	25.76	27.15	30	PASS
N77-3450-3550	30	90	DFT-PI2BPSK	H	Inner_1RB_Right	25.47	26.86	30	PASS
N77-3450-3550	30	90	DFT-PI2BPSK	H	Outer_Full	25.3	26.69	30	PASS
N77-3450-3550	30	90	DFT-QPSK	H	Inner_1RB_Left	26.08	27.47	30	PASS
N77-3450-3550	30	90	DFT-QPSK	H	Inner_1RB_Right	25.72	27.11	30	PASS
N77-3450-3550	30	90	DFT-QPSK	H	Outer_Full	25.18	26.57	30	PASS
N77-3450-3550	30	90	DFT-16QAM	H	Inner_1RB_Left	25.06	26.45	30	PASS
N77-3450-3550	30	90	DFT-16QAM	H	Inner_1RB_Right	25.19	26.58	30	PASS
N77-3450-3550	30	90	DFT-16QAM	H	Outer_Full	23.99	25.38	30	PASS
N77-3450-3550	30	90	DFT-64QAM	H	Inner_1RB_Left	23.49	24.88	30	PASS
N77-3450-3550	30	90	DFT-64QAM	H	Inner_1RB_Right	23.49	24.88	30	PASS
N77-3450-3550	30	90	DFT-64QAM	H	Outer_Full	23.31	24.7	30	PASS
N77-3450-3550	30	90	DFT-256QAM	H	Inner_1RB_Left	21.3	22.69	30	PASS
N77-3450-3550	30	90	DFT-256QAM	H	Inner_1RB_Right	21.33	22.72	30	PASS
N77-3450-3550	30	90	DFT-256QAM	H	Outer_Full	21.61	23	30	PASS

N77-3450-3550	30	100	DFT-PI2BPSK	L	Inner_1RB_Left	26.25	27.64	30	PASS
N77-3450-3550	30	100	DFT-PI2BPSK	L	Inner_1RB_Right	25.79	27.18	30	PASS
N77-3450-3550	30	100	DFT-PI2BPSK	L	Outer_Full	25.32	26.71	30	PASS
N77-3450-3550	30	100	DFT-QPSK	L	Inner_1RB_Left	25.84	27.23	30	PASS
N77-3450-3550	30	100	DFT-QPSK	L	Inner_1RB_Right	25.72	27.11	30	PASS
N77-3450-3550	30	100	DFT-QPSK	L	Outer_Full	24.85	26.24	30	PASS
N77-3450-3550	30	100	DFT-16QAM	L	Inner_1RB_Left	25.19	26.58	30	PASS
N77-3450-3550	30	100	DFT-16QAM	L	Inner_1RB_Right	24.62	26.01	30	PASS
N77-3450-3550	30	100	DFT-16QAM	L	Outer_Full	23.66	25.05	30	PASS
N77-3450-3550	30	100	DFT-64QAM	L	Inner_1RB_Left	23.77	25.16	30	PASS
N77-3450-3550	30	100	DFT-64QAM	L	Inner_1RB_Right	23.25	24.64	30	PASS
N77-3450-3550	30	100	DFT-64QAM	L	Outer_Full	23.79	25.18	30	PASS
N77-3450-3550	30	100	DFT-256QAM	L	Inner_1RB_Left	21.63	23.02	30	PASS
N77-3450-3550	30	100	DFT-256QAM	L	Inner_1RB_Right	20.86	22.25	30	PASS
N77-3450-3550	30	100	DFT-256QAM	L	Outer_Full	21.23	22.62	30	PASS

N77-3450-3550	30	100	DFT-PI2BPSK	M	Inner_1RB_Left	25.8	27.19	30	PASS
N77-3450-3550	30	100	DFT-PI2BPSK	M	Inner_1RB_Right	25.59	26.98	30	PASS
N77-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	25.4	26.79	30	PASS
N77-3450-3550	30	100	DFT-QPSK	M	Inner_1RB_Left	25.63	27.02	30	PASS
N77-3450-3550	30	100	DFT-QPSK	M	Inner_1RB_Right	25.69	27.08	30	PASS
N77-3450-3550	30	100	DFT-QPSK	M	Outer_Full	24.86	26.25	30	PASS
N77-3450-3550	30	100	DFT-16QAM	M	Inner_1RB_Left	25.06	26.45	30	PASS
N77-3450-3550	30	100	DFT-16QAM	M	Inner_1RB_Right	24.88	26.27	30	PASS
N77-3450-3550	30	100	DFT-16QAM	M	Outer_Full	23.91	25.3	30	PASS
N77-3450-3550	30	100	DFT-64QAM	M	Inner_1RB_Left	23.51	24.9	30	PASS
N77-3450-3550	30	100	DFT-64QAM	M	Inner_1RB_Right	23.49	24.88	30	PASS
N77-3450-3550	30	100	DFT-64QAM	M	Outer_Full	23.22	24.61	30	PASS
N77-3450-3550	30	100	DFT-256QAM	M	Inner_1RB_Left	21.2	22.59	30	PASS
N77-3450-3550	30	100	DFT-256QAM	M	Inner_1RB_Right	20.98	22.37	30	PASS
N77-3450-3550	30	100	DFT-256QAM	M	Outer_Full	21.1	22.49	30	PASS

N77-3450-3550	30	100	DFT-PI2BPSK	H	Inner_1RB_Left	25.67	27.06	30	PASS
N77-3450-3550	30	100	DFT-PI2BPSK	H	Inner_1RB_Right	25.46	26.85	30	PASS
N77-3450-3550	30	100	DFT-PI2BPSK	H	Outer_Full	25.22	26.61	30	PASS
N77-3450-3550	30	100	DFT-QPSK	H	Inner_1RB_Left	25.56	26.95	30	PASS
N77-3450-3550	30	100	DFT-QPSK	H	Inner_1RB_Right	25.83	27.22	30	PASS
N77-3450-3550	30	100	DFT-QPSK	H	Outer_Full	25.04	26.43	30	PASS
N77-3450-3550	30	100	DFT-16QAM	H	Inner_1RB_Left	24.76	26.15	30	PASS
N77-3450-3550	30	100	DFT-16QAM	H	Inner_1RB_Right	24.6	25.99	30	PASS
N77-3450-3550	30	100	DFT-16QAM	H	Outer_Full	24.17	25.56	30	PASS
N77-3450-3550	30	100	DFT-64QAM	H	Inner_1RB_Left	23.6	24.99	30	PASS
N77-3450-3550	30	100	DFT-64QAM	H	Inner_1RB_Right	23.26	24.65	30	PASS
N77-3450-3550	30	100	DFT-64QAM	H	Outer_Full	23.68	25.07	30	PASS
N77-3450-3550	30	100	DFT-256QAM	H	Inner_1RB_Left	21.56	22.95	30	PASS
N77-3450-3550	30	100	DFT-256QAM	H	Inner_1RB_Right	20.98	22.37	30	PASS
N77-3450-3550	30	100	DFT-256QAM	H	Outer_Full	21.79	23.18	30	PASS

NR n77 3450-3550MHz MIMO :

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power Ant1	Power Ant2	Total Power	EIRP	Verdict
N77-3450-3550	30	10	DFT-PI2BPSK	L	Inner_1RB_Left	26.53	25.89	29.23	30.62	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	L	Inner_1RB_Right	25.60	25.50	28.56	29.95	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	L	Outer_Full	24.81	24.30	27.57	28.96	PASS
N77-3450-3550	30	10	DFT-QPSK	L	Inner_1RB_Left	26.33	25.68	29.03	30.42	PASS
N77-3450-3550	30	10	DFT-QPSK	L	Inner_1RB_Right	26.19	25.34	28.80	30.19	PASS
N77-3450-3550	30	10	DFT-QPSK	L	Outer_Full	24.98	23.55	27.33	28.72	PASS
N77-3450-3550	30	10	DFT-16QAM	L	Inner_1RB_Left	25.45	24.35	27.95	29.34	PASS
N77-3450-3550	30	10	DFT-16QAM	L	Inner_1RB_Right	25.15	24.09	27.66	29.05	PASS
N77-3450-3550	30	10	DFT-16QAM	L	Outer_Full	23.24	22.38	25.84	27.23	PASS
N77-3450-3550	30	10	DFT-64QAM	L	Inner_1RB_Left	23.59	22.23	25.97	27.36	PASS
N77-3450-3550	30	10	DFT-64QAM	L	Inner_1RB_Right	22.81	22.18	25.52	26.91	PASS
N77-3450-3550	30	10	DFT-64QAM	L	Outer_Full	22.91	22.52	25.73	27.12	PASS
N77-3450-3550	30	10	DFT-256QAM	L	Inner_1RB_Left	20.46	19.84	23.17	24.56	PASS
N77-3450-3550	30	10	DFT-256QAM	L	Inner_1RB_Right	20.15	19.25	22.73	24.12	PASS

N77-3450-3550	30	10	DFT-256QAM	L	Outer_Full	20.91	20.09	23.53	24.92	PASS
N77-3450-3550	30	10	CP-QPSK	L	Inner_1RB_Left	24.85	23.88	27.40	28.79	PASS
N77-3450-3550	30	10	CP-QPSK	L	Inner_1RB_Right	24.58	23.39	27.04	28.43	PASS
N77-3450-3550	30	10	CP-QPSK	L	Outer_Full	22.46	20.69	24.67	26.06	PASS
N77-3450-3550	30	10	CP-16QAM	L	Inner_1RB_Left	24.56	22.73	26.75	28.14	PASS
N77-3450-3550	30	10	CP-16QAM	L	Inner_1RB_Right	24.68	23.06	26.96	28.35	PASS
N77-3450-3550	30	10	CP-16QAM	L	Outer_Full	22.46	21.27	24.92	26.31	PASS
N77-3450-3550	30	10	CP-64QAM	L	Inner_1RB_Left	22.60	20.67	24.75	26.14	PASS
N77-3450-3550	30	10	CP-64QAM	L	Inner_1RB_Right	22.16	20.93	24.60	25.99	PASS
N77-3450-3550	30	10	CP-64QAM	L	Outer_Full	21.77	20.79	24.32	25.71	PASS
N77-3450-3550	30	10	CP-256QAM	L	Inner_1RB_Left	18.81	17.63	21.27	22.66	PASS
N77-3450-3550	30	10	CP-256QAM	L	Inner_1RB_Right	18.76	17.68	21.26	22.65	PASS
N77-3450-3550	30	10	CP-256QAM	L	Outer_Full	19.36	17.26	21.45	22.84	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	M	Inner_1RB_Left	26.14	25.60	28.89	30.28	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	M	Inner_1RB_Right	26.00	25.29	28.67	30.06	PASS

N77-3450-3550	30	10	DFT-PI2BPSK	M	Outer_Full	25.27	24.03	27.70	29.09	PASS
N77-3450-3550	30	10	DFT-QPSK	M	Inner_1RB_Left	26.19	25.16	28.72	30.11	PASS
N77-3450-3550	30	10	DFT-QPSK	M	Inner_1RB_Right	26.20	25.23	28.75	30.14	PASS
N77-3450-3550	30	10	DFT-QPSK	M	Outer_Full	24.88	23.55	27.28	28.67	PASS
N77-3450-3550	30	10	DFT-16QAM	M	Inner_1RB_Left	25.81	24.84	28.36	29.75	PASS
N77-3450-3550	30	10	DFT-16QAM	M	Inner_1RB_Right	25.02	23.84	27.48	28.87	PASS
N77-3450-3550	30	10	DFT-16QAM	M	Outer_Full	23.61	22.63	26.16	27.55	PASS
N77-3450-3550	30	10	DFT-64QAM	M	Inner_1RB_Left	23.46	22.56	26.04	27.43	PASS
N77-3450-3550	30	10	DFT-64QAM	M	Inner_1RB_Right	23.00	22.23	25.64	27.03	PASS
N77-3450-3550	30	10	DFT-64QAM	M	Outer_Full	22.94	22.24	25.61	27.00	PASS
N77-3450-3550	30	10	DFT-256QAM	M	Inner_1RB_Left	20.93	19.95	23.48	24.87	PASS
N77-3450-3550	30	10	DFT-256QAM	M	Inner_1RB_Right	19.91	19.32	22.64	24.03	PASS
N77-3450-3550	30	10	DFT-256QAM	M	Outer_Full	21.23	19.94	23.64	25.03	PASS
N77-3450-3550	30	10	CP-QPSK	M	Inner_1RB_Left	24.91	23.74	27.37	28.76	PASS
N77-3450-3550	30	10	CP-QPSK	M	Inner_1RB_Right	25.10	23.38	27.33	28.72	PASS

N77-3450-3550	30	10	CP-QPSK	M	Outer_Full	22.37	21.31	24.88	26.27	PASS
N77-3450-3550	30	10	CP-16QAM	M	Inner_1RB_Left	24.37	23.72	27.07	28.46	PASS
N77-3450-3550	30	10	CP-16QAM	M	Inner_1RB_Right	24.37	22.60	26.58	27.97	PASS
N77-3450-3550	30	10	CP-16QAM	M	Outer_Full	22.12	21.64	24.90	26.29	PASS
N77-3450-3550	30	10	CP-64QAM	M	Inner_1RB_Left	22.54	21.44	25.04	26.43	PASS
N77-3450-3550	30	10	CP-64QAM	M	Inner_1RB_Right	22.22	21.24	24.77	26.16	PASS
N77-3450-3550	30	10	CP-64QAM	M	Outer_Full	22.02	21.08	24.59	25.98	PASS
N77-3450-3550	30	10	CP-256QAM	M	Inner_1RB_Left	19.09	18.52	21.82	23.21	PASS
N77-3450-3550	30	10	CP-256QAM	M	Inner_1RB_Right	18.86	17.36	21.18	22.57	PASS
N77-3450-3550	30	10	CP-256QAM	M	Outer_Full	19.02	17.74	21.44	22.83	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	H	Inner_1RB_Left	26.62	25.52	29.12	30.51	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	H	Inner_1RB_Right	25.88	25.42	28.67	30.06	PASS
N77-3450-3550	30	10	DFT-PI2BPSK	H	Outer_Full	24.77	24.01	27.42	28.81	PASS
N77-3450-3550	30	10	DFT-QPSK	H	Inner_1RB_Left	26.63	25.43	29.08	30.47	PASS
N77-3450-3550	30	10	DFT-QPSK	H	Inner_1RB_Right	25.47	25.19	28.34	29.73	PASS

N77-3450-3550	30	10	DFT-QPSK	H	Outer_Full	24.78	23.80	27.33	28.72	PASS
N77-3450-3550	30	10	DFT-16QAM	H	Inner_1RB_Left	25.44	24.92	28.20	29.59	PASS
N77-3450-3550	30	10	DFT-16QAM	H	Inner_1RB_Right	25.12	24.37	27.77	29.16	PASS
N77-3450-3550	30	10	DFT-16QAM	H	Outer_Full	23.22	22.37	25.83	27.22	PASS
N77-3450-3550	30	10	DFT-64QAM	H	Inner_1RB_Left	23.33	22.15	25.79	27.18	PASS
N77-3450-3550	30	10	DFT-64QAM	H	Inner_1RB_Right	23.25	21.72	25.56	26.95	PASS
N77-3450-3550	30	10	DFT-64QAM	H	Outer_Full	22.86	22.45	25.67	27.06	PASS
N77-3450-3550	30	10	DFT-256QAM	H	Inner_1RB_Left	20.88	19.83	23.40	24.79	PASS
N77-3450-3550	30	10	DFT-256QAM	H	Inner_1RB_Right	20.45	19.38	22.96	24.35	PASS
N77-3450-3550	30	10	DFT-256QAM	H	Outer_Full	21.03	19.91	23.52	24.91	PASS
N77-3450-3550	30	10	CP-QPSK	H	Inner_1RB_Left	24.75	24.02	27.41	28.80	PASS
N77-3450-3550	30	10	CP-QPSK	H	Inner_1RB_Right	24.85	23.38	27.19	28.58	PASS
N77-3450-3550	30	10	CP-QPSK	H	Outer_Full	22.55	20.87	24.80	26.19	PASS
N77-3450-3550	30	10	CP-16QAM	H	Inner_1RB_Left	24.41	23.22	26.87	28.26	PASS
N77-3450-3550	30	10	CP-16QAM	H	Inner_1RB_Right	24.21	23.37	26.82	28.21	PASS

N77-3450-3550	30	10	CP-16QAM	H	Outer_Full	22.41	20.84	24.71	26.10	PASS
N77-3450-3550	30	10	CP-64QAM	H	Inner_1RB_Left	22.14	21.14	24.68	26.07	PASS
N77-3450-3550	30	10	CP-64QAM	H	Inner_1RB_Right	22.20	21.16	24.72	26.11	PASS
N77-3450-3550	30	10	CP-64QAM	H	Outer_Full	21.69	20.33	24.07	25.46	PASS
N77-3450-3550	30	10	CP-256QAM	H	Inner_1RB_Left	18.64	17.73	21.22	22.61	PASS
N77-3450-3550	30	10	CP-256QAM	H	Inner_1RB_Right	18.37	17.73	21.07	22.46	PASS
N77-3450-3550	30	10	CP-256QAM	H	Outer_Full	18.64	17.78	21.24	22.63	PASS
N77-3450-3550	30	15	DFT-PI2BPSK	L	Inner_1RB_Left	26.32	25.92	29.13	30.52	PASS
N77-3450-3550	30	15	DFT-PI2BPSK	L	Inner_1RB_Right	25.93	25.17	28.58	29.97	PASS
N77-3450-3550	30	15	DFT-PI2BPSK	L	Outer_Full	25.15	24.46	27.83	29.22	PASS
N77-3450-3550	30	15	DFT-QPSK	L	Inner_1RB_Left	26.56	25.75	29.18	30.57	PASS
N77-3450-3550	30	15	DFT-QPSK	L	Inner_1RB_Right	25.45	24.75	28.12	29.51	PASS
N77-3450-3550	30	15	DFT-QPSK	L	Outer_Full	24.22	23.99	27.12	28.51	PASS
N77-3450-3550	30	15	DFT-16QAM	L	Inner_1RB_Left	25.91	24.75	28.38	29.77	PASS
N77-3450-3550	30	15	DFT-16QAM	L	Inner_1RB_Right	25.00	23.74	27.43	28.82	PASS