







NTNV-11AX40-5270




NTNV-11AX40-5310




NTNV-11AX40-5510




NTNV-11AX40-5550




NTNV-11AX40-5670




NTNV-11AX40-5755




NTNV-11AX40-5795




NTNV-11AX80-5210




NTNV-11AX80-5290




NTNV-11AX80-5530




NTNV-11AX80-5610




NTNV-11AX80-5775




NTNV-11AX160-5250




NTNV-11AX160-5570




NTNV-11BE20-5180




NTNV-11BE20-5200




NTNV-11BE20-5240




NTNV-11BE20-5260




NTNV-11BE20-5280




NTNV-11BE20-5320




NTNV-11BE20-5500




NTNV-11BE20-5580




NTNV-11BE20-5700




NTNV-11BE20-5745




NTNV-11BE20-5785




NTNV-11BE20-5825




NTNV-11BE40-5190




NTNV-11BE40-5230




NTNV-11BE40-5270




NTNV-11BE40-5310




NTNV-11BE40-5510




NTNV-11BE40-5550




NTNV-11BE40-5670




NTNV-11BE40-5755




NTNV-11BE40-5795




NTNV-11BE80-5210




NTNV-11BE80-5290




NTNV-11BE80-5530




NTNV-11BE80-5610



NTNV-11BE80-5775



NTNV-11BE160-5250



NTNV-11BE160-5570

Appendix E: Test result of Power Output

SISO- Ant1

Mode	Channel	Frequency (MHz)	Measure result (dBm)	Limit (dBm)	Verdict
11A	36	5180	20.87	≤21	Pass
	40	5200	20.65	≤21	Pass
	48	5240	20.96	≤21	Pass
	52	5260	21.05	≤24	Pass
	56	5280	21.20	≤24	Pass
	64	5320	20.79	≤24	Pass
	100	5500	20.92	≤24	Pass
	116	5580	21.83	≤24	Pass
	140	5700	20.56	≤24	Pass
	149	5745	21.67	≤30	Pass
	157	5785	21.96	≤30	Pass
	165	5825	22.06	≤30	Pass
11N20	36	5180	20.87	≤21	Pass
	40	5200	20.70	≤21	Pass
	48	5240	20.77	≤21	Pass
	52	5260	20.89	≤24	Pass
	56	5280	21.06	≤24	Pass
	64	5320	20.73	≤24	Pass
	100	5500	20.78	≤24	Pass
	116	5580	21.86	≤24	Pass
	140	5700	17.51	≤24	Pass
	149	5745	21.94	≤30	Pass
	157	5785	22.18	≤30	Pass
	165	5825	22.07	≤30	Pass
11N40	38	5190	20.93	≤21	Pass
	46	5230	20.90	≤21	Pass
	54	5270	21.06	≤24	Pass
	62	5310	19.39	≤24	Pass
	102	5510	18.57	≤24	Pass
	110	5550	21.32	≤24	Pass
	134	5670	21.55	≤24	Pass
	151	5755	22.15	≤30	Pass
	159	5795	21.98	≤30	Pass
11AC20	36	5180	20.91	≤21	Pass
	40	5200	20.69	≤21	Pass
	48	5240	20.92	≤21	Pass
	52	5260	21.14	≤24	Pass
	56	5280	20.83	≤24	Pass
	64	5320	20.59	≤24	Pass
	100	5500	20.67	≤24	Pass

	116	5580	21.71	≤24	Pass
	140	5700	17.43	≤24	Pass
	149	5745	21.89	≤30	Pass
	157	5785	22.00	≤30	Pass
	165	5825	22.08	≤30	Pass
11AC40	38	5190	20.91	≤21	Pass
	46	5230	20.85	≤21	Pass
	54	5270	21.00	≤24	Pass
	62	5310	19.38	≤24	Pass
	102	5510	18.47	≤24	Pass
	110	5550	21.45	≤24	Pass
	134	5670	21.51	≤24	Pass
	151	5755	22.12	≤30	Pass
	159	5795	22.19	≤30	Pass
11AC80	42	5210	20.16	≤21	Pass
	58	5290	19.47	≤24	Pass
	106	5530	17.51	≤24	Pass
	122	5610	21.37	≤24	Pass
	155	5775	22.14	≤30	Pass
11AC160	50	5250_UNII-1	16.31	≤21	Pass
	50	5250_UNII-2A	16.00	≤24	Pass
	114	5570	19.60	≤24	Pass
11AX20	36	5180	20.84	≤21	Pass
	40	5200	20.76	≤21	Pass
	48	5240	20.88	≤21	Pass
	52	5260	21.14	≤24	Pass
	56	5280	21.21	≤24	Pass
	64	5320	20.74	≤24	Pass
	100	5500	20.98	≤24	Pass
	116	5580	21.84	≤24	Pass
	140	5700	17.53	≤24	Pass
	149	5745	21.97	≤30	Pass
	157	5785	22.11	≤30	Pass
	165	5825	22.02	≤30	Pass
11AX40	38	5190	20.96	≤21	Pass
	46	5230	20.72	≤21	Pass
	54	5270	20.98	≤24	Pass
	62	5310	19.16	≤24	Pass
	102	5510	18.45	≤24	Pass
	110	5550	21.30	≤24	Pass
	134	5670	21.44	≤24	Pass
	151	5755	22.06	≤30	Pass
	159	5795	22.20	≤30	Pass
11AX80	42	5210	20.20	≤21	Pass
	58	5290	19.50	≤24	Pass

	106	5530	17.52	≤24	Pass
	122	5610	21.47	≤24	Pass
	155	5775	22.04	≤30	Pass
11AX160	50	5250_UNII-1	16.38	≤21	Pass
	50	5250_UNII-2A	16.31	≤24	Pass
	114	5570	19.91	≤24	Pass
11BE20	36	5180	20.96	≤21	Pass
	40	5200	20.77	≤21	Pass
	48	5240	20.92	≤21	Pass
	52	5260	21.17	≤24	Pass
	56	5280	21.04	≤24	Pass
	64	5320	20.90	≤24	Pass
	100	5500	20.70	≤24	Pass
	116	5580	21.75	≤24	Pass
	140	5700	17.49	≤24	Pass
	149	5745	22.00	≤30	Pass
	157	5785	22.27	≤30	Pass
	165	5825	22.03	≤30	Pass
11BE40	38	5190	20.82	≤21	Pass
	46	5230	20.66	≤21	Pass
	54	5270	20.87	≤24	Pass
	62	5310	19.16	≤24	Pass
	102	5510	18.27	≤24	Pass
	110	5550	21.08	≤24	Pass
	134	5670	21.31	≤24	Pass
	151	5755	21.77	≤30	Pass
	159	5795	21.91	≤30	Pass
11BE80	42	5210	20.01	≤21	Pass
	58	5290	19.38	≤24	Pass
	106	5530	17.58	≤24	Pass
	122	5610	21.40	≤24	Pass
	155	5775	22.23	≤30	Pass
11BE160	50	5250_UNII-1	16.06	≤21	Pass
	50	5250_UNII-2A	16.08	≤24	Pass
	114	5570	19.81	≤24	Pass

SISO- Ant2

Mode	Channel	Frequency (MHz)	Measure result (dBm)	Limit (dBm)	Verdict
11A	36	5180	20.31	≤21	Pass
	40	5200	20.09	≤21	Pass
	48	5240	20.53	≤21	Pass
	52	5260	20.48	≤24	Pass
	56	5280	20.53	≤24	Pass
	64	5320	20.17	≤24	Pass
	100	5500	21.56	≤24	Pass
	116	5580	21.15	≤24	Pass
	140	5700	19.94	≤24	Pass
	149	5745	21.13	≤30	Pass
	157	5785	21.33	≤30	Pass
	165	5825	21.54	≤30	Pass
11N20	36	5180	20.24	≤21	Pass
	40	5200	20.06	≤21	Pass
	48	5240	20.42	≤21	Pass
	52	5260	20.30	≤24	Pass
	56	5280	20.36	≤24	Pass
	64	5320	20.19	≤24	Pass
	100	5500	21.45	≤24	Pass
	116	5580	21.27	≤24	Pass
	140	5700	16.92	≤24	Pass
	149	5745	21.25	≤30	Pass
	157	5785	21.58	≤30	Pass
	165	5825	21.56	≤30	Pass
11N40	38	5190	20.42	≤21	Pass
	46	5230	20.25	≤21	Pass
	54	5270	20.49	≤24	Pass
	62	5310	18.69	≤24	Pass
	102	5510	19.18	≤24	Pass
	110	5550	20.79	≤24	Pass
	134	5670	20.97	≤24	Pass
	151	5755	21.57	≤30	Pass
	159	5795	21.35	≤30	Pass
11AC20	36	5180	20.35	≤21	Pass
	40	5200	20.06	≤21	Pass
	48	5240	20.37	≤21	Pass
	52	5260	20.51	≤24	Pass
	56	5280	20.32	≤24	Pass
	64	5320	20.03	≤24	Pass
	100	5500	21.10	≤24	Pass
	116	5580	21.02	≤24	Pass
	140	5700	16.88	≤24	Pass

	149	5745	21.25	≤30	Pass
	157	5785	21.35	≤30	Pass
	165	5825	21.56	≤30	Pass
11AC40	38	5190	20.39	≤21	Pass
	46	5230	20.29	≤21	Pass
	54	5270	20.38	≤24	Pass
	62	5310	18.70	≤24	Pass
	102	5510	18.95	≤24	Pass
	110	5550	20.81	≤24	Pass
	134	5670	20.97	≤24	Pass
	151	5755	21.52	≤30	Pass
	159	5795	21.57	≤30	Pass
11AC80	42	5210	19.50	≤21	Pass
	58	5290	18.81	≤24	Pass
	106	5530	18.09	≤24	Pass
	122	5610	20.83	≤24	Pass
	155	5775	21.57	≤30	Pass
11AC160	50	5250_UNII-1	15.68	≤21	Pass
	50	5250_UNII-2A	15.44	≤24	Pass
	114	5570	20.09	≤24	Pass
11AX20	36	5180	20.53	≤21	Pass
	40	5200	20.16	≤21	Pass
	48	5240	20.65	≤21	Pass
	52	5260	20.63	≤24	Pass
	56	5280	20.60	≤24	Pass
	64	5320	20.24	≤24	Pass
	100	5500	21.53	≤24	Pass
	116	5580	21.19	≤24	Pass
	140	5700	16.89	≤24	Pass
	149	5745	21.27	≤30	Pass
	157	5785	21.52	≤30	Pass
	165	5825	21.42	≤30	Pass
11AX40	38	5190	20.42	≤21	Pass
	46	5230	20.14	≤21	Pass
	54	5270	20.45	≤24	Pass
	62	5310	18.50	≤24	Pass
	102	5510	18.85	≤24	Pass
	110	5550	20.69	≤24	Pass
	134	5670	20.94	≤24	Pass
	151	5755	21.45	≤30	Pass
	159	5795	21.51	≤30	Pass
11AX80	42	5210	19.65	≤21	Pass
	58	5290	18.96	≤24	Pass
	106	5530	18.18	≤24	Pass
	122	5610	20.90	≤24	Pass

	155	5775	21.36	≤30	Pass
11AX160	50	5250_UNII-1	15.71	≤21	Pass
	50	5250_UNII-2A	15.66	≤24	Pass
	114	5570	20.54	≤24	Pass
11BE20	36	5180	20.39	≤21	Pass
	40	5200	20.08	≤21	Pass
	48	5240	20.57	≤21	Pass
	52	5260	20.53	≤24	Pass
	56	5280	20.37	≤24	Pass
	64	5320	20.23	≤24	Pass
	100	5500	21.31	≤24	Pass
	116	5580	21.22	≤24	Pass
	140	5700	16.88	≤24	Pass
	149	5745	21.47	≤30	Pass
	157	5785	21.73	≤30	Pass
	165	5825	21.47	≤30	Pass
11BE40	38	5190	20.13	≤21	Pass
	46	5230	19.98	≤21	Pass
	54	5270	20.35	≤24	Pass
	62	5310	18.57	≤24	Pass
	102	5510	18.88	≤24	Pass
	110	5550	20.55	≤24	Pass
	134	5670	20.78	≤24	Pass
	151	5755	21.22	≤30	Pass
	159	5795	21.37	≤30	Pass
11BE80	42	5210	19.44	≤21	Pass
	58	5290	18.71	≤24	Pass
	106	5530	18.01	≤24	Pass
	122	5610	20.78	≤24	Pass
	155	5775	21.54	≤30	Pass
11BE160	50	5250_UNII-1	15.36	≤21	Pass
	50	5250_UNII-2A	15.56	≤24	Pass
	114	5570	20.32	≤24	Pass

SISO- Ant3

Mode	Channel	Frequency (MHz)	Measure result (dBm)	Limit (dBm)	Verdict
11A	36	5180	20.83	≤21	Pass
	40	5200	20.67	≤21	Pass
	48	5240	20.85	≤21	Pass
	52	5260	21.06	≤24	Pass
	56	5280	21.17	≤24	Pass
	64	5320	20.74	≤24	Pass
	100	5500	20.84	≤24	Pass
	116	5580	21.85	≤24	Pass
	140	5700	20.70	≤24	Pass
	149	5745	21.52	≤30	Pass
	157	5785	21.85	≤30	Pass
	165	5825	22.13	≤30	Pass
11N20	36	5180	20.90	≤21	Pass
	40	5200	20.74	≤21	Pass
	48	5240	20.91	≤21	Pass
	52	5260	21.02	≤24	Pass
	56	5280	21.21	≤24	Pass
	64	5320	20.82	≤24	Pass
	100	5500	20.80	≤24	Pass
	116	5580	21.80	≤24	Pass
	140	5700	17.46	≤24	Pass
	149	5745	22.01	≤30	Pass
	157	5785	22.04	≤30	Pass
	165	5825	22.12	≤30	Pass
11N40	38	5190	20.87	≤21	Pass
	46	5230	20.94	≤21	Pass
	54	5270	21.19	≤24	Pass
	62	5310	19.25	≤24	Pass
	102	5510	18.62	≤24	Pass
	110	5550	21.31	≤24	Pass
	134	5670	21.50	≤24	Pass
	151	5755	22.05	≤30	Pass
	159	5795	22.10	≤30	Pass
11AC20	36	5180	20.90	≤21	Pass
	40	5200	20.72	≤21	Pass
	48	5240	20.89	≤21	Pass
	52	5260	21.14	≤24	Pass
	56	5280	20.84	≤24	Pass
	64	5320	20.66	≤24	Pass
	100	5500	20.58	≤24	Pass
	116	5580	21.78	≤24	Pass
	140	5700	17.50	≤24	Pass

	149	5745	21.90	≤30	Pass
	157	5785	22.15	≤30	Pass
	165	5825	22.02	≤30	Pass
11AC40	38	5190	20.98	≤21	Pass
	46	5230	20.81	≤21	Pass
	54	5270	20.94	≤24	Pass
	62	5310	19.50	≤24	Pass
	102	5510	18.44	≤24	Pass
	110	5550	21.44	≤24	Pass
	134	5670	21.62	≤24	Pass
	151	5755	22.21	≤30	Pass
	159	5795	22.17	≤30	Pass
11AC80	42	5210	20.25	≤21	Pass
	58	5290	19.59	≤24	Pass
	106	5530	17.57	≤24	Pass
	122	5610	21.27	≤24	Pass
	155	5775	22.17	≤30	Pass
11AC160	50	5250_UNII-1	16.17	≤21	Pass
	50	5250_UNII-2A	15.99	≤24	Pass
	114	5570	19.62	≤24	Pass
11AX20	36	5180	20.88	≤21	Pass
	40	5200	20.81	≤21	Pass
	48	5240	20.84	≤21	Pass
	52	5260	21.18	≤24	Pass
	56	5280	21.30	≤24	Pass
	64	5320	20.67	≤24	Pass
	100	5500	21.06	≤24	Pass
	116	5580	21.79	≤24	Pass
	140	5700	17.44	≤24	Pass
	149	5745	21.85	≤30	Pass
	157	5785	22.26	≤30	Pass
	165	5825	21.95	≤30	Pass
11AX40	38	5190	20.87	≤21	Pass
	46	5230	20.60	≤21	Pass
	54	5270	21.11	≤24	Pass
	62	5310	19.24	≤24	Pass
	102	5510	18.47	≤24	Pass
	110	5550	21.31	≤24	Pass
	134	5670	21.32	≤24	Pass
	151	5755	21.95	≤30	Pass
	159	5795	22.32	≤30	Pass
11AX80	42	5210	20.12	≤21	Pass
	58	5290	19.41	≤24	Pass
	106	5530	17.54	≤24	Pass
	122	5610	21.55	≤24	Pass

	155	5775	21.95	≤30	Pass
11AX160	50	5250_UNII-1	16.40	≤21	Pass
	50	5250_UNII-2A	16.16	≤24	Pass
	114	5570	20.02	≤24	Pass
11BE20	36	5180	21.00	≤21	Pass
	40	5200	20.62	≤21	Pass
	48	5240	20.94	≤21	Pass
	52	5260	21.20	≤24	Pass
	56	5280	21.06	≤24	Pass
	64	5320	20.93	≤24	Pass
	100	5500	20.85	≤24	Pass
	116	5580	21.73	≤24	Pass
	140	5700	17.53	≤24	Pass
	149	5745	21.93	≤30	Pass
	157	5785	22.33	≤30	Pass
	165	5825	21.88	≤30	Pass
11BE40	38	5190	20.69	≤21	Pass
	46	5230	20.56	≤21	Pass
	54	5270	20.88	≤24	Pass
	62	5310	19.18	≤24	Pass
	102	5510	18.39	≤24	Pass
	110	5550	21.10	≤24	Pass
	134	5670	21.26	≤24	Pass
	151	5755	21.86	≤30	Pass
	159	5795	22.00	≤30	Pass
11BE80	42	5210	20.09	≤21	Pass
	58	5290	19.38	≤24	Pass
	106	5530	17.52	≤24	Pass
	122	5610	21.35	≤24	Pass
	155	5775	22.13	≤30	Pass
11BE160	50	5250_UNII-1	16.03	≤21	Pass
	50	5250_UNII-2A	16.11	≤24	Pass
	114	5570	19.70	≤24	Pass

SISO- Ant4

Mode	Channel	Frequency (MHz)	Measure result (dBm)	Limit (dBm)	Verdict
11A	36	5180	20.36	≤21	Pass
	40	5200	19.94	≤21	Pass
	48	5240	20.39	≤21	Pass
	52	5260	20.47	≤24	Pass
	56	5280	20.49	≤24	Pass
	64	5320	20.18	≤24	Pass
	100	5500	21.53	≤24	Pass
	116	5580	21.27	≤24	Pass
	140	5700	19.80	≤24	Pass
	149	5745	21.05	≤30	Pass
	157	5785	21.24	≤30	Pass
	165	5825	21.60	≤30	Pass
11N20	36	5180	20.13	≤21	Pass
	40	5200	19.94	≤21	Pass
	48	5240	20.44	≤21	Pass
	52	5260	20.40	≤24	Pass
	56	5280	20.45	≤24	Pass
	64	5320	20.18	≤24	Pass
	100	5500	21.35	≤24	Pass
	116	5580	21.18	≤24	Pass
	140	5700	16.97	≤24	Pass
	149	5745	21.16	≤30	Pass
	157	5785	21.60	≤30	Pass
	165	5825	21.51	≤30	Pass
11N40	38	5190	20.34	≤21	Pass
	46	5230	20.12	≤21	Pass
	54	5270	20.41	≤24	Pass
	62	5310	18.69	≤24	Pass
	102	5510	19.23	≤24	Pass
	110	5550	20.64	≤24	Pass
	134	5670	21.02	≤24	Pass
	151	5755	21.54	≤30	Pass
	159	5795	21.25	≤30	Pass
11AC20	36	5180	20.39	≤21	Pass
	40	5200	19.92	≤21	Pass
	48	5240	20.25	≤21	Pass
	52	5260	20.36	≤24	Pass
	56	5280	20.24	≤24	Pass
	64	5320	19.91	≤24	Pass
	100	5500	21.24	≤24	Pass
	116	5580	20.92	≤24	Pass
	140	5700	16.75	≤24	Pass

	149	5745	21.16	≤30	Pass
	157	5785	21.26	≤30	Pass
	165	5825	21.68	≤30	Pass
11AC40	38	5190	20.34	≤21	Pass
	46	5230	20.14	≤21	Pass
	54	5270	20.42	≤24	Pass
	62	5310	18.61	≤24	Pass
	102	5510	18.98	≤24	Pass
	110	5550	20.82	≤24	Pass
	134	5670	20.90	≤24	Pass
	151	5755	21.44	≤30	Pass
	159	5795	21.61	≤30	Pass
11AC80	42	5210	19.41	≤21	Pass
	58	5290	18.69	≤24	Pass
	106	5530	18.18	≤24	Pass
	122	5610	20.72	≤24	Pass
	155	5775	21.55	≤30	Pass
11AC160	50	5250_UNII-1	15.59	≤21	Pass
	50	5250_UNII-2A	15.39	≤24	Pass
	114	5570	19.98	≤24	Pass
11AX20	36	5180	20.42	≤21	Pass
	40	5200	20.27	≤21	Pass
	48	5240	20.56	≤21	Pass
	52	5260	20.53	≤24	Pass
	56	5280	20.69	≤24	Pass
	64	5320	20.36	≤24	Pass
	100	5500	21.38	≤24	Pass
	116	5580	21.08	≤24	Pass
	140	5700	17.02	≤24	Pass
	149	5745	21.36	≤30	Pass
	157	5785	21.53	≤30	Pass
	165	5825	21.51	≤30	Pass
11AX40	38	5190	20.45	≤21	Pass
	46	5230	20.18	≤21	Pass
	54	5270	20.43	≤24	Pass
	62	5310	18.35	≤24	Pass
	102	5510	18.81	≤24	Pass
	110	5550	20.72	≤24	Pass
	134	5670	20.94	≤24	Pass
	151	5755	21.43	≤30	Pass
	159	5795	21.54	≤30	Pass
11AX80	42	5210	19.60	≤21	Pass
	58	5290	18.95	≤24	Pass
	106	5530	18.09	≤24	Pass
	122	5610	20.88	≤24	Pass

	155	5775	21.21	≤30	Pass
11AX160	50	5250_UNII-1	15.59	≤21	Pass
	50	5250_UNII-2A	15.70	≤24	Pass
	114	5570	20.63	≤24	Pass
11BE20	36	5180	20.49	≤21	Pass
	40	5200	20.07	≤21	Pass
	48	5240	20.67	≤21	Pass
	52	5260	20.44	≤24	Pass
	56	5280	20.43	≤24	Pass
	64	5320	20.31	≤24	Pass
	100	5500	21.46	≤24	Pass
	116	5580	21.15	≤24	Pass
	140	5700	16.92	≤24	Pass
	149	5745	21.32	≤30	Pass
	157	5785	21.86	≤30	Pass
	165	5825	21.32	≤30	Pass
11BE40	38	5190	20.14	≤21	Pass
	46	5230	20.05	≤21	Pass
	54	5270	20.32	≤24	Pass
	62	5310	18.59	≤24	Pass
	102	5510	18.94	≤24	Pass
	110	5550	20.47	≤24	Pass
	134	5670	20.75	≤24	Pass
	151	5755	21.29	≤30	Pass
	159	5795	21.43	≤30	Pass
11BE80	42	5210	19.41	≤21	Pass
	58	5290	18.78	≤24	Pass
	106	5530	18.01	≤24	Pass
	122	5610	20.79	≤24	Pass
	155	5775	21.52	≤30	Pass
11BE160	50	5250_UNII-1	15.46	≤21	Pass
	50	5250_UNII-2A	15.58	≤24	Pass
	114	5570	20.37	≤24	Pass

MIMO- Ant1+2

Mode	Channel	Frequency (MHz)	Measure result (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Total		
11N20	36	5180	17.69	17.21	20.47	≤21	Pass
	40	5200	17.65	16.85	20.28	≤21	Pass
	48	5240	17.85	17.29	20.59	≤21	Pass
	52	5260	17.84	17.16	20.52	≤24	Pass
	56	5280	17.95	17.26	20.63	≤24	Pass
	64	5320	17.58	17.03	20.32	≤24	Pass
	100	5500	17.71	18.31	21.03	≤24	Pass
	116	5580	18.71	18.07	21.41	≤24	Pass
	140	5700	14.35	13.81	17.10	≤24	Pass
	149	5745	18.74	18.22	21.50	≤30	Pass
	157	5785	19.13	18.50	21.84	≤30	Pass
	165	5825	18.97	18.42	21.71	≤30	Pass
11N40	38	5190	17.90	17.26	20.60	≤21	Pass
	46	5230	17.84	17.10	20.50	≤21	Pass
	54	5270	17.95	17.41	20.70	≤24	Pass
	62	5310	16.37	15.59	19.01	≤24	Pass
	102	5510	15.36	16.03	18.72	≤24	Pass
	110	5550	18.17	17.74	20.97	≤24	Pass
	134	5670	18.51	17.78	21.17	≤24	Pass
	151	5755	19.04	18.41	21.75	≤30	Pass
	159	5795	18.95	18.33	21.66	≤30	Pass
11AC20	36	5180	17.79	17.24	20.53	≤21	Pass
	40	5200	17.67	16.94	20.33	≤21	Pass
	48	5240	17.86	17.34	20.62	≤21	Pass
	52	5260	18.06	17.32	20.72	≤24	Pass
	56	5280	17.72	17.21	20.48	≤24	Pass
	64	5320	17.53	16.89	20.23	≤24	Pass
	100	5500	17.55	17.91	20.74	≤24	Pass
	116	5580	18.55	17.98	21.28	≤24	Pass
	140	5700	14.25	13.79	17.04	≤24	Pass
	149	5745	18.80	18.09	21.47	≤30	Pass
	157	5785	18.85	18.25	21.57	≤30	Pass
	165	5825	18.89	18.52	21.72	≤30	Pass
11AC40	38	5190	17.72	17.31	20.53	≤21	Pass
	46	5230	17.83	17.15	20.51	≤21	Pass
	54	5270	17.85	17.28	20.58	≤24	Pass
	62	5310	16.18	15.58	18.90	≤24	Pass
	102	5510	15.42	15.90	18.68	≤24	Pass
	110	5550	18.38	17.69	21.06	≤24	Pass
	134	5670	18.35	17.82	21.10	≤24	Pass
	151	5755	19.09	18.46	21.80	≤30	Pass

	159	5795	18.99	18.56	21.79	≤30	Pass
11AC80	42	5210	17.03	16.32	19.70	≤21	Pass
	58	5290	16.33	15.74	19.06	≤24	Pass
	106	5530	14.47	15.04	17.77	≤24	Pass
	122	5610	18.23	17.75	21.01	≤24	Pass
	155	5775	18.99	18.45	21.74	≤30	Pass
11AC160	50	5250_UNII-1	13.22	12.59	15.93	≤21	Pass
	50	5250_UNII-2A	12.88	12.42	15.67	≤24	Pass
	114	5570	16.58	16.91	19.76	≤24	Pass
11AX20	36	5180	18.11	17.34	20.75	≤21	Pass
	40	5200	17.56	17.14	20.37	≤21	Pass
	48	5240	18.10	17.52	20.83	≤21	Pass
	52	5260	18.03	17.59	20.83	≤24	Pass
	56	5280	18.10	17.42	20.78	≤24	Pass
	64	5320	17.70	17.21	20.47	≤24	Pass
	100	5500	17.81	18.40	21.13	≤24	Pass
	116	5580	18.77	18.06	21.44	≤24	Pass
	140	5700	14.43	13.72	17.10	≤24	Pass
	149	5745	18.76	18.10	21.45	≤30	Pass
	157	5785	18.98	18.49	21.75	≤30	Pass
	165	5825	18.93	18.28	21.63	≤30	Pass
11AX40	38	5190	17.80	17.33	20.58	≤21	Pass
	46	5230	17.55	16.95	20.27	≤21	Pass
	54	5270	17.92	17.27	20.62	≤24	Pass
	62	5310	16.00	15.37	18.71	≤24	Pass
	102	5510	15.28	15.65	18.48	≤24	Pass
	110	5550	18.11	17.62	20.88	≤24	Pass
	134	5670	18.37	17.90	21.15	≤24	Pass
	151	5755	18.99	18.39	21.71	≤30	Pass
11AX80	159	5795	19.01	18.37	21.71	≤30	Pass
	42	5210	17.04	16.61	19.84	≤21	Pass
	58	5290	16.47	15.85	19.18	≤24	Pass
	106	5530	14.49	15.03	17.78	≤24	Pass
	122	5610	18.31	17.82	21.08	≤24	Pass
11AX160	155	5775	19.02	18.29	21.68	≤30	Pass
	50	5250_UNII-1	13.18	12.56	15.89	≤21	Pass
	50	5250_UNII-2A	13.26	12.47	15.89	≤24	Pass
11BE20	114	5570	16.86	17.40	20.15	≤24	Pass
	36	5180	17.90	17.28	20.61	≤21	Pass
	40	5200	17.61	16.99	20.32	≤21	Pass
	48	5240	17.99	17.55	20.79	≤21	Pass
	52	5260	18.06	17.45	20.78	≤24	Pass
	56	5280	17.93	17.21	20.60	≤24	Pass
	64	5320	17.82	17.19	20.53	≤24	Pass
	100	5500	17.50	18.29	20.92	≤24	Pass

	116	5580	18.64	18.20	21.44	≤24	Pass
	140	5700	14.34	13.72	17.05	≤24	Pass
	149	5745	18.88	18.46	21.69	≤30	Pass
	157	5785	19.12	18.67	21.91	≤30	Pass
	165	5825	18.83	18.34	21.60	≤30	Pass
11BE40	38	5190	17.65	17.04	20.37	≤21	Pass
	46	5230	17.59	16.85	20.25	≤21	Pass
	54	5270	17.76	17.17	20.49	≤24	Pass
	62	5310	15.99	15.47	18.75	≤24	Pass
	102	5510	15.22	15.77	18.51	≤24	Pass
	110	5550	17.98	17.43	20.72	≤24	Pass
	134	5670	18.27	17.68	21.00	≤24	Pass
	151	5755	18.73	18.08	21.43	≤30	Pass
11BE80	159	5795	18.77	18.22	21.51	≤30	Pass
	42	5210	16.94	16.29	19.64	≤21	Pass
	58	5290	16.28	15.53	18.93	≤24	Pass
	106	5530	14.38	14.85	17.63	≤24	Pass
	122	5610	18.32	17.63	21.00	≤24	Pass
11BE160	155	5775	19.11	18.39	21.78	≤30	Pass
	50	5250_UNII-1	12.95	12.20	15.60	≤21	Pass
	50	5250_UNII-2A	12.94	12.46	15.72	≤24	Pass
	114	5570	16.60	17.26	19.95	≤24	Pass

MIMO- Ant3+4

Mode	Channel	Frequency (MHz)	Measure result (dBm)			Limit (dBm)	Verdict
			Ant3	Ant4	Total		
11N20	36	5180	17.67	17.31	20.50	≤21	Pass
	40	5200	17.59	16.76	20.21	≤21	Pass
	48	5240	17.87	17.24	20.58	≤21	Pass
	52	5260	17.81	17.31	20.58	≤24	Pass
	56	5280	18.04	17.37	20.73	≤24	Pass
	64	5320	17.63	17.03	20.35	≤24	Pass
	100	5500	17.78	18.21	21.01	≤24	Pass
	116	5580	18.67	18.21	21.46	≤24	Pass
	140	5700	14.33	13.67	17.02	≤24	Pass
	149	5745	18.70	18.27	21.50	≤30	Pass
	157	5785	19.07	18.51	21.81	≤30	Pass
	165	5825	19.07	18.47	21.79	≤30	Pass
11N40	38	5190	17.88	17.11	20.52	≤21	Pass
	46	5230	17.83	17.02	20.45	≤21	Pass
	54	5270	17.98	17.31	20.67	≤24	Pass
	62	5310	16.37	15.59	19.01	≤24	Pass
	102	5510	15.50	15.90	18.71	≤24	Pass
	110	5550	18.10	17.71	20.92	≤24	Pass
	134	5670	18.57	17.90	21.26	≤24	Pass
	151	5755	19.00	18.38	21.71	≤30	Pass
	159	5795	18.92	18.27	21.62	≤30	Pass
11AC20	36	5180	17.67	17.12	20.41	≤21	Pass
	40	5200	17.65	16.82	20.27	≤21	Pass
	48	5240	17.91	17.21	20.58	≤21	Pass
	52	5260	18.17	17.43	20.83	≤24	Pass
	56	5280	17.58	17.28	20.44	≤24	Pass
	64	5320	17.39	16.86	20.14	≤24	Pass
	100	5500	17.47	17.82	20.66	≤24	Pass
	116	5580	18.67	18.01	21.36	≤24	Pass
	140	5700	14.23	13.85	17.05	≤24	Pass
	149	5745	18.69	18.16	21.44	≤30	Pass
	157	5785	18.71	18.21	21.48	≤30	Pass
	165	5825	18.85	18.51	21.69	≤30	Pass
11AC40	38	5190	17.59	17.44	20.53	≤21	Pass
	46	5230	17.88	17.27	20.60	≤21	Pass
	54	5270	17.80	17.30	20.57	≤24	Pass
	62	5310	16.19	15.55	18.89	≤24	Pass
	102	5510	15.27	15.88	18.60	≤24	Pass
	110	5550	18.38	17.79	21.11	≤24	Pass
	134	5670	18.26	17.86	21.07	≤24	Pass
	151	5755	19.21	18.51	21.88	≤30	Pass

	159	5795	18.84	18.50	21.68	≤30	Pass
11AC80	42	5210	17.17	16.29	19.76	≤21	Pass
	58	5290	16.26	15.61	18.96	≤24	Pass
	106	5530	14.50	15.09	17.82	≤24	Pass
	122	5610	18.33	17.79	21.08	≤24	Pass
	155	5775	19.01	18.35	21.70	≤30	Pass
11AC160	50	5250_UNII-1	13.31	12.74	16.04	≤21	Pass
	50	5250_UNII-2A	12.87	12.50	15.70	≤24	Pass
	114	5570	16.71	16.82	19.78	≤24	Pass
11AX20	36	5180	18.02	17.25	20.66	≤21	Pass
	40	5200	17.71	17.28	20.51	≤21	Pass
	48	5240	18.01	17.64	20.84	≤21	Pass
	52	5260	17.96	17.58	20.78	≤24	Pass
	56	5280	18.01	17.36	20.71	≤24	Pass
	64	5320	17.76	17.28	20.54	≤24	Pass
	100	5500	17.95	18.53	21.26	≤24	Pass
	116	5580	18.82	18.09	21.48	≤24	Pass
	140	5700	14.38	13.59	17.01	≤24	Pass
	149	5745	18.72	18.06	21.41	≤30	Pass
	157	5785	19.00	18.48	21.76	≤30	Pass
	165	5825	19.03	18.19	21.64	≤30	Pass
11AX40	38	5190	17.78	17.29	20.55	≤21	Pass
	46	5230	17.49	16.82	20.18	≤21	Pass
	54	5270	18.03	17.23	20.66	≤24	Pass
	62	5310	15.97	15.33	18.67	≤24	Pass
	102	5510	15.31	15.61	18.47	≤24	Pass
	110	5550	17.98	17.48	20.75	≤24	Pass
	134	5670	18.23	17.96	21.11	≤24	Pass
	151	5755	18.97	18.40	21.70	≤30	Pass
	159	5795	19.04	18.32	21.71	≤30	Pass
11AX80	42	5210	17.17	16.68	19.94	≤21	Pass
	58	5290	16.58	15.86	19.25	≤24	Pass
	106	5530	14.44	15.14	17.81	≤24	Pass
	122	5610	18.46	17.68	21.10	≤24	Pass
	155	5775	19.00	18.19	21.62	≤30	Pass
11AX160	50	5250_UNII-1	13.21	12.43	15.85	≤21	Pass
	50	5250_UNII-2A	13.35	12.60	16.00	≤24	Pass
	114	5570	16.83	17.29	20.08	≤24	Pass
11BE20	36	5180	17.76	17.22	20.51	≤21	Pass
	40	5200	17.68	17.03	20.38	≤21	Pass
	48	5240	17.92	17.45	20.70	≤21	Pass
	52	5260	18.01	17.36	20.71	≤24	Pass
	56	5280	17.85	17.26	20.58	≤24	Pass
	64	5320	17.86	17.05	20.48	≤24	Pass
	100	5500	17.58	18.33	20.98	≤24	Pass

	116	5580	18.53	18.22	21.39	≤24	Pass
	140	5700	14.35	13.60	17.00	≤24	Pass
	149	5745	18.85	18.33	21.61	≤30	Pass
	157	5785	19.26	18.58	21.94	≤30	Pass
	165	5825	18.92	18.31	21.64	≤30	Pass
11BE40	38	5190	17.70	17.04	20.39	≤21	Pass
	46	5230	17.54	16.94	20.26	≤21	Pass
	54	5270	17.72	17.07	20.42	≤24	Pass
	62	5310	16.02	15.49	18.77	≤24	Pass
	102	5510	15.34	15.83	18.60	≤24	Pass
	110	5550	18.11	17.51	20.83	≤24	Pass
	134	5670	18.14	17.75	20.96	≤24	Pass
	151	5755	18.67	18.09	21.40	≤30	Pass
11BE80	42	5210	16.93	16.31	19.64	≤21	Pass
	58	5290	16.29	15.63	18.98	≤24	Pass
	106	5530	14.30	14.78	17.56	≤24	Pass
	122	5610	18.20	17.52	20.88	≤24	Pass
	155	5775	18.96	18.53	21.76	≤30	Pass
11BE160	50	5250_UNII-1	12.86	12.26	15.58	≤21	Pass
	50	5250_UNII-2A	12.85	12.39	15.64	≤24	Pass
	114	5570	16.57	17.35	19.99	≤24	Pass

Appendix F: Test result of Peak Power Spectral Density

TestMode	Frequency[MHz]	Result [5150~5725 dBm/MHz 5725~5850 dBm/500kHz]	Limit [5150~5725 dBm/MHz 5725~5850 dBm/500kHz]	Verdict
11A	5180	9.74	≤1700	PASS
11A	5200	9.56	≤17.00	PASS
11A	5240	10.04	≤17.00	PASS
11A	5260	10.15	≤11.00	PASS
11A	5280	10.12	≤11.00	PASS
11A	5320	9.99	≤11.00	PASS
11A	5500	9.72	≤11.00	PASS
11A	5580	10.68	≤11.00	PASS
11A	5700	9.41	≤11.00	PASS
11A	5745	7.64	≤30.00	PASS
11A	5785	7.67	≤30.00	PASS
11A	5825	7.75	≤30.00	PASS

Note 1: Only the highest power chain date shown in this report.

Note 2: The Duty Cycle Factor and RBW Factor is compensated in the graph.

TestMode	Frequency[MHz]	SISO Result [5150~5725 dBm/MHz 5725~5850 dBm/500kHz]	Limit [5150~5725 dBm/MHz 5725~5850 dBm/500kHz]	MIMO Result [5150~5725 dBm/MHz 5725~5850 dBm/500kHz]	Limit [5150~5725 dBm/MHz 5725~5850 dBm/500kHz]	Verdict
11N20	5180	9.39	≤17.00	12.40	≤14.93	PASS
11N20	5200	9.23	≤17.00	12.24	≤14.93	PASS
11N20	5240	9.40	≤17.00	12.41	≤14.93	PASS
11N20	5260	9.83	≤11.00	12.84	≤8.93	PASS
11N20	5280	9.69	≤11.00	12.70	≤8.93	PASS
11N20	5320	9.61	≤11.00	12.62	≤8.93	PASS
11N20	5500	9.24	≤11.00	12.25	≤8.93	PASS
11N20	5580	10.53	≤11.00	13.54	≤8.93	PASS
11N20	5700	6.18	≤11.00	9.19	≤8.93	PASS
11N20	5745	7.41	≤30.00	10.42	≤27.93	PASS
11N20	5785	7.56	≤30.00	10.57	≤27.93	PASS
11N20	5825	7.67	≤30.00	10.68	≤27.93	PASS
11N40	5190	6.27	≤17.00	9.28	≤14.93	PASS
11N40	5230	6.43	≤17.00	9.44	≤14.93	PASS
11N40	5270	6.88	≤11.00	9.89	≤8.93	PASS
11N40	5310	5.17	≤11.00	8.18	≤8.93	PASS
11N40	5510	4.15	≤11.00	7.16	≤8.93	PASS
11N40	5550	7.27	≤11.00	10.28	≤8.93	PASS
11N40	5670	6.98	≤11.00	9.99	≤8.93	PASS
11N40	5755	4.80	≤30.00	7.81	≤27.93	PASS
11N40	5795	4.40	≤30.00	7.41	≤27.93	PASS
11AC20	5180	9.45	≤17.00	12.46	≤14.93	PASS
11AC20	5200	9.21	≤17.00	12.22	≤14.93	PASS
11AC20	5240	9.63	≤17.00	12.64	≤14.93	PASS
11AC20	5260	9.67	≤11.00	12.68	≤8.93	PASS

11AC20	5280	9.65	≤11.00	12.66	≤8.93	PASS
11AC20	5320	9.21	≤11.00	12.22	≤8.93	PASS
11AC20	5500	9.14	≤11.00	12.15	≤8.93	PASS
11AC20	5580	10.37	≤11.00	13.38	≤8.93	PASS
11AC20	5700	5.76	≤11.00	8.77	≤8.93	PASS
11AC20	5745	7.24	≤30.00	10.25	≤27.93	PASS
11AC20	5785	7.71	≤30.00	10.72	≤27.93	PASS
11AC20	5825	7.66	≤30.00	10.67	≤27.93	PASS
11AC40	5190	6.40	≤17.00	9.41	≤14.93	PASS
11AC40	5230	6.35	≤17.00	9.36	≤14.93	PASS
11AC40	5270	6.48	≤11.00	9.49	≤8.93	PASS
11AC40	5310	5.18	≤11.00	8.19	≤8.93	PASS
11AC40	5510	3.80	≤11.00	6.81	≤8.93	PASS
11AC40	5550	7.00	≤11.00	10.01	≤8.93	PASS
11AC40	5670	6.79	≤11.00	9.80	≤8.93	PASS
11AC40	5755	4.61	≤30.00	7.62	≤27.93	PASS
11AC40	5795	4.58	≤30.00	7.59	≤27.93	PASS
11AC80	5210	2.62	≤17.00	5.63	≤14.93	PASS
11AC80	5290	2.07	≤11.00	5.08	≤8.93	PASS
11AC80	5530	-0.15	≤11.00	2.86	≤8.93	PASS
11AC80	5610	3.56	≤11.00	6.57	≤8.93	PASS
11AC80	5775	1.15	≤30.00	4.16	≤30.00	PASS
11AC160	5250_UNII-1	-1.70	≤17.00	1.31	≤14.93	PASS
11AC160	5250_UNII-2A	-2.36	≤11.00	0.65	≤8.93	PASS
11AC160	5570	-0.93	≤11.00	2.08	≤8.93	PASS
11AX20	5180	9.44	≤17.00	12.45	≤14.93	PASS
11AX20	5200	9.47	≤17.00	12.48	≤14.93	PASS
11AX20	5240	9.50	≤17.00	12.51	≤14.93	PASS
11AX20	5260	9.51	≤11.00	12.52	≤8.93	PASS
11AX20	5280	9.58	≤11.00	12.59	≤8.93	PASS
11AX20	5320	9.25	≤11.00	12.26	≤8.93	PASS
11AX20	5500	9.26	≤11.00	12.27	≤8.93	PASS
11AX20	5580	10.20	≤11.00	13.21	≤8.93	PASS
11AX20	5700	6.07	≤11.00	9.08	≤8.93	PASS
11AX20	5745	7.30	≤30.00	10.31	≤27.93	PASS
11AX20	5785	7.73	≤30.00	10.74	≤27.93	PASS
11AX20	5825	7.47	≤30.00	10.48	≤27.93	PASS
11AX40	5190	6.35	≤17.00	9.36	≤14.93	PASS
11AX40	5230	6.03	≤17.00	9.04	≤14.93	PASS
11AX40	5270	6.40	≤11.00	9.41	≤8.93	PASS
11AX40	5310	4.85	≤11.00	7.86	≤8.93	PASS
11AX40	5510	3.78	≤11.00	6.79	≤8.93	PASS
11AX40	5550	6.53	≤11.00	9.54	≤8.93	PASS
11AX40	5670	6.90	≤11.00	9.91	≤8.93	PASS
11AX40	5755	4.49	≤30.00	7.50	≤27.93	PASS
11AX40	5795	4.81	≤30.00	7.82	≤27.93	PASS
11AX80	5210	2.52	≤17.00	5.53	≤8.93	PASS
11AX80	5290	2.33	≤11.00	5.34	≤8.93	PASS
11AX80	5530	0.00	≤11.00	3.01	≤8.93	PASS
11AX80	5610	3.57	≤11.00	6.58	≤8.93	PASS
11AX80	5775	1.13	≤30.00	4.14	≤27.93	PASS

11AX160	5250_UNII-1	-1.89	≤17.00	1.12	≤14.93	PASS
11AX160	5250_UNII-2A	-2.43	≤11.00	0.58	≤8.93	PASS
11AX160	5570	-0.88	≤11.00	2.13	≤8.93	PASS
11BE20	5180	9.33	≤17.00	12.34	≤14.93	PASS
11BE20	5200	9.37	≤17.00	12.38	≤14.93	PASS
11BE20	5240	9.55	≤17.00	12.56	≤14.93	PASS
11BE20	5260	9.68	≤11.00	12.69	≤8.93	PASS
11BE20	5280	9.66	≤11.00	12.67	≤8.93	PASS
11BE20	5320	9.30	≤11.00	12.31	≤8.93	PASS
11BE20	5500	9.19	≤11.00	12.20	≤8.93	PASS
11BE20	5580	10.22	≤11.00	13.23	≤8.93	PASS
11BE20	5700	6.08	≤11.00	9.09	≤8.93	PASS
11BE20	5745	7.34	≤30.00	10.35	≤27.93	PASS
11BE20	5785	7.51	≤30.00	10.52	≤27.93	PASS
11BE20	5825	7.23	≤30.00	10.24	≤27.93	PASS
11BE40	5190	6.18	≤17.00	9.19	≤14.93	PASS
11BE40	5230	6.01	≤17.00	9.02	≤14.93	PASS
11BE40	5270	6.41	≤11.00	9.42	≤8.93	PASS
11BE40	5310	4.57	≤11.00	7.58	≤8.93	PASS
11BE40	5510	3.81	≤11.00	6.82	≤8.93	PASS
11BE40	5550	6.55	≤11.00	9.56	≤8.93	PASS
11BE40	5670	6.57	≤11.00	9.58	≤8.93	PASS
11BE40	5755	4.09	≤30.00	7.10	≤27.93	PASS
11BE40	5795	4.12	≤30.00	7.13	≤27.93	PASS
11BE80	5210	2.39	≤17.00	5.40	≤14.93	PASS
11BE80	5290	2.12	≤11.00	5.13	≤8.93	PASS
11BE80	5530	-0.18	≤11.00	2.83	≤8.93	PASS
11BE80	5610	3.67	≤11.00	6.68	≤8.93	PASS
11BE80	5775	1.50	≤30.00	4.51	≤27.93	PASS
11BE160	5250_UNII-1	-2.04	≤17.00	0.97	≤14.93	PASS
11BE160	5250_UNII-2A	-2.54	≤11.00	0.47	≤8.93	PASS
11BE160	5570	-0.82	≤11.00	2.19	≤8.93	PASS

Note 1: The SISO PSD data is measure by highest power chain.

Note 2: The MIMO PSD is calculate form SISO PSD, which is tight than real result: $MIMO\ PSD = SISO\ PSD + 10\log(n) = SISO\ PSD + 3.01$ $n =$ chain number.


Note 3: MIMO Limit = limit – (Directional gain -6dBi)

11 - $(5.06 + 10\log(2) - 6) = 8.93$


17 - $(5.06 + 10\log(2) - 6) = 14.93$

30 - $(5.06 + 10\log(2) - 6) = 27.93$


Note 4: The Duty Cycle Factor and RBW Factor is compensated in the graph.




11A-5180-PASS




11A-5200-PASS




11A-5240-PASS




11A-5260-PASS




11A-5280-PASS




11A-5320-PASS




11A-5500-PASS




11A-5580-PASS




11A-5700-PASS



11A-5745-PASS



11A-5785-PASS



11A-5825-PASS