

Appendix for Band 5

Report No.: BCTC2503917838E

Applicant: SEEWORLD Technology Co.,Ltd

Product Name: Dash Cam


Test Model: V7 Pro

Tested Date: 2025-03-18 to 2025-04-29

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement.....	2
Appendix 2. Frequency stability.....	6
Appendix 3. Peak-to-Average Ratio	17
Appendix 4. Occupied bandwidth	32
Appendix 5. Band edge.....	47
Appendix 6. Out-of-band emissions.....	58




Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	Verdict
NVNT	Band5	1.4	20407	1	#0	QPSK	24.01	-0.5	21.36	PASS
NVNT	Band5	1.4	20407	1	#Mid	QPSK	23.89	-0.5	21.24	PASS
NVNT	Band5	1.4	20407	1	#Max	QPSK	23.98	-0.5	21.33	PASS
NVNT	Band5	1.4	20407	3	#0	QPSK	23.85	-0.5	21.20	PASS
NVNT	Band5	1.4	20407	3	#Mid	QPSK	23.82	-0.5	21.17	PASS
NVNT	Band5	1.4	20407	3	#Max	QPSK	24.05	-0.5	21.40	PASS
NVNT	Band5	1.4	20407	6	#0	QPSK	23.02	-0.5	20.37	PASS
NVNT	Band5	1.4	20407	1	#0	16QAM	22.92	-0.5	20.27	PASS
NVNT	Band5	1.4	20407	1	#Mid	16QAM	22.88	-0.5	20.23	PASS
NVNT	Band5	1.4	20407	1	#Max	16QAM	22.99	-0.5	20.34	PASS
NVNT	Band5	1.4	20407	3	#0	16QAM	23.02	-0.5	20.37	PASS
NVNT	Band5	1.4	20407	3	#Mid	16QAM	23.00	-0.5	20.35	PASS
NVNT	Band5	1.4	20407	3	#Max	16QAM	23.34	-0.5	20.69	PASS
NVNT	Band5	1.4	20407	6	#0	16QAM	22.31	-0.5	19.66	PASS
NVNT	Band5	1.4	20525	1	#0	QPSK	22.79	-0.5	20.14	PASS
NVNT	Band5	1.4	20525	1	#Mid	QPSK	22.66	-0.5	20.01	PASS
NVNT	Band5	1.4	20525	1	#Max	QPSK	22.85	-0.5	20.20	PASS
NVNT	Band5	1.4	20525	3	#0	QPSK	22.70	-0.5	20.05	PASS
NVNT	Band5	1.4	20525	3	#Mid	QPSK	22.59	-0.5	19.94	PASS
NVNT	Band5	1.4	20525	3	#Max	QPSK	23.01	-0.5	20.36	PASS
NVNT	Band5	1.4	20525	6	#0	QPSK	22.02	-0.5	19.37	PASS
NVNT	Band5	1.4	20525	1	#0	16QAM	21.90	-0.5	19.25	PASS
NVNT	Band5	1.4	20525	1	#Mid	16QAM	21.87	-0.5	19.22	PASS
NVNT	Band5	1.4	20525	1	#Max	16QAM	22.12	-0.5	19.47	PASS
NVNT	Band5	1.4	20525	3	#0	16QAM	21.96	-0.5	19.31	PASS
NVNT	Band5	1.4	20525	3	#Mid	16QAM	21.90	-0.5	19.25	PASS
NVNT	Band5	1.4	20525	3	#Max	16QAM	22.28	-0.5	19.63	PASS
NVNT	Band5	1.4	20525	6	#0	16QAM	21.25	-0.5	18.60	PASS
NVNT	Band5	1.4	20643	1	#0	QPSK	22.84	-0.5	20.19	PASS
NVNT	Band5	1.4	20643	1	#Mid	QPSK	22.84	-0.5	20.19	PASS
NVNT	Band5	1.4	20643	1	#Max	QPSK	22.92	-0.5	20.27	PASS
NVNT	Band5	1.4	20643	3	#0	QPSK	22.72	-0.5	20.07	PASS
NVNT	Band5	1.4	20643	3	#Mid	QPSK	22.61	-0.5	19.96	PASS
NVNT	Band5	1.4	20643	3	#Max	QPSK	22.91	-0.5	20.26	PASS
NVNT	Band5	1.4	20643	6	#0	QPSK	21.88	-0.5	19.23	PASS

NVNT	Band5	1.4	20643	1	#0	16QAM	21.73	-0.5	19.08	PASS
NVNT	Band5	1.4	20643	1	#Mid	16QAM	21.72	-0.5	19.07	PASS
NVNT	Band5	1.4	20643	1	#Max	16QAM	22.12	-0.5	19.47	PASS
NVNT	Band5	1.4	20643	3	#0	16QAM	21.96	-0.5	19.31	PASS
NVNT	Band5	1.4	20643	3	#Mid	16QAM	21.90	-0.5	19.25	PASS
NVNT	Band5	1.4	20643	3	#Max	16QAM	22.28	-0.5	19.63	PASS
NVNT	Band5	1.4	20643	6	#0	16QAM	21.25	-0.5	18.60	PASS
NVNT	Band5	3	20415	1	#0	QPSK	24.16	-0.5	21.51	PASS
NVNT	Band5	3	20415	1	#Mid	QPSK	24.06	-0.5	21.41	PASS
NVNT	Band5	3	20415	1	#Max	QPSK	23.59	-0.5	20.94	PASS
NVNT	Band5	3	20415	8	#0	QPSK	23.00	-0.5	20.35	PASS
NVNT	Band5	3	20415	8	#Mid	QPSK	22.87	-0.5	20.22	PASS
NVNT	Band5	3	20415	8	#Max	QPSK	23.02	-0.5	20.37	PASS
NVNT	Band5	3	20415	15	#0	QPSK	22.90	-0.5	20.25	PASS
NVNT	Band5	3	20415	1	#0	16QAM	23.50	-0.5	20.85	PASS
NVNT	Band5	3	20415	1	#Mid	16QAM	23.43	-0.5	20.78	PASS
NVNT	Band5	3	20415	1	#Max	16QAM	23.02	-0.5	20.37	PASS
NVNT	Band5	3	20415	8	#0	16QAM	22.02	-0.5	19.37	PASS
NVNT	Band5	3	20415	8	#Mid	16QAM	21.92	-0.5	19.27	PASS
NVNT	Band5	3	20415	8	#Max	16QAM	22.10	-0.5	19.45	PASS
NVNT	Band5	3	20415	15	#0	16QAM	21.95	-0.5	19.30	PASS
NVNT	Band5	3	20525	1	#0	QPSK	22.90	-0.5	20.25	PASS
NVNT	Band5	3	20525	1	#Mid	QPSK	22.83	-0.5	20.18	PASS
NVNT	Band5	3	20525	1	#Max	QPSK	22.99	-0.5	20.34	PASS
NVNT	Band5	3	20525	8	#0	QPSK	22.03	-0.5	19.38	PASS
NVNT	Band5	3	20525	8	#Mid	QPSK	21.95	-0.5	19.30	PASS
NVNT	Band5	3	20525	8	#Max	QPSK	22.09	-0.5	19.44	PASS
NVNT	Band5	3	20525	15	#0	QPSK	22.02	-0.5	19.37	PASS
NVNT	Band5	3	20525	1	#0	16QAM	21.98	-0.5	19.33	PASS
NVNT	Band5	3	20525	1	#Mid	16QAM	22.04	-0.5	19.39	PASS
NVNT	Band5	3	20525	1	#Max	16QAM	22.29	-0.5	19.64	PASS
NVNT	Band5	3	20525	8	#0	16QAM	21.20	-0.5	18.55	PASS
NVNT	Band5	3	20525	8	#Mid	16QAM	21.14	-0.5	18.49	PASS
NVNT	Band5	3	20525	8	#Max	16QAM	21.31	-0.5	18.66	PASS
NVNT	Band5	3	20525	15	#0	16QAM	21.12	-0.5	18.47	PASS
NVNT	Band5	3	20635	1	#0	QPSK	23.53	-0.5	20.88	PASS
NVNT	Band5	3	20635	1	#Mid	QPSK	23.08	-0.5	20.43	PASS
NVNT	Band5	3	20635	1	#Max	QPSK	23.10	-0.5	20.45	PASS
NVNT	Band5	3	20635	8	#0	QPSK	22.46	-0.5	19.81	PASS
NVNT	Band5	3	20635	8	#Mid	QPSK	22.15	-0.5	19.50	PASS
NVNT	Band5	3	20635	8	#Max	QPSK	22.09	-0.5	19.44	PASS
NVNT	Band5	3	20635	15	#0	QPSK	22.18	-0.5	19.53	PASS

NVNT	Band5	3	20635	1	#0	16QAM	22.41	-0.5	19.76	PASS
NVNT	Band5	3	20635	1	#Mid	16QAM	21.95	-0.5	19.30	PASS
NVNT	Band5	3	20635	1	#Max	16QAM	21.94	-0.5	19.29	PASS
NVNT	Band5	3	20635	8	#0	16QAM	21.50	-0.5	18.85	PASS
NVNT	Band5	3	20635	8	#Mid	16QAM	21.21	-0.5	18.56	PASS
NVNT	Band5	3	20635	8	#Max	16QAM	21.15	-0.5	18.50	PASS
NVNT	Band5	3	20635	15	#0	16QAM	21.32	-0.5	18.67	PASS
NVNT	Band5	5	20425	1	#0	QPSK	24.06	-0.5	21.41	PASS
NVNT	Band5	5	20425	1	#Mid	QPSK	23.62	-0.5	20.97	PASS
NVNT	Band5	5	20425	1	#Max	QPSK	23.13	-0.5	20.48	PASS
NVNT	Band5	5	20425	12	#0	QPSK	23.14	-0.5	20.49	PASS
NVNT	Band5	5	20425	12	#Mid	QPSK	23.18	-0.5	20.53	PASS
NVNT	Band5	5	20425	12	#Max	QPSK	22.49	-0.5	19.84	PASS
NVNT	Band5	5	20425	25	#0	QPSK	22.75	-0.5	20.10	PASS
NVNT	Band5	5	20425	1	#0	16QAM	23.58	-0.5	20.93	PASS
NVNT	Band5	5	20425	1	#Mid	16QAM	23.26	-0.5	20.61	PASS
NVNT	Band5	5	20425	1	#Max	16QAM	22.65	-0.5	20.00	PASS
NVNT	Band5	5	20425	12	#0	16QAM	22.14	-0.5	19.49	PASS
NVNT	Band5	5	20425	12	#Mid	16QAM	22.21	-0.5	19.56	PASS
NVNT	Band5	5	20425	12	#Max	16QAM	21.52	-0.5	18.87	PASS
NVNT	Band5	5	20425	25	#0	16QAM	21.74	-0.5	19.09	PASS
NVNT	Band5	5	20525	1	#0	QPSK	22.73	-0.5	20.08	PASS
NVNT	Band5	5	20525	1	#Mid	QPSK	23.03	-0.5	20.38	PASS
NVNT	Band5	5	20525	1	#Max	QPSK	23.27	-0.5	20.62	PASS
NVNT	Band5	5	20525	12	#0	QPSK	21.97	-0.5	19.32	PASS
NVNT	Band5	5	20525	12	#Mid	QPSK	22.14	-0.5	19.49	PASS
NVNT	Band5	5	20525	12	#Max	QPSK	22.30	-0.5	19.65	PASS
NVNT	Band5	5	20525	25	#0	QPSK	22.20	-0.5	19.55	PASS
NVNT	Band5	5	20525	1	#0	16QAM	21.94	-0.5	19.29	PASS
NVNT	Band5	5	20525	1	#Mid	16QAM	22.39	-0.5	19.74	PASS
NVNT	Band5	5	20525	1	#Max	16QAM	22.68	-0.5	20.03	PASS
NVNT	Band5	5	20525	12	#0	16QAM	20.97	-0.5	18.32	PASS
NVNT	Band5	5	20525	12	#Mid	16QAM	21.16	-0.5	18.51	PASS
NVNT	Band5	5	20525	12	#Max	16QAM	21.32	-0.5	18.67	PASS
NVNT	Band5	5	20525	25	#0	16QAM	21.28	-0.5	18.63	PASS
NVNT	Band5	5	20625	1	#0	QPSK	23.47	-0.5	20.82	PASS
NVNT	Band5	5	20625	1	#Mid	QPSK	23.35	-0.5	20.70	PASS
NVNT	Band5	5	20625	1	#Max	QPSK	22.97	-0.5	20.32	PASS
NVNT	Band5	5	20625	12	#0	QPSK	22.56	-0.5	19.91	PASS
NVNT	Band5	5	20625	12	#Mid	QPSK	22.37	-0.5	19.72	PASS
NVNT	Band5	5	20625	12	#Max	QPSK	22.36	-0.5	19.71	PASS
NVNT	Band5	5	20625	25	#0	QPSK	22.34	-0.5	19.69	PASS

NVNT	Band5	5	20625	1	#0	16QAM	22.83	-0.5	20.18	PASS
NVNT	Band5	5	20625	1	#Mid	16QAM	22.75	-0.5	20.10	PASS
NVNT	Band5	5	20625	1	#Max	16QAM	22.41	-0.5	19.76	PASS
NVNT	Band5	5	20625	12	#0	16QAM	21.63	-0.5	18.98	PASS
NVNT	Band5	5	20625	12	#Mid	16QAM	21.44	-0.5	18.79	PASS
NVNT	Band5	5	20625	12	#Max	16QAM	21.44	-0.5	18.79	PASS
NVNT	Band5	5	20625	25	#0	16QAM	21.38	-0.5	18.73	PASS
NVNT	Band5	10	20450	1	#0	QPSK	24.21	-0.5	21.56	PASS
NVNT	Band5	10	20450	1	#Mid	QPSK	23.38	-0.5	20.73	PASS
NVNT	Band5	10	20450	1	#Max	QPSK	23.11	-0.5	20.46	PASS
NVNT	Band5	10	20450	25	#0	QPSK	22.83	-0.5	20.18	PASS
NVNT	Band5	10	20450	25	#Mid	QPSK	22.51	-0.5	19.86	PASS
NVNT	Band5	10	20450	25	#Max	QPSK	22.47	-0.5	19.82	PASS
NVNT	Band5	10	20450	50	#0	QPSK	22.47	-0.5	19.82	PASS
NVNT	Band5	10	20525	1	#0	QPSK	22.83	-0.5	20.18	PASS
NVNT	Band5	10	20525	1	#Mid	QPSK	23.06	-0.5	20.41	PASS
NVNT	Band5	10	20525	1	#Max	QPSK	23.34	-0.5	20.69	PASS
NVNT	Band5	10	20525	25	#0	QPSK	22.11	-0.5	19.46	PASS
NVNT	Band5	10	20525	25	#Mid	QPSK	22.24	-0.5	19.59	PASS
NVNT	Band5	10	20525	25	#Max	QPSK	22.64	-0.5	19.99	PASS
NVNT	Band5	10	20525	50	#0	QPSK	22.11	-0.5	19.46	PASS
NVNT	Band5	10	20600	1	#0	QPSK	23.70	-0.5	21.05	PASS
NVNT	Band5	10	20600	1	#Mid	QPSK	23.70	-0.5	21.05	PASS
NVNT	Band5	10	20600	1	#Max	QPSK	23.12	-0.5	20.47	PASS
NVNT	Band5	10	20600	25	#0	QPSK	22.84	-0.5	20.19	PASS
NVNT	Band5	10	20600	25	#Mid	QPSK	22.97	-0.5	20.32	PASS
NVNT	Band5	10	20600	25	#Max	QPSK	22.75	-0.5	20.10	PASS
NVNT	Band5	10	20600	50	#0	QPSK	22.63	-0.5	19.98	PASS



Appendix 2.Frequency stability

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band 5	1.4	20407	6	#0	QPSK	LV	NT	6.44	0.008	PASS
NVNT	Band 5	1.4	20407	6	#0	QPSK	NV	NT	4.23	0.005	PASS
NVNT	Band 5	1.4	20407	6	#0	QPSK	HV	NT	2.42	0.003	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	LV	NT	-3.45	-0.004	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	NV	NT	-6.25	-0.008	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	HV	NT	-5.32	-0.006	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	LV	NT	4.28	0.005	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	NV	NT	0.90	0.001	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	HV	NT	-6.54	-0.008	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	LV	NT	-5.92	-0.007	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	NV	NT	-5.79	-0.007	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	HV	NT	-5.84	-0.007	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	LV	NT	3.46	0.004	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	NV	NT	-1.86	-0.002	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	HV	NT	-6.58	-0.008	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	LV	NT	-6.28	-0.007	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	NV	NT	-5.36	-0.006	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	HV	NT	-6.62	-0.008	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	LV	NT	6.01	0.007	PASS

NVNT	Band 5	3	20415	15	#0	QPSK	NV	NT	2.98	0.004	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	HV	NT	-0.63	-0.001	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	LV	NT	-6.38	-0.008	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	NV	NT	-6.02	-0.007	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	HV	NT	-5.95	-0.007	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	LV	NT	4.01	0.005	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	NV	NT	-3.43	-0.004	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	HV	NT	-7.41	-0.009	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	LV	NT	-6.87	-0.008	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	NV	NT	-6.79	-0.008	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	HV	NT	-6.79	-0.008	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	LV	NT	-2.39	-0.003	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	NV	NT	-5.26	-0.006	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	HV	NT	-5.28	-0.006	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	LV	NT	-5.49	-0.006	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	NV	NT	-5.39	-0.006	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	HV	NT	-6.01	-0.007	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	LV	NT	4.62	0.006	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	NV	NT	3.78	0.005	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	HV	NT	-3.92	-0.005	PASS
NVNT	Band 5	5	20425	25	#0	16QAM	LV	NT	-6.61	-0.008	PASS
NVNT	Band 5	5	20425	25	#0	16QAM	NV	NT	-5.72	-0.007	PASS

	5										
NVNT	Band 5	5	20425	25	#0	16QAM	HV	NT	-5.78	-0.007	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	LV	NT	4.65	0.006	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	NV	NT	-2.99	-0.004	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	HV	NT	-6.49	-0.008	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	LV	NT	-7.72	-0.009	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	NV	NT	-6.81	-0.008	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	HV	NT	-6.79	-0.008	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	LV	NT	-5.94	-0.007	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	NV	NT	-5.36	-0.006	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	HV	NT	-5.11	-0.006	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	LV	NT	-5.95	-0.007	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	NV	NT	-5.81	-0.007	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	HV	NT	-4.79	-0.006	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	LV	NT	5.61	0.007	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	NT	0.46	0.001	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	HV	NT	-6.92	-0.008	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	LV	NT	-7.28	-0.009	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	NT	-7.34	-0.009	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	HV	NT	-7.04	-0.008	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	LV	NT	-7.00	-0.008	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	NT	-6.90	-0.008	PASS

NVNT	Band 5	10	20600	50	#0	QPSK	HV	NT	-5.82	-0.007	PASS
------	--------	----	-------	----	----	------	----	----	-------	--------	------

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band 5	1.4	20407	6	#0	QPSK	NV	-30	-7.30	-0.009	PASS
NVNT	Band 5	1.4	20407	6	#0	QPSK	NV	-20	-8.40	-0.010	PASS
NVNT	Band 5	1.4	20407	6	#0	QPSK	NV	0	-8.80	-0.011	PASS
NVNT	Band 5	1.4	20407	6	#0	QPSK	NV	10	-9.03	-0.011	PASS
NVNT	Band 5	1.4	20407	6	#0	QPSK	NV	20	-8.74	-0.011	PASS
NVNT	Band 5	1.4	20407	6	#0	QPSK	NV	30	-8.60	-0.010	PASS
NVNT	Band 5	1.4	20407	6	#0	QPSK	NV	40	-8.08	-0.010	PASS
NVNT	Band 5	1.4	20407	6	#0	QPSK	NV	50	-7.78	-0.009	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	NV	-30	-8.31	-0.010	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	NV	-20	-8.01	-0.010	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	NV	0	-7.45	-0.009	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	NV	10	-7.51	-0.009	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	NV	20	-7.42	-0.009	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	NV	30	-7.62	-0.009	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	NV	40	-7.28	-0.009	PASS
NVNT	Band 5	1.4	20407	6	#0	16QAM	NV	50	-7.74	-0.009	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	NV	-30	-7.68	-0.009	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	NV	-20	-7.78	-0.009	PASS

NVNT	Band 5	1.4	20525	6	#0	QPSK	NV	0	-7.71	-0.009	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	NV	10	-7.38	-0.009	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	NV	20	-8.41	-0.010	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	NV	30	-8.11	-0.010	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	NV	40	-8.25	-0.010	PASS
NVNT	Band 5	1.4	20525	6	#0	QPSK	NV	50	-6.79	-0.008	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	NV	-30	-6.59	-0.008	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	NV	-20	-6.74	-0.008	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	NV	0	-6.84	-0.008	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	NV	10	-6.37	-0.008	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	NV	20	-6.21	-0.007	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	NV	30	-5.34	-0.006	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	NV	40	-6.24	-0.007	PASS
NVNT	Band 5	1.4	20525	6	#0	16QAM	NV	50	-6.37	-0.008	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	NV	-30	0.10	0.000	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	NV	-20	-3.28	-0.004	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	NV	0	-6.01	-0.007	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	NV	10	-4.98	-0.006	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	NV	20	-5.65	-0.007	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	NV	30	-5.64	-0.007	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	NV	40	-5.08	-0.006	PASS
NVNT	Band 5	1.4	20643	6	#0	QPSK	NV	50	-4.84	-0.006	PASS

	5										
NVNT	Band 5	1.4	20643	6	#0	16QAM	NV	-30	-7.27	-0.009	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	NV	-20	-5.44	-0.006	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	NV	0	0.00	0.000	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	NV	10	0.00	0.000	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	NV	20	0.00	0.000	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	NV	30	0.00	0.000	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	NV	40	0.00	0.000	PASS
NVNT	Band 5	1.4	20643	6	#0	16QAM	NV	50	0.00	0.000	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	NV	-30	-14.88	-0.018	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	NV	-20	-15.51	-0.019	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	NV	0	-14.39	-0.017	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	NV	10	-14.35	-0.017	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	NV	20	-14.83	-0.018	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	NV	30	-13.43	-0.016	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	NV	40	-12.52	-0.015	PASS
NVNT	Band 5	3	20415	15	#0	QPSK	NV	50	-9.87	-0.012	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	NV	-30	-9.31	-0.011	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	NV	-20	-8.63	-0.010	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	NV	0	-7.75	-0.009	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	NV	10	-7.97	-0.010	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	NV	20	-7.55	-0.009	PASS

NVNT	Band 5	3	20415	15	#0	16QAM	NV	30	-7.24	-0.009	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	NV	40	-7.93	-0.010	PASS
NVNT	Band 5	3	20415	15	#0	16QAM	NV	50	-7.54	-0.009	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	NV	-30	-6.62	-0.008	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	NV	-20	-6.61	-0.008	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	NV	0	-7.93	-0.009	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	NV	10	-7.98	-0.010	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	NV	20	-8.00	-0.010	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	NV	30	-8.24	-0.010	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	NV	40	-7.40	-0.009	PASS
NVNT	Band 5	3	20525	15	#0	QPSK	NV	50	-7.93	-0.009	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	NV	-30	-7.48	-0.009	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	NV	-20	-6.49	-0.008	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	NV	0	-6.41	-0.008	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	NV	10	-6.68	-0.008	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	NV	20	-6.02	-0.007	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	NV	30	-6.67	-0.008	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	NV	40	-7.24	-0.009	PASS
NVNT	Band 5	3	20525	15	#0	16QAM	NV	50	-5.11	-0.006	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	NV	-30	0.53	0.001	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	NV	-20	-5.25	-0.006	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	NV	0	-6.32	-0.007	PASS

	5										
NVNT	Band 5	3	20635	15	#0	QPSK	NV	10	-5.18	-0.006	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	NV	20	-6.38	-0.008	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	NV	30	-6.14	-0.007	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	NV	40	-4.29	-0.005	PASS
NVNT	Band 5	3	20635	15	#0	QPSK	NV	50	-5.81	-0.007	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	NV	-30	-5.46	-0.006	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	NV	-20	-5.42	-0.006	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	NV	0	-4.66	-0.005	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	NV	10	-3.26	-0.004	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	NV	20	-1.62	-0.002	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	NV	30	-1.95	-0.002	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	NV	40	-2.66	-0.003	PASS
NVNT	Band 5	3	20635	15	#0	16QAM	NV	50	-2.23	-0.003	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	NV	-30	5.91	0.007	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	NV	-20	1.16	0.001	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	NV	0	-7.24	-0.009	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	NV	10	-7.28	-0.009	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	NV	20	-6.65	-0.008	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	NV	30	-6.29	-0.008	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	NV	40	-6.51	-0.008	PASS
NVNT	Band 5	5	20425	25	#0	QPSK	NV	50	-6.82	-0.008	PASS


NVNT	Band 5	5	20425	25	#0	16QAM	NV	-30	-6.21	-0.008	PASS
NVNT	Band 5	5	20425	25	#0	16QAM	NV	-20	-6.41	-0.008	PASS
NVNT	Band 5	5	20425	25	#0	16QAM	NV	0	-6.94	-0.008	PASS
NVNT	Band 5	5	20425	25	#0	16QAM	NV	10	-6.25	-0.008	PASS
NVNT	Band 5	5	20425	25	#0	16QAM	NV	20	-6.28	-0.008	PASS
NVNT	Band 5	5	20425	25	#0	16QAM	NV	30	-4.49	-0.005	PASS
NVNT	Band 5	5	20425	25	#0	16QAM	NV	40	-5.12	-0.006	PASS
NVNT	Band 5	5	20425	25	#0	16QAM	NV	50	-5.41	-0.007	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	NV	-30	4.32	0.005	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	NV	-20	-2.68	-0.003	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	NV	0	-6.69	-0.008	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	NV	10	-7.18	-0.009	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	NV	20	-6.64	-0.008	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	NV	30	-7.91	-0.009	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	NV	40	-7.12	-0.009	PASS
NVNT	Band 5	5	20525	25	#0	QPSK	NV	50	-6.69	-0.008	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	NV	-30	-6.67	-0.008	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	NV	-20	-6.54	-0.008	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	NV	0	-5.81	-0.007	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	NV	10	-6.39	-0.008	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	NV	20	-6.12	-0.007	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	NV	30	-5.92	-0.007	PASS


	5										
NVNT	Band 5	5	20525	25	#0	16QAM	NV	40	-5.87	-0.007	PASS
NVNT	Band 5	5	20525	25	#0	16QAM	NV	50	-6.09	-0.007	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	NV	-30	1.09	0.001	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	NV	-20	0.31	0.000	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	NV	0	-1.62	-0.002	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	NV	10	-3.96	-0.005	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	NV	20	-4.33	-0.005	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	NV	30	-4.79	-0.006	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	NV	40	-5.46	-0.006	PASS
NVNT	Band 5	5	20625	25	#0	QPSK	NV	50	-5.55	-0.007	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	NV	-30	-5.16	-0.006	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	NV	-20	-1.96	-0.002	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	NV	0	1.76	0.002	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	NV	10	4.88	0.006	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	NV	20	4.61	0.005	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	NV	30	5.25	0.006	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	NV	40	4.48	0.005	PASS
NVNT	Band 5	5	20625	25	#0	16QAM	NV	50	4.43	0.005	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	-30	-5.14	0.006	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	-20	-1.10	-0.001	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	0	-6.37	-0.008	PASS

NVNT	Band 5	10	20450	50	#0	QPSK	NV	10	-6.45	-0.008	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	20	-7.00	-0.008	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	30	-6.87	-0.008	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	40	-6.92	-0.008	PASS
NVNT	Band 5	10	20450	50	#0	QPSK	NV	50	-5.81	-0.007	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	-30	-1.69	-0.002	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	-20	-7.08	-0.008	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	0	-6.85	-0.008	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	10	-6.77	-0.008	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	20	-7.07	-0.008	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	30	-6.54	-0.008	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	40	-6.27	-0.007	PASS
NVNT	Band 5	10	20525	50	#0	QPSK	NV	50	-6.67	-0.008	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	-30	4.65	0.006	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	-20	5.29	0.006	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	0	4.02	0.005	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	10	2.89	0.003	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	20	4.13	0.005	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	30	5.05	0.006	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	40	4.08	0.005	PASS
NVNT	Band 5	10	20600	50	#0	QPSK	NV	50	2.42	0.003	PASS


Appendix 3. Peak-to-Average Ratio


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
NVNT	Band5	1.4	20407	1	#0	QPSK	4.63	13	PASS
NVNT	Band5	1.4	20407	1	#0	16QAM	5.48	13	PASS
NVNT	Band5	1.4	20525	1	#0	QPSK	5.15	13	PASS
NVNT	Band5	1.4	20525	1	#0	16QAM	5.95	13	PASS
NVNT	Band5	1.4	20643	1	#0	QPSK	5.41	13	PASS
NVNT	Band5	1.4	20643	1	#0	16QAM	5.99	13	PASS
NVNT	Band5	3	20415	1	#0	QPSK	4.38	13	PASS
NVNT	Band5	3	20415	1	#0	16QAM	5.26	13	PASS
NVNT	Band5	3	20525	1	#0	QPSK	5.22	13	PASS
NVNT	Band5	3	20525	1	#0	16QAM	6.20	13	PASS
NVNT	Band5	3	20635	1	#0	QPSK	5.19	13	PASS
NVNT	Band5	3	20635	1	#0	16QAM	5.93	13	PASS
NVNT	Band5	5	20425	1	#0	QPSK	4.48	13	PASS
NVNT	Band5	5	20425	1	#0	16QAM	5.19	13	PASS
NVNT	Band5	5	20525	1	#0	QPSK	5.43	13	PASS
NVNT	Band5	5	20525	1	#0	16QAM	6.08	13	PASS
NVNT	Band5	5	20625	1	#0	QPSK	4.56	13	PASS
NVNT	Band5	5	20625	1	#0	16QAM	5.27	13	PASS
NVNT	Band5	10	20450	1	#0	QPSK	4.30	13	PASS
NVNT	Band5	10	20525	1	#0	QPSK	5.56	13	PASS
NVNT	Band5	10	20600	1	#0	QPSK	3.32	13	PASS







Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0 NVNT










Band5 16QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0 NVNT










Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0 NVNT











Band5 16QAM BW=3MHz Channel=20525 RB Size=1 Position=#0 NVNT










Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0 NVNT










Band5 16QAM BW=5MHz Channel=20525 RB Size=1 Position=#0 NVNT









Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0 NVNT







Appendix 4.Occupied bandwidth


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
NVNT	Band5	1.4	20407	6	#0	QPSK	1.105	1.476	PASS
NVNT	Band5	1.4	20407	6	#0	16QAM	1.117	1.501	PASS
NVNT	Band5	1.4	20525	6	#0	QPSK	1.101	1.483	PASS
NVNT	Band5	1.4	20525	6	#0	16QAM	1.102	1.413	PASS
NVNT	Band5	1.4	20643	6	#0	QPSK	1.107	1.448	PASS
NVNT	Band5	1.4	20643	6	#0	16QAM	1.111	1.420	PASS
NVNT	Band5	3	20415	15	#0	QPSK	2.698	3.109	PASS
NVNT	Band5	3	20415	15	#0	16QAM	2.713	3.198	PASS
NVNT	Band5	3	20525	15	#0	QPSK	2.698	3.211	PASS
NVNT	Band5	3	20525	15	#0	16QAM	2.700	3.208	PASS
NVNT	Band5	3	20635	15	#0	QPSK	2.703	3.153	PASS
NVNT	Band5	3	20635	15	#0	16QAM	2.702	3.144	PASS
NVNT	Band5	5	20425	25	#0	QPSK	4.507	5.063	PASS
NVNT	Band5	5	20425	25	#0	16QAM	4.493	5.038	PASS
NVNT	Band5	5	20525	25	#0	QPSK	4.504	5.107	PASS
NVNT	Band5	5	20525	25	#0	16QAM	4.523	5.099	PASS
NVNT	Band5	5	20625	25	#0	QPSK	4.498	5.065	PASS
NVNT	Band5	5	20625	25	#0	16QAM	4.523	5.078	PASS
NVNT	Band5	10	20450	50	#0	QPSK	8.931	9.694	PASS
NVNT	Band5	10	20525	50	#0	QPSK	9.013	9.869	PASS
NVNT	Band5	10	20600	50	#0	QPSK	8.962	9.791	PASS




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0 NVNT










Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0 NVNT










Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0 NVNT










Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0 NVNT










Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0 NVNT










Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0 NVNT









Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0 NVNT







Appendix 5.Band edge


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band5	1.4	20407	6	#0	QPSK	824.00	-22.89	-13	PASS
NVNT	Band5	1.4	20407	6	#0	16QAM	823.99	-22.45	-13	PASS
NVNT	Band5	1.4	20643	6	#0	QPSK	849.00	-22.75	-13	PASS
NVNT	Band5	1.4	20643	6	#0	16QAM	849.00	-23.80	-13	PASS
NVNT	Band5	3	20415	15	#0	QPSK	823.96	-23.64	-13	PASS
NVNT	Band5	3	20415	15	#0	16QAM	823.99	-23.74	-13	PASS
NVNT	Band5	3	20635	15	#0	QPSK	849.00	-24.02	-13	PASS
NVNT	Band5	3	20635	15	#0	16QAM	849.01	-24.82	-13	PASS
NVNT	Band5	5	20425	25	#0	QPSK	824.00	-27.69	-13	PASS
NVNT	Band5	5	20425	25	#0	16QAM	824.00	-27.40	-13	PASS
NVNT	Band5	5	20625	25	#0	QPSK	849.03	-28.93	-13	PASS
NVNT	Band5	5	20625	25	#0	16QAM	849.00	-27.75	-13	PASS
NVNT	Band5	10	20450	50	#0	QPSK	824.00	-30.94	-13	PASS
NVNT	Band5	10	20600	50	#0	QPSK	849.00	-33.11	-13	PASS






Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0 NVNT









Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0 NVNT










Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0 NVNT










Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0 NVNT









Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0 NVNT






Appendix 6.Out-of-band emissions


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band5	1.4	20407	6	#0	QPSK	25599.38	-27.92	-13	PASS
NVNT	Band5	1.4	20407	6	#0	16QAM	25642.50	-27.07	-13	PASS
NVNT	Band5	1.4	20525	6	#0	QPSK	25686.88	-27.85	-13	PASS
NVNT	Band5	1.4	20525	6	#0	16QAM	25635.00	-28.06	-13	PASS
NVNT	Band5	1.4	20643	6	#0	QPSK	25647.50	-28.21	-13	PASS
NVNT	Band5	1.4	20643	6	#0	16QAM	25654.38	-28.11	-13	PASS
NVNT	Band5	3	20415	15	#0	QPSK	25665.63	-27.41	-13	PASS
NVNT	Band5	3	20415	15	#0	16QAM	25697.50	-27.88	-13	PASS
NVNT	Band5	3	20525	15	#0	QPSK	25696.25	-28.18	-13	PASS
NVNT	Band5	3	20525	15	#0	16QAM	25629.38	-28.07	-13	PASS
NVNT	Band5	3	20635	15	#0	QPSK	25651.25	-27.68	-13	PASS
NVNT	Band5	3	20635	15	#0	16QAM	25631.25	-27.37	-13	PASS
NVNT	Band5	5	20425	25	#0	QPSK	25600.63	-28.09	-13	PASS
NVNT	Band5	5	20425	25	#0	16QAM	25622.50	-28.32	-13	PASS
NVNT	Band5	5	20525	25	#0	QPSK	25675.63	-27.63	-13	PASS
NVNT	Band5	5	20525	25	#0	16QAM	25547.50	-28.66	-13	PASS
NVNT	Band5	5	20625	25	#0	QPSK	25601.25	-28.29	-13	PASS
NVNT	Band5	5	20625	25	#0	16QAM	25691.25	-28.86	-13	PASS
NVNT	Band5	10	20450	50	#0	QPSK	25613.13	-28.16	-13	PASS
NVNT	Band5	10	20525	50	#0	QPSK	25687.50	-28.23	-13	PASS
NVNT	Band5	10	20600	50	#0	QPSK	25607.50	-27.81	-13	PASS



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0 NVNT




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00934545	-49.55	-13
2	0.15	30	10	0.15820875	-49.38	-13
3	30	1000	100	900.40525	-53.67	-13
4	1000	26000	1000	25686.875	-27.85	-13


Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0 NVNT



Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0 NVNT





Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.45	-13
2	0.15	30	10	0.16119375	-52.02	-13
3	30	1000	100	855.0335	-48.93	-13
4	1000	26000	1000	25654.375	-28.11	-13

Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0 NVNT






Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0 NVNT





Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010441725	-50.4	-13
2	0.15	30	10	0.15	-49.97	-13
3	30	1000	100	273.39725	-53.49	-13
4	1000	26000	1000	25696.25	-28.18	-13

Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0 NVNT






Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0 NVNT




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009130425	-49.72	-13
2	0.15	30	10	0.1514925	-51.96	-13
3	30	1000	100	907.753	-53.39	-13
4	1000	26000	1000	25631.25	-27.37	-13


Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0 NVNT



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0 NVNT





Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00906345	-48.86	-13
2	0.15	30	10	0.16119375	-50.39	-13
3	30	1000	100	922.594	-53.26	-13
4	1000	26000	1000	25675.625	-27.63	-13

Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0 NVNT






Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0 NVNT




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096345	-49.52	-13
2	0.15	30	10	0.1634325	-51.11	-13
3	30	1000	100	890.3415	-53.32	-13
4	1000	26000	1000	25691.25	-28.86	-13


Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0 NVNT



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0 NVNT



Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101562	-48.78	-13
2	0.15	30	10	0.158955	-50.43	-13
3	30	1000	100	730.55825	-53.06	-13
4	1000	26000	1000	25607.5	-27.81	-13

Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0 NVNT

