

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.87	-0.50	20.22	<=38.45	Pass
			2	22.56	-0.50	19.91	<=38.45	Pass
			5	22.85	-0.50	20.20	<=38.45	Pass
		3	0	22.89	-0.50	20.24	<=38.45	Pass
			2	22.44	-0.50	19.79	<=38.45	Pass
			3	22.49	-0.50	19.84	<=38.45	Pass
		6	0	22.06	-0.50	19.41	<=38.45	Pass
	836.5	1	0	22.45	-0.50	19.80	<=38.45	Pass
			2	22.64	-0.50	19.99	<=38.45	Pass
			5	23.16	-0.50	20.51	<=38.45	Pass
		3	0	23.00	-0.50	20.35	<=38.45	Pass
			2	22.68	-0.50	20.03	<=38.45	Pass
			3	22.46	-0.50	19.81	<=38.45	Pass
		6	0	22.09	-0.50	19.44	<=38.45	Pass
	848.3	1	0	23.17	-0.50	20.52	<=38.45	Pass
			2	23.39	-0.50	20.74	<=38.45	Pass
			5	22.93	-0.50	20.28	<=38.45	Pass
		3	0	23.22	-0.50	20.57	<=38.45	Pass
			2	23.06	-0.50	20.41	<=38.45	Pass
			3	23.19	-0.50	20.54	<=38.45	Pass
		6	0	22.24	-0.50	19.59	<=38.45	Pass
16QAM	824.7	1	0	22.30	-0.50	19.65	<=38.45	Pass
			2	22.08	-0.50	19.43	<=38.45	Pass
			5	22.17	-0.50	19.52	<=38.45	Pass
		3	0	22.22	-0.50	19.57	<=38.45	Pass
			2	22.22	-0.50	19.57	<=38.45	Pass
			3	22.06	-0.50	19.41	<=38.45	Pass
		6	0	21.21	-0.50	18.56	<=38.45	Pass
	836.5	1	0	21.80	-0.50	19.15	<=38.45	Pass
			2	22.50	-0.50	19.85	<=38.45	Pass
			5	22.54	-0.50	19.89	<=38.45	Pass
		3	0	22.26	-0.50	19.61	<=38.45	Pass
			2	22.24	-0.50	19.59	<=38.45	Pass
			3	22.23	-0.50	19.58	<=38.45	Pass
		6	0	21.14	-0.50	18.49	<=38.45	Pass
	848.3	1	0	22.66	-0.50	20.01	<=38.45	Pass
			2	22.32	-0.50	19.67	<=38.45	Pass
			5	22.07	-0.50	19.42	<=38.45	Pass
		3	0	22.44	-0.50	19.79	<=38.45	Pass
			2	22.30	-0.50	19.65	<=38.45	Pass
			3	22.19	-0.50	19.54	<=38.45	Pass
		6	0	21.14	-0.50	18.49	<=38.45	Pass
64QAM	824.7	1	0	21.90	-0.50	19.25	<=38.45	Pass
			2	22.02	-0.50	19.37	<=38.45	Pass
			5	22.10	-0.50	19.45	<=38.45	Pass
		3	0	21.70	-0.50	19.05	<=38.45	Pass
			2	22.19	-0.50	19.54	<=38.45	Pass
			3	21.73	-0.50	19.08	<=38.45	Pass
		6	0	21.22	-0.50	18.57	<=38.45	Pass

	836.5	1	0	22.03	-0.50	19.38	<=38.45	Pass
			2	21.60	-0.50	18.95	<=38.45	Pass
			5	22.18	-0.50	19.53	<=38.45	Pass
		3	0	22.29	-0.50	19.64	<=38.45	Pass
			2	22.12	-0.50	19.47	<=38.45	Pass
			3	22.11	-0.50	19.46	<=38.45	Pass
		6	0	21.16	-0.50	18.51	<=38.45	Pass
	848.3	1	0	22.61	-0.50	19.96	<=38.45	Pass
			2	22.07	-0.50	19.42	<=38.45	Pass
			5	22.13	-0.50	19.48	<=38.45	Pass
		3	0	22.22	-0.50	19.57	<=38.45	Pass
			2	22.09	-0.50	19.44	<=38.45	Pass
			3	22.09	-0.50	19.44	<=38.45	Pass
		6	0	21.20	-0.50	18.55	<=38.45	Pass
256QAM	824.7	1	0	18.08	-0.50	15.43	<=38.45	Pass
			2	18.22	-0.50	15.57	<=38.45	Pass
			5	18.32	-0.50	15.67	<=38.45	Pass
		3	0	18.00	-0.50	15.35	<=38.45	Pass
			2	18.16	-0.50	15.51	<=38.45	Pass
			3	18.10	-0.50	15.45	<=38.45	Pass
		6	0	18.21	-0.50	15.56	<=38.45	Pass
	836.5	1	0	18.34	-0.50	15.69	<=38.45	Pass
			2	18.13	-0.50	15.48	<=38.45	Pass
			5	18.16	-0.50	15.51	<=38.45	Pass
		3	0	17.99	-0.50	15.34	<=38.45	Pass
			2	18.06	-0.50	15.41	<=38.45	Pass
			3	18.05	-0.50	15.40	<=38.45	Pass
		6	0	18.00	-0.50	15.35	<=38.45	Pass
	848.3	1	0	18.19	-0.50	15.54	<=38.45	Pass
			2	18.26	-0.50	15.61	<=38.45	Pass
			5	18.74	-0.50	16.09	<=38.45	Pass
		3	0	18.41	-0.50	15.76	<=38.45	Pass
			2	18.25	-0.50	15.60	<=38.45	Pass
			3	17.85	-0.50	15.20	<=38.45	Pass
		6	0	18.18	-0.50	15.53	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.37	-0.50	19.72	<=38.45	Pass
			7	23.30	-0.50	20.65	<=38.45	Pass
			14	23.05	-0.50	20.40	<=38.45	Pass
		8	0	22.16	-0.50	19.51	<=38.45	Pass
			4	22.15	-0.50	19.50	<=38.45	Pass
			7	22.11	-0.50	19.46	<=38.45	Pass
		15	0	22.15	-0.50	19.50	<=38.45	Pass
	836.5	1	0	22.82	-0.50	20.17	<=38.45	Pass
			7	23.20	-0.50	20.55	<=38.45	Pass
			14	23.00	-0.50	20.35	<=38.45	Pass
		8	0	22.13	-0.50	19.48	<=38.45	Pass
			4	22.20	-0.50	19.55	<=38.45	Pass
			7	22.11	-0.50	19.46	<=38.45	Pass
		15	0	22.19	-0.50	19.54	<=38.45	Pass
	847.5	1	0	23.31	-0.50	20.66	<=38.45	Pass

		8	7	23.21	-0.50	20.56	<=38.45	Pass
			14	23.16	-0.50	20.51	<=38.45	Pass
			0	22.17	-0.50	19.52	<=38.45	Pass
			4	22.37	-0.50	19.72	<=38.45	Pass
			7	22.32	-0.50	19.67	<=38.45	Pass
		15	0	22.19	-0.50	19.54	<=38.45	Pass
16QAM	825.5	1	0	22.18	-0.50	19.53	<=38.45	Pass
			7	22.58	-0.50	19.93	<=38.45	Pass
			14	22.05	-0.50	19.40	<=38.45	Pass
		8	0	21.25	-0.50	18.60	<=38.45	Pass
			4	21.37	-0.50	18.72	<=38.45	Pass
			7	21.27	-0.50	18.62	<=38.45	Pass
		15	0	21.21	-0.50	18.56	<=38.45	Pass
	836.5	1	0	22.16	-0.50	19.51	<=38.45	Pass
			7	22.43	-0.50	19.78	<=38.45	Pass
			14	22.43	-0.50	19.78	<=38.45	Pass
		8	0	21.25	-0.50	18.60	<=38.45	Pass
			4	21.23	-0.50	18.58	<=38.45	Pass
			7	21.17	-0.50	18.52	<=38.45	Pass
		15	0	21.17	-0.50	18.52	<=38.45	Pass
	847.5	1	0	21.95	-0.50	19.30	<=38.45	Pass
			7	22.65	-0.50	20.00	<=38.45	Pass
			14	22.31	-0.50	19.66	<=38.45	Pass
		8	0	21.23	-0.50	18.58	<=38.45	Pass
			4	21.36	-0.50	18.71	<=38.45	Pass
			7	21.35	-0.50	18.70	<=38.45	Pass
		15	0	21.16	-0.50	18.51	<=38.45	Pass
64QAM	825.5	1	0	22.08	-0.50	19.43	<=38.45	Pass
			7	22.06	-0.50	19.41	<=38.45	Pass
			14	21.92	-0.50	19.27	<=38.45	Pass
		8	0	21.23	-0.50	18.58	<=38.45	Pass
			4	21.27	-0.50	18.62	<=38.45	Pass
			7	21.16	-0.50	18.51	<=38.45	Pass
		15	0	21.22	-0.50	18.57	<=38.45	Pass
	836.5	1	0	22.22	-0.50	19.57	<=38.45	Pass
			7	22.17	-0.50	19.52	<=38.45	Pass
			14	21.72	-0.50	19.07	<=38.45	Pass
		8	0	21.12	-0.50	18.47	<=38.45	Pass
			4	21.22	-0.50	18.57	<=38.45	Pass
			7	21.20	-0.50	18.55	<=38.45	Pass
		15	0	21.17	-0.50	18.52	<=38.45	Pass
	847.5	1	0	22.04	-0.50	19.39	<=38.45	Pass
			7	21.80	-0.50	19.15	<=38.45	Pass
			14	21.83	-0.50	19.18	<=38.45	Pass
		8	0	21.25	-0.50	18.60	<=38.45	Pass
			4	21.01	-0.50	18.36	<=38.45	Pass
			7	21.38	-0.50	18.73	<=38.45	Pass
		15	0	21.16	-0.50	18.51	<=38.45	Pass
256QAM	825.5	1	0	17.76	-0.50	15.11	<=38.45	Pass
			7	17.93	-0.50	15.28	<=38.45	Pass
			14	18.04	-0.50	15.39	<=38.45	Pass
		8	0	18.23	-0.50	15.58	<=38.45	Pass
			4	18.27	-0.50	15.62	<=38.45	Pass
			7	18.15	-0.50	15.50	<=38.45	Pass
		15	0	18.18	-0.50	15.53	<=38.45	Pass
	836.5	1	0	18.02	-0.50	15.37	<=38.45	Pass
			7	18.27	-0.50	15.62	<=38.45	Pass
			14	18.05	-0.50	15.40	<=38.45	Pass
		8	0	18.21	-0.50	15.56	<=38.45	Pass

			4	18.29	-0.50	15.64	<=38.45	Pass
			7	18.13	-0.50	15.48	<=38.45	Pass
		15	0	18.19	-0.50	15.54	<=38.45	Pass
	847.5	1	0	18.08	-0.50	15.43	<=38.45	Pass
			7	18.40	-0.50	15.75	<=38.45	Pass
			14	18.08	-0.50	15.43	<=38.45	Pass
		8	0	18.27	-0.50	15.62	<=38.45	Pass
			4	18.38	-0.50	15.73	<=38.45	Pass
			7	18.37	-0.50	15.72	<=38.45	Pass
		15	0	18.27	-0.50	15.62	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.10	-0.50	20.45	<=38.45	Pass
			13	23.23	-0.50	20.58	<=38.45	Pass
			24	23.16	-0.50	20.51	<=38.45	Pass
		12	0	22.12	-0.50	19.47	<=38.45	Pass
			6	22.12	-0.50	19.47	<=38.45	Pass
			13	22.16	-0.50	19.51	<=38.45	Pass
		25	0	22.14	-0.50	19.49	<=38.45	Pass
	836.5	1	0	23.14	-0.50	20.49	<=38.45	Pass
			13	23.10	-0.50	20.45	<=38.45	Pass
			24	23.02	-0.50	20.37	<=38.45	Pass
		12	0	22.09	-0.50	19.44	<=38.45	Pass
			6	22.24	-0.50	19.59	<=38.45	Pass
			13	22.14	-0.50	19.49	<=38.45	Pass
		25	0	22.21	-0.50	19.56	<=38.45	Pass
	846.5	1	0	23.24	-0.50	20.59	<=38.45	Pass
			13	23.12	-0.50	20.47	<=38.45	Pass
			24	23.14	-0.50	20.49	<=38.45	Pass
		12	0	22.23	-0.50	19.58	<=38.45	Pass
			6	22.32	-0.50	19.67	<=38.45	Pass
			13	22.26	-0.50	19.61	<=38.45	Pass
		25	0	22.26	-0.50	19.61	<=38.45	Pass
16QAM	826.5	1	0	22.33	-0.50	19.68	<=38.45	Pass
			13	22.53	-0.50	19.88	<=38.45	Pass
			24	22.00	-0.50	19.35	<=38.45	Pass
		12	0	21.15	-0.50	18.50	<=38.45	Pass
			6	21.26	-0.50	18.61	<=38.45	Pass
			13	21.18	-0.50	18.53	<=38.45	Pass
		25	0	21.10	-0.50	18.45	<=38.45	Pass
	836.5	1	0	22.20	-0.50	19.55	<=38.45	Pass
			13	22.24	-0.50	19.59	<=38.45	Pass
			24	22.07	-0.50	19.42	<=38.45	Pass
		12	0	21.16	-0.50	18.51	<=38.45	Pass
			6	21.26	-0.50	18.61	<=38.45	Pass
			13	21.26	-0.50	18.61	<=38.45	Pass
		25	0	21.09	-0.50	18.44	<=38.45	Pass
	846.5	1	0	22.21	-0.50	19.56	<=38.45	Pass
			13	22.30	-0.50	19.65	<=38.45	Pass
			24	22.48	-0.50	19.83	<=38.45	Pass
		12	0	21.15	-0.50	18.50	<=38.45	Pass
			6	21.30	-0.50	18.65	<=38.45	Pass

			13	21.25	-0.50	18.60	<=38.45	Pass	
		25	0	21.29	-0.50	18.64	<=38.45	Pass	
64QAM	826.5	1	0	21.88	-0.50	19.23	<=38.45	Pass	
			13	22.45	-0.50	19.80	<=38.45	Pass	
			24	21.91	-0.50	19.26	<=38.45	Pass	
			0	21.09	-0.50	18.44	<=38.45	Pass	
		12	6	21.27	-0.50	18.62	<=38.45	Pass	
			13	21.06	-0.50	18.41	<=38.45	Pass	
			25	0	21.15	-0.50	18.50	<=38.45	Pass
		836.5	1	0	21.96	-0.50	19.31	<=38.45	Pass
				13	22.35	-0.50	19.70	<=38.45	Pass
				24	21.66	-0.50	19.01	<=38.45	Pass
	0			21.18	-0.50	18.53	<=38.45	Pass	
	12		6	21.24	-0.50	18.59	<=38.45	Pass	
			13	21.12	-0.50	18.47	<=38.45	Pass	
			25	0	21.16	-0.50	18.51	<=38.45	Pass
	846.5	1	0	22.31	-0.50	19.66	<=38.45	Pass	
			13	21.99	-0.50	19.34	<=38.45	Pass	
			24	22.18	-0.50	19.53	<=38.45	Pass	
			0	21.18	-0.50	18.53	<=38.45	Pass	
		12	6	21.30	-0.50	18.65	<=38.45	Pass	
			13	21.25	-0.50	18.60	<=38.45	Pass	
			25	0	21.26	-0.50	18.61	<=38.45	Pass
		256QAM	826.5	1	0	18.13	-0.50	15.48	<=38.45
	13				18.24	-0.50	15.59	<=38.45	Pass
24	17.92				-0.50	15.27	<=38.45	Pass	
12	0			18.24	-0.50	15.59	<=38.45	Pass	
	6			18.32	-0.50	15.67	<=38.45	Pass	
	13			18.11	-0.50	15.46	<=38.45	Pass	
	25			0	18.14	-0.50	15.49	<=38.45	Pass
836.5	1		0	18.23	-0.50	15.58	<=38.45	Pass	
			13	17.71	-0.50	15.06	<=38.45	Pass	
			24	17.95	-0.50	15.30	<=38.45	Pass	
			0	18.11	-0.50	15.46	<=38.45	Pass	
	12		6	18.19	-0.50	15.54	<=38.45	Pass	
			13	18.08	-0.50	15.43	<=38.45	Pass	
			25	0	18.17	-0.50	15.52	<=38.45	Pass
846.5	1		0	18.03	-0.50	15.38	<=38.45	Pass	
			13	18.17	-0.50	15.52	<=38.45	Pass	
			24	18.21	-0.50	15.56	<=38.45	Pass	
			0	18.24	-0.50	15.59	<=38.45	Pass	
	12		6	18.29	-0.50	15.64	<=38.45	Pass	
			13	18.28	-0.50	15.63	<=38.45	Pass	
			25	0	18.28	-0.50	15.63	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.15	-0.50	20.50	<=38.45	Pass
			25	23.06	-0.50	20.41	<=38.45	Pass
			49	23.19	-0.50	20.54	<=38.45	Pass
		25	0	22.15	-0.50	19.50	<=38.45	Pass
			13	22.25	-0.50	19.60	<=38.45	Pass
			25	22.20	-0.50	19.55	<=38.45	Pass

	836.5	50	0	22.19	-0.50	19.54	<=38.45	Pass	
		1	0	23.00	-0.50	20.35	<=38.45	Pass	
			25	23.14	-0.50	20.49	<=38.45	Pass	
			49	23.18	-0.50	20.53	<=38.45	Pass	
			25	0	22.10	-0.50	19.45	<=38.45	Pass
				13	22.16	-0.50	19.51	<=38.45	Pass
				25	22.17	-0.50	19.52	<=38.45	Pass
		50	0	22.10	-0.50	19.45	<=38.45	Pass	
		844	1	0	23.22	-0.50	20.57	<=38.45	Pass
				25	23.42	-0.50	20.77	<=38.45	Pass
	49			23.23	-0.50	20.58	<=38.45	Pass	
	25		0	22.23	-0.50	19.58	<=38.45	Pass	
			13	22.35	-0.50	19.70	<=38.45	Pass	
			25	22.26	-0.50	19.61	<=38.45	Pass	
	50	0	22.26	-0.50	19.61	<=38.45	Pass		
	16QAM	829	1	0	22.35	-0.50	19.70	<=38.45	Pass
25				22.00	-0.50	19.35	<=38.45	Pass	
49				21.79	-0.50	19.14	<=38.45	Pass	
25			0	21.10	-0.50	18.45	<=38.45	Pass	
			13	21.24	-0.50	18.59	<=38.45	Pass	
			25	21.20	-0.50	18.55	<=38.45	Pass	
50		0	21.22	-0.50	18.57	<=38.45	Pass		
836.5		1	0	22.00	-0.50	19.35	<=38.45	Pass	
			25	21.77	-0.50	19.12	<=38.45	Pass	
			49	22.04	-0.50	19.39	<=38.45	Pass	
		25	0	21.13	-0.50	18.48	<=38.45	Pass	
			13	21.23	-0.50	18.58	<=38.45	Pass	
			25	21.25	-0.50	18.60	<=38.45	Pass	
50		0	21.23	-0.50	18.58	<=38.45	Pass		
844		1	0	22.39	-0.50	19.74	<=38.45	Pass	
			25	21.88	-0.50	19.23	<=38.45	Pass	
			49	22.07	-0.50	19.42	<=38.45	Pass	
		25	0	21.28	-0.50	18.63	<=38.45	Pass	
			13	21.31	-0.50	18.66	<=38.45	Pass	
			25	21.35	-0.50	18.70	<=38.45	Pass	
50		0	21.35	-0.50	18.70	<=38.45	Pass		
64QAM		829	1	0	21.06	-0.50	18.41	<=38.45	Pass
				25	21.06	-0.50	18.41	<=38.45	Pass
				49	21.40	-0.50	18.75	<=38.45	Pass
	25		0	20.16	-0.50	17.51	<=38.45	Pass	
			13	20.29	-0.50	17.64	<=38.45	Pass	
			25	20.26	-0.50	17.61	<=38.45	Pass	
	50	0	20.18	-0.50	17.53	<=38.45	Pass		
	836.5	1	0	21.09	-0.50	18.44	<=38.45	Pass	
			25	20.35	-0.50	17.70	<=38.45	Pass	
			49	21.00	-0.50	18.35	<=38.45	Pass	
		25	0	20.07	-0.50	17.42	<=38.45	Pass	
			13	20.18	-0.50	17.53	<=38.45	Pass	
			25	20.14	-0.50	17.49	<=38.45	Pass	
	50	0	20.24	-0.50	17.59	<=38.45	Pass		
	844	1	0	21.38	-0.50	18.73	<=38.45	Pass	
			25	21.25	-0.50	18.60	<=38.45	Pass	
			49	20.90	-0.50	18.25	<=38.45	Pass	
		25	0	20.20	-0.50	17.55	<=38.45	Pass	
13			20.25	-0.50	17.60	<=38.45	Pass		
25			20.31	-0.50	17.66	<=38.45	Pass		
50	0	20.36	-0.50	17.71	<=38.45	Pass			
256QAM	829	1	0	18.02	-0.50	15.37	<=38.45	Pass	
			25	18.00	-0.50	15.35	<=38.45	Pass	

			49	18.38	-0.50	15.73	<=38.45	Pass
		25	0	18.14	-0.50	15.49	<=38.45	Pass
			13	18.24	-0.50	15.59	<=38.45	Pass
			25	18.23	-0.50	15.58	<=38.45	Pass
		50	0	18.18	-0.50	15.53	<=38.45	Pass
	836.5	1	0	18.26	-0.50	15.61	<=38.45	Pass
			25	18.34	-0.50	15.69	<=38.45	Pass
			49	18.04	-0.50	15.39	<=38.45	Pass
		25	0	18.19	-0.50	15.54	<=38.45	Pass
			13	18.15	-0.50	15.50	<=38.45	Pass
			25	18.17	-0.50	15.52	<=38.45	Pass
		50	0	18.22	-0.50	15.57	<=38.45	Pass
	844	1	0	18.17	-0.50	15.52	<=38.45	Pass
			25	17.92	-0.50	15.27	<=38.45	Pass
			49	18.19	-0.50	15.54	<=38.45	Pass
		25	0	18.24	-0.50	15.59	<=38.45	Pass
			13	18.30	-0.50	15.65	<=38.45	Pass
			25	18.35	-0.50	15.70	<=38.45	Pass
		50	0	18.32	-0.50	15.67	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	23.17	-0.50	20.52	<=38.45	Pass
			38	23.10	-0.50	20.45	<=38.45	Pass
			74	23.23	-0.50	20.58	<=38.45	Pass
		36	0	22.20	-0.50	19.55	<=38.45	Pass
			18	22.13	-0.50	19.48	<=38.45	Pass
			39	22.13	-0.50	19.48	<=38.45	Pass
		75	0	22.07	-0.50	19.42	<=38.45	Pass
	836.5	1	0	23.35	-0.50	20.70	<=38.45	Pass
			38	23.54	-0.50	20.89	<=38.45	Pass
			74	22.99	-0.50	20.34	<=38.45	Pass
		36	0	22.11	-0.50	19.46	<=38.45	Pass
			18	22.15	-0.50	19.50	<=38.45	Pass
			39	22.09	-0.50	19.44	<=38.45	Pass
		75	0	22.20	-0.50	19.55	<=38.45	Pass
	841.5	1	0	23.41	-0.50	20.76	<=38.45	Pass
			38	23.20	-0.50	20.55	<=38.45	Pass
			74	22.93	-0.50	20.28	<=38.45	Pass
		36	0	22.23	-0.50	19.58	<=38.45	Pass
			18	22.33	-0.50	19.68	<=38.45	Pass
			39	22.21	-0.50	19.56	<=38.45	Pass
		75	0	22.31	-0.50	19.66	<=38.45	Pass
16QAM	831.5	1	0	22.05	-0.50	19.40	<=38.45	Pass
			38	22.25	-0.50	19.60	<=38.45	Pass
			74	22.03	-0.50	19.38	<=38.45	Pass
		36	0	21.12	-0.50	18.47	<=38.45	Pass
			18	21.15	-0.50	18.50	<=38.45	Pass
			39	21.17	-0.50	18.52	<=38.45	Pass
		75	0	21.16	-0.50	18.51	<=38.45	Pass
	836.5	1	0	22.23	-0.50	19.58	<=38.45	Pass
			38	22.06	-0.50	19.41	<=38.45	Pass
			74	22.03	-0.50	19.38	<=38.45	Pass

		36	0	21.20	-0.50	18.55	<=38.45	Pass			
			18	21.19	-0.50	18.54	<=38.45	Pass			
			39	21.20	-0.50	18.55	<=38.45	Pass			
		841.5	75	0	21.13	-0.50	18.48	<=38.45	Pass		
				1	0	22.36	-0.50	19.71	<=38.45	Pass	
					38	22.22	-0.50	19.57	<=38.45	Pass	
			74		22.36	-0.50	19.71	<=38.45	Pass		
			36	0	21.23	-0.50	18.58	<=38.45	Pass		
				18	21.31	-0.50	18.66	<=38.45	Pass		
				39	21.24	-0.50	18.59	<=38.45	Pass		
			75	0	21.42	-0.50	18.77	<=38.45	Pass		
64QAM	831.5	1	0	21.29	-0.50	18.64	<=38.45	Pass			
			38	21.29	-0.50	18.64	<=38.45	Pass			
			74	21.09	-0.50	18.44	<=38.45	Pass			
		36	0	20.19	-0.50	17.54	<=38.45	Pass			
			18	20.11	-0.50	17.46	<=38.45	Pass			
			39	20.13	-0.50	17.48	<=38.45	Pass			
		75	0	20.12	-0.50	17.47	<=38.45	Pass			
			836.5	1	0	20.96	-0.50	18.31	<=38.45	Pass	
					38	21.17	-0.50	18.52	<=38.45	Pass	
		74			21.08	-0.50	18.43	<=38.45	Pass		
		36		0	20.17	-0.50	17.52	<=38.45	Pass		
				18	20.23	-0.50	17.58	<=38.45	Pass		
	39			20.21	-0.50	17.56	<=38.45	Pass			
	75	0		20.11	-0.50	17.46	<=38.45	Pass			
		841.5		1	0	21.32	-0.50	18.67	<=38.45	Pass	
					38	21.35	-0.50	18.70	<=38.45	Pass	
	74				21.13	-0.50	18.48	<=38.45	Pass		
	36			0	20.29	-0.50	17.64	<=38.45	Pass		
				18	20.43	-0.50	17.78	<=38.45	Pass		
			39	20.27	-0.50	17.62	<=38.45	Pass			
	75		0	20.31	-0.50	17.66	<=38.45	Pass			
			256QAM	831.5	1	0	18.26	-0.50	15.61	<=38.45	Pass
						38	18.28	-0.50	15.63	<=38.45	Pass
	74					18.26	-0.50	15.61	<=38.45	Pass	
	36				0	18.08	-0.50	15.43	<=38.45	Pass	
					18	18.16	-0.50	15.51	<=38.45	Pass	
		39			18.11	-0.50	15.46	<=38.45	Pass		
	75	0			18.11	-0.50	15.46	<=38.45	Pass		
		836.5			1	0	17.86	-0.50	15.21	<=38.45	Pass
						38	18.24	-0.50	15.59	<=38.45	Pass
	74			18.27		-0.50	15.62	<=38.45	Pass		
	36			0	18.21	-0.50	15.56	<=38.45	Pass		
				18	18.17	-0.50	15.52	<=38.45	Pass		
			39	18.04	-0.50	15.39	<=38.45	Pass			
	75	0	18.14	-0.50	15.49	<=38.45	Pass				
		841.5	1	0	18.01	-0.50	15.36	<=38.45	Pass		
38				18.01	-0.50	15.36	<=38.45	Pass			
74	18.12			-0.50	15.47	<=38.45	Pass				
36	0		18.29	-0.50	15.64	<=38.45	Pass				
	18		18.28	-0.50	15.63	<=38.45	Pass				
	39		18.14	-0.50	15.49	<=38.45	Pass				
75	0		18.31	-0.50	15.66	<=38.45	Pass				
	Note1: FRP=Conducted Power+Antenna Gain-2.15										

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	-0.100	-0.0001	-2.5 to 2.5	Pass
					NV	-1.200	-0.0014	-2.5 to 2.5	Pass
					HV	-0.900	-0.0011	-2.5 to 2.5	Pass
				-30	NV	0.000	0.0000	-2.5 to 2.5	Pass
				-20	NV	-2.800	-0.0033	-2.5 to 2.5	Pass
				-10	NV	-1.200	-0.0014	-2.5 to 2.5	Pass
				0	NV	-1.200	-0.0014	-2.5 to 2.5	Pass
				10	NV	0.400	0.0005	-2.5 to 2.5	Pass
				30	NV	-0.500	-0.0006	-2.5 to 2.5	Pass
				40	NV	-0.900	-0.0011	-2.5 to 2.5	Pass
				50	NV	-1.900	-0.0023	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.123	/	Pass
	16QAM	836.5	6	0	1.123	/	Pass
3	QPSK	836.5	15	0	2.741	/	Pass
	16QAM	836.5	15	0	2.731	/	Pass
5	QPSK	836.5	25	0	4.562	/	Pass
	16QAM	836.5	25	0	4.575	/	Pass
10	QPSK	836.5	50	0	9.056	/	Pass
	16QAM	836.5	50	0	9.071	/	Pass
15	QPSK	836.5	75	0	13.562	/	Pass
	16QAM	836.5	75	0	13.602	/	Pass

3.1.2 Band26b_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.388	/	Pass
	16QAM	836.5	6	0	1.393	/	Pass
3	QPSK	836.5	15	0	3.115	/	Pass
	16QAM	836.5	15	0	3.106	/	Pass
5	QPSK	836.5	25	0	5.248	/	Pass
	16QAM	836.5	25	0	5.283	/	Pass
10	QPSK	836.5	50	0	10.270	/	Pass
	16QAM	836.5	50	0	10.211	/	Pass
15	QPSK	836.5	75	0	15.380	/	Pass
	16QAM	836.5	75	0	15.169	/	Pass

3.2 Test Graph


3.2.1 Band26b_OBW




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTV




Band26b 5MHz 16QAM MCH 836.5MHz RB 25 0 NTV




Band26b 10MHz QPSK MCH 836.5MHz RB 50 0 NTN




Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTN




Band26b 15MHz QPSK MCH 836.5MHz RB 75 0 NTNV




Band26b 15MHz 16QAM MCH 836.5MHz RB 75 0 NTNV




3.2.2 Band26b_XDB




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTV




Band26b 5MHz 16QAM MCH 836.5MHz RB 25 0 NTV




Band26b 10MHz QPSK MCH 836.5MHz RB 50 0 NTN




Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTN



Band26b 15MHz QPSK MCH 836.5MHz RB 75 0 NTNV



Band26b 15MHz 16QAM MCH 836.5MHz RB 75 0 NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	4.55	<=13	Pass
16QAM	836.5	75	0	5.62	<=13	Pass
64QAM	836.5	75	0	5.63	<=13	Pass
256QAM	836.5	75	0	6.45	<=13	Pass

4.2 Test Graph


4.2.1 B26b_15MHz



Band26b 15MHz 64QAM MCH 836.5MHz RB 75 0 NTNV



Band26b 15MHz 256QAM MCH 836.5MHz RB 75 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-41.18	-13	Pass
823	824	0.014	CHP	2	823.995	-25.66	-13	Pass
824	827	0.014	CHP	/	/	/	/	/


Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.008	-26.92	-13	Pass
850	852	0.1	CHP	2	850.052	-49.02	-13	Pass

Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.014	CHP	/	/	/	/	/
849	850	0.014	CHP	1	849.005	-27.57	-13	Pass
850	852	0.1	CHP	2	850.060	-42.67	-13	Pass

5.2.2 B26b_3MHz




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.836	-29.26	-13	Pass
823	824	0.031	CHP	2	823.976	-24.42	-13	Pass
824	827	0.031	CHP	/	/	/	/	/


Band26b 3MHz QPSK MCH 836.5MHz RB 1 0 NTV



Band26b 3MHz QPSK HCH 847.5MHz RB 1 0 NTV




Band26b 3MHz QPSK HCH 847.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-31.96	-13	Pass
850	852	0.1	CHP	2	850.052	-48.28	-13	Pass

Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-25.99	-13	Pass
850	852	0.1	CHP	2	850.056	-30.90	-13	Pass

5.2.3 B26b_5MHz




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.910	-29.58	-13	Pass
823	824	0.053	CHP	2	823.990	-24.76	-13	Pass
824	829	0.053	CHP	/	/	/	/	/


Band26b 5MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band26b 5MHz QPSK HCH 846.5MHz RB 1 0 NTV




Band26b 5MHz QPSK HCH 846.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-34.08	-13	Pass
850	854	0.1	CHP	2	850.839	-41.29	-13	Pass

Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.052	CHP	/	/	/	/	/
849	850	0.052	CHP	1	849.030	-26.18	-13	Pass
850	854	0.1	CHP	2	850.060	-31.90	-13	Pass

5.2.4 B26b_10MHz




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.800	-30.71	-13	Pass
823	824	0.102	CHP	2	823.840	-28.58	-13	Pass
824	834	0.102	CHP	/	/	/	/	/


Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b 10MHz QPSK HCH 844MHz RB 1 0 NTNV




Band26b 10MHz QPSK HCH 844MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-44.91	-13	Pass
850	859	0.1	CHP	2	850.054	-56.41	-13	Pass

Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.103	CHP	/	/	/	/	/
849	850	0.103	CHP	1	849.020	-28.61	-13	Pass
850	859	0.1	/	2	850.180	-31.70	-13	Pass

5.2.5 B26b_15MHz




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.860	-31.33	-13	Pass
823	824	0.154	CHP	2	823.940	-28.67	-13	Pass
824	839	0.154	CHP	/	/	/	/	/


Band26b 15MHz QPSK MCH 836.5MHz RB 1 0 NTV



Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 74 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-43.22	-13	Pass
850	864	0.1	CHP	2	850.236	-56.38	-13	Pass

Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.154	CHP	/	/	/	/	/
849	850	0.154	CHP	1	849.090	-30.29	-13	Pass
850	864	0.1	/	2	850.020	-32.64	-13	Pass

6. Field Strength of Spurious Radiation

LTE Band 26b(824-849MHz)-Low channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1634.5	-65.13	-13	-52.13	-68.05	2.62	5.54	Horizontal	Pass
2451.75	-63.39	-13	-50.39	-66.04	3.05	5.7	Horizontal	Pass
3269.0	-58.83	-13	-45.83	-63.14	3.28	7.59	Horizontal	Pass
1634.5	-64.51	-13	-51.51	-67.43	2.62	5.54	Vertical	Pass
2451.75	-63.18	-13	-50.18	-65.83	3.05	5.7	Vertical	Pass
3269.0	-60.02	-13	-47.02	-64.33	3.28	7.59	Vertical	Pass

LTE Band 26b(824-849MHz)-Middle channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1659.5	-64.94	-13	-51.94	-67.8	2.62	5.48	Horizontal	Pass
2489.25	-62.59	-13	-49.59	-65.31	3.07	5.79	Horizontal	Pass
3319.0	-58.93	-13	-45.93	-63.34	3.31	7.72	Horizontal	Pass
1659.5	-64.41	-13	-51.41	-67.27	2.62	5.48	Vertical	Pass
2489.25	-62.64	-13	-49.64	-65.36	3.07	5.79	Vertical	Pass
3319.0	-57.7	-13	-44.7	-62.11	3.31	7.72	Vertical	Pass

LTE Band 26b(824-849MHz)-High channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1684.5	-63.52	-13	-50.52	-66.31	2.63	5.42	Horizontal	Pass
2526.75	-60.74	-13	-47.74	-63.54	3.08	5.88	Horizontal	Pass
3369.0	-58.83	-13	-45.83	-63.34	3.33	7.84	Horizontal	Pass
1684.5	-64.43	-13	-51.43	-67.22	2.63	5.42	Vertical	Pass
2526.75	-63.53	-13	-50.53	-66.33	3.08	5.88	Vertical	Pass
3369.0	-58.2	-13	-45.2	-62.71	3.33	7.84	Vertical	Pass