

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_38C_NTNV_EIRP

Band: CA 38C / NTNV										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2577.5 CC2:2592.5	CC1: 1@0 CC2: 0@0	23.38	-34.43	23.38	3.00	26.38	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	20.89	20.98	23.94	3.00	26.94	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.72	17.52	20.63	3.00	23.63	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	20.44	19.46	22.99	3.00	25.99	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	18.61	19.48	22.07	3.00	25.07	<=33.01	Pass
		CC1:2587.5 CC2:2602.5	CC1: 1@0 CC2: 0@0	23.43	-33.82	23.43	3.00	26.43	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.46	20.64	24.08	3.00	27.08	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.75	17.53	20.65	3.00	23.65	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	20.01	19.93	22.98	3.00	25.98	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.12	18.99	22.07	3.00	25.07	<=33.01	Pass
		CC1:2597.5 CC2:2612.5	CC1: 1@0 CC2: 0@0	23.46	-33.41	23.46	3.00	26.46	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	20.94	21.03	23.99	3.00	26.99	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.80	17.60	20.71	3.00	23.71	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	19.47	20.45	23.00	3.00	26.00	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	18.63	19.55	22.12	3.00	25.12	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2577.5 CC2:2592.5	CC1: 1@0 CC2: 0@0	22.46	-35.03	22.46	3.00	25.46	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	20.16	20.06	23.12	3.00	26.12	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.65	17.51	20.59	3.00	23.59	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	18.61	19.60	22.14	3.00	25.14	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	18.12	18.10	21.12	3.00	24.12	<=33.01	Pass
		CC1:2587.5 CC2:2602.5	CC1: 1@0 CC2: 0@0	22.55	-34.33	22.55	3.00	25.55	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.02	20.95	23.10	3.00	26.10	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.77	17.53	20.66	3.00	23.66	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	19.17	19.14	22.16	3.00	25.16	<=33.01	Pass

		CC1:2597.5 CC2:2612.5	CC1: 75@0 CC2: 75@0	18.21	18.10	21.17	3.00	24.17	<=33.01	Pass
			CC1: 1@0 CC2: 0@0	22.52	-34.13	22.52	3.00	25.52	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.51	20.56	23.08	3.00	26.08	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.81	17.58	20.71	3.00	23.71	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	19.15	19.11	22.14	3.00	25.14	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	17.67	18.57	21.15	3.00	24.15	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2577.5 CC2:2592.5	CC1: 1@0 CC2: 0@0	22.43	-34.64	22.43	3.00	25.43	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	18.01	18.14	21.09	3.00	24.09	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.93	17.29	20.63	3.00	23.63	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	18.08	18.09	21.10	3.00	24.10	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	18.21	18.12	21.17	3.00	24.17	<=33.01	Pass
		CC1:2587.5 CC2:2602.5	CC1: 1@0 CC2: 0@0	21.54	-35.37	21.54	3.00	24.54	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	18.05	17.95	21.01	3.00	24.01	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.78	17.57	20.68	3.00	23.68	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	18.18	18.15	21.17	3.00	24.17	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	18.18	18.08	21.14	3.00	24.14	<=33.01	Pass
		CC1:2597.5 CC2:2612.5	CC1: 1@0 CC2: 0@0	21.56	-34.65	21.56	3.00	24.56	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	18.08	17.96	21.03	3.00	24.03	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.75	17.54	20.66	3.00	23.66	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	18.17	18.14	21.17	3.00	24.17	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	17.12	18.99	21.17	3.00	24.17	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2577.5 CC2:2592.5	CC1: 1@0 CC2: 0@0	18.51	-37.45	18.51	3.00	21.51	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	15.78	16.80	19.33	3.00	22.33	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	15.69	15.52	18.62	3.00	21.62	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	16.11	16.10	19.11	3.00	22.11	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	16.16	16.09	19.13	3.00	22.13	<=33.01	Pass
		CC1:2587.5 CC2:2602.5	CC1: 1@0 CC2: 0@0	18.45	-36.84	18.45	3.00	21.45	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	16.03	16.05	19.05	3.00	22.05	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	15.75	15.53	18.65	3.00	21.65	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	16.14	16.11	19.14	3.00	22.14	<=33.01	Pass
			CC1: 75@0	15.70	16.62	19.19	3.00	22.19	<=33.01	Pass

			CC2: 75@0							
		CC1:2597.5 CC2:2612.5	CC1: 1@0 CC2: 0@0	18.55	-36.95	18.55	3.00	21.55	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	15.54	16.39	19.00	3.00	22.00	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	16.02	15.28	18.68	3.00	21.68	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	16.18	16.08	19.14	3.00	22.14	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	16.25	16.13	19.20	3.00	22.20	<=33.01	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2580 CC2:2599.8	CC1: 1@0 CC2: 0@0	23.33	-33.22	23.33	3.00	26.33	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	20.73	20.74	23.75	3.00	26.75	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.92	17.13	20.55	3.00	23.55	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	20.05	19.96	23.02	3.00	26.02	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.13	18.98	22.07	3.00	25.07	<=33.01	Pass
		CC1:2585.1 CC2:2604.9	CC1: 1@0 CC2: 0@0	23.35	-32.94	23.35	3.00	26.35	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	20.70	20.72	23.72	3.00	26.72	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.75	17.47	20.62	3.00	23.62	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	20.03	19.96	23.01	3.00	26.01	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.16	18.99	22.08	3.00	25.08	<=33.01	Pass
		CC1:2590.2 CC2:2610	CC1: 1@0 CC2: 0@0	23.36	-32.70	23.36	3.00	26.36	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	20.30	21.46	23.93	3.00	26.93	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.99	17.22	20.63	3.00	23.63	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	20.02	19.90	22.97	3.00	25.97	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.21	18.98	22.11	3.00	25.11	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2580 CC2:2599.8	CC1: 1@0 CC2: 0@0	20.48	-35.51	20.48	3.00	23.48	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.73	20.65	23.22	3.00	26.22	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.76	17.55	20.66	3.00	23.66	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	18.59	19.54	22.10	3.00	25.10	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	17.04	18.87	21.06	3.00	24.06	<=33.01	Pass
		CC1:2585.1 CC2:2604.9	CC1: 1@0 CC2: 0@0	22.50	-32.97	22.50	3.00	25.50	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	20.38	20.53	23.47	3.00	26.47	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.71	17.47	20.60	3.00	23.60	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	18.64	19.56	22.14	3.00	25.14	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	18.19	18.02	21.12	3.00	24.12	<=33.01	Pass

		CC1:2590.2 CC2:2610	CC1: 1@0 CC2: 0@0	21.49	-34.18	21.49	3.00	24.49	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	20.72	19.63	23.22	3.00	26.22	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.74	17.47	20.62	3.00	23.62	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	19.64	18.52	22.12	3.00	25.12	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	17.09	18.95	21.13	3.00	24.13	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2580 CC2:2599.8	CC1: 1@0 CC2: 0@0	22.51	-33.80	22.51	3.00	25.51	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.41	17.43	20.95	3.00	23.95	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.74	17.50	20.63	3.00	23.63	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	18.15	18.12	21.15	3.00	24.15	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	18.17	18.01	21.10	3.00	24.10	<=33.01	Pass
		CC1:2585.1 CC2:2604.9	CC1: 1@0 CC2: 0@0	21.43	-34.10	21.43	3.00	24.43	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	17.65	18.50	21.11	3.00	24.11	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.66	17.41	20.55	3.00	23.55	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	18.21	18.11	21.17	3.00	24.17	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	18.19	18.03	21.12	3.00	24.12	<=33.01	Pass
		CC1:2590.2 CC2:2610	CC1: 1@0 CC2: 0@0	21.44	-33.68	21.44	3.00	24.44	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.97	17.05	21.13	3.00	24.13	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.79	17.52	20.67	3.00	23.67	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	18.20	18.13	21.18	3.00	24.18	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	18.22	18.04	21.14	3.00	24.14	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2580 CC2:2599.8	CC1: 1@0 CC2: 0@0	18.37	-35.00	18.37	3.00	21.37	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	15.91	15.92	18.93	3.00	21.93	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	15.76	15.54	18.66	3.00	21.66	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	16.15	16.14	19.15	3.00	22.15	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	16.67	15.53	19.15	3.00	22.15	<=33.01	Pass
		CC1:2585.1 CC2:2604.9	CC1: 1@0 CC2: 0@0	18.72	-34.37	18.72	3.00	21.72	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	15.97	16.11	19.05	3.00	22.05	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	15.75	15.49	18.63	3.00	21.63	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	16.20	16.10	19.16	3.00	22.16	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	16.70	15.52	19.16	3.00	22.16	<=33.01	Pass
		CC1:2590.2	CC1: 1@0	18.54	-35.12	18.54	3.00	21.54	<=33.01	Pass

		CC2:2610	CC2: 0@0							
			CC1: 1@99 CC2: 1@0	16.18	16.03	19.12	3.00	22.12	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	15.79	15.52	18.67	3.00	21.67	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	16.26	16.09	19.18	3.00	22.18	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	16.70	15.52	19.16	3.00	22.16	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain										

2. 99% & 26dB Bandwidth

2.1 Test Result

2.1.1 CA_38C_NTNV_OBW

Band: CA_38C / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	99% Occupied Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2577.5 CC2:2592.5	CC1: 75@0 CC2: 75@0	28.68	/	Pass
		CC1:2587.5 CC2:2602.5	CC1: 75@0 CC2: 75@0	28.72	/	Pass
		CC1:2597.5 CC2:2612.5	CC1: 75@0 CC2: 75@0	28.71	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2577.5 CC2:2592.5	CC1: 75@0 CC2: 75@0	28.63	/	Pass
		CC1:2587.5 CC2:2602.5	CC1: 75@0 CC2: 75@0	28.67	/	Pass
		CC1:2597.5 CC2:2612.5	CC1: 75@0 CC2: 75@0	28.64	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2577.5 CC2:2592.5	CC1: 75@0 CC2: 75@0	28.67	/	Pass
		CC1:2587.5 CC2:2602.5	CC1: 75@0 CC2: 75@0	28.67	/	Pass
		CC1:2597.5 CC2:2612.5	CC1: 75@0 CC2: 75@0	28.68	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2577.5 CC2:2592.5	CC1: 75@0 CC2: 75@0	28.60	/	Pass
		CC1:2587.5 CC2:2602.5	CC1: 75@0 CC2: 75@0	28.60	/	Pass
		CC1:2597.5 CC2:2612.5	CC1: 75@0 CC2: 75@0	28.65	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2580 CC2:2599.8	CC1: 100@0 CC2: 100@0	37.94	/	Pass
		CC1:2585.1 CC2:2604.9	CC1: 100@0 CC2: 100@0	38.00	/	Pass
		CC1:2590.2 CC2:2610	CC1: 100@0 CC2: 100@0	38.10	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2580 CC2:2599.8	CC1: 100@0 CC2: 100@0	37.95	/	Pass
		CC1:2585.1 CC2:2604.9	CC1: 100@0 CC2: 100@0	37.92	/	Pass
		CC1:2590.2 CC2:2610	CC1: 100@0 CC2: 100@0	37.90	/	Pass
	CC1:	CC1:2580	CC1: 100@0	37.95	/	Pass

	64QAM CC2: 64QAM	CC2:2599.8	CC2: 100@0			
		CC1:2585.1 CC2:2604.9	CC1: 100@0 CC2: 100@0	37.95	/	Pass
		CC1:2590.2 CC2:2610	CC1: 100@0 CC2: 100@0	38.00	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2580 CC2:2599.8	CC1: 100@0 CC2: 100@0	37.98	/	Pass
		CC1:2585.1 CC2:2604.9	CC1: 100@0 CC2: 100@0	38.02	/	Pass
		CC1:2590.2 CC2:2610	CC1: 100@0 CC2: 100@0	37.98	/	Pass

2.1.2 CA_38C_NTNV_XDB


Band: CA_38C / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2577.5 CC2:2592.5	CC1: 75@0 CC2: 75@0	32.30	/	Pass
		CC1:2587.5 CC2:2602.5	CC1: 75@0 CC2: 75@0	31.14	/	Pass
		CC1:2597.5 CC2:2612.5	CC1: 75@0 CC2: 75@0	31.19	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2577.5 CC2:2592.5	CC1: 75@0 CC2: 75@0	30.62	/	Pass
		CC1:2587.5 CC2:2602.5	CC1: 75@0 CC2: 75@0	30.68	/	Pass
		CC1:2597.5 CC2:2612.5	CC1: 75@0 CC2: 75@0	31.14	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2577.5 CC2:2592.5	CC1: 75@0 CC2: 75@0	30.65	/	Pass
		CC1:2587.5 CC2:2602.5	CC1: 75@0 CC2: 75@0	30.70	/	Pass
		CC1:2597.5 CC2:2612.5	CC1: 75@0 CC2: 75@0	31.23	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2577.5 CC2:2592.5	CC1: 75@0 CC2: 75@0	31.95	/	Pass
		CC1:2587.5 CC2:2602.5	CC1: 75@0 CC2: 75@0	31.96	/	Pass
		CC1:2597.5 CC2:2612.5	CC1: 75@0 CC2: 75@0	30.81	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2580 CC2:2599.8	CC1: 100@0 CC2: 100@0	41.00	/	Pass
		CC1:2585.1 CC2:2604.9	CC1: 100@0 CC2: 100@0	42.72	/	Pass
		CC1:2590.2 CC2:2610	CC1: 100@0 CC2: 100@0	40.95	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2580 CC2:2599.8	CC1: 100@0 CC2: 100@0	40.49	/	Pass
		CC1:2585.1 CC2:2604.9	CC1: 100@0 CC2: 100@0	43.30	/	Pass
		CC1:2590.2 CC2:2610	CC1: 100@0 CC2: 100@0	40.54	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2580 CC2:2599.8	CC1: 100@0 CC2: 100@0	42.31	/	Pass
		CC1:2585.1 CC2:2604.9	CC1: 100@0 CC2: 100@0	42.94	/	Pass
		CC1:2590.2 CC2:2610	CC1: 100@0 CC2: 100@0	42.13	/	Pass
	CC1:	CC1:2580	CC1: 100@0	41.11	/	Pass

	256QAM CC2: 256QAM	CC2:2599.8	CC2: 100@0			
		CC1:2585.1 CC2:2604.9	CC1: 100@0 CC2: 100@0	40.84	/	Pass
		CC1:2590.2 CC2:2610	CC1: 100@0 CC2: 100@0	41.89	/	Pass


2.2 Test Graph

2.2.1 CA_38C_NTNV_OBW


CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2: 75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2587.5 CC2:2602.5MHz_CC1: 75@0 CC2: 75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2597.5 CC2:2612.5MHz CC1: 75@0 CC2: 75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2: 75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2587.5 CC2:2602.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2587.5 CC2:2602.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2587.5 CC2:2602.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2580 CC2:2599.8MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2585.1 CC2:2604.9MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2590.2 CC2:2610MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2580 CC2:2599.8MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2585.1 CC2:2604.9MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2590.2 CC2:2610MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2580 CC2:2599.8MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2585.1 CC2:2604.9MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2590.2 CC2:2610MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2580 CC2:2599.8MHz_CC1: 100@0 CC2:
100@0



CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2585.1 CC2:2604.9MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2590.2 CC2:2610MHz_CC1: 100@0 CC2:
100@0




2.2.2 CA_38C_NTNV_XDB


CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2: 75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2587.5 CC2:2602.5MHz_CC1: 75@0 CC2: 75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2597.5 CC2:2612.5MHz CC1: 75@0 CC2: 75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2: 75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2587.5 CC2:2602.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2587.5 CC2:2602.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2587.5 CC2:2602.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2580 CC2:2599.8MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2585.1 CC2:2604.9MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2590.2 CC2:2610MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2580 CC2:2599.8MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2585.1 CC2:2604.9MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2590.2 CC2:2610MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2580 CC2:2599.8MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2585.1 CC2:2604.9MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2590.2 CC2:2610MHz_CC1: 100@0 CC2:
100@0




CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2580 CC2:2599.8MHz_CC1: 100@0 CC2:
100@0



CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2585.1 CC2:2604.9MHz_CC1: 100@0 CC2:
100@0



CA_38C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2590.2 CC2:2610MHz_CC1: 100@0 CC2:
100@0



3. Spurious Emission

3.1 Test Result

3.1.1 CA_38C_NTNV


Band: CA 38C / NTNv								
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
				CC1	CC2	Sum	Limit	
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2577.5 CC2:2592.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
		CC1:2597.5 CC2:2612.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
	CC1: 16QAM CC2: 16QAM	CC1:2577.5 CC2:2592.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
		CC1:2597.5 CC2:2612.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
	CC1: 64QAM CC2: 64QAM	CC1:2577.5 CC2:2592.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
		CC1:2597.5 CC2:2612.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
	CC1: 256QAM CC2: 256QAM	CC1:2577.5 CC2:2592.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass
CC1:2597.5 CC2:2612.5		CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
		CC1: 1@74 CC2: 1@74	Refer To Test Graph				Pass	
		CC1: 75@0 CC2: 75@0	Refer To Test Graph				Pass	
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2580 CC2:2599.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:2590.2 CC2:2610	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@99	Refer To Test Graph				Pass

			CC2: 1@99		
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2580 CC2:2599.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2590.2 CC2:2610	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2580 CC2:2599.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2590.2 CC2:2610	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2580 CC2:2599.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2590.2 CC2:2610	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass

3.2 Test Graph


3.2.1 CA_38C_NTNV

CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2577.5 CC2:2592.5MHz_CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.965	-53.26	-25	Pass
2490.5	2496	1	CHP	2	2495.685	-45.09	-13	Pass
2496	2537.697	1	CHP	3	2525.785	-38.38	-25	Pass
2537.697	2565	1	CHP	4	2555.675	-16.97	-13	Pass
2565	2569	1	CHP	5	2568.500	-40.25	-10	Pass
2569	2570	0.02	CHP	6	2569.950	-44.11	-10	Pass
2570	2600	0.02	CHP	/	/	/	/	/


CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2577.5 CC2:2592.5MHz_CC1: 1@0 CC2: 1@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0



CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2577.5_CC2:2592.5MHz_CC1: 75@0_CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.500	-52.30	-25	Pass
2490.5	2496	1	CHP	2	2496.000	-51.36	-13	Pass
2496	2537.697	1	CHP	3	2537.200	-38.63	-25	Pass
2537.697	2565	1	CHP	4	2565.000	-28.12	-13	Pass
2565	2569	1	CHP	5	2568.400	-27.33	-10	Pass
2569	2570	0.646	CHP	6	2569.650	-26.59	-10	Pass
2570	2600	0.1	/	/	/	/	/	/


CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2577.5_CC2:2592.5MHz_CC1: 75@0_CC2: 75@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2577.5_CC2:2592.5MHz_CC1: 75@0_CC2: 75@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2577.5_CC2:2592.5MHz_CC1: 75@0_CC2: 75@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2597.5_CC2:2612.5MHz_CC1: 1@0_CC2: 1@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2597.5_CC2:2612.5MHz_CC1: 1@0_CC2: 1@0



CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2597.5_CC2:2612.5MHz_CC1: 1@0_CC2: 1@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2597.5_CC2:2612.5MHz_CC1: 1@74_CC2: 1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.010	-43.30	-10	Pass
2621	2625	1	CHP	2	2621.505	-40.89	-10	Pass
2625	2651.187	1	CHP	3	2634.025	-17.94	-13	Pass
2651.187	2655	1	CHP	4	2651.315	-52.45	-25	Pass

CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2597.5_CC2:2612.5MHz_CC1: 75@0_CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.1	/	/	/	/	/	/
2620	2621	0.624	CHP	1	2620.350	-26.68	-10	Pass
2621	2625	1	CHP	2	2621.550	-26.07	-10	Pass
2625	2651.187	1	CHP	3	2625.450	-27.95	-13	Pass
2651.187	2655	1	CHP	4	2651.200	-39.22	-25	Pass


CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2597.5_CC2:2612.5MHz_CC1: 75@0_CC2: 75@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2597.5_CC2:2612.5MHz_CC1: 75@0_CC2: 75@0



CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2597.5_CC2:2612.5MHz_CC1: 75@0_CC2: 75@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:16QAM_CC2:16QAM_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.480	-53.21	-25	Pass
2490.5	2496	1	CHP	2	2495.820	-45.76	-13	Pass
2496	2539.378	1	CHP	3	2525.815	-39.68	-25	Pass
2539.378	2565	1	CHP	4	2555.690	-17.18	-13	Pass
2565	2569	1	CHP	5	2568.500	-40.50	-10	Pass
2569	2570	0.02	CHP	6	2569.990	-42.20	-10	Pass
2570	2600	0.02	CHP	/	/	/	/	/


CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:16QAM_CC2:16QAM_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:16QAM_CC2:16QAM_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0



CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:16QAM_CC2:16QAM_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.150	-52.25	-25	Pass
2490.5	2496	1	CHP	2	2491.400	-52.11	-13	Pass
2496	2539.378	1	CHP	3	2539.350	-39.42	-25	Pass
2539.378	2565	1	CHP	4	2564.800	-29.15	-13	Pass
2565	2569	1	CHP	5	2568.500	-28.57	-10	Pass
2569	2570	0.612	CHP	6	2569.650	-30.15	-10	Pass
2570	2600	0.1	/	/	/	/	/	/


CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:16QAM_CC2:16QAM_CC1:2597.5_CC2:2612.5MHz_CC1: 1@0_CC2: 1@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:16QAM_CC2:16QAM_CC1:2597.5_CC2:2612.5MHz_CC1: 1@0_CC2: 1@0



CA_38C_SISO_NTNV_CC1:15 CC2:15MHz CC1:16QAM CC2:16QAM CC1:2597.5 CC2:2612.5MHz CC1: 1@0 CC2: 1@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 1@74 CC2: 1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.020	-43.98	-10	Pass
2621	2625	1	CHP	2	2621.500	-41.77	-10	Pass
2625	2651.14	1	CHP	3	2633.985	-19.01	-13	Pass
2651.14	2655	1	CHP	4	2651.145	-52.41	-25	Pass

CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2590	2620	0.1	/	/	/	/	/	/
2620	2621	0.623	CHP	1	2620.350	-30.64	-10	Pass
2621	2625	1	CHP	2	2622.100	-28.65	-10	Pass
2625	2651.14	1	CHP	3	2626.200	-29.74	-13	Pass
2651.14	2655	1	CHP	4	2651.150	-40.55	-25	Pass


CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0



CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2597.5 CC2:2612.5MHz_CC1: 75@0 CC2:
75@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:64QAM_CC2:64QAM_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.700	-53.46	-25	Pass
2490.5	2496	1	CHP	2	2495.770	-46.15	-13	Pass
2496	2539.353	1	CHP	3	2525.755	-40.14	-25	Pass
2539.353	2565	1	CHP	4	2555.670	-17.90	-13	Pass
2565	2569	1	CHP	5	2568.500	-41.03	-10	Pass
2569	2570	0.02	CHP	6	2569.980	-39.91	-10	Pass
2570	2600	0.02	CHP	/	/	/	/	/


CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:64QAM_CC2:64QAM_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0




CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:64QAM_CC2:64QAM_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0



CA_38C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:64QAM_CC2:64QAM_CC1:2577.5_CC2:2592.5MHz_CC1: 1@0_CC2: 1@0




CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.400	-52.33	-25	Pass
2490.5	2496	1	CHP	2	2495.550	-52.06	-13	Pass
2496	2539.353	1	CHP	3	2539.100	-39.41	-25	Pass
2539.353	2565	1	CHP	4	2564.950	-29.18	-13	Pass
2565	2569	1	CHP	5	2567.000	-28.49	-10	Pass
2569	2570	0.613	CHP	6	2569.650	-29.65	-10	Pass
2570	2600	0.1	/	/	/	/	/	/

CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0



CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0



CA_38C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2577.5 CC2:2592.5MHz_CC1: 75@0 CC2:
75@0

