



N26a(824-849MHz)-20M-Bandedge-HCH-DFT-s-OFDM-Pi2 BPSK-Out_Full



N26a(824-849MHz)-20M-Bandedge-HCH-DFT-s-OFDM-Pi2 BPSK-1RB_MAX



N26a(824-849MHz)-20M-Bandedge-HCH-CP-OFDM-QPSK-Outer_Full




N26a(824-849MHz)-20M-Bandedge-HCH-CP-OFDM-QPSK-1RB_MAX




Conducted spurious emissions

test graph


N26a(824-849MHz)-5M-CSE-LCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-5M-CSE-LCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-5M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-5M-CSE-MCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-5M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-5M-CSE-HCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-10M-CSE-LCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-10M-CSE-LCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-10M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-10M-CSE-MCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-10M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-10M-CSE-HCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-15M-CSE-LCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-15M-CSE-LCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-15M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-15M-CSE-MCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-15M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-15M-CSE-HCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-20M-CSE-LCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-20M-CSE-LCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-20M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-20M-CSE-MCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N26a(824-849MHz)-20M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N26a(824-849MHz)-20M-CSE-HCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz



Effective (Isotropic) Radiated Power Output Data

Band width	Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)	ERP(dBm)	Limit	Verdict	Gain
5MHz	DFT-s-OFDM PI/2 BPSK	826.5MHz	Edge_Full_Left	24.38	25.23	38.45	Pass	3
			Edge_Full_Right	24.63	25.48	38.45	Pass	3
			Edge_1RB_Left	24.22	25.07	38.45	Pass	3
			Edge_1RB_Right	24.42	25.27	38.45	Pass	3
			Outer_Full	24.43	25.28	38.45	Pass	3
			Inner_Full	24.44	25.29	38.45	Pass	3
			Inner_1RB_Left	24.13	24.98	38.45	Pass	3
			Inner_1RB_Right	24.52	25.37	38.45	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	23.68	24.53	38.45	Pass	3
			Edge_Full_Right	23.91	24.76	38.45	Pass	3
			Edge_1RB_Left	23.66	24.51	38.45	Pass	3
			Edge_1RB_Right	23.31	24.16	38.45	Pass	3
			Outer_Full	23.87	24.72	38.45	Pass	3
			Inner_Full	24.27	25.12	38.45	Pass	3
			Inner_1RB_Left	24.11	24.96	38.45	Pass	3
			Inner_1RB_Right	23.82	24.67	38.45	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	22.54	23.39	38.45	Pass	3
			Edge_Full_Right	22.3	23.15	38.45	Pass	3
			Edge_1RB_Left	22.46	23.31	38.45	Pass	3
			Edge_1RB_Right	22.48	23.33	38.45	Pass	3
			Outer_Full	22.8	23.65	38.45	Pass	3
			Inner_Full	23.65	24.5	38.45	Pass	3
			Inner_1RB_Left	23.38	24.23	38.45	Pass	3
			Inner_1RB_Right	23.57	24.42	38.45	Pass	3
	DFT-s-OFDM 64QAM		Edge_Full_Left	22.47	23.32	38.45	Pass	3
			Edge_Full_Right	22.52	23.37	38.45	Pass	3
			Edge_1RB_Left	21.92	22.77	38.45	Pass	3
			Edge_1RB_Right	22.31	23.16	38.45	Pass	3
			Outer_Full	22.14	22.99	38.45	Pass	3
			Inner_Full	22.42	23.27	38.45	Pass	3
			Inner_1RB_Left	22.07	22.92	38.45	Pass	3
			Inner_1RB_Right	22.04	22.89	38.45	Pass	3
	DFT-s-OFDM 256QAM		Edge_Full_Left	20.31	21.16	38.45	Pass	3
			Edge_Full_Right	20.57	21.42	38.45	Pass	3
			Edge_1RB_Left	20.35	21.2	38.45	Pass	3
			Edge_1RB_Right	20.07	20.92	38.45	Pass	3
			Outer_Full	19.85	20.7	38.45	Pass	3
			Inner_Full	20.34	21.19	38.45	Pass	3
			Inner_1RB_Left	20.11	20.96	38.45	Pass	3

	CP-OFDM QPSK	836.5MHz	Inner_1RB_Right	20.13	20.98	38.45	Pass	3
			Edge_Full_Left	21.39	22.24	38.45	Pass	3
			Edge_Full_Right	21.64	22.49	38.45	Pass	3
			Edge_1RB_Left	21.91	22.76	38.45	Pass	3
			Edge_1RB_Right	21.55	22.4	38.45	Pass	3
			Outer_Full	22.03	22.88	38.45	Pass	3
			Inner_Full	23.37	24.22	38.45	Pass	3
			Inner_1RB_Left	23.3	24.15	38.45	Pass	3
			Inner_1RB_Right	22.97	23.82	38.45	Pass	3
	CP-OFDM 16QAM		Edge_Full_Left	21.64	22.49	38.45	Pass	3
			Edge_Full_Right	21.86	22.71	38.45	Pass	3
			Edge_1RB_Left	22	22.85	38.45	Pass	3
			Edge_1RB_Right	21.82	22.67	38.45	Pass	3
			Outer_Full	21.72	22.57	38.45	Pass	3
			Inner_Full	22.57	23.42	38.45	Pass	3
			Inner_1RB_Left	22.76	23.61	38.45	Pass	3
			Inner_1RB_Right	23.07	23.92	38.45	Pass	3
			CP-OFDM 64QAM	Edge_Full_Left	21	21.85	38.45	Pass
	Edge_Full_Right			21.22	22.07	38.45	Pass	3
	Edge_1RB_Left			21.03	21.88	38.45	Pass	3
	Edge_1RB_Right			21.33	22.18	38.45	Pass	3
	Outer_Full			21.37	22.22	38.45	Pass	3
	Inner_Full			21.24	22.09	38.45	Pass	3
	Inner_1RB_Left			21.41	22.26	38.45	Pass	3
	Inner_1RB_Right			21.59	22.44	38.45	Pass	3
	CP-OFDM 256QAM			Edge_Full_Left	18.27	19.12	38.45	Pass
			Edge_Full_Right	18.59	19.44	38.45	Pass	3
			Edge_1RB_Left	18.86	19.71	38.45	Pass	3
			Edge_1RB_Right	18.67	19.52	38.45	Pass	3
			Outer_Full	18.3	19.15	38.45	Pass	3
Inner_Full		18.4	19.25	38.45	Pass	3		
Inner_1RB_Left		19.1	19.95	38.45	Pass	3		
Inner_1RB_Right		18.74	19.59	38.45	Pass	3		
DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.8	24.65	38.45	Pass	3	
	Edge_Full_Right	23.98	24.83	38.45	Pass	3		
	Edge_1RB_Left	24.39	25.24	38.45	Pass	3		
	Edge_1RB_Right	23.92	24.77	38.45	Pass	3		
	Outer_Full	24.19	25.04	38.45	Pass	3		
	Inner_Full	24.4	25.25	38.45	Pass	3		
	Inner_1RB_Left	24.08	24.93	38.45	Pass	3		
	Inner_1RB_Right	24.04	24.89	38.45	Pass	3		
DFT-s-OFDM QPSK	Edge_Full_Left	23.78	24.63	38.45	Pass	3		
	Edge_Full_Right	23.92	24.77	38.45	Pass	3		

			Edge_1RB_Left	23.2	24.05	38.45	Pass	3
			Edge_1RB_Right	23.63	24.48	38.45	Pass	3
			Outer_Full	23.95	24.8	38.45	Pass	3
			Inner_Full	24.56	25.41	38.45	Pass	3
			Inner_1RB_Left	24.03	24.88	38.45	Pass	3
			Inner_1RB_Right	23.97	24.82	38.45	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	22.51	23.36	38.45	Pass	3
			Edge_Full_Right	22.21	23.06	38.45	Pass	3
			Edge_1RB_Left	22.17	23.02	38.45	Pass	3
			Edge_1RB_Right	22.4	23.25	38.45	Pass	3
			Outer_Full	23.03	23.88	38.45	Pass	3
			Inner_Full	23.91	24.76	38.45	Pass	3
	DFT-s-OFDM 64QAM		Inner_1RB_Left	23.21	24.06	38.45	Pass	3
			Inner_1RB_Right	23.62	24.47	38.45	Pass	3
			Edge_Full_Left	22.51	23.36	38.45	Pass	3
			Edge_Full_Right	22.46	23.31	38.45	Pass	3
			Edge_1RB_Left	22.02	22.87	38.45	Pass	3
			Edge_1RB_Right	21.9	22.75	38.45	Pass	3
	DFT-s-OFDM 256QAM		Outer_Full	22.26	23.11	38.45	Pass	3
			Inner_Full	22.2	23.05	38.45	Pass	3
			Inner_1RB_Left	21.83	22.68	38.45	Pass	3
			Inner_1RB_Right	22.29	23.14	38.45	Pass	3
			Edge_Full_Left	20.57	21.42	38.45	Pass	3
			Edge_Full_Right	20.64	21.49	38.45	Pass	3
	CP-OFDM QPSK		Edge_1RB_Left	20.55	21.4	38.45	Pass	3
			Edge_1RB_Right	20.14	20.99	38.45	Pass	3
			Outer_Full	20.23	21.08	38.45	Pass	3
			Inner_Full	20.2	21.05	38.45	Pass	3
			Inner_1RB_Left	20.05	20.9	38.45	Pass	3
			Inner_1RB_Right	20.44	21.29	38.45	Pass	3
CP-OFDM 16QAM	Edge_Full_Left	21.4	22.25	38.45	Pass	3		
	Edge_Full_Right	21.54	22.39	38.45	Pass	3		
	Edge_1RB_Left	21.54	22.39	38.45	Pass	3		
	Edge_1RB_Right	21.85	22.7	38.45	Pass	3		
	Outer_Full	21.7	22.55	38.45	Pass	3		
	Inner_Full	22.93	23.78	38.45	Pass	3		
			Inner_1RB_Left	23.08	23.93	38.45	Pass	3
			Inner_1RB_Right	22.84	23.69	38.45	Pass	3
			Edge_Full_Left	21.94	22.79	38.45	Pass	3
			Edge_Full_Right	22.38	23.23	38.45	Pass	3
			Edge_1RB_Left	21.5	22.35	38.45	Pass	3
			Edge_1RB_Right	21.43	22.28	38.45	Pass	3
			Outer_Full	21.99	22.84	38.45	Pass	3

		846.5MHz	Inner_Full	23.11	23.96	38.45	Pass	3	
			Inner_1RB_Left	22.61	23.46	38.45	Pass	3	
			Inner_1RB_Right	23	23.85	38.45	Pass	3	
	CP-OFDM 64QAM		Edge_Full_Left	21.25	22.1	38.45	Pass	3	
			Edge_Full_Right	21.06	21.91	38.45	Pass	3	
			Edge_1RB_Left	21.24	22.09	38.45	Pass	3	
			Edge_1RB_Right	21.03	21.88	38.45	Pass	3	
			Outer_Full	21.37	22.22	38.45	Pass	3	
			Inner_Full	21.08	21.93	38.45	Pass	3	
			Inner_1RB_Left	20.91	21.76	38.45	Pass	3	
			Inner_1RB_Right	21.18	22.03	38.45	Pass	3	
			Edge_Full_Left	18.34	19.19	38.45	Pass	3	
	CP-OFDM 256QAM		Edge_Full_Right	18.26	19.11	38.45	Pass	3	
			Edge_1RB_Left	18.87	19.72	38.45	Pass	3	
			Edge_1RB_Right	18.62	19.47	38.45	Pass	3	
			Outer_Full	18.29	19.14	38.45	Pass	3	
			Inner_Full	17.8	18.65	38.45	Pass	3	
			Inner_1RB_Left	18.6	19.45	38.45	Pass	3	
			Inner_1RB_Right	18.82	19.67	38.45	Pass	3	
			DFT-s-OFDM PI/2 BPSK	Edge_Full_Left	23.75	24.6	38.45	Pass	3
				Edge_Full_Right	23.96	24.81	38.45	Pass	3
	Edge_1RB_Left			24.04	24.89	38.45	Pass	3	
	Edge_1RB_Right			23.56	24.41	38.45	Pass	3	
	Outer_Full			24.36	25.21	38.45	Pass	3	
	Inner_Full			24.42	25.27	38.45	Pass	3	
	Inner_1RB_Left			24.19	25.04	38.45	Pass	3	
	Inner_1RB_Right			23.89	24.74	38.45	Pass	3	
	DFT-s-OFDM QPSK			Edge_Full_Left	23.86	24.71	38.45	Pass	3
			Edge_Full_Right	23.46	24.31	38.45	Pass	3	
			Edge_1RB_Left	23.27	24.12	38.45	Pass	3	
			Edge_1RB_Right	23.52	24.37	38.45	Pass	3	
			Outer_Full	23.7	24.55	38.45	Pass	3	
Inner_Full		24.28	25.13	38.45	Pass	3			
Inner_1RB_Left		23.9	24.75	38.45	Pass	3			
Inner_1RB_Right		24.33	25.18	38.45	Pass	3			
DFT-s-OFDM 16QAM		Edge_Full_Left	22.03	22.88	38.45	Pass	3		
	Edge_Full_Right	22.1	22.95	38.45	Pass	3			
	Edge_1RB_Left	22.36	23.21	38.45	Pass	3			
	Edge_1RB_Right	22.27	23.12	38.45	Pass	3			
	Outer_Full	22.3	23.15	38.45	Pass	3			
	Inner_Full	23.97	24.82	38.45	Pass	3			
	Inner_1RB_Left	23.12	23.97	38.45	Pass	3			
	Inner_1RB_Right	23.34	24.19	38.45	Pass	3			

	DFT-s-OFDM 64QAM	Edge_Full_Left	21.9	22.75	38.45	Pass	3
		Edge_Full_Right	22.42	23.27	38.45	Pass	3
		Edge_1RB_Left	21.82	22.67	38.45	Pass	3
		Edge_1RB_Right	21.73	22.58	38.45	Pass	3
		Outer_Full	21.96	22.81	38.45	Pass	3
		Inner_Full	22.06	22.91	38.45	Pass	3
		Inner_1RB_Left	21.95	22.8	38.45	Pass	3
		Inner_1RB_Right	21.89	22.74	38.45	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.87	20.72	38.45	Pass	3
		Edge_Full_Right	19.96	20.81	38.45	Pass	3
		Edge_1RB_Left	19.65	20.5	38.45	Pass	3
		Edge_1RB_Right	19.96	20.81	38.45	Pass	3
		Outer_Full	20.36	21.21	38.45	Pass	3
		Inner_Full	19.98	20.83	38.45	Pass	3
		Inner_1RB_Left	20.15	21	38.45	Pass	3
		Inner_1RB_Right	20.08	20.93	38.45	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	21.71	22.56	38.45	Pass	3
		Edge_Full_Right	21.76	22.61	38.45	Pass	3
		Edge_1RB_Left	21.65	22.5	38.45	Pass	3
		Edge_1RB_Right	21.36	22.21	38.45	Pass	3
		Outer_Full	21.5	22.35	38.45	Pass	3
		Inner_Full	22.76	23.61	38.45	Pass	3
		Inner_1RB_Left	22.98	23.83	38.45	Pass	3
		Inner_1RB_Right	22.49	23.34	38.45	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	21.42	22.27	38.45	Pass	3
		Edge_Full_Right	21.11	21.96	38.45	Pass	3
		Edge_1RB_Left	22.05	22.9	38.45	Pass	3
		Edge_1RB_Right	21.87	22.72	38.45	Pass	3
		Outer_Full	21.41	22.26	38.45	Pass	3
		Inner_Full	22.89	23.74	38.45	Pass	3
		Inner_1RB_Left	22.22	23.07	38.45	Pass	3
		Inner_1RB_Right	22.31	23.16	38.45	Pass	3
	CP-OFDM 64QAM	Edge_Full_Left	21.08	21.93	38.45	Pass	3
		Edge_Full_Right	21.38	22.23	38.45	Pass	3
		Edge_1RB_Left	21.2	22.05	38.45	Pass	3
		Edge_1RB_Right	21.18	22.03	38.45	Pass	3
		Outer_Full	21.39	22.24	38.45	Pass	3
		Inner_Full	21.19	22.04	38.45	Pass	3
		Inner_1RB_Left	20.86	21.71	38.45	Pass	3
		Inner_1RB_Right	21.29	22.14	38.45	Pass	3
	CP-OFDM 256QAM	Edge_Full_Left	18.54	19.39	38.45	Pass	3
		Edge_Full_Right	18.66	19.51	38.45	Pass	3
		Edge_1RB_Left	18.21	19.06	38.45	Pass	3

			Edge_1RB_Right	18.21	19.06	38.45	Pass	3
			Outer_Full	18.4	19.25	38.45	Pass	3
			Inner_Full	18.37	19.22	38.45	Pass	3
			Inner_1RB_Left	18.54	19.39	38.45	Pass	3
			Inner_1RB_Right	18.79	19.64	38.45	Pass	3
10MHz	DFT-s-OFDM PI/2 BPSK	829MHz	Edge_Full_Left	24.03	24.88	38.45	Pass	3
			Edge_Full_Right	24.04	24.89	38.45	Pass	3
			Edge_1RB_Left	23.85	24.7	38.45	Pass	3
			Edge_1RB_Right	23.71	24.56	38.45	Pass	3
			Outer_Full	23.96	24.81	38.45	Pass	3
			Inner_Full	24.57	25.42	38.45	Pass	3
			Inner_1RB_Left	24.05	24.9	38.45	Pass	3
			Inner_1RB_Right	24.33	25.18	38.45	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	23.46	24.31	38.45	Pass	3
			Edge_Full_Right	23.25	24.1	38.45	Pass	3
			Edge_1RB_Left	23.17	24.02	38.45	Pass	3
			Edge_1RB_Right	23.45	24.3	38.45	Pass	3
			Outer_Full	23.46	24.31	38.45	Pass	3
			Inner_Full	24.09	24.94	38.45	Pass	3
			Inner_1RB_Left	23.95	24.8	38.45	Pass	3
			Inner_1RB_Right	23.72	24.57	38.45	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	22.12	22.97	38.45	Pass	3
			Edge_Full_Right	21.91	22.76	38.45	Pass	3
			Edge_1RB_Left	22.41	23.26	38.45	Pass	3
			Edge_1RB_Right	22.18	23.03	38.45	Pass	3
			Outer_Full	22.3	23.15	38.45	Pass	3
			Inner_Full	23.82	24.67	38.45	Pass	3
			Inner_1RB_Left	23.36	24.21	38.45	Pass	3
			Inner_1RB_Right	23.34	24.19	38.45	Pass	3
	DFT-s-OFDM 64QAM		Edge_Full_Left	22.23	23.08	38.45	Pass	3
			Edge_Full_Right	22.55	23.4	38.45	Pass	3
			Edge_1RB_Left	21.97	22.82	38.45	Pass	3
			Edge_1RB_Right	21.71	22.56	38.45	Pass	3
			Outer_Full	21.98	22.83	38.45	Pass	3
			Inner_Full	22.1	22.95	38.45	Pass	3
			Inner_1RB_Left	21.91	22.76	38.45	Pass	3
			Inner_1RB_Right	22	22.85	38.45	Pass	3
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.98	20.83	38.45	Pass	3
			Edge_Full_Right	19.99	20.84	38.45	Pass	3
			Edge_1RB_Left	19.66	20.51	38.45	Pass	3
			Edge_1RB_Right	20.06	20.91	38.45	Pass	3
			Outer_Full	20.07	20.92	38.45	Pass	3
			Inner_Full	19.93	20.78	38.45	Pass	3

			Inner_1RB_Left	19.72	20.57	38.45	Pass	3	
			Inner_1RB_Right	19.9	20.75	38.45	Pass	3	
	CP-OFDM QPSK		Edge_Full_Left	21.64	22.49	38.45	Pass	3	
			Edge_Full_Right	21.4	22.25	38.45	Pass	3	
			Edge_1RB_Left	21.64	22.49	38.45	Pass	3	
			Edge_1RB_Right	21.5	22.35	38.45	Pass	3	
			Outer_Full	21.68	22.53	38.45	Pass	3	
			Inner_Full	23.19	24.04	38.45	Pass	3	
			Inner_1RB_Left	22.96	23.81	38.45	Pass	3	
			Inner_1RB_Right	23.02	23.87	38.45	Pass	3	
			CP-OFDM 16QAM	Edge_Full_Left	21.29	22.14	38.45	Pass	3
				Edge_Full_Right	21.51	22.36	38.45	Pass	3
	Edge_1RB_Left			21.23	22.08	38.45	Pass	3	
	Edge_1RB_Right			21.72	22.57	38.45	Pass	3	
	Outer_Full			21.78	22.63	38.45	Pass	3	
	Inner_Full			22.54	23.39	38.45	Pass	3	
	Inner_1RB_Left			22.39	23.24	38.45	Pass	3	
	Inner_1RB_Right			22.95	23.8	38.45	Pass	3	
	CP-OFDM 64QAM		Edge_Full_Left	20.8	21.65	38.45	Pass	3	
			Edge_Full_Right	20.79	21.64	38.45	Pass	3	
			Edge_1RB_Left	20.84	21.69	38.45	Pass	3	
			Edge_1RB_Right	20.63	21.48	38.45	Pass	3	
			Outer_Full	21.56	22.41	38.45	Pass	3	
			Inner_Full	21.04	21.89	38.45	Pass	3	
			Inner_1RB_Left	21.03	21.88	38.45	Pass	3	
			Inner_1RB_Right	20.81	21.66	38.45	Pass	3	
	CP-OFDM 256QAM		Edge_Full_Left	18.23	19.08	38.45	Pass	3	
			Edge_Full_Right	18.35	19.2	38.45	Pass	3	
			Edge_1RB_Left	18.77	19.62	38.45	Pass	3	
			Edge_1RB_Right	18.71	19.56	38.45	Pass	3	
			Outer_Full	18.15	19	38.45	Pass	3	
			Inner_Full	17.67	18.52	38.45	Pass	3	
			Inner_1RB_Left	18.19	19.04	38.45	Pass	3	
			Inner_1RB_Right	18.34	19.19	38.45	Pass	3	
	DFT-s-OFDM PI/2 BPSK		836.5MHz	Edge_Full_Left	24.05	24.9	38.45	Pass	3
				Edge_Full_Right	23.86	24.71	38.45	Pass	3
				Edge_1RB_Left	23.9	24.75	38.45	Pass	3
				Edge_1RB_Right	23.8	24.65	38.45	Pass	3
				Outer_Full	24.33	25.18	38.45	Pass	3
				Inner_Full	24.11	24.96	38.45	Pass	3
				Inner_1RB_Left	24.22	25.07	38.45	Pass	3
				Inner_1RB_Right	24.01	24.86	38.45	Pass	3
	DFT-s-OFDM QPSK			Edge_Full_Left	23.43	24.28	38.45	Pass	3

		Edge_Full_Right	23.36	24.21	38.45	Pass	3
		Edge_1RB_Left	23.04	23.89	38.45	Pass	3
		Edge_1RB_Right	23.19	24.04	38.45	Pass	3
		Outer_Full	23.71	24.56	38.45	Pass	3
		Inner_Full	24.18	25.03	38.45	Pass	3
		Inner_1RB_Left	23.81	24.66	38.45	Pass	3
		Inner_1RB_Right	24.07	24.92	38.45	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	22.57	23.42	38.45	Pass	3
		Edge_Full_Right	22.23	23.08	38.45	Pass	3
		Edge_1RB_Left	22.23	23.08	38.45	Pass	3
		Edge_1RB_Right	22.1	22.95	38.45	Pass	3
		Outer_Full	22.72	23.57	38.45	Pass	3
		Inner_Full	23.74	24.59	38.45	Pass	3
		Inner_1RB_Left	23.17	24.02	38.45	Pass	3
	DFT-s-OFDM 64QAM	Inner_1RB_Right	23.15	24	38.45	Pass	3
		Edge_Full_Left	22	22.85	38.45	Pass	3
		Edge_Full_Right	22.4	23.25	38.45	Pass	3
		Edge_1RB_Left	21.88	22.73	38.45	Pass	3
		Edge_1RB_Right	22.09	22.94	38.45	Pass	3
		Outer_Full	21.97	22.82	38.45	Pass	3
		Inner_Full	22.11	22.96	38.45	Pass	3
	DFT-s-OFDM 256QAM	Inner_1RB_Left	21.9	22.75	38.45	Pass	3
		Inner_1RB_Right	22.15	23	38.45	Pass	3
		Edge_Full_Left	20.24	21.09	38.45	Pass	3
		Edge_Full_Right	20.17	21.02	38.45	Pass	3
		Edge_1RB_Left	19.93	20.78	38.45	Pass	3
		Edge_1RB_Right	19.95	20.8	38.45	Pass	3
		Outer_Full	20.23	21.08	38.45	Pass	3
	CP-OFDM QPSK	Inner_Full	19.93	20.78	38.45	Pass	3
		Inner_1RB_Left	20.34	21.19	38.45	Pass	3
		Inner_1RB_Right	20.01	20.86	38.45	Pass	3
		Edge_Full_Left	21.82	22.67	38.45	Pass	3
		Edge_Full_Right	21.32	22.17	38.45	Pass	3
		Edge_1RB_Left	21.16	22.01	38.45	Pass	3
		Edge_1RB_Right	21.38	22.23	38.45	Pass	3
	CP-OFDM 16QAM	Outer_Full	21.76	22.61	38.45	Pass	3
		Inner_Full	22.97	23.82	38.45	Pass	3
		Inner_1RB_Left	23.16	24.01	38.45	Pass	3
		Inner_1RB_Right	22.96	23.81	38.45	Pass	3
		Edge_Full_Left	21.48	22.33	38.45	Pass	3
		Edge_Full_Right	21.93	22.78	38.45	Pass	3
		Edge_1RB_Left	21.42	22.27	38.45	Pass	3
		Edge_1RB_Right	21.11	21.96	38.45	Pass	3

		844MHz	Outer_Full	21.79	22.64	38.45	Pass	3	
			Inner_Full	22.85	23.7	38.45	Pass	3	
			Inner_1RB_Left	22.87	23.72	38.45	Pass	3	
			Inner_1RB_Right	22.77	23.62	38.45	Pass	3	
	CP-OFDM 64QAM		Edge_Full_Left	20.8	21.65	38.45	Pass	3	
			Edge_Full_Right	20.6	21.45	38.45	Pass	3	
			Edge_1RB_Left	21.14	21.99	38.45	Pass	3	
			Edge_1RB_Right	20.79	21.64	38.45	Pass	3	
			Outer_Full	21.04	21.89	38.45	Pass	3	
			Inner_Full	20.9	21.75	38.45	Pass	3	
			Inner_1RB_Left	20.93	21.78	38.45	Pass	3	
			Inner_1RB_Right	21.01	21.86	38.45	Pass	3	
			CP-OFDM 256QAM	Edge_Full_Left	17.82	18.67	38.45	Pass	3
				Edge_Full_Right	17.77	18.62	38.45	Pass	3
				Edge_1RB_Left	18.69	19.54	38.45	Pass	3
				Edge_1RB_Right	18.55	19.4	38.45	Pass	3
	Outer_Full			17.9	18.75	38.45	Pass	3	
	Inner_Full			17.98	18.83	38.45	Pass	3	
	Inner_1RB_Left			18.67	19.52	38.45	Pass	3	
	Inner_1RB_Right			18.63	19.48	38.45	Pass	3	
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.97	24.82	38.45	Pass	3	
			Edge_Full_Right	23.53	24.38	38.45	Pass	3	
			Edge_1RB_Left	23.69	24.54	38.45	Pass	3	
			Edge_1RB_Right	23.27	24.12	38.45	Pass	3	
			Outer_Full	23.9	24.75	38.45	Pass	3	
			Inner_Full	23.95	24.8	38.45	Pass	3	
			Inner_1RB_Left	23.77	24.62	38.45	Pass	3	
			Inner_1RB_Right	23.87	24.72	38.45	Pass	3	
	DFT-s-OFDM QPSK		Edge_Full_Left	23.59	24.44	38.45	Pass	3	
			Edge_Full_Right	23.71	24.56	38.45	Pass	3	
			Edge_1RB_Left	23.09	23.94	38.45	Pass	3	
			Edge_1RB_Right	23.13	23.98	38.45	Pass	3	
			Outer_Full	23.62	24.47	38.45	Pass	3	
			Inner_Full	23.84	24.69	38.45	Pass	3	
			Inner_1RB_Left	23.67	24.52	38.45	Pass	3	
			Inner_1RB_Right	23.54	24.39	38.45	Pass	3	
	DFT-s-OFDM 16QAM		Edge_Full_Left	22.13	22.98	38.45	Pass	3	
			Edge_Full_Right	22.13	22.98	38.45	Pass	3	
			Edge_1RB_Left	22	22.85	38.45	Pass	3	
			Edge_1RB_Right	21.5	22.35	38.45	Pass	3	
			Outer_Full	22.21	23.06	38.45	Pass	3	
			Inner_Full	23.83	24.68	38.45	Pass	3	
			Inner_1RB_Left	23.17	24.02	38.45	Pass	3	

	DFT-s-OFDM 64QAM	Inner_1RB_Right	22.98	23.83	38.45	Pass	3
		Edge_Full_Left	22.09	22.94	38.45	Pass	3
		Edge_Full_Right	22.03	22.88	38.45	Pass	3
		Edge_1RB_Left	22.01	22.86	38.45	Pass	3
		Edge_1RB_Right	21.65	22.5	38.45	Pass	3
		Outer_Full	21.86	22.71	38.45	Pass	3
		Inner_Full	21.8	22.65	38.45	Pass	3
		Inner_1RB_Left	22.07	22.92	38.45	Pass	3
		Inner_1RB_Right	22.02	22.87	38.45	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.99	20.84	38.45	Pass	3
		Edge_Full_Right	19.77	20.62	38.45	Pass	3
		Edge_1RB_Left	19.59	20.44	38.45	Pass	3
		Edge_1RB_Right	19.42	20.27	38.45	Pass	3
		Outer_Full	19.99	20.84	38.45	Pass	3
		Inner_Full	19.81	20.66	38.45	Pass	3
		Inner_1RB_Left	19.81	20.66	38.45	Pass	3
		Inner_1RB_Right	19.61	20.46	38.45	Pass	3
		Edge_Full_Left	21.55	22.4	38.45	Pass	3
	CP-OFDM QPSK	Edge_Full_Right	21.45	22.3	38.45	Pass	3
		Edge_1RB_Left	21.48	22.33	38.45	Pass	3
		Edge_1RB_Right	21.3	22.15	38.45	Pass	3
		Outer_Full	21.36	22.21	38.45	Pass	3
		Inner_Full	23.18	24.03	38.45	Pass	3
		Inner_1RB_Left	23.15	24	38.45	Pass	3
		Inner_1RB_Right	22.55	23.4	38.45	Pass	3
		Edge_Full_Left	21.36	22.21	38.45	Pass	3
		Edge_Full_Right	21.17	22.02	38.45	Pass	3
	CP-OFDM 16QAM	Edge_1RB_Left	21.45	22.3	38.45	Pass	3
		Edge_1RB_Right	21.72	22.57	38.45	Pass	3
		Outer_Full	21.34	22.19	38.45	Pass	3
		Inner_Full	22.32	23.17	38.45	Pass	3
		Inner_1RB_Left	22.1	22.95	38.45	Pass	3
		Inner_1RB_Right	21.84	22.69	38.45	Pass	3
		Edge_Full_Left	20.86	21.71	38.45	Pass	3
		Edge_Full_Right	20.97	21.82	38.45	Pass	3
		Edge_1RB_Left	21.06	21.91	38.45	Pass	3
	CP-OFDM 64QAM	Edge_1RB_Right	20.88	21.73	38.45	Pass	3
		Outer_Full	21.07	21.92	38.45	Pass	3
		Inner_Full	21.08	21.93	38.45	Pass	3
		Inner_1RB_Left	20.84	21.69	38.45	Pass	3
		Inner_1RB_Right	20.56	21.41	38.45	Pass	3
	CP-OFDM 256QAM	Edge_Full_Left	18.51	19.36	38.45	Pass	3
		Edge_Full_Right	18.08	18.93	38.45	Pass	3

			Edge_1RB_Left	18.31	19.16	38.45	Pass	3
			Edge_1RB_Right	18.08	18.93	38.45	Pass	3
			Outer_Full	18.12	18.97	38.45	Pass	3
			Inner_Full	18.13	18.98	38.45	Pass	3
			Inner_1RB_Left	17.98	18.83	38.45	Pass	3
			Inner_1RB_Right	18.29	19.14	38.45	Pass	3
15MHz	DFT-s-OFDM PI/2 BPSK	831.5MHz	Edge_Full_Left	24.06	24.91	38.45	Pass	3
			Edge_Full_Right	24.25	25.1	38.45	Pass	3
			Edge_1RB_Left	23.83	24.68	38.45	Pass	3
			Edge_1RB_Right	24.1	24.95	38.45	Pass	3
			Outer_Full	24.43	25.28	38.45	Pass	3
			Inner_Full	24.36	25.21	38.45	Pass	3
			Inner_1RB_Left	24.38	25.23	38.45	Pass	3
			Inner_1RB_Right	24.49	25.34	38.45	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	23.64	24.49	38.45	Pass	3
			Edge_Full_Right	23.65	24.5	38.45	Pass	3
			Edge_1RB_Left	23.55	24.4	38.45	Pass	3
			Edge_1RB_Right	23.6	24.45	38.45	Pass	3
			Outer_Full	23.5	24.35	38.45	Pass	3
			Inner_Full	24.31	25.16	38.45	Pass	3
			Inner_1RB_Left	24.18	25.03	38.45	Pass	3
			Inner_1RB_Right	24.36	25.21	38.45	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	22.23	23.08	38.45	Pass	3
			Edge_Full_Right	22.52	23.37	38.45	Pass	3
			Edge_1RB_Left	22.4	23.25	38.45	Pass	3
			Edge_1RB_Right	22.18	23.03	38.45	Pass	3
			Outer_Full	22.47	23.32	38.45	Pass	3
			Inner_Full	23.52	24.37	38.45	Pass	3
			Inner_1RB_Left	23.11	23.96	38.45	Pass	3
			Inner_1RB_Right	23.25	24.1	38.45	Pass	3
	DFT-s-OFDM 64QAM		Edge_Full_Left	22.11	22.96	38.45	Pass	3
			Edge_Full_Right	21.87	22.72	38.45	Pass	3
			Edge_1RB_Left	22.14	22.99	38.45	Pass	3
			Edge_1RB_Right	21.99	22.84	38.45	Pass	3
			Outer_Full	22.31	23.16	38.45	Pass	3
			Inner_Full	21.91	22.76	38.45	Pass	3
Inner_1RB_Left		22.12	22.97	38.45	Pass	3		
Inner_1RB_Right		22.19	23.04	38.45	Pass	3		
DFT-s-OFDM 256QAM	Edge_Full_Left	19.76	20.61	38.45	Pass	3		
	Edge_Full_Right	20.06	20.91	38.45	Pass	3		
	Edge_1RB_Left	19.52	20.37	38.45	Pass	3		
	Edge_1RB_Right	19.64	20.49	38.45	Pass	3		
	Outer_Full	20.51	21.36	38.45	Pass	3		

			Inner_Full	20.12	20.97	38.45	Pass	3
			Inner_1RB_Left	19.16	20.01	38.45	Pass	3
			Inner_1RB_Right	19.6	20.45	38.45	Pass	3
	CP-OFDM QPSK		Edge_Full_Left	21.51	22.36	38.45	Pass	3
			Edge_Full_Right	21.3	22.15	38.45	Pass	3
			Edge_1RB_Left	21.69	22.54	38.45	Pass	3
			Edge_1RB_Right	21.43	22.28	38.45	Pass	3
			Outer_Full	21.89	22.74	38.45	Pass	3
			Inner_Full	23.03	23.88	38.45	Pass	3
			Inner_1RB_Left	23.17	24.02	38.45	Pass	3
			Inner_1RB_Right	23.24	24.09	38.45	Pass	3
			Edge_Full_Left	21.22	22.07	38.45	Pass	3
	CP-OFDM 16QAM		Edge_Full_Right	21.6	22.45	38.45	Pass	3
			Edge_1RB_Left	20.99	21.84	38.45	Pass	3
			Edge_1RB_Right	21.18	22.03	38.45	Pass	3
			Outer_Full	21.8	22.65	38.45	Pass	3
			Inner_Full	22.43	23.28	38.45	Pass	3
			Inner_1RB_Left	22.35	23.2	38.45	Pass	3
			Inner_1RB_Right	22.45	23.3	38.45	Pass	3
			Edge_Full_Left	20.67	21.52	38.45	Pass	3
			Edge_Full_Right	20.82	21.67	38.45	Pass	3
	CP-OFDM 64QAM		Edge_1RB_Left	20.42	21.27	38.45	Pass	3
			Edge_1RB_Right	20.17	21.02	38.45	Pass	3
			Outer_Full	21.07	21.92	38.45	Pass	3
			Inner_Full	20.89	21.74	38.45	Pass	3
			Inner_1RB_Left	20.43	21.28	38.45	Pass	3
			Inner_1RB_Right	20.4	21.25	38.45	Pass	3
			Edge_Full_Left	18.24	19.09	38.45	Pass	3
			Edge_Full_Right	18.3	19.15	38.45	Pass	3
			Edge_1RB_Left	18.29	19.14	38.45	Pass	3
	CP-OFDM 256QAM		Edge_1RB_Right	18.02	18.87	38.45	Pass	3
			Outer_Full	18.26	19.11	38.45	Pass	3
			Inner_Full	18.06	18.91	38.45	Pass	3
			Inner_1RB_Left	18.17	19.02	38.45	Pass	3
			Inner_1RB_Right	18.35	19.2	38.45	Pass	3
	DFT-s-OFDM PI/2 BPSK	836.5MHz	Edge_Full_Left	24.17	25.02	38.45	Pass	3
			Edge_Full_Right	24.2	25.05	38.45	Pass	3
			Edge_1RB_Left	24.11	24.96	38.45	Pass	3
			Edge_1RB_Right	24.1	24.95	38.45	Pass	3
			Outer_Full	24.54	25.39	38.45	Pass	3
			Inner_Full	24.25	25.1	38.45	Pass	3
			Inner_1RB_Left	24.31	25.16	38.45	Pass	3
			Inner_1RB_Right	24.68	25.53	38.45	Pass	3

	DFT-s-OFDM QPSK	Edge_Full_Left	23.55	24.4	38.45	Pass	3
		Edge_Full_Right	23.99	24.84	38.45	Pass	3
		Edge_1RB_Left	23.7	24.55	38.45	Pass	3
		Edge_1RB_Right	23.7	24.55	38.45	Pass	3
		Outer_Full	23.67	24.52	38.45	Pass	3
		Inner_Full	24.39	25.24	38.45	Pass	3
		Inner_1RB_Left	24.54	25.39	38.45	Pass	3
		Inner_1RB_Right	24.41	25.26	38.45	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	22.27	23.12	38.45	Pass	3
		Edge_Full_Right	22.19	23.04	38.45	Pass	3
		Edge_1RB_Left	22.31	23.16	38.45	Pass	3
		Edge_1RB_Right	22.23	23.08	38.45	Pass	3
		Outer_Full	23.09	23.94	38.45	Pass	3
		Inner_Full	23.55	24.4	38.45	Pass	3
		Inner_1RB_Left	22.87	23.72	38.45	Pass	3
		Inner_1RB_Right	23.3	24.15	38.45	Pass	3
	DFT-s-OFDM 64QAM	Edge_Full_Left	21.86	22.71	38.45	Pass	3
		Edge_Full_Right	21.94	22.79	38.45	Pass	3
		Edge_1RB_Left	22.22	23.07	38.45	Pass	3
		Edge_1RB_Right	22.19	23.04	38.45	Pass	3
		Outer_Full	22.13	22.98	38.45	Pass	3
		Inner_Full	21.95	22.8	38.45	Pass	3
		Inner_1RB_Left	21.97	22.82	38.45	Pass	3
		Inner_1RB_Right	22.54	23.39	38.45	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	20.08	20.93	38.45	Pass	3
		Edge_Full_Right	19.9	20.75	38.45	Pass	3
		Edge_1RB_Left	19.65	20.5	38.45	Pass	3
		Edge_1RB_Right	19.12	19.97	38.45	Pass	3
		Outer_Full	20.3	21.15	38.45	Pass	3
		Inner_Full	20.08	20.93	38.45	Pass	3
		Inner_1RB_Left	18.97	19.82	38.45	Pass	3
		Inner_1RB_Right	19.56	20.41	38.45	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	21.46	22.31	38.45	Pass	3
		Edge_Full_Right	21.32	22.17	38.45	Pass	3
		Edge_1RB_Left	21.61	22.46	38.45	Pass	3
		Edge_1RB_Right	21.65	22.5	38.45	Pass	3
		Outer_Full	22.04	22.89	38.45	Pass	3
		Inner_Full	22.96	23.81	38.45	Pass	3
		Inner_1RB_Left	22.91	23.76	38.45	Pass	3
		Inner_1RB_Right	22.81	23.66	38.45	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	21.7	22.55	38.45	Pass	3
		Edge_Full_Right	21.39	22.24	38.45	Pass	3
		Edge_1RB_Left	21.22	22.07	38.45	Pass	3

		841.5MHz	Edge_1RB_Right	21.44	22.29	38.45	Pass	3
			Outer_Full	21.8	22.65	38.45	Pass	3
			Inner_Full	22.62	23.47	38.45	Pass	3
			Inner_1RB_Left	22.67	23.52	38.45	Pass	3
			Inner_1RB_Right	22.38	23.23	38.45	Pass	3
	CP-OFDM 64QAM		Edge_Full_Left	20.62	21.47	38.45	Pass	3
			Edge_Full_Right	20.93	21.78	38.45	Pass	3
			Edge_1RB_Left	20.25	21.1	38.45	Pass	3
			Edge_1RB_Right	20.51	21.36	38.45	Pass	3
			Outer_Full	21.32	22.17	38.45	Pass	3
			Inner_Full	21.07	21.92	38.45	Pass	3
			Inner_1RB_Left	20.55	21.4	38.45	Pass	3
			Inner_1RB_Right	20.81	21.66	38.45	Pass	3
	CP-OFDM 256QAM		Edge_Full_Left	18.4	19.25	38.45	Pass	3
			Edge_Full_Right	18.39	19.24	38.45	Pass	3
			Edge_1RB_Left	18.09	18.94	38.45	Pass	3
			Edge_1RB_Right	18.33	19.18	38.45	Pass	3
			Outer_Full	18.52	19.37	38.45	Pass	3
			Inner_Full	18	18.85	38.45	Pass	3
			Inner_1RB_Left	17.9	18.75	38.45	Pass	3
			Inner_1RB_Right	18.4	19.25	38.45	Pass	3
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.99	24.84	38.45	Pass	3
			Edge_Full_Right	24.09	24.94	38.45	Pass	3
			Edge_1RB_Left	24.61	25.46	38.45	Pass	3
			Edge_1RB_Right	24.02	24.87	38.45	Pass	3
			Outer_Full	24.13	24.98	38.45	Pass	3
			Inner_Full	23.95	24.8	38.45	Pass	3
			Inner_1RB_Left	24.15	25	38.45	Pass	3
			Inner_1RB_Right	24.2	25.05	38.45	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	23.02	23.87	38.45	Pass	3
			Edge_Full_Right	22.53	23.38	38.45	Pass	3
			Edge_1RB_Left	22.63	23.48	38.45	Pass	3
			Edge_1RB_Right	22.19	23.04	38.45	Pass	3
			Outer_Full	23.09	23.94	38.45	Pass	3
			Inner_Full	24.29	25.14	38.45	Pass	3
			Inner_1RB_Left	23.6	24.45	38.45	Pass	3
			Inner_1RB_Right	23.26	24.11	38.45	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.56	22.41	38.45	Pass	3
			Edge_Full_Right	20.93	21.78	38.45	Pass	3
			Edge_1RB_Left	21.47	22.32	38.45	Pass	3
			Edge_1RB_Right	20.69	21.54	38.45	Pass	3
			Outer_Full	22.36	23.21	38.45	Pass	3
			Inner_Full	23.49	24.34	38.45	Pass	3

	DFT-s-OFDM 64QAM	Inner_1RB_Left	22.14	22.99	38.45	Pass	3
		Inner_1RB_Right	21.8	22.65	38.45	Pass	3
		Edge_Full_Left	20.98	21.83	38.45	Pass	3
		Edge_Full_Right	20.61	21.46	38.45	Pass	3
		Edge_1RB_Left	21.3	22.15	38.45	Pass	3
		Edge_1RB_Right	21.02	21.87	38.45	Pass	3
		Outer_Full	21.69	22.54	38.45	Pass	3
		Inner_Full	22.05	22.9	38.45	Pass	3
		Inner_1RB_Left	20.9	21.75	38.45	Pass	3
	DFT-s-OFDM 256QAM	Inner_1RB_Right	20.59	21.44	38.45	Pass	3
		Edge_Full_Left	19.67	20.52	38.45	Pass	3
		Edge_Full_Right	18.74	19.59	38.45	Pass	3
		Edge_1RB_Left	18.98	19.83	38.45	Pass	3
		Edge_1RB_Right	17.99	18.84	38.45	Pass	3
		Outer_Full	20.13	20.98	38.45	Pass	3
		Inner_Full	19.54	20.39	38.45	Pass	3
		Inner_1RB_Left	19.23	20.08	38.45	Pass	3
		Inner_1RB_Right	18.57	19.42	38.45	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	20.97	21.82	38.45	Pass	3
		Edge_Full_Right	20.53	21.38	38.45	Pass	3
		Edge_1RB_Left	20.89	21.74	38.45	Pass	3
		Edge_1RB_Right	21.12	21.97	38.45	Pass	3
		Outer_Full	21.71	22.56	38.45	Pass	3
		Inner_Full	22.78	23.63	38.45	Pass	3
		Inner_1RB_Left	22.31	23.16	38.45	Pass	3
		Inner_1RB_Right	21.26	22.11	38.45	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	21.3	22.15	38.45	Pass	3
		Edge_Full_Right	20.8	21.65	38.45	Pass	3
		Edge_1RB_Left	20.83	21.68	38.45	Pass	3
		Edge_1RB_Right	20.25	21.1	38.45	Pass	3
		Outer_Full	21.4	22.25	38.45	Pass	3
		Inner_Full	22.02	22.87	38.45	Pass	3
		Inner_1RB_Left	21.33	22.18	38.45	Pass	3
		Inner_1RB_Right	20.59	21.44	38.45	Pass	3
	CP-OFDM 64QAM	Edge_Full_Left	21.18	22.03	38.45	Pass	3
		Edge_Full_Right	20.62	21.47	38.45	Pass	3
		Edge_1RB_Left	20.25	21.1	38.45	Pass	3
		Edge_1RB_Right	20.27	21.12	38.45	Pass	3
		Outer_Full	21.02	21.87	38.45	Pass	3
		Inner_Full	20.99	21.84	38.45	Pass	3
		Inner_1RB_Left	20.57	21.42	38.45	Pass	3
		Inner_1RB_Right	19.91	20.76	38.45	Pass	3
	CP-OFDM 256QAM	Edge_Full_Left	18.34	19.19	38.45	Pass	3

			Edge_Full_Right	18.49	19.34	38.45	Pass	3
			Edge_1RB_Left	18	18.85	38.45	Pass	3
			Edge_1RB_Right	18.23	19.08	38.45	Pass	3
			Outer_Full	18.17	19.02	38.45	Pass	3
			Inner_Full	17.77	18.62	38.45	Pass	3
			Inner_1RB_Left	17.99	18.84	38.45	Pass	3
			Inner_1RB_Right	18.07	18.92	38.45	Pass	3
20MHz	DFT-s-OFDM PI/2 BPSK	834MHz	Edge_Full_Left	24.32	25.17	38.45	Pass	3
			Edge_Full_Right	24.07	24.92	38.45	Pass	3
			Edge_1RB_Left	24.08	24.93	38.45	Pass	3
			Edge_1RB_Right	24.1	24.95	38.45	Pass	3
			Outer_Full	24.29	25.14	38.45	Pass	3
			Inner_Full	24.18	25.03	38.45	Pass	3
			Inner_1RB_Left	24.2	25.05	38.45	Pass	3
			Inner_1RB_Right	24.43	25.28	38.45	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	23.45	24.3	38.45	Pass	3
			Edge_Full_Right	23.36	24.21	38.45	Pass	3
			Edge_1RB_Left	24.01	24.86	38.45	Pass	3
			Edge_1RB_Right	23.65	24.5	38.45	Pass	3
			Outer_Full	23.91	24.76	38.45	Pass	3
			Inner_Full	24.33	25.18	38.45	Pass	3
			Inner_1RB_Left	24.09	24.94	38.45	Pass	3
			Inner_1RB_Right	24.06	24.91	38.45	Pass	3
	DFT-s-OFDM 16QAM		Edge_Full_Left	22.4	23.25	38.45	Pass	3
			Edge_Full_Right	22.25	23.1	38.45	Pass	3
			Edge_1RB_Left	22.56	23.41	38.45	Pass	3
			Edge_1RB_Right	22.45	23.3	38.45	Pass	3
			Outer_Full	22.89	23.74	38.45	Pass	3
			Inner_Full	23.86	24.71	38.45	Pass	3
			Inner_1RB_Left	23.49	24.34	38.45	Pass	3
			Inner_1RB_Right	23.74	24.59	38.45	Pass	3
	DFT-s-OFDM 64QAM		Edge_Full_Left	22.25	23.1	38.45	Pass	3
			Edge_Full_Right	21.97	22.82	38.45	Pass	3
			Edge_1RB_Left	22.08	22.93	38.45	Pass	3
			Edge_1RB_Right	22.21	23.06	38.45	Pass	3
			Outer_Full	22.28	23.13	38.45	Pass	3
			Inner_Full	22.29	23.14	38.45	Pass	3
			Inner_1RB_Left	22.3	23.15	38.45	Pass	3
			Inner_1RB_Right	22.03	22.88	38.45	Pass	3
	DFT-s-OFDM 256QAM		Edge_Full_Left	20.38	21.23	38.45	Pass	3
			Edge_Full_Right	20.45	21.3	38.45	Pass	3
			Edge_1RB_Left	20.37	21.22	38.45	Pass	3
			Edge_1RB_Right	20.16	21.01	38.45	Pass	3

	CP-OFDM QPSK		Outer_Full	20.35	21.2	38.45	Pass	3
			Inner_Full	20.05	20.9	38.45	Pass	3
			Inner_1RB_Left	20.39	21.24	38.45	Pass	3
			Inner_1RB_Right	20.21	21.06	38.45	Pass	3
			Edge_Full_Left	21.64	22.49	38.45	Pass	3
			Edge_Full_Right	21.64	22.49	38.45	Pass	3
			Edge_1RB_Left	21.35	22.2	38.45	Pass	3
			Edge_1RB_Right	21.22	22.07	38.45	Pass	3
			Outer_Full	22.2	23.05	38.45	Pass	3
			Inner_Full	22.93	23.78	38.45	Pass	3
			Inner_1RB_Left	22.61	23.46	38.45	Pass	3
			Inner_1RB_Right	22.87	23.72	38.45	Pass	3
	CP-OFDM 16QAM		Edge_Full_Left	22.32	23.17	38.45	Pass	3
			Edge_Full_Right	21.89	22.74	38.45	Pass	3
			Edge_1RB_Left	21.17	22.02	38.45	Pass	3
			Edge_1RB_Right	21.73	22.58	38.45	Pass	3
			Outer_Full	22	22.85	38.45	Pass	3
			Inner_Full	22.73	23.58	38.45	Pass	3
			Inner_1RB_Left	22.82	23.67	38.45	Pass	3
			Inner_1RB_Right	22.33	23.18	38.45	Pass	3
			Edge_Full_Left	21.46	22.31	38.45	Pass	3
			Edge_Full_Right	21.4	22.25	38.45	Pass	3
			Edge_1RB_Left	21.03	21.88	38.45	Pass	3
			Edge_1RB_Right	21.03	21.88	38.45	Pass	3
	CP-OFDM 64QAM		Outer_Full	21.26	22.11	38.45	Pass	3
			Inner_Full	21.23	22.08	38.45	Pass	3
			Inner_1RB_Left	21	21.85	38.45	Pass	3
			Inner_1RB_Right	21.05	21.9	38.45	Pass	3
			Edge_Full_Left	18.53	19.38	38.45	Pass	3
			Edge_Full_Right	18.85	19.7	38.45	Pass	3
			Edge_1RB_Left	18.51	19.36	38.45	Pass	3
			Edge_1RB_Right	18.41	19.26	38.45	Pass	3
			Outer_Full	18.38	19.23	38.45	Pass	3
			Inner_Full	17.98	18.83	38.45	Pass	3
			Inner_1RB_Left	18.43	19.28	38.45	Pass	3
			Inner_1RB_Right	18.2	19.05	38.45	Pass	3
	DFT-s-OFDM PI/2 BPSK	836.5MHz	Edge_Full_Left	23.97	24.82	38.45	Pass	3
			Edge_Full_Right	24.3	25.15	38.45	Pass	3
			Edge_1RB_Left	24.21	25.06	38.45	Pass	3
			Edge_1RB_Right	24.04	24.89	38.45	Pass	3
			Outer_Full	24.34	25.19	38.45	Pass	3
			Inner_Full	24.22	25.07	38.45	Pass	3
			Inner_1RB_Left	24.23	25.08	38.45	Pass	3

	DFT-s-OFDM QPSK	Inner_1RB_Right	24.11	24.96	38.45	Pass	3
		Edge_Full_Left	23.38	24.23	38.45	Pass	3
		Edge_Full_Right	23.51	24.36	38.45	Pass	3
		Edge_1RB_Left	23.19	24.04	38.45	Pass	3
		Edge_1RB_Right	22.91	23.76	38.45	Pass	3
		Outer_Full	23.7	24.55	38.45	Pass	3
		Inner_Full	24.4	25.25	38.45	Pass	3
		Inner_1RB_Left	24.26	25.11	38.45	Pass	3
		Inner_1RB_Right	24.07	24.92	38.45	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	22.68	23.53	38.45	Pass	3
		Edge_Full_Right	22.59	23.44	38.45	Pass	3
		Edge_1RB_Left	22.33	23.18	38.45	Pass	3
		Edge_1RB_Right	22.57	23.42	38.45	Pass	3
		Outer_Full	22.7	23.55	38.45	Pass	3
		Inner_Full	23.62	24.47	38.45	Pass	3
		Inner_1RB_Left	23.53	24.38	38.45	Pass	3
		Inner_1RB_Right	23.79	24.64	38.45	Pass	3
		Edge_Full_Left	21.94	22.79	38.45	Pass	3
	DFT-s-OFDM 64QAM	Edge_Full_Right	22.13	22.98	38.45	Pass	3
		Edge_1RB_Left	22.45	23.3	38.45	Pass	3
		Edge_1RB_Right	22.09	22.94	38.45	Pass	3
		Outer_Full	22.42	23.27	38.45	Pass	3
		Inner_Full	22.42	23.27	38.45	Pass	3
		Inner_1RB_Left	22.15	23	38.45	Pass	3
		Inner_1RB_Right	21.9	22.75	38.45	Pass	3
		Edge_Full_Left	20.61	21.46	38.45	Pass	3
		Edge_Full_Right	20.12	20.97	38.45	Pass	3
	DFT-s-OFDM 256QAM	Edge_1RB_Left	20.29	21.14	38.45	Pass	3
		Edge_1RB_Right	20.49	21.34	38.45	Pass	3
		Outer_Full	20.25	21.1	38.45	Pass	3
		Inner_Full	20.35	21.2	38.45	Pass	3
		Inner_1RB_Left	20.19	21.04	38.45	Pass	3
		Inner_1RB_Right	20.38	21.23	38.45	Pass	3
		Edge_Full_Left	21.32	22.17	38.45	Pass	3
		Edge_Full_Right	21.5	22.35	38.45	Pass	3
		Edge_1RB_Left	21.36	22.21	38.45	Pass	3
	CP-OFDM QPSK	Edge_1RB_Right	21.57	22.42	38.45	Pass	3
		Outer_Full	21.82	22.67	38.45	Pass	3
		Inner_Full	23.04	23.89	38.45	Pass	3
		Inner_1RB_Left	22.78	23.63	38.45	Pass	3
		Inner_1RB_Right	22.69	23.54	38.45	Pass	3
		Edge_Full_Left	22.07	22.92	38.45	Pass	3
		Edge_Full_Right	21.94	22.79	38.45	Pass	3
	CP-OFDM 16QAM						

			Edge_1RB_Left	21.32	22.17	38.45	Pass	3	
			Edge_1RB_Right	21.67	22.52	38.45	Pass	3	
			Outer_Full	21.71	22.56	38.45	Pass	3	
			Inner_Full	22.67	23.52	38.45	Pass	3	
			Inner_1RB_Left	22.47	23.32	38.45	Pass	3	
			Inner_1RB_Right	22.4	23.25	38.45	Pass	3	
	CP-OFDM 64QAM		Edge_Full_Left	21.3	22.15	38.45	Pass	3	
			Edge_Full_Right	21.14	21.99	38.45	Pass	3	
			Edge_1RB_Left	21.14	21.99	38.45	Pass	3	
			Edge_1RB_Right	20.92	21.77	38.45	Pass	3	
			Outer_Full	21.33	22.18	38.45	Pass	3	
			Inner_Full	21.39	22.24	38.45	Pass	3	
	CP-OFDM 256QAM		Inner_1RB_Left	21.03	21.88	38.45	Pass	3	
			Inner_1RB_Right	20.97	21.82	38.45	Pass	3	
			Edge_Full_Left	18.75	19.6	38.45	Pass	3	
			Edge_Full_Right	18.96	19.81	38.45	Pass	3	
			Edge_1RB_Left	18.5	19.35	38.45	Pass	3	
			Edge_1RB_Right	18.53	19.38	38.45	Pass	3	
			Outer_Full	18.49	19.34	38.45	Pass	3	
			Inner_Full	18.27	19.12	38.45	Pass	3	
	DFT-s-OFDM PI/2 BPSK		839MHz	Inner_1RB_Left	18.74	19.59	38.45	Pass	3
				Inner_1RB_Right	18.44	19.29	38.45	Pass	3
				Edge_Full_Left	24.64	25.49	38.45	Pass	3
				Edge_Full_Right	23.75	24.6	38.45	Pass	3
				Edge_1RB_Left	24.1	24.95	38.45	Pass	3
				Edge_1RB_Right	23.49	24.34	38.45	Pass	3
				Outer_Full	24.48	25.33	38.45	Pass	3
				Inner_Full	24.09	24.94	38.45	Pass	3
				Inner_1RB_Left	24.07	24.92	38.45	Pass	3
				Inner_1RB_Right	24.07	24.92	38.45	Pass	3
DFT-s-OFDM QPSK	Edge_Full_Left	23.43	24.28	38.45	Pass	3			
	Edge_Full_Right	22.19	23.04	38.45	Pass	3			
	Edge_1RB_Left	22.94	23.79	38.45	Pass	3			
	Edge_1RB_Right	21.57	22.42	38.45	Pass	3			
	Outer_Full	22.95	23.8	38.45	Pass	3			
	Inner_Full	23.63	24.48	38.45	Pass	3			
	Inner_1RB_Left	24.05	24.9	38.45	Pass	3			
	Inner_1RB_Right	23.78	24.63	38.45	Pass	3			
DFT-s-OFDM 16QAM	Edge_Full_Left	21.99	22.84	38.45	Pass	3			
	Edge_Full_Right	20.82	21.67	38.45	Pass	3			
	Edge_1RB_Left	22.01	22.86	38.45	Pass	3			
	Edge_1RB_Right	20.74	21.59	38.45	Pass	3			
	Outer_Full	22.3	23.15	38.45	Pass	3			

	DFT-s-OFDM 64QAM	Inner_Full	22.94	23.79	38.45	Pass	3
		Inner_1RB_Left	23.07	23.92	38.45	Pass	3
		Inner_1RB_Right	22.01	22.86	38.45	Pass	3
		Edge_Full_Left	21.99	22.84	38.45	Pass	3
		Edge_Full_Right	20.37	21.22	38.45	Pass	3
		Edge_1RB_Left	21.94	22.79	38.45	Pass	3
		Edge_1RB_Right	20.36	21.21	38.45	Pass	3
		Outer_Full	21.55	22.4	38.45	Pass	3
		Inner_Full	21.21	22.06	38.45	Pass	3
		Inner_1RB_Left	21.47	22.32	38.45	Pass	3
	DFT-s-OFDM 256QAM	Inner_1RB_Right	20.33	21.18	38.45	Pass	3
		Edge_Full_Left	20.07	20.92	38.45	Pass	3
		Edge_Full_Right	18.44	19.29	38.45	Pass	3
		Edge_1RB_Left	19.63	20.48	38.45	Pass	3
		Edge_1RB_Right	18.44	19.29	38.45	Pass	3
		Outer_Full	20.09	20.94	38.45	Pass	3
		Inner_Full	20.07	20.92	38.45	Pass	3
		Inner_1RB_Left	19.81	20.66	38.45	Pass	3
		Inner_1RB_Right	18.69	19.54	38.45	Pass	3
		Edge_Full_Left	21.74	22.59	38.45	Pass	3
	CP-OFDM QPSK	Edge_Full_Right	20.36	21.21	38.45	Pass	3
		Edge_1RB_Left	20.86	21.71	38.45	Pass	3
		Edge_1RB_Right	21.22	22.07	38.45	Pass	3
		Outer_Full	21.21	22.06	38.45	Pass	3
		Inner_Full	22.17	23.02	38.45	Pass	3
		Inner_1RB_Left	22.43	23.28	38.45	Pass	3
		Inner_1RB_Right	21.43	22.28	38.45	Pass	3
		Edge_Full_Left	22.19	23.04	38.45	Pass	3
		Edge_Full_Right	21.07	21.92	38.45	Pass	3
		Edge_1RB_Left	21.45	22.3	38.45	Pass	3
	CP-OFDM 16QAM	Edge_1RB_Right	20.35	21.2	38.45	Pass	3
		Outer_Full	21.55	22.4	38.45	Pass	3
		Inner_Full	21.97	22.82	38.45	Pass	3
		Inner_1RB_Left	21.96	22.81	38.45	Pass	3
		Inner_1RB_Right	20.78	21.63	38.45	Pass	3
		Edge_Full_Left	21.47	22.32	38.45	Pass	3
		Edge_Full_Right	20.83	21.68	38.45	Pass	3
		Edge_1RB_Left	21.13	21.98	38.45	Pass	3
		Edge_1RB_Right	20.47	21.32	38.45	Pass	3
		Outer_Full	21.3	22.15	38.45	Pass	3
	CP-OFDM 64QAM	Inner_Full	21.21	22.06	38.45	Pass	3
		Inner_1RB_Left	21.04	21.89	38.45	Pass	3
		Inner_1RB_Right	20.2	21.05	38.45	Pass	3

	CP-OFDM 256QAM		Edge_Full_Left	18.81	19.66	38.45	Pass	3
			Edge_Full_Right	18.02	18.87	38.45	Pass	3
			Edge_1RB_Left	18.49	19.34	38.45	Pass	3
			Edge_1RB_Right	18.03	18.88	38.45	Pass	3
			Outer_Full	18.41	19.26	38.45	Pass	3
			Inner_Full	18.19	19.04	38.45	Pass	3
			Inner_1RB_Left	18.43	19.28	38.45	Pass	3
			Inner_1RB_Right	18.07	18.92	38.45	Pass	3

Frequency Stability

Bandwidth	Modulation	Frequency(MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Result (ppm)	Limit (ppm)	Verdict
5MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	3.3	0.0039	2.5	Pass
					HV	7.03	0.0084	2.5	Pass
				-30	NV	-6.36	-0.0076	2.5	Pass
				-20	NV	-4.56	-0.0055	2.5	Pass
				-10	NV	4.37	0.0052	2.5	Pass
				0	NV	-7.75	-0.0093	2.5	Pass
				10	NV	5.23	0.0063	2.5	Pass
				20	NV	2.99	0.0036	2.5	Pass
				30	NV	4.26	0.0051	2.5	Pass
				40	NV	2.71	0.0032	2.5	Pass
	50			NV	7.91	0.0095	2.5	Pass	
	CP-OFDM QPSK			20	LV	-7	-0.0084	2.5	Pass
					HV	9.37	0.0112	2.5	Pass
				-30	NV	7.86	0.0094	2.5	Pass
				-20	NV	7.3	0.0087	2.5	Pass
				-10	NV	3.01	0.0036	2.5	Pass
				0	NV	6.45	0.0077	2.5	Pass
				10	NV	6.74	0.0081	2.5	Pass
				20	NV	-8.38	-0.0100	2.5	Pass
				30	NV	-6.64	-0.0079	2.5	Pass
40		NV	7.05	0.0084	2.5	Pass			
50	NV	5.97	0.0071	2.5	Pass				
10MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	7.8	0.0093	2.5	Pass
					HV	-2.62	-0.0031	2.5	Pass
				-30	NV	-6.83	-0.0082	2.5	Pass
				-20	NV	-4.76	-0.0057	2.5	Pass
				-10	NV	-3.71	-0.0044	2.5	Pass
				0	NV	5.54	0.0066	2.5	Pass
				10	NV	1.94	0.0023	2.5	Pass
				20	NV	4.09	0.0049	2.5	Pass
				30	NV	8.71	0.0104	2.5	Pass
				40	NV	-5.77	-0.0069	2.5	Pass
	50			NV	3.85	0.0046	2.5	Pass	
	CP-OFDM QPSK			20	LV	6.29	0.0075	2.5	Pass
					HV	6.29	0.0075	2.5	Pass
				-30	NV	4.85	0.0058	2.5	Pass
				-20	NV	-6.97	-0.0083	2.5	Pass

				-10	NV	-2.44	-0.0029	2.5	Pass
				0	NV	2.49	0.0030	2.5	Pass
				10	NV	-3.16	-0.0038	2.5	Pass
				20	NV	7.87	0.0094	2.5	Pass
				30	NV	-3.25	-0.0039	2.5	Pass
				40	NV	-2.52	-0.0030	2.5	Pass
				50	NV	-3.43	-0.0041	2.5	Pass
15MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	4.54	0.0054	2.5	Pass
					HV	-3.83	-0.0046	2.5	Pass
				-30	NV	7.09	0.0085	2.5	Pass
				-20	NV	-8.63	-0.0103	2.5	Pass
				-10	NV	4.87	0.0058	2.5	Pass
				0	NV	5.44	0.0065	2.5	Pass
				10	NV	4.03	0.0048	2.5	Pass
				20	NV	5.38	0.0064	2.5	Pass
				30	NV	4.08	0.0049	2.5	Pass
				40	NV	-8.45	-0.0101	2.5	Pass
				50	NV	4.08	0.0049	2.5	Pass
	CP-OFDM QPSK			20	LV	-3.8	-0.0045	2.5	Pass
					HV	2.34	0.0028	2.5	Pass
				-30	NV	-7.11	-0.0085	2.5	Pass
				-20	NV	8.65	0.0103	2.5	Pass
				-10	NV	5.45	0.0065	2.5	Pass
				0	NV	9.5	0.0114	2.5	Pass
				10	NV	7.27	0.0087	2.5	Pass
				20	NV	4.86	0.0058	2.5	Pass
				30	NV	5.2	0.0062	2.5	Pass
				40	NV	2.92	0.0035	2.5	Pass
				50	NV	6.53	0.0078	2.5	Pass
20MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	-8.93	-0.0107	2.5	Pass
					HV	-4.67	-0.0056	2.5	Pass
				-30	NV	-2.6	-0.0031	2.5	Pass
				-20	NV	-6.99	-0.0084	2.5	Pass
				-10	NV	9.44	0.0113	2.5	Pass
				0	NV	8.88	0.0106	2.5	Pass
				10	NV	-4.24	-0.0051	2.5	Pass
				20	NV	9.85	0.0118	2.5	Pass
				30	NV	-6.2	-0.0074	2.5	Pass
				40	NV	-4.81	-0.0058	2.5	Pass
				50	NV	-9.47	-0.0113	2.5	Pass
	CP-OFDM QPSK			20	LV	4.86	0.0058	2.5	Pass
					HV	3.03	0.0036	2.5	Pass
				-30	NV	2.05	0.0025	2.5	Pass

				-20	NV	4.34	0.0052	2.5	Pass
				-10	NV	-6.06	-0.0072	2.5	Pass
				0	NV	-4.74	-0.0057	2.5	Pass
				10	NV	-5.08	-0.0061	2.5	Pass
				20	NV	2.99	0.0036	2.5	Pass
				30	NV	-8.45	-0.0101	2.5	Pass
				40	NV	3.52	0.0042	2.5	Pass
				50	NV	1.67	0.0020	2.5	Pass

Field Strength of Spurious Radiation

NR N26b(824-849MHz)-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1650.0	-71.81	-13	-58.81	-74.69	2.62	5.5	Horizontal	Pass
2475.0	-69.74	-13	-56.74	-72.44	3.06	5.76	Horizontal	Pass
3300.0	-67.91	-13	-54.91	-72.28	3.3	7.67	Horizontal	Pass
1650.0	-71.53	-13	-58.53	-74.41	2.62	5.5	Vertical	Pass
2475.0	-69.1	-13	-56.1	-71.8	3.06	5.76	Vertical	Pass
3300.0	-67.43	-13	-54.43	-71.8	3.3	7.67	Vertical	Pass

NR N26b(824-849MHz)-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1655.0	-71.49	-13	-58.49	-74.36	2.62	5.49	Horizontal	Pass
2482.5	-69.58	-13	-56.58	-72.29	3.07	5.78	Horizontal	Pass
3310.0	-67.55	-13	-54.55	-71.95	3.3	7.7	Horizontal	Pass
1655.0	-71.66	-13	-58.66	-74.53	2.62	5.49	Vertical	Pass
2482.5	-69.39	-13	-56.39	-72.1	3.07	5.78	Vertical	Pass
3310.0	-67.99	-13	-54.99	-72.39	3.3	7.7	Vertical	Pass

NR N26b(824-849MHz)-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1660.0	-71.78	-13	-58.78	-74.64	2.62	5.48	Horizontal	Pass
2490.0	-69.57	-13	-56.57	-72.3	3.07	5.8	Horizontal	Pass
3320.0	-67.78	-13	-54.78	-72.19	3.31	7.72	Horizontal	Pass
1660.0	-71.18	-13	-58.18	-74.04	2.62	5.48	Vertical	Pass
2490.0	-69.81	-13	-56.81	-72.54	3.07	5.8	Vertical	Pass
3320.0	-67.36	-13	-54.36	-71.77	3.31	7.72	Vertical	Pass